

ORDINANCE NO. 90-O-447.C

AN ORDINANCE AMENDING ORDINANCE NO. 89-O-447, WHICH ADOPTED THE GENERAL ENGINEERING REQUIREMENTS AND STANDARD SPECIFICATIONS FOR STREET, STORM DRAIN, SEWER AND WATERLINE CONSTRUCTION DOCUMENT, DATED AUGUST, 1988.

Sections:

Section 1. Amendment to Ordinance No. 89-O-447.

The City of Brookings ordains as follows:

Section 1. Amendment to Ordinance No. 89-O-447. Ordinance No. 89-O-447 is hereby amended by the following addition:

**Division 3
Sitework**

3N. Culvert Installation

02. Materials.

a. Corrugated Metal Pipe.

(01) Corrugated metal pipe shall be helical corrugated, Armco "Hel-Cor Aluminized Steel, Type 2", or approved equal, conforming to AASHTO M36, Type 2.

(02) Aluminum pipe is approved equal. Kaiser "Corlix" Storm Sewer Pipe, conforming to AASHTO M 196, current edition.

(03) Corrugated metal pipe shall be nominal inside diameters of 12 inches, minimum. Pipe shall be 14 gauge minimum.

(04) Joints shall be made with connecting bands fabricated from same material as pipe. Connecting bands shall be ten and one half (10-1/2) inches wide for steel, twelve (12) inches wide for aluminum.


First Reading: _____ November 19, 1990
Second Reading: _____ November 19, 1990
Passage: _____ November 19, 1990
Effective Date: _____ December 18, 1990

Signed by me in authentication of its passage this _____ 19th
day of _____ November _____, 19 _____ 90



Fred Hummel
Mayor

ATTEST:



Beverly S. Shields
City Recorder