

RESOLUTION NO. 1229

**A RESOLUTION ADOPTING CONSTRUCTION STANDARDS FOR PUBLIC WORKS FACILITIES AND RESCINDING RESOLUTION NO. 1156-95**

**WHEREAS**, Troutdale Municipal Code Section 12.01.120 authorizes the Council to adopt, by resolution, local construction standards which clarify, modify, or expand upon the American Public Works Association "Standard Specifications for Public Works Construction"; and

**WHEREAS**, staff has found it beneficial to have such local standards for the information of builders and developers in Troutdale; and

**WHEREAS**, staff have summarized in this document the most recent changes necessary to these construction standards; and,

**WHEREAS**, this new resolution will rescind the previous resolution, No. 1156-95, passed on January 24, 1995.


**NOW, THEREFORE, BE IT RESOLVED BY THE COUNCIL OF THE CITY OF TROUTDALE**

Section 1. The "City of Troutdale Construction Standards for Public Works Facilities" dated March, 1996, which are attached and made a part hereof, are adopted for use on all public works facilities in the City.

Section 2. The Public Works Director may approve minor changes to these standards in unique or unusual situations provided that the resulting public facilities are of the same or greater capacity and durability as those specified in the standards.

Section 3. Resolution No. 1156-95, which adopted the construction standards for public works facilities previously in effect, is hereby rescinded.

YEAS: 6  
NAYS: 0  
ABSTAINED: 0

  
Paul Thalhofer, Mayor

Dated: 3-14-96


  
George Martinez, City Recorder

Adopted: 3-12-96

## CHANGES MADE TO THE STANDARD CONSTRUCTION DETAILS

DRAWING #	CHANGE	REASON
II - 4	Extended pipe through weephole to 6-inches from back of curb and added a plug.	Prevent soil erosion onto the street
II - 6	To General Note 4, added the words "concrete" between "pouring" and "approach" and "cedar" between "of" and "wood".	Information and clarification
II - 8	ADA-required diamond shape pattern was limited to the landing part of the wheelchair ramp only.	ADA requirement
II - 9	Minimum width of the landscaping strip by curbs and sidewalks was changed to 3 feet.	Request by Parks Department
II - 13	General Note 3, last sentence was modified to read as follows: "A submittal of a traffic plan to Public Works to approve may also be required depending on the location of the cut".	Information and clarification
II - 14	150 W-HPS was changed to 100 W-HPS	PGE Requirement
II - 15	150 W-HPS was changed to 100 W-HPS	PGE Requirement
II - 18	Hatching pattern was changed to point towards center of barricade.	Such hatching pattern indicates a "temporary closure"
II - 19	To Barricade Type III, hatching pattern was changed to point towards center of barricade.	Such hatching pattern indicates a "permanent closure"
II - 24	General Note #6 was added.	Information and clarification
II - 25	New drawing.	Information and clarification
II - 28	New drawing.	Information and clarification
IV - 2	General Note #7, Item C and D were added.	Acceptable fire hydrants
IV - 5	Old drawing Number IV-5 was changed to IV-6 and a new drawing became IV-5.	Acceptable air release valve assembly

IV - 6	The drawing title "air vacuum release valve assembly" changed to "air and vacuum release valve assembly".	Information and clarification
IV - 7	Two new acceptable meter boxes were added: No. 66H and No. 66T, and General Note #1 was modified. A 600L water sampling station was deleted.	Information and clarification
IV - 8	Two new acceptable meter boxes were added: No. 66H & No. 66T. References to other drawings with new numbers were changed respectively.	Information and clarification
IV - 9	Referenced to other drawings with new #'s changed respectively.	Information and clarification
IV - 10	New drawing.	Information and clarification
IV - 11	New General Note #6 added.	Information and clarification
IV - 14	General Note #2 was modified.	Information and clarification
IV - 15	New General Note #7 was added.	Information and clarification
VI - 7	"Back-tracer tape" was changed to "warning tape".	Information and clarification
VI - 8	"Back-tracer tape" was changed to "warning tape".	Information and clarification
VI - 10	New construction detail added.	Information and clarification
VIII - 3	General Note #1 has been modified.	Information and clarification
VIII - 9	"Back-tracer tape" was changed to "warning tape".	Information and clarification
VIII - 10	"Back-tracer tape" was changed to "warning tape".	Information and clarification
X - 12	New construction detail added.	Information and clarification
XII	All drawings, from XII-1 through XII-10 are new construction details.	Information and clarification



CITY OF TROUTDALE

**CONSTRUCTION STANDARDS  
FOR  
PUBLIC WORKS  
FACILITIES  
MARCH 1996**

**CITY OF TROUTDALE  
CONSTRUCTION DETAILS**

**TABLE OF CONTENTS**

**PART I - STREETS**

<b>Streets (General Requirements)</b> . . . . .	<b>I - 1</b>
<b>Standards for Pavement Overlays</b> . . . . .	<b>I - 5</b>

**PART II - STREETS (Construction Details)**

<b>Neighborhood Collector (cross section)</b> . . . . .	<b>II - 1</b>
<b>Local Street (cross section)</b> . . . . .	<b>II - 2</b>
<b>Cul-de-sac &amp; Intersection Radii</b> . . . . .	<b>II - 3</b>
<b>Curbs &amp; Weepholes</b> . . . . .	<b>II - 4</b>
<b>Straight Curb</b> . . . . .	<b>II - 5</b>
<b>Curb Knock-out for Driveways</b> . . . . .	<b>II - 6</b>
<b>Concrete Cross Gutters</b> . . . . .	<b>II - 7</b>
<b>Wheel Chair Ramps</b> . . . . .	<b>II - 8</b>
<b>Concrete Sidewalk</b> . . . . .	<b>II - 9</b>
<b>Driveway Approach (Single Family Residential)</b> . . . . .	<b>II - 10</b>
<b>Driveway Approach (Multi-Family Residential, Commercial/Industrial)</b> . . . . .	<b>II - 11</b>
<b>Utility Easement Access Way</b> . . . . .	<b>II - 12</b>
<b>Street Cut &amp; Repairs</b> . . . . .	<b>II - 13</b>
<b>Street Light Pole Location (back of walk)</b> . . . . .	<b>II - 14</b>
<b>Street Light Pole Location (in landscaping strip)</b> . . . . .	<b>II - 15</b>
<b>Mail Box Installations (cluster &amp; single)</b> . . . . .	<b>II - 16</b>
<b>Survey Monument &amp; Box</b> . . . . .	<b>II - 17</b>
<b>Street Barricade (Type II)</b> . . . . .	<b>II - 18</b>
<b>Street Barricade (Types I &amp; III)</b> . . . . .	<b>II - 19</b>
<b>Public/Private Utility Locations</b> . . . . .	<b>II - 20</b>
<b>Basketball Hoop Detail (in public r-o-w)</b> . . . . .	<b>II - 21</b>
<b>Basketball Hoop Location (in public r-o-w)</b> . . . . .	<b>II - 22</b>
<b>Bomanite Pedestrian Crosswalk</b> . . . . .	<b>II - 23</b>

Neighborhood Watch Signs . . . . .	II - 24
Private Street Sign . . . . .	II - 25
14' Wide Speed Hump . . . . .	II - 26
Gravel Construction Entrance . . . . .	II - 27
Not a Permanent Dead-End Street Sign . . . . .	II - 28

**PART III - WATER DISTRIBUTION SYSTEM**

Water Distribution System (General Requirements) . . .	III - 1
--	---------

**PART IV - WATER DISTRIBUTION SYSTEM (Construction Details)**

Thrust Blocks . . . . .	IV - 1
Fire Hydrant Assembly (Behind Sidewalk) . . . . .	IV - 2
Fire Hydrant Assembly (Behind Curb) . . . . .	IV - 3
Valve Box & Operator Extension Assembly . . . . .	IV - 4
Air Release Valve Assembly . . . . .	IV - 5
Air & Vacuum Release Valve Assembly . . . . .	IV - 6
Water Sampling Station . . . . .	IV - 7
1" Double Water Service . . . . .	IV - 8
3/4" to 2" Single Water Service . . . . .	IV - 9
In Cul-de-sac Double/Single Service Configuration . . . .	IV - 10
3" Diameter (and larger) Water Meter Vault . . . . .	IV - 11
Meter with Remote Reader & Vault . . . . .	IV - 12
Water Meter with Bypass Detail . . . . .	IV - 13
Pressure Regulating Vault . . . . .	IV - 14
Double Check Backflow Preventor Device Vault . . . . .	IV - 15
Dead-end Blowoff Assembly . . . . .	IV - 16
In-line Blowoff Assembly . . . . .	IV - 17

**PART V - STORM SEWER COLLECTION SYSTEM**

Storm Sewer Collection System (General Requirements) . . . . .	V - 1
---	-------

**PART VI - STORM SEWER COLLECTION SYSTEM  
(Construction Details)**

Catch Basin . . . . .	VI - 1
Ditch Inlet . . . . .	VI - 2

Flat Top Manhole (Storm Only) . . . . .	VI - 4
Large Concrete Storm Manhole Bases . . . . .	VI - 5
Drywell Detail . . . . .	VI - 6
Storm Sewer Lateral & Marker (Shallow Trench) . . . . .	VI - 7
Storm Sewer Lateral (Deep Trench) . . . . .	VI - 8
Storm Manhole (48" Diameter) . . . . .	VI - 9
Permitted Drywell Construction Area . . . . .	VI - 10

**PART VII - SANITARY SEWER COLLECTION SYSTEM**

Sanitary Sewer Collection System (General Requirements) . . . . .	VII - 1
--	---------

**PART VIII - SANITARY SEWER COLLECTION SYSTEM  
(Construction Details)**

Sanitary Manhole (48" Diameter) . . . . .	VIII - 1
Manhole Lids & Frames (Sanitary & Storm) . . . . .	VIII - 2
48" Manhole Base (Sanitary or Storm) . . . . .	VIII - 3
Trench Backfill, Bedding & Pipe Zone . . . . .	VIII - 4
Inside Drop Connection for Manholes (San. or Storm) . . . . .	VIII - 5
Outside Drop Connection for Manholes (San. or Storm) . . . . .	VIII - 6
Cleanout . . . . .	VIII - 7
Sanitary & Storm Manholes & Cleanouts Marker Post . . . . .	VIII - 8
Sanitary Sewer Lateral & Marker (Shallow Trench) . . . . .	VIII - 9
Sanitary Sewer Lateral (Deep Trench) . . . . .	VIII - 10
Manhole Ring Adjustments (Sanitary & Storm) . . . . .	VIII - 11
Cam-Lock Manhole Cover & Frame (Cast Iron & Aluminum) . . . . .	VIII - 12
Bore Casing Detail . . . . .	VIII - 13
Concrete Cradle & Cap Detail . . . . .	VIII - 14
Pipe Anchor Detail . . . . .	VIII - 15
Concrete Apron Detail . . . . .	VIII - 16

**PART IX - EROSION CONTROL MEASURES**

Erosion Control Measures (General Requirements) . . . . .	IX - 1
--	--------

## **PART X - EROSION CONTROL MEASURES**

### **(Construction Details)**

<b>Temporary Sediment Fence</b> . . . . .	<b>X - 1</b>
<b>Temporary Straw Bale Silt Barrier</b> . . . . .	<b>X - 2</b>
<b>Biofilter Bags in Ditches &amp; Swales</b> . . . . .	<b>X - 3</b>
<b>Biofilter Bag for Overland Water Flow (Option 1)</b> . . . .	<b>X - 4</b>
<b>Biofilter Bag for Overland Water Flow (Option 2)</b> . . . .	<b>X - 5</b>
<b>Biofilter Bag - Protected Catch Basin Detail</b> . . . . .	<b>X - 6</b>
<b>Temporary Site Interceptor (Swales &amp; Dikes)</b> . . . . .	<b>X - 7</b>
<b>Erosion Control for Single Lots</b> . . . . .	<b>X - 8</b>
<b>Filter Bag Inlet Detail</b> . . . . .	<b>X - 9</b>
<b>Sediment Trap</b> . . . . .	<b>X - 10</b>
<b>Sediment Pond</b> . . . . .	<b>X - 11</b>
<b>Erosion Control Blanket Installation Detail</b> . . . . .	<b>X - 12</b>
<b>Continuous Geosynthetic Berm</b> . . . . .	<b>X - 13</b>

## **PART XI - GARBAGE & RECYCLING CONTAINER ENCLOSURES**

### **Garbage & Recycling Container Enclosures**

<b>(General Requirements)</b> . . . . .	<b>XI - 1</b>
---	---------------

## **PART XII - GARBAGE & RECYCLING CONTAINER ENCLOSURES**

### **Garbage & Recycling Container Enclosures**

#### **(Construction Details)**

<b>Multi-Family Sample 1</b> . . . . .	<b>XII - 1</b>
<b>Multi-Family Sample 2</b> . . . . .	<b>XII - 2</b>
<b>Multi-Family Sample 3</b> . . . . .	<b>XII - 3</b>
<b>Multi-Family Sample 4</b> . . . . .	<b>XII - 4</b>
<b>Multi-Family Sample 5</b> . . . . .	<b>XII - 5</b>
<b>Commercial Sample 1</b> . . . . .	<b>XII - 6</b>
<b>Commercial Sample 2</b> . . . . .	<b>XII - 7</b>
<b>Commercial Sample 3</b> . . . . .	<b>XII - 8</b>
<b>Commercial Sample 4</b> . . . . .	<b>XII - 9</b>
<b>Commercial Sample 5</b> . . . . .	<b>XII - 10</b>

# **STREETS**

**(Parts I & II)**