



DEQ Medford Office
 221 Stewart Avenue
 Suite 201
 Medford, OR 97501
 541-776-6010
 OnsiteMedford@deq.state.or.us
 Website: oregon.gov/deq

Alteration (Minor) - Commercial - New

Certificate of Satisfactory Completion
 248-18-000731-PRMT-01

Date Certificate Issued: 10/09/2018
Work Description: MINOR ALT. FROM AN

Primary Contractor: David Anderson Excavating
Installer License: 38382
Address: 3835 Lakeshore Dr
 Selma OR 97538
Phone: (541) 597-4486
Email: sisdarlene@hotmail.com

Owner: Michael NG	Property Address: 2581 Dick George Rd, Cave Junction, OR 97523
Address: 2581 Dick George Rd. Cave Junction OR 97523	
Parcel: 4008130000314 - Primary	Township: 40S Range: 8W Section: 13

Lot Size:	N/A	Water Supply:	N/A
Zoning:	N/A	City/County/UGB:	N/A
Land Use Approval:	N/A		

Category of Construction: N/A

System Specifications

Type:	Tank Only		
Min Septic Tank Volume:	N/A	Min Dosing Tank Volume:	1500 gal.

Date Certificate Issued: 10/09/2018
Work Description: MINOR ALT. FROM AN

Conditions of Approval

The owner of this system must maintain a contract with a maintenance provider certified by the manufacturer to inspect, operate and maintain the onsite system. The maintenance provider must submit an annual report and annual evaluation fee.

Installation of this onsite wastewater treatment system has been determined to comply with the applicable requirements in Oregon Administrative Rules Chapter 340, Divisions 071 and 073 and the Conditions of Approval above.

1. In accordance with Oregon Revised Statute 454,665, this Certificate of Satisfactory Completion is issued as evidence of satisfactory completion of an onsite wastewater treatment system at the location identified above.
2. Issuance of this Certificate does not constitute a warranty or guarantee that this onsite wastewater treatment system will function indefinitely without failure. Conditions imposed as permit requirements continue for the life of the system.
3. The area of the initial and the identified replacement area must not be subjected to activity that is likely to adversely affect the soil or the functioning of the system. Such activities may include, but are not limited to, vehicular traffic, livestock, covering the area with asphalt or concrete, filling, cutting, or other soil modification activities.
4. This onsite wastewater treatment system that be connected to the facility referenced herein within 5 years of the issuance of this Certificate of Satisfactory Completion (CSC) or rules for authorization notices, alteration permits, or construction-installation permits as outlined in OAR 340-071-0160, 340-071-0205, or 340-071-0210 apply, including payment of an additional fee.
5. This system must operate in compliance with OAR Chapter 340, Division 071 and must not create a public health hazard or pollute public waters.
6. Unless otherwise required by the agent, the system installer must backfill (cover) this system within 10 days after the issuance of this Certificate of Satisfactory Completion.

Certificate of Satisfactory Completion

System Inspection: No Operation of Law - 7 Days Notice: No Pre-Cover Inspection Waived Per 340-071: Yes
Comments: N/A

David Hurley

Onsite Wastewater Specialist

CALL BEFORE YOU DIG...IT'S THE LAW

ATTENTION:Oregon law requires you to follow rules adopted by the Oregon Utility Notification Center. Those rules are set forth by Oregon Administration Rules. You may obtain copies of the rules by calling the center. (Note: The telephone number for the Oregon Utility Notification Center is 1-800-332-2344.)











Septic Permit

Alteration (Minor) - Commercial - New

248-18-000731-PRMT-01

DEQ Medford Office
221 Stewart Avenue
Suite 201
Medford, OR 97501
541-776-6010
OnsiteMedford@deq.state.or.us
Website: oregon.gov/deq

Date issued: 10/3/18	Expiration date: 10/3/19
Work description: MINOR ALT. FROM AN	

Primary contractor: David Anderson Excavating
Installer License: 38382
Address: 3835 Lakeshore Dr
Selma OR 97538
Phone: (541) 597-4486
Email: sisdarlene@hotmail.com

Business License: N/A

Owner: Michael NG	Property address: 2581 Dick George Rd, Cave Junction, OR 97523
Address: 2581 Dick George Rd. Cave Junction OR 97523	
Parcel: 4008130000314 - Primary	Township: 40S Range: 8W Section: 13
Lot size: N/A	Water supply: N/A
Zoning: N/A	City/County/UGB: N/A
Land use approval: N/A	County: Josephine
Action: New	Type of application: Alteration (Minor) - Commercial
System failing: N/A	Septic tank last pumped: N/A
Comments: N/A	

Category of construction: N/A

System Specifications

Type:	Tank Only	ATT description:	N/A
Min septic tank volume:	N/A	Min dosing tank volume:	1500 gal.

CALL BEFORE YOU DIG...IT'S THE LAW

ATTENTION: Oregon law requires you to follow rules adopted by the Oregon Utility Notification Center. Those rules are set forth by Oregon Administration Rules. You may obtain copies of the rules by calling the center. (Note: The telephone number for the Oregon Utility Notification Center is 1-800-332-2344.)

Date issued: 10/3/18**Expiration date:** 10/3/19**Work description:** MINOR ALT. FROM AN**Conditions of approval**

1. A pre-cover inspection of the installed absorption facility (prior to backfill) is required.
2. A final inspection request and notice (FIRN) form including a detailed and accurate as-built plan of the constructed system and a list of all materials used in the construction of the system must be completed and submitted prior to requesting a final inspection.
3. The system must be installed by the property owner or a licensed sewage disposal business (installer).
4. Vehicular traffic and livestock must be restricted from the system area.
5. All roof drains must be directed away from the system
6. All tanks must be tested for watertightness and have a water-tight riser to the ground surface. Twenty- inch minimum diameter if less than 36-in deep. Thirty-inch minimum diameter if greater than 36-in deep. Maintain access to septic tank for pumping and service.
7. Meet all required setbacks
8. The system must be installed in the area approved during the site evaluation and in accordance with the construction plan approved by the agent, including any changes made by the agent.
9. The pump and alarm must be wired on separate circuits in the control panel. Pump wiring must comply with applicable building, electrical, or other codes. An electrical permit and inspection from the Department of Consumer and Business Services, Building Codes Division, or the municipality with jurisdiction, is required for pump wiring installation.
10. Install the pump and system components in accordance with the approved pump curve and specifications.
11. An anti-buoyancy device is required for the septic tank(s) and must be installed as per the manufacturer installation guidelines if there is a high water table in the area of the tank installation.
12. A minimum 18-gauge, green-jacketed tracer wire or green color-coded metallic tape must be placed on top of the effluent sewer or pressure transport pipe from tank to drainfield.
13. Effluent sewer. The effluent sewer must extend at least 5 feet beyond the septic tank before connecting to the distribution unit. It must be installed with a minimum fall of 4 inches per 100 feet and at least 2 inches of fall from one end of the pipe to the other. In addition, there must be a minimum difference of 8 inches between the invert of the septic tank outlet and either the invert of the header to the distribution pipe of the highest lateral in a serial distribution field or the invert of the header pipe to the distribution pipes of an equal distribution absorption field.

Date issued: 10/3/18**Expiration date:** 10/3/19**Work description:** MINOR ALT. FROM AN

This Construction-Installation Permit authorizes the property owner to construct an onsite wastewater system specified above.

Rules, Approved Material Listing; and Database of Licensed Installers can be accessed at:
<http://www.deq.state.or.us/wq/onsite/onsite.htm>

General Conditions And Requirements For All Permits:

Onsite Construction-Installation Permits are valid for one year from the date of issuance. The expiration date is noted on this permit. Renewal of a permit may be granted if an application for permit renewal is received before the permit expiration date. Reinstatement of a permit may be granted if an application for permit reinstatement is received within one year after the permit expiration date. Transfer of a permit from the permittee to another person may be granted if an application for permit transfer is received before the permit expiration date and no other changes to the permit are necessary.

Installation Requirements: The drainfield must be installed in undisturbed native soil. No alterations of the natural site conditions such as soil removal or filling, or slope/topography alterations within the approval areas for both the initial and replacement systems are allowed, unless otherwise authorized by the Agent. Do not install system when soil moisture, high groundwater, adverse weather, or other conditions that could affect the quality of installation or reliability of the system are present. If such conditions are present and there is a need for sewage disposal at the site, the septic tank can be utilized as a temporary holding tank as outlined in 340-071-0160(9).

Inspection Requirements: The system installer and/or the permit holder must notify the permitting Agent when the construction, alteration, or repair of a system for which a permit was issued is completed (except for the backfilling or covering of the installation). The permitting agent has 7 days to perform an inspection of the completed construction after the official notice date, unless the permitting agent elects to waive the inspection and authorizes the system to be backfilled earlier. Receipt and acceptance of a completed Final Inspection Request and Notice form by the permitting agent establishes the official notice date of your request for the final inspection. Faxed copies are acceptable for inspection request purposes only. Originals must be received before a Certificate of Satisfactory Completion can be issued.

System Backfill Requirements: The system is to be backfilled or covered as follows:

- * Only after the permitting agent has approved the construction installation,
- * or the inspection has been waived
- * or the Certificate of Satisfactory Completion (CSC) has been issued by operation of law (where the inspection has not been conducted within 7 days of notification of completed installation).

Unless otherwise required, it is the system installer's responsibility to backfill the system within 10 days after inspection and issuance of the CSC. Backfill must be carefully placed to prevent damage to the system. The backfill must be free of large stones, frozen clumps of earth, masonry, stumps, waste construction materials, or other materials that could damage the system. Be sure that the untreated building paper, filter fabric, or other material approved by the agent is completely covering all drain media where required prior to backfill. The system can be connected to and placed into service once it has been properly backfilled and the CSC has been issued.

Initial and Replacement Areas — Protection: The installed subsurface absorption field and designated replacement areas must be protected and kept free of development such as roadways, covering with asphalt or concrete, filling, cutting, or other soil modifications.

Marty Easter

Onsite Wastewater Specialist

10/3/18

MNG Holdings
2581 Dick George Rd
Cave Junction OR 97523


7-40 K-08 3-13 14-311

1500 Gal
2 Comp Pump
TANK

PLAN APPROVED
BY D.E.Q.

Date: 10/3/18 Signed: 

700 FT



Existing 1500 Gal
SEPTIC TANK

TIE IN TO EXISTING
D BOX

400 FT

← Drain Field
Installed 1-2018

EXISTING
BUILD



DEQ Medford Office
 221 Stewart Avenue
 Suite 201
 Medford, OR 97501
 Phone: 541-776-6010

**Certificate of Satisfactory
 Completion
 Installation Permit - Commercial - New
 248-17-001262-PRMT-01**

www.oregon.gov/deq

OnsiteMedford@deq.state.or.us

Date Certificate Issued: 01/30/2018
Work Description: INSTALLATION PERMIT FOR COMMERCIAL FACILITY FOR CANNIBUS PROCESSING FROM SITE EVALUATION

Applicant: CARON, HARVEY	Primary Contractor: David Anderson Excavating
Address: PO BOX 2505 CAVE JUNCTION OR 97523	Installer License: 38382
Phone: 5094401445	Address: 3835 Lakeshore Dr Selma OR 97538
Email: HARVEYCARON1025@YAHOO.COM	Phone: (541) 597-4486
	Email: sisdartene@hotmail.com

Owner: MICHAEL NG	Property Address: 2581 Dick George Rd, Cave Junction, OR 97523
Address: 11236 AMBERDALE DR. TUSTIN CA 92782	
Parcel: 40071800000507 - Primary	

Lot Size: Not specified	Water Supply: Well
Zoning: Not specified	City/County/UGB: County
Land Use Approval: Not specified	County: Josephine

Category of Construction: Commercial

Use of Structure:	Proposed
	CANNIBUS PROCESSING FACILITY--20 EMPLOYEES W/SHOWERS
Number of Employees:	20

System Specifications

Type: Standard	
Max Peak Design Flow: 700 gpd	Proposed Flow: 700 gpd
Min Septic Tank Volume: 1500 gal	Min Dosing Tank Volume: N/A
Special Tank Rqmts: N/A	

Drain Field Specifications

Drain Field Type: Standard	System Distribution Type: Equal
Drainfield Sizing: N/A	Distribution Method: Equal
Seepage Bed Specs: N/A	
Media Type: EZ Flow 1201P	Media Depth: N/A
Trench Length: 350 ft	Rock Above Pipe: N/A
Trench Width: N/A	Rock Below Pipe: N/A
Total Rock Depth: N/A	Undisturbed Soil Between Trenches: 8 ft
Max Depth: 30 in	Capping Fills-Min Depth of Fill Material: N/A
Min Depth: 18 in	
Groundwater Interceptor Amt of Drain Media: N/A	

CALL BEFORE YOU DIG...IT'S THE LAW

ATTENTION: Oregon law requires you to follow rules adopted by the Oregon Utility Notification Center. Those rules are set forth by Oregon Administration Rules. You may obtain copies of the rules by calling the center. (Note: The telephone number for the Oregon Utility Notification Center is 1-800-332-2344.)

1/30/18: 3:14:23PM

Page 1 of 2

C:\myReports\reports\production\01 STANDARD REPORTS\std_OnsiteCSC_pr.rpt

Date Certificate Issued: 01/30/2018

Work Description: INSTALLATION PERMIT FOR COMMERCIAL FACILITY FOR CANNIBUS PROCESSING FROM SITE EVALUATION

Pump to Drainfield Req'd: N/A Filter Fabric on Top of Drain Media: N/A
Rake Trench Sidewalls: N/A
Other Special Rqmt: Not Specified

Conditions of Approval

Installation of this onsite wastewater treatment system has been determined to comply with the applicable requirements in Oregon Administrative Rules Chapter 340, Divisions 071 and 073 and the Conditions of Approval above.

- 1. In accordance with Oregon Revised Statute 454,665, this Certificate of Satisfactory Completion is issued as evidence of satisfactory completion of an onsite wastewater treatment system at the location identified above.
2. Issuance of this Certificate does not constitute a warranty or guarantee that this onsite wastewater treatment system will function indefinitely without failure. Conditions imposed as permit requirements continue for the life of the system.
3. The area of the initial and the identified replacement area must not be subjected to activity that is likely to adversely affect the soil or the functioning of the system. Such activities may include, but are not limited to, vehicular traffic, livestock, covering the area with asphalt or concrete, filling, cutting, or other soil modification activities.
4. This onsite wastewater treatment system that be connected to the facility referenced herein within 5 years of the issuance of this Certificate of Satisfactory Completion (CSC) or rules for authorization notices, alteration permits, or construction-installation permits as outlined in OAR 340-071-0160, 340-071-0205, or 340-071-0210 apply, including payment of an additional fee.
5. This system must operate in compliance with OAR Chapter 340, Division 071 and must not create a public health hazard or pollute public waters.
6. Unless otherwise required by the agent, the system installer must backfill (cover) this system within 10 days after the issuance of this Certificate of Satisfactory Completion.

Certificate of Satisfactory Completion

System Inspection: No Operation of Law - 7 Days Notice: No Pre-Cover Inspection Waived Per 340-071: Yes
Comments: Pre cover waived for licensed installer with pictures.

Marty Easter Onsite Wastewater Specialist 1/30/18

Requirements for this Certificate of Satisfactory Completion and additional inspection information are attached to this document.

CALL BEFORE YOU DIG...IT'S THE LAW

ATTENTION: Oregon law requires you to follow rules adopted by the Oregon Utility Notification Center. Those rules are set forth by Oregon Administration Rules. You may obtain copies of the rules by calling the center. (Note: The telephone number for the Oregon Utility Notification Center is 1-800-332-2344.)



DEQ Medford Office
 221 Stewart Avenue
 Suite 201
 Medford, OR 97501
 Phone: 541-776-6010

**Septic Site Evaluation
 Approval
 Commercial Site Evaluation
 248-17-001262-EVAL**

www.oregon.gov/deq

OnsiteMedford@deq.state.or.us

Date Issued: 12/20/17

Work Description: SITE EVALUATION

Applicant: CARON, HARVEY
Address: PO BOX 2505
 CAVE JUNCTION OR 97523
Phone: 5094401445
Email: HARVEYCARON1025@YAHOO.COM

Primary Contractor: David Anderson Excavating
Installer License: 38382
Address: 3835 Lakeshore Dr
 Selma OR 97538
Phone: (541) 597-4486
Email: sisdarlene@hotmail.com

Owner: MICHAEL NG
Address: 11236 AMBERDALE DR.
 TUSTIN CA 92782
Parcel: 4007180000507 - Primary

Property Address: 2581 Dick George Rd, Cave Junction, OR 97526

Township: 40S Range: 7W Section: 18

Lot Size: Not specified **Water Supply:** Well
Zoning: Not specified **City/County/UGB:** Not specified
County: Josephine

Proposed Use of Structure: BARN W/2 BATHROOMS
Category of Construction: Other - BARN W/2BATHROOMS

	Proposed
Number of Employees:	50

General Specifications

Max Peak Design Flow:	1750 gpd	Proposed Gallons per Day:	1750 gpd
Min Septic Tank Volume:	3500 gal	Min Dosing Tank Volume:	N/A
Special Tank Reqmts:	Effluent filter required for commercial systems		
Media Depth:	N/A		
Seepage Bed Specs:	Not specified		

System Specifications

System Type:	Standard	Alternative Treatment Technology (ATTs)
System Distribution Type:	Equal	Equal
Distribution Method:	Equal	Equal

Trench Specifications

	Initial System	Replacement Area
Trench Linear Feet:	875 linear ft	409 linear ft
Max Depth:	30 in	30 in
Min Depth:	18 in	18 in
Capping Fills-Min Depth of Fill Material:	N/A	N/A

CALL BEFORE YOU DIG...IT'S THE LAW

ATTENTION: Oregon law requires you to follow rules adopted by the Oregon Utility Notification Center. Those rules are set forth by Oregon Administration Rules. You may obtain copies of the rules by calling the center. (Note: The telephone number for the Oregon Utility Notification Center is 1-800-332-2344.)

12/20/17:10:06:02AM

Page 1 of 2

C:\myReports\reports\production\01
 STANDARD

Date Issued: 12/20/17

Work Description: SITE EVALUATION

Special Requirements	Initial System	Replacement Area
Stakeout Required:	No	No
Groundwater Type:	N/A	N/A
Groundwater Depth:	N/A	N/A
Groundwater Interceptor:	N/A	N/A
Groundwater Interceptor-Amount of Drain Media:	N/A	N/A
Groundwater Interceptor Depth:	N/A	N/A
Drainfield Type:	Standard	Standard
Drainfield Sizing:	N/A	N/A
Pump to Drainfield Required:	No	No
Other Special Requirement:	N/A	N/A

Conditions of Approval:

THIS IS NOT YOUR PERMIT. A Construction/Installation permit is required before you construct your system. Please contact this office when you are ready to apply for a construction/installation permit. We cannot sign off on any Building Codes forms until we issue your permit.

This site approval runs with the land and will automatically benefit subsequent owners. This site approval is valid until the approved system is constructed under a DEQ construction permit or unless the site is altered without approval from this office. Alterations/excavations/lot line adjustments made to the site, or placement of wells or utilities, etc., may invalidate this approval

If you believe the site evaluation is in error or that a variance from approval conditions is necessary, please contact our office for more details.

Marty Easter

Onsite Wastewater Specialist

12/20/17

CALL BEFORE YOU DIG...IT'S THE LAW

ATTENTION: Oregon law requires you to follow rules adopted by the Oregon Utility Notification Center. Those rules are set forth by Oregon Administration Rules. You may obtain copies of the rules by calling the center. (Note: The telephone number for the Oregon Utility Notification Center is 1-800-332-2344.)

12/20/17:10:06:02AM

Page 2 of 2

C:\myReports/reports//production/01
STANDARD

FIELD WORKSHEET

Name: Michael Ng Application No.: 17-1262 EVAL Date: 12-18-17

RE: SITE EVALUATION REPORT for Township: 40 Range: 7 Section: 18 Tax Lot: 507

Commercial Facility: Yes No Parcel Size: 40.00 ac

APPROVED SYSTEM SPECIFICATIONS

Design flow: 1750 gpd Max Number of bedrooms: _____ Max Number of Employees: 50 w/showers

Initial System	Replacement System
<input checked="" type="checkbox"/> Standard <input type="checkbox"/> Capping Fill <input type="checkbox"/> Bottomless Sand Filter <input type="checkbox"/> Conventional Sand Filter/ATT <input type="checkbox"/> Other	<input type="checkbox"/> Standard <input type="checkbox"/> Capping Fill <input type="checkbox"/> Bottomless Sand Filter <input checked="" type="checkbox"/> Conventional Sand Filter/ATT <input type="checkbox"/> Other
Tank: <input type="checkbox"/> 1,000 gal. <input type="checkbox"/> 1,500 gal. <input type="checkbox"/> 2 compartment <input type="checkbox"/> Other <input type="checkbox"/> effluent pump required <input checked="" type="checkbox"/> effluent filter required - See Below	Tank: <input type="checkbox"/> 1,000 gal. <input type="checkbox"/> 1,500 gal. <input type="checkbox"/> 2 compartment <input type="checkbox"/> Other <input type="checkbox"/> effluent pump required <input type="checkbox"/> effluent filter required - See Below
Distribution Method: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Serial <input type="checkbox"/> Pressurized	Distribution Method: <input checked="" type="checkbox"/> Equal <input type="checkbox"/> Serial <input type="checkbox"/> Pressurized
Absorption facility: <u>875</u> total linear feet <u>75</u> linear feet per 150 gallons projected daily sewage flow <u>30</u> " Max Depth <u>18</u> " Min Depth	Absorption facility: <u>409</u> total linear feet <u>35</u> linear feet per 150 gallons projected daily sewage flow <u>30</u> " Max Depth <u>18</u> " Min Depth

Additional Conditions of Approval

- Any alteration of natural soil conditions (i.e. cutting or filling) in the acceptable area may void this approval.
- Both the initial and replacement disposal areas are to be protected from traffic, cover, development, or other potential disturbance of natural soil conditions.
- The area must not be subjected to excessive saturation due to, but not limited to, artificial drainage of ground surfaces, roads, driveways, and building down spouts.
- This approval is given on the basis that the parcel described above will not be further partitioned or subdivided.
- Placement of a well within 100 feet of the approved areas may invalidate this approval.

- A curtain drain is required; a minimum of _____ feet above the highest disposal trench.
- The curtain drain must be a minimum of _____ inches deep, and installed in accordance with OAR 340-071-0220 (12).
- Rake trench sidewalls.
- The system must be installed during dry soil conditions only.
- System must be installed between June 1 and October 1, unless otherwise approved by DEQ.

- Sizing - $35 \text{ gpd/person} \times 50 \text{ employees} = 1750 \text{ gpd} \div 150 = 11.66 \times 75 \text{ l.f.} = 875 \text{ linear feet}$

- 3500 gallons of septic tanks needed for this site:

- ATT repair area due to size of approvable area

PIT No.	DEPTH	TEXTURE	SOIL MATRIX COLOR AND CONDITIONS ASSOCIATED WITH SATURATION, ROOTS, STRUCTURE, EFFECTIVE SOIL DEPTH, ETC.
Test Pit 1	0-9	CL	7.5YR 4/4, bran, Roots 3VF, 1E, 10Rdax
	9-42	SCL	7.5YR 4/4, WSBkay, Roots 1VF, 10Redax
	42-53	SCL	7.5YR 4/6, MSBkay, Roots 1VF, 10Redax, Coarse Frag 10/1 ESP-53
Test Pit 2	0-7	CL	Similar to Test Pit 1
	7-33	SCL	
	33-48	SCL	with 20% Coarse Frag. ESP-48
Test Pit 3			
Test Pit 4			
Test Pit 5			
Test Pit 6			


Landscape Notes: Flat

Slope: 0-1 Aspect: _____ Groundwater Type: Permanent Temporary

Other Site Notes: _____

Application No.: 0

SITE PLAN



PLAN APPROVED
BY D.E.O.

Date: 12-20-17 Signed:

GPS: 42.092390
-123.579988


+Not to Scale

Application # _____

MNG Holdings
2581 Dick George Rd
Cave Junction OR 97523

7-40 R-08 S-13 14-571

1500 Gal
2 Comp Pump
Tank



700 FT




Existing 1500 Gal
Septic Tank


Tie in to Existing
D Box

400 FT

EXISTING
Build



← Drain Field
Installed 1-2018



NOTICE AUTHORIZING REPRESENTATIVE

I, Michael Ng, have authorized David Anderson to act as my
(Property Owner/Print Name) (Authorized Representative/Print Name)

agent in performing the activities necessary to obtain all onsite wastewater treatment program services provided by the Department of Environmental Quality on the property described below in accordance with OAR chapter 340, division 071. I agree that any costs not satisfied by the Authorized Representative are my responsibility and I authorized DEQ agents to conduct required business activities on said property.

PROPERTY IDENTIFICATION:

2581 Dick George Rd Cave Junction OR 97523
(Property Situs or Road Address)

And described in the records of Josephine County as:

Township 40 Range 08 Section 13 Map ID 00 Tax Lot #(s) 314

PROPERTY OWNER:

Printed Name: Michael Ng

Address: 2581 Dick George Rd

City, State, Zip: Cave Junction OR 97523

Phone: _____ Email: _____

Signature: [Handwritten Signature]

AUTHORIZED REPRESENTATIVE:

Printed Name: David Anderson

Address: 3835 Lakeshore Dr.

City, State, Zip: Selma OR 97538

Phone: 541-592-4486 Email: sisdarlene@hotmail.com

Signature: [Handwritten Signature]

JOSEPHINE COUNTY DEVELOPMENT PERMIT

FEE: \$300. CHECK: _____

CASH: X

PERMIT NUMBER: _____

2018-143

TWN: 40 RNG: 08 SEC: 13 QQ: 00 TAXLOT 314

SITUS: 2581 DICK GEORGE RD

ACRES: 43.97

ZONE: EF

Applicant: HARVEY CARON

Applicant Phone: 509-440-1415

Applicant Address:

Owner: MNG HOLDINGS LLC

Owner Address: 11236 AMBERDALE DR TUSTIN, CA 92782

SPECIAL REQUIREMENTS

- | | | |
|-------------------------------------|-------------------------------------|---|
| YES | NO | |
| <input type="checkbox"/> | <input type="checkbox"/> | Assigned Sinus/Space Number _____ Address Card _____ |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | County Road* _____ State Highway* _____ Other/NA _____ Access Permit in File _____ |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Violation - Development Permit to resolve violation(s) _____ Comment: _____ |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Approximate Flood Hazard Area - Professional Certificate in File _____ NA _____ Reason: _____ |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Floodway Fringe - Base Flood Elevation _____ ft. NA _____ Reason: _____ |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Floodway - Approved Engineer's "No-Rise" Study in File _____ NA _____ Reason: _____ |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | LOMA (Letter of Map Amendment) on file |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Scenic Waterway - BLM Authorization in File _____ |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Stream - Name <u>Unnamed Tributary</u> Class 1 Stream _____ Class 2 Stream <u>X</u> _____ |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Wetland - Division of State Lands Authorization in File _____ NA <u>x</u> Reason: outside |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Nesting Site - ODF&W Authorization in File _____ NA _____ Reason: _____ |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Erosion Hazard - Plan in File _____ NA _____ Reason: _____ |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Fire Hazard - Plan in File _____ NA _____ Reason: _____ |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Aggregate - Restrictive Covenant/Aggregate Impact Area Agreement in File _____ |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Airport Overlay - Declaration in File _____ NA _____ Reason: _____ |
| <input checked="" type="checkbox"/> | <input type="checkbox"/> | Enterprise Zone |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Historical - Historical Committee Review _____ |
| <input type="checkbox"/> | <input checked="" type="checkbox"/> | Part of Total - map no. : _____ |
| <input type="checkbox"/> | <input type="checkbox"/> | Site Review Conditions - Comment: _____ |

Schools : Three Rivers

Acres:

EXISTING STRUCTURES

PROPOSAL

Metal Building 40' x 80' w/ 1/2 bath (toilet & sink only) 14' height.
AG STRUCTURE.

FIELD 7, BLDG 7

SETBACKS

Front Setback: 30
Side Setback: 30
Rear Setback: 30
Stream Setback: 25
Height: 35 ft

Additional Terms:

This property is identified on the Statewide Wetlands Inventory. You must obtain any necessary state or federal permits before beginning your project. Josephine County is not liable for any delays in the processing of a state or federal permit. Additional permits are required from Building Safety for electrical and plumbing.

OTHER PERMITS REQUIRED: *ACCESS PERMIT REQUIRED FROM COUNTY PUBLIC WORKS DEPT OR STATE HIGHWAY DIVISION. ALL STRUCTURES APPROVED BY THIS PERMIT WILL ALSO BE AUTHORIZED BY SEPARATE PERMITS FROM THE DEPARTMENTS OF BUILDING SAFETY AND ENVIRONMENTAL QUALITY. FAILURE TO COMPLY WITH THE TERMS OF THIS PERMIT WILL RESULT IN REVOCATION. FALSIFICATION OF INFORMATION IS A VIOLATION OF STATE LAW.

Signature: *Harvey Caron*

Date: *2-27-18*

Contractor Name:

License#:

Approved: *Janice Akana*

Date: *2/20/18*

NOTE: AUTHORIZED USES MUST BE UNDERWAY WITH ALL REQUIRED PERMITS WITHIN 1 YEAR FROM DATE OF ISSUANCE OF THIS PERMIT.

1" = 400'


This map was prepared for
assessment purpose only.

SEE MAP 40 8 12-C

SEE MAP 40 8 12

NW COR.
JOHN THOMAS
DLC No. 45

NE COR.
DLC No. 45



- CANCELLED T.L.
- 290
 - 291
 - 292
 - 293
 - 294
 - 190
 - 295
 - 191
 - 108
 - 303
 - 502
 - 319
 - 310
 - 318
 - 320
 - 104
 - 296
 - 297
 - 298
 - 323

SEE MAP 40 8 24