## **State Cancer Profiles**

Interpret Man

Export Data | Send to Printer | Close Window

### Incidence Rates<sup>†</sup> for Oregon, 2003 - 2007

# All Cancer Sites All Races (includes Hispanic), Both Sexes, All Ages

Cancer statistics require careful interpretation. See the information page about <u>interpret rankings</u> for insight into interpreting cancer statistics particularly if you are a new user of cancer statistics.

There are many possible explanations for geographic variations in cancer mortality rates including differences in lifestyles, medical care availability and delivery systems, screening practices, reporting practices, environmental exposures, etc. Elevated rates in some areas may also be due to chance, particularly for relatively rare cancers and in areas with small populations. For more information on geographic variations and cancer clusters, see <a href="http://www.cancer.gov/cancertopics/factsheet/Risk/clusters">http://www.cancer.gov/cancertopics/factsheet/Risk/clusters</a> and <a href="http://www.cdc.gov/nceh/clusters/fag.htm">http://www.cdc.gov/nceh/clusters/fag.htm</a>

### Term Explanation

**Annual Death Rate (95% Confidence Interval)** - The rate is based upon 100,000 people. Rates are age-adjusted by 5-year age groups to the 2000 U.S. standard million population.

Group Number - The group number is the interval that the state or county is a part of. Higher group numbers indicate higher cancer rates.

#### Oregon<sup>6</sup>

- The incidence rate is 465.6 with a 95% confidence interval from 462.6 to 468.7 and 18,222 average annual cases.
- The rate was not classified within one of the group numbers.

### US (SEER + NPCR)<sup>1</sup>

- The incidence rate is 464.5 with a 95% confidence interval from 464.1 to 464.8 and § average annual cases.
- The rate was not classified within one of the group numbers.

### Crook County<sup>6</sup>

- The incidence rate is 517.9 with a 95% confidence interval from 479.2 to 559.0 and 136 average annual cases.
- The rate is in group 6 of 6, with a range of 500.5 517.9.

### Wasco County<sup>6</sup>

- The incidence rate is 512.9 with a 95% confidence interval from 476.7 to 551.3 and 155 average annual cases.
- The rate is in group 6 of 6, with a range of 500.5 517.9.

### Lake County<sup>6</sup>

- The incidence rate is 512.2 with a 95% confidence interval from 449.5 to 582.0 and 52 average annual cases.
- The rate is in group 6 of 6, with a range of 500.5 517.9.

### Jackson County<sup>6</sup>

- The incidence rate is 504.9 with a 95% confidence interval from 492.2 to 517.9 and 1,233 average annual cases.
- The rate is in group 6 of 6, with a range of 500.5 517.9.

#### Columbia County<sup>6</sup>

- The incidence rate is 501.5 with a 95% confidence interval from 473.3 to 531.0 and 247 average annual cases.
- The rate is in group 6 of 6, with a range of 500.5 517.9.

### Coos County<sup>6</sup>

- The incidence rate is 500.5 with a 95% confidence interval from 479.8 to 522.0 and 462 average annual cases.
- The rate is in group 6 of 6, with a range of 500.5 517.9.

### Gilliam County<sup>6</sup>

- The incidence rate is 500.4 with a 95% confidence interval from 390.1 to 639.9 and 14 average annual cases.
- The rate is in group 5 of 6, with a range of 478.9 500.4.

### Josephine County<sup>6</sup>

- The incidence rate is 491.2 with a 95% confidence interval from 472.8 to 510.2 and 573 average annual cases.
- The rate is in group 5 of 6, with a range of 478.9 500.4.

### Lincoln County<sup>6</sup>

- The incidence rate is 486.0 with a 95% confidence interval from 461.9 to 511.2 and 320 average annual cases.
- The rate is in group 5 of 6, with a range of 478.9 500.4.

### Wallowa County<sup>6</sup>

- The incidence rate is 483.3 with a 95% confidence interval from 422.8 to 551.4 and 52 average annual cases.
- The rate is in group 5 of 6, with a range of 478.9 500.4.

۱۲ د

### **Douglas County**

- The incidence rate is 483.0 with a 95% confidence interval from 466.6 to 500.0 and 686 average annual cases.
- The rate is in group 5 of 6, with a range of 478.9 500.4.

### Marion County<sup>6</sup>

- The incidence rate is 481.1 with a 95% confidence interval from 470.0 to 492.4 and 1,445 average annual cases.
- The rate is in group 5 of 6, with a range of 478.9 500.4.

### Morrow County<sup>6</sup>

- The incidence rate is 478.8 with a 95% confidence interval from 421.6 to 541.7 and 52 average annual cases.
- The rate is in group 4 of 6, with a range of 467.1 478.8.

### **Deschutes County**<sup>6</sup>

- The incidence rate is 478.4 with a 95% confidence interval from 463.0 to 494.2 and 744 average annual cases.
- The rate is in group 4 of 6, with a range of 467.1 478.8.

### Linn County<sup>6</sup>

- The incidence rate is 477.2 with a 95% confidence interval from 460.1 to 494.7 and 606 average annual cases.
- The rate is in group 4 of 6, with a range of 467.1 478.8.

### Curry County<sup>6</sup>

- The incidence rate is 475.9 with a 95% confidence interval from 443.6 to 510.5 and 184 average annual cases.
- The rate is in group 4 of 6, with a range of 467.1 478.8.

### Klamath County<sup>6</sup>

- The incidence rate is 474.1 with a 95% confidence interval from 452.6 to 496.5 and 373 average annual cases.
- The rate is in group 4 of 6, with a range of 467.1 478.8.

### Harney County<sup>6</sup>

- The incidence rate is 473.2 with a 95% confidence interval from 412.5 to 541.5 and 45 average annual cases.
- The rate is in group 4 of 6, with a range of 467.1 478.8.

### Clackamas County<sup>6</sup>

- The incidence rate is 467.0 with a 95% confidence interval from 457.2 to 476.9 and 1,798 average annual cases.
- The rate is in group 3 of 6, with a range of 455.2 467.0.

### Polk County<sup>6</sup>

- The incidence rate is 466.3 with a 95% confidence interval from 445.0 to 488.4 and 374 average annual cases.
- The rate is in group 3 of 6, with a range of 455.2 467.0.

#### Multnomah County<sup>6</sup>

- The incidence rate is 466.0 with a 95% confidence interval from 458.4 to 473.6 and 3,059 average annual cases.
- The rate is in group 3 of 6, with a range of 455.2 467.0.

### Yamhill County<sup>6</sup>

- The incidence rate is 459.0 with a 95% confidence interval from 439.4 to 479.2 and 420 average annual cases.
- The rate is in group 3 of 6, with a range of 455.2 467.0.

### Clatsop County<sup>6</sup>

- The incidence rate is 456.7 with a 95% confidence interval from 429.1 to 485.6 and 212 average annual cases.
- The rate is in group 3 of 6, with a range of 455.2 467.0.

### **Benton County<sup>6</sup>**

- The incidence rate is 456.1 with a 95% confidence interval from 434.5 to 478.5 and 345 average annual cases.
- The rate is in group 3 of 6, with a range of 455.2 467.0.

### Union County<sup>6</sup>

- The incidence rate is 455.1 with a 95% confidence interval from 420.3 to 492.1 and 131 average annual cases.
- The rate is in group 2 of 6, with a range of 428.3 455.1.

### Lane County<sup>6</sup>

- The incidence rate is 452.9 with a 95% confidence interval from 443.2 to 462.7 and 1,709 average annual cases.
- The rate is in group 2 of 6, with a range of 428.3 455.1.

### Tillamook County<sup>6</sup>

- The incidence rate is 446.2 with a 95% confidence interval from 415.0 to 479.4 and 160 average annual cases.
- The rate is in group 2 of 6, with a range of 428.3 455.1.

#### Baker County<sup>6</sup>

- The incidence rate is 445.0 with a 95% confidence interval from 406.5 to 486.5 and 105 average annual cases.
- The rate is in group 2 of 6, with a range of 428.3 455.1.

### **Hood River County**<sup>6</sup>

- The incidence rate is 435.7 with a 95% confidence interval from 397.0 to 477.2 and 95 average annual cases.
- The rate is in group 2 of 6, with a range of 428.3 455.1.

### Umatilla County<sup>6</sup>

• The incidence rate is 430.7 with a 95% confidence interval from 409.7 to 452.6 and 319 average annual cases.

• The rate is in group 2 of 6, with a range of 428.3 - 455.1.

### Washington County<sup>6</sup>

- The incidence rate is 428.2 with a 95% confidence interval from 419.2 to 437.3 and 1,823 average annual cases.
- The rate is in group 1 of 6, with a range of 385.3 428.2.

### Malheur County<sup>6</sup>

- The incidence rate is 421.0 with a 95% confidence interval from 390.5 to 453.3 and 143 average annual cases.
- The rate is in group 1 of 6, with a range of 385.3 428.2.

### Grant County<sup>6</sup>

- The incidence rate is 419.7 with a 95% confidence interval from 363.7 to 483.0 and 43 average annual cases.
- The rate is in group 1 of 6, with a range of 385.3 428.2.

### Sherman County<sup>6</sup>

- The incidence rate is 414.8 with a 95% confidence interval from 298.3 to 568.4 and 10 average annual cases.
- The rate is in group 1 of 6, with a range of 385.3 428.2.

### Jefferson County<sup>6</sup>

- The incidence rate is 412.4 with a 95% confidence interval from 374.0 to 453.7 and 87 average annual cases.
- The rate is in group 1 of 6, with a range of 385.3 428.2.

### Wheeler County<sup>6</sup>

- The incidence rate is 385.3 with a 95% confidence interval from 281.4 to 528.0 and 10 average annual cases.
- The rate is in group 1 of 6, with a range of 385.3 428.2.

Created by statecancerprofiles.cancer.gov on 01/08/2011 1:39 am.

State Cancer Registries may provide more current or more local data.

Data presented on the State Cancer Profiles Web Site may differ from statistics reported by the State Cancer Registries (for more information).

† Incidence rates (cases per 100,000 population per year) are age-adjusted to the 2000 US standard population (19 age groups: <1, 1-4, 5-9, ..., 80-84, 85+). Rates are for invasive cancer only (except for bladder which is invasive and in situ) or unless otherwise specified. Rates calculated using SEER\*Stat. Population counts for denominators are based on Census populations as modified by NCI. The US populations included with the data release have been adjusted for the population shifts due to <a href="https://hurricanes.katrina.nd">hurricanes.katrina.nd</a> Rita for 62 counties and parishes in Alabama, Mississippi, Louisiana, and Texas The 1969-2007 US Population Data File is used with SEER November 2009 data. The 1969-2006 US Population Data File is used with NPCR data November 2008/January 2009 data.

- <sup>1</sup> Source: CDC's National Program of Cancer Registries Cancer Surveillance System (NPCR-CSS) November 2009/January 2010 data submission and <u>SEER November 2009 submission</u>.
- <sup>6</sup> Source: State Cancer Registry and the CDC's National Program of Cancer Registries Cancer Surveillance System (NPCR-CSS) November 2009/January 2010 data submission. State rates include rates from metropolitan areas funded by <u>SEER</u>.
- § Data not provided because it did not meet USCS data quality standards for one or more years during the rate period of data collection. While 96% of the US population resided in geographic areas with population-based cancer registries meeting the registry eligibility criteria for 2004, 4% of the US population was not yet represented in the <u>United States Cancer Statistics</u>. American Cancer Society's <u>Facts & Figures</u> provides estimates of numbers of new cancer cases and deaths.

▲ return to top					
Profiles Home	<u>FAQ</u>	Contact Us	<u>Dictionary</u>	<u>Accessibility</u>	Privacy Policy