## DEPARTMENT OF ENVIRONMENTAL QUALITY

#### **DIVISION 200**

#### GENERAL AIR POLLUTION PROCEDURES AND DEFINITIONS

#### General

#### 340-200-0040

# State of Oregon Clean Air Act Implementation Plan

- (1) This implementation plan, consisting of Volumes 2 and 3 of the State of Oregon Air Quality Control Program, contains control strategies, rules and standards prepared by DEQ and is adopted as the state implementation plan (SIP) of the State of Oregon pursuant to the federal Clean Air Act, 42 U.S.C.A 7401 to 7671q.
- (2) Except as provided in section (3), revisions to the SIP will be made pursuant to the Commission's rulemaking procedures in division 11 of this chapter and any other requirements contained in the SIP and will be submitted to the United States Environmental Protection Agency for approval. The State Implementation Plan was last modified by the Commission on [INSERT DATE OF EQC ADOPTION OF RULES] March 20, 2013.
- (3) Notwithstanding any other requirement contained in the SIP, DEQ may:
- (a) Submit to the Environmental Protection Agency any permit condition implementing a rule that is part of the federally-approved SIP as a source-specific SIP revision after DEQ has complied with the public hearings provisions of 40 CFR 51.102 (July 1, 2002); and
- (b) Approve the standards submitted by a regional authority if the regional authority adopts verbatim any standard that the Commission has adopted, and submit the standards to EPA for approval as a SIP revision.

**NOTE**: Revisions to the State of Oregon Clean Air Act Implementation Plan become federally enforceable upon approval by the United States Environmental Protection Agency. If any provision of the federally approved Implementation Plan conflicts with any provision adopted by the Commission, DEQ shall enforce the more stringent provision.

Stat. Auth.: ORS 468.020, 468A.035 & 468A.070

Stats. Implemented: ORS 468A.035

Hist.: DEQ 35, f. 2-3-72, ef. 2-15-72; DEQ 54, f. 6-21-73, ef. 7-1-73; DEQ 19-1979, f. & ef. 6-25-79; DEQ 21-1979, f. & ef. 7-2-79; DEQ 22-1980, f. & ef. 9-26-80; DEQ 11-1981, f. & ef. 3-26-81; DEQ 14-1982, f. & ef. 7-21-82; DEQ 21-1982, f. & ef. 10-27-82; DEQ 1-1983, f. & ef. 1-21-83; DEQ 6-1983, f. & ef. 4-18-83; DEQ 18-1984, f. & ef. 10-16-84; DEQ 25-1984, f. & ef. 11-27-84; DEQ 3-1985, f. & ef. 2-1-85; DEQ 12-1985, f. & ef. 9-30-85; DEQ 5-1986, f. & ef. 2-21-86; DEQ 10-1986, f. & ef. 5-9-86; DEQ 20-1986, f. & ef. 11-7-86; DEQ 21-1986, f. & ef. 3-2-87; DEQ 5-1987, f. & ef. 3-2-87; DEQ 8-1987, f. & ef. 4-23-87; DEQ 21-1987, f. & ef. 12-16-87; DEQ 31-1988, f. 12-20-88, cert. ef. 12-23-88; DEQ 2-1991, f. & cert. ef. 2-14-91; DEQ 19-1991, f. & cert. ef. 11-13-91; DEQ 20-1991, f. & cert. ef. 11-13-91; DEQ 21-1991, f. & cert. ef. 11-13-91;

DEO 23-1991, f. & cert. ef. 11-13-91; DEO 24-1991, f. & cert. ef. 11-13-91; DEO 25-1991, f. & cert. ef. 11-13-91; DEQ 1-1992, f. & cert. ef. 2-4-92; DEQ 3-1992, f. & cert. ef. 2-4-92; DEQ 7-1992, f. & cert. ef. 3-30-92; DEQ 19-1992, f. & cert. ef. 8-11-92; DEQ 20-1992, f. & cert. ef. 8-11-92; DEQ 25-1992, f. 10-30-92, cert. ef. 11-1-92; DEQ 26-1992, f. & cert. ef. 11-2-92; DEQ 27-1992, f. & cert. ef. 11-12-92; DEQ 4-1993, f. & cert. ef. 3-10-93; DEQ 8-1993, f. & cert. ef. 5-11-93; DEQ 12-1993, f. & cert. ef. 9-24-93; DEQ 15-1993, f. & cert. ef. 11-4-93; DEQ 16-1993, f. & cert. ef. 11-4-93; DEQ 17-1993, f. & cert. ef. 11-4-93; DEQ 19-1993, f. & cert. ef. 11-4-93; DEQ 1-1994, f. & cert. ef. 1-3-94; DEQ 5-1994, f. & cert. ef. 3-21-94; DEO 14-1994, f. & cert. ef. 5-31-94; DEO 15-1994, f. 6-8-94, cert. ef. 7-1-94; DEO 25-1994, f. & cert. ef. 11-2-94; DEQ 9-1995, f. & cert. ef. 5-1-95; DEQ 10-1995, f. & cert. ef. 5-1-95; DEQ 14-1995, f. & cert. ef. 5-25-95; DEQ 17-1995, f. & cert. ef. 7-12-95; DEQ 19-1995, f. & cert. ef. 9-1-95; DEQ 20-1995 (Temp), f. & cert. ef. 9-14-95; DEQ 8-1996(Temp), f. & cert. ef. 6-3-96; DEQ 15-1996, f. & cert. ef. 8-14-96; DEQ 19-1996, f. & cert. ef. 9-24-96; DEQ 22-1996, f. & cert. ef. 10-22-96; DEQ 23-1996, f. & cert. ef. 11-4-96; DEQ 24-1996, f. & cert. ef. 11-26-96; DEQ 10-1998, f. & cert. ef. 6-22-98; DEQ 15-1998, f. & cert. ef. 9-23-98; DEQ 16-1998, f. & cert. ef. 9-23-98; DEQ 17-1998, f. & cert. ef. 9-23-98; DEO 20-1998, f. & cert. ef. 10-12-98; DEO 21-1998, f. & cert. ef. 10-12-98; DEO 1-1999, f. & cert. ef. 1-25-99; DEQ 5-1999, f. & cert. ef. 3-25-99; DEQ 6-1999, f. & cert. ef. 5-21-99; DEQ 10-1999, f. & cert. ef. 7-1-99; DEQ 14-1999, f. & cert. ef. 10-14-99, Renumbered from 340-020-0047; DEQ 15-1999, f. & cert. ef. 10-22-99; DEQ 2-2000, f. 2-17-00, cert. ef. 6-1-01; DEQ 6-2000, f. & cert. ef. 5-22-00; DEQ 8-2000, f. & cert. ef. 6-6-00; DEQ 13-2000, f. & cert. ef. 7-28-00; DEQ 16-2000, f. & cert. ef. 10-25-00; DEQ 17-2000, f. & cert. ef. 10-25-00; DEQ 20-2000 f. & cert. ef. 12-15-00; DEQ 21-2000, f. & cert. ef. 12-15-00; DEO 2-2001, f. & cert. ef. 2-5-01; DEO 4-2001, f. & cert. ef. 3-27-01; DEO 6-2001, f. 6-18-01, cert. ef. 7-1-01; DEQ 15-2001, f. & cert. ef. 12-26-01; DEQ 16-2001, f. & cert. ef. 12-26-01; DEQ 17-2001, f. & cert. ef. 12-28-01; DEQ 4-2002, f. & cert. ef. 3-14-02; DEQ 5-2002, f. & cert. ef. 5-3-02; DEQ 11-2002, f. & cert. ef. 10-8-02; DEQ 5-2003, f. & cert. ef. 2-6-03; DEQ 14-2003, f. & cert. ef. 10-24-03; DEQ 19-2003, f. & cert. ef. 12-12-03; DEQ 1-2004, f. & cert. ef. 4-14-04; DEQ 10-2004, f. & cert. ef. 12-15-04; DEQ 1-2005, f. & cert. ef. 1-4-05; DEQ 2-2005, f. & cert. ef. 2-10-05; DEQ 4-2005, f. 5-13-05, cert. ef. 6-1-05; DEQ 7-2005, f. & cert. ef. 7-12-05; DEQ 9-2005, f. & cert. ef. 9-9-05; DEQ 2-2006, f. & cert. ef. 3-14-06; DEO 4-2006, f. 3-29-06, cert. ef. 3-31-06; DEO 3-2007, f. & cert. ef. 4-12-07; DEO 4-2007, f. & cert. ef. 6-28-07; DEO 8-2007, f. & cert. ef. 11-8-07; DEO 5-2008, f. & cert. ef. 3-20-08; DEQ 11-2008, f. & cert. ef. 8-29-08; DEQ 12-2008, f. & cert. ef. 9-17-08; DEQ 14-2008, f. & cert. ef. 11-10-08; DEQ 15-2008, f. & cert. ef 12-31-08; DEQ 3-2009, f. & cert. ef. 6-30-09; DEQ 8-2009, f. & cert. ef. 12-16-09; DEQ 2-2010, f. & cert. ef. 3-5-10; DEQ 5-2010, f. & cert. ef. 5-21-10; DEQ 14-2010, f. & cert. ef. 12-10-10; DEQ 1-2011, f. & cert. ef. 2-24-11; DEQ 2-2011, f. 3-10-11, cert. ef. 3-15-11; DEQ 5-2011, f. 4-29-11, cert. ef. 5-1-11; DEQ 18-2011, f. & cert. ef. 12-21-11; DEQ 1-2012, f. & cert. ef. 5-17-12; DEQ 7-2012, f. & cert.ef 12-10-12; DEQ 10-2012, f. & cert. ef. 12-11-12; DEQ 4-2013, f. & cert. ef. 3-27-13



# State of Oregon Department of Environmental Quality

# **Significant Air Quality Impact**

Table 1 - OAR 340-200-0020

	Averaging	Air Quality Area Designation		
Pollutant	Time	Class I	Class II	Class III
$SO_2 (\mu g/m^3)^*$	Annual	0.10	1.0	1.0
	24-hour	0.20	5.0	5.0
	3-hour	1.0	25.0	25.0
	<u>1-hour</u>		8.0	
$PM_{10} (\mu g/m^3)$	Annual	0.20	0.2	0.2
	24-hour	0.30	1.0	1.0
$PM_{2.5} (\mu g/m^3)$	Annual	0.06	0.3	0.3
	24-hour	0.07	1.2	1.2
$NO_2 (\mu g/m^3)$	Annual	0.10	1.0	1.0
	<u>1-hour</u>	<u></u>	8.0	<u></u>
CO (mg/m <sup>3</sup> )**	8 hour		0.5	0.5
	1-hour		2.0	2.0
* micrograms/cubic meter				

## **DIVISION 202**

## AMBIENT AIR QUALITY STANDARDS AND PSD INCREMENTS

340-202-0070

# **Sulfur Dioxide**

Concentrations of sulfur dioxide in ambient air as measured by an approved method must not exceed:

(1) 0.02 ppm as an annual arithmetic mean for any calendar year at any site, as measured by the reference method described in appendix A of 40 CFR part 50 (effective upon EQC adoption [INSERT EQC ADOPTION DATE]) or by an equivalent method designated in accordance with 40 CFR part 53 (effective upon EQC adoption [INSERT EQC ADOPTION DATE]).

(2) 0.10 ppm as a 24-hour average concentration more than once per <u>calendar</u> year at any site-<u>as</u> measured by the reference method described in appendix A of 40 CFR part 50 (effective upon EQC

July 15, 2013 3

milligrams/cubic meter

adoption [INSERT EQC ADOPTION DATE]) or by an equivalent method designated in accordance with 40 CFR part 53 (effective upon EQC adoption [INSERT EQC ADOPTION DATE]).

(3) 0.50 ppm as a three-hour average concentration more than once per <u>calendar</u> year at any site-<u>as</u> measured by the reference method described in appendix A of 40 CFR part 50 (effective upon EQC <u>adoption [INSERT EQC ADOPTION DATE]).</u>

(4) 0.075 ppm as a three-year average of the annual 99<sup>th</sup> percentile of the daily maximum 1-hour average concentration recorded at any monitoring site as determined by appendix T of 40 CFR part 50 (effective upon EQC adoption [INSERT EQC ADOPTION DATE]) as measured by a reference method based on appendix A or A-1 of 40 CFR part 50 (as of (effective upon EQC adoption [INSERT EQC ADOPTION DATE]), or by a Federal Equivalent Method (FEM) designated in accordance with 40 CFR part 53 (effective upon EQC adoption [INSERT EQC ADOPTION DATE]).

[NOTE: This rule is included in the State of Oregon Clean Air Act Implementation Plan as adopted by the Environmental Quality Commission under OAR 340-200-0040.]

Stat. Auth.: ORS 468 & ORS 468A Stats. Implemented: ORS 468A.025

Hist.: DEQ 37, f. 2-15-72, ef. 3-1-72; DEQ 8-1988, f. & cert. ef. 5-19-88 (corrected 9-30-88); DEQ 24-1991, f. & cert. ef. 11-13-91; DEQ 4-1993, f. & cert. ef. 3-10-93; DEQ 14-1999, f. & cert. ef. 10-14-99,

Renumbered from 340-031-0020; DEQ 6-2001, f. 6-18-01, cert. ef. 7-1-01

## 340-202-0100

#### Nitrogen Dioxide

Concentrations of nitrogen dioxide in ambient air as measured by an approved method a reference method based on appendix F to 40 CFR part 50 (effective upon EQC adoption [INSERT EQC ADOPTION DATE]) or by a Federal equivalent method (FEM) designated in accordance with 40 CFR part 53 (effective upon EQC adoption [INSERT EQC ADOPTION DATE]) must not exceed:

- (1) 0.053 ppm as an annual arithmetic mean at any site. average concentration for any calendar year at any site. The standard is met when the annual average concentration in a calendar year is less than or equal to 0.053 ppm, as determined in accordance with appendix S of 40 CFR part 50 (effective upon EQC adoption [INSERT EQC ADOPTION DATE]) for the annual standard.
- (2) 0.100 ppm as a 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations recorded at any monitoring site. The standards is met when the three-year average of the annual 98<sup>th</sup> percentile of the daily maximum 1-hour average concentration is less than or equal to 0.100 ppm, as determined in accordance with appendix S of 40 CFR Part 50 (effective upon EQC adoption [INSERT EQC ADOPTION DATE]) for the 1-hour standard.
- (3) 0.053 ppm as an annual arithmetic mean concentration as determined in accordance with Appendix S of 40 CFR Part 50 (effective upon EQC adoption [INSERT EQC ADOPTION DATE]). The secondary standard is attained when the annual arithmetic mean concentration in a calendar year is less than or equal to 0.053 ppm, rounded to three decimal places (fractional parts equal to or greater than 0.0005 ppm must be rounded up). To demonstrate attainment, an annual

mean must be based upon hourly data that are at least 75 percent complete or upon data derived from manual methods that are at least 75 percent complete for the scheduled sampling days in each calendar quarter.

[NOTE: This rule is included in the State of Oregon Clean Air Act Implementation Plan as adopted by the Environmental Quality Commission under OAR 340-200-0040.]

Stat. Auth.: ORS 468 & ORS 468A Stats. Implemented: ORS 468A.025

Hist.: DEQ 37, f. 2-15-72, ef. 3-1-72; DEQ 8-1988, f. & cert. ef. 5-19-88 (corrected 9-30-88); DEQ 24-1991, f. & cert. ef. 11-13-91; DEQ 4-1993, f. & cert. ef. 3-10-93; DEQ 14-1999, f. & cert. ef. 10-14-99, Renumbered from 340-031-0040; DEQ 6-2001, f. 6-18-01, cert. ef. 7-1-01

# 340-202-0130

## **Ambient Air Quality Standard for Lead**

The <u>lead</u>-concentration <u>of lead and its compounds</u> in ambient air <del>as measured by an approved method</del> must not exceed:

- (1) 0.15 micrograms per cubic meter as a maximum arithmetic mean averaged over a calendar quarter, determined by Appendix R, 40 CFR 50. as measured by a reference method based on appendix G of 40 CFR Part 53 (effective upon EQC adoption [INSERT EQC ADOPTION DATE]) or an equivalent method designated in accordance with 40 CFR Part 53 (effective upon EQC adoption [INSERT EQC ADOPTION DATE]).
- (2) The standard is met when the maximum arithmetic 3-month mean concentration for a 3-year period, as determined in accordance with appendix R of 40 CFR Part (effective upon EQC adoption [INSERT EQC ADOPTION DATE]), is less than or equal to 0.15 micrograms per cubic meter.

**NOTE:** This rule is included in the State of Oregon Clean Air Act Implementation Plan as adopted by the Environmental Quality Commission under OAR 340-200-0040.

Stat. Auth.: ORS 468 & 468A Stats. Implemented: ORS 468A.025

Hist.: DEQ 85, f. 1-29-75, ef. 2-25-75; DEQ 1-1983, f. & ef. 1-21-83; DEQ 8-1988, f. & cert. ef. 5-19-88 (corrected 9-30-88); DEQ 24-1991, f. & cert. ef. 11-13-91; DEQ 4-1993, f. & cert. ef. 3-10-93; DEQ 14-1999, f. & cert. ef. 10-14-99, Renumbered from 340-031-0055; DEQ 6-2001, f. 6-18-01, cert. ef. 7-1-01; DEQ 5-2010, f. & cert. ef. 5-21-10