DEO Online Subscriptions
ARMITAGE Sarah; FLYNT Jennifer; SVELUND Greg; HESSEL Chelsea; GAMOLO Gerald; BENTZ Mark; CALDERA Stephanie; KIMBALL Deborah; STOUT Holly; MILLER Denise; KENNY Jennifer; LAWSON Inez; GOLDSTEIN Meyer

Courtesy Copy: DEQ rulemaking - EQC Adopts Willamette Valley Multiple Discharger Mercury Variance Rules Wednesday, January 29, 2020 9:21:25 AM Subject:

This is a courtesy copy of an email bulletin sent by Meyer Goldstein.

This bulletin was sent to the following groups of people:

Subscribers of Rulemaking or Water Quality Standards (10907 recipients)

This is a clarification of an earlier message about this rule adoption.

On January 24, 2020, The Environmental Quality Commission adopted revisions to DEQ's administrative rules at OAR 340-041.

Summary

The approved amendments affect OAR-340-041-0059 and -0345.

The amendments establish a variance to the human health criterion for methyl-mercury that applies to 64 permitted wastewater dischargers in the Willamette Basin. Other amendments conform Oregon variance authorization rules to federal rules.

Additional Information

To view copies of the staff report that DEQ provided to EQC and the rule amendments, you can view the rulemaking web page at: https://www.oregon.gov/deq/Regulations/rulemaking/Pages/rmercury2019.aspx

The official version of the amended rules is available on the Oregon Secretary of State's web site here: https://secure.sos.state.or.us/oard/displayDivisionRules.action;JSESSIONID_OARD=IDDyIo83NDR914pJmc18td3CsXhbrhXU7AJv4RAJshtfCDztxVUR!-213933845? selectedDivision=1458

If you want to receive future email notices about DEQ rulemaking, you must sign up at: https://public.govdelivery.com/accounts/ORDEQ/subscriber/new?pop=t&topic_id=ORDEQ_548

You can also obtain more information about this rulemaking by contacting:

Aron Borok 503-229-5050 borok.aron@deq.state.or.us

NEWS AND ANNOUNCEMENTS:





Visit Oregon DEQ

SUBSCRIBER SERVICES:

Manage Subscriptions | Unsubscribe All | Help