

A RESOLUTION REGULATING TRAFFIC IN)
THE CITY OF LEBANON RELATING TO)
STOP AND YIELD SIGNS ON DOWNING STREET,)
DAVID STREET, POST STREET, RANDALL DRIVE,)
RALSTON DRIVE, BINSHADLER STREET,)
GLENWOOD STREET, EVANS DRIVE AND)
HARDEN DRIVE.)

RESOLUTION NO. 30
for 1978

WHEREAS, the City Engineer has recommended the erection of Stop and Yield signs on Downing Street, David Street, Post Street, Randall Drive, Ralston Drive, Binshadler Street, Glenwood Street, Evans Drive, and Harden Drive; and

WHEREAS, such regulations are deemed to be reasonable and necessary for the safe movement of traffic in the City of Lebanon,

NOW, THEREFORE, BE IT RESOLVED BY THE COMMON COUNCIL OF THE CITY OF LEBANON AS FOLLOWS:


Section 1. Stop and Yield signs shall be erected on Downing Street, David Street, Post Street, Randall Drive, Ralston Drive, Binshadler Street, Glenwood Street, Evans Drive, and Harden Drive as follows:

- A) A stop sign shall be placed at the southeast corner of Milton and Downing Streets, stopping traffic on Downing as it approaches the intersection.
- B) A stop sign shall be placed on the southeast corner of Milton and David Streets, stopping traffic on David as it approaches the intersection.
- C) A stop sign shall be placed at the southeast corner of Milton and Post Streets, stopping traffic on Post as it approaches the intersection.

- D) A stop sign shall be placed at the southwest corner of Post Street and Randall Drive, stopping traffic on Randall Drive as it approaches the intersection.
- E) A stop sign shall be placed at the southwest corner of Post Street and Ralston Drive, stopping traffic on Ralston Drive as it approaches the intersection.
- F) A stop sign shall be placed at the northeast corner of Park Drive and Glenwood Street, stopping traffic on Glenwood Street as it approaches the intersection.
- G) A stop sign shall be placed at the northeast corner of Park Drive and Binshadler Street, stopping traffic on Binshadler as it approaches the intersection.
- H) A stop sign shall be placed on the northeast and southwest corner of Ralston and Park Drives, stopping traffic on Ralston Drive as it approaches the intersection.
- I) A stop sign shall be placed at the southwest corner of Evans and Park Drives, stopping traffic on Evans Drive as it approaches the intersection.
- J) A stop sign shall be placed on the southwest corner of Harden and Park Drives, stopping traffic on Harden Drive as it approaches the intersection.
- K) A yield sign shall be placed at the northwest corner of Randall Drive and Downing Street, assigning the thru right-of-way to Randall Drive traffic and causing Downing Street traffic to yield the right-of-way as it approaches Randall Drive.
- L) A yield sign shall be placed at the northwest corner of Randall Drive and David Street, assigning the thru right-of-way to Randall Drive traffic and causing David Street traffic to yield the right-of-way as it approaches Randall Drive.


M) A yield sign shall be placed at the northwest corner of Binshadler and Post Streets, assigning the thru right-of-way to Binshadler Street traffic and causing Post Street traffic to yield the right-of-way as it approaches Binshadler Street; and such designations are part of the traffic regulations of the City of Lebanon, Oregon.

Passed by the Council by a vote of 5 for and 0 against, and approved by the Mayor this 24th day of MAY, 1978.



Mayor

ATTEST:



Recorder