

ORDINANCE BILL NO. 18.

ORDINANCE NO. 198.

An Ordinance establishing official elevations on Wheeler Street, from Main Street East to the City limits, near County Bridge.

THE PEOPLE OF THE CITY OF LEBANON DO ORDAIN AS FOLLOWS:

Section 1. The official elevation at the intersection of Main Street and Wheeler Street is hereby fixed at 91.40 feet above City Base at each of the four corners.

Section 2. On Wheeler Street and 50 feet East of the East line of Main Street the official elevation shall be 90.50 feet above City Base.

Section 3. On Wheeler Street and 100 feet East of the East line of Main Street the official elevation shall be 90.20 feet above City Base.

Section 4. On Wheeler Street and 150 feet East of the East line of Main Street the official elevation shall be 90.30 feet above City Base.

Section 5. On Wheeler Street and 200 feet East of the East line of Main Street the official elevation shall be 90.⁸⁰~~50~~ feet above City Base.

Section 6. At the intersection of Wheeler Street and Park Street the official elevation at each corner shall be 91.³⁰~~25~~ feet above City Base.

Section 7. At the intersection of Wheeler Street and Grove Street the official elevation at each corner shall be 92.⁵⁰~~25~~ feet above City Base.

Section 8. At the intersection of Wheeler Street and Williams Street the official elevation at each corner shall be 93.⁷⁰~~25~~ feet above City Base.

Section 9. On Wheeler Street and 226 feet East of the East line of Williams Street the official elevation shall be ^{94.20}~~93.90~~ feet above City Base.

Section 10. On Wheeler Street and 526 feet East of the East line of Williams Street the official elevation shall be ^{94.90}~~94.60~~ feet above City Base.

Section 11. On Wheeler Street at the West end of the County Bridge the official elevation shall be ⁶⁰95.~~30~~ feet above City Base.

Section 12. The elevations mentioned in the preceding Sections in this Ordinance are fixed at the property lines.

Section 13. The elevation of the curb shall be fixed before the street is improved, and the slope from the property line to the curb, across the sidewalk, shall be approximately one-fourth ($\frac{1}{4}$) of an inch per foot, and in no case shall be less than one-eighth ($\frac{1}{8}$) nor more than one-half ($\frac{1}{2}$) of an inch per foot.

Section 14. The shape of the cross-section and the elevations thereof shall be fixed at the time the street is improved, depending on the material used for making the improvement.

Section 15. The longitudinal slope or grade of the street shall be on straight lines connecting the points where the elevations are fixed as provided in this Ordinance; excepting that where the grade breaks in the block between the intersecting streets, the roadway and curbs shall be on vertical curves of such length and kind that the allowable cross-slope of the sidewalks will be maintained.


Section 16. The grades of the gutters shall be so fixed that the extreme height between the tops of the curbs and the bottoms of the gutters shall not exceed 1.1 feet.

Section 17. The official elevations of the corners of intersecting streets, alleys, places, lanes and other public places and highways, intersecting said street at points between points on which the official elevations are fixed by ordinance shall be, and are hereby, fixed at an elevation being on a straight line connecting the two established points nearest said intersecting corners.

Section 18. All ordinances or parts of ordinances in conflict with this ordinance or any part of it, are hereby repealed as to the conflicting portions.


Passed by the Council this 1st day of June 1915.

Approved by the Mayor this 1st day of June 1915.



Mayor of the City of Lebanon.

Attest:



Recorder of the City of Lebanon.

LOCATION
of
FIXED GRADE
POINTS.

Wheeler st from
Main st. East to
County Bridge

Note:- Grade is at property line.
Longitudinal grade or slope is a
straight line between fixed points.
All elevations are referred to City
B. M. See Ord. No. . Map No 117

Elevation of Grade
at the Property line.

Description of
Monuments.

Elev.
of
Monu.

N.E. S.E. S.W. N.W.

	N.E.	S.E.	S.W.	N.W.			
Wheeler ^{2nd} Main	91.40	91.40	91.40	91.40			
Wheeler ^{2nd} 50' E of East side of Main st.	90.50	90.50					
" " 100 E of " " of Main st.	90.20	90.20					
" " 150 E. of " " of Main st.	90.30	90.30					
" " 200 E. of " " of Main st.	90.80	90.80					
Wheeler ^{2nd} Park st.	91.30	91.30	91.30	91.30			
" ^{2nd} Grove "	92.50	92.50	92.50	92.50	Iron Pin 7-9" S of the N.W. Cor. of Wheeler & Grove		
" ^{2nd} Williams "	93.70	93.70	93.70	93.70	Iron Stake at S.W. Cor. of Wheeler ^{2nd} Williams st.		
" ^{2nd} 226 ft. E. of E. line of Williams st.	94.20	94.20					
" " 526' E. of E. line of Williams	94.90	94.90					
Wheeler ^{2nd} at West end of Bridge	95.60	95.60					