2 ORDINANCE NO. 246 3 4 5 CLEANING OF FLUE AND CHINNEYS. 6 7 8 9 10 11 12 13 be secuerly cemented or plastered, or fitted. 14 15 16 17 or less 18 19 20 21 22 23 24 25 26 27 Lebanon National Bank Building LEBANON, OREGON is 8 by 12 inches in the clear inside measure. 28 29 30 31 32

ORDINANCE BILL NO. / 6 FOR 1919

1

M. NEWPORT

AN ORDINANCE TO PROVIDE FOR THE MANNER AND MATERIAL AND SIZE OF FLUES AND CHIMNEYS? IN THE CITY OF LEBANON, AND TO PROVIDE FOR THE THE PEOPLE OF THE CITY OF LEBANON DO ORDAIN AS FOLLOWS: SECTION 1. All fire flues and fire chimney hereafter build or constructed in the city of Lebanon shall be made and constructed of brick and morter or stone and morter and unless a tile liner is used on the inside they shall be plastered on the inside from the bottom to the top. Where tile liner is used the joints shall SECTION 2. No fire flue shall be constructed which is less than 8th inches by eight inches on the inside, and no fire chimdey shall be less than Sinches by 12 inches inside measure. SECTION 3. Not more than two six inch/stove pipes shall be allowed to enter any flue which not more than 8 icnhes by eight inches in the clear inside measure. and not more than three stove pipes six inches/in diameter shall be allowed in any fire flue which is less than 8 triches by 12 inches in the clear inside measure. Not nore than one stove pipe of more than 6 inches in diameter shall be allowed in any flue which is 8 inches by 8 inches in diameter in the clear inside measure, and not more than two stove pipes of more than 6 inches in diameter shall be allowed in any flue which SECTION 4. All flues of 8 inches by eight inches or more in the clear inside measure now are hereafter built in the city of Lebanon shall be thoroughly cleaned at least once a year, and all flue of less than 8 by 8 inches in the clear shall be thoroughly cleaned at least twice each year. All fire chimneys shall be thoroughly Page cleaned at least once each year.

```
All flues hereafter built in the city of Lebanon
SECTION 5.
shall be built from the ground or on wood or frame supports or
brackets securely built so that the flue shall not settle, and
if built upon brackets or frame the same shall be at least three
feet below the ceiling and the opening for stove pipes shall be
atleast one foct above the bottom of the brick and the pipe at
least two foot below the ceiling. No frame work of the building
which is concealed shall be within a less distance than one and a
half inches from the brick wall of the flue or chimney. All flues
and chimneys of whatever material built shall extend at least three
feet above the roof to be measured from the upper side of the flue
or chimney where it passed through the roof.
```

13

14

15

16

17

18

19

20

21

ĺ

2

3

4

5

6

7

8

9

10

11

12

SECTION 6. All ordinances or parts of ordinances in conflict with this ordinance are hereby repealed, but this ordinance does repeal any part of any now existing ordinance which is not inconflict with the provisions of this ordinance. All of the provisuons of ordinance No, 10 passed by the council on the on the 14th day of October 1891 and approved by the ,ayor on the 14th day of October 1891 which are not inclnflict herewith are hereby declared to be infull force and effect.

22

23

24

25 26

27

Lebanon National Bank Building LEBANON, OREGON 28

31

32

1 SECTION 7. It shall be the duty of the chief of police and any police officer and the chief of the Lebanon Fire department to see 3 that the provisions of this ordinance are complied with, and when 4 any of the said officers shall find any flue or chimney which has 5 not been cleaned as herein provised or is any a bad or dangerous 6 condition they shall notify the owner or occupant to clean the same or repair the same 7 within ten days, and if the said order is not complied with within 8 the said time they shall cause to be filed against the said person 9 maintaining the same a complaint in the recorders Court of the 10 said city, and such person shall be arrested and brought into 11 court on the charge of violating this ordinance and shall be pun-12 ished as herein after provided. 13 SECTION 6. No patent flue or chimney shall be build or used, or a 14 any kind of flue or chimney exce t those built and made or brick 15 and mortar or stone and mortar and made as herein provided, except 16 by a special permit from the chief of the fire department issued 17 in writing and a copy of the said permit filed with the recorder 18 of the said city, and before such permit is granted the applicant 19 shall also secure the approval of such flue or chimney from the 20 committee of the council on street and public property before the 21 s me shall be built, erected or used. 22 23 SECTION 7. Any person failing to comply with or refusing to comply with any order given by any officer herein named concerning the cleaning or repairing any flue or chimney within the time here-26 in provided, or violating any of the provisions of this ordinance 27 shall be punished by a fine of not less than Five Dollars nor more than Fifty Dollars or be imprisoned in the City jail not less than 2 days nor more than twenty-five days, upon conviction thereof before the Recorder's Court of the City of Lebanon, Oregon. 31

Passed by the Council this 5th day of December 1919

Approved by the Mayor

Attest 676 Witne

N. M. NEWPORT
ATTORNEY-AT-LAW
Lebanon National Bank Building
LEBANON, OREGON

Page

32

Mayor of the City of Lebanon Recorder of the City of Lebanon.

this 5th day of December,1919

Ordinance Bill #16 Ordinance # 246 Providing for the manner and material for Constructing Chemney and Flues 1 passed Dec. 5th 1919 6 % Hetreaus Recorder