A BILL FOR AN ORDINANCE LEVYING AGAINST THE PROPERTY ESPECIALLY BENEFITTED THEREBY ASSESSMENTS FOR THE COST OF SEWER INSTALLATION IN SOUTH CEDAR SUBDIVISION, ACORN STREET, BIRCH STREET, ARLENE AVENUE, HOBBS STREET, HALL'S FIRST ADDITION, F STREET BETWEEN 6th STREET and TENTH STREET, FROM WALKER ROAD NORTH ALONG THE EAST SIDE OF LOTS 1-6 INCLUSIVE IN BLOCK 1, HARMONY SUBDIVISION, AND PRIMROSE STREET FROM DEWEY STREET TO ALDER STREET, ACCORDING TO THE PLANS AND SPECIFICATIONS THEREFOR, AND DECLARING AN EMERGENCY.

ORDINANCE BILL NO.

/3 for 1971

ORDINANCE NO. 2406

WHEREAS the owners of more than fifty (50) percent of the property abutting upon the streets hereinafter described have filed with the City Recorder of the City of Lebanon, Oregon, their Petition asking for sewer installation in South Cedar Subdivision, Acorn Street, Birch Street, Arlene Avenue, Hobbs Street, Hall's First Addition, F Street between 6th Street and 10th Street, from Walker Road North along the east side of Lots 1 - 6, inclusive, in Block 1 Harmony Subdivision, and Primrose Street from Dewey Street to Alder Street; and

WHEREAS the Common Council of the City of Lebanon ordered the City Engineer of the City of Lebanon to prepare and file plans, specifications and estimates of the cost of installation of said sewers; and

WHEREAS the City Engineer, by order of said Council, thereafter prepared and filed plans, specifications and estimates of the cost thereof, which were approved and accepted by Resolution No. 6 for 1970, passed by the Council and approved by the Mayor on the 21st day of April, 1970; and

WHEREAS the Common Council thereafter gave notice of intention to install said sewers in the manner provided by the Charter of said City, the proof of posting of such notice being now on file herein; and the time for remonstrance did elapse thereafter without any remonstrance having been made against the said sewer installation by the ownersof a majority of the property adjacent thereto; and it then

appearing unto the said Council that said sewer installation should be made, the said Council did, by Ordinance No. 1372, passed by the Council and approved by the Mayor on the 19th day of May, 1970, duly establish and declare its jurisdiction to make said sewer installations and ordered that the work be done by contract to be awarded to the lowest responsible bidder, and there be published for ten (10) days in a newspaper published in Lebanon, Oregon, a notice inviting proposals for installation of said sewers; and

WHEREAS, pursuant to said Order the City Recorder caused to be published in the LEBANON EXPRESS Notice Inviting Proposals for Making Sewer Improvements in the manner required by the Ordinance and Charter of the City of Lebanon, proof of the publication of said notice now being on file herein; and

WHEREAS, upon the expiration of the time required by the Charter for the submission of bids, the bids received by the City Recorder for the installation of said sewers were opened and submitted to the Council and OREGON CONSTRUCTION CO., INC., 3453 Silverton Road N.E., Salem, Oregon, having submitted the lowest bid, was awarded the contract for making said sewer installation by Ordinance No. 1375 for 1970; and

WHEREAS the said work and installation has been completed and approved in accordance with the Charter and <sup>0</sup>rdinances of the City of Lebanon, and the cost of said work and installation has been determined.

NOW, THEREFORE, THE PEOPLE OF THE CITY OF LEBANON DO ORDIAN AS FOLLOWS:

Section 1. That the costs of installation of said sewers to be borne by the property owners abutting upon and adjacent to said above described streets is \$192,445.53.

Section 2. That the proportionate share of said cost of said work and installation to be borne by the real property especially

benefitted thereby, and to be assessed therefor, is hereby declared to be the amount set forth immediately after the separate description of each lot or tract of land hereinafter stated, and each of said lots or tracts of land is determined and declared to be benefitted by said installation in the sum equal to or greater than the amount assessed thereto hereinafter; and each of said lots or tracts of land should be, and the same hereby is, assessed for its proportionate share of the cost of said installations in the sum set opposite the description thereof; to-wit:

TAMBLE-MARKERSE SERVICE

Section 3. That the Recorder of the City of Lebanon be, and he is hereby, ordered and directed to immediately enter a statement of each assessment made, declared and levied by this Ordinance, together with the names of the respective owners of such lots and tracts of land hereinabove described, in the Docket of City Liens of said City, as provided by the Charter; and to give notice forthwith to the owners of all of said property as to said assessments as provided by the Charter of said City of Lebanon.

Section 4. That the said City of Lebanon, having seriously depleted its funds and this Ordinance, therefore, being required for the peace, health and safety of said City, an emergency is hereby declared and this Ordinance shall be in full force and effect immediately upon its passage by the Council and approval by the Mayor.

Passed by the Council and approved by the Mayor this 18th day of May, 1971.

AM. CHRISTIANSEIL

Mayor

ATTEST:

City Beconder

FROMKE, Eldon H.	
Lot I, Block I, South Cedar Subdivision to Linn County, Oregon.	
. Sewer Main Frontage - 102.10 ft. @ \$6.23/ft.	\$ 636.08
1 Service Connection @ \$197.63	\$ 833.71
EVENHUS, Kenneth R. & Karen L.	
Lot 2, Block I, South Cedar Subdivision to Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
I Service connection @ \$197.63	\$ 820.63
HARVEY, Melvin L. & Irene	
Lot 3, Block I, South Cedar Subdivision to Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
I Service connection @ \$197.63	\$ 820.63
BARE, Ivan R. & Ardis L.	
Lot 4, Block I, South Cedar Subdivision to Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
I Service connection @ \$197.63	197.63 \$ 820.63
BARE, Ivan R. & Ardis L.	
Lot 5, Block I, South Cedar Subdivision to Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	197.63 \$ 820.63
MINTER, William J. & Helen A.	
Lot 6, Block I, South Cedar Subdivision to Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	197.63
PRIMASING, Ronald R. & Judith C.	
Lot 7, Block 1, South Cedar Subdivision to Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
I Service connection @ \$197.63	197.63 \$ 820.63
GINSBACH, BIIIie L.	
Lot 8, Block 1, South Cedar Subdivision to Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
I Service connection @ \$197.63	197.63 \$ 820.63
	020.07

Lot 9, Block I, South Cedar Subdivision to Linn County, Oregon.

\$ 623.00 197.63 \$ 820.63

ROBERTSON, Lester E. & Roberta C.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63

Lot 10, Block 1, South Cedar Subdivision to Linn County, Oregon.		
Sewer Main Frontage - Minimum charge	\$ 623.00	
· I Service connection @ \$197.63	\$ 820.63	
SUMMERS, Rick E. & Susan M.		
Lot II, Block I, South Cedar Subdivision to Linn County, Oregon.		
Sewer Main Frontage - Minimum charge I Service connection @ \$197.63	\$ 623.00 197.63 \$ 820.63	
FRANKS, John & Phyllis		
Lot 12, Block I, South Cedar Subdivision in Linn County, Oregon.		
Sewer Main Frontage - Minimum charge 1 Service connection @ \$197.63	\$ 623.00 197.63 \$ 820.63	
	\$ 620.00	
BARE, Ivan R. & Ardis L.		
Lot 13, Block I, South Cedar Subdivision to Linn County, Oregon.		
Sewer Main Frontage - Minimum charge 1 Service connection @ \$197.63	\$ 623.00 197.63	
	\$ 820.63	
HENDRICKS, Raymond H. & Patricia A.		
Lot 14, Block I, South Cedar Subdivision to Linn County, Oregon.		
Sewer Main Frontage - Minimum charge 1 Service connection @ \$197.63	\$ 623.00 197.63 \$ 820.63	
KNIGHT, Melvin K. Jr. & Patricia A.		
Lot 15, Block I, South Cedar Subdivision to Linn County, Oregon.		
Sewer Main Frontage - Minimum charge I Service connection @ \$197.63	\$ 623.00 197.63 \$ 820.63	
HALLMAN, Ellis & Betty		
Lot 16, Block I, South Cedar Subdivision to Linn County, Oregon.		
Sewer Main Frontage - Minimum charge I Service connection @ \$197.63	\$ 623.00 197.63	
1 Service connection & \$197.05	\$ 820.63	
HICKS, Joe S. & Dorothy D.		
Lot 17, Block I, South Cedar Subdivision & the East 5 ft. of Lot 9, Block 3, First Addition to South Cedar Subdivision to Linn County, Oregon.		
Sewer Main Frontage - Minimum charge 1 Service connection @ \$197.63	\$ 623.00 197.63	
7 557 7765 55111.557 767 5 477765	\$ 820.63	
HAEVERNICK, Kenneth B.		
Lot 9, Block 3, First Addition to South Cedar Subdivision except the East 5 ft. of said lot being in Linn County, Oregon.		

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

SHAW, Claude A. & Bertha C.

#### COFFMAN, Lee R. & Vera W.

Lot 8, Block 3 of First Addition to South Cedar Subdivision in Linn County, Ore.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

#### WOODWORTH, William W. & Jean A.

Lot 6, Block 3, First Addition to South Cedar Subdivision, Linn County, Oregon.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

## NYLAND, Martin E. & Ardyce L.

Lot 5, Block 3, First Addition to South Cedar Subdivision, Linn County, Oregon.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

#### TONOLE, Alton O. & Wilda B.

All of Lot 4 in Block 3, of the First Addition to South Cedar Subdivision in Linn County, Oregon. Also, the following portion of Lot 3 of said Block & Subdivision: Beginning at the most Southerly corner of Lot 3 & running thence Northwesterly along the arc of an 80 ft. radius curve to the left, I the chord of said arc of which curve bears North 38°41.15' West 31.21 ft.) a distance of 31.41 ft.; thence North 40°3.91' East 29.07 ft. to a direct line running from the most Southerly corner to the Northwest corner of said Lot 3; thence North 0°58.93' West along said direct line 145.94 feet to the Northwest corner of Lot 3; thence South 89°51.41' East along the North line of said Lot, 38.29 ft. to a corner of said Lot; thence South 45°29.46' East 115.54 feet to the most Easterly corner of Lot 3; thence South 46°29.52' West along the line between Lots 3 & 4, a distance of 161.86 ft. to the place of beginning. Subject to Pacific Power & Light Co. easements, and conditions and restrictions in that certain deed recorded Jan. 21, 1957, Deed Book 252, Page 649, Linn Co. Deed Records.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

# ANDERSON, LeRoy D. & Nedra D.

Lot 7, Block 3, First Addition to South Cedar Subdivision in Linn County, Ore.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

## OLSON, Gene E. & Donna M.

Lot 1, Block 2, South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - 118.34 ft. @ \$6.23/ft. 1 Service connection @ \$197.63

\$ 737.26 197.63 \$ 934.89

#### JOHNS, Elwin E. & Thelma M.

Lot 2, Block 2, South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge I Service connection @ \$ 197.63 \$ 623.00 197.63 \$ 820.63

Lot 3, Block 2, South Cedar Subdivision in Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	197.63 \$ 820.63
	020,03
ULM, Merie E. & Velda J.	
Lot 4, Block 2, South Cedar Subdivision in Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	\$ 820.63
	020.03
HINES, Walter H. & Ruthann E.	
Lot 5, Block 2, South Cedar Subdivision to Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	\$ 820.63
MILLER, Albert L. & Imogene	
Lot 6, Block 2, South Cedar Subdivision to Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	197.63 \$ 820.63
	020,03
AXEN, Douglas J. & Sandra K.	
Lot 7, Block 2, South Cedar Subdivision to Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
I Service connection @ \$197.63	\$ 820.63
COLLINGS, Roy L. & Marlene J.	
Lot 9, Block 2 of South Cedar Subdivision in Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
I Service connection @ \$197.63	\$ 820.63
POLICIED DE LOCAL D BOARD	
BOUCHER, Roland R. & Patty L.	
Lot 10, Block 2 of South Cedar Subdivision in Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
I Service connection @ \$197.63	\$ 820.63
DYNES Frad W & Datatata D	
PYNES, Fred W. & Patricia R.	
Lot II, Block 2, South Cedar Subdivision in Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	\$ 820.63
TRAIN, Robert C.	
Lot 12, Block 2 of South Cedar Subdivision in Linn County, Oregon.	
Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	\$ 820.63

ROTH, Carl E. & Dorothy J.

### McCANN, Robert C. & Laurie E.

Lot 13, Block 2 of South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge \$ 623.00 I Service connection @ \$197.53 197.63 \$ 820.63

### WILLIAMS, Genevieve M.

Lot 14, Block 2 of South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
I Service connection @ \$197.63	197.63
	\$ 820.63

# RICHARD, John F. & Helen

Lot 15, Block 2 of South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
Service connection @ \$197.63	197.63
	\$ 820.63

### SPURGEON, F. & S.

Lot 16, Block 2 of South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	197.63
	\$ 820.63

# WOOD, Carl C. & Beth W.

Lot 17, Block 2 of South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	197.63
	\$ 820.63

# THOMA, Donald H. & Joyce Y.

Lot 18, Block 2 of South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	197.63
	\$ 820.63

# MCHENRY, Charles G. & Lela M.

Lot 19, Block 2 of South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	197.63
	\$ 820.63

### DAILEY, M.L. & M.L.

Lot 20, Block 2 of South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
Service connection @ \$197.63	197.63
	\$ 820.63

## VAN DUYN, Paul L. & Nancee R.

Lot 12, Block 5, First Addition to South Cedar Subdivision and part of Lot II, Block 5, First Addition to South Cedar Subdivision, more particularly described as follows: Beginning at the Northeast corner of said Lot II, thence South 7°37' West 131.12 feet along the East line of said lot II, to the South-

# VAN DUYN, Paul & Nancee R. - Con't.

east corner of said Lot; thence North 4°20.83' East 130.35 ft. to the North line of said Lot; thence East along the North line of said Lot, 7.46 ft. to the place of beginning, lying and situated in Linn County, Oregon.

Sewer Main Frontage - Minimum charge 1 Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

### ANDREWS, Forrest W. & Esther P.

Combined portions of Lots 10 & 11, Block 5. Beginning at the most Southerly corner of Lot 9, Block 5 in the First Addition to South Cedar Subdivision, in Linn County, Oregon; and running thence North 70°4.24' East 190.32 ft. to a point on the Southwesterly line of the intersection of Cedar & Hazel Drives in said Subdivision; thence Southeasterly along the arc of an 80 ft. radius curve to the left 1 the chord of said arc of which curve bears South 65°5.42' East 67.19 ft.) a distance of 68.56 ft. to the end of said curve; thence South 4°20.83' West 130.35 ft. to the Southwest corner of Lot 12 in said Block; thence North 89°54' West 230.93 ft. to the Southwest corner of Lot 10 in said Block; thence North 0°35' East 93.00 ft. to the place of beginning.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

### STILLION, William & Delores

Lot 9, in Block 5, First Addition to South Cedar Subdivision to Linn County, Oregon. Also the following portion of Lot 10 of said Block and subdivision. Beginning at the most Northerly corner of Lot 10 and running thence Southeasterly along the arc of an 80 ft. radius curve to the left (the chord of said arc of which curve bears S. 27°43.19' E. 34.74 feet) a distance of 35.02 ft.; thence S. 70°4.24' W. 190.32 feet to the Southwest corner of Lot 9, Block 5 in said subdivision; thence N. 59°33.97' E. along the Southerly line of said lot 188.77 ft. to the place of beginning.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

#### HANEN, Keith G. & Virginia H.

Lot 8, Block 5, First Addition to South Cedar Subdivision to Linn County, Ore.

Sewer Main Frontage - Minimum charge | Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

## FOSTER, Dennis R. & Carolyn J.

Lot 7, Block 5, First Addition to South Cedar Subdivision to Linn County, Ore.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

### WALSH, William L. & Barbara L.

Lot 6, Dlock 5, First Addition to South Cedar Subdivision to Linn County, Ore.

Sewer Main Frontage - Minimum charge 1 Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

### BIEDERBECK, Bernhard A. & Martha J.

Lot 5, Block 5, First Addition to South Cedar Subdivision to Linn County, Ore.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

### McCLAIN, Eldon B. & Leona M.

All of Lot 4, in Block 5, of the First Addition to South Cedar Subdivision in Linn County, Oregon. ALSO the following portion of Lot 3 in said Block and Subdivision: Beginning at the most Northerly corner of Lot 4 and running thence S. 62°45.92' E. 188.60 ft. to the Northwesterly line of the junction of Hazel and Rose Drives, thence Southwesterly along the arc of an 80 ft. radius curve to the left (the chord of said arc of which curve bears S. 24°49.8' W. 26.75 ft.) a distance of 26.88 ft. to the most southerly corner of Lot 3, thence N. 54°44.89' W. along the line between Lots 3 & 4 a distance of 191.60 ft. to the place of beginning.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

# SHEARER, Charles R. & Rojean M.

Combined portions of Lot 2 & 3, Block 5, First Addition to South Cedar Subdivision in Linn County, Oregon, as follows: Beginning at the most northerly corner of Lot 4, Block 5 of the First Addition to South Cedar Subdivision in Linn County, Ore.; and running thence N. 0°35' E. along the west line of Lot 3 in said Block and Subdivision 93.00 feet to the northwest corner of Lot 3; thence N. 89°51' E. along the North line of Lots 3 & 2 a distance of 223.50 ft. to the northeast corner of Lot 2; thence S. 3°40.7' E. 145.43 ft. to the beginning of curve in the south line of Lot 2; thence southwesterly along the arc of an 80 ft. radius curve to the left (the chord of said arc of which curve bears S. 62°16.71' W. 74.68 ft.) a distance of 77.69 ft.; thence N. 62° 45.92' W. 188.60 ft. to the place of beginning, containing the greater portion of both Lot 2 & Lot 3.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

#### CARROLL, Hazel M.

Lot 10, Block 4, First Addition to South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - 104.0 ft. @ \$6.23/ft.
I Service connection @ \$197.63

\$ 647.92 197.63 \$ 845.55

#### ANDERSON, Rodney A. & Mirian K.

Lot 9, Block 4, First Addition to South Cedar Subdivision to Linn County, Oregon.

Sewer Main Frontage - 100.0 ft. @ \$6.23/ft.
I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

#### KLAVANO, Keith A. & Sharon

Lot 8, Block 4, First Addition to South Cedar Subdivision to Linn County, Oregon.

Sewer Main Frontage - 100.0 ft. @ \$6.23/ft.
I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

# BENSHOOF, Jack L. & Betty L.

Lot 7, Block 4, First Addition to South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - 100.0 ft. @ \$6.23/ft.
I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

#### HARRIS, Marieau S. & Patricia G.

Lot 6, Block 4, First Addition to South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - 104.0 ft. @ \$6.23/ft. \$ 647.92

I Service connection @ \$197.63 \$ 845.55

### WILLIAMS, Richard & Patty

Lot 1, Block 4, First Addition to South Cedar Subdivision in Linn County, Oregon.

 Sewer Main Frontage - 104.0 ft. @ \$6.23/ft.
 \$ 647.92

 I Service connection @ \$197.63
 197.63

 \$ 845.55

# WILLIAMS, Richard & Patty

Lot 2, Block 4, First Addition to South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - 100.0 ft. @ \$6.23/ft. \$ 623.00 I Service connection @ \$197.63 \$ 820.63

### CARROLL, Hazel M.

Lot 5, Block 4, First Addition to South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - 104.0 ft. @ \$6.23/ft. \$ 647.92 1 Service connection @ \$197.63 \$ 197.63 \$ 845.55

## CARROLL, Bill J. & Barbara J.

Lot 3, Block 4, First Addition to South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - 100.0 ft. @ \$6.23/ft. \$623.00

I Service connection @ \$197.63 \$197.63

\$820.63

# CARROLL, Bill J. & Barbara J.

Lot 4, Block 4, First Addition to South Cedar Subdivision in Linn County, Oregon.

Sewer Main Frontage - 100.0 ft. @ \$6.23/ft. \$ 623.00 | Service connection @ \$197.63 | 197.63 | 820.63

# BRIGHT, Thomas A. & Norma J.

Lot I, Block 5, First Addition to South Cedar Subdivision, Township 12 South, Range 2 West, Willamette Meridian, Linn County, Oregon. ALSO the following portion of Lot 2 in said Block and Subdivision: Beginning at the Southeast corner of Lot 2 and running thence N. 89°54' W. along the south line of said Lot 7.75 ft. to the beginning of the curve of said line; thence N. 3°40.7' W. 145.43 ft. to the Northeast corner of said Lot 2; thence S. 6°42.7' E. along the line between Lots I & 2 a distance of 146.14 ft. to the place of beginning.

# PAUL, W.H. & Gwendolyn

All in Lots 1 & 2 in Block 3, of the First Addition to South Cedar Subdivision in Linn County, Oregon. ALSO the following portion of Lot 3; of said Block & Subdivision; Beginning at the Northwest corner of Lot 3 and running thence South 0°58.93' East on a direct line toward the most Southerly corner of said Lot a distance of 145.94 ft.; thence South 40°3.91' West 29.07 ft. to the Northeast boundary of the junction of Rose and Willow Drives; thence Northwesterly along said boundary along the arc of an 80 ft. radius curve to the left (the chord of said arc of which curve bears North 61°11.04' W. 31.21 ft.) a distance of 31.41 ft. to the Southeast corner of Lot 2; thence North 15°53.28' E. along the line between Lots 2 & 3, 159.41 ft. to the point of beginning.

Sewer Main Frontage - 149.86 ft. @ \$6.23/ft.

I Service connection @ \$197.63

\$ 933.63 197.63 \$ 1131.26

# PEARSON, Lynn & Joyce

Beginning on the West line of and South 0°31' West, 42.75 ft. from the North-west corner of Lot 41, Larsen's Supplemental Plat to Rathman Subdivision in Linn County, Oregon; thence South 0°31' West 99 ft. to the Southwest corner of said Lot 41; thence South 89°53' East along the South line of said Lot 253.5 feet to the most easterly corner of said Lot 41; thence North 45°33' West 141.69 ft. along the easterly line of said Lot 41; thence North 89°53' West 151.40 ft. to the place of beginning.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

# LARSEN, Leo E. & Virginia R.

Lots 15 & 16, Rathman Subdivision to Linn County, Oregon, and the North 46.75 ft. of Lot 41, Larsen's Supplemental Plat to Rathman Subdivision, as shown on map 12-2W-22A.

Sewer Main Frontage - 302.75 @ \$6.23/ft. No Service connections

\$ 1,886.13

\$ 1,886.13

### LOTT, Burl W. & Nyla R.

Tract 21, EXCEPT the East 105 ft. of even width thereof, in Rathman Subdivision; and tracts 24 & 25, Larsen's Supplemental Plat to Rathman Subdivision, in Linn County, Oregon.

Sewer Main Frontage - 299.85 ft. @ \$6.23/ft. I Service connection @ 197.63

\$ 1,868.07 197.63 \$ 2,065.70

# CAYWOOD, Norma D.

Beginning at the Southeast corner of Lot 21, Rathman Subdivision, Linn County, Oregon, and running thence North along the East line of said Lot 140 ft.; thence West 105 ft.; thence South 140 ft. to the South line of said Lot; thence East 105 ft. to the place of beginning.

Sewer Main Frontage - 140.85 ft. @ \$6.23/ft. 2 Service connections @ \$197.63

\$ 877.50 395.26 \$ 1272.76

#### RATHMAN, Darwin & Ruth O.

Lots 22 & 23 & the North 20 ft. of even width of the East 105 ft. of Lot 21, all in Rathman's Subdivision, Linn County, Oregon.

 Sewer Main Frontage - 237.80 ft. @ \$6.23/ft.
 \$1,481.49

 3 Service connections @ \$197.63
 592.89

 \$2,074.38

#### KEEBLER, Sam A.

Beginning at a stone on the South line of and South 89°53' East 27.60 chains distant from the Southwest corner of the Donation Land Claim of Isaax Coryell, Not. No. 4301, Township 12 South, Range 2 West of the Willamette Meridian, Oregon, and running thence North 0°36' East 23.639 chains to a stone; thence South 89°42' East 2.010 chains to a stone which marks the beginning point of land herein conveyed; thence running East 195 ft., more or less, to an iron peg set in the ground; thence North 97 ft.; thence West 195 ft., more or less, to a point which is North 0°31' East from the beginning point of the land herein conveyed; thence South 0°31' West 97 ft. to the place of beginning. Also, a right of way to and from the above described premises over the road which now runs North & South directly East of said premises.

Sewer Main Frontage - Minimum charge \$ 623.00 I Service connection © \$197.63 \$ 820.63

#### BUCHANAN, Alvin C.

Beginning at a point 10 ft. East and N. 0°31' E. 97.0 ft. from the Northeast corner of Lot 23, Rathman's Subdivision to Linn County, Oregon, thence North 0°31' East 117.0 ft.; thence S. 89°58' W. 105.0 ft.; thence South 28.0 ft. thence S. 89°58' W. 90.0 ft.; thence S. 0°31' W. 89.0 ft. more or less to a point due West of the point of beginning; thence East 195.0 ft. to the point of beginning as shown on Linn County map 12-2W-15DC.

 Sewer Main Frontage - 117.0 ft. @ \$6.23/ft.
 \$ 728.91

 I Service connection @ \$197.63
 197.63

 \$ 926.54

# RAMSEY, H.I. & Pearle, et al

Beginning on the South line of the County Rd., South 89°58' West 30.0 feet rrom the Northwest corner of Tract 7, Rathman Subdivision; thence South 0° 31' West along the West line of a dedicated Street 85.0 ft.; thence South 89°58' West 105.0 ft. to the East line of that tract conveyed to Edgar J. Collier and wife, by Deed recorded Dec. 17, 1948, in Bk. 206, page 1, Deed Records; thence North 0°31' East 85.0 ft. along the East line of said Collier tract to the South line of a County road; thence North 89°58' East 105.0 ft. along the South line of said County Road to the point of beginning, all in Linn County, Oregon.

Sewer Main Frontage - Minimum charge

1 Service connection @ \$197.63

\$ 820.63

### CRUISE, Frances 1.

Lot 7 & 8, Rathman's Subdivision in Linn County, Oregon.

Sewer Main Frontage - 128.0 ft. @ \$6.23/ft. \$797.44 I Service connection @ \$197.63 197.63 \$995.07

## MCMAHAMA, Erma

Lot 9 & 10, Rathman's Subdivision in Linn Co., Oregon.

Sewer Main Frontage - 128.0 ft. @ \$6.23/ft.	\$ 797.44
1 Service connection @ \$197.63	197.63
	\$ 995.07

#### UHING, Bernard L. & Irene R.

Lot II, Rathman's Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	197.63
	\$ 820,63

### COLVIN, William R.

Lot 12 & 13, Rathman's Subdivision in Linn Co., Oregon.

Sewer Main Frontage - 128 ft. @ \$6.23/ft.	\$ 797.44
2 Service connections @ \$197.63	395.26
	\$1,192.70

#### SMITH, Clifford R. & Ruth L.

Beginning at a point which is South 0°07' West 810.6 ft. and North 89°58' East 40 ft. from the Northeast corner of Lot 6 of the Rathman Subdivision; thence South 89°32' East 153.58 ft. to the East line of property described in Deed from Darwin Rathman and wife to Leo E. Larsen and wife recorded June 23, 1948 in Book 202, page 267 of Deed Records; thence South 0°09' West 426.6 ft. to the South line of the said Larsen Tract; thence North 89°52' West 153.58 ft.; thence North 0°07' East 426.6 ft. to the point of beginning; EXCEPT the North 75 ft. of even width thereof, and also except the South 115 ft.

Sewer Main Frontage - 236.6 ft. @ \$6.23/ft.	\$1,474.02
2 Service connections @ \$197.63	395.26
	\$1,869.28

# ROTH, Carl E. & Dorothy J.

The South 115 ft. of the following described property. Beginning at a point which is South 0°07' West 810.6 ft. and North 89°58' East 40 ft. from the Northeast corner of Lot 6 of the Rathman Subdivision; thence South 89°32' East 153.58 ft. to the East line of property described in Deed from Darwin Rathman and wife to Leo E. Larsen and wife recorded June 23, 1948 in Book 202, page 267 of Deed Records; thence South 0°09' West 426.6 ft. to the South line of the said Larsen Tract; thence North 89°52' West 153.58 feet; thence North 0°07' East 426.6 feet to the point of beginning.

Sewer Main Frontage - 115.0 ft. @ \$6.23/ft.	\$ 716.45
Service connection 9 \$197.65	\$ 716.45

### ELDER, Thomas C. & Savil J.

Lot 14, Rathman's Subdivision in Linn Co., Oregon.

Sewer Main Frontage - 128.0 ft. @ \$6.23/ft.	\$ 797.44
I Service connection @ \$197.63	197.63
	\$ 995.07

# GILLEY, Virginia

Beginning at a point which bears South 0°07' West 670.0 ft. and North 89°58' East 40 ft. from the Northeast corner of Lot 6, in Rathman's Subdivision, and running thence South 0°07' West 140.6 ft.; thence South 89°32' East 154.7 ft.; thence North 0°09' East 140.6 ft.; thence North 89°32' West 154.8 ft. to the point of beginning, all being situated in Linn County, Oregon.

Sewer Main Frontage - 140.6 ft. @ \$6.23/ft.	\$ 875.94
2 Service connections @ \$197.63	395.26
	\$1 271 20

#### BATTEN, Anthony W. & Valora

The North 75 ft. of even width of the following described property: Beginning at a point which is South 0°07' West 810.6 ft. and N. 89°58' E. 40 ft. from the Northeast corner of Lot 6 of Rathman Subdivision, Linn County, Oregon; thence S. 89°32' E. 153.58 ft. to the East line of property described in

### BATTEN, Anthony W. & Valora --- Con't.

deed from Darwin Rathman and wife to Leo E. Larsen and wife recorded June 23, 1948 in Book 202, page 267 of Deed Records; thence S. 0°09' W. 426.6 ft. to the South line of the said arsen tract; thence N. 89°52' W. 153.58 ft.; thence N. 0°07' E. 426.6 ft. to the point of beginning.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623,00 197.63 \$ 820.63

## BICE, C.H. & C.

The South half of the following: Beginning at a point which bears S. 0°07' W. 529.40 ft. and N. 89°58' E. 40 ft. from the northeast corner of Lot 6, Rathman Subdivision, Linn County, Oregon, and running thence S. 0°07' W. 140.6 ft.; thence S. 89°32' E. 154.8 ft. to the west line of Brotherton Subdivision; thence N. 0°09' E. 140.6 ft. along west line of Brotherton Subdivision to the South line of Hobb Street; thence N. 89°32' W. 154.9 ft. to the place of beginning containing one-half acre more or less.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

# ZERKEL, Ronald I. Jr. & Gisela

The North one-half of the following described premises: Beginning at a point which bears South 0°07' West 529.40 feet and North 89°58' East 40 ft. from the Northeast corner of Lot 6, Rathman Subdivision, and running thence South 0°07' West 140.6 ft.; thence South 89°32' East 154.8 ft. to the West line of Brotherton Subdivision N. 0°09' E. 140.6 ft. along West line of Brotherton Subdivision to the South line of Hobb Street; thence North 89° 32' West 154.9 feet to the place of beginning.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

### GILLEY, Virginia M.

Beginning at the Northeast corner of Tract 2 of Rathman's Subdivision in Township 12 South, Range 2 West, of the Willamette Meridian, in Linn County, Oregon; and running thence S. 0°07' W., along the East line of said Tract 2, a distance of 60.0 ft. to a ½" iron rod; thence S. 89°58' W. 218.68 ft. to a ½" iron rod on the West line of said Tract 2; thence N. 0°31' E. 60.0 ft. to the Northwest corner of said Tract 2; thence N. 89°58' E. 218.26 ft. to the place of beginning.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

# SCHILTZ, Dorothy W.

Tract 2, except the North 60 ft., Rathman Subdivision in Linn County, Oregon.

Sewer Main Frontage - 132.0 ft. @ \$6.23/ft.
I Service connection @ \$197.63

\$ 822.36 197.63 \$1.019.99

### HAWES, Alfred N.

Lot I, Rathman Subdivision in Linn County, Oregon.

Sewer Main Frontage - 243.67 ft. @ \$6.23/ft. I Service connection @ \$197.63

\$1,518.06 197.63 \$1,715.69

# CAMPBELL, DeWain & Julia M.

Lot 6, Rathman's Subdivision in Linn Co., Oregon.

Sewer Main Frontage - 128.0 ft. @ \$6.23/ft. \$797.44 I Service connection @ \$197.63 \$195.07

#### FINLEY, Claude W. & Audie G.

Lot 5, Rathman's Subdivision in Linn Co., Oregon.

 Sewer Main Frontage - 128.0 ft. @ \$6.23/ft.
 \$ 797.44

 I Service connection @ \$197.63
 197.63

 \$ 995.07

# CAVE, Benton J. & Iva R.

Lot 3 & 4, Rathman's Subdivision in Linn Co., Oregon.

 Sewer Main Frontage - 320.0 ft. @ \$6.23/ft.
 \$ 1,993.60

 2 Service connections @ \$197.63
 395.26

 \$ 2,388.86

#### LEE, Everett B.

Beginning at a stone on the South line of and South 89°53' East 27.60 chains distant from the Southwest corner of the Donation Land Claim of Isaac Coryell, Notification No. 4301, T. 12S., R 2W of the Willamette Meridian, Linn County, Oregon, running thence North 0°36' East 1560.92 feet; thence North 89°51' E. 327.66 feet; thence North 0°31' East 329.60 feet; thence North 89°58' East 409.03 feet to the initial point of the land herein conveyed; thence South 0°07' West 176 feet; thence East 166 feet; thence North 0°07' East 176 feet; thence South 89°58' West 166 feet to the initial point of beginning, excluding that portion within public streets.

Sewer Main Frontage - 146.0 ft. @ \$6.23/ft. \$ 909.58 I Service connection @ \$197.63 \$ 1107.21

# LAUSCH, Dollie E.

The following described real property situated in the County of Linn, State of Oregon, to-wit: Beginning at a point which is 146 ft. South & 40 ft. East of the Northeast corner of Lot 6, Rathman Subdivision; thence East 146 ft. along the South line of that tract conveyed to Minnie B. Osborn by warranty deed recorded October 24, 1947, in Book 196, page 642 Deed Records; thence South 65 ft.; thence West 146 ft. to the East line of Birch Street; thence North 65 ft. to the point of beginning....AND ALSO: The following described real property situated in the County of Linn, State of Oregon, to-wit: Beginning at a point which is South 0°07' West 211 ft. and N. 89°58' East 40 ft. from the Northeast corner of Lot 6, Rathman Subdivision, said place of beginning being the SW corner of that tract conveyed to Leo Osborn by deed recorded July 6, 1951, in Book 222, P. 14, Deed Records; thence E. along the S. line of said Leo Osborn tract and an extension thereof, 153.58 ft. to the W. line of Brotherton Subdivision; thence S. 0°10' West along the West line of said Brotherton Subdivision 71 ft. to the NE corner of that tract conveyed to Golda L. Brown by deed recorded Aug. 8, 1951, in Book 222, page 608, Deed Records: thence W. 153.58 ft. along the N. line of said Brown tract to the NW corner thereof; thence North 0°07' East along the E. line of Birch St. to the place of beginning. AND ALSO, a strip of ground for a roadway 7.58 ft. by 211 ft. running North from the above described property to Walker Road.

 Sewer Main Frontage - 136.0 ft. @ \$6.23/ft.
 \$ 847.28

 2 Service connections @ \$197.63
 395.26

 \$1,242.54

#### CHASE, Merton S. Sr.

Beginning at a point which is South 0°07' West 146 ft. and North 89°58' East 40 ft. from the Northeast corner of Lot 6, Rathman Subdivision, Linn County, Oregon, and running thence South 0°07' West 136 feet to the initial point of beginning; thence South 0°07' West 72 feet; thence East 153.58 feet, more or

# CHASE, Merton S. Sr. -- Con't.

less, to Brotherton Subdivision; thence North 0°10' East 72 feet; thence West 153.58 feet, more or less, to the initial point of beginning.

#### CRAWSHAW, Wayne (Zella M. Wendell)

The following described real property situated in the County of Linn and State of Oregon; to-wit: Beginning at a point which is South 0°07' West 354 feet & North 89°58' East 40 feet from the Northeast corner of Lot 6, Rathman Subdivision; thence South 0°07' West 150 feet; thence East 153.58 feet; thence North 0°07' East 150 feet; thence West 153.58 feet to the place of beginning.

Sewer Main Frontage - 150.0 ft, @ \$6.23/ft. \$ 934.50

1 Service connection @ \$197.63 \$ 1132.13

### PATTERSON, Leo & Evelyn

Beginning at a point 50.0 ft. S. 0°09' W. of the Southwest corner of Lot 9, Brotherton Subdivision to Linn County, Oregon; thence N. 0°09' E. 25 ft.; thence N. 89°32' W. 153.58 ft.; thence S. 0°07' W. 25 ft.; thence S. 89°32' E. 154.9 ft. to the place of beginning, as shown on map 12-2W--15DD.

Sewer Main Frontage - 25 ft. @ \$6.23/ft. \$ 155.75

No Service connection - \$ 155.75

## FRAZER, Charles

Lot 3, Block 2, Brotherton Subdivision in LinnCo., Oregon.

Sewer Main Frontage - Minimum charge

I Service connection @ \$197.63

\$ 820.63

## EGNER, Frank A. & Margaret L.

Lot 4, and the North 30 ft. of Lot 5, all in Block 2, Brotherton Subdivision, Linn Cou nty, Oregon.

## STRAUSZ, Daniel J. & Leola

Lot 6 and South 30 ft. of Lot 5, all in Block 2, Brotherton Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge \$ 623.00 I Servoce connection @ \$197.63 \$ 197.63 \$ 820.63

#### HOESING, Lowell L. & Mary P.

Lot 7 and North 30 feet of Lot 8 all in Block 2, Brotherton Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge \$ 623.00 | Service connection @ \$197.63 | 197.63 | 820.63

# TAISEY, Lloyd W. & Dorothy

The East one-half of Lot 9 and the East one-half of the South one-half of Lot 8, all in Block 2, Brotherton Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge \$ 623.00

# TAISEY, Lloyd W. & Dorothy -- Con't.

I Service connection @ \$197.63

\$ 197.63

## CHRISTENSEN, Steven M. & Inger M.

The West one-half of Lot 9 and the West one-half of the South one-half of Lot 8, all in Block 2 of Brotherton Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge 1 Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

## HOFFMAN, Jack O. & Patsy

The West one-half of Lots 8 & 9 in Block | of Brotherton Subdivision in Linn County, Oregon.

Sewer Main Frontage - 100.0 ft. @ \$6.23/ft. I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

## MINER, Daniel D. & Janet L.

Lot 7 and the South one-half of Lot 6, all in Block I of Brotherton Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

#### PATTERSON, Leo & Evelyn M.

Lot 1, 4, 5, and the North one-half of Lot 6, Block 1, Brotherton Subdivision in Linn County, Oregon.

Sewer Main Frontage - 215.0 ft. @ \$6.23/ft. 1 Service connection @ \$197.63

\$ 1,339.45 197.63 \$ 1,537.08

### DOWNING, Darrald F. & Sonja J.

East one-half of Lot 8 & 9, Block I, Brotherton Subdivision in Linn County, Oregon.

Sewer Main Frontage - 100.0 ft. @ \$6.23 I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

#### OLSON, Leo M. & Lucille L.

Lot 10 & 11, Block 1, Brotherton Subdivision in Linn County, Oregon.

Sewer Main Frontage - 124.0 ft. @ \$6.23/ft. | Service connection @ \$197.63

\$ 772.52 197.63 \$ 970.15

## DANIELSON, Norman L.

Lot 12, Block I, Brotherton Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

## BEDWELL, Edgar L.

Lot I, Block I, Prairie Home Addition in Linn County, Oregon.

Sewer Main Frontage - 151.0 ft. @ \$6.23/ft. \$ 940.73 1 Service connection @ \$197.63 \$ 1138.36

### LEISY, Jimmie L. & Alice M.

Lot I and the West one-half of Lot 2, Block 3, in Brotherton Subdivision, Linn County, Oregon.

Sewer Main Frontage - Minimum charge \$ 623.00

No Service connection - \$ 623.00

#### BRADY, John D. & Florence A.

East one-half of Lot 2, Lots 3,4,5,6,7, and Lot 8, all in Block 3 of Brotherton Subdivision in Linn Co., Oregon.

 Sewer Main Frontage - 370.50 ft. @ \$6.23/ft.
 \$ 2,308.22

 No Service connection

 \$ 2,308.22

### WHITE, Harry O. & Ruth E.

Lot 9, Block 3 of Brotherton Subdivision in Linn County, Oregon.

Sewer Main Frontage - Minimum charge \$ 623.00 I Service connection @ \$197.63 \$ 197.63 \$ 820.63

# BRADY, John D. & Florence A.

Lot 10, Block 3, Brotherton Subdivision to Linn Co., Oregon.

Sewer Main Frontage - Minimum charge

I Service connection @ \$197.63

\$ 820.63

# ROTH, Carl E. & Dorothy J.

Lot II, Block 3, Brotherton Subdivision and the West 8.0 ft. of Lot 10, Block 2 of Prairie Home Addition in Linn County, Oregon.

Sewer Main Frontage - Minimum charge \$ 623.00

I Service connection 197.63
\$ 820.63

## ROSEME, George & Marguerite

Lot 10, except the West 8.0 ft. of said lot, Block 2, Prairie Home Addition, in Linn County, Oregon.

#### SUING, Eugene L.

Lot 9, Block 2, Prairie Home Addition in Linn County, Oregon.

Sewer Main Frontage - Minimum charge \$ 623.00 I Service connection @ \$197.63 \$ 820.63

OTTA, Calvin R. & Marvis A.	
Lot 8, Block 2, Prairie Home Addition, Linn County, Oregon.	
Sewer Main Frontage - Minimum charge I Service connection @ \$197.63	\$ 623.00 197.63 \$ 820.63
THOMPSON, Oliver A. & Salley P.	
Lot 7, Block 2, Prairie Home Addition in Linn County, Oregon.	
Sewer Main Frontage - Minimum charge 1 Service connection @ \$197.63	\$ 623,00 197.63 \$ 820.63
HARDENBROOK, Earl E. & Leila	
Lot 6, Block 2, Prairie Home Addition in Linn County, Oregon.	
Sewer Main Frontage - Minimum charge I Service connection @ \$197.63	\$ 623.00 197.63 \$ 820.63
McDOWELL, Cecil & Sarah	
Lot 8, Block I, Prairie Home Addition to Linn County, Oregon.	
Sewer Main Frontage - Minimum charge I Service connection @ \$197.63	\$ 623.00 197.63 \$ 820.63
WILLARD, Duane M. & Peggy S.	
Lot 7, Block I, Prairie Home Addition to Linn County, Oregon.	
Sewer Main Frontage - Minimum charge I Service connection @ \$197.63	\$ 623.00 197.63 \$ 820.63
FLOWERS, Ireland E. & Dorotha F.	
Lot 6, Block I, Prairie Home Addition to Linn County, Oregon.	
Sewer Main Frontage - Minimum charge I Service connection @ \$197.63	\$ 623.00 197.63 \$ 820.63
MATZ, Ronald D. & Judith A.	
Lot 5, Block I, Prairie Home Addition to Linn County, Oregon.	

Lots 3 & 4, Block I, Prairie Home Addition to Linn County, Oregon.

\$ 623.00 197.63 \$ 820.63

\$ 747.60 197.63 \$ 945.23

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63

Sewer Main Frontage - 120.0 ft. @ \$6.23/ft.
I Service connection @ \$197.63

HINDERLIE, R.L. & Florence

# PARSONS, Clarence V. & Lila F.

Lot 2, Block I, Prairie Home Addition to Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
Service connection @ \$197.63	197.63
	\$ 820.63

## EDWARDS, Chester L. & Frances A.

Lot 2, Block 2, Brotherton Subdivision to Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
Service connection @ \$197.63	197.63
	\$ 820,63

### HENLEY, Wayman & Evelyn

Lot 1, Block 2, Brotherton Subdivision to Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
I Service connection @ \$197.63	197.63
	\$ 820.63

# OTTA, Herbert L. & Louise L.

Lots 3 & 4, Block 2, Prairie Home Addition, Linn County, Oregon.

Sewer Main Frontage - 211.0 ft. @ \$6.23/ft.	\$ 1,314.53
Service connection @ \$197.63	197.63
	\$ 1.512.16

### PATTERSON, Herbert & Joyce

Lot 5, Block 2, Prairie Home Addition in Linn Co., Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
I Service connection @ \$197.63	197.63
	\$ 820.63

# PROFESSIONAL BUILDERS

Lots 1,2,3,4,6,7,8,9,10, & 11, all in Block 4 of Hall's Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - 1,000 ft. @ \$6.23/ft.	\$ 6,230.00
10 Service connections @ \$197.63	1,976.30
	\$ 8,206.30

# PETERS, Richard M. et. al.

Lot 13, and the South 20 ft. of Lot 12 in Block I of Gronso's First Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	197.63
	\$ 820.63

### BURTON, James L. & Helen M.

The North 50 ft. of Lot 12 and the South 40 ft. of Lot 11, all in Block 1 of Gronso's First Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	197.63
	\$ 820.63

#### COAKLEY, Larry & Joanne

Parcel I: Lot 10 and the North 2 ft. of even width of Lot II in Block I, Gronso's First Addition.

Parcel II: The North 30 feet of even width of Lot II in Block I, Gronso's First Addition; except the N. 2 ft. of even width thereof.

# COAKLEY, Larry & Joanne -- Con't.

Sewer Main Frontage - 100.0 ft. @ \$6.23/ft.
I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

# GODEL, Arthur L. & Luella M.

Lot 9 and the South 40.0 ft. of Lot 8 in Gronso's First Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - 110.0 ft. @ \$6.23/ft.
I Service connection @ \$197.63

\$ 685.30 197.63 \$ 882.93

### SCHIEWEK, John A. & Mildred E.

The North 30 ft. of Lot 8 and the South 60 ft. of Lot 7, all in Block 1, Gronso's First Addition to Lebanon, Linn Co., Oregon.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

### KENYON, Wayne R. & Karen J.

The North 10 ft. of Lot 7 and the South 10 ft. of Lot 5 and all of Lot 6, all in Block I of Gronso's First Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

#### RODMAN, T.R. & Mildred A.

The North 60 ft. of Lot 5 and the South 30 ft. of Lot 4, all in Block I, Gronso's First Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - Minimum Charge I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

# SOULE, G. Dean & Doris L.

The North 40 ft. of Lot 4 and the South 40 ft. of Lot 3, all in Block I, Gronso's First Addition, Lebanon, Linn County, Oregon.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

# JOHNSON, Victor L. Jr. & Phyllis E.

The North 30 ft. of Lot 3, all of Lot 2, in Block I, Gronso's First Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - 100.0 ft. @ \$6.23/ft.
I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

# McCLARNAN, Joseph H. & Janis L.

Lot I, Block I, Gronso's First Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

### VAN EPPS, Glen G. & Dorla D.

Lot 6, Block I, Harmony Subdivision, Lebanon, Linn County, Oregon.

Sewer Main Frontage - 170.0 ft. @ \$6.23/ft.

\$ 1,059.10

# VAN EPPS, Glen G. & Dorla D. -- Con't.

I Service connection @ \$197.63	\$ 197.63
	\$ 1256.73
Credit for Trees	-100.00
	\$ 1156.73

### GOERGEN, Edward T. & Marie C.

The South 90 ft. of Lot 5, Block I, Harmony Subdivision, Lebanon, Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
I Service connection @ \$197.63	197.63
	\$ 820.63

#### BELL, L.R. & T.L.

The North 70 ft. of Lot 5 and the South 20 ft. of Lot 4, all in Block ! of Harmony Subdivision to Lebanon, Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	197.63
	\$ 820.63

#### GRONSO, Wendell E. & Patricia M.

The North 140 ft. of Lot 4, Block 1, Harmony Subdivision, Lebanon, Linn County, Oregon.

Sewer Main Frontage - 140.0 ft. @ \$6.23/ft.	\$ 872.20
2 Service connection @ \$197.63	395.26
	\$ 1267.46

# PINDER, Iona W.

Lot 2 & 3, Block I, Harmony Subdivision to Lebanon, Linn County, Oregon.

Sewer Main Frontage - 320.0 ft. @ \$6.23	\$ 1,993.60
Service connection @ \$197.63	197.63
	\$ 2,191,23

# LaBLUE, Geraldine

The South 75.05 ft. of Lot I, Block I, Harmony Subdivision, Lebanon, Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	197.63
	\$ 820.63

## BEDWELL, Edgar L. & Agnes

The North 86.0 ft. of Lot I, Block I, Harmony Subdivision, Lebanon, Linn County, Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
1 Service connection @ \$197.63	197.63
	\$ 820.63

#### ARNOLD, Layton & Mary

Lot 5, Block 2, Arnold's 2nd. Subdivision to Lebanon, Linn Co., Oregon.

Sewer Main Frontage - Minimum charge	\$ 623.00
I Service connection @ \$197.63	197.63
	\$ 820.63

### PROFESSIONAL BUILDERS

Lots 3,4,5,6, and Lot 2, except the South 45 ft. of Lot 2, Block I, Gronso's 2nd. Addition to Lebanon, Linn County, Oregon.

#### PROFESSIONAL BUILDERS

Sewer Main Frontage - Minimum charge for 4 lots 4 Service connections @ \$197.63 \$ 2492.00 790.52 \$ 3282.52

### OVEREN, Jerry E. & Joann

Lot I and the South 45 ft. of even width of Lot 2, Block I, Gronso's Second Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - 105.0 ft. @ \$6.23/ft.
I Service connection @ \$197.63

\$ 654.15 197.63 \$ 851.78

### Mac DONALD, B.J. & B.S.

Beginning at a point on the East line produced South of Fifth St., said point being N. 89°50' West 40.12 ft. and N. 0°5' East 10 ft. from the initial point of Gronso's First Addition in Linn County, Oregon, & running thence N. 0°5' East along said East line of Fifth St. 138.8 ft.; thence South 89°50' East parallel to Kees Street 100.96 ft. to the East boundary of the land of the grantors to a point; thence S. 0°36.41' West 138.0 ft. to a 3/4" iron pipe; thence N. 89°50' W. 100.12 ft. to the place of beginning.

Sewer Main Frontage - 100.0 ft. @ \$6.23/ft. i Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

# WIRT, Russell L. & Maybelle

Beginning at a point on the West line (produced South ) of 5th. St., said point being N. 89°50' W. 100.12 ft. and N. 0°05' E. 10.0 ft. from the initial point of Gronso's First Addition in Linn County, Oregon; and running thence N. 89°50' W. 119.16 ft.; thence N. 0°11' W. 92.0 ft.; thence S. 89°50' E. parallel to Kees Street 119.64 ft. to the West line (produced South ) of 5th. St.; thence S. 0°05' W. along said Street line 92.00 ft. to the place of beginning, containing 0.25 of an acre more or less.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

# WIRT, Russell L. & Maybelle

Lot 6, Block 1, Arnolds 2nd. Subdivision to Lebanon, Linn County, Oregon.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

# FRIESEN, Jon T. & Patricia J.

Lot 3 and Lot 2 except the South 45 ft. of Lot 2, all in Block 2, Gronso's 2nd. Addition to Lebanon, Linn Co., Oregon.

Sewer Main Frontage - Minimum charge 1 Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

#### ROBBINS, C. Wayne & Dorothy L.

Lot I and the South 45 ft. of Lot 2, all in Block 2, Gronso's 2nd. Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - 105.59 ft. @ \$6.23/ft. I Service connection @ \$197.63

\$ 657.83 197.63 \$ 855.46

# HALLMAN, Ellis & Betty R.

The South 110 ft. of Lot 2, Lord's Addition to Lebanon, Linn County, Oregon.

 Sewer Main Frontage - 145.0 ft. @ \$6.23/ft.
 \$ 903.35

 2 Service connections @ \$ 197.63
 395.26

 \$ 1298.61

# WILLIS, Dale W. & Deloris F.

Lot 1, Lord's Addition to Lebanon, Linn County, Oregon, in accordance with the map and plat thereof of record and on file in the office of the Recorder of Conveyances for said County & State.

 Sewer Main Frontage - 145.0 ft. @ \$6.23/ft.
 \$ 903.35

 I Service connection @ \$197.63
 197.63

 \$ 1100.98

# FRIESEN, Willard S. & Dorothy

A portion of Lots 48, 49 & 50 to Hyland Addition to Lebanon, described as follows: Beginning at a 3/4" iron pipe on the South line of "E" St. at a point 370 ft. West of the West line of Seventh St. in the City of Lebanon, Linn county, Oregon; thence South 0°II' East parallel with Seventh Street II4.65 ft. to a 3/4 inch iron pipe; thence South 89°27' East parallel with "E" Street 80 feet to a 3/4" iron pipe; thence South 0°II' East parallel with Seventh Street II4.7 feet to a 3/4" iron pipe on the North line of "F" Street; thence North 89°07½' West 328.20 feet along the North line of "F" Street to an iron pipe set on the West line of Lot 48, Hyland Addition; Hyland Addition; North 0°02' West 229.4 feet along the said West line of Block 48 to a ½ inch iron pipe on the South line of "E" Street; thence S. 89°27' East along the South line of "E" Street 247.03 feet to the place of beginning.

Sewer Main Frontage - 328.20 ft. @ \$6.23/ft. \$2044.69
I Service connection @ \$197.63 \$197.63

#### DUNCAN, Warren L. & DeElda P.

Beginning at a 5/8" rod which is 33.0 ft. N. 89°27' W. & S. 0°11' E. 194.55 ft. from the S.E. corner of Lot 15 of Supplemental Plat of Blocks 33 to 39 inclusive of Hyland Addition to Lebanon, Linn County, Oregon; thence N. 89°27' W. parallel with the South line of "E" Street 125 ft. to a 5/8" iron rod; thence S. 0°11' E. 95.0 ft. to the North line of "F" Street, thence Easterly along the North line of "F" Street 190.0 ft. to a 3/4" iron pipe; thence N. 0°11' W. 114.65 ft. to a  $\frac{1}{2}$ " iron rod; thence N. 89°27' W. 65.0 ft. to a 5/8" iron rod; thence South 0°11' E. 19.9 ft. to the point of beginning.

 Sewer Main Frontage - 190.0 ft. @ \$6.23/ft.
 \$ 1183.70

 2 Service connections @ \$197.63
 395.26

 \$ 1578.96

# ROBERTSON, Paul L. & Mildred M.

Beginning at a point on the West line of 7th. Street (formerly known as the Moss-Arnold County Rd.) said point being S. 0°11' East 289.30 feet from the Southeast corner of Lot 17, Block 75, Supplemental plat of Blocks 33 to 39 inclusive, Hyland Addition to Lebanon, Oregon; and running thence Westerly parallel to and 60 feet from the North line of County Survey No. 3505, a distance of 100 feet; thence N. 0°11' West, parallel to the W. line of 7th. St., 114.65 feet to a point which is South 114.65 feet from the South line of "E" Street, 100 feet to the West line of Seventh St., thence S. 0°11' East, along last said Street line 114.65 ft. to the place of beginning, containing 0.263 of an acre.

Sewer Main Frontage - 114.65 ft. @ \$6.23/ft. \$ 714.27 I Service connection @ \$197.63 \$ 197.63 \$ 911.90

### LONG, E.H. & F.

Lot 19, Lord's Addition to Lebanon, Linn County, Oregon, as the same appears,

# LONG, E.H. & F. - Con't.

and is of record in the office of the Recorder of Conveyances for said County and State.

#### HEAD, William C. & Lorine

Lot 20, Lord's Addition to Lebanon, Linn Co., Oregon.

 Sewer Main Frontage - 150.0 ft. @ \$6.23/ft.
 \$ 934.50

 1 Service connection @ \$197.63
 197.63

 \$ 1132.13

#### DUNCAN, Warren L. & DeElda P.

Tract 1: Part of Block 50, Hyland Addition to the City of Lebanon in Linn County, Oregon, described as follows: Beginning at a 5/8" iron rod on the South line of "E" Street, which is South 0°11' East 60.0 ft. and N. 89°27' W. 33.0 ft. from the Southeast corner of Lot 15, Block 75, Supplemental Plat of Blocks 33 to 39 inclusive of Hyland Addition to the City of Lebanon; thence Northerly parallel with the West line of 7th. St., 134.55 ft. to 5/8" iron rod; thence West parallel with the South line of "E" St., 125.0 ft. to a 5/8" iron rod; thence Northerly parallel with the West line of 7th. St., 134.55 ft. to a 3/4" iron pipe on the South line of "E" St.; thence Easterly along the South line of "E" Street 125.0 ft. to point of beginning.

Sewer Main Frontage - 125.0 ft. @ \$6.23/ft. \$778.75 I Service connection @ \$197.63 \$976.38

#### DUNCAN, WArren L. & DeElda P.

Tract II: Parts of Blocks 50 & 51, Hyland Addition to the City of Lebanon, in Linn County, Oregon, described as follows: Beginning at a 5/8" iron rod on the South line of "E" Street, which is South O'll' East 60.0 feet and North 89°27' West 33.0 feet from the Southeast corner of Lot 15, Block 75 Supplemental Plat of Blocks 33 to 39 inclusive of Hyland Addition to the City of Lebanon; thence Southerly parallel with the West line of 7th. St., 114.65 feet to a 5/8" iron rod; thence Easterly parallel with the South line of "E" Street, 65.0 feet to a ½ inch iron rod; thence Northerly parallel with the West line of Seventh Street, 114.65 feet to a 5/8 inch iron rod on the South line of "E" Street; thence Westerly along the South line of "E" St.; 65.0 feet to the point of beginning.

Sewer Main Frontage - Minimum charge \$623.00

1 Service connection @ \$197.63 197.63 \$820.63

# GATES, Gerald W. & Sandra G.

Beginning at a 3/4" iron pipe on the South line of "E" Street, said pipe being South 0°II' East 60.0 feet and North 89°27' West 26.0 feet from the Southeast corner of Lot 13 in Block 75, Supplemental Plat of Blocks 33 to 39 inclusive, of Hyland Addition to the City of Lebanon, Linn County, Oregon; thence running South 0°II' East parallel to the West line of 7th. St. II4.65 ft. to a 3/4" iron pipe; thence North 89°27' West parallel to the South line of "E" Street 80.0 feet to a 3/4" iron pipe; thence North 0°II' West parallel to the West line of 7th. Street II4.65 feet to a 3/4" iron pipe on the South line of "E" Street; thence South 89°27' East along said street line 80.0 feet to the place of beginning.

Sewer Main Frontage - Minimum charge \$ 623.00 I Service connection @ \$197.63 197.63 \$ 820.63

# WEATHERLY, Robert E. & Mary Jane

Part of Blocks 51 and 52, Hyland Addition to the City of Lebanon, more particularly described as: Beginning at an iron pipe at the Southwest corner of the intersection of Seventh St. and "E" St., said iron pipe being South 60 ft. from the Southeast corner of Lot 17, Block 75, Supplemental Plat of Blocks 33 to 39 inclusive, of Hyland Addition to Lebanon, Oregon; and running thence southerly along the west line of Seventh Street 114.65 feet; thence westerly parallel to the south line of "E" Street 100.0 ft.; thence northerly parallel to the west line of Seventh Street 114.65 feet to the south line of "E" Street; thence easterly along the south line of "E" Street, 100 feet to the place of beginning.

Sewer Main Frontage - 114.65 ft. @ \$6.23/ft.
I Service connection @ \$197.63

\$ 714.27 197.63 \$ 911.90

### HICKMAN, Tom

The East 75 ft. of the South 104 ft. of Lot 3, Lord's Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - 75 ft.

1 Sewer hook-up As Per Council Action - 1970

400.00

# ALLEN, William W. & Dorothy P.

Beginning at the Southwest corner of Block 48 in Hyland Addition to the City of Lebanon in Section 15, T 12S, R 2W, of the Willamette Meridian, Linn County, Oregon; thence Northerly along the West line of said Block a distance of 259.10 feet to the South line of "F" Street extended East; thence East along the South line of "F" Street extended East a distance of 269.44 feet to the Northwest corner of tract deeded to F.L. Malick and wife by deed recorded in Book 281, page 91, Deed records; thence along the West line of said Malick tract, South 0°11' East a distance of 254.62 feet to the South boundary line of Block 49 said addition; thence along the South boundary lines of said Blocks 48 & 49, South 89°35' West a distance of 270.09 feet to the point of beginning and being a portion of Block 48 & 49, Hyland Addition to the City of Lebanon, Linn County, Oregon.

Sewer Main Frontage - 269.40 ft. @ \$6.23/ft. 2 Service connections @ \$197.63

\$ 1,678.36 395.26 \$ 2,073.62

### MALICK, F.L. & Stella A.

Beginning at a 3/4" iron pipe on the south line of and South 89°35' West 204.18 feet from the Southeast corner of the South projection of the William Ralston D.L.C. No. 48, in T 12 S, R 2W, of the Willamette Meridian, Linn County, Oregon; and running thence South 89°35' West along said DLC line 174.18 feet; thence North 0°11' West parallel to the West line of Seventh Street 254.62 feet to a point of the South line Iproduced Easterly from Lords ddition) of "F" Street; thence Easterly along said Street line produced Easterly 174.18 feet to a 3/4 inch iron pipe at the Northwest corner of County Survey No. 3505; thence Southerly along the West line of said survey 251.71 feet to the place of beginning, containing 1.012 acres, more or less.

Sewer Main Frontage - 174.18 ft. @ \$6.23/ft. No Service connection

\$ 1,085.14

# MALICK, F.L. & Stella A.

Part of <sup>B</sup>locks 50, 51 & 52, Hyland Addition to the City of Lebanon, Oregon, described as follows: Beginning at a 3/4" iron pipe at the intersection of the south line of "E" Street and the west line of that certain tract conveyed by Albert F. Wilson and wife to Linn County, Oregon, recorded March 29, 1946, Book 177, page 813, Deed Records which place of beginning is also on the south line of :E: Street South 89°27' East 17.42 feet from the east line of Block

#### MALICK, F.L. & Stella A. -- Con't.

51 in said addition; thence South 0°16' West 289.30 feet to the true place of beginning; thence North 89°27' West parallel with the South line of "E" Street 174.18 feet; thence South 0°16' West parallel with the West line of the county road, 251.71 feet to a 3/4" iron pipe on the South line of Block 50 in said addition; thence East along the South line of blocks 50, 51 & 52 a distance of 174.18 feet to a;" iron pipe on the West line of the county road; thence North 0°16' East along the West line of said road 248.77 feet to the true place of beginning, all situated in the County of Linn and State of Oregon.

Sewer Main Frontage - 174.18 ft. @ \$6.23/ft. I Service connection @ \$197.63

\$ 1,085.14 197.63 \$ 1,282.77

#### ARBOGAST, Allan S. & Ilene J.

Lot 7, Block 1, Supplemental Plat No. 2 of Blocks 52-61 inclusive, Hyland Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - 126.0 ft. @ \$6.23/ft.
I Service connection @ \$197.63

\$ 784.98 197.63 \$ 982.61

#### WESELY, Richard L. & Clarietta M.

Lot 8, Block I, Supplemental Plat No. 2, Blocks 52-61, inclusive, Hyland Addition to Lebanon, Linn Co., Oregon.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

### ZEGERS, Kenneth E. & Ruby

Lot 9 and the West 28 ft. of Lot 10, Block 1, Supplemental Plat No. 2 of Blocks 52-61, inclusive, Hyland Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

#### HANSON, Verner & Ruth

The East 38 ft. of Lot 10 and the West 42 ft. of Lot 11, all in Block 1, Supplemental Plat No. 2 of Blocks 52-61 inclusive, Hyland Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

# FREE METHODIST CHURCH INC. OF LEBANON

Lots 1,2,3,4,5,6 of Block 8 and the West 20 ft. of Lot 6, Block 7, all in Supplemental Plat No. 2 of Blocks 52—61 inclusive, Hyland Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - 451.07 ft. @ \$6.23/ft. 2 Service connections @ \$197.63

\$ 2,810.17 395.26 \$ 3,205.43

# CARTER, Tommy & Leia M.

Lot 5 and the east 10 ft. of Lot 6, all in Block 7, Supplemental Plat # 2 of Blocks 52-61 of Hyland Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - 76.0 ft. 1 Service connection @ \$197.63 \$ -197.63 \$ 197.63

# ZAWISLAK, Margaret

Lot 6, block 2 of Supplemental Plat No. 2 of Hyland Addition to Lebanon, Linn County, Oregon.

Sewer Main Frontage - 66.0 I Service connection @ \$197.63

\$ -197.63 \$ 197.63

### CHRISTENSEN, Steven M. & Inger M.

Beginning at the most northerly corner of Lot 18, Block I, Ingrid Subdivision thence Southeasterly along the West line of Primrose Avenue 39 feet to a point that is 20 feet from the most Northerly corner of Lot 17, Block I, Ingrid Subdivision; thence Southwesterly parallel with the boundary line between Lots 17 & 18 to the Southwest line of said Lot 18; thence Northwesterly 39 feet to the most Westerly corner of said Lot 18; thence Northeasterly along the boundary line between Lots 18 and 19 to the place of beginning.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63

\$ 623.00 197.63 \$ 820.63

# ROSE, Ralph R. & Edna B.

Lot 19, Block 1, Ingrid Subdivision to Lebanon, Linn County, Oregon.

Sewer Main Frontage - Minimum charge I Service connection @ \$197.63 \$ 623.00 197.63 \$ 820.63

### MILLER, Ed. & Stella

Lot 21 & 20, Block 5, Ingrid Subdivision to Lebanon, Linn County, Oregon.

Sewer Main Frontage - 118.0 ft. @ \$6.23/ft.
I Service connection @ \$197.63

\$ 735.14 197.63 \$ 932.77

# SAXTON, Amy C.

Lot I & 2, Block 6, Ingrid Subdivision to Lebanon, Linn County, Oregon.

Sewer Main Frontage - 163.44 ft. @ \$6.23/ft.
I Service connection @ \$197.63

\$ 1,018.23 197.63 \$ 1,215.86

### GRAY, Richard

Beginning at a point 2054.35 ft. N. 89°39' E. & 1064.66 ft. South 0°17' E. of the Northwest corner of M. Kees D.L.C. No. 49 in Section 9, T 12S, R.2W of the W. M., Linn County, Oregon; thence 589°39'W. 146.2 ft. thence S. 0°17' E. 200.0 ft.; thence N. 89°39' E. 146.2 ft. thence N. 0°17' W. 200.0 ft. to the place of beginning.

Sewer Hook-up charge - As Per Council Action

\$ 400.00

# MacNEILL, John J. & Myrna E.

Parcel I: The East 49.41 feet of Lot I, and the East 49.41 feet of the North 62 feet of Lot 2, all in Block 2, Gronso's First Addition, in Linn County, Oregon.

Parcel II: The West 40.59 feet of Lot 1, Block 3, Gronso's Second Addition in Linn County, Oregon.

Sewer Main Frontage - 90 feet @ \$5.00/ft.
I Service connection @ \$150.00

\$ 450.00 150.00 \$ 600.00

### EAKIN, Gleason J. & Jo Ann

The West 90 feet Lot i, West 90 feet of the North 62 feet Lot 2, Block 2, Gronso's First Addition, City of Lebanon.

Sewer Main Frontage - 138.90 feet @ \$5.00/ft.

I Service connection @ \$150.00

\$ 694.50 150.00 \$ 844.50

#### MILLER, Truman W. & Clara R.

The North 71.30 feet Lot 3, South 13.70 feet Lot 2, Block 2, Gronso's First Addition, City of Lebanon.

Sewer Main Frontage - 85 feet @ \$5.00/ft.
I Service connection @ \$150.00

\$ 425.00 150.00 \$ 575.00

## WOOD, Harry K. & Wilma

The South 4.40 feet Lot 3, all of Lot 4, North 19.90 feet Lot 5, Block 2, Gronso's First Addition, City of Lebanon.

Sewer Main Frontage - 100 feet @ \$5.00/ft.
I Service connection @ \$150.00

\$ 500.00 150.00 \$ 650.00

#### LINK, Jackson C. & Virginia M.

The South 55.80 feet Lot 5, North 44.20 feet Lot 6, Block 2, Gronso's First Addition, City of Lebanon.

Sewer Main Frontage - 100 feet @ \$5.00/ft.
I Service connection @ \$150.00

\$ 500.00 150.00 \$ 650.00

## BENNETT, Kenneth E. & Arline M.

The South 31.50 feet Lot 6, North 68.5 feet of Lot 7, Block 2, Gronso's First Addition, City of Lebanon.

Sewer Main Frontage - 100 feet @ \$5.00/ft.
I Service connection @ \$150.00

\$ 500.00 150.00 \$ 650.00

### ORR, Gale R. & Verna E.

The North 17.1 feet Lot 9, all of Lot 8, South 7.2 feet of Lot 7, Block 2, Gronso's First Addition, City of Lebanon.

Sewer Main Frontage - 100 ft. @ \$5.00/ft.

1 Service connection @ \$.50.00

\$ 500.00 150.00 \$ 650.00

# SPIER, Printis R. & Betty J.

The North 41.40 feet of Lot 10 and the South 58.60 feet of Lot 9, Block 2, Gronso's First Addition, City of Lebanon.

Sewer Main Frontage - 100 feet @ \$5.00/ft.

\$ 500.00

SPIER, Printis R. & Betty J. -- Con't.

I Service connection @ \$150.00

\$ 150.00

CUTTS, Stanley K. & Wilma M.

Lot II and the South 24.30 feet of Lot 10, in Block 2, Gronso's First Addition.

Sewer Main Frontage - 110 feet @ \$5.00/ft.
I Service connection @ \$150.00

\$ 550.00 150.00 \$ 700.00

ZEMLICKA, John Q.

Linn County Assessor Ownership # 701. Lebanon Map 12-2W-10BA.

Sewer Main Frontage- 72.0 Lineal feet @ \$3.28

\$ 236.16

LOONEY, Ellery A. & Isabel G.

Linn County Assessor Ownership # 900. Lebanon Map 12-2W-10BA.

Sewer Main Frontage - 100.0 Lineal feet @ \$3.28

\$ 328.00

JENKINS, R.F. & Dora L.

Linn County Assessor Ownership # 1000. Lebanon Map 12-2W-10BA.

Sewer Main Frontage - 200.0 Lineal Feet @ \$3.28

\$ 656.00

MAHITKA, Joe & Hattie

Linn County Assessor Ownership #1101. Lebanon Map 12-2W-10BA.

Sewer Main Frontage - 185.42 Lineal Feet @ \$3.28

\$ 608.18

SOULE, Margaret M.

Linn County Assessor Ownership # 1100. Lebanon Map 12-2W-10BA.

Sewer Main Frontage - 218.34 Lineal Feet @ \$3.28

\$ 716.16

# WELLER, Lester R. & Venita

Beginning in the center of the County Road North 0°11' West 24.52 feet and North 88°32' East 426 feet from the Southeast corner of the Simon A. Nickerson DLC No. 68, T. 12S, R W. of the W.M., Linn County, Oregon, said place of beginning being the Northeast corner of that certain tract conveyed to L.R. Arnold and wife to Garland C. Smith and wife by deed recorded May 31st., 1951, Book 221, Page 362, Deed Records; thence South 0°11' East 214.5 feet; thence N. 88°32' East 66.5 feet to the Southwest corner of that certain tract conveyed by L.E. Arnold to Carl Lutz and wife by deed recorded February 15, 1949 in Book 206, Page 830 Deed Records; thence North 0°11' West 214.5 feet to a 3/4" iron pipe; thence South 88°32' West 66.5 feet to the place of beginning, all being a part of the Russell T. Hill D.L.C. No. 77 in T. 12S, R. 2W, W.M., subject to the right of the public to the use of that portion of said premises situated in public roads.

Sewer Main Frontage - 66.5 feet - Minimum charge I Service connection @ \$150.00 \$ 400.00 150.00 \$ 550.00

# REED, BOBBY

The West one-half of the following described tract; Beginning on the center line of a County Road, North 0°11' West 24.52 feet and North 88°32' East 492.5 feet from the Southeast corner of the Simon A. Nickerson claim No. 68 in Township 12 South, Range 2 West of the W.M., in Linn County, Oregon; thence South 0°11' East 214.5 feet to the center line of said County Road; thence South 88°32' West 247.5 feet to the place of beginning, and being a part of the Russell T. Hill Claim No. 77 in said Township and Range, Linn County, Ore.

Sewer Main Frontage - 123.75 feet @ \$5.00/ft.
I Service connection @ \$150.00

\$ 618.75 150.00 \$ 768.75

#### ZEMLICKA, John Q.

Linn County Assessor Ownership # 700. Lebanon Map 12-2W-10BA.

Sewer Main Frontage - 108.0 Lineal Feet @ \$3.28

\$ 354.24 \$ 354.24 Beginning at a point on the North line of Olive St. (now known as Harrison St.) in Mountain View Addition to Lebanon, which is 60.0 ft. North and 526.0 ft. East of the Northwest corner of Block 4, in said Mountain View Addition to Lebanon; thence East on the North line of said Olive St., 124.0 ft. to a point 60.0 ft. North of the Northeast corner of Block 5 in said Mountain View Addition; thence North 253.1 ft. to the South boundary line of a tract of land now owned by the Union Oli Company; thence West 124.0 ft. to a point due North of the point of beginning; thence South 253.1 ft. to point of beginning.

I Service Connection @ \$325.00

\$ 325.00 \$ 325.00

### WELCH, Earl & Elsie F.

Beginning at a point on the North line 3504.72 ft. East of the N.W. corner of DLC No. 49, T. 12S, R 2W of the W.M. in Linn County, Oregon, and running thence South 880.44 feet; thence East 123.69 feet; thence North 880.44 feet; thence West 123.69 feet to the point of beginning, all in Linn County, Oregon.

Sewer Main Frontage - 123.7 Lin. Ft. @ \$3.26/ft.

\$ 403.26

# COLLINS, Oscar

Beginning at a ½" iron pipe which is N. 89°39' E. 3504.72 feet and South 0°21' E. 250.00 feet from the NW corner of the Jeremiah Raiston D.L.C. # 49 in T. 12S, R. 2W of the W.M., Linn County, Oregon; and running thence N. 89°39' E. 123.69 feet to the West line of Penny Addition to the City of Lebanon, Oregon; thence S. 0°21' E. along a said addition line 630.44 feet to the S.W. corner of said Penny Addition; thence S. 89°39' W. 123.69 feet; thence N. 0°21' W. 630.44 feet to the place of beginning, containing 1.789 acres more or less.

Sewer Main Frontage - 630.4 Lin. Ft. @ \$3.26/ft.

\$ 2,055.10