BUILDING PERMIT CITY OF HERMISTON, OREGON Inspections Department

	Date
BUILDING PERMIT	Building Permit Nº 4396
CITY OF HERMISTON, OREGON	Valuation \$4981800
Inspections Department	Building Permit Fee \$
KOFF CONSTR	is hereby granted permission.
to CONSTRUCT aC	own BIDG COZFICE
on Lot, 4N28	11CC T. L. # N. 195 0 72500
in the City of Hermiston, This permit is issued on the express condition	that the CONTRACTOR
shall conform in all respects to the statements certified to in the applicat	
accordance with the ordinances of the City of Hermiston and the State of	Oregon pertaining to the construction of buildings.
Street Address 630 Hw/395 S	Pulling Inspector

By

CODE REQUIREMENTS

Contractor

			ON, OREGON				DATE: Noc. 29
2 Inepaction	n for Building P	ermit					11256
 Inspection Certificat 	e of Occupancy						# 45/0
	IN BY THE APPLI	CANT)				NEARE	ST COMBER
BUILDING ADDR	ESS: 630	Ste	vy 39	5	i duli	CROSS	A/ //
LEGAL: SubDi	V: TAL:	2500	PAGE: 1	ICC.	BLK#	-	LOT#
FILL IN COLS:	1 11 0	APPLICA		ARCHI	TECT		CONTRACTOR
NAME	Coffe Coris	Lucle	or kre.				
ST. ADDRESS	110. Box	248					
CITY, STATE	Serving	ton, O.	reg.				
TELEPHONE #	567-772	7					!
	nse # 25//2			4.4	6	,	
Description o	f Work: 150	10 rg	HOT	Les	, de	rlel	<u>`</u>
		0	/ //				
(COMPLETE PLOT	PLAN ON REVERSE	E SIDE)	se all	ach	slot	Hon	~
YDS: F R	RS LS	# of Bl	dgs on lot	ah	d Occupa	ncv	
TYPE CONSTRUCT	rion: I II III	I THE IV	V OCC	CUPANCY	· ABE	HIRI	M DIV: 1(2)3 4 5
USE ZONE:	M12 3 4 Varia	ince #	FIRE ZON	E: VI	DIII o	CCUPAN	CY LOAD
STATEMENT: I	, the undersigned	applic	ant, do her	eby swe	ear, or	a f firm	, that the above
information re	egistration and l	icense	date is tru	e and	correct	to the	best of my
of Oregon as	accordance with	the ord	inances of	the Cit	ty of He	rmistor	n, and the State
or oregon as i	pertains to the c	onstruc	tion or bui	ldings	//	The	240
Living Area S	1. Ft. 1500 x \$			+ 110, 00	Applic	ant/Sig	natyre
Garage Area So	i. Ft. X \$	P	er Sq. Ft.=	\$ 49 %	Value	Permit	Fee \$ /87=
Patio/Porch Sc	y. Ft. X \$	P.	er Sq. Ft.= er Sq. Ft.=	\$	value	Permit	Fee \$
OtherSo	I. Ft. X \$	Pe	er Sq. Ft.=	\$	Value	State	Fee \$ 048
	4. Ft. X \$		er Sq. Ft.=	\$	Value		10
			TOTAL:	\$4981	800	Total E	ree: \$ 194 48
Plans Checked	Dyra	Date		Note:			
	DY:			Note:			
The below info	ermation is a per	manent 1	record to b		ed on the	e premi	ses as directed
by a building	ermation is a per Inspector.				ed on the	e premi	ses as directed
INSPECTIONS (F	ermation is a per Inspector. Request 24 Hours	In Advar			ed on the	e premi	ses as directed
INSPECTIONS (F	ormation is a per Inspector. Request 24 Hours Type of Inspect	In Advar		e poste	ed on the	e premi	ses as directed
INSPECTIONS (F NOTES: Before	ormation is a per Inspector. Request 24 Hours Type of Inspect Foundation Setb	In Advarion:	nce)	e poste		e premi	ses as directed
INSPECTIONS (F NOTES: Before Pouring	rmation is a per Inspector. Request 24 Hours Type of Inspect Foundation Setber Footing/Slab For	In Advarion: acks	nce)	e poste			Sewer Lateral Date:
INSPECTIONS (F NOTES: Before	rmation is a per Inspector. Request 24 Hours Type of Inspect Foundation Setb. Footing/Slab Fo. Stee	In Advarion: acks rms/	nce)	e poste			
INSPECTIONS (F NOTES: Before Pouring	rmation is a per Inspector. Request 24 Hours Type of Inspect Foundation Setber Footing/Slab For	In Advarion: acks rms/ 1 Steel	nce)	e poste			Sewer Lateral Date: By:
INSPECTIONS (F NOTES: Before Pouring Concrete	rmation is a per Inspector. Request 24 Hours Type of Inspect Foundation Setb. Footing/Slab Fo. Stee. Stemwall Forms/ Underground Plus	In Advarion: acks rms/ 1 Steel mbing	nce)	e poste			Sewer Lateral Date: By: Sidewalks/
INSPECTIONS (F NOTES: Before Pouring	rmation is a per Inspector. Request 24 Hours Type of Inspect Foundation Setb. Footing/Slab Fo. Stee. Stemwall Forms/	In Advarion: acks rms/ 1 Steel mbing ctions	nce)	e poste			Sewer Lateral Date: By: Sidewalks/ Driveways
INSPECTIONS (F NOTES: Before Pouring Concrete Before Laying	rmation is a per Inspector. Request 24 Hours Type of Inspect Foundation Setb. Footing/Slab Fo. Stee. Stemwall Forms/ Underground Plus Post/Beam Connect	In Advarion: acks rms/ 1 Steel mbing ctions	nce)	e poste			Sewer Lateral Date: By: Sidewalks/ Driveways Date:
INSPECTIONS (F NOTES: Before Pouring Concrete Before Laying	rmation is a per Inspector. Request 24 Hours Type of Inspect Foundation Setb. Footing/Slab For Stee Stemwall Forms/Underground Plum Post/Beam Connections Stemwall Insular	In Advarion: acks rms/ 1 Steel mbing ctions	nce)	e poste			Sewer Lateral Date: By: Sidewalks/ Driveways Date: By:
INSPECTIONS (F NOTES: Before Pouring Concrete Before Laying Subfloor	rmation is a per Inspector. Request 24 Hours Type of Inspect Foundation Setb. Footing/Slab Fo. Stee. Stemwall Forms/Sunderground Plus Post/Beam Connections Stemwall Insular Mudsill Anchors	In Advarion: acks rms/ 1 Steel mbing ctions tion	nce)	e poste			Sewer Lateral Date: By: Sidewalks/ Driveways Date: By: Fire Exits/
INSPECTIONS (F NOTES: Before Pouring Concrete Before Laying Subfloor	rmation is a per Inspector. Request 24 Hours Type of Inspect Foundation Setb. Footing/Slab Fo. Stee. Stemwall Forms/Sunderground Plus Post/Beam Connection Stemwall Insular Mudsill Anchors Joist Nailing Subfloor Nailing Shear Panel Nail	In Advarion: acks rms/ l Steel mbing ctions tion	nce)	e poste			Sewer Lateral Date: By: Sidewalks/ Driveways Date: By: Fire Exits/ Signs/Alarms
INSPECTIONS (F NOTES: Before Pouring Concrete Before Laying Subfloor	rmation is a per Inspector. Request 24 Hours Type of Inspect Foundation Setber Footing/Slab Forms/Subfooting/Slab Forms/Sunderground Plus Post/Beam Connection Stemwall Insular Mudsill Anchors Joist Nailing Subfloor Nailing	In Advarion: acks rms/ l Steel mbing ctions tion	nce)	e poste			Sewer Lateral Date: By: Sidewalks/ Driveways Date: By: Fire Exits/
INSPECTIONS (F NOTES: Before Pouring Concrete Before Laying Subfloor Uncovered	Inspector. Request 24 Hours Type of Inspect Foundation Setb Footing/Slab Fo Stee Stemwall Forms/S Underground Plus Post/Beam Connect Stemwall Insular Mudsill Anchors Joist Nailing Subfloor Nailing Shear Panel Nail Roof Nailing (P:	In Advarion: acks rms/ l Steel mbing ctions tion	nce)	e poste			Sewer Lateral Date: By: Sidewalks/ Driveways Date: By: Fire Exits/ Signs/Alarms Date:
INSPECTIONS (F NOTES: Before Pouring Concrete Before Laying Subfloor Uncovered	Inspector. Request 24 Hours Type of Inspect Foundation Setb. Footing/Slab Fo. Stee Stemwall Forms/Sunderground Plur Post/Beam Connect Stemwall Insular Mudsill Anchors Joist Nailing Subfloor Nailing Shear Panel Nail Roof Nailing (Pitter) Framing Rough Plumbing	In Advarion: acks rms/ l Steel mbing ctions tion	nce)	e poste			Sewer Lateral Date: By: Sidewalks/ Driveways Date: By: Fire Exits/ Signs/Alarms Date:
INSPECTIONS (F NOTES: Before Pouring Concrete Before Laying Subfloor Uncovered Prior to Insulation	Inspector. Request 24 Hours Type of Inspect Foundation Setber Footing/Slab Forms/Sunderground Plum Post/Beam Connect Stemwall Insular Mudsill Anchors Joist Nailing Subfloor Nailing Shear Panel Nail Roof Nailing (P: Framing Rough Plumbing Ducts/Vents	In Advarion: acks rms/ l Steel mbing ctions tion g ling lanks)	nce)	e poste			Sewer Lateral Date: By: Sidewalks/ Driveways Date: By: Fire Exits/ Signs/Alarms Date:
INSPECTIONS (F NOTES: Before Pouring Concrete Before Laying Subfloor Uncovered Prior to Insulation With Final	Inspector. Request 24 Hours Type of Inspect Foundation Setb. Footing/Slab Fo. Stee. Stemwall Forms/Sunderground Plum Post/Beam Connect Stemwall Insular Mudsill Anchors Joist Nailing Subfloor Nailing Shear Panel Nail Roof Nailing (P: Framing Rough Plumbing Ducts/Vents Flashing/Venting	In Advarion: acks rms/ l Steel mbing ctions tion g ling lanks)	nce)	e poste			Sewer Lateral Date: By: Sidewalks/ Driveways Date: By: Fire Exits/ Signs/Alarms Date:
INSPECTIONS (F NOTES: Before Pouring Concrete Before Laying Subfloor Uncovered Prior to Insulation With Final	Inspector. Request 24 Hours Type of Inspect Foundation Setb. Footing/Slab Fo. Stee Stemwall Forms/Sunderground Plum Post/Beam Conner Stemwall Insular Mudsill Anchors Joist Nailing Subfloor Nailing Subfloor Nailing Shear Panel Nai. Roof Nailing (P: Framing Rough Plumbing Ducts/Vents Flashing/Venting Siding/Trim	In Advarion: acks rms/ l Steel mbing ctions tion g ling lanks)	nce)	e poste			Sewer Lateral Date: By: Sidewalks/ Driveways Date: By: Fire Exits/ Signs/Alarms Date:
INSPECTIONS (F NOTES: Before Pouring Concrete Before Laying Subfloor Uncovered Prior to Insulation With Final	Inspector. Request 24 Hours Type of Inspect Foundation Setb. Footing/Slab Fo. Stee. Stemwall Forms/Sunderground Plum Post/Beam Connect Stemwall Insular Mudsill Anchors Joist Nailing Subfloor Nailing Shear Panel Nail Roof Nailing (P: Framing Rough Plumbing Ducts/Vents Flashing/Venting	In Advartion: acks rms/ l Steel mbing ctions tion g ling lanks)	nce)	e poste			Sewer Lateral Date: By: Sidewalks/ Driveways Date: By: Fire Exits/ Signs/Alarms Date:
INSPECTIONS (F NOTES: Before Pouring Concrete Before Laying Subfloor Uncovered Prior to Insulation With Final	Inspector. Request 24 Hours Type of Inspect Foundation Setb. Footing/Slab Forms/Sunderground Plum Post/Beam Connect Stemwall Insular Mudsill Anchors Joist Nailing Subfloor Nailing Subfloor Nailing Shear Panel Nail Roof Nailing (Promain Plumbing Plu	In Advarage ion: acks rms/ 1 Steel mbing ctions tion g ling lanks)	nce)	e poste			Sewer Lateral Date: By: Sidewalks/ Driveways Date: By: Fire Exits/ Signs/Alarms Date:
INSPECTIONS (F NOTES: Before Pouring Concrete Before Laying Subfloor Uncovered	Inspector. Request 24 Hours Type of Inspect Foundation Setb. Footing/Slab Forms/Sunderground Plum Post/Beam Connect Stemwall Insular Mudsill Anchors Joist Nailing Subfloor Nailing Subfloor Nailing Shear Panel Nail Roof Nailing (Property Praming Rough Plumbing Ducts/Vents Flashing/Venting Siding/Trim Roofing/Insulati Fixtures/Appliar	In Advarage ion: acks acks acks acks acks acks acks acks	nce)	e poste			Sewer Lateral Date: By: Sidewalks/ Driveways Date: By: Fire Exits/ Signs/Alarms Date:

NOTE: This form, when endorsed by a Building Inspector, certifies compliance with the Code(s) requirements covering the described work and occupancy as indicated above.

CITY OF HERMISTON BEWER CONNECTION PERMIT

Branch Line To Trunk Line	
CODE NO. DATE	79
TAX LOT NO. 1100 N. 195 2500 00 000 200	-30
PLUMBING PERMIT NO	0.00
BUILDING PERMIT NO. 4396	
ADDRESS OF CONNECTION 6 3 SITK OF HERMISTON &	
ISSUED TO (Tall Construction).	20
MAILING ADDRESS 148	9
PLUMBER Mandever	
REQUESTED BY	(Signature)
DATE OF INSPECTION 5749-87 BY AMERICA	16

CITY OF HERMISTON

BUILDING DEPARTMENT

Certificate of Occupancy

Na	•======		
110.	•••••	 *****	

	Office Buildi	ng	
erected on Lot	· No.:	Block No.:	
Addition:4	N28 11CC TXL 2500	Fire Zone:	2
Street & No	630 HMZ 395 So.	Occ. Group	B-2
Owner: R	off Construction Co.	Use Zone:	M-1
Contractor: $^{ m Rc}$	off Construction Co.	•••••••	•••••••••
Building Permi	t No.: 4396	Plan No.	•
as been inspec	ted and the following oc	cupancy thereof	is hereby authorized
	Occupancies:		Max. allowable floor loads, lbs. per sq. ft.
Basement:	N/A		
Ist Floor:	Acceptable		
 2nd " :			
ord " :			
 Lak. 10 .			
łth " :			
5th '' :		·/	
6th " :	·····	•••••	***************************************
· · · · · · · · · · · · · · · · · · ·	//	· · · · · · · · · · · · · · · · · · ·	
7th '' :			
·····	·····	••••••	
8th " :			
Add Floors as			
necessary Roof :	Acceptable	••••••	
KOOT :			I

Building Inspector.

This Certificate must be posted and permanently maintained in a conspicuous place at or close to the entrance of the building or structure referred to above.