



State of Oregon Department of Environmental Quality

Oregon Environmental Quality Commission meeting

May 7, 2020

Rulemaking, Action Item E 2020 Water Quality Fee Increase Rulemaking

Table of Contents

| | |
|--|----|
| DEQ Recommendation to EQC..... | 2 |
| Introduction | 3 |
| Statement of Need | 4 |
| Rules Affected, Authorities, Supporting Documents..... | 5 |
| Fee Analysis..... | 6 |
| Statement of Fiscal and Economic Impact | 12 |
| Federal Relationship | 15 |
| Land Use..... | 16 |
| EQC Prior Involvement..... | 17 |
| Advisory Committee | 18 |
| Public Engagement | 20 |
| Implementation..... | 25 |
| Five-Year Review..... | 26 |
| Accessibility Information..... | 27 |

DEQ Recommendation to EQC

DEQ recommends that the Environmental Quality Commission adopt the proposed rules in Attachment A as part of Chapter 340 of the Oregon Administrative Rules.

Proposed motion language:

“I move that the commission adopt the proposed rule amendments seen in Attachment A of the staff report for this item as part of Chapter 340 of the Oregon Administrative Rules Divisions 45 and 71”

Introduction

DEQ is proposing permanent rule amendments to chapter 340 of Oregon Administrative Rules. The proposed rule amendments are to increase Water Quality Program fees in 2020 for fiscal year 2021.

DEQ needs the fee increase to help account for the anticipated rise in administration costs associated with the permit program, generally, and to support policy option packages 122 and 127 of the 2019-21 Legislatively Adopted Budget. This increase will help DEQ advance its objective for a sustainable water quality program that issues timely, high quality permits. The fees also help ensure compliance with permit conditions by supporting inspections, enforcement, and reporting to the United States Environmental Protection Agency.

In light of COVID-19 related economic uncertainty and potential hardships for some entities subject to fee increases, DEQ has revised the draft proposal issued for public notice. DEQ now proposes to phase-in the fee increase necessary to support the 2019-21 Legislatively Adopted Budget in two increments, with a reduced fee increase for the first year (June 1, 2020, to May 31, 2021) and the remainder of the increase discussed by the Rulemaking Advisory Committee becoming effective June 1, 2021. In addition, the DEQ will identify other relief options under consideration, including availability of installment plans, during its presentation to the Environmental Quality Commission.

Statement of Need

What need would the proposed rule address?

DEQ must establish the new fees to implement the current service level of the 2019-21 budget to cover costs associated with implementing the permitting program and delivering services to regulated entities, and to carry out the Legislatively Adopted Budget. Without this increase, DEQ would need to reduce permitting staff and delay initiating improvements to the program as identified in the [Recommendations and Implementation Plan](#). Without this funding, DEQ's capacity to ensure the protection of water quality in Oregon will be reduced and there will be short and long-term impacts on other regulated entities and communities needing federal approvals for financial assistance and federal permits.

The proposed fees would address:

- Fee increase allowed by statute: Three percent increase provided under ORS 468B.051
- Fees increases approved in the 2019 Legislative session for Policy Option Packages 122 and 127 in the 2019-21 Legislatively Adopted Budget

How would the proposed rule address the need?

DEQ must apply the new fees to invoices as of June 2020 to cover costs associated with implementing the permitting program and delivering services to regulated entities. This funding will address staffing needs and enable DEQ to implement improvements to the program as identified in the [Recommendations and Implementation Plan](#) report. The 2015 Oregon Legislature commissioned the report, which a third-party consultant completed in November 2016.

How will DEQ know the rule addressed the need?

If approved, DEQ would begin receiving fee revenue by June 2020. DEQ expects the proposed fees, in combination with a General Fund appropriation, would sustain seven of the 11 positions authorized by the 2019 Legislature and identified in POPs 122 and 127 through fiscal year 2021 that ends June 30, 2021. The full implementation of the fee increase beginning in June 2021 would allow DEQ to hire the remaining four positions.

Rules Affected, Authorities, Supporting Documents

Lead division

Water Quality Division

Program or activity

Water Quality Permitting and Program Development

Rule action: Amend

OAR 340-045-0075; OAR 340-071-0800

Supporting authorities

| Statutory Authority - ORS | | | | |
|---------------------------|----------|----------|---------|---------|
| 468.020 | 468B.020 | 468B.035 | 454.615 | 454.625 |
| 468.020 | -- | -- | -- | -- |

| Statutes Implemented - ORS | | | | |
|----------------------------|----------|----------|---------|----------|
| 468B.050 | 468.065 | 468B.035 | 468.065 | 468B.015 |
| 454.775 | 454.780 | 454.784 | 468.020 | 454.605 |
| 454.607 | 454.610 | 454.615 | 454.625 | 454.655 |
| 454.665 | 454.675 | 454.695 | 454.725 | 454.745 |
| 454.755 | 454.780 | 468.035 | 468.045 | 468B.050 |
| 468B.055 | 468B.080 | -- | -- | -- |

Documents relied on for rulemaking

| Document title | Document location |
|---|--|
| Fee increase calculations | DEQ Headquarters |
| Recommendations and Implementation Plan | DEQ web page Recommendations and Implementation Plan |
| DEQ 2019-2021 Legislatively Approved Budget | DEQ Headquarters |
| DEQ's water quality permit database | DEQ Headquarters |
| Businesses by size or firm of 50 or fewer employees, report | Oregon Employment Department website reports 875 Union Street NE Salem, OR 97311 Oregon Employment Department |

Fee Analysis

These proposed rules would increase existing fees and add a clarification to the fee language in OAR 340-045-0075 fee table 70B, permit type B17, for permits that DEQ covers under this fee type.

Brief description of proposed fees

DEQ is proposing a fee increase to support program enhancements authorized in the 2019-21 Legislatively Adopted Budget, to implement the permitting program, and deliver services to regulated entities for federal National Pollutant Discharge Elimination System permits and state Water Pollution Control Facility permits.

DEQ must balance its vital obligation to enforce the law and protect the environment with a consideration of the dramatic disruptions to public health and the economy caused by the COVID-19 outbreak. To lessen the economic impact to sources across Oregon, DEQ modified the draft rules to phase in the annual fee increase over two years for most permittees.

The total fee increase consists of the following:

- a) A three percent increase that ORS 468B.051 authorizes. The statute allows for the amount of the annual increase to not exceed the anticipated increase in the cost of administering the permit program or 3 percent, whichever is lower, unless DEQ's legislatively approved budget provides for a larger increase; and
- b) An 18 percent increase to support program enhancements authorized in policy option packages 122 and 127 of the 2019-21 Legislatively Adopted Budget in the 2019 Oregon legislative session. The legislature approved these additional resources to help improve the water quality permitting program's performance. Package 122 phases in one new permanent position. Package 127 phases in eight new permanent positions, increases an existing part-time position to full-time, and funds one limited duration position on a mix of fee revenue and General Fund.

This rulemaking proposes to implement the increase in two steps. First, an increase of the annual up-to-three percent adjustment and an additional partial increase of 10 percent for applicable fee categories effective upon adoption and through May 31, 2021 (see Attachment B, proposed fee table with effective dates June 1, 2020 – May 31, 2021), to support the new positions approved for 2019-21. The remainder of the needed fee increase, totaling 21 percent, would be implemented effective June 1, 2021 (see Attachment C, proposed fee table with effective date June 1, 2021). The notable exception is municipal separate storm sewer system (commonly called MS4) annual permit fees.

The annual MS4 permit fees are subject to and are included under the annual up-to-three percent fee increase allowable by statute. However, these MS4 permit fees are being excluded from the additional increases identified by this rulemaking proposal. This is because DEQ adopted a fee increase for annual MS4 permit fees in 2018 to support program restoration and enhancements that the 2017-19 Legislatively Adopted Budget authorized.

Specifically, this proposal would increase the fees in OAR 340-045-0075 Table 70H for MS4 General Permit Annual Fees by three percent, effective June 1, 2020.

The following permit fees, excluding MS4 application fees, will be increased in two phases:

- OAR 340-071-0140:
 - WPCF Permit Fees; Table 9D;
- OAR 340-045-0075:
 - Industrial NPDES and WPCF Individual Permits Application and Modification Fees; Table 70A
 - Industrial NPDES and WPCF Individual Permit Annual Fees; Table 70B;
 - Domestic NPDES and WPCF Individual Permits, Application, Annual Modification Fees; Table 70C;
 - Domestic NPDES and WPCF Annual Population Fees, Table 70D;
 - Annual Pretreatment Fees, Table 70E;
 - All NPDES and WPCF Permits, Technical Activity, Plan Review and Other Fees, Table 70F;
 - General NPDES and WPCF Permits, Application and Annual Fees, Table 70G, *excluding* WPCF 2401 and 2402; and 700PM fees under authority ORS 468B.118;
 - Underground Injection Control Permits Application Fees, Annual Fees, and Surcharges, Table 70I, *excluding* UIC fees authorized by rule, ORS 468B.195 and ORS 468B.196.

Rule language change proposal

DEQ proposes to add the following rule language to OAR 340-045-0075 to explain the two fee tables:

OAR 340-045-0075 (2) Two sets of fee tables are provided. The first identifies fees effective June 1, 2020, through May 31, 2021. The second establishes the fee amounts effective starting June 1, 2021.

Clarification

DEQ proposes the following clarification to the fee language OAR 340-045-0075 fee table 70B, permit type B17, for permits that DEQ covers under this fee type.

Current: “Dairies, fish hatcheries and other confined feeding operations on individual permits”

Proposed clarification: ~~Dairies, fish~~ **Fish** hatcheries and other confined feeding operations on individual permits **except permits the Oregon Department of Agriculture administers.**

Reasons

DEQ must establish the new fees to implement the current service level of the 2019-21 budget to cover costs associated with implementing the permitting program and delivering services to regulated entities and to carry out the Legislatively Adopted Budget. Without this increase, DEQ

would need to reduce permitting staff and delay initiating improvements to the program as identified in the [Recommendations and Implementation Plan](#). Without this funding, DEQ's capacity to ensure the protection of water quality in Oregon will be reduced and there will be short and long-term impacts on other regulated entities and communities needing federal approvals for financial assistance and federal permits.

The proposed fees would address:

- Fee increase allowed by statute: Three percent increase provided under ORS 468B.051.
- Fees increases approved in the 2019 Legislative session for Policy Option Packages 122 and 127 in the 2019-21 Legislatively Adopted Budget.

Fee proposal alternatives considered

Not increasing fees

Without the fee increase, DEQ will be unable to provide ongoing permit program functions at the current service level. This could result in the loss of permit writer positions, or having to hold those positions vacant. DEQ would also be unable to implement recommended program improvements identified in a 2017 program evaluation.

Other ways to reduce program costs

DEQ has implemented cost savings measures over the past few biennia that, over time, should reduce program costs and increase program efficiency. For example, creating a permit writer team has resulted in progress in issuing NPDES permits over the last year. Another example is digitizing water quality permit files. This is expected to save at least \$9,000 per year in reduced storage costs as well as additional savings in staff time as more files are digitized.

Fee increase scheme developed prior to COVID-19

Based on feedback from the Rulemaking Advisory Committee, and as released during the public comment period (Nov. 15, 2019, through Jan. 7, 2020), DEQ proposed to implement the full, Legislatively-approved increase for applicable fee types effective June 2020. This would be necessary to support the hiring of all new positions by July 2020. In light of COVID-19 related economic uncertainty and potential hardships for some entities subject to fee increases, DEQ is recommending an alternative proposal that will implement the increase in two-steps, with the second phase of the increase being delayed until June 2021. As a result, DEQ will necessarily delay the anticipated hiring schedule for some of the newly authorized positions.

Fee payers

The proposed fees would affect individuals, businesses, and government agencies that hold or apply for the following permits:

- National Pollutant Discharge Elimination System permits
- Water Pollution Control Facility permits

Affected party involvement in fee-setting process

DEQ appointed a fiscal advisory committee specifically to address the proposed water quality permit fees in OAR 340 divisions 45 and 71. The advisory committee included stakeholders representing domestic and industrial permit holders, state agencies, and environmental and citizen engagement organizations. The committee met twice to review the proposed rule updates and to assess and comment on the fiscal impacts of DEQ's proposed permit fee increase.

Summary of impacts

DEQ began the analysis on how to raise the approved fee revenue with the simplest approach to raise all annual fees for all permit types by the same percentage. This option allows fee payers with less complex permits and lesser fees an appropriately proportional impact. This also recognizes that increased resources across the Water Quality permitting program provides benefits generally across all permit types, even if newly authorized positions are attributed to specific subprogram areas. Rules and Fiscal Advisory Committee feedback, public comment, statutory requirements, and the broad impacts of Covid-19 led DEQ to make some modifications to the across the board baseline approach, and to the fee increase implementation timeline.

In addition, DEQ's Water Quality program will offer installment plans for entities that demonstrate economic hardship resulting from COVID-19 or other circumstances. For entities that request and are granted an installment plan, the deferred payment schedule will not incur any interest or additional fees but rather allow a source to pay their fees over a specified period within the permit year.

The size of the fee increase on regulated entities depends on the type of permit they hold or for which they are applying. DEQ anticipates some indirect impact on the public if the permit holder were to increase the cost of goods and services or fees charged to ratepayers to offset the fee increase or if the permit holder were to adjust their service level to accommodate a fee increase.

How long will the current fees sustain the program?

The current fees are not sufficient to sustain the program. Foregoing any fee increases would require DEQ to hold positions vacant during the biennium. For example, when developing its 2019-2021 Agency Request Budget, DEQ estimated that even with a 3 percent annual fee increase in 2020, budgeted expenditures to maintain existing staff levels would exceed revenues by more than five percent. The shortfall will cause a reduction in the program's fund balance and the current fees are not enough to carry out the Legislatively Adopted Budget from the 2019 Legislative session. DEQ expects to propose an up-to-three percent annual increase in the 2021 rulemaking.

Table 1 below shows the increased cost of maintaining the current service level from the 2017-19 to the 2019-21 biennium, excluding program enhancements the 2019 Legislature

approved in policy option packages 122 and 127. The information provides context for the annual up-to-three percent fee increase ORS 468B.051 authorizes.

| Table 1- Budget Scenario Comparison (Base vs. 3% increase) | | | | |
|--|---|-----|--|-----|
| July 1, 2020 Effective date of last fee increase: Oct. 2019 EQC adopted fee changes: Sept. 2019 | | | | |
| Funding Source | 2017-2019 Legislatively Adopted Budget | | 2019-2021 Legislatively Adopted Budget (excluding POPs¹) | |
| Program costs covered by fees | \$12,782,995 | 58% | \$14,254,336 | 59% |
| Program costs covered by General and Lottery Funds | \$7,671,236 | 35% | \$8,229,707 | 34% |
| Program costs covered by Federal Funding | \$1,609,781 | 7% | \$1,716,369 | 7% |
| ¹ These numbers have passed Department of Administrative Services' audit, and include packages 000 through 070, and adjustments made by the legislature in DEQ's budget bill (package 801) and the end-of-session bill (package 810). | | | | |

Table 1.1 below shows the total Water Quality Permitting program budget and includes program enhancements (policy option packages 122 and 127) the 2019 Legislature approved. The 18 percent fee increase proposed in this rulemaking supports the program enhancements.

| Table 1.1 – Proposed Budget Scenario (Includes 3% and 18% increases) | | | | |
|---|--|---|---|-----|
| July 1, 2020 Effective date of last fee increase: Oct. 2019 EQC adopted fee changes: Sept. 2019 | | | | |
| Funding Source | 2019-2021 Legislatively Adopted Budget (excluding POPs¹) | 2019-2021 Legislatively Adopted Budget (POPs only) | Total 2019-21 Legislatively Adopted Budget | |
| Program costs covered by fees | \$14,254,336 | \$1,329,378 | \$15,583,714 | 58% |
| Program costs covered by General and Lottery Funds | \$8,229,707 | \$1,334,828 | \$9,564,535 | 36% |

**Table 1.1 – Proposed Budget Scenario
(Includes 3% and 18% increases)**

July 1, 2020

Effective date of last fee increase: Oct. 2019

EQC adopted fee changes: Sept. 2019

| | | | | |
|--|-------------|-----|-------------|----|
| Program costs covered by Federal Funding | \$1,716,369 | \$0 | \$1,716,369 | 6% |
|--|-------------|-----|-------------|----|

¹ These numbers have passed Department of Administrative Services' audit, and include packages 000 through 070, and adjustments the legislature made in DEQ's budget bill (package 801) and the end-of-session bill (package 810).

Table 2 - Budget Costs

July 1, 2020

Effective date of last fee increase: Oct. 2019

EQC adopted fee changes: Sept. 2019

| Budget Period | Cost per FTE |
|---|--------------|
| 2017-19 Legislatively Adopted Budget | \$301,956 |
| 2019-21 Legislatively Adopted Budget (Modified current service level ²) | \$331,340 |
| Percent increase over a two-year period | 9.73% |

² These numbers have passed Department of Administrative Services' audit, and include packages 000 through 070, and adjustments made by the legislature in DEQ's budget bill (package 801) and the end-of-session bill (package 810).

Statement of Fiscal and Economic Impact

Fiscal and economic impact

Increasing permit fees would benefit DEQ through increased financial support. The fee change will increase costs for entities that hold the affected permits or require fee-based services in two increments between June 1, 2020 and June 1, 2021.

Statement of cost of compliance

State and federal agencies

Oregon state agencies hold approximately 117 active water quality permits. Examples of the total proposed fee increase on select permit types include:

- Industrial NPDES fee permits for Tier 2 sources, fish hatcheries, will increase \$568. This affects approximately six state agencies (OAR 340-045-0075, Table 70B).
- Annual fees for WPCF individual permits will increase between \$103 and \$3,280. This affects approximately four state agencies (OAR 340-045-0075, Table 70C).
- Annual fees for general NPDES and WPCF permits will increase between \$78 and \$234. This affects approximately 10 state agencies (OAR 340-045-0075, Table 70G).
- Annual compliance determination fees for WPCF Onsite permits will increase between \$9 and \$237. This affects approximately eight state agencies (OAR 340-071-0140, Table 9D).

Local governments and public

DEQ cannot determine the extent to which the proposed fees would affect each consumer. DEQ anticipates some impact on the public if the permit holder increases costs of goods and services or fees charged to ratepayers to offset the fee increase. Also, local governments may reduce services and resources to meet fee increases in addition to, or instead of, increasing costs to the public. Oregon local governments hold approximately 696 total active water quality permits.

Examples of local government entities include: water districts, irrigation districts, cities, towns, ports, sanitary districts, library districts, counties, and school districts. For the purpose of this fiscal analysis, DEQ considered ports and school districts as separate local governments even if contained within a city or county government.

Examples of the total proposed fee increase on selected permit types include:

- Industrial NPDES fee permits for Tier 1 and 2 sources are \$969 and \$5,006. This affects approximately eight local governments and their permit co-permittees for various permit types in (OAR 340-045-0075, Table 70B).
- Domestic NPDES and WPCF individual permit annual fee increases will range from \$103 to \$19,765. The \$19,765 increase for Domestic NPDES annual fee will affect one local government (OAR 340-045-0075, Table 70C).

- Annual fees for general NPDES and WPCF permits will increase between \$78 and \$234. This will affect an approximately 261 local government entities (OAR 340-045-0075, Table 70G).
- Annual permit processing fees for on-site systems and compliance determination fees for WPCF permits will increase between \$9 for holding tanks to \$237 for an on-site sewage lagoon with no discharge. This will affect approximately 63 local government permits (OAR 340-071-0140, Table 9D).

Large businesses - businesses with more than 50 employees

The proposed fee increase would affect approximately 150 wastewater permit holders that are large businesses. For example, large businesses that require an industrial NPDES Tier 1 permit would pay an additional \$1,125 in annual fees for hardboard, veneer, plywood, particle board, pressboard manufacturing, wood products permits in OAR 340-045-0075, fee Table 70B permit type B20.

Small businesses – businesses with 50 or fewer employees

According to 2018 data from the Oregon Employment Department, the proposed fee increase may affect approximately 3,300 small businesses that may hold water quality permits. However, limited information is available to determine how the fee increases would affect each permit holder. The relative impact on a small businesses would depend on various factors that could include: the type of permit; the ability of the business to pass on the cost to its customers; and the cumulative impact of broader economic conditions on the business. For example:

- If a small business,
 - Categorized as a Tier 2 facility for food or beverage processing,
 - Including produce, meat, poultry, seafood, or dairy for human, pet, or livestock consumption,
 - Processing large (flow more than or equal to 0.1 mgd, or 0.1 m flow < 1 mgd for less than 180 days per year),
- Then, under OAR 340-045-0075, fee Table 70B permit type B03,
- Their annual permit fee would increase by an estimated \$1,041 over the previous year's annual fee.

a. Estimated number of small businesses and types of businesses and industries with small businesses subject to proposed rule.

- DEQ estimates the fee increases for wastewater permits would affect approximately 3,300 small businesses.
- Examples of small businesses that have wastewater permits are food processors, mining operations, dairies, fish hatcheries, smelting and refining operations, timber processors, wood products manufacturers, retail operations, seafood processors, gravel mining, wineries, construction companies, petroleum hydrocarbon cleanup operations, and vehicle and equipment wash water operations.

b. Projected reporting, recordkeeping, and other administrative activities, including costs of professional services, required for small businesses to comply with the proposed rule.

- No additional activities are required to comply with the proposed rules.

c. Projected equipment, supplies, labor, and increased administration required for small businesses to comply with the proposed rule.

- No additional resources are required to comply with the proposed rules.

d. Describe how DEQ involved small businesses in developing this proposed rule.

- DEQ met with a fiscal advisory committee on Aug.7, 2019, and Oct. 10, 2019. The committee was composed of a diverse group of stakeholders representing a wide cross section of DEQ's permit holders.
- During and after the meetings, DEQ requested stakeholders' input concerning potential impacts to small businesses and how DEQ can reduce that impact.
- During the public comment period, DEQ requested input on whether to consider other options for achieving the rules' substantive goals, while reducing the rules' negative economic impact on small businesses.

Advisory committee fiscal review

DEQ appointed an advisory committee.

As ORS 183.33 requires, DEQ asked for the committee's recommendations on:

- Whether the proposed rules would have a fiscal impact.
- The extent of the impact.
- Whether the proposed rules would have a significant adverse impact on small businesses; if so, then how DEQ could comply with ORS 183.540 to reduce that impact.

The committee reviewed the draft fiscal and economic impact statement.

The committee determined the proposed rules would not have a significant adverse impact on small businesses in Oregon. The committee did comment that the fee increases would affect public and local governments.

Additionally, DEQ's proposed phase-in of the fees in two increments over the next year will reduce impact to small businesses.

Federal Relationship

ORS 183.332, 468A.327 and OAR 340-011-0029 require DEQ to attempt to adopt rules that correspond with existing equivalent federal laws and rules unless there are reasons not to do so. The proposed rules are “in addition to federal requirements” because there are no applicable federal requirements.

What alternatives did DEQ consider?

Not increasing fees

Without the fee increase, DEQ will be unable to provide ongoing permit program functions at the current service level. This could result in the loss of permit writer positions, or having to hold those positions vacant. DEQ would also be unable to implement recommended program improvements identified in a 2016 program evaluation.

Other ways to reduce program costs

DEQ has implemented cost savings measures over the past few biennia that, over time, should reduce program costs and increase program efficiency. For example, creating a permit writer team has resulted in some progress in issuing NPDES permits over the last year. Another example is digitizing water quality permit files. This is expected to save at least \$9,000 per year in reduced storage costs, as well as additional savings in staff time.

Land Use

In adopting new or amended rules, ORS 197.180 and OAR 340-018-0070 require DEQ to determine whether the proposed rules significantly affect land use. If so, DEQ must explain how the proposed rules comply with statewide land-use planning goals and local acknowledged comprehensive plans.

Considerations

Under OAR 660-030-0005 and OAR 340 Division 18, DEQ considers that rules affect land use if:

- The statewide land-use planning goals specifically refer to the rule or program, or
- The rule or program is reasonably expected to have significant effects on:
 - Resources, objectives or areas identified in the statewide planning goals, or
 - Present or future land uses identified in acknowledged comprehensive plans.

DEQ determined whether the proposed rules involve programs or actions that affect land use by reviewing its Statewide Agency Coordination plan. The plan describes the programs that DEQ determined significantly affect land use. DEQ considers that its programs specifically relate to the following statewide goals:

| Goal | Title |
|------|---|
| 5 | Open Spaces, Scenic and Historic Areas, and Natural Resources |
| 6 | Air, Water and Land Resources Quality |
| 9 | Ocean Resources |
| 11 | Public Facilities and Services |
| 16 | Estuarial Resources |

Statewide goals also specifically reference the following DEQ programs:

- Nonpoint source discharge water quality program – Goal 16
- Water quality and sewage disposal systems – Goal 16
- Water quality permits and oil spill regulations – Goal 19

Determination

DEQ determined that the following proposed rules affect programs or activities that the DEQ State Agency Coordination Program considers a land-use program.

- OAR 340-018-0030(5)(c) and OAR 340-018-0030(5)(d)

DEQ's statewide goal and local plan compatibility procedures adequately cover the proposed rules. Oregon Administrative Rule 340-018-0050(2)(a) ensures compatibility with acknowledged comprehensive plans through submission of a land-use compatibility statement.

EQC Prior Involvement

DEQ discussed and informed the EQC about the 2020 Fee Increase Rulemaking during the Fee Increase Rulemaking presentation to the EQC on Sept. 27, 2019, in Madras, Oregon.

Advisory Committee

Background

DEQ convened the 2020 Fee Increase Rulemaking Fiscal Advisory Committee. The committee met twice and included representatives from local governments, NPDES permit holders, environmental and citizen involvement organizations. Information about the committee can be found at [Water Quality Permit Fees 2020](#) web page.

The committee members were:

| 2020 Water Quality Fee Increase Advisory Committee | |
|---|----------------|
| Affiliation | Name |
| Aqua Resource Design & Consulting | Brannon Lamp |
| Oregon Homebuilders Association | Ellen Miller |
| Oregon Environmental Council | Karen Lewotsky |
| Special Districts Association of Oregon | Mark Landauer |
| Northwest Environmental Defense Center | Mark Riskedahl |
| Association of Oregon Counties | Mike Eliason |
| League of Women Voters | Peggy Lynch |
| Oregon Business and Industry | Sharla Moffett |
| Oregon Association of Clean Water Agencies | Susie Smith |
| League of Oregon Cities | Tracy Rutten |

Meeting notifications

To notify people about the advisory committee's activities, DEQ:

- Sent GovDelivery bulletins, a free e-mail subscription service, to the following lists:
 - Rulemaking
 - Water Quality Permits
- Added advisory committee announcements to DEQ's calendar of public meetings at [DEQ Calendar](#).
- Additionally, DEQ submitted notification of this rulemaking through the GovDelivery system to Onsite permit holders.

Committee discussions

In addition to the recommendations described under the Statement of Fiscal and Economic Impact section above, the committee provided the following information during the fiscal impact statement:

Recommendation to combine the local government and public sections of the Statement of Cost Compliance of the Fiscal Impact Statement. This change is to highlight the impacts of fee increases that possibility include local governments having to reduce services to accommodate fee increases.

Public Engagement

Public notice

DEQ provided notice of the proposed rulemaking and rulemaking hearing by:

- On Nov. 15, 2019, filing notice with the Oregon Secretary of State for publication in the December 2019 Oregon Bulletin;
- Posting the Notice of Rulemaking and draft rules on the web page for this rulemaking, located at: [Water Quality Fees 2020 Web Page](#)
- Emailing interested parties on the following DEQ lists through GovDelivery:
 - Rulemaking
 - Water Quality Permits
- Emailing the following key legislators required under [ORS 183.335](#)
 - Senator Michael Dembrow, Chair of Senate Committee on Environment and Natural Resources
 - Senator Alan Olsen, Vice-chair of Senate Committee on Environment and Natural Resources
 - Representative Ken Helm, Chair of House Committee on Water
 - Representative Gary Leif, Vice-chair of House Committee on Water
 - Senator Kathleen Taylor, Co-Chair of Joint Committee on Ways and Means Subcommittee on Natural Resources
 - Representative Jeff Reardon Co-Chair of Joint Committee on Ways and Means Subcommittee on Natural Resources
- Emailing advisory committee members
- Emailing notification to Onsite permit holders
- Posting on the DEQ event calendar: [DEQ Calendar](#)

Public Hearing

DEQ held one public hearing. DEQ received zero comments at the hearing. Later sections of this document include a summary of the seven comments received during the open public comment period, DEQ's responses, and a list of the commenters. Original comments are on file with DEQ.

Presiding Officers' Record

Hearing 1

| | |
|-------------------|------------------------------------|
| Date | Dec. 19, 2019 |
| Place | 700 NE Multnomah Street, Room: 601 |
| Start Time | 1:00 PM |
| End Time | 1:25 PM |
| Presiding Officer | Michele Martin |

Presiding Officer's report

The presiding officer convened the hearing, summarized procedures for the hearing, and explained that DEQ was recording the hearing. The presiding officer asked people who wanted to present verbal comments to sign the registration list, or if attending by phone, to indicate their intent to present comments. The presiding officer advised all attending parties interested in receiving future information about the rulemaking to sign up for GovDelivery email notices.

As Oregon Administrative Rule 137-001-0030 requires, the presiding officer summarized the content of the rulemaking notice. No person presented any oral testimony or written comments at the public hearing on Dec.19, 2019.

Summary of Public Comments and DEQ Responses

Public comment period

DEQ accepted public comment on the proposed rulemaking from Nov. 15, 2019, until 4 p.m. on Jan. 7, 2020.

The following is a summary of each comments received by the close of the public comment period. Original comments are on file with DEQ. DEQ did not change the proposed rules in response to comments.

Comments received by close of public comment period

Commenter 1

Susie Smith, Association of Clean Water Agencies
Tracy Rutten, League of Oregon Citifies
Mark Landauer, Special Districts Association of Oregon

Summary: Commenters agree with the fee proposal as provided in the Notice of Rulemaking.

DEQ response: DEQ appreciates the comments.

Commenter 2

Ryan Pessah, Western Wood Preservers Institute
Summary: Strongly opposes the fee increase for policy option packages 122 and 127, approved by the Oregon Legislature in 2019.

Comment: "...proposing an annual fee increase to resolve 'over 15 years of persistent and chronic permit renewal backlogs' is not the responsibility of the regulated community (Recommendations and Implementation Plan, November 2016). Resolving this fiscal mismanagement should be addressed through cost-saving measures such as digitizing and automating services; it should not be resolved on the backs of industries that support our rural economies."

DEQ response: DEQ is currently working on an agency-wide online system for submissions, renewals and reporting across most air, land, and water programs. This will address the challenges that come from many aging and isolated systems. It will help to standardize business processes and increase overall agency efficiency and timeliness. This system is being rolled out in phases for the various DEQ programs. The target for when this system goes into effect is June 2021. More information is online:

<https://www.oregon.gov/deq/Permits/Pages/Your-DEQ-Online.aspx>.

This system will help DEQ to address how we provide and coordinate regulated services but there will continue to be tasks associated with permitting that require staff coordination, analysis, and expertise. This includes reviewing and processing applications and renewals, managing data, and mandated reporting that is part of the permitting requirement.

Inspections and other compliance activities associated with permitted facilities will also continue.

Comment: "...we urge DEQ to phase this increase over a two-year period."

DEQ response: DEQ acknowledges the challenges that fee increases place on our fee payers and strives to provide as much advance notice of our proposed fee increases as possible to give fee payers time to adjust their future budgets. In this spirit, DEQ provided estimates of the fee increases in its Agency Request Budget, in its Governor's Recommended Budget, during its Ways & Means presentation, and in its Legislatively Adopted Budget book.

DEQ is phasing in several of the new positions three, six, and, twelve months into the biennium, to align with collecting new revenue from the fee increase taking effect in mid-2020. If DEQ were to phase in the fee increase over two years, such as half of the increase taking effect in 2020 and half in 2021, then the phase in dates for the new positions would need to be further delayed. This would limit the improvements sought from the program enhancements during the 2019-21 biennium. A delay would also accelerate the consumption of the program's fund balances, which would exacerbate revenue shortfalls in future biennia because DEQ's costs increase at a faster pace than its revenue. Revenue shortfalls could lead to program reductions to align expenditures with available revenue, or to fee increases to maintain current service levels.

Commenters 3 and 4

Glenn Woodbury, Power and Control Inc., *Industrial electrical wholesale*
Matthew Hadler, Crater Lake Resort

Comment: Do not increase fees; the Oregon taxpayer is already paying too much in taxes.

DEQ response: DEQ is sensitive to the impacts that the cost of fees have on permit holders and endeavors to operate its permitting program cost effectively through process improvements and modernization. Improved program efficiency cannot alone create the capacity necessary to improve DEQ's regulation of wastewater and stormwater discharges, including improved permit timeliness and quality. DEQ needs additional positions to write permits, manage and analyze permit data, process permit applications, respond to complaints, and ensure compliance with permit conditions. Over the course of DEQ's water quality permitting program history, DEQ and its stakeholders (including the legislature, permit holders and their representatives, environmental stewards, and members of the public) have come to agree that the cost of regulating wastewater and stormwater discharges should be shared by the public (with state and federal money) and by permit holders (through fees).

Commenter 5

Phillip Buttolph, resident of the Enterprise Water District, Wallowa County, Oregon

Comment: Concerned about water quality in Enterprise, Oregon.

DEQ response: This comment did not address the substance of this fee rulemaking. DEQ referred this comment to its Drinking Water Protection program staff for response.

Commenter 6

Steven Wright, 700PM permit holder

Comment: Regarding mining general permits for suction dredges; 700PM permits

DEQ response: Fees for the 700PM permits are established in Oregon Revised Statute 468B.118. These permit fees are excluded from this fee increase rulemaking proposal.

Commenter 7

Dannon Farrald, small business owner, septic system permit, Westlake, Oregon

Comment: Concerning the services provided for the annual fees related to the commenter's septic system.

DEQ response: The fees support implementing DEQs onsite wastewater management program. Fees collected are to support implementing programmatic activities regionally and statewide with a goal to ensure that environmentally protective practices are in use by onsite septic system users. DEQ is required to implement the onsite program under Oregon Revised Statute 454 and Oregon Administrative Rules divisions 340-71 and 340-73. Fees for onsite permits support processing the application material, managing the data provided through the permitting requirement, and the compliance activities associated with permitted facilities. The purpose of the onsite program is to protect surface water and groundwater. The permitting process ensures that the systems in use across the state remain efficient and environmentally protective.

Implementation

Notification

If approved, the proposed rules would become effective upon filing on approximately June 1, 2020. DEQ would notify affected parties by:

- Emailing interested parties on the following DEQ lists through GovDelivery:
 - Rulemaking
 - Water Quality Permits
 - Onsite
- Posting notification on relevant, permit-related webpages

In addition to notifications upon filing, clearly identifying the two fee tables and the respective effective dates, DEQ will also provide a second round of follow-up notifications in May 2021, prior to the second (and final) fee increase effective date associated with this proposed rulemaking.

Compliance and enforcement

Affected parties: Water Quality permit holders

DEQ staff: Water Quality staff by email

Systems

Website: Water Quality staff to add notification to relevant webpages

Database: Water Quality staff by email

Invoicing: Water Quality staff by email

Five-Year Review

Requirement

Oregon law requires DEQ to review new rules within five years after EQC adopts them. The law also exempts some rules from review. DEQ determined whether the rules described in this report are subject to the five-year review. DEQ based its analysis on the law in effect when EQC adopted these rules.

Exemption from five-year rule review

The Administrative Procedures Act exempts all of the proposed rules from the five-year review because the proposed rule changes would amend an existing rule: ORS 183.405(4).

Accessibility Information

You may review copies of all documents referenced in this announcement at:
Oregon Department of Environmental Quality
700 NE Multnomah St., Ste. 600
Portland, OR, 97232

To schedule a review of all websites and documents referenced in this announcement, call Michele Martin, 503-229-5013 or (800-452-4011, ext. 5622 toll-free in Oregon).

DEQ can provide documents in an alternate format or in a language other than English upon request. Call DEQ at 800-452-4011 or email deqinfo@deq.state.or.us.

Key to Identifying Changed Text:

~~Strikethrough:~~ Deleted Text

Underline: New/inserted text

Division 45

REGULATIONS PERTAINING TO NPDES AND WPCF PERMITS

340-045-0075

Permit Fee Schedule

(1) OAR chapter 340, division 71 contains the fee schedule for onsite sewage disposal system permits, including WPCF permits, and graywater reuse and disposal system WPCF individual permits.

(2) Two sets of fee tables are provided. The first identifies fees effective June 1, 2020 through May 31, 2021. The second establishes the fee amounts effective starting June 1, 2021.

~~(2)~~ DEQ establishes fees for various industrial, domestic and general water quality permits:

(a) Table 70A lists the application and modification fees that apply to industrial NPDES and WPCF individual permits.

(b) Table 70B lists the annual fees that apply to industrial NPDES and WPCF individual permits.

(c) Table 70C lists application, modification and annual fees for domestic NPDES and WPCF individual permits.

(d) Table 70D lists annual population fees.

(e) Table 70E lists annual pretreatment fees applicable to domestic wastewater systems.

(f) Table 70I lists application, annual and surcharge fees for Underground Injection Control rule authorizations and general permits.

~~(3)~~ DEQ must consider the following criteria when classifying a facility for determining applicable fees. For industrial sources that discharge to surface waters, discharge flow rate refers to the system design capacity. For industrial sources that do not discharge to surface waters, discharge flow refers to the total annual flow divided by 365:

(a) Tier 1 industry. A facility is classified as a Tier 1 industry if the facility:

- (A) Discharges at a flow rate that is greater than or equal to 1 mgd; or
- (B) Discharges large biochemical oxygen demand loads; or
- (C) Is a large metals facility; or
- (D) Has significant toxic discharges; or
- (E) Has a treatment system that will have a significant adverse impact on the receiving stream if not operated properly; or
- (F) Needs special regulatory control, as DEQ determines.

(b) Tier 1 domestic facility. A facility is classified as a Tier 1 domestic facility if the facility:

- (A) Has a dry weather design flow of 1 mgd or greater; or
- (B) Serves an industry that can have a significant impact on the treatment system.

(c) Tier 2 industry or domestic facility: A facility is classified as Tier 2 if it does not meet Tier 1 qualifying factors.

(45) New permit application fee. Unless this rule does not require it, the applicant must submit the applicable new permit application fee listed in Table 70A, 70C, 70G, or 70I with each application. The facility category and type of permit (e.g., individual vs. general) determines the amount of the fee.

(56) Permit modification fee. Tables 70A and 70C list the permit modification fees. Modification fees for Individual WPCF Underground Injection Control permits are contained in Table 70I. Permit modification fees vary with the type of permit, the type of modification and the timing of modification as follows:

(a) Modification at time of permit renewal:

(A) Major modification — involves an increase in effluent limitations or any other change that involves significant analysis by DEQ;

(B) Minor modification — does not involve significant analysis by DEQ.

(b) Modification prior to permit renewal:

(A) Major modification — involves an increase in effluent limitations or any other change that involves significant analysis by DEQ. DEQ may require a permittee requesting a significant modification to their permit to enter into an agreement to pay for these services according to ORS 468.073. ORS 468.073 allows DEQ ". . . to expedite or enhance a regulatory process by

contracting for services, hiring additional staff or covering costs of activities not otherwise provided during the ordinary course of department business"

(B) Minor modification — does not involve significant analysis by DEQ.

(67) Annual fees. Tables 70B and 70G list applicable annual fees for general and industrial permit holders. Table 70H lists applicable annual fees for Municipal Separate Storm Sewer permits. Tables 70C, 70D, and 70E also list annual fees for domestic sources and include the following:

(a) Annual fee. This is based on the type of treatment system, the dry weather design flow, and the duration assigned to the permit before a renewal application is required;

(b) Population-based fee. A permit holder with treatment systems other than Type F (septage alkaline stabilization facilities) must pay an annual population-based fee. Table 70D lists the applicable fee;

(c) Pretreatment fee. A source DEQ requires to administer a pretreatment program under federal pretreatment program regulations (40 C.F.R., Part 403; January 29, 1981, and its amendments) must pay an additional annual fee plus a fee for each significant industrial user specified in their annual report for the previous year. Table 70E lists the applicable fee.

(78) Technical activities fee. Table 70F lists the technical activity, plan review and administrative fees. They are categorized as follows:

(a) All permits. A permittee must pay a fee for NPDES and WPCF individual and general permit-related technical activities. DEQ will charge a fee for initial submittal of engineering plans and specifications. DEQ will not charge fees for revisions and re-submittals of engineering plans and specifications or for facilities plans, design studies, reports, change orders, or inspections.

(b) General permits. A permittee must pay the technical activity fee shown in Table 70F when the following activities are required for application review:

(A) Disposal system and environmental management plan review;

(B) Site inspection and evaluation.

(89) For permits the Oregon Department of Agriculture administers, the permit applicant or permit holder must pay the permit fees following the fee schedule the Oregon Department of Agriculture establishes.

(910) Administrative activity fees are listed in Table 70F:

(a) The annual electronic reporting requirement waiver fee applies to permit holders who qualify for a temporary or permanent waiver exempting them from submitting data and reports electronically.

(b) A permittee must pay a fee for a transfer of ownership as specified under OAR 340-045-0045 and for requests to change the legal or common name on the permit issued to the facility.

Key to Identifying Changed Text:

~~Strikethrough: Deleted Text~~

Underline: New/inserted text



State of Oregon Department of Environmental Quality

OAR 340-045-0075

Fee Tables

Effective June 1, 2020 – May 31, 2021

| OAR 340-045-0075 Table 70A Industrial NPDES and WPCF Individual Permits: Application and Modification Fees Revised Sept. 2019 <u>May 2020</u> <u>Effective June 1, 2020 - May 31, 2021</u> | | | |
|---|--------------------------------------|--------------------------------------|------------------------------------|
| Application fees for new industrial permits | | | |
| Tier 1 Industrial Facilities | \$68,175 <u>77,038</u> | | |
| Tier 2 Industrial Facilities | \$13,720 <u>15,504</u> | | |
| Special WPCF Permits (OAR 340-045-0061) | \$649,733 | | |
| Note: New permit applications must include the annual fee specified in Table 70B in addition to the new permit application fee listed above. The application fee is not required for renewal unless a modification is needed or requested. | | | |
| Modification Fees¹ | | | |
| | Major | | |
| | At Permit Renewal | Prior to Expiration | Minor |
| Tier 1 Industrial Facilities | \$17,128 <u>19,355</u> | \$34,033 <u>38,357</u> | \$1,194 <u>1,349</u> |
| Tier 2 Industrial Facilities | \$4,354 <u>921</u> | \$6,802 <u>.686</u> | \$1,349 <u>1,194</u> |
| 1. A new application, application fee and modification fee must accompany all requests for permit modification. DEQ Item # 000032 environmental management plan review fee amount in Table 70F when only the environmental management plan required by the permit requires review. | | | |

OAR 340-045-0075

Table 70B

Industrial NPDES and WPCF Individual Permit Annual Fees

Revised ~~Sept. 2019~~ May 2020
 Effective June 1, 2020 - May 31, 2021

| Type | Description | NPDES Tier 1 | NPDES Tier 2 | WPCF Tier 1 | WPCF Tier 2 |
|--|--|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| B01 | Pulp, paper, or other fiber pulping industry | \$23,838 <u>26,937</u> | N | \$22,125 <u>25,000</u> | N |
| Food or beverage processing - includes produce, meat, poultry, seafood or dairy for human, pet, or livestock consumption: | | | | | |
| B02 | Washing or packing only | N | \$3,314 <u>3,745</u> | N | \$3,050 <u>3,447</u> |
| B03 | Processing – small. Flow ≤ 0.1 mgd, or 0.1 < flow < 1 mgd for less than 180 days per year | N | \$4,955 <u>5,599</u> | N | \$4,687 <u>5,297</u> |
| B04 | Processing – medium. 0.1 mgd < Flow < 1 mgd for 180 or more days per year, or flow ≥ 1 mgd for less than 180 days per year | N | \$6,992 <u>7,901</u> | N | \$6,725 <u>7,599</u> |
| B05 | Processing – large. Flow ≥ 1 mgd for 180 or more days per year | \$26,937 <u>23,838</u> | \$20,947 <u>23,669</u> | \$25,000 <u>22,125</u> | \$20,676 <u>23,364</u> |
| Primary Smelting or Refining: | | | | | |
| B06 | Aluminum | \$26,937 <u>23,838</u> | \$23,669 <u>20,947</u> | \$25,000 <u>22,125</u> | \$23,364 <u>20,676</u> |
| B07 | Non-ferrous metals utilizing sand chlorination separation facilities | \$26,937 <u>23,838</u> | \$23,669 <u>20,947</u> | \$25,000 <u>22,125</u> | \$23,364 <u>20,676</u> |
| B08 | Ferrous and non-ferrous metals not elsewhere classified | \$13,633 | \$10,739 <u>12,135</u> | \$11,919 <u>13,468</u> | \$10,474 <u>11,836</u> |
| B09 | Chemical manufacturing with discharge of process wastewater | \$26,937 <u>23,838</u> | \$23,669 <u>20,947</u> | \$25,000 <u>22,125</u> | \$23,364 <u>20,676</u> |
| B10 | Cooling water discharges in excess of 20,000 BTU per second | \$13,633 | \$10,739 <u>12,135</u> | \$13,468 <u>11,919</u> | \$11,836 <u>10,474</u> |
| Mining Operations – includes aggregate or ore processing: | | | | | |
| B11 | Large (over 500,000 cubic yards per year or involving chemical leaching) | \$26,937 <u>23,838</u> | \$23,669 <u>20,947</u> | \$25,000 <u>22,125</u> | \$23,364 <u>20,676</u> |
| B12 | Medium (100,000 to 500,000 cubic yards per year) | N | \$7,333 <u>7,287</u> | N | \$7,067 <u>7,986</u> |
| B13 | Small (less than 100,000 cubic yards per year) | N | \$2,232 <u>2,522</u> | N | \$1,966 <u>2,232</u> |
| All facilities not elsewhere classified which dispose of process wastewater (includes remediated groundwater): | | | | | |

Item # 000033

| OAR 340-045-0075 Table 70B Industrial NPDES and WPCF Individual Permit Annual Fees Revised Sept. 2019 <u>May 2020</u> Effective June 1, 2020 - May 31, 2021 | | | | | |
|---|---|--------------------------------------|------------------------------------|--------------------------------------|------------------------------------|
| Type | Description | NPDES Tier 1 | NPDES Tier 2 | WPCF Tier 1 | WPCF Tier 2 |
| B14 | Tier 1 sources | \$26,937 <u>23,838</u> | N | \$25,000 <u>22,125</u> | N |
| B15 | Tier 2 sources | N | \$4,612 <u>5,212</u> | N | \$4,350 <u>4,916</u> |
| B16 | All facilities not elsewhere classified which dispose of non-process wastewaters (for example: small cooling water discharges, boiler blowdown, filter backwash) | N | \$3,088 <u>3,489</u> | N | \$2,822 <u>3,189</u> |
| B17 | Dairies, Fish hatcheries and other confined feeding operations on individual permits <u>except permits the Oregon Department of Agriculture administers.</u> | N | \$2,702 <u>2,754</u> | N | \$2,438 <u>2,755</u> |
| B18 | All facilities which dispose of wastewater only by evaporation from watertight ponds or basins | N | N | N | \$1,792 <u>1,825</u> |
| Timber and Wood Products | | | | | |
| B19 | Sawmills, log storage, instream log storage | \$6,686 <u>6,556</u> | \$3,793 <u>3,286</u> | \$4,973 <u>4,619</u> | \$3,526 <u>3,984</u> |
| B20 | Hardboard, veneer, plywood, particle board, pressboard manufacturing, wood products | \$7,070 <u>7,989</u> | \$4,178 <u>4,721</u> | \$5,360 <u>5,056</u> | \$3,912 <u>4,422</u> |
| B21 | Wood preserving | \$5,983 <u>6,761</u> | \$3,088 <u>3,489</u> | \$4,270 <u>4,824</u> | \$2,822 <u>3,189</u> |

OAR 340-045-0075
Table 70C
Domestic NPDES and WPCF Individual Permits:
Application, Annual and Modification Fees

Revised ~~Sept. 2019~~ May 2020
Effective June 1, 2020 - May 31, 2021

| Description | Type Type | Criteria ¹ | New Permit App. Fee ² | NPDES Annual Fee (5yr) | WPCF Annual Fee (10yr) | Modifications ³ | |
|------------------------------------|--------------|------------------------------|--|---------------------------------------|-------------------------------------|--------------------------------------|------------------------------------|
| | | | | | | Major | Minor |
| Non-Lagoon Treatment Systems | A1 | ≥ 50 mgd | \$43,461 <u>49,111</u> | \$94,118 <u>106,353</u> | | \$21,784 <u>24,617</u> | \$1,194 <u>1,349</u> |
| | A2 | 25 mgd ≤ Flow < 50 mgd | \$49,111 <u>43,461</u> | \$55,316 <u>62,506</u> | | \$24,617 <u>21,784</u> | \$1,349 <u>1,194</u> |
| | A3 | 10 mgd ≤ Flow < 25 mgd | \$49,111 <u>43,461</u> | \$26,071 <u>29,460</u> | | \$24,617 <u>21,784</u> | \$1,349 <u>1,194</u> |
| | Ba | 5 mgd ≤ Flow < 10 mgd | \$49,111 <u>43,461</u> | \$16,712 <u>18,885</u> | \$15,619 <u>7,649</u> | \$24,617 <u>21,784</u> | \$1,349 <u>1,194</u> |
| | C1a | 2 mgd ≤ Flow < 5 mgd | \$49,111 <u>43,461</u> | \$11,238 <u>12,699</u> | \$10,146 <u>1,465</u> | \$24,617 <u>21,784</u> | \$1,349 <u>1,194</u> |
| | C2a | 1 mgd ≤ Flow < 2 mgd | \$49,111 <u>43,461</u> | \$7,628 <u>619</u> | \$6,534 <u>383</u> | \$24,617 <u>21,784</u> | \$1,349 <u>1,194</u> |
| | Da | Flow < 1 mgd | \$8,779 <u>921</u> | \$2,416 <u>729</u> | \$2,242 <u>532</u> | \$4,447 <u>025</u> | \$1,349 <u>1,194</u> |

OAR 340-045-0075
Table 70C
Domestic NPDES and WPCF Individual Permits:
Application, Annual and Modification Fees

Revised ~~Sept. 2019~~ May 2020
Effective June 1, 2020 - May 31, 2021

| Description | Type | Criteria ¹ | New Permit App. Fee ² | NPDES Annual Fee (5yr) | WPCF Annual Fee (10yr) | Modifications ³ | |
|--|------|------------------------|--------------------------------------|----------------------------------|------------------------------------|--------------------------------------|------------------------------------|
| | | | | | | Major | Minor |
| Lagoons Discharging to Surface Waters | Bb | 5 mgd ≤ Flow < 10 mgd | \$49,111 <u>43,461</u> | \$8,838 <u>986</u> | | \$24,617 <u>21,784</u> | \$1,349 <u>1,194</u> |
| | C1b | 2 mgd ≤ Flow < 5 mgd | \$49,111 <u>43,461</u> | \$6,145 <u>944</u> | | \$24,617 <u>21,784</u> | \$1,349 <u>1,194</u> |
| | C2b | 1 mgd ≤ Flow < 2 mgd | \$49,111 <u>43,461</u> | \$4,486 <u>069</u> | | \$24,617 <u>21,784</u> | \$1,349 <u>1,194</u> |
| | Db | Flow < 1 mgd | \$8,779 <u>921</u> | \$1,703 <u>924</u> | | \$5,025 <u>447</u> | \$1,349 <u>1,194</u> |
| Nondischarging Lagoons | E | No discharge flow | \$4,447 <u>025</u> | | \$1,420 <u>1,603</u> | \$2,276 <u>572</u> | \$1,349 <u>1,194</u> |
| Alkaline-stabilization facilities | F | | \$1,194 <u>349</u> | | \$489 <u>3</u> | | \$526 <u>94</u> |
| Please see Table 70D and 70E for applicable population and pretreatment fees for the permits listed above. | | | | | | | |
| Municipal Separate Storm Sewer System | MS4 | See 40 C.F.R. § 122.26 | \$24,136 <u>27,274</u> | Please see Table 70H | | \$2,096 <u>368</u> | \$1,349 <u>1,194</u> |
| 1. Based on Average Dry Weather Design Flow, or as defined in 40 C.F.R. 2. New permit applications must include the annual fee in addition to the new permit application fee. 3. DEQ may charge the environmental management plan review fee amount in Table 70F when only the environmental management plan required by the permit requires review. | | | | | | | |

| OAR 340-045-0075 Table 70D Domestic NPDES and WPCF Annual Population Fee Revised Sept. 2019 <u>May 2020</u> Effective <u>June 1, 2020 - May 31, 2021</u> | |
|--|-------------------------------------|
| Population range | Annual fee |
| 500,000+ | \$126,448 <u>142,886</u> |
| 400,000 to 499,999 | \$96,732 <u>109,307</u> |
| 300,000 to 399,999 | \$67,019 <u>75,731</u> |
| 200,000 to 299,999 | \$37,302 <u>42,150</u> |
| 150,000 to 199,999 | \$30,168 <u>34,090</u> |
| 100,000 to 149,999 | \$19,869 <u>22,452</u> |
| 50,000 to 99,999 | \$12,461 <u>14,081</u> |
| 25,000 to 49,999 | \$5,601 <u>6,329</u> |
| 15,000 to 24,999 | \$3,188 <u>3,604</u> |
| 10,000 to 14,999 | \$2,077 <u>2,348</u> |
| 5,000 to 9,999 | \$1,263 <u>1,427</u> |
| 1,000 to 4,999 | \$378 <u>427</u> |
| 100 to 999 | \$72 <u>81</u> |
| 0 to 99 | \$0 |

| OAR 340-045-0075 Table 70E Annual Pretreatment Fees Revised Sept. 2019 <u>May 2020</u> Effective <u>June 1, 2020 - May 31, 2021</u> | |
|---|--|
| Description | Fee |
| Pretreatment Fee | \$2,168 <u>2,450</u> |
| Significant Industrial User | \$723 <u>817</u> per industry |

| OAR 340-045-0075 Table 70F All NPDES and WPCF¹ Permits: Technical Activity, Plan Review, and Other Fees Revised Sept. 2019 <u>May 2020</u> Effective <u>June 1, 2020 - May 31, 2021</u> | |
|--|-----------------------------------|
| Activity | Fee |
| New or substantially modified sewage treatment facility | \$ 9,973 <u>11,268</u> |
| Minor facility or pump station modifications | \$ <u>1,225</u> 1,083 |
| Major system or pressure system expansion | \$ 760 <u>859</u> |
| Minor system expansion or modification | \$ <u>216</u> 244 |
| New or substantially modified septage alkaline stabilization facility | \$ 1,083 <u>1,225</u> |
| Site inspection and evaluation ² | \$ 1,698 <u>1,919</u> |
| Disposal system plan review ² | \$ 679 <u>767</u> |
| Environmental management plan review ³ | \$ 679 <u>767</u> |
| Other Fees | |
| Annual temporary or permanent electronic reporting requirement waiver | \$ 827 <u>935</u> |
| Permit transfer, legal name change. | \$ 107 <u>121</u> |
| 1. Does not include Onsite septic systems. Please see Tables 9A-9F in OAR 340-071 for appropriate technical activity fees. 2. This fee only applies when these activities are required for DEQ's review of a General permit application. 3. This fee is not charged to new applicants for individual NPDES and WPCF permits. Plans updated after the permit is issued are subject to plan review as specified in the permit. | |

OAR 340-045-0075
Table 70G
General NPDES and WPCF Permits:
Application and Annual Fees

Revised ~~Sept. 2019~~ May 2020
Effective June 1, 2020 - May 31, 2021

| Number | Type | Description | New Permit App. Fee ¹ | Annual Fee |
|--|-------|--|----------------------------------|--------------------------------|
| 100-J | NPDES | Cooling water/heat pumps | \$2783 <u>14</u> | \$6337 <u>14</u> |
| 200-J | NPDES | Filter backwash | \$3142 <u>78</u> | \$7146 <u>33</u> |
| 300-J | NPDES | Fish hatcheries | \$4435 <u>01</u> | \$7146 <u>33</u> |
| 400-J | NPDES | Log ponds | \$3142 <u>78</u> | \$7146 <u>33</u> |
| 500-J | NPDES | Boiler blowdown | \$3142 <u>78</u> | \$7146 <u>33</u> |
| 900-J | NPDES | Seafood processing | \$3142 <u>78</u> | \$7146 <u>33</u> |
| 1400-A | WPCF | Wineries and seasonal fresh pack operations whose wastewater flow is ≤ 25,000 gallons/day and is only disposed of by land irrigation. | \$3142 <u>78</u> | \$3704 <u>19</u> |
| 1400-B | WPCF | Wineries and small food processors not otherwise eligible for a 1400A general permit. | \$5014 <u>43</u> | \$7146 <u>33</u> |
| 1500-A | NPDES | Petroleum hydrocarbon clean-up | \$5014 <u>43</u> | \$7146 <u>33</u> |
| 1500-B | WPCF | Petroleum hydrocarbon clean-up | \$5014 <u>43</u> | \$7146 <u>33</u> |
| 1700-A | NPDES | Vehicle and equipment wash water | \$5016 <u>16</u> | \$7146 <u>33</u> |
| 1700-B | WPCF | Vehicle and equipment wash water | \$6166 <u>96</u> | \$7146 <u>33</u> |
| 1900-J | NPDES | Non-contact geothermal heat exchange | \$6166 <u>96</u> | \$7146 <u>33</u> |
| Residential and Commercial Graywater and Industrial Reuse Water | | | | |
| 2401 | WPCF | Tier 1 graywater reuse and disposal system for residential systems: ≤ 300 gallons/day, or equivalent specific geographic area graywater reuse and disposal area permit | \$52 | \$41 |

OAR 340-045-0075
Table 70G
General NPDES and WPCF Permits:
Application and Annual Fees

Revised ~~Sept. 2019~~ May 2020
Effective June 1, 2020 - May 31, 2021

| 2402 | WPCF | Tier 2 graywater reuse and disposal system for systems: ≤ 1,200 gallons/day, or equivalent specific geographic area graywater reuse and disposal area permit | \$550 | \$52 |
|---|-------------|--|--|------------------------------------|
| 2501 | WPCF | Industrial reuse water free of human and animal waste suitable for reuse without secondary or advanced treatment and ≤ 25,000 gallons/day | \$6166 <u>96</u> | \$7146 <u>33</u> |
| Stormwater General Permits³ | | | | |
| Number | Type | Description | New Permit App. Fee¹ | Annual Fee |
| 1200-A | NPDES | Stormwater: Sand, gravel, and other non-metallic mining | \$1,081 <u>1,223</u> | \$1,112 <u>1,257</u> |
| 1200-C | NPDES | Stormwater: Construction activities – one acre or more | <u>\$1,223</u> 1,081 | <u>\$1,257</u> 1,112 |
| 1200-C | NPDES | Stormwater: Construction activities – less than one acre and part of a common plan of development disturbing one or more acres | \$3173 <u>58</u> | \$0 |
| 1200-CA | NPDES | Stormwater: Construction activities performed by public agencies – one acre or more | <u>\$1,223</u> 1,081 | <u>\$1,257</u> 1,112 |
| 1200-Z | NPDES | Stormwater: Industrial | <u>\$1,223</u> 1,081 | <u>\$1,257</u> 1,112 |
| 4000-MS4 | NPDES | Municipal Separate Storm Sewer System (MS4): Conveyance system owned or operated by municipality, special district, hospital, port, school district, etc. | <u>\$1,223</u> 1,081 | Please see Table 70H |
| Mining General Permits | | | | |
| 600 | WPCF | Offstream small scale mining – Processing < 5 cubic yds/day, or < 1,500 cubic yds/year | \$0 | \$0 |
| | | Offstream small scale mining – Processing 1,500 -10,000 cubic yds/year | \$2783 <u>14</u> | \$0 |
| 700-PM | NPDES | Suction dredges (gravity and syphon) | \$0 | \$25 |
| 700-PM | NPDES | Suction dredges (motorized) | \$250 | \$250 |
| 700-PM | NPDES | Permit renewal fee every five years (in addition to the annual fee) | \$250 Item E 000040 | |

| OAR 340-045-0075 Table 70G General NPDES and WPCF Permits: Application and Annual Fees Revised Sept. 2019 <u>May 2020</u> <u>Effective June 1, 2020 - May 31, 2021</u> | | | | |
|---|------|---|-------------------------------------|---------------------------------|
| 1000 | WPCF | Gravel mining | \$ 2783 <u>14</u> | \$ 6337 <u>14</u> |
| Other General Permits | | | | |
| DOM-F | WPCF | Septage alkaline stabilization facilities | \$ 1,194 <u>1,349</u> | \$ 4895 <u>53</u> |
| All other permits not elsewhere classified. | | | \$ 6166 <u>96</u> | \$ 6337 <u>14</u> |
| 1. New permit applications must include both the new permit application fee and the first year's annual fee. 2. Stormwater construction and industrial permits are also administered by public agencies and local districts under contract with DEQ. | | | | |

| OAR 340-045-0075 Table 70H Municipal Separate Storm Sewer System Permits: Annual Fees Revised Sept. 2019 <u>May 2020</u> <u>Effective June 1, 2020 - May 31, 2021</u> | |
|---|------------------------------------|
| Population-based cost-per-person, except counties and other | Annual Fee |
| Cost-per-person | \$ 0.116 <u>119</u> |
| Counties, Phase I | \$ 10,300 <u>10,069</u> |
| Counties, Phase II (non-traditional MS4s, hospitals, public universities, etc.) | \$ 2,575 <u>2,652</u> |
| Oregon Department of Transportation MS4* | \$ 41,200 <u>42,436</u> |
| *Fee for ODOT MS4 assessed only in the absence of a separate revenue agreement. | |

OAR 340-045-0075
Table 70I
Underground Injection Control Permits
Application Fees, Annual Fees and Surcharges

Revised ~~Sept. 2019~~ May 2020
Effective June 1, 2020 - May 31, 2021

| Type | Description | Application Fee | Annual Fee | Class of Injection | Surcharge | |
|------------------------------------|--|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|-----------------------------|
| | | | | | Application | Annual |
| Authorized By Rule ¹ | Low Risk Stormwater Only | None | None | Low Risk | \$107 | None |
| | Non-Stormwater Injection ² | None | None | Medium Risk | \$134 | None |
| | All Other UIC's Draining Stormwater from Any Surface | None | None | Low Risk | \$107 | None |
| | | | | Medium Risk | \$134 | None |
| 1200-U General Permit ³ | Stormwater Injection | \$616 | \$633 | Low Risk | \$110 <u>124</u> | None |
| | | | | Medium Risk | \$138 <u>156</u> | None |
| | | | | High Risk | \$331 <u>374</u> | \$110 <u>124</u> |
| 1900-B General Permit | Injection During Geothermal Exploration | \$616 | \$633 | | | |
| Type | Description | Application Fee | Annual Fee | Individual WPCF Modifications | | |
| | | | | Major | Minor | |
| Individual WPCF Permit | As defined in 40 CFR parts 9, 144, 145 and 146 | \$13,720 <u>15,504</u> | \$2,904 <u>3,282</u> | \$2,276 <u>2,572</u> | \$1,194 <u>1,349</u> | |

1. Includes facilities with less than 50 injection systems. All systems must be located over 500 feet from a water well and outside a 2 -year time of travel from a water source.

2. Includes aquifer storage and recovery, low temperature geothermal injection, remediation and other underground injection control systems that do not drain stormwater.

3. Includes facilities with less than 50 injection systems and for systems within 500 ft from a water well and within a 2-year time of travel from a water source.



State of Oregon Department of Environmental Quality

OAR 340-071-0800

Tables

| OAR 340-071-0220 TABLE 1 MINIMUM SEPARATION DISTANCES (ALL MEASUREMENTS IN FEET UNLESS OTHERWISE NOTED) | | | |
|---|--|---|--|
| Items Requiring Setback | | From Subsurface Absorption Area Including Replacement Area | From Septic Tank and Other Treatment Units, Effluent Sewer and Distribution Units |
| 1. Groundwater Supplies and Wells | | *100 | 50 |
| 2. Springs | Upgradient | 50 | 50 |
| | Downgradient | 100 | 50 |
| **3. Surface Public Waters | Year round | 100 | 50 |
| | Seasonal | 50 | 50 |
| 4. Intermittent Streams | Piped (watertight not less than 20' from any part of the onsite system) | 20 | 20 |
| | Unpiped | 50 | 50 |
| 5. Groundwater Interceptors | On a slope of 3% or less | 20 | 10 |
| | On a slope greater than 3%: Upgradient | 10 | 5 |
| | On a slope greater than 3%: Downgradient | 50 | 10 |
| 6. Irrigation Canals | Lined (watertight canal) : Downgradient | 25 | 25 |

| OAR 340-071-0220 | | | |
|--|--|---|--|
| TABLE 1 | | | |
| MINIMUM SEPARATION DISTANCES | | | |
| (ALL MEASUREMENTS IN FEET UNLESS OTHERWISE NOTED) | | | |
| Items Requiring Setback | | From Subsurface Absorption Area Including Replacement Area | From Septic Tank and Other Treatment Units, Effluent Sewer and Distribution Units |
| | Unlined: Upgradient | 25 | 25 |
| | Unlined: Downgradient | 50 | 50 |
| 7. Manmade Cuts Down - Gradient in Excess of 30 Inches (top of downslope cut) | Which Intersect Layers that Limit Effective Soil Depth Within 48 Inches of Surface | 50 | 25 |
| | Which Do Not Intersect Layers that Limit Effective Soil Depth | 25 | 10 |
| 8. Downgradient Escarpments | Which Intersect Layers that Limit Effective Soil Depth | 50 | 10 |
| | Which Do Not Intersect Layers that Limit Effective Soil Depth | 25 | 10 |
| 9. Property Lines | | 10 | 5 |
| 10. Water Lines | | 10 | 10 |
| 11. Foundation Lines of any Building, Including Garages and Out Buildings. | | 10 | 5 |
| 12. Underground Utilities. | | 10 | — |
| * 50-foot setback for wells constructed with special standards granted by WRD. | | | |
| **This does not prevent stream crossings of pressure effluent sewers. | | | |


| OAR 340-071-0220 | | |
|--|---|--|
| TABLE 2 | | |
| QUANTITIES OF SEWAGE FLOWS | | |
| Type of Establishment | Column 1 | Column 2 |
| | Gallons Per Day | Minimum Gallons Per Establishment Per Day |
| Airports | 5 (per passenger) | 150 |
| Bathhouses and swimming pools | 10 (per person) | 300 |
| Camps: (4 Persons per Campsite, where Applicable) | Campground with central comfort stations | 35 (per person) |
| | With flush toilets, no showers | 25 (per person) |
| | Construction camps — semi- permanent | 50 (per person) |
| | Day camps — no meals served | 15 (per person) |
| | Resort camps (night and day) with limited plumbing | 50 (per person) |
| | Luxury camps | 100 (per person) |
| Churches | 5 (per seat) | 150 |

| OAR 340-071-0220 | | | |
|--|--|--|---|
| TABLE 2 | | | |
| QUANTITIES OF SEWAGE FLOWS | | | |
| Country clubs | | 100 (per resident member) | 2000 |
| Country clubs | | 25 (per non-resident member present) | — |
| Dwellings: | Boarding houses | 150 (per bedroom) | 600 |
| | Boarding houses – additional for non-residential boarders | 10 (per person) | — |
| | Rooming houses | 80 (per person) | 500 |
| | Condominiums, Multiple family dwellings — including apartments | 300 (per unit) | 900 |
| Type of Establishment | | Column 1 | Column 2 |
| | | Gallons Per Day | Minimum Gallons Per Establishment Per Day |
| | Single family dwellings | 300 (not exceeding 2 bedrooms) | 450* |
| | Single family dwellings — with more than 2 bedrooms | 75 (for third & each succeeding bedroom) | 450 |
| Factories (exclusive of industrial wastes — with shower facilities) | | 35 (per person per shift) | 300 |
| Factories (exclusive of industrial wastes — without shower facilities) | | 15 (per person per shift) | 150 |
| Hospitals | | 250 (per bed space) | 2500 |
| Hotels with private baths | | 120 (per room) | 600 |
| Hotels without private baths | | 100 (per room) | 500 |
| Institutions other than hospitals | | 125 (per bed space) | 1250 |
| Laundries — self-service | | 500 (per machine) | 2500 |
| Mobile home parks | | 250 (per space) | 750 |

Item E 000047

| OAR 340-071-0220 | | | |
|---|---|-------------------------|---|
| TABLE 2 | | | |
| QUANTITIES OF SEWAGE FLOWS | | | |
| Motels — with bath, toilet, and kitchen wastes | | 100 (per bedroom) | 500 |
| Motels — without kitchens | | 80 (per bedroom) | 400 |
| Picnic Parks — toilet wastes only | | 5 (per picnicker) | 150 |
| Picnic Parks — with bathhouses, showers, and flush toilets | | 10 (per picnicker) | 300 |
| Restaurants | | 40 (per seat) | 800 |
| Restaurants — single-service | | 2 (per customer) | 300 |
| Restaurants — with bars and/or lounges | | 50 (per seat) | 1000 |
| Type of Establishment | | Column 1 | Column 2 |
| | | Gallons Per Day | Minimum Gallons Per Establishment Per Day |
| Schools: | Boarding | 100 (per person) | 3000 |
| | Day — without gyms, cafeterias, or showers | 15 (per person) | 450 |
| | Day — with gyms, cafeterias and showers | 25 (per person) | 750 |
| | Day — with cafeteria, but without gyms or showers | 20 (per person) | 600 |
| Service Stations | | 10 (per vehicle served) | 500 |
| Swimming pools and bathhouses | | 10 (per person) | 300 |
| Theaters: | Movie | 5 (per seat) | 300 |
| | Drive-In | 20 (per car space) | 1000 |
| Travel trailer parks — without individual water and sewer hookups | | 50 (per space) | 300 |
| Travel trailer parks — with individual water and sewer hookups | | 100 (per space) | 500 |
| Workers: | Construction — as semi-permanent camps | 50 (per person) | 1000 |
| | Day — at schools and offices | 15 (per shift) | 150 |
| * Except as otherwise provided in these rules. | | | Item E 000048 |


OAR 340-071-0220
TABLE 3
SLOPE, EFFECTIVE SOIL DEPTH RELATIONSHIP



| OAR 340-071-0220 | | | |
|--|-------------------|----------|----------|
| TABLE 4 | | | |
| Minimum length of absorption trench (linear feet) required per 150 gallons projected daily sewage flow determined from soil texture versus effective soil depth. | | | |
| Effective Soil Depth | Soil Group | | |
| | A | B | C |
| 18" to Less than 24" | 125 | 150 | 175 |
| 24" to Less than 36" | 100 | 125 | 150 |
| 36" to Less than 48 | 75 | 100 | 125 |
| 48" or more | 50 | 75 | 125 |
| <p>* Soil Group A — Sand, Loamy Sand, Sandy Loam. * Soil Group B — Sandy Clay Loam, Loam, Silt Loam, Silt, Clay Loam. Soil Group C — Silty Clay Loam, Sandy Clay, Silty Clay, Clay. * If sand grains are fine or very fine, site according to Group B soils.</p> | | | |

| OAR 340-071-0220 | | | |
|--|-------------------|----------|----------|
| TABLE 5 | | | |
| Minimum length of absorption trench (linear feet) required per 150 gallons projected daily sewage flow determined from soil texture versus depth to temporary groundwater. | | | |
| Depth to Temporary Groundwater | Soil Group | | |
| | A | B | C |
| 24" to Less than 48" | 100 | 125 | 150 |
| 48" or More | 50 | 75 | 125 |
| <p>* Soil Group A — Sand, Loamy Sand, Sandy Loam. * Soil Group B — Sandy Clay Loam, Loam, Silt Loam, Silt, Clay Loam. Soil Group C — Silty Clay Loam, Sandy Clay, Silty Clay, Clay. * If sand grains are fine or very fine, site according to Group B soils.</p> | | | |

OAR 340-071-0100
TABLE 6
SOIL TEXTURAL CLASSIFICATION CHART



| OAR 340-071-0100 TABLE 7 USDA SOIL CLASSIFICATION SIZES OF SOIL SEPARATES | | |
|---|--------------------|--------------------|
| Material | Sieve Sizes | Millimeters |
| Clay | | .002 |
| Silt | 270 | .050 |
| Very Fine Sand | 200 | .075 |
| | 140 | .1 |
| Fine Sand | 60 | .25 |
| Medium Sand | 35 | .5 |
| Coarse Sand | 18 | 1.0 |
| Very Coarse Sand | 10 | 2.0 |
| Fine Gravel | 4 | 4.75 |
| | 3/8" | 9.5 |
| | 1/2 | 12.5 |
| Course Gravel | 3" | 76.2 |
| Cobbles | | |

| OAR 340-071-0330 TABLE 8 MINIMUM SEPARATION DISTANCES FOR NONWATER-CARRIED WASTE DISPOSAL FACILITIES | | |
|---|---|---|
| Items requiring separation | Self-Contained Nonwater- Carried Waste Disposal | Unsealed Earth Type Privies, Graywater Waste Disposal Sump and Seepage Chambers |
| Groundwater supplies including springs and cisterns | 50' | 100' |
| Surface public waters, excluding intermittent streams | 50' | 100' |
| Intermittent streams | 50' | 50' |
| Property line | 25' | 25' |

| OAR 340-071-0140 | |
|--|---------|
| TABLE 9A | |
| SITE EVALUATION AND EXISTING SYSTEM EVALUATION FEES | |
| New Site Evaluation Fees. | |
| Fees in this section apply to each system for which site suitability is evaluated. | |
| Single family dwelling - First lot | \$700 |
| Single family dwelling - Each additional lot evaluated during initial visit | \$700 |
| Commercial facility with a design capacity of 1,000 gpd or less | \$700 |
| Commercial facility with a design capacity of 1,001-1,500 gpd | \$882 |
| Commercial facility with a design capacity of 1,501-2,000 gpd | \$1,063 |
| Commercial facility with a design capacity of 2,001-2,500 gpd | \$1,244 |
| Commercial facility s with a design capacity of 2,501-3,000 gpd | \$1,426 |
| Commercial facility with a design capacity of 3,001-3,500 gpd | \$1,607 |
| Commercial facility with a design capacity of 3,501-4,000 gpd | \$1,788 |
| Commercial facility with a design capacity of 4,001-4,500 gpd | \$1,969 |
| Commercial facility with a design capacity of 4,501-5,000 gpd | \$2,151 |
| Commercial facility with a design flow greater than 5,000 gpd | \$2,373 |
| Site Evaluation Report Review fee | \$659 |
| Existing System Evaluation Report fee | \$659 |

| OAR 340-071-0140 | | | | | | | |
|---|---|--------------------|----------|----------|----------|----------|---|
| TABLE 9B | | | | | | | |
| PERMITTING FEES FOR SYSTEMS NOT SUBJECT TO WPCF PERMITS | | | | | | | |
| Type of Fee | | System Type | | | | | Plan Review fees for Commercial Facility Systems |
| | | A | B | C | D | E | |
| Construction-Installation Permit Fees | For systems with a design capacity of less than 600 gpd | \$461 | \$890 | \$1,038 | \$1,272 | \$1,566 | \$0 |
| | For systems with a design capacity of 601-1,000 gpd | \$461 | \$890 | \$1,038 | \$1,272 | \$1,566 | \$379 |
| | For systems with a design capacity of 1,001-1,500 gpd | \$560 | \$989 | \$1,137 | \$1,352 | \$1,710 | \$445 |
| | For systems with a design capacity of 1,501-2,000 gpd | \$659 | \$1,088 | \$1,236 | \$1,433 | \$1,763 | \$511 |
| | For systems with a design capacity of 2,001-2,500 gpd | \$758 | \$1,187 | \$1,335 | \$1,513 | \$1,862 | \$577 |
| Reinspection fee | | \$103 | \$103 | \$103 | \$103 | \$103 | \$103 |
| Pump Evaluation fee. For all permits that specify the use of a pump or dosing siphon except for sand filter, Alternative treatment technologies, Recirculating gravel filter, and pressurized distribution systems | | \$66 | \$66 | \$66 | \$66 | \$66 | \$66 |
| System Type Key: Type A = Gray Water waste disposal sumps Type B = Holding tanks Type C = Standard subsurface, Absorption trenches in saprolite, Redundant, Seepage trench, Steep slope Type D = Alternative treatment technologies, Capping fill, Pressurized distribution, Tile dewatering Type E = Recirculating gravel filter, Sand filter (commercial or residential) | | | | | | | |

| OAR 340-071-0140 | | | |
|--|------------|-----------------------------|--------------------------------|
| TABLE 9C | | | |
| OTHER PERMITTING FEES FOR SYSTEMS NOT SUBJECT TO WPCF PERMITS | | | |
| Type | Fee | Field Visit required | No Field Visit required |
| Minor Alteration Permit | \$272 | | |
| Major Alteration Permit | \$569 | | |
| Minor Repair Permit - Single Family Dwelling | \$264 | | |
| Major Repair Permit - Single Family Dwelling | \$551 | | |
| Minor Repair Permit - Commercial Facility | \$478 | | |
| Major Repair Permit - Commercial Facility | \$1,038 | | |
| Permit Denial Review | \$363 | | |
| Permit Transfer, Reinstatement, or Renewal | | \$536 | \$157 |
| Authorization Notice | | \$643 | \$165 |
| Authorization Notice Denial Review | \$659 | | |
| Renewal of hardship authorization for temporary dwelling | | \$340 | \$103 |
| Alternative system inspection - Holding tanks | \$396 | | |
| Variance from onsite system rules | \$2,142 | | |
| Land use clearance | \$52 | | |
| Annual report evaluation - Holding tanks – hard copy submittal | \$31 | | |
| Annual report evaluation - Holding tanks – online submittal | \$26 | | |
| Alternative system inspection - Other alternative systems listed in Table 9B | \$544 | | |

| OAR 340-071-0140 | | | |
|---|------------|---------------------------------|------------------------------------|
| TABLE 9C | | | |
| OTHER PERMITTING FEES FOR SYSTEMS NOT SUBJECT TO WPCF PERMITS | | | |
| Type | Fee | Field Visit required | No Field Visit required |
| Annual report evaluation - Sand filters, pressurized distribution systems, recirculating gravel filters, and alternative treatment technology – hard copy submittal | \$62 | | |
| Annual report evaluation - Sand filters, pressurized distribution systems, recirculating gravel filters, and alternative treatment technology – online submittal | \$52 | | |

| OAR 340-071-0140 TABLE 9D WPCF PERMIT FEES Revised Sept. 2019 <u>May 2020</u> <u>Effective June 1, 2020 - May 31, 2021</u> | | | |
|--|---|--|---|
| | Application filing fee (all systems) | Permit processing fees for onsite systems with a design capacity of 1,200 gpd or less | Permit processing fees for onsite systems with a design capacity over 1,200 gpd |
| New application | \$94106 | \$754852 | \$3,765 <u>4,254</u> |
| Permit renewal (involving request for effluent limit modifications) | \$10694 | \$375424 | \$1,885 <u>2,130</u> |
| Permit renewal (without request for effluent limit modifications) | \$10694 | \$190215 | \$9401, <u>062</u> |
| Permit modification (involving increase in effluent limitations) | \$10694 | \$375424 | \$1,885 <u>2,130</u> |
| Permit modification (not involving an increase in effluent limits) | \$10694 | \$282319 | \$9401, <u>062</u> |
| Plan Review fee | | | |
| For commercial facilities with a design capacity less than 600 gpd | | \$0 | |
| For commercial facilities with a design capacity of 601 - 1,000 gpd | | \$359 <u>406</u> | |
| For commercial facilities with a design capacity of 1,001 - 1,500 gpd | | \$423 <u>478</u> | |
| For commercial facilities with a design capacity of 1,501 - 2,000 gpd | | \$487 <u>550</u> | |
| For commercial facilities with a design capacity of 2,001 - 2,500 gpd | | \$549 <u>620</u> | |
| For commercial facilities with a design capacity of 2,501 - 3,000 gpd | | \$644 <u>728</u> | |

| OAR 340-071-0140 TABLE 9D WPCF PERMIT FEES Revised Sept. 2019 <u>May 2020</u> Effective <u>June 1, 2020 - May 31, 2021</u> | |
|---|------------------------------------|
| For commercial facilities with a design capacity of 3,001 - 3,500 gpd | \$706 <u>799</u> |
| For commercial facilities with a design capacity of 3,501 - 4,000 gpd | \$769 <u>69</u> |
| For commercial facilities with a design capacity of 4,001 - 4,500 gpd | \$830 <u>38</u> |
| For commercial facilities with a design capacity of 4,501 - 5,000 gpd | \$894 <u>010</u> |
| Commercial facilities with a design capacity greater than 5,000 gpd | \$940 <u>062</u> |
| Single family dwelling | \$190 <u>15</u> |
| Annual Compliance Determination fee | |
| Onsite sewage lagoon with no discharge | \$1,129 <u>1,276</u> |
| Treatment Standard 1 or better systems with design capacities less than 2,500 gpd | \$471 <u>32</u> |
| Treatment Standard 1 or better systems with design capacities of 2,501 - 20,000 gpd | \$940 <u>062</u> |
| Holding tanks, if by the date specified by DEQ, the owner does not submit written certification to DEQ that the holding tank has been operated the previous calendar year in full compliance with the permit or that the previous year's service logs for the holding tanks are not available for inspection by the DEQ | \$375 <u>24</u> |
| Holding tanks, if by the date specified by DEQ, the owner submits written certification to DEQ that the holding tank has been operated the previous calendar year in full compliance with the permit and that the previous year's service | \$41 <u>46</u> |

| OAR 340-071-0140 TABLE 9D WPCF PERMIT FEES Revised Sept. 2019 <u>May 2020</u> <u>Effective June 1, 2020 - May 31, 2021</u> | |
|--|--|
| Other systems with design capacities less than 20,000 gpd | \$ 471 <u>5</u> <u>32</u> |
| Other systems with design capacities greater than 20,000 gpd | \$ 940 <u>1</u> , <u>062</u> |

| OAR 340-071-0140 TABLE 9E SEWAGE DISPOSAL SERVICE LICENSE AND TRUCK INSPECTION FEES | |
|--|----------------|
| New 3-year business license | \$438 per year |
| Renewal of business license | \$330 per year |
| Additional license fee for additional pumper vehicles | \$16/vehicle |
| Transfer of or amendments to license | \$206 |
| Reinstatement of suspended license | \$258 |
| Pumper truck inspections - First vehicle, each inspection | \$103 |
| Pumper truck inspections - Each additional vehicle, each inspection | \$52 |

| OAR 340-071-0140 TABLE 9F OTHER FEES | |
|---|---------|
| Innovative or Alternative Technology Review | \$1,648 |
| Alternative Technology Review (greater than 1,500 gpd) | \$3,296 |
| Alternative Treatment Technology Annual Compliance Determination Fee (per listed model) | \$515 |
| Material Plan Review | \$494 |
| Department Surcharge | \$100 |

Key to Identifying Changed Text:

~~Strikethrough~~: Deleted Text

Underline: New/inserted text



State of Oregon Department of Environmental Quality

OAR 340-045-0075

Fee Tables

Effective June 1, 2021

| OAR 340-045-0075 Table 70A Industrial NPDES and WPCF Individual Permits: Application and Modification Fees Revised Effective Sept. 2019 <u>June 1, 2021</u> | | | |
|---|--|--|------------------------------------|
| Application fees for new industrial permits | | | |
| Tier 1 Industrial Facilities | \$68,175 <u>82,492</u> | | |
| Tier 2 Industrial Facilities | \$13,720 <u>16,601</u> | | |
| Special WPCF Permits (OAR 340-045-0061) | \$649 <u>78</u> <u>5</u> | | |
| Note: New permit applications must include the annual fee specified in Table 70B in addition to the new permit application fee listed above. The application fee is not required for renewal unless a modification is needed or requested. | | | |
| Modification Fees ¹ | | | |
| | Major | | Minor |
| | At Permit Renewal | Prior to Expiration | |
| Tier 1 Industrial Facilities | \$17,128 <u>20,725</u> | \$34,033 <u>41,180</u> | \$1,194 <u>1,445</u> |
| Tier 2 Industrial Facilities | \$4,354 <u>5</u> <u>.270</u> | \$6,802 <u>8</u> <u>.230</u> | \$1,194 <u>1,445</u> |
| 1. A new application, application fee and modification fee must accompany all requests for permit modification. DEQ may charge the environmental management plan review fee amount in Table 70F when only the environmental management plan required by the permit requires review. | | | |

| OAR 340-045-0075 | | | | | |
|--|--|--------------------------------------|--------------------------------------|--------------------------------------|--------------------------------------|
| Table 70B | | | | | |
| Industrial NPDES and WPCF Individual Permit Annual Fees | | | | | |
| Revised Effective Sept. 2019 June 1, 2021 | | | | | |
| Type | Description | NPDES Tier 1 | NPDES Tier 2 | WPCF Tier 1 | WPCF Tier 2 |
| B01 | Pulp, paper, or other fiber pulping industry | \$23,838 <u>28,844</u> | N | \$22,125 <u>26,770</u> | N |
| Food or beverage processing - includes produce, meat, poultry, seafood or dairy for human, pet, or livestock consumption: | | | | | |
| B02 | Washing or packing only | N | \$3,314 <u>.010</u> | N | \$3,050 <u>.691</u> |
| B03 | Processing – small. Flow ≤ 0.1 mgd, or 0.1 < flow < 1 mgd for less than 180 days per year | N | \$4,955 <u>.996</u> | N | \$4,687 <u>.672</u> |
| B04 | Processing – medium. 0.1 mgd < Flow < 1 mgd for 180 or more days per year, or flow ≥ 1 mgd for less than 180 days per year | N | \$6,992 <u>.460</u> | N | \$6,725 <u>.137</u> |
| B05 | Processing – large. Flow ≥ 1 mgd for 180 or more days per year | \$23,838 <u>28,844</u> | \$20,947 <u>25,345</u> | \$26,770 <u>22,125</u> | \$20,676 <u>25,018</u> |
| Primary Smelting or Refining: | | | | | |
| B06 | Aluminum | \$28,844 <u>23,838</u> | \$25,345 <u>20,947</u> | \$26,770 <u>22,125</u> | \$25,018 <u>20,676</u> |
| B07 | Non-ferrous metals utilizing sand chlorination separation facilities | \$28,844 <u>23,838</u> | \$25,345 <u>20,947</u> | \$26,770 <u>22,125</u> | \$25,018 <u>20,676</u> |
| B08 | Ferrous and non-ferrous metals not elsewhere classified | \$13,633 <u>16,496</u> | \$10,739 <u>12,994</u> | \$11,919 <u>14,422</u> | \$10,474 <u>12,674</u> |
| B09 | Chemical manufacturing with discharge of process wastewater | \$28,844 <u>23,838</u> | \$25,345 <u>20,947</u> | \$22,125 <u>26,770</u> | \$25,018 <u>20,676</u> |
| B10 | Cooling water discharges in excess of 20,000 BTU per second | \$16,496 <u>13,633</u> | \$12,994 <u>10,739</u> | \$11,919 <u>14,422</u> | \$12,674 <u>10,474</u> |
| Mining Operations – includes aggregate or ore processing: | | | | | |
| B11 | Large (over 500,000 cubic yards per year or involving chemical leaching) | \$28,844 <u>23,838</u> | \$25,345 <u>20,947</u> | \$26,770 <u>22,125</u> | \$25,018 <u>20,676</u> |
| B12 | Medium (100,000 to 500,000 cubic yards per year) | N | \$7,333 <u>.874</u> | N | \$7,067 <u>.551</u> |
| B13 | Small (less than 100,000 cubic yards per year) | N | \$2,232 <u>.2</u> | N | \$1,966 <u>.2</u> |

| OAR 340-045-0075 Table 70B Industrial NPDES and WPCF Individual Permit Annual Fees Revised Effective Sept. 2019 <u>June 1, 2021</u> | | | | | |
|--|---|--------------------------------------|-----------------------------------|--------------------------------------|-----------------------------------|
| | | | <u>.701</u> | | <u>.379</u> |
| All facilities not elsewhere classified which dispose of process wastewater (includes remediated groundwater): | | | | | |
| B14 | Tier 1 sources | \$23,838 <u>28,844</u> | N | \$26,770 <u>22,125</u> | N |
| B15 | Tier 2 sources | N | \$4,612 <u>.581</u> | N | \$4,350 <u>.264</u> |
| Type | Description | NPDES Tier 1 | NPDES Tier 2 | WPCF Tier 1 | WPCF Tier 2 |
| B16 | All facilities not elsewhere classified which dispose of non-process wastewaters (for example: small cooling water discharges, boiler blowdown, filter backwash) | N | \$3,088 <u>.736</u> | N | \$2,822 <u>.415</u> |
| B17 | Dairies, F fish hatcheries and other confined feeding operations on individual permits <u>except permits the Oregon Department of Agriculture administers.</u> | N | \$2,702 <u>.271</u> | N | \$2,438 <u>.950</u> |
| B18 | All facilities which dispose of wastewater only by evaporation from watertight ponds or basins | N | N | N | \$1,792 <u>.168</u> |
| Timber and Wood Products | | | | | |
| B19 | Sawmills, log storage, instream log storage | \$6,686 <u>.091</u> | \$3,793 <u>.590</u> | \$4,973 <u>.017</u> | \$3,526 <u>.266</u> |
| B20 | Hardboard, veneer, plywood, particle board, pressboard manufacturing, wood products | \$7,070 <u>.555</u> | \$4,178 <u>.055</u> | \$5,360 <u>.484</u> | \$3,912 <u>.735</u> |
| B21 | Wood preserving | \$5,983 <u>.239</u> | \$3,088 <u>.736</u> | \$4,270 <u>.165</u> | \$2,822 <u>.415</u> |

OAR 340-045-0075
Table 70C
Domestic NPDES and WPCF Individual
Permits: Application, Annual and
Modification Fees

~~Revised~~ Effective Sept. 2019 June 1, 2021

| Description | Type | Criteria ¹ | New Permit App. Fee ² | NPDES Annual Fee (5yr) | WPCF Annual Fee (10yr) | Modifications ³ | |
|------------------------------|------|------------------------|--------------------------------------|---------------------------------------|-------------------------------------|--------------------------------------|------------------------------------|
| | | | | | | Major | Minor |
| Non-Lagoon Treatment Systems | A1 | ≥ 50 mgd | \$43,461 <u>52,588</u> | \$94,118 <u>113,883</u> | | \$21,784 <u>26,360</u> | \$1,194 <u>1,445</u> |
| | A2 | 25 mgd ≤ Flow < 50 mgd | \$52,588 <u>43,461</u> | \$55,316 <u>66,931</u> | | \$26,360 <u>21,784</u> | \$1,445 <u>1,194</u> |
| | A3 | 10 mgd ≤ Flow < 25 mgd | \$52,588 <u>43,461</u> | \$26,071 <u>31,546</u> | | \$26,360 <u>21,784</u> | \$1,445 <u>1,194</u> |
| | Ba | 5 mgd ≤ Flow < 10 mgd | \$52,588 <u>43,461</u> | \$16,712 <u>20,222</u> | \$15,619 <u>8,899</u> | \$26,360 <u>21,784</u> | \$1,445 <u>1,194</u> |
| | C1a | 2 mgd ≤ Flow < 5 mgd | \$52,588 <u>43,461</u> | \$11,238 <u>13,598</u> | \$10,146 <u>2,277</u> | \$26,360 <u>21,784</u> | \$1,445 <u>1,194</u> |
| | C2a | 1 mgd ≤ Flow < 2 mgd | \$52,588 <u>43,461</u> | \$7,628 <u>9,229</u> | \$6,534 <u>7,906</u> | \$26,360 <u>21,784</u> | \$1,445 <u>1,194</u> |
| | Da | Flow < 1 mgd | \$8,779 <u>9,062</u> | \$2,416 <u>2,922</u> | \$2,242 <u>2,712</u> | \$4,447 <u>5,381</u> | \$1,445 <u>1,194</u> |

**OAR 340-045-0075
 Table 70C
 Domestic NPDES and WPCF Individual
 Permits: Application, Annual and
 Modification Fees**

~~Revised~~ Effective Sept. 2019 June 1, 2021

| Description | Type | Criteria ¹ | New Permit App. Fee ² | NPDES Annual Fee (5yr) | WPCF Annual Fee (10yr) | Modifications ³ | |
|--|------|------------------------|--------------------------------------|------------------------------------|------------------------------------|--------------------------------------|------------------------------------|
| | | | | | | Major | Minor |
| Lagoons Discharging to Surface Waters | Bb | 5 mgd ≤ Flow < 10 mgd | \$52,588 <u>43,461</u> | \$8,838 <u>1,693</u> | | \$21,784 <u>26,360</u> | \$1,445 <u>1,194</u> |
| | C1b | 2 mgd ≤ Flow < 5 mgd | \$52,588 <u>43,461</u> | \$6,145 <u>7,435</u> | | \$26,360 <u>21,784</u> | \$1,445 <u>1,194</u> |
| | C2b | 1 mgd ≤ Flow < 2 mgd | \$52,588 <u>43,461</u> | \$4,486 <u>5,428</u> | | \$26,360 <u>21,784</u> | \$1,445 <u>1,194</u> |
| | Db | Flow < 1 mgd | \$8,779 <u>1,062</u> | \$1,703 <u>2,061</u> | | \$4,447 <u>5,381</u> | \$1,445 <u>1,194</u> |
| Nondischarging Lagoons | E | No discharge flow | \$4,447 <u>5,381</u> | | \$1,420 <u>1,717</u> | \$2,276 <u>2,754</u> | \$1,445 <u>1,194</u> |
| Alkaline-stabilization facilities | F | | \$1,194 <u>1,445</u> | | \$489 <u>592</u> | | \$526 <u>636</u> |
| Please see Table 70D and 70E for applicable population and pretreatment fees for the permits listed above. | | | | | | | |
| Municipal Separate Storm Sewer System | MS4 | See 40 C.F.R. § 122.26 | \$24,136 <u>29,205</u> | Please see Table 70H | | \$2,096 <u>2,536</u> | \$1,194 <u>1,445</u> |
| 1. Based on Average Dry Weather Design Flow, or as defined in 40 C.F.R. 2. New permit applications must include the annual fee in addition to the new permit application fee. 3. DEQ may charge the environmental management plan review fee amount in Table 70F when only the environmental management plan required by the permit requires review. | | | | | | | |

| OAR 340-045-0075 Table 70D Domestic NPDES and WPCF Annual Population Fee Revised Effective <u>Sept. 2019</u> <u>June 1, 2021</u> | |
|---|--------------------------------------|
| Population range | Annual fee |
| 500,000+ | \$ 126,448 <u>153,002</u> |
| 400,000 to 499,999 | \$ 96,732 <u>117,046</u> |
| 300,000 to 399,999 | \$ 67,019 <u>81,093</u> |
| 200,000 to 299,999 | \$ 37,302 <u>45,134</u> |
| 150,000 to 199,999 | \$ 30,168 <u>36,503</u> |
| 100,000 to 149,999 | \$ 19,869 <u>24,041</u> |
| 50,000 to 99,999 | \$ 12,461 <u>15,078</u> |
| 25,000 to 49,999 | \$ 5,601 <u>6,777</u> |
| 15,000 to 24,999 | \$ 3,188 <u>3,859</u> |
| 10,000 to 14,999 | \$ 2,077 <u>2,514</u> |
| 5,000 to 9,999 | \$ 1,263 <u>1,528</u> |
| 1,000 to 4,999 | \$ 378 <u>457</u> |
| 100 to 999 | \$ 72 <u>87</u> |
| 0 to 99 | \$0 |

| OAR 340-045-0075 Table 70E Annual Pretreatment Fees Revised Effective <u>Sept. 2019</u> <u>June 1, 2021</u> | |
|--|---|
| Description | Fee |
| Pretreatment Fee | \$ 2,168 <u>2,623</u> |
| Significant Industrial User | \$ 723 <u>875</u> per industry |

| OAR 340-045-0075 Table 70F All NPDES and WPCF¹ Permits: Technical Activity, Plan Review, and Other Fees | |
|--|----------------------------|
| Revised Effective Sept. 2019 June 1, 2021 | |
| Activity | Fee |
| New or substantially modified sewage treatment facility | \$ 9,973 12,066 |
| Minor facility or pump station modifications | \$ 1,083 1,312 |
| Major system or pressure system expansion | \$ 760 920 |
| Minor system expansion or modification | \$ 216 261 |
| New or substantially modified septage alkaline stabilization facility | \$ 1,083 1,312 |
| Site inspection and evaluation ² | \$ 1,698 2,055 |
| Disposal system plan review ² | \$ 679 822 |
| Environmental management plan review ³ | \$ 679 822 |
| Other Fees | |
| Annual temporary or permanent electronic reporting requirement waiver | \$ 827 1,001 |
| Permit transfer, legal name change. | \$ 107 129 |
| 1. Does not include Onsite septic systems. Please see Tables 9A-9F in OAR 340-071 for appropriate technical activity fees. 2. This fee only applies when these activities are required for DEQ's review of a General permit application. 3. This fee is not charged to new applicants for individual NPDES and WPCF permits. Plans updated after the permit is issued are subject to plan review as specified in the permit. | |

OAR 340-045-0075
Table 70G
General NPDES and WPCF Permits:
Application and Annual Fees
 Revised ~~Effective~~ Sept. 2019 June 1, 2021

| Number | Type | Description | New Permit App. Fee ¹ | Annual Fee |
|--|-------|--|----------------------------------|-------------------------|
| 100-J | NPDES | Cooling water/heat pumps | \$2783 36 | \$6337 65 |
| 200-J | NPDES | Filter backwash | \$3362 78 | \$7656 33 |
| 300-J | NPDES | Fish hatcheries | \$4435 36 | \$7656 33 |
| 400-J | NPDES | Log ponds | \$3362 78 | \$7656 33 |
| 500-J | NPDES | Boiler blowdown | \$3362 78 | \$7656 33 |
| 900-J | NPDES | Seafood processing | \$3362 78 | \$7656 33 |
| 1400-A | WPCF | Wineries and seasonal fresh pack operations whose wastewater flow is ≤ 25,000 gallons/day and is only disposed of by land irrigation. | \$3362 78 | \$3704 49 |
| 1400-B | WPCF | Wineries and small food processors not otherwise eligible for a 1400A general permit. | \$5364 43 | \$7656 33 |
| 1500-A | NPDES | Petroleum hydrocarbon clean-up | \$5364 43 | \$7656 33 |
| 1500-B | WPCF | Petroleum hydrocarbon clean-up | \$5364 43 | \$7656 33 |
| 1700-A | NPDES | Vehicle and equipment wash water | \$6167 45 | \$7656 33 |
| 1700-B | WPCF | Vehicle and equipment wash water | \$6167 45 | \$7656 33 |
| 1900-J | NPDES | Non-contact geothermal heat exchange | \$6167 45 | \$7656 33 |
| Residential and Commercial Graywater and Industrial Reuse Water | | | | |
| 2401 | WPCF | Tier 1 graywater reuse and disposal system for residential systems: ≤ 300 gallons/day, or equivalent specific geographic area graywater reuse and disposal area permit | \$52 | \$41 |

OAR 340-045-0075
Table 70G
General NPDES and WPCF Permits:
Application and Annual Fees

~~Revised~~ Effective Sept. 2019 June 1, 2021

| Number | Type | Description | New Permit App. Fee ¹ | Annual Fee |
|---|-------|--|------------------------------------|------------------------------------|
| 2402 | WPCF | Tier 2 graywater reuse and disposal system for systems: ≤ 1,200 gallons/day, or equivalent specific geographic area graywater reuse and disposal area permit | \$550 | \$52 |
| 2501 | WPCF | Industrial reuse water free of human and animal waste suitable for reuse without secondary or advanced treatment and ≤ 25,000 gallons/day | \$6167 <u>45</u> | \$6337 <u>65</u> |
| Stormwater General Permits³ | | | | |
| 1200-A | NPDES | Stormwater: Sand, gravel, and other non-metallic mining | \$1,081 <u>1,309</u> | \$1,112 <u>1,346</u> |
| 1200-C | NPDES | Stormwater: Construction activities – one acre or more | <u>\$1,309</u> 1,081 | <u>\$1,346</u> 1,112 |
| 1200-C | NPDES | Stormwater: Construction activities – less than one acre and part of a common plan of development disturbing one or more acres | \$3173 <u>84</u> | \$0 |
| 1200-CA | NPDES | Stormwater: Construction activities performed by public agencies – one acre or more | <u>\$1,309</u> 1,081 | <u>\$1,346</u> 1,112 |
| 1200-Z | NPDES | Stormwater: Industrial | <u>\$1,309</u> 1,081 | <u>\$1,346</u> 1,112 |
| 4000-MS4 | NPDES | Municipal Separate Storm Sewer System (MS4): Conveyance system owned or operated by municipality, special district, hospital, port, school district, etc. | \$1,081 <u>1,309</u> | Please see Table 70H |
| Mining General Permits | | | | |
| 600 | WPCF | Offstream small scale mining – Processing < 5 cubic yds/day, or < 1,500 cubic yds/year | \$0 | \$0 |
| | | Offstream small scale mining – Processing 1,500 -10,000 cubic yds/year | \$2783 <u>36</u> | \$0 |
| 700-PM | NPDES | Suction dredges (gravity and syphon) | \$0 | \$25 |
| 700-PM | NPDES | Suction dredges (motorized) | \$250 | \$250 |

OAR 340-045-0075
Table 70G
General NPDES and WPCF Permits:
Application and Annual Fees

~~Revised~~ Effective Sept. 2019 June 1, 2021

| Number | Type | Description | New Permit App. Fee ¹ | Annual Fee |
|---|-------|---|------------------------------------|--------------------------------|
| 700-PM | NPDES | Permit renewal fee every five years (in addition to the annual fee) | \$250 | |
| 1000 | WPCF | Gravel mining | \$2783 <u>36</u> | \$6337 <u>65</u> |
| Other General Permits | | | | |
| DOM-F | WPCF | Septage alkaline stabilization facilities | \$1,194 <u>1,445</u> | \$4895 <u>92</u> |
| All other permits not elsewhere classified. | | | \$6167 <u>45</u> | \$6327 <u>65</u> |

1. New permit applications must include both the new permit application fee and the first year's annual fee.
2. Stormwater construction and industrial permits are also administered by public agencies and local districts under contract with DEQ.

| OAR 340-045-0075 Table 70H Municipal Separate Storm Sewer System Permits: Annual Fees Revised Effective Sept. 2019 <u>June 1, 2021</u> | |
|---|------------------------------------|
| Population-based cost-per-person, except counties and other | Annual Fee |
| Cost-per-person | \$0. 116 <u>119</u> |
| Counties, Phase I | \$ 10,300 <u>10,609</u> |
| Counties, Phase II (non-traditional MS4s, hospitals, public universities, etc.) | \$ 2,575 <u>2,652</u> |
| Oregon Department of Transportation MS4* | \$ 41,200 <u>42,436</u> |
| *Fee for ODOT MS4 assessed only in the absence of a separate revenue agreement. | |

OAR 340-045-0075
Table 70I
Underground Injection Control Permits
Application Fees, Annual Fees and
Surcharges

~~Revised~~ ~~Effective Sept. 2019~~ June 1, 2021

| Type | Description | Application Fee | Annual Fee | Class of Injection | Surcharge | |
|------------------------------------|--|--------------------------------------|------------------------------------|---------------------------------|------------------------------------|----------------------------|
| | | | | | Application | Annual |
| Authorized By Rule ¹ | Low Risk Stormwater Only | None | None | Low Risk | \$107 | None |
| | Non-Stormwater Injection ² | None | None | Medium Risk | \$134 | None |
| | All Other UIC's Draining Stormwater from Any Surface | None | None | Low Risk | \$107 | None |
| | | | | Medium Risk | \$134 | None |
| 1200-U General Permit ³ | Stormwater Injection | \$616 <u>745</u> | \$633 <u>765</u> | Low Risk | \$10 <u>133</u> | None |
| | | | | Medium Risk | \$138 <u>167</u> | None |
| | | | | High Risk | \$331 <u>401</u> | \$10 <u>133</u> |
| 1900-B General Permit | Injection During Geothermal Exploration | \$616 <u>745</u> | \$633 <u>765</u> | | | |
| Type | Description | Application Fee | Annual Fee | Individual WPCF Modifications | | |
| | | | | Major | Minor | |
| Individual WPCF Permit | As defined in 40 CFR parts 9, 144, 145 and 146 | \$13,720 <u>16,601</u> | \$2,904 <u>3,514</u> | \$2,276 <u>2,754</u> | \$1,194 <u>1,445</u> | |

1. Includes facilities with less than 50 injection systems. All systems must be located over 500 feet from a water well and outside a 2 -year time of travel from a water source.
2. Includes aquifer storage and recovery, low temperature geothermal injection, remediation and other underground injection control systems that do not drain stormwater.
3. Includes facilities with less than 50 injection systems and for systems within 500 ft from a water well and within a 2-year time of travel from a water source.

Statutory/Other Authority: ORS 468.020, 468B.020 & 468B.035

Statutes/Other Implemented: ORS 468.065, 468B.015, 468B.035 & 468B.050

History:

DEQ 22-2019, amend filed 09/27/2019, effective 09/27/2019
DEQ 194-2018, minor correction filed 09/18/2018, effective 09/18/2018
DEQ 193-2018, amend filed 09/17/2018, effective 09/17/2018
DEQ 48-2018, minor correction filed 04/03/2018, effective 04/03/2018
DEQ 34-2017, minor correction filed 12/13/2017, effective 12/13/2017
DEQ 16-2015, f. 12-10-15, cert. ef. 1-1-16
DEQ 15-2017, amend filed 10/31/2017, effective 11/01/2017
DEQ 13-2014, f. 11-14-14, cert. ef. 12-1-14
DEQ 8-2013, f. 10-23-13, cert. ef. 11-1-13
DEQ 6-2012, f. 10-31-12, cert. ef. 11-1-12
DEQ 15-2011, f. & cert. ef. 9-12-11
DEQ 9-2011, f. & cert. ef. 6-30-11
DEQ 7-2010, f. 8-27-10, cert. ef. 9-1-10
DEQ 8-2008, f. 6-27-08, cert. ef. 7-1-08
DEQ 5-2007, f. & cert. ef. 7-3-07
DEQ 11-2006, f. & cert. ef. 8-15-06
DEQ 5-2005, f. & cert. ef. 7-1-05
DEQ 7-2004, f. & cert. ef. 8-3-04
DEQ 2-2002, f. & cert. ef. 2-12-02
DEQ 15-2000, f. & cert. ef. 10-11-00
DEQ 4-1998, f. & cert. ef. 3-30-98
DEQ 20-1994, f. & cert. ef. 10-7-94
DEQ 30-1992, f. & cert. ef. 12-18-92
DEQ 10-1992, f. & cert. ef. 6-9-92
DEQ 9-1992, f. & cert. ef. 6-5-92
DEQ 10-1991, f. & cert. ef. 7-1-91
DEQ 18-1990, f. & cert. ef. 6-7-90
DEQ 9-1987, f. & ef. 6-3-87
DEQ 12-1983, f. & ef. 6-2-83
DEQ 18-1981, f. & ef. 7-13-81
DEQ 31-1979, f. & ef. 10-1-79
DEQ 129, f. & ef. 3-16-77
DEQ 113, f. & ef. 5-10-76

Division 71

ONSITE WASTEWATER TREATMENT SYSTEMS

340-071-0800

Tables

Tables for Division 071.

| OAR 340-071-0220 TABLE 1 MINIMUM SEPARATION DISTANCES (ALL MEASUREMENTS IN FEET UNLESS OTHERWISE NOTED) | | | |
|---|--|---|--|
| Items Requiring Setback | | From Subsurface Absorption Area Including Replacement Area | From Septic Tank and Other Treatment Units, Effluent Sewer and Distribution Units |
| 1. Groundwater Supplies and Wells | | *100 | 50 |
| 2. Springs | Upgradient | 50 | 50 |
| | Downgradient | 100 | 50 |
| **3. Surface Public Waters | Year round | 100 | 50 |
| | Seasonal | 50 | 50 |
| 4. Intermittent Streams | Piped (watertight not less than 20' from any part of the onsite system) | 20 | 20 |
| | Unpiped | 50 | 50 |
| 5. Groundwater Interceptors | On a slope of 3% or less | 20 | 10 |
| | On a slope greater than 3%: Upgradient | 10 | 5 |
| | On a slope greater than 3%: Downgradient | 50 | 10 |
| 6. Irrigation Canals | Lined (watertight canal) : Downgradient | 25 | 25 |

| OAR 340-071-0220 | | | |
|--|--|---|--|
| TABLE 1 | | | |
| MINIMUM SEPARATION DISTANCES | | | |
| (ALL MEASUREMENTS IN FEET UNLESS OTHERWISE NOTED) | | | |
| Items Requiring Setback | | From Subsurface Absorption Area Including Replacement Area | From Septic Tank and Other Treatment Units, Effluent Sewer and Distribution Units |
| | Unlined: Upgradient | 25 | 25 |
| | Unlined: Downgradient | 50 | 50 |
| 7. Manmade Cuts Down - Gradient in Excess of 30 Inches (top of downslope cut) | Which Intersect Layers that Limit Effective Soil Depth Within 48 Inches of Surface | 50 | 25 |
| | Which Do Not Intersect Layers that Limit Effective Soil Depth | 25 | 10 |
| 8. Downgradient Escarpments | Which Intersect Layers that Limit Effective Soil Depth | 50 | 10 |
| | Which Do Not Intersect Layers that Limit Effective Soil Depth | 25 | 10 |
| 9. Property Lines | | 10 | 5 |
| 10. Water Lines | | 10 | 10 |
| 11. Foundation Lines of any Building, Including Garages and Out Buildings. | | 10 | 5 |
| 12. Underground Utilities. | | 10 | — |
| * 50-foot setback for wells constructed with special standards granted by WRD. | | | |
| **This does not prevent stream crossings of pressure effluent sewers. | | | |


| OAR 340-071-0220 | | |
|--|---|--|
| TABLE 2 | | |
| QUANTITIES OF SEWAGE FLOWS | | |
| Type of Establishment | Column 1 | Column 2 |
| | Gallons Per Day | Minimum Gallons Per Establishment Per Day |
| Airports | 5 (per passenger) | 150 |
| Bathhouses and swimming pools | 10 (per person) | 300 |
| Camps: (4 Persons per Campsite, where Applicable) | Campground with central comfort stations | 35 (per person) |
| | With flush toilets, no showers | 25 (per person) |
| | Construction camps — semi- permanent | 50 (per person) |
| | Day camps — no meals served | 15 (per person) |
| | Resort camps (night and day) with limited plumbing | 50 (per person) |
| | Luxury camps | 100 (per person) |
| Churches | 5 (per seat) | 150 |

| OAR 340-071-0220 | | | |
|--|--|--|--|
| TABLE 2 | | | |
| QUANTITIES OF SEWAGE FLOWS | | | |
| Country clubs | | 100 (per resident member) | 2000 |
| Country clubs | | 25 (per non-resident member present) | — |
| Dwellings: | Boarding houses | 150 (per bedroom) | 600 |
| | Boarding houses – additional for non-residential boarders | 10 (per person) | — |
| | Rooming houses | 80 (per person) | 500 |
| | Condominiums, Multiple family dwellings — including apartments | 300 (per unit) | 900 |
| Type of Establishment | | Column 1 | Column 2 |
| | | Gallons Per Day | Minimum Gallons Per Establishment Per Day |
| | Single family dwellings | 300 (not exceeding 2 bedrooms) | 450* |
| | Single family dwellings — with more than 2 bedrooms | 75 (for third & each succeeding bedroom) | 450 |
| Factories (exclusive of industrial wastes — with shower facilities) | | 35 (per person per shift) | 300 |
| Factories (exclusive of industrial wastes — without shower facilities) | | 15 (per person per shift) | 150 |
| Hospitals | | 250 (per bed space) | 2500 |
| Hotels with private baths | | 120 (per room) | 600 |
| Hotels without private baths | | 100 (per room) | 500 |
| Institutions other than hospitals | | 125 (per bed space) | 1250 |

| OAR 340-071-0220 | | | |
|---|---|--|------|
| TABLE 2 | | | |
| QUANTITIES OF SEWAGE FLOWS | | | |
| Laundries — self-service | 500 (per machine) | 2500 | |
| Mobile home parks | 250 (per space) | 750 | |
| Motels — with bath, toilet, and kitchen wastes | 100 (per bedroom) | 500 | |
| Motels — without kitchens | 80 (per bedroom) | 400 | |
| Picnic Parks — toilet wastes only | 5 (per picnicker) | 150 | |
| Picnic Parks — with bathhouses, showers, and flush toilets | 10 (per picnicker) | 300 | |
| Restaurants | 40 (per seat) | 800 | |
| Restaurants — single-service | 2 (per customer) | 300 | |
| Restaurants — with bars and/or lounges | 50 (per seat) | 1000 | |
| Type of Establishment | Column 1 | Column 2 | |
| | Gallons Per Day | Minimum Gallons Per Establishment Per Day | |
| Schools: | Boarding | 100 (per person) | 3000 |
| | Day — without gyms, cafeterias, or showers | 15 (per person) | 450 |
| | Day — with gyms, cafeterias and showers | 25 (per person) | 750 |
| | Day — with cafeteria, but without gyms or showers | 20 (per person) | 600 |
| Service Stations | 10 (per vehicle served) | 500 | |
| Swimming pools and bathhouses | 10 (per person) | 300 | |
| Theaters: | Movie | 5 (per seat) | 300 |
| | Drive-In | 20 (per car space) | 1000 |
| Travel trailer parks — without individual water and sewer hookups | 50 (per space) | 300 | |


| OAR 340-071-0220 | | | |
|--|--|-----------------|------|
| TABLE 2 | | | |
| QUANTITIES OF SEWAGE FLOWS | | | |
| Travel trailer parks — with individual water and sewer hookups | | 100 (per space) | 500 |
| Workers: | Construction — as semi-permanent camps | 50 (per person) | 1000 |
| | Day — at schools and offices | 15 (per shift) | 150 |
| * Except as otherwise provided in these rules. | | | |

OAR 340-071-0220
TABLE 3
SLOPE, EFFECTIVE SOIL DEPTH RELATIONSHIP



| OAR 340-071-0220 | | | |
|--|-------------------|----------|----------|
| TABLE 4 | | | |
| Minimum length of absorption trench (linear feet) required per 150 gallons projected daily sewage flow determined from soil texture versus effective soil depth. | | | |
| Effective Soil Depth | Soil Group | | |
| | A | B | C |
| 18" to Less than 24" | 125 | 150 | 175 |
| 24" to Less than 36" | 100 | 125 | 150 |
| 36" to Less than 48" | 75 | 100 | 125 |
| 48" or more | 50 | 75 | 125 |
| <p>* Soil Group A — Sand, Loamy Sand, Sandy Loam. * Soil Group B — Sandy Clay Loam, Loam, Silt Loam, Silt, Clay Loam. Soil Group C — Silty Clay Loam, Sandy Clay, Silty Clay, Clay. * If sand grains are fine or very fine, site according to Group B soils.</p> | | | |

| OAR 340-071-0220 | | | |
|---|-------------------|----------|----------|
| TABLE 5 | | | |
| Minimum length of absorption trench (linear feet) required per 150 gallons projected daily sewage flow determined from soil texture versus depth to temporary groundwater. | | | |
| Depth to Temporary Groundwater | Soil Group | | |
| | A | B | C |
| 24" to Less than 48" | 100 | 125 | 150 |
| 48" or More | 50 | 75 | 125 |
| <ul style="list-style-type: none"> * Soil Group A — Sand, Loamy Sand, Sandy Loam. * Soil Group B — Sandy Clay Loam, Loam, Silt Loam, Silt, Clay Loam. Soil Group C — Silty Clay Loam, Sandy Clay, Silty Clay, Clay. * If sand grains are fine or very fine, site according to Group B soils. | | | |



| OAR 340-071-0100 TABLE 7 USDA SOIL CLASSIFICATION SIZES OF SOIL SEPARATES | | |
|--|--------------------|--------------------|
| Material | Sieve Sizes | Millimeters |
| Clay | | .002 |
| Silt | 270 | .050 |
| Very Fine Sand | 200 | .075 |
| | 140 | .1 |
| Fine Sand | 60 | .25 |
| Medium Sand | 35 | .5 |
| Coarse Sand | 18 | 1.0 |
| Very Coarse Sand | 10 | 2.0 |
| Fine Gravel | 4 | 4.75 |
| | 3/8" | 9.5 |
| | 1/2 | 12.5 |
| Course Gravel | 3" | 76.2 |
| Cobbles | | |

| OAR 340-071-0330 TABLE 8 MINIMUM SEPARATION DISTANCES FOR NONWATER-CARRIED WASTE DISPOSAL FACILITIES | | |
|---|---|---|
| Items requiring separation | Self-Contained Nonwater- Carried Waste Disposal | Unsealed Earth Type Privies, Graywater Waste Disposal Sump and Seepage Chambers |
| Groundwater supplies including springs and cisterns | 50' | 100' |
| Surface public waters, excluding intermittent streams | 50' | 100' |
| Intermittent streams | 50' | 50' |
| Property line | 25' | 25' |

| OAR 340-071-0140 | |
|--|---------|
| TABLE 9A | |
| SITE EVALUATION AND EXISTING SYSTEM EVALUATION FEES | |
| New Site Evaluation Fees. | |
| Fees in this section apply to each system for which site suitability is evaluated. | |
| Single family dwelling - First lot | \$700 |
| Single family dwelling - Each additional lot evaluated during initial visit | \$700 |
| Commercial facility with a design capacity of 1,000 gpd or less | \$700 |
| Commercial facility with a design capacity of 1,001-1,500 gpd | \$882 |
| Commercial facility with a design capacity of 1,501-2,000 gpd | \$1,063 |
| Commercial facility with a design capacity of 2,001-2,500 gpd | \$1,244 |
| Commercial facility s with a design capacity of 2,501-3,000 gpd | \$1,426 |
| Commercial facility with a design capacity of 3,001-3,500 gpd | \$1,607 |
| Commercial facility with a design capacity of 3,501-4,000 gpd | \$1,788 |
| Commercial facility with a design capacity of 4,001-4,500 gpd | \$1,969 |
| Commercial facility with a design capacity of 4,501-5,000 gpd | \$2,151 |
| Commercial facility with a design flow greater than 5,000 gpd | \$2,373 |
| Site Evaluation Report Review fee | \$659 |
| Existing System Evaluation Report fee | \$659 |

| OAR 340-071-0140 | | | | | | | |
|---|---|--------------------|----------|----------|----------|----------|---|
| TABLE 9B | | | | | | | |
| PERMITTING FEES FOR SYSTEMS NOT SUBJECT TO WPCF PERMITS | | | | | | | |
| Type of Fee | | System Type | | | | | Plan Review fees for Commercial Facility Systems |
| | | A | B | C | D | E | |
| Construction-Installation Permit Fees | For systems with a design capacity of less than 600 gpd | \$461 | \$890 | \$1,038 | \$1,272 | \$1,566 | \$0 |
| | For systems with a design capacity of 601-1,000 gpd | \$461 | \$890 | \$1,038 | \$1,272 | \$1,566 | \$379 |
| | For systems with a design capacity of 1,001-1,500 gpd | \$560 | \$989 | \$1,137 | \$1,352 | \$1,710 | \$445 |
| | For systems with a design capacity of 1,501-2,000 gpd | \$659 | \$1,088 | \$1,236 | \$1,433 | \$1,763 | \$511 |
| | For systems with a design capacity of 2,001-2,500 gpd | \$758 | \$1,187 | \$1,335 | \$1,513 | \$1,862 | \$577 |
| Reinspection fee | | \$103 | \$103 | \$103 | \$103 | \$103 | \$103 |
| Pump Evaluation fee. For all permits that specify the use of a pump or dosing siphon except for sand filter, Alternative treatment technologies, Recirculating gravel filter, and pressurized distribution systems | | \$66 | \$66 | \$66 | \$66 | \$66 | \$66 |
| <p>System Type Key: Type A = Gray Water waste disposal sumps Type B = Holding tanks Type C = Standard subsurface, Absorption trenches in saprolite, Redundant, Seepage trench, Steep slope Type D = Alternative treatment technologies, Capping fill, Pressurized distribution, Tile dewatering Type E = Recirculating gravel filter, Sand filter (commercial or residential)</p> | | | | | | | |

| OAR 340-071-0140 | | | |
|--|------------|-----------------------------|--------------------------------|
| TABLE 9C | | | |
| OTHER PERMITTING FEES FOR SYSTEMS NOT SUBJECT TO WPCF PERMITS | | | |
| Fee Subject | Fee | Field Visit required | No Field Visit required |
| Minor Alteration Permit | \$272 | | |
| Major Alteration Permit | \$569 | | |
| Minor Repair Permit - Single Family Dwelling | \$264 | | |
| Major Repair Permit - Single Family Dwelling | \$551 | | |
| Minor Repair Permit - Commercial Facility | \$478 | | |
| Major Repair Permit - Commercial Facility | \$1,038 | | |
| Permit Denial Review | \$363 | | |
| Permit Transfer, Reinstatement, or Renewal | | \$536 | \$157 |
| Authorization Notice | | \$643 | \$165 |
| Authorization Notice Denial Review | \$659 | | |
| Renewal of hardship authorization for temporary dwelling | | \$340 | \$103 |
| Alternative system inspection - Holding tanks | \$396 | | |
| Variance from onsite system rules | \$2,142 | | |
| Land use clearance | \$52 | | |
| Annual report evaluation - Holding tanks – hard copy submittal | \$31 | | |
| Annual report evaluation - Holding tanks – online submittal | \$26 | | |
| Alternative system inspection - Other alternative systems listed in Table 9B | \$544 | | |

| OAR 340-071-0140 | | | |
|---|------------|---------------------------------|------------------------------------|
| TABLE 9C | | | |
| OTHER PERMITTING FEES FOR SYSTEMS NOT SUBJECT TO WPCF PERMITS | | | |
| Type | Fee | Field Visit required | No Field Visit required |
| Annual report evaluation - Sand filters, pressurized distribution systems, recirculating gravel filters, and alternative treatment technology – hard copy submittal | \$62 | | |
| Annual report evaluation - Sand filters, pressurized distribution systems, recirculating gravel filters, and alternative treatment technology – online submittal | \$52 | | |

| OAR 340-071-0140 TABLE 9D WPCF PERMIT FEES Revised-Effective Sept. 2019 June 1, 2021 | | | |
|---|---|--|---|
| | Application filing fee (all systems) | Permit processing fees for onsite systems with a design capacity of 1,200 gpd or less | Permit processing fees for onsite systems with a design capacity over 1,200 gpd |
| New application | \$ 94 <u>114</u> | \$ 754 <u>912</u> | \$ 3,765 <u>4,556</u> |
| Permit renewal (involving request for effluent limit modifications) | \$ 114 <u>94</u> | \$ 375 <u>454</u> | \$ 1,885 <u>2,281</u> |
| Permit renewal (without request for effluent limit modifications) | \$ 114 <u>94</u> | \$ 190 <u>230</u> | \$ 940 <u>1</u> <u>137</u> |
| Permit modification (involving increase in effluent limitations) | \$ 114 <u>94</u> | \$ 375 <u>454</u> | \$ 1,885 <u>2,281</u> |
| Permit modification (not involving an increase in effluent limits) | \$ 114 <u>94</u> | \$ 282 <u>341</u> | \$ 940 <u>1</u> <u>137</u> |
| Plan Review fee | | | |
| For commercial facilities with a design capacity less than 600 gpd | | \$0 | |
| For commercial facilities with a design capacity of 601 - 1,000 gpd | | \$ 359 <u>434</u> | |
| For commercial facilities with a design capacity of 1,001 - 1,500 gpd | | \$ 423 <u>512</u> | |
| For commercial facilities with a design capacity of 1,501 - 2,000 gpd | | \$ 487 <u>589</u> | |
| For commercial facilities with a design capacity of 2,001 - 2,500 gpd | | \$ 549 <u>664</u> | |

| OAR 340-071-0140 TABLE 9D WPCF PERMIT FEES Revised-Effective Sept. 2019 <u>June 1, 2021</u> | |
|--|---|
| For commercial facilities with a design capacity of 2,501 - 3,000 gpd | \$ 644 <u>779</u> |
| For commercial facilities with a design capacity of 3,001 - 3,500 gpd | \$ 706 <u>855</u> |
| For commercial facilities with a design capacity of 3,501 - 4,000 gpd | \$ 769 <u>9</u> <u>30</u> |
| For commercial facilities with a design capacity of 4,001 - 4,500 gpd | \$ 830 <u>1,</u> <u>004</u> |
| For commercial facilities with a design capacity of 4,501 - 5,000 gpd | \$ 894 <u>1,</u> <u>082</u> |
| Commercial facilities with a design capacity greater than 5,000 gpd | \$ 940 <u>1,</u> <u>137</u> |
| Single family dwelling | \$ 190 <u>2</u> <u>30</u> |
| Annual Compliance Determination fee | |
| Onsite sewage lagoon with no discharge | \$ 1,129 <u>1,366</u> |
| Treatment Standard 1 or better systems with design capacities less than 2,500 gpd | \$ 471 <u>5</u> <u>70</u> |
| Treatment Standard 1 or better systems with design capacities of 2,501 - 20,000 gpd | \$ 940 <u>1,</u> <u>137</u> |

| OAR 340-071-0140 TABLE 9D WPCF PERMIT FEES Revised-Effective Sept. 2019 <u>June 1, 2021</u> | |
|---|----------------------------------|
| Holding tanks, if by the date specified by DEQ, the owner does not submit written certification to DEQ that the holding tank has been operated the previous calendar year in full compliance with the permit or that the previous year's service logs for the holding tanks are not available for inspection by the DEQ | \$3754 <u>54</u> |
| Holding tanks, if by the date specified by DEQ, the owner submits written certification to DEQ that the holding tank has been operated the previous calendar year in full compliance with the permit and that the previous year's service | \$4150 |
| Other systems with design capacities less than 20,000 gpd | \$4715 <u>70</u> |
| Other systems with design capacities greater than 20,000 gpd | \$9401, <u>137</u> |

| OAR 340-071-0140 TABLE 9E SEWAGE DISPOSAL SERVICE LICENSE AND TRUCK INSPECTION FEES | |
|--|----------------|
| New 3-year business license | \$438 per year |
| Renewal of business license | \$330 per year |
| Additional license fee for additional pumper vehicles | \$16/vehicle |
| Transfer of or amendments to license | \$206 |
| Reinstatement of suspended license | \$258 |
| Pumper truck inspections - First vehicle, each inspection | \$103 |
| Pumper truck inspections - Each additional vehicle, each inspection | \$52 |

| OAR 340-071-0140 TABLE 9F OTHER FEES | |
|---|---------|
| Innovative or Alternative Technology Review | \$1,648 |
| Alternative Technology Review (greater than 1,500 gpd) | \$3,296 |
| Alternative Treatment Technology Annual Compliance Determination Fee (per listed model) | \$515 |
| Material Plan Review | \$494 |
| Department Surcharge | \$100 |

Statutory/Other Authority: 454.615, 454.625 & 468.020

Statutes/Other Implemented: 454.775, 454.780, 454.784, 468.020, 454.605, 454.607, 454.610, 454.615, 454.625, 454.655, 454.665, 454.675, 454.695, 454.725, 454.745, 454.755, 454.780, 468.035, 468.045, 468.065, 468B.050, 468B.055 & 468B.080

History:

DEQ 22-2019, amend filed 09/27/2019, effective 09/27/2019

DEQ 193-2018, amend filed 09/17/2018, effective 09/17/2018

DEQ 31-2017, minor correction filed 11/29/2017, effective 11/29/2017
DEQ 16-2017, minor correction filed 11/01/2017, effective 11/01/2017
DEQ 15-2017, adopt filed 10/31/2017, effective 11/01/2017