

February 23, 2024

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al


⁹ Sc

Oregon Dept. of Env. Quality - ODEQ

Sample Delivery Group: L1707580
Samples Received: 02/02/2024
Project Number: 2060.012.008
Description: Roth Building

Report To: Ellen Woods
700 NE Multnomah St. #600
Portland, OR 97124

Entire Report Reviewed By:



Brian Ford
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1	¹ Cp
Tc: Table of Contents	2	
Ss: Sample Summary	3	² Tc
Cn: Case Narrative	4	
Sr: Sample Results	5	³ Ss
P2-S3 L1707580-01	5	
Qc: Quality Control Summary	6	⁴ Cn
Total Solids by Method 2540 G-2011	6	⁵ Sr
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	7	
Gl: Glossary of Terms	9	⁶ Qc
Al: Accreditations & Locations	10	⁷ Gl
Sc: Sample Chain of Custody	11	⁸ Al
		⁹ Sc

SAMPLE SUMMARY

P2-S3 L1707580-01 Solid

Collected by
BW / RK

Collected date/time
01/30/24 13:05

Received date/time
02/02/24 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Total Solids by Method 2540 G-2011	WG2220149	1	02/06/24 10:57	02/06/24 11:09	JAV	Mt. Juliet, TN
Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM	WG2230868	1	02/21/24 14:22	02/22/24 01:19	AGW	Mt. Juliet, TN

¹Cp

 ${}^2\text{Tc}$

³Ss


$$^4\text{Cn}$$
 ${}^5\text{Sr}$ ${}^6\text{Qc}$ ⁷Gl ${}^8\text{Al}$ ${}^9\text{Sc}$

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Brian Ford
Project Manager



Total Solids by Method 2540 G-2011

Analyte	Result	Qualifier	Dilution	Analysis	Batch
	%			date / time	
Total Solids	83.3		1	02/06/2024 11:09	WG2220149

Semi Volatile Organic Compounds (GC/MS) by Method 8270E-SIM

Analyte	Result (dry)	Qualifier	MDL (dry)	RDL (dry)	Dilution	Analysis	Batch
	mg/kg		mg/kg	mg/kg		date / time	
Anthracene	U	T8	0.00276	0.00720	1	02/22/2024 01:19	WG2230868
Acenaphthene	0.191	T8	0.00251	0.00720	1	02/22/2024 01:19	WG2230868
Acenaphthylene	0.0533	T8	0.00259	0.00720	1	02/22/2024 01:19	WG2230868
Benzo(a)anthracene	U	T8	0.00208	0.00720	1	02/22/2024 01:19	WG2230868
Benzo(a)pyrene	U	T8	0.00215	0.00720	1	02/22/2024 01:19	WG2230868
Benzo(b)fluoranthene	U	T8	0.00184	0.00720	1	02/22/2024 01:19	WG2230868
Benzo(g,h,i)perylene	U	T8	0.00212	0.00720	1	02/22/2024 01:19	WG2230868
Benzo(k)fluoranthene	U	T8	0.00258	0.00720	1	02/22/2024 01:19	WG2230868
Chrysene	U	T8	0.00278	0.00720	1	02/22/2024 01:19	WG2230868
Dibenz(a,h)anthracene	U	T8	0.00206	0.00720	1	02/22/2024 01:19	WG2230868
Fluoranthene	0.0101	T8	0.00272	0.00720	1	02/22/2024 01:19	WG2230868
Fluorene	0.386	T8	0.00246	0.00720	1	02/22/2024 01:19	WG2230868
Indeno(1,2,3-cd)pyrene	U	T8	0.00217	0.00720	1	02/22/2024 01:19	WG2230868
Naphthalene	0.0930	T8	0.00490	0.0240	1	02/22/2024 01:19	WG2230868
Phenanthrene	0.424	T8	0.00277	0.00720	1	02/22/2024 01:19	WG2230868
Pyrene	0.0108	T8	0.00240	0.00720	1	02/22/2024 01:19	WG2230868
1-Methylnaphthalene	2.86	T8	0.00539	0.0240	1	02/22/2024 01:19	WG2230868
2-Methylnaphthalene	4.33	T8	0.00512	0.0240	1	02/22/2024 01:19	WG2230868
2-Chloronaphthalene	U	T8	0.00559	0.0240	1	02/22/2024 01:19	WG2230868
(S) p-Terphenyl-d14	88.6			23.0-120		02/22/2024 01:19	WG2230868
(S) Nitrobenzene-d5	0.000	J2		14.0-149		02/22/2024 01:19	WG2230868
(S) 2-Fluorobiphenyl	89.2			34.0-125		02/22/2024 01:19	WG2230868

Sample Narrative:

L1707580-01 WG2230868: Surrogate failure due to matrix interference

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R4030632-1 02/06/24 11:09

	MB Result	MB Qualifier	MB MDL	MB RDL
Analyte	%		%	%
Total Solids	0.000			

L1701885-26 Original Sample (OS) • Duplicate (DUP)

(OS) L1701885-26 02/06/24 11:09 • (DUP) R4030632-3 02/06/24 11:09

	Original Result	DUP Result	Dilution	DUP RPD	DUP Qualifier	DUP RPD Limits
Analyte	%	%		%		%
Total Solids	86.0	88.0	1	2.30		10

Laboratory Control Sample (LCS)

(LCS) R4030632-2 02/06/24 11:09

	Spike Amount	LCS Result	LCS Rec.	Rec. Limits	LCS Qualifier
Analyte	%	%	%	%	
Total Solids	50.0	50.0	100	90.0-110	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4036997-2 02/21/24 22:57

Analyte	MB Result mg/kg	MB Qualifier	MB MDL mg/kg	MB RDL mg/kg
Anthracene	U		0.00230	0.00600
Acenaphthene	U		0.00209	0.00600
Acenaphthylene	U		0.00216	0.00600
Benzo(a)anthracene	U		0.00173	0.00600
Benzo(a)pyrene	U		0.00179	0.00600
Benzo(b)fluoranthene	U		0.00153	0.00600
Benzo(g,h,i)perylene	U		0.00177	0.00600
Benzo(k)fluoranthene	U		0.00215	0.00600
Chrysene	U		0.00232	0.00600
Dibenz(a,h)anthracene	U		0.00172	0.00600
Fluoranthene	U		0.00227	0.00600
Fluorene	U		0.00205	0.00600
Indeno(1,2,3-cd)pyrene	U		0.00181	0.00600
Naphthalene	U		0.00408	0.0200
Phenanthrene	U		0.00231	0.00600
Pyrene	U		0.00200	0.00600
1-Methylnaphthalene	U		0.00449	0.0200
2-Methylnaphthalene	U		0.00427	0.0200
2-Chloronaphthalene	U		0.00466	0.0200
(S) p-Terphenyl-d14	79.7			23.0-120
(S) Nitrobenzene-d5	77.6			14.0-149
(S) 2-Fluorobiphenyl	77.6			34.0-125

Laboratory Control Sample (LCS)

(LCS) R4036997-1 02/21/24 22:39

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Anthracene	0.0800	0.0663	82.9	50.0-126	
Acenaphthene	0.0800	0.0623	77.9	50.0-120	
Acenaphthylene	0.0800	0.0667	83.4	50.0-120	
Benzo(a)anthracene	0.0800	0.0688	86.0	45.0-120	
Benzo(a)pyrene	0.0800	0.0578	72.3	42.0-120	
Benzo(b)fluoranthene	0.0800	0.0667	83.4	42.0-121	
Benzo(g,h,i)perylene	0.0800	0.0611	76.4	45.0-125	
Benzo(k)fluoranthene	0.0800	0.0637	79.6	49.0-125	
Chrysene	0.0800	0.0704	88.0	49.0-122	
Dibenz(a,h)anthracene	0.0800	0.0629	78.6	47.0-125	
Fluoranthene	0.0800	0.0707	88.4	49.0-129	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Laboratory Control Sample (LCS)

(LCS) R4036997-1 02/21/24 22:39

Analyte	Spike Amount mg/kg	LCS Result mg/kg	LCS Rec. %	Rec. Limits %	LCS Qualifier
Fluorene	0.0800	0.0695	86.9	49.0-120	
Indeno(1,2,3-cd)pyrene	0.0800	0.0629	78.6	46.0-125	
Naphthalene	0.0800	0.0622	77.8	50.0-120	
Phenanthrene	0.0800	0.0681	85.1	47.0-120	
Pyrene	0.0800	0.0710	88.8	43.0-123	
1-Methylnaphthalene	0.0800	0.0663	82.9	51.0-121	
2-Methylnaphthalene	0.0800	0.0645	80.6	50.0-120	
2-Chloronaphthalene	0.0800	0.0658	82.3	50.0-120	
(S) p-Terphenyl-d14			86.2	23.0-120	
(S) Nitrobenzene-d5			96.4	14.0-149	
(S) 2-Fluorobiphenyl			86.2	34.0-125	

L1707627-02 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1707627-02 02/22/24 15:10 • (MS) R4037274-1 02/22/24 15:28 • (MSD) R4037274-2 02/22/24 15:46

Analyte	Spike Amount (dry) mg/kg	Original Result (dry) mg/kg	MS Result (dry) mg/kg	MSD Result (dry) mg/kg	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Anthracene	0.0962	U	0.0747	0.0743	77.6	77.3	1	10.0-145			0.484	30
Acenaphthene	0.0962	U	0.0664	0.0677	69.0	70.4	1	14.0-127			1.97	27
Acenaphthylene	0.0962	U	0.0754	0.0772	78.4	80.3	1	21.0-124			2.36	25
Benzo(a)anthracene	0.0962	U	0.0765	0.0761	79.5	79.1	1	10.0-139			0.473	30
Benzo(a)pyrene	0.0962	U	0.0656	0.0648	68.1	67.4	1	10.0-141			1.11	31
Benzo(b)fluoranthene	0.0962	U	0.0658	0.0650	68.4	67.5	1	10.0-140			1.29	36
Benzo(g,h,i)perylene	0.0962	U	0.0632	0.0622	65.6	64.6	1	10.0-140			1.54	33
Benzo(k)fluoranthene	0.0962	U	0.0585	0.0603	60.8	62.6	1	10.0-137			3.04	31
Chrysene	0.0962	U	0.0712	0.0713	74.0	74.1	1	10.0-145			0.169	30
Dibenz(a,h)anthracene	0.0962	U	0.0690	0.0701	71.8	72.9	1	10.0-132			1.56	31
Fluoranthene	0.0962	U	0.0789	0.0782	82.0	81.3	1	10.0-153			0.919	33
Fluorene	0.0962	U	0.0745	0.0754	77.4	78.4	1	11.0-130			1.28	29
Indeno(1,2,3-cd)pyrene	0.0962	U	0.0689	0.0677	71.6	70.4	1	10.0-137			1.76	32
Naphthalene	0.0962	U	0.0698	0.0736	72.5	76.5	1	10.0-135			5.37	27
Phenanthrene	0.0962	U	0.0731	0.0743	76.0	77.3	1	10.0-144			1.63	31
Pyrene	0.0962	U	0.0701	0.0678	72.9	70.5	1	10.0-148			3.31	35
1-Methylnaphthalene	0.0962	U	0.0727	0.0752	75.5	78.1	1	10.0-142			3.42	28
2-Methylnaphthalene	0.0962	U	0.0707	0.0754	73.5	78.4	1	10.0-137			6.42	28
2-Chloronaphthalene	0.0962	U	0.0676	0.0689	70.3	71.6	1	29.0-120			1.94	24
(S) p-Terphenyl-d14					69.1	61.4		23.0-120				
(S) Nitrobenzene-d5					84.8	91.7		14.0-149				
(S) 2-Fluorobiphenyl					69.9	65.0		34.0-125				

Cp

Tc

Ss

Cn

Sr

Qc

Gl

Al

Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.


Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

(dry)	Results are reported based on the dry weight of the sample. [this will only be present on a dry report basis for soils].
MDL	Method Detection Limit.
MDL (dry)	Method Detection Limit.
RDL	Reported Detection Limit.
RDL (dry)	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

J2	Surrogate recovery limits have been exceeded; values are outside lower control limits.
T8	Sample(s) received past/too close to holding time expiration.



ACCREDITATIONS & LOCATIONS


Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



State of Oregon Chain of Custody

Agency, Authorized Purchaser or Agent: GSJ Water Solutions for ODEQ Send Lab Report To: Ellen Woods Address: 700 NE Multnomah Street, Suite 600 Portland, OR 97232-4100 Tel. #: 541-506-0490 Email: ellen.woods@deq.or.gov, remst@gsjws.com, bwamer@gsjws.com		Contract Laboratory Name: Pace Analytical National Lab Batch #: Invoice: ODEQ/Business Office 700 NE Multnomah Street, Suite 600 Portland, OR 97232 Email: DEQEXP@deq.state.or.us		Lab Selection Criteria: Proximity (if TAT < 48 hrs) Prior work on same project Cost (for anticipated analyses) Other labs disqualified or unable to perform requested services Emergency work		Turn Around Time: 10 days (std) 5 days 72 hours 48 hours 24 hours Other _____	
--	--	--	--	---	--	--	--

Project Name: Roth Building Project #: 2060.012.008 Sampler Name: B. Warner, R. Kemp	Sample Preservative <table border="1" style="width:100%; border-collapse: collapse;"> <tr> <td style="width:10%;">Solids</td> <td style="width:10%;">Liquids</td> <td style="width:10%;">Solids</td> <td style="width:10%;">Liquids</td> <td style="width:10%;">Solids</td> <td style="width:10%;">Liquids</td> <td style="width:10%;">Solids</td> <td style="width:10%;">Liquids</td> <td style="width:10%;">Solids</td> <td style="width:10%;">Liquids</td> </tr> <tr> <td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td><td> </td> </tr> </table>	Solids	Liquids	Solids	Liquids	Solids	Liquids	Solids	Liquids	Solids	Liquids										
Solids	Liquids	Solids	Liquids	Solids	Liquids	Solids	Liquids	Solids	Liquids												

Sample ID#	Collection Date	Collection Time	Matrix	Number of Containers	TPH Gasoline by NW/PH-Gx	TPH as Diesel by NW/PH-Dx	VOCs (Full List) by EPA8260D	PAHs by EPA8270C-SIM	Dissolved Pb by EPA 6020B (Field Filtered)	Total Pb by EPA 6020B	GRO and VOCs by EPA 10-15	Comments
P1-S1	1/30/24	1255	1150	2	X	X		X		X		21701385 2/1/24
P1-S2		1300	1155	2	X	X	X	X		X		10
P1-S3		1200	S	2	X	X						11
P1-S4		1205	S	2								12
P2-S1		1255	S	2								13
P2-S2		1300	S	2	X	X	X	X		X		14
P2-S3		1305	S	2	X	X	X					15
P2-S4		1310	S	2								16
P2-S5		1315	S	2								17
P3-S1		1400	S	2								18
P3-S2		1405	S	2								19
P3-S3		1410	S	2	X	X						20
P3-S4		1415	S	2	X	X	X	X		X		21
P3-S5		1420	S	2								22
P3-S6		1425	S	2								23

NOTES: Contact Rick Ernst (503 708 5945, remst@gsjws.com) or Braedon Warner (208 991 6713) with questions. Include DEQ EDD with final lab report.

Retain non-analyzed samples on hold.

Relinquished By: Riley Saltwater-Kemp	Agency/Agent: GSJ Water Solutions	Received By:	Agency/Agent:
Signature: <i>[Signature]</i>	Time & Date: 8:10am 2/1/2024	Signature:	Time & Date:
Relinquished By:	Agency/Agent:	Received By:	Agency/Agent:
Signature:	Time & Date:	Signature: Christopher L. Mallein	Time & Date: 2/2/24 0900

THIS PURCHASE IS SUBMITTED PURSUANT TO STATE OF OREGON SOLICITATION #182-1096-67 AND PRICE AGREEMENT # 8903. THE PRICE AGREEMENT INCLUDING CONTRACT TERMS AND CONDITIONS AND SPECIAL CONTRACT TERMS AND CONDITIONS (T'S & C'S) CONTAINED IN THE PRICE AGREEMENT ARE HEREBY INCORPORATED BY REFERENCE AND SHALL APPLY TO THIS PURCHASE AND SHALL TAKE PRECEDENCE OVER ALL OTHER CONFLICTING T'S AND C'S, EXPRESS OR IMPLIED.

L1701885 OREGONDEQ re-log

R2/R3/R4/RX/EX

Please re-log L1701885-16 (P2-S3) for SV8270PAHSIM,TS as R4 due 02/26. add comment, extract by Mon 02/26/24 if possible.

Time estimate: oh

Time spent: oh

Members

BF Brian Ford