Department of Environmental Quality

Memorandum

Date: October 10, 2023

To: FILE

Through: Peter Donahower, Program Manager

Jeff Schatz, Lead Worker

From: Todd Vanek, Project Manager

Northwest Region Cleanup Program

Subject: Gary's Cannon Beach Service Center, LUST No. 04-07-1597 Staff Memorandum

in support of a Partial/Conditional No Further Action determination

This document presents the basis for the Oregon Department of Environmental Quality's (DEQ's) recommended Conditional No Further Action (CNFA) determination for the Gary's Cannon Beach Service Center in Cannon Beach, Oregon. As discussed in this report and conditional upon adherence to a contaminated media management plan and property use restrictions in an Easement and Equitable Servitudes (E&ES) dated July 12, 2023, contaminant concentrations in soil and groundwater are below acceptable risk levels on the Gary's Cannon Beach Service Center property (Gary's Property). The contaminated groundwater plume has migrated offsite and additional remedial efforts are necessary for the down gradient Webb's Scenic Surf Motel property (Webb's Motel Property) to the west and Christian Conference Center property (conference center property) directly to the north.

The proposed NFA determination meets the requirements of Oregon Administrative Rules Chapter 340, Division 122, Sections 0205 to 360 and ORS 465.200 through 465.455.

The proposal is based on information documented in the administrative record for this site. A copy of the administrative record index is presented at the end of this report.

1. BACKGROUND

Site location.

The site's location (Figure 1) can be described as follows:

- Address: 280 North Hemlock Street, Cannon Beach, Oregon
- Latitude 45.8996° North, longitude -123.9611° West
- Tax lots 1602 (Gary's Property); 1600, 1601, and 2600 (Webb's Motel Property); 1500 and 2700 (conference center property); Township 5 North, Range 10 West, Section 19, SE¹/₄, SE¹/₄.

Site setting.

The 0.23-acre site property is developed with an approximately 3,077 square foot building and is listed as limited commercial by Clatsop County. The service station building is still intact and

Gary's Cannon Beach Service Center II LUST #04-07-1597 Staff Memorandum October 10, 2023 Page 2 of 13

asphalt-paved parking areas are located on the north and east portions of the property with a gravel storage area on the west (Figure 2).

The site property is located to the southwest of the intersection of North Hemlock Street and Third Street in Cannon Beach, Oregon. According to Clatsop County, the surrounding properties are zoned limited commercial and residential motel. Properties adjacent to the site are occupied as follows:

North: Conference Center (tax lot 1600, 1601, 2600), followed by a city park East: North Hemlock Street, followed by commercial dwelling and a parking lot (tax lots 202, 1300, and 1400

South: Bruce's Candy Kitchen (tax lot 1800), followed by commercial properties. West: Webb's Scenic Surf Motel (tax lots 1600, 1601, and 2600), followed by a 10-foot high seawall and a public beach. There is a 10-foot easement owned by Gary's Cannon Beach Service Center along the east side of tax lot 1600 that separates the site from the Webb's Motel Property.

Physical setting.

According to the United States Geological Survey (USGS) 7.5-minute topographic map for the Cannon Beach, Oregon quadrangle, the site is located approximately 13 feet above mean sea level. Topography in the area slopes west towards Ecola Creek and the Pacific Ocean, which are located approximately 300 feet and 900 feet away from the site, respectively.

The soil on the site property is reported as sands, gravels, and silts as alluvial deposits from Ecola Creek. Regional deposits also include talus, slope wash, and thin peat beds. During site investigations, the site stratigraphy was observed to be predominantly poorly graded sand (beach sand) to 5 feet below ground surface (bgs), underlain by dense sand to 23 feet bgs with interbedded silt and peat from 10 to 15 feet.

The shallow groundwater in the vicinity of the site is located within an unconfined water bearing zone with a depth that fluctuates between 3 and 8 feet bgs on the site. Coles and Associates performed a tidal study in 2012 that did not indicate a tidal influence on groundwater at the site. Based on the prior investigations at the site performed since 2007, the groundwater flow direction is to the west towards Ecola Creek with a hydraulic gradient of approximately 0.005 feet per foot (ft/ft). Groundwater flow direction and gradient can be influenced by upland flows and infiltration into the poorly graded sands in unpaved areas during extreme weather events.

Site history.

The site operated as a towing and repair service station including retail fuel sales from the mid-1950s through 2007 when the gasoline underground storage tanks (USTs) were decommissioned. In October 2007, a groundwater sheen was observed in the excavation during the decommissioning of four USTs at the site. Soil and groundwater sampling was performed subsequent to the removal of the USTs and total petroleum hydrocarbons as gasoline (TPH-Gx) were reported at concentrations as high as 44,200 milligrams per kilogram (mg/kg) and 229,000 micrograms per liter (μ g/L), respectively. Approximately 252 tons of petroleum-contaminated

Gary's Cannon Beach Service Center II LUST #04-07-1597 Staff Memorandum October 10, 2023 Page 3 of 13

soil were excavated from the former UST cavity in the northwest corner of Gary's Property. Removal of the full extent of observed impacted soil was not feasible without compromising the integrity of the retaining walls along the western and norther property lines.

2. BENEFICIAL LAND AND WATER USE DETERMINATIONS

Land use.

Based on the information provided as part of the historical site investigations since 2007, the Locality of Facility (LOF) includes the northwest portion of the site, the southern portion of the parking lot on the conference center property, and the northern portion of the Webb's Motel Property extending west to well MW-9 and the seawall. (Figure 2). Petroleum hydrocarbons were reported in groundwater samples collected directly west of the seawall downgradient of well MW-9 in 2009, but additional sampling results in the same location in 2014 and 2022 were all below the laboratory method reporting limits (MRLs) confirming that post-remedial action the contaminant plume does not extend beyond the seawall. Additional detail regarding historical investigations and remedial actions is included in Section 3 below.

According to Clatsop County, the site property is listed for limited commercial (C1). Based on the current zoning designation and surrounding property uses, the property is reasonably likely to remain as commercial use in the future. The surrounding properties are zoned for limited commercial and residential motel (RM) uses and consist of the Webbs Motel Property and conference center property west and north of the site, with retail shops to the south. While the site and Webb's Motel Property might be redeveloped in the near future, they are reasonably likely to remain limited commercial or residential motel based on the current land use and zoning in the vicinity of the site.

Groundwater use.

A Beneficial Water Use Determination (BWUD) was performed by Coles and Associates in 2013 and determined that the shallow groundwater in the area is not used for drinking water purposes and is not a reasonably likely future water supply. The Oregon Water Resources Department's (OWRD) Well Log Query database was reviewed and only two water wells were identified within the same quarter-quarter section as the site. One well (CLAT 161) was identified 1,000 feet north of the site across Ecola Creek and one well (CLAT384) was identified 500 south of the site. CLAT 161 is listed as an irrigation well, screened from 11 to 59 feet bgs, and is hydraulically cross-gradient from the site. CLAT 384 is listed as domestic use, screened from 47 to 67 feet bgs and located hydraulically cross-gradient to the site. No other water wells were identified in the OWRD database within the search area. According to Clatsop County records, the site and surrounding properties are currently hooked up to the municipal water supply. Based on the lack of water wells in close proximity to the site and the availability of municipal drinking water, groundwater within the search area of the site does not have a current or reasonably likely beneficial use as drinking water.

Gary's Cannon Beach Service Center II LUST #04-07-1597 Staff Memorandum October 10, 2023 Page 4 of 13

Surface water use.

The closest surface water body is Ecola Creek followed by the Pacific Ocean, 300 feet and 900 feet west of the former UST location on the site, respectively. Ecola Creek has current and likely future beneficial uses including recreation, fishing, and habitat for fish and other aquatic organisms.

3. INVESTIGATION AND CLEANUP WORK

On October 15 and 16, 2007, four USTs formerly located on Gary's Property were decommissioned and transported offsite for disposal. A total of 10 compliance soil samples (#1 through #10) were collected from the limits of the UST cavity. Two soil samples were collected from beneath each of the four USTs, one soil sample from beneath the product piping, and one soil sample from beneath the dispenser island. Groundwater was encountered at 9-10 feet bgs during decommissioning activities. Laboratory analysis identified gasoline range organics (GRO) and select volatile organic compounds (VOCs) exceeded DEQ Risk-Based Concentrations (RBCs) in soil and/or groundwater samples collected near the USTs. An additional 10 sidewall soil samples (C1 through C10) and one reconnaissance groundwater sample (W1A) were collected from within the excavation during over-excavation activities subsequent to removal of the USTs. Additional excavation was limited due to the instability of sandy soils and the proximity to the onsite building and retaining walls at the site. GRO was detected in the soil and groundwater samples at concentrations of up to 13,600 mg/kg (north sidewall) and 205,000 µg/l, respectively.

In September 2008 and February 2009, eight soil borings were advanced to depths of 5 to 15 feet bgs (T-1 through T-8) and completed as temporary monitoring wells (TW1 through TW8). Temporary wells TW1 and TW2 were located on Gary's Property, TW4 on the Webb's Motel Property, TW3, TW5, and TW6 on the conference center property, and TW7 and TW8 on the beach to the west of the seawall (Beach Area). The maximum concentration of GRO detected in groundwater collected on the conference center property was 128,000 μ g/l (TW3). GRO was detected in groundwater in the beach area at 14,600 μ g/l (TW7). Additional sampling was recommended to define the extent of contamination in the beach area west of the seawall.

In May 2009, five soil boring were advanced ("a" through "e") in the beach area to depths of 4.5 feet bgs and borings "b" and "e" were completed as temporary monitoring wells (TW9 and TW10, respectively). GRO was not reported in the groundwater sample collected from TW9 (south of TW7) and was reported in TW10 (downgradient of TW7) at a concentration of 281 μ g/L.

In July 2009, a Level I ecological risk assessment was completed for the site and properties within the LOF and submitted to DEQ for review. Results of the assessment stated that while the groundwater plume extended beyond the seawall and into the beach area (vicinity of TW7), the plume does not extend to Ecola Creek. DEQ approved the assessment in a letter dated April 22, 2010, and stated that the plume did not pose an unacceptable ecological risk and that no additional investigation is recommended.

Gary's Cannon Beach Service Center II LUST #04-07-1597 Staff Memorandum October 10, 2023 Page 5 of 13

On May 26 and 27, 2010, eight groundwater monitoring wells were installed (MW-1 through MW-8) in the vicinity of the former USTs. During groundwater monitoring events conducted in June 2010, November 2010, and March 2011, GRO was detected in all wells with the exception of well MW-8, with the maximum detected concentration (MDC) in well MW-7 at a concentration of $84,200 \, \mu g/l$.

On November 7, 2011, four soil borings were advanced to 20 feet bgs and completed as one monitoring well (MW-9) and three soil gas wells (PP-1 through PP-3). A total of nine soil samples and three groundwater samples (PP-1 through PP-3) were collected for laboratory analysis. Wells PP-1, PP-2, and MW-9 were advanced on the Webb's Motel Property, and PP-3 was advanced on the conference center property. GRO was detected in the soil and groundwater samples at concentrations of up to 15,100 mg/kg and 80,400 µg/l, respectively.

On February 6, 2012, a study was conducted to evaluate potential tidal influence on groundwater levels at the Site. Groundwater level measurements were collected from monitoring well MW-9 (located adjacent to the seawall) over a ten-hour period to span high and low tides. Measurement of the groundwater levels in MW-9 during the high-low tide cycle did not indicate a tidal influence on groundwater elevations.

In 2012 and 2013, five quarterly groundwater monitoring events and four quarterly soil gas monitoring events were performed. GRO was detected in each of the wells except for well MW-8 (downgradient well on the conference center property), with the MDC reported in well MW-7. Reported concentrations exceeded the construction and excavation worker RBCs for the direct contact in excavation exposure pathway in each of the wells (except well MW-8) during one or more sampling events.

The quarterly soil gas monitoring events were conducted in May, August, and December 2012 and February 2013 in all three soil gas wells (PP-1 through PP-3). GRO, benzene, toluene, and xylenes were detected during select events but none of the reported concentrations exceeded any risk-based concentrations (RBCs).

In February and March 2014, a soil vapor survey was performed that included the installation of 43 soil gas detection modules across the site and in areas with limited accessibility. Consistent with groundwater analytical data, the results of the survey indicate that the most elevated concentrations of GRO were located near well MW-7, on the conference center property.

On February 26, 2014, one soil boring (SB-1) was advanced to 15 feet bgs near the location of the former USTs system to assess potential residual concentrations in the source area. GRO was reported in soil at a concentration of 488 mg/kg at 9.5 to 10 feet bgs and in groundwater at a concentration of 419,000 μ g/l.

On March 26, 2014, six shallow soil borings (SB-2 through SB-7) were advanced in the beach area adjacent to the Webb's Motel Property and the conference center property. Boring were completed to 2.5 to 3.5 feet bgs using a hand auger and one soil sample and one groundwater

Gary's Cannon Beach Service Center II LUST #04-07-1597 Staff Memorandum October 10, 2023 Page 6 of 13

sample from each boring were submitted for laboratory analysis. None of the submitted samples had reported concentration above the laboratory MRLs.

On July 10, 2014, two soil borings (SB-8 and SB-9) on Gary's Property and two soil borings (SB-10 and SB-11) were advanced in the right-of-way on the west side of North Hemlock Street. One soil sample and one groundwater sample were collected from each boring and submitted for laboratory analysis. The MDC for GRO in soil was 6.56 mg/kg in soil boring SB10 and the MDC for GRO in groundwater was 3,400 µg/l in soil boing SB11.

In February and March 2014, *company* performed pilot test activities to evaluate soil vapor extraction (SVE) and air sparging (AS) as remedial option for the site. Test activities included the installation of three SVE wells (SVE-1 through SVE-3) and one air sparge well (AS-1) in the vicinity of the former USTs. The subsequent SVE/AS pilot testing indicated a radius of influence (ROI) for AS of approximately 15 feet and ROI for SVE of between 13 and 25 feet, indicating that AS/SVE was a feasible remediation technology for the site.

In 2016, a *Corrective Action Plan* (CAP) dated November 14, 2016, was prepared to evaluate and select a remedial action for the site. The remedial alternatives evaluated included monitored natural attenuation (MNA) combined with institutional controls, enhanced aerobic bioremediation and MNA, in-situ chemical oxidation (ISCO), and AS/VE. The preferred alternative selected in the CAP included ISCO in combination with institutional controls requiring a vapor barrier for future construction as the selected remedy. The ISCO scope selected included direct injection of oxidants into the subsurface coupled with some limited soil mixing in the vicinity of the former USTs. The conceptual site model (CSM) for the site was updated and the COPCs for the sites exposure routes and pathways were defined as GRO for soil and GRO, BTEX, naphthalene, and 1,2,4-trimethyl benzene (1,2,4-TMB) for groundwater. DEQ approved the CAP and recommended remedy in correspondence dated January 13, 2017.

In January and February of 2017, soil and groundwater on the three affected properties were treated with ISCO using a combination of soil mixing and direct injection into 66 soil borings. Soil mixing was performed in an approximate 225 square-foot area in the northwest corner of Gary's Property. A total of 4,518 pounds of sodium hydroxide and 612 gallons of 25% sodium hydroxide solution was directly mixed into impacted soil below 5 feet bgs and subsequently capped to grade. The 66 direct injection points were advanced on Gary's Property, Webbs Motel Property, and the conference center property to 15 feet bgs and temporary well points were installed to facilitate injection of the oxidants from 5 to 15 feet bgs. A total of 22,002 pounds of sodium persulfate and 4,084 gallons of sodium hydroxide were injected. It was determined through further analysis of site groundwater data that the anticipated timeframe for attaining applicable RBCs through post-injection MNA was not optimal for the project schedule.

In April 2019, confirmation soil sampling was performed in the northwest corner of Gary's Property and the parking area of the conference center property to assess the effectiveness of ISCO in source area soils. Ten soil boings were advanced in vadose zone soils and the results of the investigation indicate that residual concentrations of GRO in soil are below the respective RBCs for soil.

Gary's Cannon Beach Service Center II LUST #04-07-1597 Staff Memorandum October 10, 2023 Page 7 of 13

In September 2020, an amendment to the corrective action plan was prepared to modify select wells in the monitoring well network (MW-2, MW-4, MW-5, and MW-7) for gravity feed of oxidants in the former source area, the replacement of former well MW-3 with a 4-inch remediation well (RMW-3), and expanding the well network with three more monitoring wells (MW-10 through MW-12). Subsequent ISCO injection events were performed in December 2020, March 2021, June 2021, and October 2021. Approximately 1,740 gallons of catalyst-activated sodium percarbonate was injected during these events via gravity draining into the remediation wells and direct-push injections south of the former UST area.

Four consecutive quarters of confirmation groundwater monitoring was completed subsequent to the injections from December 2021 through September 2022. The MDC for GRO in groundwater on the Gary's Property was reported at 13,400 μ g/l in well MW-12 during the September 2022 event, and the MDC for the Webb's Motel Property was reported at 10,700 μ g/l in well MW-9 during the September 2022 event. The MDC for GRO on the conference center property was reported at 73,500 μ g/l in well MW-11 during the confirmation sampling period, significantly above the site CUL of 14,000 μ g/l. A request for a partial NFA was submitted in December 2022 for the Gary's Property and the Webb's Motel Property with additional remedial action proposed on the conference center property.

Locations of site wells, historical sample locations, and injection points are presented in Figures 2 through 8. Analytical results for soil and groundwater and presented in Pacific Crest's Table 1 and Table 3, and soil vapor analytical results are presented in Cole and Associates Table 6.

4. RISK EVALUATION

Conceptual site model.

To evaluate human exposure to residual chemical contamination requires an assessment of the type and extent of that exposure. This is based on current and reasonably likely future site use. DEQ publishes RBCs for contaminants commonly encountered, for different types of exposure scenarios. These RBCs are conservative estimates of protective levels of contaminants in soil, groundwater and air. In-text Table A (below) shows potential exposure pathways and receptors for this site. Based on this, applicable RBCs are identified and used for risk screening.

Table A. Identification of applicable RBCs, based on pertinent pathways and receptors

Pathway	Receptor	Applicable RBC?	Basis for selection/exclusion				
SOIL							
Ingestion, dermal	Residential	Yes	See Note 1.				
contact, and	Urban residential	Yes					
inhalation	Occupational	Yes					
	Construction worker	Yes					
	Excavation worker	Yes					
	Residential	Yes	See Note 1.				

Pathway	Receptor	Applicable	Basis for
•	_	RBC?	selection/exclusion
Volatilization to	Urban residential	Yes	
outdoor air	Occupational	Yes	
Vapor intrusion into	Residential	Yes	See Note 1.
buildings	Urban residential	Yes	
	Occupational	Yes	
Leaching to	Residential	No	See Note 2.
groundwater	Urban residential	No	
	Occupational	No	
	GROUNDY	VATER	
Ingestion and	Residential	No	See Note 3.
inhalation from tap	Urban residential	No	
water	Occupational	No	
Volatilization to	Residential	Yes	See Note 1.
outdoor air	Urban residential	Yes	
	Occupational	Yes	
Vapor intrusion into	Residential	Yes	See Note 1.
buildings	Urban residential	Yes	
	Occupational	Yes	
Groundwater in	Construction and	Yes	See Note 4.
excavation	excavation worker		

Notes:

- 1. Although the site is currently a non-residential facility, land use zoning on the Webb's Property and the conference center property allows for future residential use.
- 2. Groundwater is not used for drinking and water is supplied by the municipal water system under current and reasonably likely future scenarios. This pathway is therefore not considered, in accordance with Section B.3.2.4 of DEQ's RBDM guidance.
- 3. City water is provided. Local groundwater is not currently used for drinking water and is not likely to be used for this purpose in the future.
- 4. Construction and excavation work are generally limited to a depth of approximately 15 feet. Groundwater has been encountered at the site as shallow as 2-3 feet bgs historically; therefore, the groundwater in excavation pathway is considered.

Contaminant concentrations.

Maximum Contaminant Concentrations – Soil

To evaluate human health risks posed by contaminants in soil under various exposure scenarios, the highest detected concentrations of GRO, VOCs, and lead from the historical site investigations prior to implementing the ISCO remedy were conservatively utilized for comparison to RBCs.

Soil Ingestion, Dermal Contact and Inhalation Pathway

Constituent of Interest	MDC in Soil mg/kg	Residential (RBC _{ss})	Occupational Worker (RBC _{ss})	Construction Worker (RBC _{ss})	COPC? (Yes/No)
		mg/kg	mg/kg	mg/kg	
GRO	30,200	1,200	20,000	9,700	Y

Gary's Cannon Beach Service Center II LUST #04-07-1597 Staff Memorandum October 10, 2023 Page 9 of 13

benzene	3.4	8.2	37	380	N
toluene	375	5,800	88,000	28,000	N
ethylbenzene	520	34	150	1,700	Y
total xylenes	3,580	1,400	25,000	20,000	Y
naphthalene	23.4	5.3	23	580	Y
lead	21.5	400	800	800	N

Yellow highlighted RBCs were exceeded in samples collected from one or more locations. COPC = constituent of potential concern

Historical concentrations of GRO, ethylbenzene, total xylenes and naphthalene exceeded the residential RBCs for the soil ingestion, dermal contact and inhalation exposure pathway in soil collected from borings located on the Gary's Property in the location of the former USTs. The MDCs of GRO, benzene, and naphthalene were detected in boring #7 at 9 feet bgs located beneath the eastern 2,000-gal UST during decommissioning activities in 2007. COPCs were not reported in shallow soils <3 feet bgs during historical investigations, therefore, this pathway is considered incomplete for residential, urban residential, and occupational receptors. While GRO impacted soil was identified in the former source area above the construction worker RBC of 9,700 mg/kg during historical investigations, confirmation soil sampling performed in 2019 after initial ISCO injections were all below laboratory MRLs (Figure 4). It should be noted that benzene concentrations were low or non-detect during initial sampling activities when the release was discovered, indicating the contamination was already weathered and likely from an old release from the USTs.

Soil Vapor Intrusion into Building

Constituent of Interest	MDC in Soil mg/kg	Residential (RBC _{si}) mg/kg	Occupational Worker (RBC _{si}) mg/kg	COPC? (Yes/No)
GRO	30,200	94	>Max	Y
benzene	3.4	0.16	2.1	Y
toluene	375	>Csat	>Csat	N
ethylbenzene	520	1.3	17	Y
total xylenes	3,580	160	>Csat	Y
naphthalene	23.4	6.4	83	Y

Yellow-shaded RBCs were exceeded in samples collected from one or more locations.

Historical GRO and select VOC concentrations exceeded the residential/occupational RBCs for soil vapor intrusion into building pathway in soil samples collected from the vicinity of the USTs in the northwest corner of Gary's Property and in proximity to the property line on the conference center property near well MW-7. Based on the elevated concentrations detected in the soil during historical sampling events, potential risks to occupants of nearby commercial buildings within 100 feet of site contamination could not be ruled out. Note that VOCs have not been sampled in soil at the site since 2014 and ethylbenzene, xylenes, naphthalene, and 1,2,4-TMB exceeded the residential RBC for vapor intrusion in the former UST area. VOCs in soil were screened out of the sampling plan due to the results of the soil vapor sampling in 2012 and

>Csat = Soil concentrations in excess of Csat indicate free product may be present.

>Max = The constituent RBC for this pathway is greater than 1,000,000 mg/kg or 1,000,000 mg/L. Therefore, these substances are not expected to pose risks in the scenario shown.

Gary's Cannon Beach Service Center II LUST #04-07-1597 Staff Memorandum October 10, 2023 Page 10 of 13

2013 and the proposed inclusion of vapor barriers on any future building construction in the 2016 approved CAP. Soil gas sampling was performed in 2012 and 2013. Details of the soil vapor investigations are provided below.

Maximum Contaminant Concentrations – Groundwater

To evaluate human health risks from contamination in groundwater under various exposure scenarios, the highest detected concentrations of GRO and VOCs from monitoring wells during post-remedy confirmation sampling on the Gary's Property were utilized for comparison to RBCs.

Groundwater Vapor Intrusion into Building

Constituent of Interest	MDC in Groundwater μg/l	Residential (RBC _{wi}) µg/l	Occupational Worker (RBC _{wi}) μg/l	COPC? (Yes/No)
GRO	13,400	22,000	>S	N
benzene	0.0910	210	2,800	N
toluene	1.85	>S	>S	N
ethylbenzene	104	620	8,200	N
total xylenes	387	86,000	>S	N
naphthalene	107	840	11,000	N
1,2,4-TMB	762	5,000	>S	N

>S = Groundwater RBC exceeds the solubility limit, which indicates light nonaqueous phase liquids (LNAPL) may be present. Based on historical groundwater observations, measurable LNAPL is not present at the site.

GRO and VOC concentrations did not exceed the residential RBC for groundwater vapor intrusion into the building in groundwater collected from wells MW-1 and MW-12 (Gary's Property) and wells MW-9 and MW-10 (Webb's Motel Property) during the last four quarters of monitoring subsequent to the final ISCO injection event in October 2021.

Review of groundwater analytical data (Table 1) shows that GRO and/or VOCs were detected in monitoring wells on the conference center Property (MW-6, MW-8, and MW-11) during the last four quarters of monitoring subsequent to the completion of ISCO injections at concentrations above the residential RBC for vapor intrusion; as a result, remedial activities are still ongoing for this property.

Groundwater in Excavation

Constituent of Interest	MDC in Groundwater μg/l	Construction/Excavation Worker (RBC _{we})	COPC? (Yes/No)
	r-8/1	μg/l	
GRO	13,400	14,000	N
benzene	0.0910	1,800	N
toluene	1.85	220,000	N
ethylbenzene	104	4,500	N
total xylenes	387	23,000	N
naphthalene	107	500	N

Gary's Cannon Beach Service Center II LUST #04-07-1597 Staff Memorandum October 10, 2023 Page 11 of 13

1,2,4-TMB	762	6,300	N

Yellow highlighted RBCs were exceeded in samples collected from one or more locations.

The results of GRO and VOC concentrations from confirmation sampling performed subsequent to the final ISCO injection event in October 2021 were all below the RBCs for construction and excavation worker exposure pathway on the Gary's Property and the Webb's Motel Property. GRO and VOC concentrations on the conference center property remain significantly above the RBC for this pathway (GRO at 73,500 in September 2022) and additional remedial action is in progress.

Additional Evaluation of Soil Gas.

Soil gas sampling was performed in consecutive quarters from May 2012 through February 2013 in three vapor points (PP-1 through PP-3) located along the west property line of Gary's Property and in the conference center property parking lot (Figure 3). GRO, benzene, toluene, and xylenes had reported concentrations, but all analyzed petroleum constituents in the samples were significantly below the applicable RBCs. It should be noted that none of the soil gas samples were collected on Gary's Property in the vicinity of the former USTs or in proximity to the existing structure, and leak detection procedures for the soil gas sampling train were only performed during the first sampling event in May 2012. In addition, DEQ is currently revising its vapor intrusion RBCs to reflect updated toxicological information, evolving understanding of the vapor intrusion pathway and increasing awareness of short-term exposure risks for selected contaminants. Based on consideration of these factors and elevated concentrations of GRO remaining in groundwater, DEQ presumes that residual soil contamination potentially poses an unacceptable vapor intrusion risk to occupants of *future* buildings constructed at the property.

Human health risk.

Historical concentrations of GRO and VOCs including benzene, ethylbenzene, total xylenes, naphthalene, and 1,2,4-TMB were detected in soil and groundwater at concentrations exceeding generic RBCs for one or more exposure pathways and exposure scenarios. ISCO events performed between 2017 and 2021 have reduced contaminant concentrations below t (soil/GW RBCs for construction/excavation worker receptor scenario) on the Gary's Property and the Webb's Motel Property, but groundwater concentrations on the conference center property remain above RBCs. DEQ has the following conclusions regarding risks posed by specific exposure pathways:

• Historical soil contamination containing GRO above the construction worker RBC for soil ingestion, dermal contact and inhalation and below 7.5 feet bgs in the former UST area (sample #7 and borings C1, C2 and PP-3) on the Gary's Property was not resampled during the soil confirmation sampling performed in 2019. Significant remedial actions were undertaken in the vicinity of the former UST pit. However, because these locations were not reoccupied and sampled following ISCO remediation, future construction or excavation workers may encounter historically contaminated soils that have not been confirmed as remediated or degraded with confirmation data. As a result, a remedy is needed to mitigate potential risks from this pathway.

Gary's Cannon Beach Service Center II LUST #04-07-1597 Staff Memorandum October 10, 2023 Page 12 of 13

• Soil and groundwater contamination exceeding generic RBCs for the vapor intrusion into building exposure pathways under residential and/or occupational worker scenarios are potentially present at the site. Although limited soil gas sampling data were collected in 2012 and 2013, conditions in the former UST pit and nearby buildings were not assessed. Based on these facts and DEQ's anticipated downward revision of RBCs related to vapor intrusion, risks to occupants of future buildings constructed at the Gary's and Webb's Motel properties could not be ruled out and a remedy is needed to mitigate such risks.

Ecological risk.

While GRO was reported in groundwater in the beach area directly west of well MW-9 in 2008 (boring T7 – 14,600 μ g/l, boring T10 – 281 μ g/l), subsequent sampling events performed west of the Seawall along the Webb's Property and the conference center property in 2014 and 2023 were below laboratory method reporting limits for GRO and VOCs. DEQ approved a Level I ecological risk assessment in July 2009 that concluded the historical western extent of the plume did not extend to Ecola Creek and follow up sampling results indicate that any historical contamination directly west of the seawall has degraded. Based on the known extent of the historical and residual groundwater contamination, ecological receptors are unlikely to be impacted.

5. RECOMMENDATION

Potential unacceptable risks to construction and excavation workers from contact with soil or groundwater in excavations below 7.5 feet bgs should be mitigated through implementation of the DEQ-approved CMMP. The CMMP establishes procedures for evacuation, characterization, and management of groundwater in excavations exhibiting characteristics of impact by petroleum hydrocarbons which is exposed during future construction and/or utility work. The CMMP should be maintained at the site and all off-site properties impacted by petroleum hydrocarbons for future implementation as needed.

Barring further cleanup, an E&ES that prohibits the construction of any new buildings for human occupation without DEQ's prior written approval would mitigate unacceptable vapor intrusion risks to the occupants of future buildings constructed at the Gary's Property and the Webb's Motel Property. Prior to such construction, development plans would have to be submitted to DEQ for approval. If further cleanup and/or soil gas sampling is not performed, the development plans would have to include engineering controls incorporated into the design of future buildings constructed for human occupation to mitigate unacceptable vapor intrusion risks to occupants.

Provided that future construction or excavations incorporate the protocols and property use restrictions described above are memorialized in E&ES documents executed for the Gary's Property and the Webb's Property and recorded on the corresponding property deeds on file with Clatsop County, a partial, conditional No Further Action determination is possible for the affected tax lots. The No Further Action determination should be recorded in DEQ's LUST database (LUST No. 04-07-1597). Note that as of the date of this Staff Memo, Gary's Cannon Beach Service Center has executed and recorded with the County an EE&S requiring a CMMP and necessary restrictions on property use for future construction. It is unknown if an EE&S is a

Gary's Cannon Beach Service Center II LUST #04-07-1597 Staff Memorandum October 10, 2023 Page 13 of 13

feasible alternative as part of the site remedy for the Webb's Motel Property, and the corrective action plan will need to be amended for the affected tax lots if an EE&S is not executed.

6. ADMINISTRATIVE RECORD

Summary Report for the Fourth Quarterly Monitoring Event: Gary's Cannon Beach Service Center, 280 North Hemlock Street, Canon Beach, Oregon 98117, DEQ File #04-07-1597. Coles & Associates, LLC. April 5, 2013.

Draft Site Investigation Report: Gary's Cannon Beach Service Center, 280 North Hemlock Street, Canon Beach, Oregon 98117, DEQ File #04-07-1597. Coles & Associates, LLC. July 31, 2013.

Corrective Action Plan: Gary's Cannon Beach Service Center, 280 North Hemlock Street, Canon Beach, Oregon 98117, DEQ File #04-07-1597. Pacific Crest Environment. November 14, 2016.

Corrective Action Progress Report: Gary's Cannon Beach Service Center, 280 North Hemlock Street, Canon Beach, Oregon 98117, DEQ File #04-07-1597. Pacific Crest Environment. September 2, 2017.

Revised Amendment tot eh Corrective Action Plan: Gary's Cannon Beach Service Center, 280 North Hemlock Street, Canon Beach, Oregon 98117, DEQ File #04-07-1597. Pacific Crest Environment. September 25, 2020.

Conditional Closure Report and Partial No Further Action Request: Gary's Cannon Beach Service Center, 280 North Hemlock Street, Canon Beach, Oregon 98117, DEQ File #04-07-1597. Pacific Crest Environmental. December 2, 2022.

7. ATTACHMENTS

Figure 1. Site Location Map

Figure 2. Site Plan

Figure 3. Site Plan with Historical ISCO Treatment Locations

Figure 4. Confirmation Soil Sample Results

Figure 5 - Groundwater Analytical Results (December 14, 2021)

Figure 6 - Groundwater Analytical Results (March 22, 2022)


Figure 7 - Groundwater Analytical Results (June 23, 2022)

Figure 8 - Groundwater Analytical Results (September 7-8, 2022)

Table 1 - Groundwater Elevation Data Summary

Table 3 - Groundwater Analytical Results Summary

Table 6 - Soil Gas Sample Analysis Results (C&A)








Gary's Cannon Beach Service Center 280 North Hemlock Street Cannon Beach, Oregon

PN: 173-002

Figure 1

Site Location Map




PACIFIC CREST ENVIRONMENTAL

WWW.PCENV.COM 425-888-4990

PN: 173-002

Site Plan





PACIFIC CREST ENVIRONMENTAL

WWW.PCENV.COM 425-888-4990

PN: 173-002


Site Plan with Historical ISCO Treatment Locations





Site Plan with Potentiometric Surface and Groundwater Analytical Results (December 14, 2021)

PN: 173-002



280 North Hemlock Street


Cannon Beach, Oregon

PN: 173-002

PACIFIC CREST ENVIRONMENTAL

WWW.PCENV.COM 425-888-4990

Site Plan with Potentiometric Surface and Groundwater Analytical Results (March 22, 2022)



280 North Hemlock Street


Cannon Beach, Oregon

PN: 173-002

PACIFIC CREST ENVIRONMENTAL

WWW.PCENV.COM 425-888-4990

Site Plan with Potentiometric Surface and Groundwater Analytical Results (June 23, 2022)



280 North Hemlock Street

Cannon Beach, Oregon

PN: 173-002

PACIFIC CREST ENVIRONMENTAL

WWW.PCENV.COM 425-888-4990

Site Plan with Potentiometric Surface and Groundwater Analytical Results (September 7 - 8, 2022)

	_		Screened Interval	Top of Casing Elevation	Depth to Groundwater	Potentiometrio Surface Elevatio
Well ID	Date	Collected By	(feet btoc)1	(feet amsl) ²	(feet btoc)1	(feet amsl) ²
	6/17/2010 11/10/2010	K&S K&S	1		4.96 4.74	7.86 8.08
	3/23/2011	K&S	1		3.69	9.13
	2/6/2012	C&A			4.15	8.67
	5/21/2012	C&A			4.75	8.07
	8/26/2012	C&A			6.85	5.97
	12/3/2012	C&A			2.83	9.99
					3.68	9.14
	2/24/2013 C&A 1/17/2017 Pacific Crest		4.61	8.21		
			ł			
	5/10/2017	Pacific Crest			4.45	8.37
	8/8/2017	Pacific Crest	ł		6.62	6.20
	12/7/2017	Pacific Crest	ļ		3.88	8.94
	3/26/2018	Pacific Crest			4.14	8.68
	6/14/2018	Pacific Crest			5.92	6.90
	9/20/2018	Pacific Crest			7.05	5.77
	12/4/2018 Pacific Crest	5.02	7.80			
MW-1	3/12/2019	Pacific Crest	5-15	12.82	4.64	8.18
	6/6/2019	Pacific Crest			6.12	6.70
	9/17/2019	Pacific Crest			6.85	5.97
	11/18/2019	Pacific Crest	1		6.35	6.47
	6/29/2020	Pacific Crest	1		6.15	6.67
	9/23/2020	Pacific Crest			7.38	5.44
	12/8/2020	Pacific Crest	1		4.85	7.97
			l			
	12/10/2020	Pacific Crest	ļ]	4.78	8.04
	12/21/2020	Pacific Crest	1]	3.87	8.95
	1/14/2021	Pacific Crest]		2.98	9.84
	4/26/2021	Pacific Crest]		5.61	7.21
	7/28/2021	Pacific Crest	J	1	7.03	5.79
	9/1/2021	Pacific Crest	1		7.34	5.48
	12/14/2021	Pacific Crest	1]	3.46	9.36
	3/22/2022	Pacific Crest	1		4.00	8.82
	6/23/2022	Pacific Crest	1]	4.81	8.01
	9/7/2022 Pacific Crest		6.86	5.96		
	6/17/2010	K&S			5.55	7.51
			ł			
	11/10/2010	K&S			5.00	8.06
	3/23/2011	K&S			4.02	9.04
	2/6/2012	C&A			4.70	8.36
	5/21/2012	C&A	5-15		5.25	7.81
	8/26/2012	C&A			7.25	5.81
	12/3/2012	C&A			3.07	9.99
	2/24/2013	C&A			4.10	8.96
	1/17/2017	Pacific Crest			5.09	7.97
	5/10/2017	Pacific Crest			4.93	8.13
	8/8/2017	Pacific Crest		12.06	7.06	6.00
MW-2	12/7/2017	Pacific Crest		13.06	4.27	8.79
	3/26/2018	Pacific Crest			4.50	8.56
	6/14/2018	Pacific Crest			6.31	6.75
					7.34	5.72
	9/20/2018	Pacific Crest				
	12/4/2018	Pacific Crest	ļ		5.35	7.71
	3/12/2019	Pacific Crest	Į.		4.94	8.12
	6/6/2019	Pacific Crest			6.59	6.47
	9/17/2019	Pacific Crest	j		6.93	6.13
	11/18/2019	Pacific Crest			6.71	6.35
	6/29/2020	Pacific Crest	1		6.60	6.46
	9/23/2020	Pacific Crest	1		7.60	5.46
			RTED TO RE	MEDIATION W		•
	6/17/2010			INIEDI/(IIOIV W	ELL 12/7/2020	7 60
	6/17/2010	K&S		INEDI/(IIOI\ W	ELL 12/7/2020 5.01	7.60
	11/10/2010	K&S K&S		INCEDIATION VI	5.01 5.53	7.08
		K&S		WEDI/KITON W	ELL 12/7/2020 5.01	
	11/10/2010	K&S K&S		- WEDINTION W	5.01 5.53	7.08
	11/10/2010 3/23/2011 2/6/2012	K&S K&S K&S C&A	5-15	12.61	5.01 5.53 3.70 4.28	7.08 8.91 8.33
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012	K&S K&S K&S C&A			ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85	7.08 8.91 8.33 7.76
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012	K&S K&S K&S C&A C&A			ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88	7.08 8.91 8.33 7.76 5.73
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012	K&S K&S K&S C&A C&A C&A			ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57	7.08 8.91 8.33 7.76 5.73 10.04
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012	K&S K&S K&S C&A C&A			ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88	7.08 8.91 8.33 7.76 5.73
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 2/24/2013	K&S K&S K&S C&A C&A C&A C&A C&A			ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62	7.08 8.91 8.33 7.76 5.73 10.04 8.99
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012	K&S K&S K&S C&A C&A C&A	5-15	12.61	ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70	7.08 8.91 8.33 7.76 5.73 10.04
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 2/24/2013 1/17/2017	K&S K&S K&S C&A	5-15		ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 2/24/2013	K&S K&S K&S C&A C&A C&A C&A C&A	5-15	12.61	ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70	7.08 8.91 8.33 7.76 5.73 10.04 8.99
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 2/24/2013 1/17/2017	K&S K&S K&S C&A	5-15	12.61	ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 2/24/2013 1/17/2017	K&S K&S K&S C&A C&A C&A C&A C&A K&S K&S K&S K&S K&S K&S	5-15	12.61	ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70 2017 9.81 6.91	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 2/24/2013 1/17/2017 6/17/2010 11/10/2010 3/23/2011	K&S K&S K&S K&S C&A C&A C&A C&A C&A C&A K&S K&S K&S K&S K&S	5-15	12.61	ELL 1277/2020 5.01 5.53 3.70 4.28 4.28 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.33	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 2/24/2013 1/17/2010 11/10/2010 3/23/2011 2/6/2012	K&S K&S K&S K&S K&S C&A C&A C&A C&A C&A K&S K&S K&S K&S K&S K&S K&S C&A	5-15	12.61	ELL 12/7/2020 5.01 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.93 8.98	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 2/24/2013 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 5/21/2012	K&S K&S K&S C&A C&A C&A C&A C&A K&S C&A	5-15	12.61	ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.33 8.39 9.51	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 2/24/2013 1/17/2010 11/10/2010 3/23/2011 2/6/2012	K&S K&S K&S K&S K&S C&A C&A C&A C&A C&A K&S K&S K&S K&S K&S K&S K&S C&A	5-15	12.61	ELL 12/7/2020 5.01 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.93 8.98	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 2/24/2013 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 5/21/2012	K&S K&S K&S C&A C&A C&A C&A C&A K&S C&A	5-15	12.61	ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.33 8.39 9.51	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 2/24/2013 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 8/26/2012	K&S K&S K&S C&A C&A C&A C&A C&A C&A K&S C&A	5-15	12.61	ELL 12/7/2020 5.01 5.53 3.70 4.28 3.70 4.28 2.57 3.62 4.70 2017 9.81 8.91 8.93 8.98 9.51 11.44	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 12/3/2013 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 8/26/2012 12/3/2012 12/3/2012	K&S K&S K&S C&A C&A C&A C&A C&A K&S K&S K&S C&A	5-15	12.61	ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.91 8.93 9.51 1.44 7.20	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 12/3/2013 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 12/3/2012 12/3/2012	K&S K&S K&S C&A	5-15	12.61	ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.93 8.98 9.51 11.44 7.20 8.29 9.43	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74 7.60
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 12/3/2012 2/24/2013 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 8/26/2012 12/3/2012 2/24/2013 1/17/2017	K&S K&S C&A	5-15	12.61 SSIONED 1/30/	ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.91 8.93 9.51 11.44 7.20 8.29 9.43 9.19	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74 7.60 7.84
MW-3	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 12/3/2013 1/17/2017 6/17/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 12/3/2012 12/3/2012 12/3/2012 8/26/2013 1/17/2017 5/10/2017 8/8/2017	K&S K&S C&A	5-15	12.61	ELL 1277/2020 5.01 5.53 3.70 4.28 3.70 4.28 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.33 8.98 9.51 11.44 7.20 8.29 9.43 9.19 11.22	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74 7.60 7.84 5.81
	11/10/2010 3/23/2011 2/6/2012 6/2012 6/2012 12/3/2012 12/3/2012 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 6/26/2012 6/26/2012 12/3/2012 2/24/2013 1/17/2017 6/10/2017 6/10/2017 6/10/2017	K&S K&S C&A	5-15	12.61 SSIONED 1/30/	ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.93 8.98 9.51 11.44 7.20 8.29 9.43 9.19 11.22 8.48	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74 7.60 7.84 5.81
	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 12/3/2013 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 8/26/2012 8/26/2012 12/3/2013 1/17/2017 8/8/2017 1/17/2017 8/8/2017 1/17/2017 8/8/2017 1/17/2017 8/8/2017	K&S K&S C&A	5-15	12.61 SSIONED 1/30/	ELL 12/7/2020 5.01 5.53 3.70 4.28 3.70 4.28 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.93 9.51 11.44 7.20 8.29 9.43 9.19 11.22 8.48 8.69	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74 7.60 7.84 5.81 8.55
	11/10/2010 3/23/2011 2/6/2012 6/2012 6/2012 12/3/2012 12/3/2012 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 6/26/2012 6/26/2012 12/3/2012 2/24/2013 1/17/2017 6/10/2017 6/10/2017 6/10/2017	K&S K&S K&S C&A	5-15	12.61 SSIONED 1/30/	ELL 12/7/2020 5.01 5.53 3.70 4.28 3.70 4.28 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.93 8.98 9.51 11.44 7.20 8.29 9.43 9.19 11.22 8.48 8.69 10.53	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74 7.60 7.84 5.81 8.55 8.34 6.50
	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 12/3/2013 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 8/26/2012 8/26/2012 12/3/2013 1/17/2017 8/8/2017 1/17/2017 8/8/2017 1/17/2017 8/8/2017 1/17/2017 8/8/2017	K&S K&S K&S C&A C&A C&A C&A C&A Racific Crest K&S K&S K&S C&A C&A Pacific Crest C&A	5-15	12.61 SSIONED 1/30/	ELL 12/7/2020 5.01 5.53 3.70 4.28 3.70 4.28 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.93 9.51 11.44 7.20 8.29 9.43 9.19 11.22 8.48 8.69	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74 7.60 7.84 5.81 8.55 8.34 6.50 5.60
	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 12/3/2012 2/24/2013 1/17/2017 6/17/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 12/3/2012 12/3/2013 1/17/2017 5/10/2017 5/10/2017 3/26/2018 6/14/2018	K&S K&S K&S C&A	5-15	12.61 SSIONED 1/30/	ELL 12/7/2020 5.01 5.53 3.70 4.28 3.70 4.28 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.93 8.98 9.51 11.44 7.20 8.29 9.43 9.19 11.22 8.48 8.69 10.53	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74 7.60 7.84 5.81 8.55 8.34 6.50
	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 12/3/2012 12/3/2013 1/17/2017 6/17/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 12/3/2012 12/3/2013 1/17/2017 8/8/2017 12/7/2017 8/8/2018 6/14/2018	K&S K&S K&S C&A	5-15	12.61 SSIONED 1/30/	ELL 12/7/2020 5.01 5.53 3.70 4.28 3.70 4.28 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.33 8.98 9.51 11.44 7.20 8.29 9.43 9.19 11.22 8.48 8.69 10.53 11.43 9.44	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74 7.60 7.84 5.81 8.55 8.34 6.50 7.59
	11/10/2010 3/23/2011 2/6/2012 8/26/2012 8/26/2012 12/3/2013 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 8/26/2012 12/3/2012 8/26/2012 12/3/2012 2/24/2013 1/17/2017 8/6/2018 6/14/2018 9/20/2018 12/4/2018 12/4/2018	K&S K&S K&S C&A	5-15	12.61 SSIONED 1/30/	ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.33 8.98 9.51 11.44 7.20 8.29 9.43 9.19 11.22 8.48 8.69 10.53 11.43 9.44 9.20	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74 7.60 7.84 5.81 8.55 8.34 6.50 5.60 7.59 7.83
	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2011 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 2/24/2013 1/17/2017 8/26/2012 12/3/2012 2/24/2013 1/17/2017 8/8/2017 12/7/2017 8/8/2017 12/7/2018 6/14/2018 6/14/2018 9/20/2018 12/4/2018 12/4/2018 12/4/2018 12/4/2018	K&S K&S C&A	5-15	12.61 SSIONED 1/30/	ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.93 9.51 11.44 7.20 9.43 9.19 11.22 8.48 8.69 10.53 11.43 9.44 9.20 10.81	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74 7.60 7.84 5.81 8.55 8.34 6.50 5.60 7.59 7.83 6.22
	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 12/3/2013 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 12/3/2012 8/26/2012 12/3/2012 12/3/2012 8/26/2012 12/3/2013 1/17/2017 5/10/2017 8/8/2017 12/7/2017 3/26/2018 6/14/2018 9/20/2018 12/4/2018 9/20/2019 9/17/2019	K&S K&S K&S C&A	5-15	12.61 SSIONED 1/30/	ELL 12/7/2020 5.01 5.53 3.70 4.28 3.70 4.28 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.91 11.44 7.20 8.29 9.43 9.19 11.22 8.48 8.69 8.69 8.69 8.69 9.69 11.44 9.20 10.81	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74 7.60 7.84 5.81 8.55 8.34 6.50 5.60 7.59 7.83 6.22 5.97
	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2011 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 1/17/2010 11/10/2010 3/23/2011 1/17/2017 8/26/2012 1/2/3/2012 1/2/3/2012 1/2/3/2012 1/2/3/2012 1/2/3/2012 1/2/3/2012 1/2/3/2012 1/2/3/2012 1/2/3/2012 1/2/3/2012 1/2/3/2012 1/2/3/2012 1/2/3/2012 1/2/3/2012 1/2/3/2012 1/2/3/2012 1/2/3/2019 1/2/3/2019 1/2/2019 1/2/2019 1/2/2019 1/2/2019 1/2/2019	K&S K&S K&S C&A C&A C&A C&A C&A Racific Crest K&S K&S K&S K&S K&S K&S K&S C&A	5-15	12.61 SSIONED 1/30/	ELL 12/7/2020 5.01 5.53 3.70 4.28 4.85 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.91 8.93 8.98 9.51 11.44 7.20 8.29 9.43 9.19 11.22 8.48 8.69 10.53 11.43 9.44 9.20 10.81 11.06 10.83	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74 7.60 7.84 5.81 8.55 8.34 6.50 7.59 7.83 6.22 5.97
	11/10/2010 3/23/2011 2/6/2012 5/21/2012 8/26/2012 12/3/2012 12/3/2013 1/17/2017 6/17/2010 11/10/2010 3/23/2011 2/6/2012 12/3/2012 8/26/2012 12/3/2012 12/3/2012 8/26/2012 12/3/2013 1/17/2017 5/10/2017 8/8/2017 12/7/2017 3/26/2018 6/14/2018 9/20/2018 12/4/2018 9/20/2019 9/17/2019	K&S K&S K&S C&A	5-15	12.61 SSIONED 1/30/	ELL 12/7/2020 5.01 5.53 3.70 4.28 3.70 4.28 6.88 2.57 3.62 4.70 2017 9.81 8.91 8.91 11.44 7.20 8.29 9.43 9.19 11.22 8.48 8.69 8.69 8.69 8.69 9.69 11.44 9.20 10.81	7.08 8.91 8.33 7.76 5.73 10.04 8.99 7.91 7.22 8.12 8.70 8.05 7.52 5.59 9.83 8.74 7.60 7.84 5.81 8.55 8.34 6.50 5.60 7.59 7.83 6.22 5.97

173-002 Data Tbl Mstr 12-2-22 1 of 12

Table 1 Groundwater Elevation Data Summary Gary's Cannon Beach Service Center 280 North Hemlock Street Cannon Beach, Oregon Pacific Crest Project No: 173-002

			Screened Interval	Top of Casing Elevation	Depth to Groundwater	Potentiometric Surface Elevation
Well ID	Date	Collected By	(feet btoc)1	(feet amsl) ²	(feet btoc) ¹	(feet amsl) ²
	6/17/2010	K&S			9.46	7.20
	11/10/2010	K&S			8.76	7.90
	3/23/2011	K&S			7.95	8.71
	2/6/2012	C&A			8.55	8.11
	5/21/2012	C&A			9.11	7.55
	8/26/2012	C&A			11.09	5.57
	12/3/2012	C&A			6.75	9.91
	2/24/2013	C&A		8-18 16.66	7.83	8.83
	1/17/2017	Pacific Crest Pacific Crest			8.95 8.78	7.71 7.88
	5/10/2017 8/8/2017	Pacific Crest			10.88	5.78
MW-5	12/7/2017	Pacific Crest	8-18	16.66	8.06	8.60
-	3/26/2018	Pacific Crest		10.00	8.28	8.38
	6/14/2018	Pacific Crest			10.15	6.51
	9/20/2018	Pacific Crest			11.08	5.58
	12/4/2018	Pacific Crest			8.94	7.72
	3/12/2019	Pacific Crest			8.74	7.92
	6/6/2019	Pacific Crest			10.39	6.27
	9/17/2019	Pacific Crest			10.64	6.02
	11/18/2019	Pacific Crest			10.45	6.21
	6/29/2020	Pacific Crest			10.40	6.26
	9/23/2020	Pacific Crest	DTED TO DE	EMEDIATION VA	11.34	5.32
	6/17/2010	K&S	INTED TO RE	MEDIATION W	9.35	7.45
					8.81	7.45
	11/10/2010 3/23/2011	K&S K&S			7.92	8.88
	2/6/2012	C&A			8.36	8.44
	5/21/2012	C&A			9.00	7.80
	8/26/2012	C&A			11.09	5.71
	12/3/2012	C&A			6.86	9.94
	2/24/2013	C&A			7.76	9.04
	1/17/2017	Pacific Crest			8.85	7.95
	5/10/2017	Pacific Crest			8.74	8.06
	8/8/2017	Pacific Crest			10.96	5.84
	12/7/2017	Pacific Crest			7.99	8.81
	3/26/2018	Pacific Crest			8.34	8.46
	6/14/2018	Pacific Crest			10.12 11.21	6.68
	9/20/2018 12/4/2018	Pacific Crest Pacific Crest		16.80	9.09	5.59 7.71
MW-6	3/12/2019	Pacific Crest	8-18		8.87	7.71
	6/6/2019	Pacific Crest	0.0	10.00	10.36	6.44
	9/17/2019	Pacific Crest			10.96	5.84
	11/18/2019	Pacific Crest			10.48	6.32
	6/29/2020	Pacific Crest			10.39	6.41
	9/23/2020	Pacific Crest			11.55	5.25
	12/8/2020	Pacific Crest			8.96	7.84
	12/10/2020	Pacific Crest			8.84	7.96
	12/21/2020	Pacific Crest			7.94	8.86
	1/14/2021	Pacific Crest			7.18	9.62
	4/26/2021 7/28/2021	Pacific Crest Pacific Crest			9.93 11.32	6.87 5.48
	9/1/2021	Pacific Crest			11.63	5.48
	12/14/2021	Pacific Crest			7.62	9.18
	3/22/2022	Pacific Crest			8.25	8.55
	6/23/2022	Pacific Crest			9.10	7.70
	9/7/2022	Pacific Crest			11.26	5.54
	6/17/2010	K&S			8.59	7.51
	11/10/2010	K&S			8.09	8.01
	3/23/2011	K&S			7.18	8.92
	2/6/2012	C&A			7.62	8.48
	5/21/2012	C&A			8.25	7.85
	8/26/2012	C&A			10.33	5.77
	12/3/2012 2/24/2013	C&A C&A			6.12 7.05	9.98
	1/17/2017	Pacific Crest			7.05 NM	9.05
	1/31/2017	Pacific Crest			7.79	8.31
	5/10/2017	Pacific Crest			7.79	8.14
MW-7	8/8/2017	Pacific Crest	5-15	16.10	10.16	5.94
IVIVV-/	12/7/2017	Pacific Crest			7.31	8.79
	3/26/2018	Pacific Crest			7.60	8.50
	6/14/2018	Pacific Crest			9.43	6.67
	9/20/2018	Pacific Crest			10.48	5.62
	12/4/2018	Pacific Crest			8.41	7.69
	3/12/2019	Pacific Crest			8.04	8.06
	6/6/2019	Pacific Crest			9.63	6.47
	9/17/2019	Pacific Crest			10.17	5.93
	11/18/2019 6/29/2020	Pacific Crest Pacific Crest			9.75 9.65	6.35 6.45
	0/29/2020		l			
	9/23/2020	Pacific Crest			10.80	5.30

173-002 Data Tbl Mstr 12-2-22 2 of 12

			Screened Interval	Top of Casing Elevation	Depth to Groundwater	Potentiometric Surface Elevatio	
Well ID	Date	Collected By	(feet btoc)1	(feet amsl) ²	(feet btoc)1	(feet amsl) ²	
	6/17/2010	K&S			8.29	7.57	
	11/10/2010	K&S	1		7.85	8.01	
	3/23/2011	K&S			6.87	8.99	
	2/6/2012	C&A			6.25	9.61	
	5/21/2012	C&A			7.94	7.92	
	8/26/2012	C&A			10.11	5.75	
	12/3/2012	12 C&A		5.91	9.95		
	2/24/2013	C&A		- - -	6.74	9.12	
	1/17/2017	Pacific Crest	1		7.80	8.06	
					7.69	8.17	
		5/10/2017 Pacific Crest 8/8/2017 Pacific Crest		9.94	5.92		
	12/7/2017	Pacific Crest	1		7.00	8.86	
			-				
	3/26/2018	Pacific Crest			7.39	8.47	
	6/14/2018	Pacific Crest			9.21	6.65	
	9/20/2018	Pacific Crest			10.30	5.56	
	12/4/2018	Pacific Crest			8.16	7.70	
MW-8	3/12/2019	Pacific Crest	8-18	15.86	7.85	8.01	
	6/6/2019	Pacific Crest			9.36	6.50	
	9/17/2019	Pacific Crest			10.12	5.74	
	11/18/2019	Pacific Crest			9.51	6.35	
					9.41	6.45	
	6/29/2020	Pacific Crest	1				
	9/23/2020	Pacific Crest	4		10.62	5.24	
	12/8/2020	Pacific Crest	4		7.97	7.89	
	12/10/2020	Pacific Crest	1		7.90	7.96	
	12/21/2020	Pacific Crest	J		6.95	8.91	
	1/14/2021	Pacific Crest]		6.10	9.76	
	4/26/2021	Pacific Crest	I		8.91	6.95	
	7/28/2021	Pacific Crest	1		10.35	5.51	
	9/1/2021	Pacific Crest	1		10.67	5.19	
	12/14/2021	Pacific Crest	1		6.61	9.25	
	3/22/2022	Pacific Crest	1		7.24	9.25 8.62	
			ł				
	6/23/2022	Pacific Crest	4		8.19	7.67	
	9/7/2022	Pacific Crest			10.29	5.57	
	2/6/2012	C&A			8.63	7.67	
	5/21/2012	C&A			9.07	7.23	
	8/26/2012	C&A			10.92	5.38	
	12/3/2012	C&A			6.78	9.52	
	2/24/2013	C&A			7.79	8.51	
	1/17/2017	Pacific Crest			8.86	7.44	
	5/10/2017	Pacific Crest			8.83	7.47	
	8/8/2017	Pacific Crest			10.88	5.42	
	12/7/2017	Pacific Crest			8.07	8.23	
	3/26/2018	Pacific Crest			8.08	8.22	
	6/14/2018	Pacific Crest			9.95	6.35	
	9/20/2018	Pacific Crest			10.79	5.51	
	12/4/2018	Pacific Crest			8.78	7.52	
	3/12/2019	Pacific Crest			8.76	7.54	
MW-9	6/6/2019	Pacific Crest	5-20	16.30	10.34	5.96	
	9/17/2019	Pacific Crest	. 0 20	10.00	10.05	6.25	
	11/18/2019	Pacific Crest			10.29	6.01	
	6/29/2020	Pacific Crest			10.31	5.99	
			-				
	9/23/2020	Pacific Crest			11.22	5.08	
	12/8/2020	Pacific Crest			8.68	7.62	
	12/10/2020	Pacific Crest	I		8.55	7.75	
	12/21/2020	Pacific Crest	1		8.31	7.99	
	1/14/2021	Pacific Crest	1		7.80	8.50	
			1				
	4/26/2021	Pacific Crest	1		9.92	6.38	
	7/28/2021	Pacific Crest]		11.16	5.14	
	9/1/2021	Pacific Crest	I		11.35	4.95	
	12/14/2021	Pacific Crest	1		7.61	8.69	
		1	1				
	3/22/2022	Pacific Crest	1		8.12	8.18	
	6/23/2022	Pacific Crest	1		9.24	7.06	
	9/7/2022	Pacific Crest			11.12	5.18	
	12/8/2020	Pacific Crest			9.18	7.68	
	12/10/2020	Pacific Crest	1		9.04	7.82	
	12/21/2020	Pacific Crest	1		8.39	8.47	
			1				
	1/14/2021	Pacific Crest	4		7.62	9.24	
	4/26/2021	Pacific Crest	1		10.19	6.67	
MW-10	7/28/2021	Pacific Crest	5-15	16.86	11.46	5.40	
	9/1/2021	Pacific Crest	I		11.69	5.17	
	12/14/2021	Pacific Crest	1				
			4		7.94	8.92	
	3/22/2022	Pacific Crest	1		8.41	8.45	
	6/23/2022	Pacific Crest]		9.48	7.38	
	9/7/2022	Pacific Crest	1		11.39	5.47	
	12/8/2020	Pacific Crest			9.09	8.13	
			1				
	12/10/2020	Pacific Crest	1		8.98	8.24	
	12/21/2020	Pacific Crest]		8.39	8.83	
	1/14/2021	Pacific Crest	1		7.21	10.01	
			1		10.06	7.16	
	4/26/2021		5.45	5-15	5 17.22	10.00	
AMA/ 4:	4/26/2021	Pacific Crest					
MW-11	7/28/2021	Pacific Crest	5-15	17.22	11.39	5.83	
MW-11			5-15	17.22	11.39 11.69	5.83 5.53	
MW-11	7/28/2021 9/1/2021	Pacific Crest Pacific Crest	5-15	17.22	11.69	5.53	
MW-11	7/28/2021 9/1/2021 12/14/2021	Pacific Crest Pacific Crest Pacific Crest	5-15	17.22	11.69 7.21	5.53 10.01	
MW-11	7/28/2021 9/1/2021	Pacific Crest Pacific Crest	5-15	17.22	11.69	5.53	

173-002 Data Tbl Mstr 12-2-22 3 of 12

Well ID	Date	Collected By	Screened Interval (feet btoc) ¹	Top of Casing Elevation (feet amsl) ²	Depth to Groundwater (feet btoc) ¹	Potentiometric Surface Elevation (feet amsl) ²
	12/8/2020	Pacific Crest			5.44	7.76
	12/10/2020	Pacific Crest			5.30	7.90
	12/21/2020	Pacific Crest			4.46	8.74
	1/14/2021	Pacific Crest			3.69	9.51
	4/26/2021	Pacific Crest			6.34	6.86
MW-12	7/28/2021	Pacific Crest	5-15	13.20	7.65	5.55
	9/1/2021	Pacific Crest			7.91	5.29
	12/14/2021	Pacific Crest			4.09	9.11
	3/22/2022	Pacific Crest			4.60	8.60
	6/23/2022	Pacific Crest			5.59	7.61
	9/7/2022	Pacific Crest			7.51	5.69

NOTES:
btoc = below top of casing
ams! = above mean sea level
NM = not measured
K&S = K&S Environmental, Inc.
C&A = Coles & Associates, LLC
Pacific Crest = Pacific Crest Environmental, LLC

4 of 12 173-002 Data Tbl Mstr 12-2-22

H1702010 KAS						Groundwater Analytical Results (micrograms per liter)										
No.	Well ID		Sample Date	Sampled By	Interval	RO²	enzene ³	oluene³	thylbenzene³	ylenes³	aphthalene³	,2,4- rimethylbenzene³				
### Pre-treatment ### 1/10/2010 KAS 9,120 45,000 20 160 2,300 460 3,00	Well ID	Heatment			(leet)							7				
Pre-treatment					1											
## Pre-treatment Pre-treatme												3,900				
## Post-treatment ## Post-trea		Dra trantmant			_											
1,25/2012 C&A 2,27/2013		Pre-treatment			1											
MW-1																
MW-1 MW-1 MW-1 MW-1 MW-1 MW-1 MW-1 MW-1			2/27/2013			56,900		33.6	471		551	3,810				
## ST11/2017 Pacific Crest ## S820/2019 Pacific Crest												3,300				
MW-1 MW-1 MW-1 MW-1 MW-1 MW-1 MW-1 MW-1																
MW-1 MW-1 MW-1 MW-1 MW-2 MW-2 MW-2 MW-2 MW-2 MW-2 MW-2 MW-2																
MW-1																
MW-1 May			3/26/2018	Pacific Crest		19,800	2.99	<10.0	193.0	738	131	1,000				
Post-treatment 12/4/2018 Pacific Cress 10,300 <2,00 <1,00 114 283 82.6 6771 3732019 Pacific Cress 1,140 <0,200 <1,00 3.79 12.3 3.10 34.8 34.8 34.10 34.2 34.10 34.2 34.10 34.2 34.10 34.2	NAVA 4				E 4 E							1,480				
Post-treatment Post-t	IVIVV-1				5-15											
Post-treatment Post-t					1											
Post-treatment			6/6/2019		1											
NW-2 Not Applicable		Post-treatment														
MW-2		Post-treatment			4											
MW-2 Pacific Crest Facility					-											
### ### ##############################					1											
MW-3						752	1,140 <0.200			49.3						
12/14/2021		Post-treatment			- - - - -											
MW-3																
MW-3																
MW-3 Not Applicable Not Applicable																
MW-2 Pre-treatment Fre-treatment Fre-t																
Pre-treatment Pr					4											
Pre-treatment					-											
Pre-treatment Siz1/2012 C&A 8/29/2012 C&A 8/29/2012 C&A 11,900 <6.25 <25.0 173 821 170 1,270 1/17/2017 1/17/2017 Pacific Crest 25/600 <5.0 <20.0 122 983 134 1,450 25/600 <5.0 <20.0 122 983 134 1,450 25/600 <5.0 <20.0 122 983 134 1,450 25/600 <5.0 <20.0 122 983 134 1,450 25/600 <5.0 <20.0 122 983 134 1,450 25/600 <5.0 <20.0 122 983 134 1,450 25/600 <5.0 <25.0 3.25 3.7 500 <20.0 <20.0 3.25 3.7 500 <20.0 10.0 <5.0 25.7 <20.0 410 2.820 <20.0 410 2.820 411 2.820 2.820 410 2.820 411 2.820 2.820 410 2.820 410 2.820 410 2.820 410 2.820 410 2.820 410 2.820 410 2.820 410 2.820 410 2.820 410 2.820 410 2.820 410 2.820 410 2.820 410 2.820 410 2.820 410 2.820 410 4.66 4.00 163 4.83 412 410 4.820 4.820 4.920 4					1						240 1,950 192 2,170 551 3,810 380 3,300					
MW-2 12/4/2012		Pre-treatment	5/21/2012	C&A		54,200				9,640		2,420				
MW-2					4											
MW-2 MW-2 WELL REDEVELOPED 2/1/2017 Pacific Crest 2/1/2017 Feige 5/11/2017 Pacific Crest 12/7/2017 Pacific Crest 12/7/2018 Post-treatment Post-treatment Post-treatment Post-treatment Post-treatment Post-treatment MW-3 Not Applicable MW-3 MW-3 MW-3 MW-3 MW-3 MW-3 Pacific Crest 12/2012 C&A 12/2012 C&A 12/2012 C&A 12/2012 C&A 11/17/2017 Pacific Crest 12/2017 Pacific Crest 12/2017 Pacific Crest 12/2018 Pacific Crest 12/2018 Pacific Crest 12/200 Pacific Crest 12/200 Pacific Crest 11/19/2019 Pacific Crest 11/19/2019 Pacific Crest 11/19/2019 Pacific Crest 11/19/2010 R&S 11/19/2010 K&S 11/19/2010 K&S 11/19/2010 K&S 11/19/2012 C&A 11/2012 C&A 11/19/2012 C&A 11/19/2012 C&A 11/19/2012 C&A 11/19/2013 C&A 11/19/2017 Pacific Crest 14,700					4											
MW-2 MW-2 MW-2 MW-2 MW-2 MW-2 MW-2 MW-2					1											
MW-2 MW-2 MW-2 MW-2 MW-2 MW-3					1											
NW-2																
Post-treatment Post-t	MMA 2				5-15											
Post-treatment Post-treatment Post-	IVIVV-Z				1											
Post-treatment Post-treatment Post-treatment Post-treatment					1											
Post-treatment			6/14/2018	Pacific Crest		21,200	<2.00	<10.0	9.00	73.8	104	1,720				
MW-3 Not Applicable MW-3		Post-treatment			4											
MW-3 Not Applicable MW-3 Not Applicable MW-3 MW-3					-											
9/17/2019 Pacific Crest 11/19/2019 Pacific Crest 11/19/2019 Pacific Crest 14,000 <2.00 <10.0 11.6 57.2 43.6 1,050 14,700 <4.00 <2.00 <10.0 11.6 57.2 43.6 1,050 14,700 <4.00 <2.00 <10.0 30.6 <80.0 1,200 14,000 <2.00 4.06 17.0 14.4 292					1	1										
MW-3 Mot Applicable			9/17/2019	Pacific Crest]	31,500					149	2,670				
MW-3 Not Applicable Not Applicable B/28/2012 C&A 1/17/2017 Pacific Crest 6,420 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400 <0.400			11/19/2019	Pacific Crest		14,000	<2.00	<10.0	11.6	57.2	43.6	1,050				
MW-3 MW-3 MW-3 MW-3 MW-3 MW-3 MW-3 MW-3					4							1,200				
MW-3 Not Applicable Not Applicable			9/24/2020	Pacific Crest						17.0	14.4	292				
MW-3 Not Applicable Not Applicable MW-3			6/17/2010	K&S						250	21.1	95				
MW-3 Not Applicable Not Applicable			11/10/2010	K&S		13,400	6.40	433	772	4,180	107	536				
MW-3 Not Applicable					4							1,350				
Not Applicable 8/28/2012 C&A 8,950 3.40 15.3 241 1,620 122 632 12/4/2012 C&A 18,300 <5.0 95.2 533 2,390 181 1,690 1/17/2017 Pacific Crest 210 <0.2 <1.0 20 7.3 4.9 2.5					5.15											
12/4/2012 C&A 2/26/2013 C&A 41,100 <5.0	MW-3	Not Applicable			J-10											
2/26/2013 C&A 41,100 <5.0 1,460 1,570 7,710 348 1,680 1/17/2017 Pacific Crest 210 <0.2					1							1,690				
			2/26/2013	C&A		41,100	<5.0	1,460	1,570	7,710	348	1,680				
WELL DECOMMISSIONED 1/30/2017			1/17/2017	Pacific Crest						7.3	4.9	2.5				

173-002 Data Tbl Mstr 12-2-22 9 of 12

						Grour	ndwater Anal	ytical Results (micrograms per liter)						
								ne³		°9	nzene³			
Well ID	ISCO Treatment	Sample Date	Sampled By	Screened Interval (feet ¹)	GRO²	Benzene ³	Toluene ³	Ethylbenzene ³	Xylenes³	Naphthalene ³	,2,4- rimethylbenzene³			
Well ID	Heatment	6/17/2010	K&S	(leet)	27.500	0.330	82.9	308	2,300	253	2,010			
		11/10/2010	K&S		16,500	<5.0	<20.0	102	1,220	161	1,330			
		3/23/2011	K&S		11,500	0.25	<1.0	15.0	161	54.5	647			
	Pre-treatment	2/7/2012 5/22/2012	C&A C&A		10,200 8,950	<0.25 <1.25	<1.0 <5.0	6.55 2.80	40.0 19.6	38.6 18.5	725 504			
		8/27/2012	C&A		23,000	4.45	463	725	5,180	184	1,500			
		12/3/2012	C&A		9,120	<5.0	<20.0	159	821	104	879			
		2/26/2013	C&A		7,770	<2.5	<10.0	11.3	62.9	24.3	416			
		5/11/2017	LOPED 5/11/2017 Pacific Crest		5,590	- 0.250E	- <1.00	4.80	14.8	12.1	44.7			
		8/8/2017	Pacific Crest	0.40	22,500	3.70	8.44	942	3,050	50.7	424			
MW-4		12/7/2017	Pacific Crest	8-18	<100	<0.2	<1.0	<0.5	<1.5	<2.0	<1.0			
		3/26/2018	Pacific Crest		<100	<0.2	<1.0	< 0.5	<1.5	<2.0	<1.0			
		6/14/2018 9/20/2018	Pacific Crest Pacific Crest	-	2,070 18,000	<0.200 2.01	<1.00 <10.0	2.47 78.0	6.7 447	5.12 116	12.9 919			
	Post-treatment	12/4/2018	Pacific Crest		5,040	<0.200	<1.00	1.42	4.36	11.4	16.8			
		3/12/2019	Pacific Crest		1,070	<0.200	<1.00	0.695	3.01	<2.00	6.98			
		6/6/2019	Pacific Crest		894	0.210	<1.00	5.00	23.1	<2.00	23.5			
		9/18/2019 11/19/2019	Pacific Crest Pacific Crest		20,600 3,810	1.90 <2.00	10.9 <10.0	168 24.0	731 131	190 39.0	1,280 205			
		6/29/2020	Pacific Crest	1	7,650	1.58	3.90	110	682	64.4	389			
		9/23/2020	Pacific Crest		25,600	<2.00	<10.0	582	1,490	337	1,660			
		0/47/0040	1/0.0	1	CONVERTED TO				T 500	205	0.070			
	Pre-treatment	6/17/2010 11/10/2010	K&S K&S		48,500 32,200	9.00 <5.00	433 288	1,200 512	5,530 3,970	605 186	2,370 1,250			
		3/23/2011	K&S		20,900	<2.50	47.5	427	2,620	144	835			
		2/7/2012	C&A		6,180	<0.250	8.08	144	750	51	215			
		5/22/2012 8/27/2012	C&A C&A		23,500 35,900	1.48 <2.50	27.0 307	495 1,060	3,070 4,790	237 484	934 1,850			
		12/3/2012	C&A		1,410	<1.25	6.55	12.9	103	<10.0	47.5			
		2/26/2013	C&A		5,650	0.25	6.06	70.8	446	33.2	181			
			LOPED 5/11/2017		-	-	-	-	-	-	-			
		5/11/2017 8/8/2017	Pacific Crest Pacific Crest		16,600 51,300	2.40 4.37	5.55 29.0	197 313	675 2,440	101 158	603 2,180			
MW-5		12/7/2017	Pacific Crest	8-18	200	<0.2	<1.0	0.544	7	<2.0	4.91			
		3/26/2018	Pacific Crest	- - -	1,280	<0.2	<1.0	1.37	10.2	<2.0	17.0			
		6/14/2018	Pacific Crest		22,600	2.42	10.0	55.7	494	45.3	970			
	Post-treatment	9/20/2018 12/4/2018	Pacific Crest Pacific Crest		68,900 1,000	2.74 <0.200	50.7 <1.00	889 0.617	4,780 23.6	397 <2.00	2,920 17.2			
	. oot troutmont	3/12/2019	Pacific Crest		2,550	<0.200	<1.00	0.606	30.9	<2.00	14.2			
		6/6/2019	Pacific Crest		35,900	<2.00	11.3	86.5	922	49.6	1,220			
		9/18/2019	Pacific Crest		36,900 28,800	3.00 <2.00	33.2 <10.0	815 76.1	1,880 565	180 55.1	2,230 1,410			
		11/19/2019 6/29/2020	Pacific Crest Pacific Crest		17,000	<2.00	<10.0	46.0	350	47.2	714			
		9/23/2020	Pacific Crest		43,800	<2.00	213	630	4,700	246	2,250			
		0/47/0040	1/0.0		CONVERTED TO				1 040	200	050			
		6/17/2010 11/10/2010	K&S K&S		12,500 4,430	2.12 <5.0	29.3 <20.0	631 145	1,310 593	298 58	858 542			
		3/23/2011	K&S]	10,500	<2.5	115	539	898	282	727			
	Dec desert	2/6/2012	C&A	4	16,400	3.02	201	882	2,120	291	1,180			
	Pre-treatment	5/21/2012 8/28/2012	C&A C&A	4	14,800 20,600	<1.25 <2.50	257 537	595 943	1,520 2,950	333 369	927 1,230			
		12/4/2012	C&A	1	6,240	<5.0	<20.0	462	338	182	588			
		2/25/2013	C&A		6,820	<2.5	<10.0	325	658	146	562			
		1/17/2017 WELL REDEVE	Pacific Crest ELOPED 2/1/2017	4	3,800	<1.0	7.5	260	251	140	200			
		2/1/2017	Feige	1	16,100	- <2.0	34.4	- 540	1,080	275	803			
		5/11/2017	Pacific Crest]	10,500	1.30	<5.00	526	284	274	363			
		8/8/2017	Pacific Crest	4	7,480	1.30	<5.00	533	<7.50	406	97.8			
		12/7/2017 3/26/2018	Pacific Crest Pacific Crest	4	4,370 6,000	3.62 2.26	<1.0 <10.0	290 492	289 152	136 356	87.0 111			
MW-6		6/14/2018	Pacific Crest	8-18	17,700	<2.00	96.5	998	1,640	314	882			
I		9/20/2018	Pacific Crest]	13,200	<2.00	<10.0	437	1,010	173	786			
		12/4/2018	Pacific Crest	4	20,700	3.80	<10.0	428	1,140	432	1,360			
		3/12/2019 6/6/2019	Pacific Crest Pacific Crest	1	467 5,430	<0.200 <2.00	<1.00 <10.0	14.0 291	2.79 474	35.5 97.6	14.7 182			
	Post-treatment	9/17/2019	Pacific Crest	1	3,000	1.07	<1.00	138	67.8	25.4	74			
		11/18/2019	Pacific Crest		2,720	0.810	<1.00	45.3	16.5	87.3	87.8			
		6/29/2020 9/23/2020	Pacific Crest Pacific Crest	1	4,380 5,280	<2.00 0.420	<10.0 <2.00	173 494	292 88.2	119 206	221 74.9			
		1/14/2021	Pacific Crest	1	1,640	1.43	<1.00	19.3	12.3	68.6	98.2			
		4/26/2021	Pacific Crest]	2,080	<0.200	<1.00	133	35.9	129	60.5			
		7/28/2021 9/1/2021	Pacific Crest Pacific Crest	1	6,550 11,100	<2.00 <2.00	<10.0 10.1	304 221	325 1,130	239 342	380.0 929			
		12/14/2021	Pacific Crest	-	1,690	0.900	<1.00	66.2	12.6	68.0	70.0			
		3/22/2022	Pacific Crest	4	8,480	0.640	16.6	425 743	459 620	327 849	606			
		6/23/2022 9/7/2022	Pacific Crest Pacific Crest	†	15,400 16,200	<2.00 <1.00	<10.0 44.4	743 549	620 1,610	655	892 1,670			

173-002 Data Tbl Mstr 12-2-22 10 of 12

			Groundwater Analytical Results (micrograms per liter)													
	ISCO			Screened Interval	GRO²	Benzene ³	roluene³	hylbenzene³	/lenes³	ıphthalene³	2,4- methylbenzene³					
Well ID	Treatment	Sample Date	Sampled By	(feet1)							T 2					
'n	-	6/17/2010	K&S		84,200	<25.0	4,580									
'n	-	11/10/2010	K&S	_	61,900	7.00	2,030									
n	-	3/23/2011 2/7/2012	K&S C&A	_	81,800 72,900	2.84 2.14	4,280 1,700			Table Tabl						
'n	Pre-treatment	5/21/2012	C&A		119,000	<5.00	8,830									
n		8/27/2012	C&A		83,000	<12.5	2,150	3,480	18,100							
n		12/3/2012	C&A		36,200	<25.0	484	1,400	9,540	308	1,700					
n		2/25/2013	C&A		95,600	<12.5	4,070	3,420	20,200							
		1/31/2017	Pacific Crest		21,600	<2.00	162									
n	-	5/10/2017	LOPED 5/10/2017 Pacific Crest		116,000	- <10.0										
	}	5/10/2017 8/8/2017	Pacific Crest	5-15	50,700	<10.0	<50.0									
MW-7	}	12/7/2017	Pacific Crest		263	<0.2	<1.0	11.30	15.30							
n		3/26/2018	Pacific Crest		6,440	<0.2	12.0	251	529							
		6/14/2018	Pacific Crest		33,000	<10.0	142	1,100	5,450		1,400					
n	_	9/20/2018	Pacific Crest		33,300	2.36	24	988	2,980							
n	Post-treatment	12/4/2018	Pacific Crest		40,400	<4.00	45.2									
n	-	3/12/2019 6/6/2019	Pacific Crest Pacific Crest		201 10,800	<0.200 <1.00	1.16									
n	-	9/17/2019	Pacific Crest	-	36,100	3.00	71.8	10								
n	-	11/18/2019	Pacific Crest		45,800	<10.0	128			1,200						
n	-	6/29/2020	Pacific Crest	1	10,600	<1.00	24.8		10							
n		9/23/2020	Pacific Crest		23,700	2.60	39.6		3,730	241	1,080					
					CONVERTED TO											
'n		6/17/2010	K&S		<100	<0.25	<0.50									
'n	-	11/10/2010 3/23/2011	K&S K&S	-	<100 <100	<0.25 <0.25	<1.0			670 2,960 335 1,830 5.01 19 74.8 336 386 1,400 420 1,990 531 2,370 3.06 13.5 145 648 448 2,320 366 1,940 192 646 241 1,080 <2.0						
'n		2/6/2012	C&A	-	<100	<0.25	<1.0									
'n	Pre-treatment	5/21/2012	C&A	CC	<100	<0.25	<1.0									
'n		8/28/2012	C&A		<100	<0.25	<1.0	<0.0			<1.0					
'n		12/4/2012	C&A		<100	<0.25	<1.0									
		2/25/2013	C&A		<100	<0.25	<1.0	<0.5			<1.0					
'n	-	5/10/2017	LOPED 5/10/2017 Pacific Crest	_	<100	0.44		-0 F00								
'n	-	8/8/2017	Pacific Crest	-	<100	<0.20	<1.0									
'n	-	12/7/2017	Pacific Crest		<100	<0.20	<1.0									
'n	-	3/26/2018	Pacific Crest		<100	<0.20	<1.0									
		6/14/2018	Pacific Crest		<100	<0.200	<1.00									
MW-8		9/20/2018	Pacific Crest	8-18	<100	<0.200	<1.00									
		12/4/2018	Pacific Crest	4	<100	<0.200	<1.00									
	-	3/12/2019 6/6/2019	Pacific Crest Pacific Crest	-	<100 <100	<0.200 <0.200	<1.00 <1.00									
		9/17/2019	Pacific Crest	1	<100	<0.200	<1.00									
	Post-treatment	11/19/2019	Pacific Crest	1	<100	<0.200	<1.00									
	j	6/29/2020	Pacific Crest]	<100	<0.200	<1.00									
	[9/23/2020	Pacific Crest	1	<100	<0.200	<1.00									
	[1/14/2021	Pacific Crest	4	<100	<0.200	<1.00									
		4/26/2021	Pacific Crest	4	<100	<0.200	<1.00									
	}	7/28/2021	Pacific Crest	1	<100 <100	<0.200	<1.00	0.500	4.50	0.00						
	}	9/1/2021 12/14/2021	Pacific Crest Pacific Crest	1	<100	<0.200	<1.00 <1.00									
	ŀ	3/22/2022	Pacific Crest	1	<100	<0.200	<1.00									
	ļ	6/23/2022	Pacific Crest		<100	<0.200	<1.00									
		9/7/2022	Pacific Crest		<100	<0.200	<1.00									
, 7	Ţ	2/6/2012	C&A	1	43,400	5.64	16.2									
]	5/23/2012	C&A	4	53,600	<5.0	39.2									
MW-9	Pre-treatment	8/27/2012 12/3/2012	C&A C&A	5-20	40,900 43,800	<6.25 98.5	103 71.5									
IVIVV-9	Pre-treatment	12/3/2012	Can	5-20	43,000	90.0	71.0	2,200	11,900	322	1,940					
	İ	2/25/2013	C&A		43,400	5.40	140	1 300	7 460	248	2 440					

173-002 Data Tbl Mstr 12-2-22 11 of 12

					Groundwater Analytical Results (micrograms per liter)												
Well ID	ISCO Treatment	Sample Date	Sampled By	Screened Interval (feet ¹)	GRO²	Benzene³	Toluene ³	Ethylbenzene³	Xylenes³	Naphthalene³	1,2,4- trimethylbenzene³						
			LOPED 5/10/2017		-	-	-	-	1	-	-						
		5/10/2017	Pacific Crest		50,100	<10.0	<50.0	781	3,080	516	2,680						
		8/8/2017	Pacific Crest		29,900	<10.0	59.9	810	4,020	126	1,130						
	_	12/7/2017	Pacific Crest]	28,200	20.8	<1.0										
	-	3/26/2018	Pacific Crest		4,720	1.15	<2.0										
	-	6/14/2018	Pacific Crest	1	8,890	2.36	<5.0										
	-	9/20/2018	Pacific Crest	4	7,080	1.54	<2.00										
	-	12/4/2018	Pacific Crest		<100	<0.20	<1.00										
	-	3/12/2019	Pacific Crest	-	6,690 9,120	0.675 2.74	1.29										
	}	6/6/2019 9/18/2019	Pacific Crest Pacific Crest	1	1,480	1.91	<5.00 <1.00										
MW-9	Post-treatment	11/19/2019	Pacific Crest Pacific Crest	5-20	1,480 19,600	40.6	20.8										
(cont.)	r ost-treatment	6/29/2020	Pacific Crest Pacific Crest	3-20	27,300	28.0	18.2		,								
	-	9/23/2020	Pacific Crest	-	16,700	10.5	76.5										
	}	12/21/2020	Pacific Crest	†	200	<0.200	<1.00										
	-	1/14/2021	Pacific Crest		756	0.260	<1.00										
	-	4/26/2021	Pacific Crest	1	39,000	<5.00	42.5	1,220	*** *** *** *** *** *** *** *** *** **	-							
	•	7/28/2021	Paciific Crest	1	26,400	<2.00	<10.0										
		9/1/2021	Pacific Crest		10,900	<2.00	<10.0				848						
		12/14/2021	Pacific Crest	1	<100	<0.200	<1.00	2.30	2.04	3.18	2.30						
		3/22/2022	Pacific Crest	1	1,060	<0.200	<1.00	9.17	38.4	14.7	81.0						
		6/23/2022	Pacific Crest		8,180	<2.00	<10.0	176	802	73.1	548						
		9/7/2022	Pacific Crest		10,700	0.72	21.1	318	739	174	599						
						INSTALLED											
		12/21/2020	Pacific Crest		8,490	0.400	1.49										
		1/14/2021	Pacific Crest		1,810	<0.200	<1.00										
	-	4/26/2021	Pacific Crest	1	5,800	<0.200	<1.00										
MW-10	Post-treatment	7/28/2021	Pacific Crest		7,340	0.840	<2.00										
	-	9/1/2021	Pacific Crest	5-15	74,100	5.05	3,590			228 98.0 155 225 31.8 273 89.1 27.8 86.4 9.17 1,950 364 917 1,950 589 1,480 1,940 <200							
	-	12/14/2021	Pacific Crest	-	1,280 766	0.260 <0.200	<1.00 <1.00										
	-	3/22/2022	Pacific Crest Pacific Crest		1,820	<0.200	<1.00										
	-	6/23/2022		-	6,470	1.31	1.14										
		9/7/2022	Pacific Crest			INSTALLED		00.7	97.0	111	223.0						
	}	12/21/2020	Pacific Crest		3,180	<0.200	17.1	30 1	306	23.7	156						
	}	1/14/2021	Pacific Crest	†	1,530	<0.200	7.39										
	ŀ	4/26/2021	Pacific Crest	1	8,010	1.12	2,430										
A 00 4 4 4	Doct to	7/28/2021	Pacific Crest	1	101,000	7.00	5,740	3100									
MW-11	Post-treatment	9/1/2021	Pacific Crest	5-15	106,000	6.90	4,730	3,770									
		12/14/2021	Pacific Crest	1	1,310	<0.200	5.01	11.2	1,940 <200	99.6							
	ļ	3/22/2022	Pacific Crest]	1,150	<0.200	30.8	20.2		31.8 273 27.8 86.4 364 917 589 1,480 <200 835 4.59 8.32 7.58 48.4 342 2,310 360 2,220 174 848 3.18 2.30 14.7 81.0 73.1 548 174 599 26.9 485 2.33 104 10.4 251 59.6 189 512 1,920 5.45 59.0 2.55 29.9 2.86 27.8 111 223.0 23.7 156 10.8 90.0 55.2 469 670 2,270 843 2,510 7.44 99.6 4.61 54.5 12.6 72.5 443 2,620 <2.00 1.01 <2.00 1.01 <2.00 1.07 252 1,970							
	Ī	6/23/2022	Pacific Crest]	1,590	0.230	169				1.1.8 273 7.8 86.4 164 917 189 1,480 200 835 .59 8.32 .58 48.4 482 2,310 160 2,220 74 848 .18 2,30 47 81.0 3.1 548 74 599 6.9 485 .33 104 0.4 251 9.6 189 112 1,920 .45 59.0 .55 29.9 .86 27.8 11 223.0 3.7 156 0.8 90.0 5.2 469 6.0 2,270 143 2,510 .44 99.6 .61 54.5 2.6 72.5 143 2,620 2.00 1.01						
		9/7/2022	Pacific Crest		73,500	2.52	2,310	2,800	17,600	443	2,620						
						INSTALLED											
]	12/21/2020	Pacific Crest	1	237	<0.200	<1.00	<0.500									
	<u> </u>	1/14/2021	Pacific Crest		<100	<0.200	<1.00				6 1,130 0 1,860 0 1,860 3 38.5 3 100 0 1,55 3 273 3 86.4 4 917 1,480 835 9 8,32 3 48.4 2 2,310 2,220 488 4 2,310 2,220 488 3 2,30 7 81.0 4 599 9 485 3 104 4 251 3 1,920 5 59.0 5 29.9 3 2,510 4 99.6 4 99.6 5 72.5 3 2,620 0 1,01 0 <1,00						
	<u> </u>	4/26/2021	Pacific Crest	4	25,000	2.08	<20.0										
MW-12	Post-treatment	7/28/2021	Pacific Crest		19,400	<2.00	<10.0										
		9/1/2021	Pacific Crest	5-15	10,800	2.43	<10.0										
		12/14/2021	Pacific Crest	1	<100 <100	<0.200 <0.200	<1.00 <1.00										
	-	3/22/2022	Pacific Crest	1	3.270	<0.200	<1.00										
	-	6/23/2022 9/8/2022	Pacific Crest Pacific Crest	1	13,400	0.910	<10.0										
	9	9/8/2022 ite-Specific Clean			14,000	1,800	<1.00 220,000										
	3	ne-opecine olean	up Level		14,000	1,000	220,000	4,300	23,000	300	0,300						

NOTES:

Sample analyzed by EFA Method 6200

E = due to matrix interference, this analyte cannot be accurately quantified. The reported result is estimated.

GRO = gasoline range organics

BOLD: indicates detected concentration exceeds Site-specific cleanup level

< = result is less than laboratory practical quantitation limit indicated

NA = not analyzed

K&S = K&S Environmental, Inc.

C&A = Coles & Associates, LLC
Pacific Crest = Pacific Crest Environmental, LLC

12 of 12 173-002 Data Tbl Mstr 12-2-22

¹ feet below top of well casing

² Sample analyzed by NWTPH-Gx

³ Sample analyzed by EPA Method 8260

Table 6. Soil Gas Sample Analysis Results (μg/m³) including Helium (%)

Sample ID (date)	Retone	2. Indianose	bertene	dhoroforth	differentiative	currente	ethanol	freen 1	fredri 12	Trestribere distribe	tetrachloroethene	tollette	Sylenes	gasdife-range Trydrocarbon	naphthalene	cyclotterate	heptane	22 Artificetty)	helitet
PP-1 (0512)	3.0	<2.8	<0.60	2.4	<0.39	<0.92	<1.8	1.3	2.2	<1.3	<1.3	<0.70	<0.81	<76	<4.9	<0.64	<0.77	<4.4	0.16
PP-1 (0812)	11	<2.9	1.5	1.2	0.94	1.1	2.1	2.3	2.3	<1.4	1.4	<0.74	<0.85	<80	<5.1	<0.67	<0.80	<4.6	<0.098
PP-1 (1212)	17	3.7	1.1	<0.91	<0.34	<0.92	2.0	2.3	3.4	<1.3	<1.3	<0.70	<0.81	<76	<4.9	<0.64	<0.77	<4.4	<0.094
PP-1 (0213)	11	3.3	<0.53	<0.82	<0.43	<0.82	8.7	2.6	2.5	<1.2	1.4	3.0	<0.72	<68	<4.4	3.3	<0.68	<3.9	<0.084
PP-2 (0512)	14	<2.8	<0.60	3.2	<0.39	<0.92	11	1.6	2.2	1.4	<1.3	3.7	<0.81	<76	<4.9	<0.64	<0.77	<4.4	<0.094
PP-2 (0812)	5.4	<2.8	<0.61	1.4	<0.39	<0.94	1.8	3.1	2.5	<1.3	<1.3	<0.72	<0.83	<78	<5.0	<0.66	<0.78	<4.5	<0.096
PP-2 (1212)	7.0	<2.7	<0.58	<0.89	<0.38	<0.90	<1.8	2.4	3.7	<1.3	<1.2	<0.69	<0.79	<75	<4.8	<0.63	<0.75	<4.3	<0.092
PP-2 (0213)	<2.1	<2.6	<0.56	<0.86	<0.36	<0.86	1.9	1.4	2.7	<1.2	<1.2	0.96	<0.76	<72	<4.6	<0.60	<0.72	<4.1	<0.088
PP-3 (0512)	3.1	3.6	<0.54	<0.82	<0.35	<0.82	<1.6	3.4	2.2	<1.2	1.8	0.72	0.74	<69	<4.4	<0.58	<0.69	<3.9	0.43
PP-3 (0812)	3.3	<2.8	<0.60	<0.91	<0.39	<0.92	<1.8	6.8	2.7	<1.3	2.9	<0.70	<0.81	<76	<4.9	<0.64	<0.77	<4.4	0.86
PP-3 (1212)	11	<2.8	<0.61	<0.93	<0.39	<0.94	<1.7	7.8	3.7	<1.3	1.6	<0.72	<0.83	<78	<5.0	<0.66	<0.78	<4.5	0.26
PP-3 (0213)	7.4	<2.6	0.95	<0.87	<0.37	<0.88	3.4	1.2	2.6	<1.2	<1.2	<0.67	<0.78	110	<4.7	<0.62	7.2	4.3	0.29
RBCs							R	isk-Based Cor	ncentrations (from DEQ's F	RBC table, dat	ed 7 June 2012	2)						
occupational, soil gas, inhalation			1,600	530	390,000	1,800,000		3,100,000		26,000	47,000	22,000,000	440,000	1,700,000	360				
residential, soil gas, inhalation			62	21	19,000	83,000		150,000		1,000	1,900	1,000,000	21,000	79,000	14				
urban residential, soil gas, inhalation			170	58	19,000	83,000		150,000		2,800	5,100	1,000,000	21,000	79,000	39				

Notes:

Risk-Based Concentrations (RBCs) are from DEQ's RBDM guidance document, as amended 7 June 2012. Bold shading highlights detected values (i.e, results exceeding method reporting limits). Methylene chloride is listed as dichloromethane and cumene is listed as propylbenzene, iso, in the DEQ's Table of RBCs. DEQ has not identified RBDM RBCs for acetone, 2-butanone, ethanol, freon 12, cyclohexane, heptane. Soil-gas wells PP-1 through PP-3 were installed by C&A in November 2011.

Table B-1
Soil Analytical Results Summary
Gary's Cannon Beach Service Center
280 North Hemlock Street
Cannon Beach, Oregon
Pacific Crest Project No: 173-001

										Soil	Analytical Re	esults (milligra	ams per kilog	gram)						
Sample ID	Sample Date	Sampled By	Depth Sampled (feet bgs)	бко⁴	JRO².³	ORO²	3enzene⁴	ſoluene⁴	Ethylbenzene⁴	⟨ylenes⁴	Naphthalene⁴	NTBE⁴	sopropylbenzene ⁴	ı-propylbenzene⁴	1,2,4- irimethylbenzene ⁴	,3,5- rimethylbenzene ⁴	∃DB⁴	EDC⁴	-ead ⁵	retrachloroethene ⁴
#1 (South 4,000-Gallon UST,	10/15/2007	K&S	9	402	NA NA	NA NA	<0.0152	1.09	3.12	30.7	NA NA	NA NA	NA	NA NA	NA A	NA AN	NA NA	NA	NA NA	NA NA
East Bottom) ⁶ #2 (South 4,000-Gallon UST,	10/10/2007	1100	-	102	10/	107	V0.0102	1.00	0.12	00.7	101	147	107	101	147	107	147	101	101	101
West Bottom) ⁶	10/15/2007	K&S	9	206	NA	NA	<0.0311	<0.249	0.820	13.8	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
#3 (North 4,000-Gallon UST,	10/15/2007	K&S	9	7,960	Detected	<120	0.317	68.5	81.3	666	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
East Bottom) ^o # 4 (North 4,000-Gallon UST,			-	,,,,,																
West Bottom) ⁶	10/15/2007	K&S	9	77.3	NA	NA	0.0998	<0.125	1.41	10.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
#5 (6,000-Gallon UST, East	10/16/2007	K&S	11	224	NA	NA	0.0292	5.33	3.53	28.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bottom) ^o #6 (6,000-Gallon UST, West																				
Bottom) ⁶	10/16/2007	K&S	11	1,770	Detected	<119	<0.0657	21.2	23.0	180	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
#7 (2,000 Gallon UST, East	10/16/2007	K&S	9	30,200	Detected	<116	3.40	375	520	3,580	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
Bottom) ^o #8 (2,000-Gallon UST, West				,																
Bottom) ⁶	10/16/2007	K&S	9	1,530	NA	NA	0.334	30.3	25.6	182	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
#9 - Under Piping ⁶	10/16/2007	K&S	3	<20.8	<32.8	161	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
#10 - Under Dispenser ⁶	10/16/2007	K&S	2.5	<17.5	649	<58.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
C1 (West Wall, North End) 7	10/30/2007	K&S	7.5	9,850	NA	NA	<0.0530	1.56	15.9	266	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
C2 (North Wall, West End) 7	10/30/2007	K&S	7.5	13,600	NA	NA	<0.0527	26.8	105	1,140	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
C3 (North Wall, East End) 7	10/30/2007	K&S	7.5	6.61	NA	NA	<0.0130	<0.104	0.0597	0.503	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
C4 (East Wall) ⁷	10/30/2007	K&S	5	4,320	NA	NA	<0.0512	17.0	34.4	330	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
C5 (Southeast Wall) ⁷	10/30/2007	K&S	5	4,840	NA	NA	< 0.0507	35.1	55.7	463	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
C6 (Southeast Wall) 7	10/30/2007	K&S	5	3,270	NA	NA	< 0.0512	6.37	20.2	192	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
C7 (South Wall) ⁷	10/30/2007	K&S	7.5	<4.43	NA	NA	<0.0138	<0.111	<0.0277	0.130	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
C8 (Northwest Corner) ⁷	10/30/2007	K&S	4	<4.16	NA	NA	< 0.0130	<0.104	< 0.0260	<0.0781	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
C9 (West Wall, South End) 7	10/31/2007	K&S	5	<4.20	NA	NA	< 0.0131	<0.105	< 0.0263	<0.0788	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
C10 (West Wall, South End) 7	10/31/2007	K&S	7.5	3,200	NA	NA	<0.161	17.5	34.7	344	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RB1-A (7.5)	5/2009	K&S	7.5	3,930	NA	NA	< 0.0656	0.480	6.45	72.9	11.6	<0.262	7.68	37.1	285	99.3	<0.131	<0.131	NA	NA
RB1-B (8)	5/2009	K&S	8	1,100	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
RB1-C (8.5)	5/2009	K&S	8.5	3,350	NA	NA	<0.173	2.93	18.4	156	15.5	< 0.693	10.4	41.0	221	73.6	< 0.346	< 0.346	NA	NA
PP-1 (14-14.5) ⁸	11/7/2011	C&A	14-14.5	81.0	NA	NA	< 0.0327	<0.131	< 0.0655	<0.196	< 0.262	<0.131	< 0.131	< 0.0655	< 0.131	< 0.131	< 0.0655	< 0.0655	NA	NA
PP-1 (18.5-19) ⁸	11/7/2011	C&A	18.5-19	378	NA	NA	<0.147	<0.589	0.512	5.60	4.31	<0.589	1.10	4.13	31.7	9.02	<0.294	<0.294	NA	NA
PP-2 (13-13.5) ⁸	11/7/2011	C&A	13-13.5	758	NA	NA	<0.0711	2.07	14.6	111	10.1	<0.284	1.51	5.64	39.8	10.6	<0.142	<0.142	NA	NA
PP-2 (19.5-20.0) ⁸	11/7/2011	C&A	19.5-20	110	NA	NA	<0.112	1.09	2.84	17.1	1.48	< 0.447	< 0.447	0.823	7.25	2.00	<0.224	<0.224	NA	NA
PP-3 (12-12.5)	11/7/2011	C&A	12-12.5	15,100	NA	NA	< 0.493	<1.97	<0.986	97.6	23.4	<1.97	<1.97	1.99	349	291	<0.986	<0.986	NA	NA
PP-3 (15.5-16) ⁸	11/7/2011	C&A	15.5-16	307	NA	NA	<0.137	<0.546	6.67	59.1	2.96	<0.546	0.590	1.73	13.8	3.91	<0.273	<0.273	NA	NA
MW-9 (10.5-11) ⁸	11/7/2011	C&A	10.5-11	<61.0	NA	NA	<0.152	<0.610	< 0.305	<0.915	<1.22	<0.610	< 0.610	< 0.305	<0.610	<0.610	< 0.305	< 0.305	NA	NA
MW-9 (14-14.5) ⁸	11/7/2011	C&A	14-14.5	283	NA	NA	0.764	<0.626	6.89	52.6	3.47	<0.626	<0.626	1.73	14.3	4.22	<0.313	<0.313	NA	NA
MW-9 (17-17.5) ⁸	11/7/2011	C&A	17-17.5	263	NA	NA	<0.132	6.52	9.11	59.5	2.00	<0.527	<0.527	0.969	7.16	1.86	<0.263	<0.263	NA	NA
SB1-022614-4.5-5.0	2/26/2014	Pacific Crest	4.5-5.0	<4.60	NA	NA	<0.0000452	0.000364	0.000813	0.00611	0.000232	< 0.0000375	0.000170	0.000670	0.00270	0.00114	< 0.0000469	<0.000113	1.24	NA
SB1-022614-9.5-10.0 ⁸	2/26/2014	Pacific Crest	9.5-10.0	488	NA	NA	0.00175	0.271	1.760	8.500	4.670	< 0.0000341	2.260	6.770	13.800	8.380	< 0.0000427	0.000174	1.94	NA
SB1-022614-14.5-15.0 ⁸	2/26/2014	Pacific Crest	14.5-15.0	<6.23	NA	NA	<0.0000424	0.0125	0.0222	0.2422	0.0957	< 0.0000352	0.00156	0.00818	0.127	0.0300	<0.000440	<0.000106	0.770	NA
SB2-032614-2.0-2.5	3/26/2014	Pacific Crest	2.0-2.5	<6.44	NA	NA	0.000380	0.00578	0.00201	0.01083	0.000389	< 0.0000455	0.000232	0.000620	0.00310	0.000918	<0.000570	<0.000137	1.04	NA
SB3-032614-2.0-2.5	3/26/2014	Pacific Crest	2.0-2.5	<6.54	NA	NA	0.000332	0.00484	0.00202	0.01104	0.000256	< 0.0000453	0.000204	0.000590	0.00325		< 0.0000567	<0.000137	0.927	NA
SB4-032614-1.5-2.0	3/26/2014	Pacific Crest	1.5-2.0	<6.44	NA	NA	0.000338	0.00448	0.00182	0.01003	0.000205	<0.0000423	0.000194	0.000557	0.00298	0.000888	0.0000529	<0.000128	1.05	NA
SB5-032614-2.0-2.5	3/26/2014	Pacific Crest	2.0-2.5	<6.62	NA	NA	0.000233	0.00353	0.00160	0.00872	0.000198	<0.0000451	0.000186	0.000519	0.00267	0.000816	<0.0000564	<0.000136	1.03	NA
SB6-032614-2.0-2.5	3/26/2014	Pacific Crest	2.0-2.5	<6.17	NA	NA	0.000282	0.00379	0.00147	0.00804	0.000149	<0.0000414	0.000151	0.000440	0.00226	0.000686	<0.0000518	<0.000125	1.09	NA
01	3/26/2014	Pacific Crest	1.5-2.0	<6.22	NA	NA	0.000620	0.00507	0.00150	0.00808	0.000140	<0.0000416	0.000151	0.000416	0.00210	0.000662	<0.0000521	<0.000126	0.976	NA
SB8-071014-7.0-7.5	7/10/2014	Pacific Crest	7.0-7.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0290
SB9-071014-5.0-6.0	7/10/2014	Pacific Crest	5.0-6.0	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	<0.0283
SB10-071014-6.0-7.0	7/10/2014	Pacific Crest	6.0-7.0	6.56	<21.8	<54.5	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA
SB11-071014-6.5-7.5	7/10/2014	Pacific Crest	6.5-7.5	<5.96	<25.6	<63.9	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA

173-001 DFT Data Tbis CAP 3-22-16

										Soil /	Analytical Re	sults (milligr	ams per kilog	gram)										
Sample ID	Sample Date	Sampled By	Depth Sampled (feet bgs)	GRO¹	DRO ^{2,3}	око²	Benzene⁴	Toluene⁴	Ethylbenzene⁴	Xylenes⁴	Naphthalene ⁴	MTBE⁴	Isopropylbenzene ⁴	n-propylbenzene⁴	1,2,4- trimethylbenzene ⁴	1,3,5- trimethylbenzene ⁴		EDC⁴	Lead ⁵	Tetrachloroethene ⁴				
B1-8.0 ⁸	3/4/2014	Farallon	8.0	54	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
B2-11.0 ⁸	3/4/2014	Farallon	11.0	7.3	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
B3-8.5 ⁸	3/4/2014	Farallon	8.5	5,700	NA	NA	<3.003 ⁹	<3.003 ⁹	42.341 ⁹	370.041 ⁹	23.509 ⁹	<3.003 ⁹	<3.003 ⁹	86.756 ⁹	219.031 ⁹	90.582 ⁹	<3.003 ⁹	<3.003 ⁹	21.3 ¹⁰	NA				
B4-10.5 ⁸	3/4/2014	Farallon	10.5	1,600	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA				
B5-8.1 ⁸	3/4/2014	Farallon	8.1	6,500	NA	NA	<3.003 ⁹	<3.003 ⁹	5.995 ⁹	112.103 ⁹	25.065 ⁹	<3.003 ⁹	<3.003 ⁹	24.627 ⁹	168.552 ⁹	91.582 ⁹	<3.003 ⁹	<3.003 ⁹	NA	NA				
	Ingestion, Dermal	Residential Occupational		1,200 20.000	1,100 14,000	2,800 36,000	8.2 37	5,800 88.000	34 150	1,400 25,000	5.3 23	250 1.100	3,500 57,000		110 2.000	780 12,000	0.16 0.73	3.6 16	400 800	220 1,000				
	Contact, and		tion Worker	9,700	4,600	11,000	380	28,000	1,700	20,000	580	12,000	27,000		2,000	3,500	9	200	800	1,800				
	Inhalation	Excavat	ion Worker	>Max	>Max	>Max	11,000	770,000	49,000	560,000	16,000	320,000	750,000		54,000	98,000	250	5,600	800	50,000				
Risk-Based Concentrations	Volatilization to	Res	idential	5,900	>Max	>Max	11	>Csat	36	>Csat	6.4	340	>Csat		230	>Max	0.15	3.4	NV	>Csat				
(by exposure pathway)	Outdoor Air			69,000	>Max	>Max	50	>Csat	160	>Csat	83	1,500	>Csat		980	>Max	0.65	15	NV	>Csat				
Vapor Intrusion			idential	94	>Max	>Max	0.16	>Csat	1.3	160	6.4	8.5	>Csat	-	16	>Max	0.012	0.077	NV	2.8				
	Into Buildings		pational	>Max	>Max	>Max	2.1	>Csat	17	>Csat	83	110	>Csat		210	>Max	0.16	1.0	NV	36				
	Leaching to Groundwater	Residential Occupational		31	9,500	>Max	0.023	150	0.22	24	0.077	0.11	140	-	2.8	50	0.00012	0.0028	30	0.46				
	130 9.700	>Max	>Max	0.10	490	0.90	100	0.34	0.54	>Csat		12	110	0.00056	0.013	30	1.90							
	Site Cleanup Level					-	-		-	-	-	-	-	-	-	-	-	-	-					

- NOTES:

 1 Sample analyzed by EPA Method NWTPH-Gx or NWTPH-HCID
 2 Sample analyzed by EPA Method NWTPH-Dx or NWTPH-HCID
 3 To the discal argain range are primarily due to overlap fro Sample analyzed by EPA Method RWI PPT-UX OF RWI PPT-TOLD

 3 Results in the diesel organic range are primarily due to overlap from a gasoline range product

 4 Sample analyzed by EPA Method 8260

 5 Sample analyzed by EPA Method 6020

- ⁶ Sample collected during underground storage tank (UST) system decommissioning
- ⁷ Confirmation sample collected at limits of remedial excavation
- ⁸ Sample collected in saturated zone
- ⁹ Sample analyzed by gas chromatography/mass spectrometry (GC/MS) ¹⁰ Sampled analyzed by EPA Method 6010B

GRO = gasoline range organics

DRO = diesel range organics

ORO = oil range organics MTBE = methyl tert-butyl ether

EDB = ethylene dibromide

EDC = 1,2-dichloroethane

bgs = below ground surface

BOLD: indicates detected concentration exceeds Site cleanup level (generic RBC for construction workers via Ingestion, Dermal Contact, and Inhalation exposure pathway)

< = result is less than laboratory practical quantitation limit indicated

NA = not analyzed

NV = non-volatile

'--' = generic risk-based concentration unavailable

>Max = The constituent risk-based concentration for this pathway is calculated as greater than 1,000,000 mg/kg or 1,000,000 mg/L. Therefore, this substance is deemed not to pose risks in this scenario (per Oregon Department of Environmental Quality's Risk-Based Concentrations for Individual Chemicals, dated June 7, 2012).

K&S = K&S Environmental, Inc.
C&A = Coles & Associates, LLC
Pacific Crest = Pacific Crest Environmental, LLC
Farallon = Farallon Consulting, L.L.C.