

Mr. Robert Hood
Oregon Department of Environmental Quality
700 NE Multnomah St., Suite #600
Portland, Oregon 97232

Monday, July 11, 2022

RE: Sub-Slab Vapor Performance Monitoring Event – June 2022
Brio Lofts – ECSI Facility #6219
3912 N Vancouver Avenue
Portland, Oregon 97227

Mr. Hood,

Point Source Solutions (Point Source) has conducted sub-slab vapor performance monitoring at the The Brio Lofts, located at 3912 N Vancouver Avenue in Portland, Oregon (Site).

The Site is identified on a Site Location Map (Figure 1) and Sub-Slab Monitoring Probe Locations Map (Figure 2), all of which are located in the Figures attached to this memo.

BACKGROUND

Point Source completed an Operations, Maintenance and Monitoring Plan (OMMP) for the Site (Point Source Solutions Project Number OR210129-1, dated April 2, 2021). The following are excerpts from the OMMP:

A baseline monitoring event was completed on January 20, 2021. The purpose of this event was to confirm that vapor concentrations were compliant with applicable RBCs and that the installed system was working as designed.

Concentrations of gasoline-range hydrocarbons and VOCs in vapor samples collected from the system vent riser and the two sub-slab sampling ports for the Baseline Monitoring Event were below the ODEQ Soil Gas Inhalation RBC for residential receptors.

Performance monitoring will occur on a semi-annual basis for the first 1.5 years of passive system operation. The first performance monitoring event will occur approximately six months following the baseline monitoring event (anticipated June 2021). The second performance monitoring event will occur approximately six months following the first performance monitoring event (anticipated December 2021) and the third six months later (anticipated June 2022). Performance monitoring is intended to evaluate passive system performance and the need for contingency measures.

If the results of the three performance monitoring events are consistent with the baseline monitoring event and/or demonstrate that contaminant concentrations within sub-slab vapor are less than applicable ODEQ RBCs for soil gas, Point Source will request that ODEQ release the requirement for future monitoring of the vapor barrier/ventilation system. Upon release from ODEQ for future monitoring, the passive system will remain in operation.

On June 28, 2021, Point Source conducted the 1st semi-annual sub-slab vapor monitoring event at the Site. None of the concentrations of contaminants of concern detected during the sampling event exceeded the most stringent RBCs applicable to this Site.

On December 3, 2022, Point Source conducted the 2nd semi-annual sub-slab vapor monitoring event at the Site. None of the concentrations of contaminants of concern detected during the sampling event exceeded the most

BRIO LOFTS-SUBSLAB VAPOR PERFORMANCE MONITORING EVENT JUNE 2022

stringent RBCs applicable.

SUB-SLAB VAPOR PERFORMANCE MONITORING EVENT – JUNE 2022

On June 21, 2022, Point Source conducted the 3rd semi-annual sub-slab vapor monitoring event at the Site.

Before sampling, a visual inspection of the vent riser and each sub-slab monitoring probe was completed. The overall condition of the riser and the monitoring probes were in accordance with engineering specifications.

The sub-slab vapor sampling from each monitoring probe was conducted as follows:

- A length of disposable Teflon™ tubing was connected to the monitoring point threaded fitting and routed to a handheld instrument to induce a vacuum and maintain a sampling flow at 100 ml/min. All connections were made with Swagelok fittings.
- Using the handheld instrument, the sub-slab monitoring probes were purged of at least 2 dead-air space volumes (a minimum of 3-minutes) from within the intake assembly and tubing. Purging was accomplished using the handheld instrument to induce a vacuum incorporated into the sampling assembly. Upon achieving sufficient purge volume, the purging was discontinued.
- Leak-detection was performed by soaking rags with isopropyl alcohol and the installation of a temporary water dam; the rags were placed over the sampling fitting and connection points within the sampling manifold.
- Samples were collected with a laboratory-provided summa canister by attaching the summa canister to a flow regulated sampling manifold and collecting a sample by drawing between 1 to 6 liters of sample into the canister (to ensure low reporting limits), which was then returned to the laboratory.
- A discharge vapor sample was also collected from the vertical vent riser using a summa canister.

It was discovered during the June 21 monitoring event that the summa canister allotted for sample PS1 was suspected to have leaked in transit. The lab inspected the canister's final pressure with a different flow controller upon arrival in order to confirm this. The sample that had been collected with the canister that leaked before the monitoring event in transit was not analyzed, and the lab sent a replacement canister for the recollection of sample PS1. The sampling event recollecting sample PS1 from the passive system vent riser was conducted on June 28, 2022 following the same sampling methodology detailed above.

Vapor samples were transported under chain of custody to Friedman and Bruya of Seattle, Washington. Each sample was labeled for identification, and Chain of Custody was maintained for all samples. The samples were analyzed for gasoline range hydrocarbons and select VOCs (common gasoline constituents).

TABLE 1 – SUMMARY OF SOIL-VAPOR SAMPLE RESULTS IN UG/M³			
Sample ID	Date	Gx/VOCs	2-Propanol (leak detector)
January 2021 Baseline Monitoring Event (Method TO-17)			
PS1 (Vent Riser)	1/20/2021	1,1,1 Trichloroethene – 6.4 Benzene - 40 Trichloroethene – 4.0 Toluene – 8.5 Tetrachloroethene – 7.0 124-TMB – 2.6	<250

TABLE 1 – SUMMARY OF SOIL-VAPOR SAMPLE RESULTS IN UG/M³

Sample ID	Date	Gx/VOCs	2-Propanol (leak detector)
		Gx – <2500	
SS1 (Sub-slab Sampling Port – SW Corner Parking Garage)	1/20/2021	Trichloroethene – 1.3 Toluene – 7.4 Tetrachloroethene – 4.1 124-TMB – 3.1 Gx – <2500	<250
SS2 (Sub-slab Sampling Port – Centrally Located Eastside Elevator Shaft Parking Garage)	1/20/2021	1,1,1 Trichloroethene – 10 Trichloroethene – 8.6 Toluene – 7.7 Tetrachloroethene – 30 124-TMB – 3.6 Gx – <2500	<250
June 2021 Performance Monitoring Event (Method TO-15)			
PS1 (Vent Riser)	6/28/2021	1,4-Dioxane - 3.7 TCE - 21.0 1,1,2-Trichloroethane - 0.52 PCE - 220.0 1,1-Dichloroethene - 11.0 Ethylbenzene - 17.0 Isopropylbenzene (Cumene) - 89.0 Styrene - 78.0 Chloroform - 7.9 124-TMB - 29.0 EDC - 1.2 1,1,1-Trichloroethane - 28.0 Carbon tetrachloride - 3.3 Benzene - 71.0 Xylenes - 64.0 Gx - 17000.0	<82
SS1 (Sub-slab Sampling Port – SW Corner Parking Garage)	6/28/2021	TCE - 19.0 PCE - 91.0 1,1-Dichloroethene - 6.4 Ethylbenzene - 8.2 Styrene - 18.0 Chloroform - 8.7 1,1,1-Trichloroethane - 27.0 Carbon tetrachloride - 3.1 Benzene - 2.8 Naphthalene - 1.7 Xylenes - 44.0 Gx - 7400.0	<52
SS2 (Sub-slab Sampling Port – Centrally Located Eastside Elevator Shaft Parking Garage)	6/28/2021	TCE - 20.0 PCE - 170.0 1,1-Dichloroethene - 19.0 Ethylbenzene - 4.3 Styrene - 10.0 Chloroform - 3.8 1,1,1-Trichloroethane - 24.0 Carbon tetrachloride - 3.1 Benzene - <1.9	<51

TABLE 1 – SUMMARY OF SOIL-VAPOR SAMPLE RESULTS IN UG/M ³			
Sample ID	Date	Gx/VOCs	2-Propanol (leak detector)
		Naphthalene - 1.7 Xylenes - 23.0 Gx – 3900.0	
December 2021 Performance Monitoring Event (Method TO-15)			
PS1 (Vent Riser)	12/3/2021	Acetone – 170 Chloroform – 3.3 Benzene – 60 TCE – 1.5 Toluene – 230 Ethylbenzene – 20 Xylenes – 104 Gx – 2,100	<47
SS1 (Sub-slab Sampling Port – SW Corner Parking Garage)	12/3/2021	Toluene - 130.0 Ethylbenzene - 11.0 Benzene - 4.8 Xylenes - 60.0 Gx – <1800	<48
SS2 (Sub-slab Sampling Port – Centrally Located Eastside Elevator Shaft Parking Garage)	12/3/2021	TCE - 1.8 Toluene - 130.0 Ethylbenzene - 14.0 Chloroform - 1.9 Benzene - 4.7 Xylenes - 76.0 Gx – <1800	<48
June 2022 Performance Monitoring Event (Method TO-15)			
PS1 (Vent Riser)	6/28/2022	TCE - 2.2 Chloroform - 4.4 Benzene - 160.0 Xylenes - 32.7 Gx – <6200	<160
SS1 (Sub-slab Sampling Port – SW Corner Parking Garage)	6/21/2022	Xylenes – 11.9 Benzene - <1.8 Gx – <1800	<47
SS2 (Sub-slab Sampling Port – Centrally Located Eastside Elevator Shaft Parking Garage)	6/21/2022	TCE - 7.2 PCE - 100.0 Chloroform - 2.4 Benzene - <2.1 Gx – <2200	<57
ODEQ Soil Gas Inhalation RBC - Residential		1,1,1 Trichloroethene – 1,000,000 Benzene - 72 Trichloroethene – 95 Tetrachloroethene – 2,200 124-TMB – 13,000 Gx – 79,000 1,4-Dioxane – 110 1,1,2-Trichloroethane – 35	No Value

TABLE 1 – SUMMARY OF SOIL-VAPOR SAMPLE RESULTS IN UG/M ³			
Sample ID	Date	Gx/VOCs	2-Propanol (leak detector)
		1,1-Dichloroethene – 42,000 Ethylbenzene – 220 Isopropylbenzene – 83,000 Styrene – 210,000 Chloroform – 24 EDC – 22 Carbon Tetrachloride – 94 Naphthalene – 17 Xylenes – 21,000	

Table 1 Notes:

VOCs not listed were not detected and/or are not listed on the ODEQ RBCA Table (ODEQ, May 2018).

Bold indicates compounds exceeding 1 or more regulatory screening levels.

2-Propanol was used as a sample breakthrough compound. Concentrations of less than 5% (500,000 ug/m³) are acceptable.

Copies of the laboratory analytical reports are provided in Appendix C.

Laboratory QA/QC measures were performed through data validation of available analytical data generated as part of these sampling events. Data validation considered the following:

- Method Detection and/or Reporting Limits
- Laboratory Matrix Blanks
- Sample Holding Times
- Surrogate and Matrix Spike Recoveries, and
- Laboratory Duplicate Analysis Results

Friedman & Bruya did not report qualifiers that would indicate problems with the sample results. According to the lab reports all analyses were performed with the appropriate Batch QC (including Sample Duplicates, Matrix Spikes and/or Matrix Spike Duplicates) in order to meet or exceed method and regulatory requirements. Exceptions are qualified in the analytical report. In cases where there is insufficient sample material provided for Sample Duplicates and/or Matrix Spikes, a Lab Control Sample Duplicate (LCS Dup) is analyzed to demonstrate accuracy and precision of the extraction and analysis. 2-Propanol was used as a leak check compound for the soil vapor samples. 2-Propanol was not detected or was detected at very low concentrations, indicating that the VOC sample results are valid.

SUMMARY AND CONCLUSIONS

Based on the results of this semi-annual sampling event, the following conclusions have been developed:

- **Benzene detected in June 2022 from the vent riser sample at 160.0 ug/m³ is the only VOC concentration at exceeding the ODEQ Soil Gas Inhalation RBC for Residential Receptors (72.0 ug/m³) detected during the 3 performance monitoring events.**
- **VOC concentrations did not exceed ODEQ Soil Gas Inhalation RBC for Residential Receptors screening levels in the samples collected from the sub-slab vapor monitoring points in the subgrade parking lot of BRIO LOFTS-SUBSLAB VAPOR PERFORMANCE MONITORING EVENT JUNE 2022**


the Site.

The performance monitoring is indicative of the passive soil vapor mitigation system operating as designed. Point Source requests that ODEQ release the requirement for future monitoring of the vapor barrier/ventilation system, consistent with the April 2021 OMMP prepared for the Site and issue a No Further Action determination for the Site.

If you have any questions regarding the information contained in this Plan, please do not hesitate to call Gil Cobb or Jeff Jackman at 503.236.5885.



Prepared by:
Gil Cobb, Registered Geologist (Oregon #G1440)



Expires 12/31/2022



Reviewed By:
Jeff Jackman, Environmental Professional

Point Source Solutions, LLC
5317 NE St Johns Rd, Suite D
Vancouver, WA 98661
Phone: 503.236.5885

www.pointsourcesolutions.com

Attachments:

Figure 1 – Site Location Map

Figure 2 – Sub-Slab Monitoring Probe Locations

Appendix A – Laboratory Analytical Reports

Appendix B – Field Forms

FIGURES




FIGURE 1 - SITE LOCATION MAP

Map from MapQuest



Site Name: The Brio – ECSI Facility #6219
3912 N. Vancouver Avenue
Portland, Oregon 97227

Project Number: OR170712-3C




FIGURE 2: Sub-Slab Monitoring Probe Locations

Imagery from Google Earth (2020)




● Sub-Slab Probe Locations

● Vent Riser Sampling Port

Scale in Feet (Approximate)



Parking Garage Boundary



Site Name: Brio Lofts – ECSI Facility #6219
3912 N Vancouver Avenue
Portland, Oregon 97227

Project Number: OR170712-3C

APPENDICES

APPENDIX A

LABORATORY ANALYTICAL REPORTS

JANUARY 2021

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Yelena Aravkina, M.S.
Michael Erdahl, B.S.
Arina Podnozova, B.S.
Eric Young, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
(206) 285-8282
fbi@isomedia.com
www.friedmanandbruya.com

January 28, 2021

Gil Cobb, Project Manager
Point Source Solutions
10445 SW Canyon Rd., Ste. 266
Beaverton, OR 97005

Dear Mr Cobb:

Included are the results from the testing of material submitted on January 21, 2021 from the BRIO, F&BI 101276 project. There are 7 pages included in this report.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Michael Erdahl
Project Manager

Enclosures
PSS0128R.DOC

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

CASE NARRATIVE

This case narrative encompasses samples received on January 21, 2020 by Friedman & Bruya, Inc. from the Point Source Solutions BRIO, F&BI 101276 project. Samples were logged in under the laboratory ID's listed below.

<u>Laboratory ID</u>	<u>Point Source Solutions</u>
101276 -01	PS1
101276 -02	SS1
101276 -03	SS2

The hexane and 2-butanone (MEK) concentration in sample PS1 exceeded the calibration range of the instrument. The data were flagged accordingly.

All other quality control requirements were acceptable.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-17

Client Sample ID:	PS1	Client:	Point Source Solutions
Date Received:	01/21/21	Project:	BRIO, F&BI 101276
Date Collected:	01/20/21	Lab ID:	101276-01
Date Analyzed:	01/21/21	Data File:	012110.D
Matrix:	Air	Instrument:	GCMS10
Units:	ug/m3	Operator:	bat

Compounds:	Concentration ug/m3	Compounds:	Concentration ug/m3
Dichlorodifluoromethane	26	1,2-Dibromoethane (EDB)	<5
Vinyl chloride	<5	Chlorobenzene	<1
2-Propanol	<250	Ethylbenzene	<5
1,1-Dichloroethene	<10	1,1,1,2-Tetrachloroethane	<5
Hexane	310 ve	m,p-Xylene	<10
t-Butyl alcohol (TBA)	<250	o-Xylene	<5
Methyl t-butyl ether (MTBE)	<25	Styrene	<5
trans-1,2-Dichloroethene	<5	Isopropylbenzene	<5
1,1-Dichloroethane	<5	Bromoform	<5
2,2-Dichloropropane	<5	n-Propylbenzene	<1
cis-1,2-Dichloroethene	<5	Bromobenzene	<1
Chloroform	<5	1,3,5-Trimethylbenzene	<1
2-Butanone (MEK)	1,200 ve	1,1,2,2-Tetrachloroethane	<1
1,2-Dichloroethane (EDC)	<5	1,2,3-Trichloropropane	<1
1,1,1-Trichloroethane	6.4	2-Chlorotoluene	<1
1,1-Dichloropropene	<5	4-Chlorotoluene	<1
Carbon tetrachloride	<5	tert-Butylbenzene	<1
Benzene	40	1,2,4-Trimethylbenzene	2.6
Trichloroethene	4.0	sec-Butylbenzene	<1
1,2-Dichloropropane	<5	p-Isopropyltoluene	<2
Bromodichloromethane	<5	1,3-Dichlorobenzene	<1
Dibromomethane	<5	1,4-Dichlorobenzene	<1
4-Methyl-2-pentanone	<5	1,2-Dichlorobenzene	<1
cis-1,3-Dichloropropene	<5	1,2-Dibromo-3-chloropropane	<1
Toluene	8.5	1,2,4-Trichlorobenzene	<1
trans-1,3-Dichloropropene	<1	Hexachlorobutadiene	<1
1,1,2-Trichloroethane	<1	Naphthalene	<1
2-Hexanone	<25	1,2,3-Trichlorobenzene	<5
1,3-Dichloropropane	<1	2-Methylnaphthalene	<10
Tetrachloroethene	7.0	1-Methylnaphthalene	<10
Dibromochloromethane	5.3	Gasoline Range Organics	<2500

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-17

Client Sample ID:	SS1	Client:	Point Source Solutions
Date Received:	01/21/21	Project:	BRIO, F&BI 101276
Date Collected:	01/20/21	Lab ID:	101276-02
Date Analyzed:	01/21/21	Data File:	012111.D
Matrix:	Air	Instrument:	GCMS10
Units:	ug/m3	Operator:	bat

Compounds:	Concentration ug/m3	Compounds:	Concentration ug/m3
Dichlorodifluoromethane	<25	1,2-Dibromoethane (EDB)	<5
Vinyl chloride	<5	Chlorobenzene	<1
2-Propanol	<250	Ethylbenzene	<5
1,1-Dichloroethene	<10	1,1,1,2-Tetrachloroethane	<5
Hexane	<25	m,p-Xylene	<10
t-Butyl alcohol (TBA)	<250	o-Xylene	<5
Methyl t-butyl ether (MTBE)	<25	Styrene	<5
trans-1,2-Dichloroethene	<5	Isopropylbenzene	<5
1,1-Dichloroethane	<5	Bromoform	<5
2,2-Dichloropropane	<5	n-Propylbenzene	<1
cis-1,2-Dichloroethene	<5	Bromobenzene	<1
Chloroform	<5	1,3,5-Trimethylbenzene	<1
2-Butanone (MEK)	<25	1,1,2,2-Tetrachloroethane	<1
1,2-Dichloroethane (EDC)	<5	1,2,3-Trichloropropane	<1
1,1,1-Trichloroethane	<5	2-Chlorotoluene	<1
1,1-Dichloropropene	<5	4-Chlorotoluene	<1
Carbon tetrachloride	<5	tert-Butylbenzene	<1
Benzene	<20	1,2,4-Trimethylbenzene	3.1
Trichloroethene	1.3	sec-Butylbenzene	<1
1,2-Dichloropropane	<5	p-Isopropyltoluene	<2
Bromodichloromethane	<5	1,3-Dichlorobenzene	<1
Dibromomethane	<5	1,4-Dichlorobenzene	<1
4-Methyl-2-pentanone	<5	1,2-Dichlorobenzene	<1
cis-1,3-Dichloropropene	<5	1,2-Dibromo-3-chloropropane	<1
Toluene	7.4	1,2,4-Trichlorobenzene	<1
trans-1,3-Dichloropropene	<1	Hexachlorobutadiene	<1
1,1,2-Trichloroethane	<1	Naphthalene	<1
2-Hexanone	<25	1,2,3-Trichlorobenzene	<5
1,3-Dichloropropane	<1	2-Methylnaphthalene	<10
Tetrachloroethene	4.1	1-Methylnaphthalene	<10
Dibromochloromethane	<5	Gasoline Range Organics	<2500

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-17

Client Sample ID: SS2	Client:	Point Source Solutions
Date Received: 01/21/21	Project:	BRIO, F&BI 101276
Date Collected: 01/20/21	Lab ID:	101276-03
Date Analyzed: 01/21/21	Data File:	012112.D
Matrix: Air	Instrument:	GCMS10
Units: ug/m3	Operator:	bat

Compounds:	Concentration ug/m3	Compounds:	Concentration ug/m3
Dichlorodifluoromethane	33	1,2-Dibromoethane (EDB)	<5
Vinyl chloride	<5	Chlorobenzene	<1
2-Propanol	<250	Ethylbenzene	<5
1,1-Dichloroethene	<10	1,1,1,2-Tetrachloroethane	<5
Hexane	<25	m,p-Xylene	<10
t-Butyl alcohol (TBA)	<250	o-Xylene	<5
Methyl t-butyl ether (MTBE)	<25	Styrene	<5
trans-1,2-Dichloroethene	<5	Isopropylbenzene	<5
1,1-Dichloroethane	<5	Bromoform	<5
2,2-Dichloropropane	<5	n-Propylbenzene	<1
cis-1,2-Dichloroethene	<5	Bromobenzene	<1
Chloroform	<5	1,3,5-Trimethylbenzene	<1
2-Butanone (MEK)	<25	1,1,2,2-Tetrachloroethane	<1
1,2-Dichloroethane (EDC)	<5	1,2,3-Trichloropropane	<1
1,1,1-Trichloroethane	10	2-Chlorotoluene	<1
1,1-Dichloropropene	<5	4-Chlorotoluene	<1
Carbon tetrachloride	<5	tert-Butylbenzene	<1
Benzene	<20	1,2,4-Trimethylbenzene	3.6
Trichloroethene	8.6	sec-Butylbenzene	<1
1,2-Dichloropropane	<5	p-Isopropyltoluene	<2
Bromodichloromethane	<5	1,3-Dichlorobenzene	<1
Dibromomethane	<5	1,4-Dichlorobenzene	<1
4-Methyl-2-pentanone	<5	1,2-Dichlorobenzene	<1
cis-1,3-Dichloropropene	<5	1,2-Dibromo-3-chloropropane	<1
Toluene	7.7	1,2,4-Trichlorobenzene	<1
trans-1,3-Dichloropropene	<1	Hexachlorobutadiene	<1
1,1,2-Trichloroethane	<1	Naphthalene	<1
2-Hexanone	<25	1,2,3-Trichlorobenzene	<5
1,3-Dichloropropane	<1	2-Methylnaphthalene	<10
Tetrachloroethene	30	1-Methylnaphthalene	<10
Dibromochloromethane	<5	Gasoline Range Organics	<2500

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-17

Client Sample ID:	Method Blank	Client:	Point Source Solutions
Date Received:	Not Applicable	Project:	BRIO, F&BI 101276
Date Collected:	Not Applicable	Lab ID:	01-167 mb
Date Analyzed:	01/21/21	Data File:	012109.D
Matrix:	Air	Instrument:	GCMS10
Units:	ug/m3	Operator:	bat

Compounds:	Concentration ug/m3	Compounds:	Concentration ug/m3
Dichlorodifluoromethane	<25	1,2-Dibromoethane (EDB)	<5
Vinyl chloride	<5	Chlorobenzene	<1
2-Propanol	<250	Ethylbenzene	<5
1,1-Dichloroethene	<10	1,1,1,2-Tetrachloroethane	<5
Hexane	<25	m,p-Xylene	<10
t-Butyl alcohol (TBA)	<250	o-Xylene	<5
Methyl t-butyl ether (MTBE)	<25	Styrene	<5
trans-1,2-Dichloroethene	<5	Isopropylbenzene	<5
1,1-Dichloroethane	<5	Bromoform	<5
2,2-Dichloropropane	<5	n-Propylbenzene	<1
cis-1,2-Dichloroethene	<5	Bromobenzene	<1
Chloroform	<5	1,3,5-Trimethylbenzene	<1
2-Butanone (MEK)	<25	1,1,2,2-Tetrachloroethane	<1
1,2-Dichloroethane (EDC)	<5	1,2,3-Trichloropropane	<1
1,1,1-Trichloroethane	<5	2-Chlorotoluene	<1
1,1-Dichloropropene	<5	4-Chlorotoluene	<1
Carbon tetrachloride	<5	tert-Butylbenzene	<1
Benzene	<20	1,2,4-Trimethylbenzene	<1
Trichloroethene	<1	sec-Butylbenzene	<1
1,2-Dichloropropane	<5	p-Isopropyltoluene	<2
Bromodichloromethane	<5	1,3-Dichlorobenzene	<1
Dibromomethane	<5	1,4-Dichlorobenzene	<1
4-Methyl-2-pentanone	<5	1,2-Dichlorobenzene	<1
cis-1,3-Dichloropropene	<5	1,2-Dibromo-3-chloropropane	<1
Toluene	<5	1,2,4-Trichlorobenzene	<1
trans-1,3-Dichloropropene	<1	Hexachlorobutadiene	<1
1,1,2-Trichloroethane	<1	Naphthalene	<1
2-Hexanone	<25	1,2,3-Trichlorobenzene	<5
1,3-Dichloropropane	<1	2-Methylnaphthalene	<10
Tetrachloroethene	<1	1-Methylnaphthalene	<10
Dibromochloromethane	<5	Gasoline Range Organics	<2500

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 01/28/21

Date Received: 01/21/21

Project: BRIO, F&BI 101276

QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES FOR VOLATILES BY METHOD TO-17

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	Percent Recovery LCS	Acceptance Criteria
Dichlorodifluoromethane	ng/tube	50	81	70-130
Vinyl chloride	ng/tube	50	97	70-130
2-Propanol	ng/tube	250	115	70-130
1,1-Dichloroethene	ng/tube	50	98	70-130
Hexane	ng/tube	50	84	70-130
t-Butyl alcohol (TBA)	ng/tube	250	99	70-130
Methyl t-butyl ether (MTBE)	ng/tube	50	97	70-130
trans-1,2-Dichloroethene	ng/tube	50	100	70-130
1,1-Dichloroethane	ng/tube	50	99	70-130
2,2-Dichloropropane	ng/tube	50	99	70-130
cis-1,2-Dichloroethene	ng/tube	50	98	70-130
Chloroform	ng/tube	50	99	70-130
2-Butanone (MEK)	ng/tube	50	91	70-130
1,2-Dichloroethane (EDC)	ng/tube	50	98	70-130
1,1,1-Trichloroethane	ng/tube	50	100	70-130
1,1-Dichloropropene	ng/tube	50	95	70-130
Carbon tetrachloride	ng/tube	50	101	70-130
Benzene	ng/tube	50	87	70-130
Trichloroethene	ng/tube	50	100	70-130
1,2-Dichloropropane	ng/tube	50	97	70-130
Bromodichloromethane	ng/tube	50	100	70-130
Dibromomethane	ng/tube	50	100	70-130
4-Methyl-2-pentanone	ng/tube	50	95	70-130
cis-1,3-Dichloropropene	ng/tube	50	98	70-130
Toluene	ng/tube	50	93	70-130
trans-1,3-Dichloropropene	ng/tube	50	96	70-130
1,1,2-Trichloroethane	ng/tube	50	92	70-130
2-Hexanone	ng/tube	50	104	70-130
1,3-Dichloropropane	ng/tube	50	93	70-130
Tetrachloroethene	ng/tube	50	97	70-130
Dibromochloromethane	ng/tube	50	99	70-130
1,2-Dibromoethane (EDB)	ng/tube	50	97	70-130
Chlorobenzene	ng/tube	50	98	70-130
Ethylbenzene	ng/tube	50	95	70-130
1,1,1,2-Tetrachloroethane	ng/tube	50	98	70-130
m,p-Xylene	ng/tube	100	97	70-130
o-Xylene	ng/tube	50	96	70-130
Styrene	ng/tube	50	94	70-130
Isopropylbenzene	ng/tube	50	95	70-130
Bromoform	ng/tube	50	98	70-130
n-Propylbenzene	ng/tube	50	95	70-130
Bromobenzene	ng/tube	50	98	70-130
1,3,5-Trimethylbenzene	ng/tube	50	93	70-130
1,1,2,2-Tetrachloroethane	ng/tube	50	93	70-130
1,2,3-Trichloropropane	ng/tube	50	94	70-130
2-Chlorotoluene	ng/tube	50	94	70-130
4-Chlorotoluene	ng/tube	50	95	70-130
tert-Butylbenzene	ng/tube	50	94	70-130
1,2,4-Trimethylbenzene	ng/tube	50	94	70-130
sec-Butylbenzene	ng/tube	50	95	70-130
p-Isopropyltoluene	ng/tube	50	95	70-130
1,3-Dichlorobenzene	ng/tube	50	96	70-130
1,4-Dichlorobenzene	ng/tube	50	96	70-130
1,2-Dichlorobenzene	ng/tube	50	96	70-130
1,2-Dibromo-3-chloropropane	ng/tube	50	89	70-130
1,2,4-Trichlorobenzene	ng/tube	50	93	70-130
Hexachlorobutadiene	ng/tube	50	96	70-130
Naphthalene	ng/tube	50	93	70-130
1,2,3-Trichlorobenzene	ng/tube	50	95	70-130
2-Methylnaphthalene	ng/tube	50	90	70-130
1-Methylnaphthalene	ng/tube	50	91	70-130

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Data Qualifiers & Definitions

a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.

b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.

ca - The calibration results for the analyte were outside of acceptance criteria. The value reported is an estimate.

c - The presence of the analyte may be due to carryover from previous sample injections.

cf - The sample was centrifuged prior to analysis.

d - The sample was diluted. Detection limits were raised and surrogate recoveries may not be meaningful.

dv - Insufficient sample volume was available to achieve normal reporting limits.

f - The sample was laboratory filtered prior to analysis.

fb - The analyte was detected in the method blank.

fc - The analyte is a common laboratory and field contaminant.

hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. Variability is attributed to sample inhomogeneity.

hs - Headspace was present in the container used for analysis.

ht - The analysis was performed outside the method or client-specified holding time requirement.

ip - Recovery fell outside of control limits due to sample matrix effects.

j - The analyte concentration is reported below the lowest calibration standard. The value reported is an estimate.

J - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.

jl - The laboratory control sample(s) percent recovery and/or RPD were out of control limits. The reported concentration should be considered an estimate.

js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

lc - The presence of the analyte is likely due to laboratory contamination.

L - The reported concentration was generated from a library search.

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

pc - The sample was received with incorrect preservation or in a container not approved by the method. The value reported should be considered an estimate.

ve - The analyte response exceeded the valid instrument calibration range. The value reported is an estimate.

vo - The value reported fell outside the control limits established for this analyte.

x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

101276

SAMPLE CHAIN OF CUSTODY

01-21-20

C12

Report To

Gil Cobb

Company

Point Source Solutions

Address

10445 SW Canyon Rd Ste 206

City, State, ZIP

Beverton, OR 97005

Phone (503) 946-9254 Email gil@pointsource-solutions.com

Page # 1 of 1

TURNAROUND TIME

Standard (10 Business Days)

RUSH

Rush charges authorized by:

SAMPLE DISPOSAL

Dispose after 30 days

Archive Samples

Other

SAMPLERS (signature)

PROJECT NAME

BRIO

PO #

REMARKS

INVOICE TO

Collection Information

TO-17 Analytes Requested

Sample Name

Lab ID

Tube ID

Sample Date

Pre-Flow Rate

Post-Flow Rate

Start Time

End Time

Volume Sampled

Benzene

Toluene

Ethylbenzene

Xylenes

Naphthalene

TPH-DRO

2-Propanol

TPH-GRO

Full list VOCs

Notes

P51

01

309145

1/20/21

100 mL/min

100 mL/min

10:16

10:26

1 L

X

X

X

S51

02

311389

1/20/21

100 mL/min

100 mL/min

10:39

10:49

1 L

X

X

X

S52

03

322153

1/20/21

100 mL/min

100 mL/min

11:14

11:24

1 L

X

X

X

Samples received at 4 °C

SIGNATURE

PRINT NAME

COMPANY

DATE

TIME

Relinquished by:



Kyle Fisher

PSS

1/20/21

15:57

Received by:



Ann W-Bruga

FMB

1/20/20

10:50

Relinquished by:

Received by:

Friedman & Bruga, Inc.

3012 16th Avenue West

Seattle, WA 98119-3029

Ph. (206) 285-8282

Fax (206) 283-5044

JUNE 2021

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Yelena Aravkina, M.S.
Michael Erdahl, B.S.
Arina Podnozova, B.S.
Eric Young, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
(206) 285-8282
fbi@isomedia.com
www.friedmanandbruya.com

July 13, 2021

Gil Cobb, Project Manager
Point Source Solutions
10445 SW Canyon Rd., Ste. 266
Beaverton, OR 97005

Dear Mr Cobb:

Included are the results from the testing of material submitted on June 30, 2021 from the BRIO, F&BI 106541 project. There are 10 pages included in this report.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Michael Erdahl
Project Manager

Enclosures

c: Johnny@PointSourceSolutions.com
PSS0713R.DOC

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

CASE NARRATIVE

This case narrative encompasses samples received on June 30, 2021 by Friedman & Bruya, Inc. from the Point Source Solutions BRIO, F&BI 106541 project. Samples were logged in under the laboratory ID's listed below.

<u>Laboratory ID</u>	<u>Point Source Solutions</u>
106541 -01	PS1
106541 -02	SS1
106541 -03	SS2

The TO-15 acetone and 2-Butanone (MEK) concentration for sample PS1 exceeded the calibration range. The data were flagged accordingly.

The TO-15 gasoline range organics concentration was determined using a single point calibration at 80 ppbv.

All other quality control requirements were acceptable.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID: PS1	Client: Point Source Solutions
Date Received: 06/30/21	Project: BRIO, F&BI 106541
Date Collected: 06/28/21	Lab ID: 106541-01 1/9.5
Date Analyzed: 07/07/21	Data File: 070715.D
Matrix: Air	Instrument: GCMS7
Units: ug/m3	Operator: bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	94	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	<11	<6.6	1,2-Dichloropropane	<2.2	<0.47
Dichlorodifluoromethane	44	9.0	1,4-Dioxane	3.7	1.0
Chloromethane	<35	<17	2,2,4-Trimethylpentane	<44	<9.5
F-114	<6.6	<0.95	Methyl methacrylate	<39	<9.5
Vinyl chloride	<2.4	<0.95	Heptane	<39	<9.5
1,3-Butadiene	<0.26	<0.19	Bromodichloromethane	<0.64	<0.095
Butane	<45	<19	Trichloroethene	21	3.9
Bromomethane	<22	<5.7	cis-1,3-Dichloropropene	<4.3	<0.95
Chloroethane	<25	<9.5	4-Methyl-2-pentanone	<39	<9.5
Vinyl bromide	<4.2	<0.95	trans-1,3-Dichloropropene	<4.3	<0.95
Ethanol	<72	<38	Toluene	<180	<47
Acrolein	1.1	0.48	1,1,2-Trichloroethane	0.52	0.095
Pentane	<28	<9.5	2-Hexanone	<39	<9.5
Trichlorofluoromethane	<21	<3.8	Tetrachloroethene	220	32
Acetone	11,000 ve	4,500 ve	Dibromochloromethane	<0.81	<0.095
2-Propanol	<82	<33	1,2-Dibromoethane (EDB)	<0.73	<0.095
1,1-Dichloroethene	11	2.8	Chlorobenzene	<4.4	<0.95
trans-1,2-Dichloroethene	<3.8	<0.95	Ethylbenzene	17	3.9
Methylene chloride	<330	<95	1,1,2,2-Tetrachloroethane	<1.3	<0.19
t-Butyl alcohol (TBA)	170	56	Nonane	<50	<9.5
3-Chloropropene	<15	<4.7	Isopropylbenzene	89	18
CFC-113	<7.3	<0.95	2-Chlorotoluene	<49	<9.5
Carbon disulfide	<59	<19	Propylbenzene	<23	<4.7
Methyl t-butyl ether (MTBE)	<17	<4.7	4-Ethyltoluene	<23	<4.7
Vinyl acetate	<67	<19	m,p-Xylene	40	9.3
1,1-Dichloroethane	<3.8	<0.95	o-Xylene	24	5.5
cis-1,2-Dichloroethene	<3.8	<0.95	Styrene	78	18
Hexane	500	140	Bromoform	<20	<1.9
Chloroform	7.9	1.6	Benzyl chloride	0.79	0.15
Ethyl acetate	<68	<19	1,3,5-Trimethylbenzene	<23	<4.7
Tetrahydrofuran	270	93	1,2,4-Trimethylbenzene	29	6.0
2-Butanone (MEK)	50,000 ve	17,000 ve	1,3-Dichlorobenzene	<5.7	<0.95
1,2-Dichloroethane (EDC)	1.2	0.29	1,4-Dichlorobenzene	<2.2	<0.36
1,1,1-Trichloroethane	28	5.2	1,2-Dichlorobenzene	<5.7	<0.95
Carbon tetrachloride	3.3	0.53	1,2,4-Trichlorobenzene	<7.1	<0.95
Benzene	71	22	Naphthalene	<2.5	<0.47
Cyclohexane	<65	<19	Hexachlorobutadiene	<2	<0.19
Gasoline Range Organics	17,000	4,200			

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID: SS1	Client: Point Source Solutions
Date Received: 06/30/21	Project: BRIO, F&BI 106541
Date Collected: 06/28/21	Lab ID: 106541-02 1/6
Date Analyzed: 07/07/21	Data File: 070714.D
Matrix: Air	Instrument: GCMS7
Units: ug/m3	Operator: bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	90	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	<7.2	<4.2	1,2-Dichloropropane	<1.4	<0.3
Dichlorodifluoromethane	38	7.6	1,4-Dioxane	<2.2	<0.6
Chloromethane	<22	<11	2,2,4-Trimethylpentane	<28	<6
F-114	<4.2	<0.6	Methyl methacrylate	<25	<6
Vinyl chloride	<1.5	<0.6	Heptane	<25	<6
1,3-Butadiene	<0.27	<0.12	Bromodichloromethane	<0.4	<0.06
Butane	<29	<12	Trichloroethene	19	3.6
Bromomethane	<14	<3.6	cis-1,3-Dichloropropene	<2.7	<0.6
Chloroethane	<16	<6	4-Methyl-2-pentanone	<25	<6
Vinyl bromide	<2.6	<0.6	trans-1,3-Dichloropropene	<2.7	<0.6
Ethanol	48	25	Toluene	<110	<30
Acrolein	0.94	0.41	1,1,2-Trichloroethane	<0.33	<0.06
Pentane	<18	<6	2-Hexanone	<25	<6
Trichlorofluoromethane	<13	<2.4	Tetrachloroethene	91	13
Acetone	150	62	Dibromochloromethane	<0.51	<0.06
2-Propanol	<52	<21	1,2-Dibromoethane (EDB)	<0.46	<0.06
1,1-Dichloroethene	6.4	1.6	Chlorobenzene	<2.8	<0.6
trans-1,2-Dichloroethene	<2.4	<0.6	Ethylbenzene	8.2	1.9
Methylene chloride	<210	<60	1,1,2,2-Tetrachloroethane	<0.82	<0.12
t-Butyl alcohol (TBA)	81	27	Nonane	<31	<6
3-Chloropropene	<9.4	<3	Isopropylbenzene	<15	<3
CFC-113	<4.6	<0.6	2-Chlorotoluene	<31	<6
Carbon disulfide	<37	<12	Propylbenzene	<15	<3
Methyl t-butyl ether (MTBE)	<11	<3	4-Ethyltoluene	<15	<3
Vinyl acetate	<42	<12	m,p-Xylene	31	7.2
1,1-Dichloroethane	<2.4	<0.6	o-Xylene	13	3.1
cis-1,2-Dichloroethene	<2.4	<0.6	Styrene	18	4.2
Hexane	320	89	Bromoform	<12	<1.2
Chloroform	8.7	1.8	Benzyl chloride	0.34	0.066
Ethyl acetate	<43	<12	1,3,5-Trimethylbenzene	<15	<3
Tetrahydrofuran	24	8.0	1,2,4-Trimethylbenzene	<15	<3
2-Butanone (MEK)	<18	<6	1,3-Dichlorobenzene	<3.6	<0.6
1,2-Dichloroethane (EDC)	<0.24	<0.06	1,4-Dichlorobenzene	<1.4	<0.23
1,1,1-Trichloroethane	27	4.9	1,2-Dichlorobenzene	<3.6	<0.6
Carbon tetrachloride	3.1	0.49	1,2,4-Trichlorobenzene	<4.5	<0.6
Benzene	2.8	0.86	Naphthalene	1.7	0.32
Cyclohexane	<41	<12	Hexachlorobutadiene	<1.3	<0.12
Gasoline Range Organics	7,400	1,800			

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID: SS2	Client: Point Source Solutions
Date Received: 06/30/21	Project: BRIO, F&BI 106541
Date Collected: 06/28/21	Lab ID: 106541-03 1/5.9
Date Analyzed: 07/07/21	Data File: 070712.D
Matrix: Air	Instrument: GCMS7
Units: ug/m3	Operator: bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	89	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	<7.1	<4.1	1,2-Dichloropropane	<1.4	<0.29
Dichlorodifluoromethane	35	7.0	1,4-Dioxane	<2.1	<0.59
Chloromethane	<22	<11	2,2,4-Trimethylpentane	<28	<5.9
F-114	<4.1	<0.59	Methyl methacrylate	<24	<5.9
Vinyl chloride	<1.5	<0.59	Heptane	<24	<5.9
1,3-Butadiene	<0.26	<0.12	Bromodichloromethane	<0.4	<0.059
Butane	<28	<12	Trichloroethene	20	3.8
Bromomethane	<14	<3.5	cis-1,3-Dichloropropene	<2.7	<0.59
Chloroethane	<16	<5.9	4-Methyl-2-pentanone	<24	<5.9
Vinyl bromide	<2.6	<0.59	trans-1,3-Dichloropropene	<2.7	<0.59
Ethanol	<44	<24	Toluene	<110	<29
Acrolein	<0.65	<0.3	1,1,2-Trichloroethane	<0.32	<0.059
Pentane	<17	<5.9	2-Hexanone	<24	<5.9
Trichlorofluoromethane	<13	<2.4	Tetrachloroethene	170	25
Acetone	35	15	Dibromochloromethane	<0.5	<0.059
2-Propanol	<51	<21	1,2-Dibromoethane (EDB)	<0.45	<0.059
1,1-Dichloroethene	19	4.9	Chlorobenzene	<2.7	<0.59
trans-1,2-Dichloroethene	<2.3	<0.59	Ethylbenzene	4.3	0.99
Methylene chloride	<200	<59	1,1,2,2-Tetrachloroethane	<0.81	<0.12
t-Butyl alcohol (TBA)	<72	<24	Nonane	<31	<5.9
3-Chloropropene	<9.2	<2.9	Isopropylbenzene	<15	<2.9
CFC-113	<4.5	<0.59	2-Chlorotoluene	<31	<5.9
Carbon disulfide	<37	<12	Propylbenzene	<15	<2.9
Methyl t-butyl ether (MTBE)	<11	<2.9	4-Ethyltoluene	<15	<2.9
Vinyl acetate	<42	<12	m,p-Xylene	16	3.7
1,1-Dichloroethane	<2.4	<0.59	o-Xylene	7.0	1.6
cis-1,2-Dichloroethene	<2.3	<0.59	Styrene	10	2.4
Hexane	130	35	Bromoform	<12	<1.2
Chloroform	3.8	0.78	Benzyl chloride	0.34	0.065
Ethyl acetate	<43	<12	1,3,5-Trimethylbenzene	<15	<2.9
Tetrahydrofuran	12	4.0	1,2,4-Trimethylbenzene	<15	<2.9
2-Butanone (MEK)	<17	<5.9	1,3-Dichlorobenzene	<3.5	<0.59
1,2-Dichloroethane (EDC)	<0.24	<0.059	1,4-Dichlorobenzene	<1.3	<0.22
1,1,1-Trichloroethane	24	4.3	1,2-Dichlorobenzene	<3.5	<0.59
Carbon tetrachloride	3.1	0.49	1,2,4-Trichlorobenzene	<4.4	<0.59
Benzene	<1.9	<0.59	Naphthalene	1.7	0.33
Cyclohexane	<41	<12	Hexachlorobutadiene	<1.3	<0.12
Gasoline Range Organics	3,900	950			

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID:	Method Blank	Client:	Point Source Solutions
Date Received:	Not Applicable	Project:	BRIO, F&BI 106541
Date Collected:	Not Applicable	Lab ID:	01-1515 MB
Date Analyzed:	07/07/21	Data File:	070711.D
Matrix:	Air	Instrument:	GCMS7
Units:	ug/m3	Operator:	bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	89	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	<1.2	<0.7	1,2-Dichloropropane	<0.23	<0.05
Dichlorodifluoromethane	<0.49	<0.1	1,4-Dioxane	<0.36	<0.1
Chloromethane	<3.7	<1.8	2,2,4-Trimethylpentane	<4.7	<1
F-114	<0.7	<0.1	Methyl methacrylate	<4.1	<1
Vinyl chloride	<0.26	<0.1	Heptane	<4.1	<1
1,3-Butadiene	<0.044	<0.02	Bromodichloromethane	<0.067	<0.01
Butane	<4.8	<2	Trichloroethene	<0.11	<0.02
Bromomethane	<2.3	<0.6	cis-1,3-Dichloropropene	<0.45	<0.1
Chloroethane	<2.6	<1	4-Methyl-2-pentanone	<4.1	<1
Vinyl bromide	<0.44	<0.1	trans-1,3-Dichloropropene	<0.45	<0.1
Ethanol	<7.5	<4	Toluene	<19	<5
Acrolein	<0.11	<0.05	1,1,2-Trichloroethane	<0.055	<0.01
Pentane	<3	<1	2-Hexanone	<4.1	<1
Trichlorofluoromethane	<2.2	<0.4	Tetrachloroethene	<6.8	<1
Acetone	<4.8	<2	Dibromochloromethane	<0.085	<0.01
2-Propanol	<8.6	<3.5	1,2-Dibromoethane (EDB)	<0.077	<0.01
1,1-Dichloroethene	<0.4	<0.1	Chlorobenzene	<0.46	<0.1
trans-1,2-Dichloroethene	<0.4	<0.1	Ethylbenzene	<0.43	<0.1
Methylene chloride	<35	<10	1,1,2,2-Tetrachloroethane	<0.14	<0.02
t-Butyl alcohol (TBA)	<12	<4	Nonane	<5.2	<1
3-Chloropropene	<1.6	<0.5	Isopropylbenzene	<2.5	<0.5
CFC-113	<0.77	<0.1	2-Chlorotoluene	<5.2	<1
Carbon disulfide	<6.2	<2	Propylbenzene	<2.5	<0.5
Methyl t-butyl ether (MTBE)	<1.8	<0.5	4-Ethyltoluene	<2.5	<0.5
Vinyl acetate	<7	<2	m,p-Xylene	<0.87	<0.2
1,1-Dichloroethane	<0.4	<0.1	o-Xylene	<0.43	<0.1
cis-1,2-Dichloroethene	<0.4	<0.1	Styrene	<0.85	<0.2
Hexane	<3.5	<1	Bromoform	<2.1	<0.2
Chloroform	<0.049	<0.01	Benzyl chloride	<0.052	<0.01
Ethyl acetate	<7.2	<2	1,3,5-Trimethylbenzene	<2.5	<0.5
Tetrahydrofuran	<0.59	<0.2	1,2,4-Trimethylbenzene	<2.5	<0.5
2-Butanone (MEK)	<2.9	<1	1,3-Dichlorobenzene	<0.6	<0.1
1,2-Dichloroethane (EDC)	<0.04	<0.01	1,4-Dichlorobenzene	<0.23	<0.038
1,1,1-Trichloroethane	<0.55	<0.1	1,2-Dichlorobenzene	<0.6	<0.1
Carbon tetrachloride	<0.31	<0.05	1,2,4-Trichlorobenzene	<0.74	<0.1
Benzene	<0.32	<0.1	Naphthalene	<0.26	<0.05
Cyclohexane	<6.9	<2	Hexachlorobutadiene	0.21 lc	0.020 lc
Gasoline Range Organics	<330	<80			

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 07/13/21

Date Received: 06/30/21

Project: BRIO, F&BI 106541

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: 106541-03 1/5.9 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	RPD (Limit 30)
Propene	ug/m3	<7.1	<7.1	nm
Dichlorodifluoromethane	ug/m3	35	38	8
Chloromethane	ug/m3	<22	<22	nm
F-114	ug/m3	<4.1	<4.1	nm
Vinyl chloride	ug/m3	<1.5	<1.5	nm
1,3-Butadiene	ug/m3	<0.26	<0.26	nm
Butane	ug/m3	<28	<28	nm
Bromomethane	ug/m3	<14	<14	nm
Chloroethane	ug/m3	<16	<16	nm
Vinyl bromide	ug/m3	<2.6	<2.6	nm
Ethanol	ug/m3	<44	<44	nm
Acrolein	ug/m3	<0.65	<0.65	nm
Pentane	ug/m3	<17	<17	nm
Trichlorofluoromethane	ug/m3	<13	<13	nm
Acetone	ug/m3	35	34	3
2-Propanol	ug/m3	<51	<51	nm
1,1-Dichloroethene	ug/m3	19	19	0
trans-1,2-Dichloroethene	ug/m3	<2.3	<2.3	nm
Methylene chloride	ug/m3	<200	<200	nm
t-Butyl alcohol (TBA)	ug/m3	<72	<72	nm
3-Chloropropene	ug/m3	<9.2	<9.2	nm
CFC-113	ug/m3	<4.5	<4.5	nm
Carbon disulfide	ug/m3	<37	<37	nm
Methyl t-butyl ether (MTBE)	ug/m3	<11	<11	nm
Vinyl acetate	ug/m3	<42	<42	nm
1,1-Dichloroethane	ug/m3	<2.4	<2.4	nm
cis-1,2-Dichloroethene	ug/m3	<2.3	<2.3	nm
Hexane	ug/m3	130	120	8
Chloroform	ug/m3	3.8	3.8	0
Ethyl acetate	ug/m3	<43	<43	nm
Tetrahydrofuran	ug/m3	12	12	0
2-Butanone (MEK)	ug/m3	<17	<17	nm
1,2-Dichloroethane (EDC)	ug/m3	<0.24	<0.24	nm
1,1,1-Trichloroethane	ug/m3	24	24	0
Carbon tetrachloride	ug/m3	3.1	3.1	0
Benzene	ug/m3	<1.9	<1.9	nm
Cyclohexane	ug/m3	<41	<41	nm
1,2-Dichloropropane	ug/m3	<1.4	<1.4	nm
1,4-Dioxane	ug/m3	<2.1	<2.1	nm
2,2,4-Trimethylpentane	ug/m3	<28	<28	nm

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 07/13/21

Date Received: 06/30/21

Project: BRIO, F&BI 106541

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: 106541-03 1/5.9 (Duplicate) (continued)

Analyte	Reporting Units	Sample Result	Duplicate Result	RPD (Limit 30)
Methyl methacrylate	ug/m3	<24	<24	nm
Heptane	ug/m3	<24	<24	nm
Bromodichloromethane	ug/m3	<0.4	<0.4	nm
Trichloroethene	ug/m3	20	21	5
cis-1,3-Dichloropropene	ug/m3	<2.7	<2.7	nm
4-Methyl-2-pentanone	ug/m3	<24	<24	nm
trans-1,3-Dichloropropene	ug/m3	<2.7	<2.7	nm
Toluene	ug/m3	<110	<110	nm
1,1,2-Trichloroethane	ug/m3	<0.32	<0.32	nm
2-Hexanone	ug/m3	<24	<24	nm
Tetrachloroethene	ug/m3	170	170	0
Dibromochloromethane	ug/m3	<0.5	<0.5	nm
1,2-Dibromoethane (EDB)	ug/m3	<0.45	<0.45	nm
Chlorobenzene	ug/m3	<2.7	<2.7	nm
Ethylbenzene	ug/m3	4.3	4.4	2
1,1,2,2-Tetrachloroethane	ug/m3	<0.81	<0.81	nm
Nonane	ug/m3	<31	<31	nm
Isopropylbenzene	ug/m3	<15	<15	nm
2-Chlorotoluene	ug/m3	<31	<31	nm
Propylbenzene	ug/m3	<15	<15	nm
4-Ethyltoluene	ug/m3	<15	<15	nm
m,p-Xylene	ug/m3	16	16	0
o-Xylene	ug/m3	7.0	7.8	11
Styrene	ug/m3	10	9.8	2
Bromoform	ug/m3	<12	<12	nm
Benzyl chloride	ug/m3	0.34	0.40	16
1,3,5-Trimethylbenzene	ug/m3	<15	<15	nm
1,2,4-Trimethylbenzene	ug/m3	<15	<15	nm
1,3-Dichlorobenzene	ug/m3	<3.5	<3.5	nm
1,4-Dichlorobenzene	ug/m3	<1.3	<1.3	nm
1,2-Dichlorobenzene	ug/m3	<3.5	<3.5	nm
1,2,4-Trichlorobenzene	ug/m3	<4.4	<4.4	nm
Naphthalene	ug/m3	1.7	1.9	11
Hexachlorobutadiene	ug/m3	<1.3	<1.3	nm

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 07/13/21

Date Received: 06/30/21

Project: BRIO, F&BI 106541

QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES FOR VOLATILES BY METHOD TO-15

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	Percent Recovery LCS	Acceptance Criteria
Propene	ug/m3	23	109	70-130
Dichlorodifluoromethane	ug/m3	67	111	70-130
Chloromethane	ug/m3	28	112	70-130
F-114	ug/m3	94	107	70-130
Vinyl chloride	ug/m3	35	93	70-130
1,3-Butadiene	ug/m3	30	90	70-130
Butane	ug/m3	32	98	70-130
Bromomethane	ug/m3	52	108	70-130
Chloroethane	ug/m3	36	104	70-130
Vinyl bromide	ug/m3	59	105	70-130
Ethanol	ug/m3	25	92	70-130
Acrolein	ug/m3	31	102	70-130
Pentane	ug/m3	40	90	70-130
Trichlorofluoromethane	ug/m3	76	104	70-130
Acetone	ug/m3	32	97	70-130
2-Propanol	ug/m3	33	91	70-130
1,1-Dichloroethene	ug/m3	54	101	70-130
trans-1,2-Dichloroethene	ug/m3	54	97	70-130
Methylene chloride	ug/m3	94	95	70-130
t-Butyl alcohol (TBA)	ug/m3	41	94	70-130
3-Chloropropene	ug/m3	42	91	70-130
CFC-113	ug/m3	100	108	70-130
Carbon disulfide	ug/m3	42	106	70-130
Methyl t-butyl ether (MTBE)	ug/m3	49	84	70-130
Vinyl acetate	ug/m3	48	79	70-130
1,1-Dichloroethane	ug/m3	55	102	70-130
cis-1,2-Dichloroethene	ug/m3	54	94	70-130
Hexane	ug/m3	48	79	70-130
Chloroform	ug/m3	66	102	70-130
Ethyl acetate	ug/m3	49	101	70-130
Tetrahydrofuran	ug/m3	40	86	70-130
2-Butanone (MEK)	ug/m3	40	88	70-130
1,2-Dichloroethane (EDC)	ug/m3	55	100	70-130
1,1,1-Trichloroethane	ug/m3	74	104	70-130
Carbon tetrachloride	ug/m3	85	105	70-130
Benzene	ug/m3	43	93	70-130
Cyclohexane	ug/m3	46	83	70-130
1,2-Dichloropropane	ug/m3	62	108	70-130
1,4-Dioxane	ug/m3	49	98	70-130
2,2,4-Trimethylpentane	ug/m3	63	96	70-130

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 07/13/21

Date Received: 06/30/21

Project: BRIO, F&BI 106541

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: Laboratory Control Sample (continued)

Analyte	Reporting Units	Spike Level	Percent Recovery LCS	Acceptance Criteria
Methyl methacrylate	ug/m3	55	104	70-130
Heptane	ug/m3	55	97	70-130
Bromodichloromethane	ug/m3	90	114	70-130
Trichloroethene	ug/m3	73	107	70-130
cis-1,3-Dichloropropene	ug/m3	61	104	70-130
4-Methyl-2-pentanone	ug/m3	55	98	70-130
trans-1,3-Dichloropropene	ug/m3	61	105	70-130
Toluene	ug/m3	51	102	70-130
1,1,2-Trichloroethane	ug/m3	74	115	70-130
2-Hexanone	ug/m3	55	104	70-130
Tetrachloroethene	ug/m3	92	126	70-130
Dibromochloromethane	ug/m3	120	118	70-130
1,2-Dibromoethane (EDB)	ug/m3	100	104	70-130
Chlorobenzene	ug/m3	62	104	70-130
Ethylbenzene	ug/m3	59	86	70-130
1,1,2,2-Tetrachloroethane	ug/m3	93	104	70-130
Nonane	ug/m3	71	92	70-130
Isopropylbenzene	ug/m3	66	109	70-130
2-Chlorotoluene	ug/m3	70	99	70-130
Propylbenzene	ug/m3	66	93	70-130
4-Ethyltoluene	ug/m3	66	89	70-130
m,p-Xylene	ug/m3	120	93	70-130
o-Xylene	ug/m3	59	97	70-130
Styrene	ug/m3	58	91	70-130
Bromoform	ug/m3	140	120	70-130
Benzyl chloride	ug/m3	70	115	70-130
1,3,5-Trimethylbenzene	ug/m3	66	101	70-130
1,2,4-Trimethylbenzene	ug/m3	66	89	70-130
1,3-Dichlorobenzene	ug/m3	81	112	70-130
1,4-Dichlorobenzene	ug/m3	81	106	70-130
1,2-Dichlorobenzene	ug/m3	81	107	70-130
1,2,4-Trichlorobenzene	ug/m3	100	98	70-130
Naphthalene	ug/m3	71	91	70-130
Hexachlorobutadiene	ug/m3	140	119	70-130

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Data Qualifiers & Definitions

a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.

b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.

ca - The calibration results for the analyte were outside of acceptance criteria. The value reported is an estimate.

c - The presence of the analyte may be due to carryover from previous sample injections.

cf - The sample was centrifuged prior to analysis.

d - The sample was diluted. Detection limits were raised and surrogate recoveries may not be meaningful.

dv - Insufficient sample volume was available to achieve normal reporting limits.

f - The sample was laboratory filtered prior to analysis.

fb - The analyte was detected in the method blank.

fc - The analyte is a common laboratory and field contaminant.

hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. Variability is attributed to sample inhomogeneity.

hs - Headspace was present in the container used for analysis.

ht - The analysis was performed outside the method or client-specified holding time requirement.

ip - Recovery fell outside of control limits due to sample matrix effects.

j - The analyte concentration is reported below the lowest calibration standard. The value reported is an estimate.

J - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.

jl - The laboratory control sample(s) percent recovery and/or RPD were out of control limits. The reported concentration should be considered an estimate.

js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

lc - The presence of the analyte is likely due to laboratory contamination.

L - The reported concentration was generated from a library search.

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

pc - The sample was received with incorrect preservation or in a container not approved by the method. The value reported should be considered an estimate.

ve - The analyte response exceeded the valid instrument calibration range. The value reported is an estimate.

vo - The value reported fell outside the control limits established for this analyte.

x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

176-30-74

2

Company Paint Solutions

City, State, ZIP Beverly, OR 97005

johnny@pointsource-solutions.com

- ☐ Default: Clean after 3 days
- ☐ Archive (Fee may apply)

ANALYSIS REQUESTED

Sample Name	Lab ID	Canister ID	Flow Cont. ID	Reporting Level: IA=Indoor Air SG=Soil Gas (Circle One)	Date Sampled	Initial Vac. (°Hg)	Field Initial Time	Final Vac. (°Hg)	Field Final Time	TO15 Full Scan	TO15 BTEXN	TO15 cVOCs	APH	Helium	Notes
PS1	01	3412	17	IA / (SG)	6/28/21	30	9:00	5	9:06						✓ ✓ ✓
SS1	02	3287	111	IA / (SG)	6/28/21	30	9:21	5	9:27						✓ ✓ ✓
SS2	03	3386	18	IA / (SG)	6/28/21	30	9:41	5	9:47						✓ ✓ ✓
				IA / SG											
				IA / SG											
				IA / SG											
				IA / SG											
				IA / SG											
				IA / SG											
				IA / SG											
				IA / SG											

Samples received at 22°C

3012 16th Avenue West

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

Ph. (206) 285-8282

Fax (206) 283-5044

FORMS\COG\COCTO-15.DOC

SIGNATURE	PRINT NAME	COMPANY	DATE	TIME
Relinquished by: 	Kyle Fisher	PSS	6/28/21	10:32
Received by: 	Liz Webster-Bryce	FBI	6/30/21	1140
Relinquished by:				
Received by:				

DECEMBER 2021

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Yelena Aravkina, M.S.
Michael Erdahl, B.S.
Arina Podnozova, B.S.
Eric Young, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
(206) 285-8282
fbi@isomedia.com
www.friedmanandbruya.com

December 15, 2021

Gil Cobb, Project Manager
Point Source Solutions
10445 SW Canyon Rd., Ste. 266
Beaverton, OR 97005

Dear Mr Cobb:

Included are the results from the testing of material submitted on December 6, 2021 from the 3912 N Vancouver Ave, F&BI 112088 project. There are 10 pages included in this report.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Michael Erdahl
Project Manager

Enclosures

c: Johnny Ramus, Jeff Jackman, Kyle Fisher
PSS1215R.DOC

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

CASE NARRATIVE

This case narrative encompasses samples received on December 6, 2021 by Friedman & Bruya, Inc. from the Point Source Solutions 3912 N Vancouver Ave, F&BI 112088 project. Samples were logged in under the laboratory ID's listed below.

<u>Laboratory ID</u>	<u>Point Source Solutions</u>
112088 -01	PS1
112088 -02	SS1
112088 -03	SS2

The TO-15 gasoline range concentrations were quantified using a single point calibration at 80 ppbv.

The concentration of several analytes exceeded the calibration range of the instrument. The data were flagged accordingly.

All other quality control requirements were acceptable.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID: PS1	Client: Point Source Solutions
Date Received: 12/06/21	Project: 3912 N Vancouver Ave
Date Collected: 12/03/21	Lab ID: 112088-01 1/5.5
Date Analyzed: 12/10/21	Data File: 120924.D
Matrix: Air	Instrument: GCMS7
Units: ug/m3	Operator: bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	90	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	<6.6	<3.8	1,2-Dichloropropane	<1.3	<0.28
Dichlorodifluoromethane	2.8	0.56	1,4-Dioxane	<2	<0.55
Chloromethane	<20	<9.9	2,2,4-Trimethylpentane	32	6.8
F-114	<3.8	<0.55	Methyl methacrylate	<23	<5.5
Vinyl chloride	<1.4	<0.55	Heptane	<23	<5.5
1,3-Butadiene	<0.24	<0.11	Bromodichloromethane	<0.37	<0.055
Butane	27	11	Trichloroethene	1.5	0.28
Bromomethane	<13	<3.3	cis-1,3-Dichloropropene	<2.5	<0.55
Chloroethane	<15	<5.5	4-Methyl-2-pentanone	<23	<5.5
Vinyl bromide	<2.4	<0.55	trans-1,3-Dichloropropene	<2.5	<0.55
Ethanol	<41	<22	Toluene	230 ve	62 ve
Acrolein	<0.63	<0.28	1,1,2-Trichloroethane	<0.3	<0.055
Pentane	<16	<5.5	2-Hexanone	<23	<5.5
Trichlorofluoromethane	<12	<2.2	Tetrachloroethene	<37	<5.5
Acetone	170 ve	72 ve	Dibromochloromethane	<0.47	<0.055
2-Propanol	<47	<19	1,2-Dibromoethane (EDB)	<0.42	<0.055
1,1-Dichloroethene	<2.2	<0.55	Chlorobenzene	<2.5	<0.55
trans-1,2-Dichloroethene	<2.2	<0.55	Ethylbenzene	20	4.5
Methylene chloride	<190	<55	1,1,2,2-Tetrachloroethane	<0.76	<0.11
t-Butyl alcohol (TBA)	<67	<22	Nonane	<29	<5.5
3-Chloropropene	<8.6	<2.7	Isopropylbenzene	29	6.0
CFC-113	<4.2	<0.55	2-Chlorotoluene	<28	<5.5
Carbon disulfide	<34	<11	Propylbenzene	<14	<2.7
Methyl t-butyl ether (MTBE)	<9.9	<2.7	4-Ethyltoluene	<14	<2.7
Vinyl acetate	<39	<11	m,p-Xylene	80	18
1,1-Dichloroethane	<2.2	<0.55	o-Xylene	24	5.5
cis-1,2-Dichloroethene	<2.2	<0.55	Styrene	<4.7	<1.1
Hexane	<19	<5.5	Bromoform	<11	<1.1
Chloroform	3.3	0.67	Benzyl chloride	<0.28	<0.055
Ethyl acetate	<40	<11	1,3,5-Trimethylbenzene	<14	<2.7
Tetrahydrofuran	<3.2	<1.1	1,2,4-Trimethylbenzene	<14	<2.7
2-Butanone (MEK)	590 ve	200 ve	1,3-Dichlorobenzene	<3.3	<0.55
1,2-Dichloroethane (EDC)	<0.22	<0.055	1,4-Dichlorobenzene	<1.3	<0.21
1,1,1-Trichloroethane	<3	<0.55	1,2-Dichlorobenzene	<3.3	<0.55
Carbon tetrachloride	<1.7	<0.28	1,2,4-Trichlorobenzene	<4.1	<0.55
Benzene	60	19	Naphthalene	<1.4	<0.28
Cyclohexane	<38	<11	Hexachlorobutadiene	<1.2	<0.11
Gasoline Range Organics	2,100	520			

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID:	SS1	Client:	Point Source Solutions
Date Received:	12/06/21	Project:	3912 N Vancouver Ave
Date Collected:	12/03/21	Lab ID:	112088-02 1/5.6
Date Analyzed:	12/10/21	Data File:	120926.D
Matrix:	Air	Instrument:	GCMS7
Units:	ug/m3	Operator:	bat

	% Recovery:	Lower Limit:	Upper Limit:
Surrogates:			
4-Bromofluorobenzene	87	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	<6.7	<3.9	1,2-Dichloropropane	<1.3	<0.28
Dichlorodifluoromethane	<2.8	<0.56	1,4-Dioxane	<2	<0.56
Chloromethane	<21	<10	2,2,4-Trimethylpentane	<26	<5.6
F-114	<3.9	<0.56	Methyl methacrylate	<23	<5.6
Vinyl chloride	<1.4	<0.56	Heptane	<23	<5.6
1,3-Butadiene	<0.25	<0.11	Bromodichloromethane	<0.38	<0.056
Butane	<27	<11	Trichloroethene	<0.6	<0.11
Bromomethane	<13	<3.4	cis-1,3-Dichloropropene	<2.5	<0.56
Chloroethane	<15	<5.6	4-Methyl-2-pentanone	<23	<5.6
Vinyl bromide	<2.4	<0.56	trans-1,3-Dichloropropene	<2.5	<0.56
Ethanol	<42	<22	Toluene	130	35
Acrolein	<0.64	<0.28	1,1,2-Trichloroethane	<0.31	<0.056
Pentane	<17	<5.6	2-Hexanone	<23	<5.6
Trichlorofluoromethane	<13	<2.2	Tetrachloroethene	<38	<5.6
Acetone	<27	<11	Dibromochloromethane	<0.48	<0.056
2-Propanol	<48	<20	1,2-Dibromoethane (EDB)	<0.43	<0.056
1,1-Dichloroethene	<2.2	<0.56	Chlorobenzene	<2.6	<0.56
trans-1,2-Dichloroethene	<2.2	<0.56	Ethylbenzene	11	2.6
Methylene chloride	<190	<56	1,1,2,2-Tetrachloroethane	<0.77	<0.11
t-Butyl alcohol (TBA)	<68	<22	Nonane	<29	<5.6
3-Chloropropene	<8.8	<2.8	Isopropylbenzene	<14	<2.8
CFC-113	<4.3	<0.56	2-Chlorotoluene	<29	<5.6
Carbon disulfide	<35	<11	Propylbenzene	<14	<2.8
Methyl t-butyl ether (MTBE)	<10	<2.8	4-Ethyltoluene	<14	<2.8
Vinyl acetate	<39	<11	m,p-Xylene	46	11
1,1-Dichloroethane	<2.3	<0.56	o-Xylene	14	3.3
cis-1,2-Dichloroethene	<2.2	<0.56	Styrene	<4.8	<1.1
Hexane	<20	<5.6	Bromoform	<12	<1.1
Chloroform	<0.27	<0.056	Benzyl chloride	<0.29	<0.056
Ethyl acetate	<40	<11	1,3,5-Trimethylbenzene	<14	<2.8
Tetrahydrofuran	<3.3	<1.1	1,2,4-Trimethylbenzene	<14	<2.8
2-Butanone (MEK)	<17	<5.6	1,3-Dichlorobenzene	<3.4	<0.56
1,2-Dichloroethane (EDC)	<0.23	<0.056	1,4-Dichlorobenzene	<1.3	<0.21
1,1,1-Trichloroethane	<3.1	<0.56	1,2-Dichlorobenzene	<3.4	<0.56
Carbon tetrachloride	<1.8	<0.28	1,2,4-Trichlorobenzene	<4.2	<0.56
Benzene	4.8	1.5	Naphthalene	<1.5	<0.28
Cyclohexane	<39	<11	Hexachlorobutadiene	<1.2	<0.11
Gasoline Range Organics	<1,800	<450			

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID: SS2	Client: Point Source Solutions
Date Received: 12/06/21	Project: 3912 N Vancouver Ave
Date Collected: 12/03/21	Lab ID: 112088-03 1/5.6
Date Analyzed: 12/10/21	Data File: 120927.D
Matrix: Air	Instrument: GCMS7
Units: ug/m3	Operator: bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	90	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	<6.7	<3.9	1,2-Dichloropropane	<1.3	<0.28
Dichlorodifluoromethane	<2.8	<0.56	1,4-Dioxane	<2	<0.56
Chloromethane	<21	<10	2,2,4-Trimethylpentane	<26	<5.6
F-114	<3.9	<0.56	Methyl methacrylate	<23	<5.6
Vinyl chloride	<1.4	<0.56	Heptane	<23	<5.6
1,3-Butadiene	<0.25	<0.11	Bromodichloromethane	<0.38	<0.056
Butane	<27	<11	Trichloroethene	1.8	0.34
Bromomethane	<13	<3.4	cis-1,3-Dichloropropene	<2.5	<0.56
Chloroethane	<15	<5.6	4-Methyl-2-pentanone	<23	<5.6
Vinyl bromide	<2.4	<0.56	trans-1,3-Dichloropropene	<2.5	<0.56
Ethanol	<42	<22	Toluene	130	35
Acrolein	<0.64	<0.28	1,1,2-Trichloroethane	<0.31	<0.056
Pentane	<17	<5.6	2-Hexanone	<23	<5.6
Trichlorofluoromethane	<13	<2.2	Tetrachloroethene	<38	<5.6
Acetone	<27	<11	Dibromochloromethane	<0.48	<0.056
2-Propanol	<48	<20	1,2-Dibromoethane (EDB)	<0.43	<0.056
1,1-Dichloroethene	<2.2	<0.56	Chlorobenzene	<2.6	<0.56
trans-1,2-Dichloroethene	<2.2	<0.56	Ethylbenzene	14	3.3
Methylene chloride	<190	<56	1,1,2,2-Tetrachloroethane	<0.77	<0.11
t-Butyl alcohol (TBA)	<68	<22	Nonane	<29	<5.6
3-Chloropropene	<8.8	<2.8	Isopropylbenzene	<14	<2.8
CFC-113	<4.3	<0.56	2-Chlorotoluene	<29	<5.6
Carbon disulfide	<35	<11	Propylbenzene	<14	<2.8
Methyl t-butyl ether (MTBE)	<10	<2.8	4-Ethyltoluene	<14	<2.8
Vinyl acetate	<39	<11	m,p-Xylene	58	13
1,1-Dichloroethane	<2.3	<0.56	o-Xylene	18	4.1
cis-1,2-Dichloroethene	<2.2	<0.56	Styrene	<4.8	<1.1
Hexane	<20	<5.6	Bromoform	<12	<1.1
Chloroform	1.9	0.38	Benzyl chloride	<0.29	<0.056
Ethyl acetate	<40	<11	1,3,5-Trimethylbenzene	<14	<2.8
Tetrahydrofuran	<3.3	<1.1	1,2,4-Trimethylbenzene	<14	<2.8
2-Butanone (MEK)	<17	<5.6	1,3-Dichlorobenzene	<3.4	<0.56
1,2-Dichloroethane (EDC)	<0.23	<0.056	1,4-Dichlorobenzene	<1.3	<0.21
1,1,1-Trichloroethane	<3.1	<0.56	1,2-Dichlorobenzene	<3.4	<0.56
Carbon tetrachloride	<1.8	<0.28	1,2,4-Trichlorobenzene	<4.2	<0.56
Benzene	4.7	1.5	Naphthalene	<1.5	<0.28
Cyclohexane	<39	<11	Hexachlorobutadiene	<1.2	<0.11
Gasoline Range Organics	<1,800	<450			

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID:	Method Blank	Client:	Point Source Solutions
Date Received:	Not Applicable	Project:	3912 N Vancouver Ave
Date Collected:	Not Applicable	Lab ID:	01-2815 MB
Date Analyzed:	12/09/21	Data File:	120914.D
Matrix:	Air	Instrument:	GCMS7
Units:	ug/m3	Operator:	bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	86	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	<1.2	<0.7	1,2-Dichloropropane	<0.23	<0.05
Dichlorodifluoromethane	<0.49	<0.1	1,4-Dioxane	<0.36	<0.1
Chloromethane	<3.7	<1.8	2,2,4-Trimethylpentane	<4.7	<1
F-114	<0.7	<0.1	Methyl methacrylate	<4.1	<1
Vinyl chloride	<0.26	<0.1	Heptane	<4.1	<1
1,3-Butadiene	<0.044	<0.02	Bromodichloromethane	<0.067	<0.01
Butane	<4.8	<2	Trichloroethene	<0.11	<0.02
Bromomethane	<2.3	<0.6	cis-1,3-Dichloropropene	<0.45	<0.1
Chloroethane	<2.6	<1	4-Methyl-2-pentanone	<4.1	<1
Vinyl bromide	<0.44	<0.1	trans-1,3-Dichloropropene	<0.45	<0.1
Ethanol	<7.5	<4	Toluene	<19	<5
Acrolein	<0.11	<0.05	1,1,2-Trichloroethane	<0.055	<0.01
Pentane	<3	<1	2-Hexanone	<4.1	<1
Trichlorofluoromethane	<2.2	<0.4	Tetrachloroethene	<6.8	<1
Acetone	<4.8	<2	Dibromochloromethane	<0.085	<0.01
2-Propanol	<8.6	<3.5	1,2-Dibromoethane (EDB)	<0.077	<0.01
1,1-Dichloroethene	<0.4	<0.1	Chlorobenzene	<0.46	<0.1
trans-1,2-Dichloroethene	<0.4	<0.1	Ethylbenzene	<0.43	<0.1
Methylene chloride	<35	<10	1,1,2,2-Tetrachloroethane	<0.14	<0.02
t-Butyl alcohol (TBA)	<12	<4	Nonane	<5.2	<1
3-Chloropropene	<1.6	<0.5	Isopropylbenzene	<2.5	<0.5
CFC-113	<0.77	<0.1	2-Chlorotoluene	<5.2	<1
Carbon disulfide	<6.2	<2	Propylbenzene	<2.5	<0.5
Methyl t-butyl ether (MTBE)	<1.8	<0.5	4-Ethyltoluene	<2.5	<0.5
Vinyl acetate	<7	<2	m,p-Xylene	<0.87	<0.2
1,1-Dichloroethane	<0.4	<0.1	o-Xylene	<0.43	<0.1
cis-1,2-Dichloroethene	<0.4	<0.1	Styrene	<0.85	<0.2
Hexane	<3.5	<1	Bromoform	<2.1	<0.2
Chloroform	<0.049	<0.01	Benzyl chloride	<0.052	<0.01
Ethyl acetate	<7.2	<2	1,3,5-Trimethylbenzene	<2.5	<0.5
Tetrahydrofuran	<0.59	<0.2	1,2,4-Trimethylbenzene	<2.5	<0.5
2-Butanone (MEK)	<2.9	<1	1,3-Dichlorobenzene	<0.6	<0.1
1,2-Dichloroethane (EDC)	<0.04	<0.01	1,4-Dichlorobenzene	<0.23	<0.038
1,1,1-Trichloroethane	<0.55	<0.1	1,2-Dichlorobenzene	<0.6	<0.1
Carbon tetrachloride	<0.31	<0.05	1,2,4-Trichlorobenzene	<0.74	<0.1
Benzene	<0.32	<0.1	Naphthalene	<0.26	<0.05
Cyclohexane	<6.9	<2	Hexachlorobutadiene	<0.21	<0.02
Gasoline Range Organics	<330	<80			

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 12/15/21

Date Received: 12/06/21

Project: 3912 N Vancouver Ave, F&BI 112088

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: 112088-01 1/5.5 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	RPD (Limit 30)
Propene	ug/m3	<6.6	<6.6	nm
Dichlorodifluoromethane	ug/m3	2.8	<2.7	nm
Chloromethane	ug/m3	<20	<20	nm
F-114	ug/m3	<3.8	<3.8	nm
Vinyl chloride	ug/m3	<1.4	<1.4	nm
1,3-Butadiene	ug/m3	<0.24	<0.24	nm
Butane	ug/m3	27	<26	nm
Bromomethane	ug/m3	<13	<13	nm
Chloroethane	ug/m3	<15	<15	nm
Vinyl bromide	ug/m3	<2.4	<2.4	nm
Ethanol	ug/m3	<41	<41	nm
Acrolein	ug/m3	<0.63	<0.63	nm
Pentane	ug/m3	<16	<16	nm
Trichlorofluoromethane	ug/m3	<12	<12	nm
Acetone	ug/m3	170	170	0
2-Propanol	ug/m3	<47	<47	nm
1,1-Dichloroethene	ug/m3	<2.2	<2.2	nm
trans-1,2-Dichloroethene	ug/m3	<2.2	<2.2	nm
Methylene chloride	ug/m3	<190	<190	nm
t-Butyl alcohol (TBA)	ug/m3	<67	<67	nm
3-Chloropropene	ug/m3	<8.6	<8.6	nm
CFC-113	ug/m3	<4.2	<4.2	nm
Carbon disulfide	ug/m3	<34	<34	nm
Methyl t-butyl ether (MTBE)	ug/m3	<9.9	<9.9	nm
Vinyl acetate	ug/m3	<39	<39	nm
1,1-Dichloroethane	ug/m3	<2.2	<2.2	nm
cis-1,2-Dichloroethene	ug/m3	<2.2	<2.2	nm
Hexane	ug/m3	<19	<19	nm
Chloroform	ug/m3	3.3	3.1	6
Ethyl acetate	ug/m3	<40	<40	nm
Tetrahydrofuran	ug/m3	<3.2	<3.2	nm
2-Butanone (MEK)	ug/m3	590	530	11
1,2-Dichloroethane (EDC)	ug/m3	<0.22	<0.22	nm
1,1,1-Trichloroethane	ug/m3	<3	<3	nm
Carbon tetrachloride	ug/m3	<1.7	<1.7	nm
Benzene	ug/m3	60	58	3
Cyclohexane	ug/m3	<38	<38	nm
1,2-Dichloropropane	ug/m3	<1.3	<1.3	nm
1,4-Dioxane	ug/m3	<2	<2	nm
2,2,4-Trimethylpentane	ug/m3	32	32	0

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 12/15/21

Date Received: 12/06/21

Project: 3912 N Vancouver Ave, F&BI 112088

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: 112088-01 1/5.5 (Duplicate, continued)

Analyte	Reporting Units	Sample Result	Duplicate Result	RPD (Limit 30)
Methyl methacrylate	ug/m3	<23	<23	nm
Heptane	ug/m3	<23	<23	nm
Bromodichloromethane	ug/m3	<0.37	<0.37	nm
Trichloroethene	ug/m3	1.5	1.4	7
cis-1,3-Dichloropropene	ug/m3	<2.5	<2.5	nm
4-Methyl-2-pentanone	ug/m3	<23	<23	nm
trans-1,3-Dichloropropene	ug/m3	<2.5	<2.5	nm
Toluene	ug/m3	230	230	0
1,1,2-Trichloroethane	ug/m3	<0.3	<0.3	nm
2-Hexanone	ug/m3	<23	<23	nm
Tetrachloroethene	ug/m3	<37	<37	nm
Dibromochloromethane	ug/m3	<0.47	<0.47	nm
1,2-Dibromoethane (EDB)	ug/m3	<0.42	<0.42	nm
Chlorobenzene	ug/m3	<2.5	<2.5	nm
Ethylbenzene	ug/m3	20	19	5
1,1,2,2-Tetrachloroethane	ug/m3	<0.76	<0.76	nm
Nonane	ug/m3	<29	<29	nm
Isopropylbenzene	ug/m3	29	31	7
2-Chlorotoluene	ug/m3	<28	<28	nm
Propylbenzene	ug/m3	<14	<14	nm
4-Ethyltoluene	ug/m3	<14	<14	nm
m,p-Xylene	ug/m3	80	78	3
o-Xylene	ug/m3	24	24	0
Styrene	ug/m3	<4.7	<4.7	nm
Bromoform	ug/m3	<11	<11	nm
Benzyl chloride	ug/m3	<0.28	<0.28	nm
1,3,5-Trimethylbenzene	ug/m3	<14	<14	nm
1,2,4-Trimethylbenzene	ug/m3	<14	<14	nm
1,3-Dichlorobenzene	ug/m3	<3.3	<3.3	nm
1,4-Dichlorobenzene	ug/m3	<1.3	<1.3	nm
1,2-Dichlorobenzene	ug/m3	<3.3	<3.3	nm
1,2,4-Trichlorobenzene	ug/m3	<4.1	<4.1	nm
Naphthalene	ug/m3	<1.4	<1.4	nm
Hexachlorobutadiene	ug/m3	<1.2	<1.2	nm

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 12/15/21

Date Received: 12/06/21

Project: 3912 N Vancouver Ave, F&BI 112088

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	Percent Recovery LCS	Acceptance Criteria
Propene	ug/m3	23	76	70-130
Dichlorodifluoromethane	ug/m3	67	97	70-130
Chloromethane	ug/m3	28	92	70-130
F-114	ug/m3	94	101	70-130
Vinyl chloride	ug/m3	35	87	70-130
1,3-Butadiene	ug/m3	30	84	70-130
Butane	ug/m3	32	88	70-130
Bromomethane	ug/m3	52	100	70-130
Chloroethane	ug/m3	36	93	70-130
Vinyl bromide	ug/m3	59	93	70-130
Ethanol	ug/m3	25	87	70-130
Acrolein	ug/m3	31	80	70-130
Pentane	ug/m3	40	78	70-130
Trichlorofluoromethane	ug/m3	76	101	70-130
Acetone	ug/m3	32	93	70-130
2-Propanol	ug/m3	33	79	70-130
1,1-Dichloroethene	ug/m3	54	95	70-130
trans-1,2-Dichloroethene	ug/m3	54	93	70-130
Methylene chloride	ug/m3	94	146 vo	70-130
t-Butyl alcohol (TBA)	ug/m3	41	88	70-130
3-Chloropropene	ug/m3	42	78	70-130
CFC-113	ug/m3	100	97	70-130
Carbon disulfide	ug/m3	42	95	70-130
Methyl t-butyl ether (MTBE)	ug/m3	49	85	70-130
Vinyl acetate	ug/m3	48	72	70-130
1,1-Dichloroethane	ug/m3	55	91	70-130
cis-1,2-Dichloroethene	ug/m3	54	94	70-130
Hexane	ug/m3	48	81	70-130
Chloroform	ug/m3	66	93	70-130
Ethyl acetate	ug/m3	49	84	70-130
Tetrahydrofuran	ug/m3	40	82	70-130
2-Butanone (MEK)	ug/m3	40	84	70-130
1,2-Dichloroethane (EDC)	ug/m3	55	89	70-130
1,1,1-Trichloroethane	ug/m3	74	97	70-130
Carbon tetrachloride	ug/m3	85	99	70-130
Benzene	ug/m3	43	90	70-130
Cyclohexane	ug/m3	46	77	70-130
1,2-Dichloropropane	ug/m3	62	91	70-130
1,4-Dioxane	ug/m3	49	94	70-130
2,2,4-Trimethylpentane	ug/m3	63	87	70-130

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 12/15/21

Date Received: 12/06/21

Project: 3912 N Vancouver Ave, F&BI 112088

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: Laboratory Control Sample (Continued)

Analyte	Reporting Units	Spike Level	Percent	Acceptance Criteria
			Recovery LCS	
Methyl methacrylate	ug/m3	55	88	70-130
Heptane	ug/m3	55	82	70-130
Bromodichloromethane	ug/m3	90	98	70-130
Trichloroethene	ug/m3	73	95	70-130
cis-1,3-Dichloropropene	ug/m3	61	100	70-130
4-Methyl-2-pentanone	ug/m3	55	105	70-130
trans-1,3-Dichloropropene	ug/m3	61	100	70-130
Toluene	ug/m3	51	97	70-130
1,1,2-Trichloroethane	ug/m3	74	99	70-130
2-Hexanone	ug/m3	55	82	70-130
Tetrachloroethene	ug/m3	92	109	70-130
Dibromochloromethane	ug/m3	120	112	70-130
1,2-Dibromoethane (EDB)	ug/m3	100	98	70-130
Chlorobenzene	ug/m3	62	105	70-130
Ethylbenzene	ug/m3	59	92	70-130
1,1,2,2-Tetrachloroethane	ug/m3	93	97	70-130
Nonane	ug/m3	71	77	70-130
Isopropylbenzene	ug/m3	66	97	70-130
2-Chlorotoluene	ug/m3	70	94	70-130
Propylbenzene	ug/m3	66	93	70-130
4-Ethyltoluene	ug/m3	66	87	70-130
m,p-Xylene	ug/m3	120	96	70-130
o-Xylene	ug/m3	59	100	70-130
Styrene	ug/m3	58	98	70-130
Bromoform	ug/m3	140	112	70-130
Benzyl chloride	ug/m3	70	104	70-130
1,3,5-Trimethylbenzene	ug/m3	66	91	70-130
1,2,4-Trimethylbenzene	ug/m3	66	86	70-130
1,3-Dichlorobenzene	ug/m3	81	109	70-130
1,4-Dichlorobenzene	ug/m3	81	97	70-130
1,2-Dichlorobenzene	ug/m3	81	103	70-130
1,2,4-Trichlorobenzene	ug/m3	100	78	70-130
Naphthalene	ug/m3	71	82	70-130
Hexachlorobutadiene	ug/m3	140	100	70-130

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Data Qualifiers & Definitions

a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.

b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.

ca - The calibration results for the analyte were outside of acceptance criteria. The value reported is an estimate.

c - The presence of the analyte may be due to carryover from previous sample injections.

cf - The sample was centrifuged prior to analysis.

d - The sample was diluted. Detection limits were raised and surrogate recoveries may not be meaningful.

dv - Insufficient sample volume was available to achieve normal reporting limits.

f - The sample was laboratory filtered prior to analysis.

fb - The analyte was detected in the method blank.

fc - The analyte is a common laboratory and field contaminant.

hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. Variability is attributed to sample inhomogeneity.

hs - Headspace was present in the container used for analysis.

ht - The analysis was performed outside the method or client-specified holding time requirement.

ip - Recovery fell outside of control limits due to sample matrix effects.

j - The analyte concentration is reported below the lowest calibration standard. The value reported is an estimate.

J - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.

jl - The laboratory control sample(s) percent recovery and/or RPD were out of control limits. The reported concentration should be considered an estimate.

js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

lc - The presence of the analyte is likely due to laboratory contamination.

L - The reported concentration was generated from a library search.

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

pc - The sample was received with incorrect preservation or in a container not approved by the method. The value reported should be considered an estimate.

ve - The analyte response exceeded the valid instrument calibration range. The value reported is an estimate.

vo - The value reported fell outside the control limits established for this analyte.

x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

12-06-21

Page # 1 of 1

Report To Earl Cobb

Company Point Source Solutions

Address 10445 SW Canyon Rd Ste 200

City, State, ZIP Beaverton, OR 97005

Phone (971) 470-6338 Email

SAMPLERS (signature) <i>John Ren</i>	
PROJECT NAME & ADDRESS 3912 N Vancouver Ave	PO #
NOTES:	INVOICE TO

TURNAROUND TIME

☐ Standard

☐ RUSH

Rush charges authorized by: _____

SAMPLE DISPOSAL

☐ Default: Clean after 3 days

☐ Archive (Fee may apply)

SAMPLE INFORMATION

ANALYSIS REQUESTED

[illegible]

Friedman & Bruya, Inc.

3012 16th Avenue West

Seattle, WA 98119-2029

Ph. (206) 285-8282

Fax (206) 283-5044

FORMS\COCC\COCTO-15.DOC

SIGNATURE	PRINT NAME	COMPANY	DATE	TIME
Relinquished by: <i>[Signature]</i>	John Ramms	Point Source	12-3-21	11:09
Received by: <i>[Signature]</i>	Khai Hoang	FBI	12/6/21	16:17
Relinquished by:				
Received by:				

JUNE 2022

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Yelena Aravkina, M.S.
Michael Erdahl, B.S.
Vineta Mills, M.S.
Eric Young, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
(206) 285-8282
fbi@isomedia.com
www.friedmanandbruya.com

July 1, 2022

Gil Cobb, Project Manager
Point Source Solutions
5317 NE St Johns Rd, Suite D
Vancouver, WA 98661

Dear Mr Cobb:

Included are the results from the testing of material submitted on June 22, 2022 from the The Brio, F&BI 206372 project. There are 9 pages included in this report.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Michael Erdahl
Project Manager

Enclosures

c: Johnny Ramus, Jeff Jackman, Kyle Fisher
PSS0701R.DOC

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

CASE NARRATIVE

This case narrative encompasses samples received on June 22, 2022 by Friedman & Bruya, Inc. from the Point Source Solutions The Brio, F&BI 206372 project. Samples were logged in under the laboratory ID's listed below.

<u>Laboratory ID</u>	<u>Point Source Solutions</u>
206372 -01	SS2
206372 -02	SS1
206372 -03	PS1

The TO-15 gasoline range concentrations were quantified using a single point calibration at 80 ppbv.

Methylene chloride was detected in the analysis of sample SS1. The data were flagged as due to laboratory contamination.

All other quality control requirements were acceptable.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID: SS2	Client: Point Source Solutions
Date Received: 06/22/22	Project: The Brio, F&BI 206372
Date Collected: 06/21/22	Lab ID: 206372-01 1/6.6
Date Analyzed: 06/28/22	Data File: 062725.D
Matrix: Air	Instrument: GCMS7
Units: ug/m3	Operator: bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	84	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	<8	<4.6	1,2-Dichloropropane	<1.5	<0.33
Dichlorodifluoromethane	<6.5	<1.3	1,4-Dioxane	<2.4	<0.66
Chloromethane	<25	<12	2,2,4-Trimethylpentane	<31	<6.6
F-114	<14	<2	Methyl methacrylate	<27	<6.6
Vinyl chloride	<1.7	<0.66	Heptane	<27	<6.6
1,3-Butadiene	<0.29	<0.13	Bromodichloromethane	<0.44	<0.066
Butane	<31	<13	Trichloroethene	7.2	1.3
Bromomethane	<26	<6.6	cis-1,3-Dichloropropene	<6	<1.3
Chloroethane	<17	<6.6	4-Methyl-2-pentanone	<27	<6.6
Vinyl bromide	<2.9	<0.66	trans-1,3-Dichloropropene	<3	<0.66
Ethanol	<50	<26	Toluene	<120	<33
Acrolein	<0.76	<0.33	1,1,2-Trichloroethane	<0.36	<0.066
Pentane	<39	<13	2-Hexanone	<27	<6.6
Trichlorofluoromethane	<15	<2.6	Tetrachloroethene	100	15
Acetone	<31	<13	Dibromochloromethane	<0.56	<0.066
2-Propanol	<57	<23	1,2-Dibromoethane (EDB)	<0.51	<0.066
1,1-Dichloroethene	<2.6	<0.66	Chlorobenzene	<3	<0.66
trans-1,2-Dichloroethene	<2.6	<0.66	Ethylbenzene	<2.9	<0.66
Methylene chloride	<230	<66	1,1,2,2-Tetrachloroethane	<0.91	<0.13
t-Butyl alcohol (TBA)	<80	<26	Nonane	<35	<6.6
3-Chloropropene	<21	<6.6	Isopropylbenzene	<65	<13
CFC-113	<5.1	<0.66	2-Chlorotoluene	<34	<6.6
Carbon disulfide	<41	<13	Propylbenzene	<32	<6.6
Methyl t-butyl ether (MTBE)	<48	<13	4-Ethyltoluene	<32	<6.6
Vinyl acetate	<46	<13	m,p-Xylene	<5.7	<1.3
1,1-Dichloroethane	<2.7	<0.66	o-Xylene	<2.9	<0.66
cis-1,2-Dichloroethene	<2.6	<0.66	Styrene	<5.6	<1.3
Hexane	<23	<6.6	Bromoform	<14	<1.3
Chloroform	2.4	0.49	Benzyl chloride	<0.34	<0.066
Ethyl acetate	<48	<13	1,3,5-Trimethylbenzene	<32	<6.6
Tetrahydrofuran	<3.9	<1.3	1,2,4-Trimethylbenzene	<32	<6.6
2-Butanone (MEK)	<39	<13	1,3-Dichlorobenzene	<4	<0.66
1,2-Dichloroethane (EDC)	<0.27	<0.066	1,4-Dichlorobenzene	<1.5	<0.25
1,1,1-Trichloroethane	<3.6	<0.66	1,2-Dichlorobenzene	<4	<0.66
Carbon tetrachloride	<2.1	<0.33	1,2,4-Trichlorobenzene	<4.9	<0.66
Benzene	<2.1	<0.66	Naphthalene	<1.7	<0.33
Cyclohexane	<45	<13	Hexachlorobutadiene	<1.4	<0.13
Gasoline Range Organics	<2,200	<530			

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID:	SS1	Client:	Point Source Solutions
Date Received:	06/22/22	Project:	The Brio, F&BI 206372
Date Collected:	06/21/22	Lab ID:	206372-02 1/5.5
Date Analyzed:	06/28/22	Data File:	062726.D
Matrix:	Air	Instrument:	GCMS7
Units:	ug/m3	Operator:	bat

	% Recovery:	Lower Limit:	Upper Limit:
Surrogates:			
4-Bromofluorobenzene	83	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	<6.6	<3.8	1,2-Dichloropropane	<1.3	<0.28
Dichlorodifluoromethane	<5.4	<1.1	1,4-Dioxane	<2	<0.55
Chloromethane	<20	<9.9	2,2,4-Trimethylpentane	<26	<5.5
F-114	<12	<1.6	Methyl methacrylate	<23	<5.5
Vinyl chloride	<1.4	<0.55	Heptane	<23	<5.5
1,3-Butadiene	<0.24	<0.11	Bromodichloromethane	<0.37	<0.055
Butane	<26	<11	Trichloroethene	<0.59	<0.11
Bromomethane	<21	<5.5	cis-1,3-Dichloropropene	<5	<1.1
Chloroethane	<15	<5.5	4-Methyl-2-pentanone	<23	<5.5
Vinyl bromide	<2.4	<0.55	trans-1,3-Dichloropropene	<2.5	<0.55
Ethanol	<41	<22	Toluene	<100	<27
Acrolein	<0.63	<0.28	1,1,2-Trichloroethane	<0.3	<0.055
Pentane	<32	<11	2-Hexanone	<23	<5.5
Trichlorofluoromethane	<12	<2.2	Tetrachloroethene	<37	<5.5
Acetone	<26	<11	Dibromochloromethane	<0.47	<0.055
2-Propanol	<47	<19	1,2-Dibromoethane (EDB)	<0.42	<0.055
1,1-Dichloroethene	<2.2	<0.55	Chlorobenzene	<2.5	<0.55
trans-1,2-Dichloroethene	<2.2	<0.55	Ethylbenzene	<2.4	<0.55
Methylene chloride	270 lc	79 lc	1,1,2,2-Tetrachloroethane	<0.76	<0.11
t-Butyl alcohol (TBA)	<67	<22	Nonane	<29	<5.5
3-Chloropropene	<17	<5.5	Isopropylbenzene	<54	<11
CFC-113	<4.2	<0.55	2-Chlorotoluene	<28	<5.5
Carbon disulfide	<34	<11	Propylbenzene	<27	<5.5
Methyl t-butyl ether (MTBE)	<40	<11	4-Ethyltoluene	<27	<5.5
Vinyl acetate	<39	<11	m,p-Xylene	8.6	2.0
1,1-Dichloroethane	<2.2	<0.55	o-Xylene	3.3	0.75
cis-1,2-Dichloroethene	<2.2	<0.55	Styrene	<4.7	<1.1
Hexane	<19	<5.5	Bromoform	<11	<1.1
Chloroform	<0.27	<0.055	Benzyl chloride	<0.28	<0.055
Ethyl acetate	<40	<11	1,3,5-Trimethylbenzene	<27	<5.5
Tetrahydrofuran	<3.2	<1.1	1,2,4-Trimethylbenzene	<27	<5.5
2-Butanone (MEK)	<32	<11	1,3-Dichlorobenzene	<3.3	<0.55
1,2-Dichloroethane (EDC)	<0.22	<0.055	1,4-Dichlorobenzene	<1.3	<0.21
1,1,1-Trichloroethane	<3	<0.55	1,2-Dichlorobenzene	<3.3	<0.55
Carbon tetrachloride	<1.7	<0.28	1,2,4-Trichlorobenzene	<4.1	<0.55
Benzene	<1.8	<0.55	Naphthalene	<1.4	<0.28
Cyclohexane	<38	<11	Hexachlorobutadiene	<1.2	<0.11
Gasoline Range Organics	<1,800	<440			

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID:	Method Blank	Client:	Point Source Solutions
Date Received:	Not Applicable	Project:	The Brio, F&BI 206372
Date Collected:	Not Applicable	Lab ID:	02-1442 mb
Date Analyzed:	06/27/22	Data File:	062714.D
Matrix:	Air	Instrument:	GCMS7
Units:	ug/m3	Operator:	bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	85	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	<1.2	<0.7	1,2-Dichloropropane	<0.23	<0.05
Dichlorodifluoromethane	<0.99	<0.2	1,4-Dioxane	<0.36	<0.1
Chloromethane	<3.7	<1.8	2,2,4-Trimethylpentane	<4.7	<1
F-114	<2.1	<0.3	Methyl methacrylate	<4.1	<1
Vinyl chloride	<0.26	<0.1	Heptane	<4.1	<1
1,3-Butadiene	<0.044	<0.02	Bromodichloromethane	<0.067	<0.01
Butane	<4.8	<2	Trichloroethene	<0.11	<0.02
Bromomethane	<3.9	<1	cis-1,3-Dichloropropene	<0.91	<0.2
Chloroethane	<2.6	<1	4-Methyl-2-pentanone	<4.1	<1
Vinyl bromide	<0.44	<0.1	trans-1,3-Dichloropropene	<0.45	<0.1
Ethanol	<7.5	<4	Toluene	<19	<5
Acrolein	<0.11	<0.05	1,1,2-Trichloroethane	<0.055	<0.01
Pentane	<5.9	<2	2-Hexanone	<4.1	<1
Trichlorofluoromethane	<2.2	<0.4	Tetrachloroethene	<6.8	<1
Acetone	<4.8	<2	Dibromochloromethane	<0.085	<0.01
2-Propanol	<8.6	<3.5	1,2-Dibromoethane (EDB)	<0.077	<0.01
1,1-Dichloroethene	<0.4	<0.1	Chlorobenzene	<0.46	<0.1
trans-1,2-Dichloroethene	<0.4	<0.1	Ethylbenzene	<0.43	<0.1
Methylene chloride	<35	<10	1,1,2,2-Tetrachloroethane	<0.14	<0.02
t-Butyl alcohol (TBA)	<12	<4	Nonane	<5.2	<1
3-Chloropropene	<3.1	<1	Isopropylbenzene	<9.8	<2
CFC-113	<0.77	<0.1	2-Chlorotoluene	<5.2	<1
Carbon disulfide	<6.2	<2	Propylbenzene	<4.9	<1
Methyl t-butyl ether (MTBE)	<7.2	<2	4-Ethyltoluene	<4.9	<1
Vinyl acetate	<7	<2	m,p-Xylene	<0.87	<0.2
1,1-Dichloroethane	<0.4	<0.1	o-Xylene	<0.43	<0.1
cis-1,2-Dichloroethene	<0.4	<0.1	Styrene	<0.85	<0.2
Hexane	<3.5	<1	Bromoform	<2.1	<0.2
Chloroform	<0.049	<0.01	Benzyl chloride	<0.052	<0.01
Ethyl acetate	<7.2	<2	1,3,5-Trimethylbenzene	<4.9	<1
Tetrahydrofuran	<0.59	<0.2	1,2,4-Trimethylbenzene	<4.9	<1
2-Butanone (MEK)	<5.9	<2	1,3-Dichlorobenzene	<0.6	<0.1
1,2-Dichloroethane (EDC)	<0.04	<0.01	1,4-Dichlorobenzene	<0.23	<0.038
1,1,1-Trichloroethane	<0.55	<0.1	1,2-Dichlorobenzene	<0.6	<0.1
Carbon tetrachloride	<0.31	<0.05	1,2,4-Trichlorobenzene	<0.74	<0.1
Benzene	<0.32	<0.1	Naphthalene	<0.26	<0.05
Cyclohexane	<6.9	<2	Hexachlorobutadiene	<0.21	<0.02
Gasoline Range Organics	<330	<80			

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 07/01/22

Date Received: 06/22/22

Project: The Brio, F&BI 206372

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: 206431-01 1/5.1 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	RPD (Limit 30)
Propene	ug/m3	42	43	2
Dichlorodifluoromethane	ug/m3	<5	<5	nm
Chloromethane	ug/m3	<19	<19	nm
F-114	ug/m3	<11	<11	nm
Vinyl chloride	ug/m3	<1.3	<1.3	nm
1,3-Butadiene	ug/m3	3.7	3.7	0
Butane	ug/m3	<24	<24	nm
Bromomethane	ug/m3	<20	<20	nm
Chloroethane	ug/m3	<13	<13	nm
Vinyl bromide	ug/m3	<2.2	<2.2	nm
Ethanol	ug/m3	<38	<38	nm
Acrolein	ug/m3	1.8	1.8	0
Pentane	ug/m3	<30	<30	nm
Trichlorofluoromethane	ug/m3	<11	<11	nm
Acetone	ug/m3	58	57	2
2-Propanol	ug/m3	<44	<44	nm
1,1-Dichloroethene	ug/m3	<2	<2	nm
trans-1,2-Dichloroethene	ug/m3	<2	<2	nm
Methylene chloride	ug/m3	<180	<180	nm
t-Butyl alcohol (TBA)	ug/m3	<62	<62	nm
3-Chloropropene	ug/m3	<16	<16	nm
CFC-113	ug/m3	<3.9	<3.9	nm
Carbon disulfide	ug/m3	<32	<32	nm
Methyl t-butyl ether (MTBE)	ug/m3	<37	<37	nm
Vinyl acetate	ug/m3	<36	<36	nm
1,1-Dichloroethane	ug/m3	<2.1	<2.1	nm
cis-1,2-Dichloroethene	ug/m3	<2	<2	nm
Hexane	ug/m3	<18	<18	nm
Chloroform	ug/m3	0.37	0.37	0
Ethyl acetate	ug/m3	<37	<37	nm
Tetrahydrofuran	ug/m3	<3	<3	nm
2-Butanone (MEK)	ug/m3	<30	<30	nm
1,2-Dichloroethane (EDC)	ug/m3	0.56	0.56	0
1,1,1-Trichloroethane	ug/m3	<2.8	<2.8	nm
Carbon tetrachloride	ug/m3	<1.6	<1.6	nm
Benzene	ug/m3	2.3	2.3	0
Cyclohexane	ug/m3	<35	<35	nm
1,2-Dichloropropane	ug/m3	<1.2	<1.2	nm
1,4-Dioxane	ug/m3	<1.8	<1.8	nm
2,2,4-Trimethylpentane	ug/m3	<24	<24	nm

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 07/01/22

Date Received: 06/22/22

Project: The Brio, F&BI 206372

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: 206431-01 1/5.1 (Duplicate) (continued)

Analyte	Reporting Units	Sample Result	Duplicate Result	RPD (Limit 30)
Methyl methacrylate	ug/m3	<21	<21	nm
Heptane	ug/m3	<21	<21	nm
Bromodichloromethane	ug/m3	<0.34	<0.34	nm
Trichloroethene	ug/m3	<0.55	<0.55	nm
cis-1,3-Dichloropropene	ug/m3	<4.6	<4.6	nm
4-Methyl-2-pentanone	ug/m3	<21	<21	nm
trans-1,3-Dichloropropene	ug/m3	<2.3	<2.3	nm
Toluene	ug/m3	<96	<96	nm
1,1,2-Trichloroethane	ug/m3	<0.28	<0.28	nm
2-Hexanone	ug/m3	<21	<21	nm
Tetrachloroethene	ug/m3	<35	<35	nm
Dibromochloromethane	ug/m3	<0.43	<0.43	nm
1,2-Dibromoethane (EDB)	ug/m3	<0.39	<0.39	nm
Chlorobenzene	ug/m3	<2.3	<2.3	nm
Ethylbenzene	ug/m3	<2.2	<2.2	nm
1,1,2,2-Tetrachloroethane	ug/m3	<0.7	<0.7	nm
Nonane	ug/m3	<27	<27	nm
Isopropylbenzene	ug/m3	<50	<50	nm
2-Chlorotoluene	ug/m3	<26	<26	nm
Propylbenzene	ug/m3	<25	<25	nm
4-Ethyltoluene	ug/m3	<25	<25	nm
m,p-Xylene	ug/m3	6.8	6.6	3
o-Xylene	ug/m3	3.4	3.4	0
Styrene	ug/m3	4.6	4.6	0
Bromoform	ug/m3	<11	<11	nm
Benzyl chloride	ug/m3	<0.26	<0.26	nm
1,3,5-Trimethylbenzene	ug/m3	<25	<25	nm
1,2,4-Trimethylbenzene	ug/m3	<25	<25	nm
1,3-Dichlorobenzene	ug/m3	<3.1	<3.1	nm
1,4-Dichlorobenzene	ug/m3	<1.2	<1.2	nm
1,2-Dichlorobenzene	ug/m3	<3.1	<3.1	nm
1,2,4-Trichlorobenzene	ug/m3	<3.8	<3.8	nm
Naphthalene	ug/m3	<1.3	<1.3	nm
Hexachlorobutadiene	ug/m3	<1.1	<1.1	nm

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 07/01/22

Date Received: 06/22/22

Project: The Brio, F&BI 206372

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	Percent Recovery LCS	Acceptance Criteria
Propene	ug/m3	23	117	70-130
Dichlorodifluoromethane	ug/m3	67	98	70-130
Chloromethane	ug/m3	28	95	70-130
F-114	ug/m3	94	102	70-130
Vinyl chloride	ug/m3	35	102	70-130
1,3-Butadiene	ug/m3	30	98	70-130
Butane	ug/m3	32	88	70-130
Bromomethane	ug/m3	52	125	70-130
Chloroethane	ug/m3	36	102	70-130
Vinyl bromide	ug/m3	59	96	70-130
Ethanol	ug/m3	25	121	70-130
Acrolein	ug/m3	31	75	70-130
Pentane	ug/m3	40	77	70-130
Trichlorofluoromethane	ug/m3	76	109	70-130
Acetone	ug/m3	32	112	70-130
2-Propanol	ug/m3	33	96	70-130
1,1-Dichloroethene	ug/m3	54	103	70-130
trans-1,2-Dichloroethene	ug/m3	54	100	70-130
Methylene chloride	ug/m3	94	106	70-130
t-Butyl alcohol (TBA)	ug/m3	41	88	70-130
3-Chloropropene	ug/m3	42	80	70-130
CFC-113	ug/m3	100	107	70-130
Carbon disulfide	ug/m3	42	100	70-130
Methyl t-butyl ether (MTBE)	ug/m3	49	85	70-130
Vinyl acetate	ug/m3	48	80	70-130
1,1-Dichloroethane	ug/m3	55	100	70-130
cis-1,2-Dichloroethene	ug/m3	54	98	70-130
Hexane	ug/m3	48	78	70-130
Chloroform	ug/m3	66	104	70-130
Ethyl acetate	ug/m3	49	93	70-130
Tetrahydrofuran	ug/m3	40	83	70-130
2-Butanone (MEK)	ug/m3	40	102	70-130
1,2-Dichloroethane (EDC)	ug/m3	55	99	70-130
1,1,1-Trichloroethane	ug/m3	74	104	70-130
Carbon tetrachloride	ug/m3	85	106	70-130
Benzene	ug/m3	43	93	70-130
Cyclohexane	ug/m3	46	82	70-130
1,2-Dichloropropane	ug/m3	62	105	70-130
1,4-Dioxane	ug/m3	49	107	70-130
2,2,4-Trimethylpentane	ug/m3	63	95	70-130

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 07/01/22

Date Received: 06/22/22

Project: The Brio, F&BI 206372

QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES FOR VOLATILES BY METHOD TO-15

Laboratory Code: Laboratory Control Sample (continued)

Analyte	Reporting Units	Spike Level	Percent	Acceptance Criteria
			Recovery LCS	
Methyl methacrylate	ug/m3	55	93	70-130
Heptane	ug/m3	55	90	70-130
Bromodichloromethane	ug/m3	90	115	70-130
Trichloroethene	ug/m3	73	107	70-130
cis-1,3-Dichloropropene	ug/m3	61	110	70-130
4-Methyl-2-pentanone	ug/m3	55	109	70-130
trans-1,3-Dichloropropene	ug/m3	61	105	70-130
Toluene	ug/m3	51	102	70-130
1,1,2-Trichloroethane	ug/m3	74	119	70-130
2-Hexanone	ug/m3	55	93	70-130
Tetrachloroethene	ug/m3	92	126	70-130
Dibromochloromethane	ug/m3	120	125	70-130
1,2-Dibromoethane (EDB)	ug/m3	100	116	70-130
Chlorobenzene	ug/m3	62	113	70-130
Ethylbenzene	ug/m3	59	90	70-130
1,1,2,2-Tetrachloroethane	ug/m3	93	111	70-130
Nonane	ug/m3	71	75	70-130
Isopropylbenzene	ug/m3	66	100	70-130
2-Chlorotoluene	ug/m3	70	108	70-130
Propylbenzene	ug/m3	66	103	70-130
4-Ethyltoluene	ug/m3	66	95	70-130
m,p-Xylene	ug/m3	120	97	70-130
o-Xylene	ug/m3	59	100	70-130
Styrene	ug/m3	58	98	70-130
Bromoform	ug/m3	140	116	70-130
Benzyl chloride	ug/m3	70	107	70-130
1,3,5-Trimethylbenzene	ug/m3	66	101	70-130
1,2,4-Trimethylbenzene	ug/m3	66	97	70-130
1,3-Dichlorobenzene	ug/m3	81	125	70-130
1,4-Dichlorobenzene	ug/m3	81	122	70-130
1,2-Dichlorobenzene	ug/m3	81	124	70-130
1,2,4-Trichlorobenzene	ug/m3	100	137 vo	70-130
Naphthalene	ug/m3	71	125	70-130
Hexachlorobutadiene	ug/m3	140	126	70-130

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Data Qualifiers & Definitions

a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.

b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.

ca - The calibration results for the analyte were outside of acceptance criteria. The value reported is an estimate.

c - The presence of the analyte may be due to carryover from previous sample injections.

cf - The sample was centrifuged prior to analysis.

d - The sample was diluted. Detection limits were raised and surrogate recoveries may not be meaningful.

dv - Insufficient sample volume was available to achieve normal reporting limits.

f - The sample was laboratory filtered prior to analysis.

fb - The analyte was detected in the method blank.

fc - The analyte is a common laboratory and field contaminant.

hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. Variability is attributed to sample inhomogeneity.

hs - Headspace was present in the container used for analysis.

ht - The analysis was performed outside the method or client-specified holding time requirement.

ip - Recovery fell outside of control limits due to sample matrix effects.

j - The analyte concentration is reported below the lowest calibration standard. The value reported is an estimate.

J - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.

jl - The laboratory control sample(s) percent recovery and/or RPD were out of control limits. The reported concentration should be considered an estimate.

js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

lc - The presence of the analyte is likely due to laboratory contamination.

L - The reported concentration was generated from a library search.

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

pc - The sample was received with incorrect preservation or in a container not approved by the method. The value reported should be considered an estimate.

ve - The analyte response exceeded the valid instrument calibration range. The value reported is an estimate.

vo - The value reported fell outside the control limits established for this analyte.

x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

206372

SAMPLE CHAIN OF CUSTODY

06-22-22

Report To Gil Cobb

Company Point Source Solutions

Address 5317 NE 4th John Rd, Ste D.

City, State, ZIP Vancouver, WA 98661

Phone _____ Email _____

Page # 1 of 1

TURNAROUND TIME

☒ Standard☐ RUSH

Rush charges authorized by: _____

SAMPLE DISPOSAL

☐ Default: Clean after 3 days☐ Archive (Fee may apply)

SAMPLE INFORMATION

Sample Name	Lab ID	Canister ID	Flow Cont. ID	Reporting Level: IA=Indoor Air SG=Soil Gas (Circle One)	Date Sampled	Initial Vac. ("Hg)	Field Initial Time	Final Vac. ("Hg)	Field Final Time	TO15 Full Scan	TO15 BTEXN	TO15 cVOCs	APH	Helium	Full-List VOCs	TPH-GRO	2-prop	Notes
SS2	01	3432	101	IA / SG	6/21/22	30	9:29	5	9:34						✓	✓	✓	
SS1	02	3386	221	IA / SG	"	30	9:46	5	9:58						✓	✓	✓	
PS1	03	2434	108	IA / SG	"	21	10:39	5	10:43						✓	✓	✓	HOLD -03 of 6/22
				IA / SG														
				IA / SG														
				IA / SG														
				IA / SG														
				IA / SG														

ANALYSIS REQUESTED

SIGNATURE

Relinquished by:

Received by:

Relinquished by:

Received by:

PRINT NAME

Kyle Fisher

MWBrya

COMPANY

PSS

FAB

DATE

6/21/22

6/21/22

TIME

11:22

10:10

Samples received at 21 °C

Friedman & Bruya, Inc.

3012 16th Avenue West

Seattle, WA 98119-2029

Ph. (206) 285-8282

Fax (206) 283-5044

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

James E. Bruya, Ph.D.
Yelena Aravkina, M.S.
Michael Erdahl, B.S.
Vineta Mills, M.S.
Eric Young, B.S.

3012 16th Avenue West
Seattle, WA 98119-2029
(206) 285-8282
fbi@isomedia.com
www.friedmanandbruya.com

July 11, 2022

Gil Cobb, Project Manager
Point Source Solutions
5317 NE St Johns Rd, Suite D
Vancouver, WA 98661

Dear Mr Cobb:

Included are the results from the testing of material submitted on June 29, 2022 from the BRIO, F&BI 206524 project. There are 8 pages included in this report.

We appreciate this opportunity to be of service to you and hope you will call if you should have any questions.

Sincerely,

FRIEDMAN & BRUYA, INC.



Michael Erdahl
Project Manager

Enclosures

c: Johnny Ramus, Jeff Jackman, Kyle Fisher
PSS0711R.DOC

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

CASE NARRATIVE

This case narrative encompasses samples received on June 29, 2022 by Friedman & Bruya, Inc. from the Point Source Solutions BRIO, F&BI 206524 project. Samples were logged in under the laboratory ID's listed below.

<u>Laboratory ID</u>	<u>Point Source Solutions</u>
206524 -01	PS1

The TO-15 gasoline range concentrations were quantified using a single point calibration at 80 ppbv.

The concentration of several analytes in sample PS1 exceeded the calibration range of the instrument. The data were flagged accordingly.

All other quality control requirements were acceptable.

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID: PS1	Client: Point Source Solutions
Date Received: 06/29/22	Project: BRIO, F&BI 206524
Date Collected: 06/28/22	Lab ID: 206524-01 1/19
Date Analyzed: 07/02/22	Data File: 070124.D
Matrix: Air	Instrument: GCMS7
Units: ug/m3	Operator: bat

	%	Lower	Upper
Surrogates:	Recovery:	Limit:	Limit:
4-Bromofluorobenzene	91	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	<23	<13	1,2-Dichloropropane	<4.4	<0.95
Dichlorodifluoromethane	<19	<3.8	1,4-Dioxane	<6.8	<1.9
Chloromethane	<71	<34	2,2,4-Trimethylpentane	<89	<19
F-114	<40	<5.7	Methyl methacrylate	<78	<19
Vinyl chloride	<4.9	<1.9	Heptane	<78	<19
1,3-Butadiene	<0.84	<0.38	Bromodichloromethane	<1.3	<0.19
Butane	<90	<38	Trichloroethene	2.2	0.42
Bromomethane	<74	<19	cis-1,3-Dichloropropene	<17	<3.8
Chloroethane	<50	<19	4-Methyl-2-pentanone	<78	<19
Vinyl bromide	<8.3	<1.9	trans-1,3-Dichloropropene	<8.6	<1.9
Ethanol	<140	<76	Toluene	<360	<95
Acrolein	<2.2	<0.95	1,1,2-Trichloroethane	<1	<0.19
Pentane	<110	<38	2-Hexanone	<78	<19
Trichlorofluoromethane	<43	<7.6	Tetrachloroethene	<130	<19
Acetone	2,200 ve	920 ve	Dibromochloromethane	<1.6	<0.19
2-Propanol	<160	<66	1,2-Dibromoethane (EDB)	<1.5	<0.19
1,1-Dichloroethene	<7.5	<1.9	Chlorobenzene	<8.7	<1.9
trans-1,2-Dichloroethene	<7.5	<1.9	Ethylbenzene	<8.3	<1.9
Methylene chloride	<660	<190	1,1,2,2-Tetrachloroethane	<2.6	<0.38
t-Butyl alcohol (TBA)	<230	<76	Nonane	<100	<19
3-Chloropropene	<59	<19	Isopropylbenzene	<190	<38
CFC-113	<15	<1.9	2-Chlorotoluene	<98	<19
Carbon disulfide	<120	<38	Propylbenzene	<93	<19
Methyl t-butyl ether (MTBE)	<140	<38	4-Ethyltoluene	<93	<19
Vinyl acetate	<130	<38	m,p-Xylene	24	5.5
1,1-Dichloroethane	<7.7	<1.9	o-Xylene	8.7	2.0
cis-1,2-Dichloroethene	<7.5	<1.9	Styrene	<16	<3.8
Hexane	<67	<19	Bromoform	<39	<3.8
Chloroform	4.4	0.89	Benzyl chloride	<0.98	<0.19
Ethyl acetate	<140	<38	1,3,5-Trimethylbenzene	<93	<19
Tetrahydrofuran	<11	<3.8	1,2,4-Trimethylbenzene	<93	<19
2-Butanone (MEK)	8,400 ve	2,800 ve	1,3-Dichlorobenzene	<11	<1.9
1,2-Dichloroethane (EDC)	<0.77	<0.19	1,4-Dichlorobenzene	<4.3	<0.72
1,1,1-Trichloroethane	<10	<1.9	1,2-Dichlorobenzene	<11	<1.9
Carbon tetrachloride	<6	<0.95	1,2,4-Trichlorobenzene	<14	<1.9
Benzene	160	49	Naphthalene	<5	<0.95
Cyclohexane	<130	<38	Hexachlorobutadiene	<4.1	<0.38
Gasoline Range Organics	<6,200	<1,500			

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Analysis For Volatile Compounds By Method TO-15

Client Sample ID:	Method Blank	Client:	Point Source Solutions
Date Received:	Not Applicable	Project:	BRIO, F&BI 206524
Date Collected:	Not Applicable	Lab ID:	02-1506 MB
Date Analyzed:	07/01/22	Data File:	070111.D
Matrix:	Air	Instrument:	GCMS7
Units:	ug/m3	Operator:	bat

	% Recovery:	Lower Limit:	Upper Limit:
Surrogates:			
4-Bromofluorobenzene	84	70	130

Compounds:	Concentration ug/m3	ppbv	Compounds:	Concentration ug/m3	ppbv
Propene	<1.2	<0.7	1,2-Dichloropropane	<0.23	<0.05
Dichlorodifluoromethane	<0.99	<0.2	1,4-Dioxane	<0.36	<0.1
Chloromethane	<3.7	<1.8	2,2,4-Trimethylpentane	<4.7	<1
F-114	<2.1	<0.3	Methyl methacrylate	<4.1	<1
Vinyl chloride	<0.26	<0.1	Heptane	<4.1	<1
1,3-Butadiene	<0.044	<0.02	Bromodichloromethane	<0.067	<0.01
Butane	<4.8	<2	Trichloroethene	<0.11	<0.02
Bromomethane	<3.9	<1	cis-1,3-Dichloropropene	<0.91	<0.2
Chloroethane	<2.6	<1	4-Methyl-2-pentanone	<4.1	<1
Vinyl bromide	<0.44	<0.1	trans-1,3-Dichloropropene	<0.45	<0.1
Ethanol	<7.5	<4	Toluene	<19	<5
Acrolein	<0.11	<0.05	1,1,2-Trichloroethane	<0.055	<0.01
Pentane	<5.9	<2	2-Hexanone	<4.1	<1
Trichlorofluoromethane	<2.2	<0.4	Tetrachloroethene	<6.8	<1
Acetone	<4.8	<2	Dibromochloromethane	<0.085	<0.01
2-Propanol	<8.6	<3.5	1,2-Dibromoethane (EDB)	<0.077	<0.01
1,1-Dichloroethene	<0.4	<0.1	Chlorobenzene	<0.46	<0.1
trans-1,2-Dichloroethene	<0.4	<0.1	Ethylbenzene	<0.43	<0.1
Methylene chloride	<35	<10	1,1,2,2-Tetrachloroethane	<0.14	<0.02
t-Butyl alcohol (TBA)	<12	<4	Nonane	<5.2	<1
3-Chloropropene	<3.1	<1	Isopropylbenzene	<9.8	<2
CFC-113	<0.77	<0.1	2-Chlorotoluene	<5.2	<1
Carbon disulfide	<6.2	<2	Propylbenzene	<4.9	<1
Methyl t-butyl ether (MTBE)	<7.2	<2	4-Ethyltoluene	<4.9	<1
Vinyl acetate	<7	<2	m,p-Xylene	<0.87	<0.2
1,1-Dichloroethane	<0.4	<0.1	o-Xylene	<0.43	<0.1
cis-1,2-Dichloroethene	<0.4	<0.1	Styrene	<0.85	<0.2
Hexane	<3.5	<1	Bromoform	<2.1	<0.2
Chloroform	<0.049	<0.01	Benzyl chloride	<0.052	<0.01
Ethyl acetate	<7.2	<2	1,3,5-Trimethylbenzene	<4.9	<1
Tetrahydrofuran	<0.59	<0.2	1,2,4-Trimethylbenzene	<4.9	<1
2-Butanone (MEK)	<5.9	<2	1,3-Dichlorobenzene	<0.6	<0.1
1,2-Dichloroethane (EDC)	<0.04	<0.01	1,4-Dichlorobenzene	<0.23	<0.038
1,1,1-Trichloroethane	<0.55	<0.1	1,2-Dichlorobenzene	<0.6	<0.1
Carbon tetrachloride	<0.31	<0.05	1,2,4-Trichlorobenzene	<0.74	<0.1
Benzene	<0.32	<0.1	Naphthalene	<0.26	<0.05
Cyclohexane	<6.9	<2	Hexachlorobutadiene	<0.21	<0.02
Gasoline Range Organics	<330	<80			

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 07/11/22

Date Received: 06/29/22

Project: BRIO, F&BI 206524

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: 206542-01 1/5.4 (Duplicate)

Analyte	Reporting Units	Sample Result	Duplicate Result	RPD (Limit 30)
Propene	ug/m3	<6.5	<6.5	nm
Dichlorodifluoromethane	ug/m3	<5.3	<5.3	nm
Chloromethane	ug/m3	<20	<20	nm
F-114	ug/m3	<11	<11	nm
Vinyl chloride	ug/m3	<1.4	<1.4	nm
1,3-Butadiene	ug/m3	<0.24	<0.24	nm
Butane	ug/m3	26	<26	nm
Bromomethane	ug/m3	<21	<21	nm
Chloroethane	ug/m3	<14	<14	nm
Vinyl bromide	ug/m3	<2.4	<2.4	nm
Ethanol	ug/m3	<41	<41	nm
Acrolein	ug/m3	<0.62	<0.62	nm
Pentane	ug/m3	<32	<32	nm
Trichlorofluoromethane	ug/m3	<12	<12	nm
Acetone	ug/m3	140	150	7
2-Propanol	ug/m3	<46	<46	nm
1,1-Dichloroethene	ug/m3	<2.1	<2.1	nm
trans-1,2-Dichloroethene	ug/m3	<2.1	<2.1	nm
Methylene chloride	ug/m3	<190	<190	nm
t-Butyl alcohol (TBA)	ug/m3	<65	<65	nm
3-Chloropropene	ug/m3	<17	<17	nm
CFC-113	ug/m3	<4.1	<4.1	nm
Carbon disulfide	ug/m3	<34	<34	nm
Methyl t-butyl ether (MTBE)	ug/m3	<39	<39	nm
Vinyl acetate	ug/m3	<38	<38	nm
1,1-Dichloroethane	ug/m3	<2.2	<2.2	nm
cis-1,2-Dichloroethene	ug/m3	<2.1	<2.1	nm
Hexane	ug/m3	<19	<19	nm
Chloroform	ug/m3	0.26	0.26	0
Ethyl acetate	ug/m3	<39	<39	nm
Tetrahydrofuran	ug/m3	<3.2	<3.2	nm
2-Butanone (MEK)	ug/m3	<32	<32	nm
1,2-Dichloroethane (EDC)	ug/m3	<0.22	<0.22	nm
1,1,1-Trichloroethane	ug/m3	<2.9	<2.9	nm
Carbon tetrachloride	ug/m3	<1.7	<1.7	nm
Benzene	ug/m3	3.1	3.1	0
Cyclohexane	ug/m3	<37	<37	nm
1,2-Dichloropropane	ug/m3	<1.2	<1.2	nm
1,4-Dioxane	ug/m3	<1.9	<1.9	nm
2,2,4-Trimethylpentane	ug/m3	<25	<25	nm

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 07/11/22

Date Received: 06/29/22

Project: BRIO, F&BI 206524

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: 206542-01 1/5.4 (Duplicate) (continued)

Analyte	Reporting Units	Sample Result	Duplicate Result	RPD (Limit 30)
Methyl methacrylate	ug/m3	<22	<22	nm
Heptane	ug/m3	34	33	3
Bromodichloromethane	ug/m3	<0.36	<0.36	nm
Trichloroethene	ug/m3	<0.58	<0.58	nm
cis-1,3-Dichloropropene	ug/m3	<4.9	<4.9	nm
4-Methyl-2-pentanone	ug/m3	<22	<22	nm
trans-1,3-Dichloropropene	ug/m3	<2.5	<2.5	nm
Toluene	ug/m3	100	110	10
1,1,2-Trichloroethane	ug/m3	<0.29	<0.29	nm
2-Hexanone	ug/m3	<22	<22	nm
Tetrachloroethene	ug/m3	<37	<37	nm
Dibromochloromethane	ug/m3	<0.46	<0.46	nm
1,2-Dibromoethane (EDB)	ug/m3	<0.41	<0.41	nm
Chlorobenzene	ug/m3	22	22	0
Ethylbenzene	ug/m3	4.1	4.1	0
1,1,2,2-Tetrachloroethane	ug/m3	<0.74	<0.74	nm
Nonane	ug/m3	<28	<28	nm
Isopropylbenzene	ug/m3	<53	<53	nm
2-Chlorotoluene	ug/m3	<28	<28	nm
Propylbenzene	ug/m3	<27	<27	nm
4-Ethyltoluene	ug/m3	<27	<27	nm
m,p-Xylene	ug/m3	7.3	7.4	1
o-Xylene	ug/m3	<2.3	<2.3	nm
Styrene	ug/m3	<4.6	<4.6	nm
Bromoform	ug/m3	<11	<11	nm
Benzyl chloride	ug/m3	<0.28	<0.28	nm
1,3,5-Trimethylbenzene	ug/m3	<27	<27	nm
1,2,4-Trimethylbenzene	ug/m3	<27	<27	nm
1,3-Dichlorobenzene	ug/m3	<3.2	<3.2	nm
1,4-Dichlorobenzene	ug/m3	<1.2	<1.2	nm
1,2-Dichlorobenzene	ug/m3	<3.2	<3.2	nm
1,2,4-Trichlorobenzene	ug/m3	<4	<4	nm
Naphthalene	ug/m3	<1.4	<1.4	nm
Hexachlorobutadiene	ug/m3	<1.2	<1.2	nm

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 07/11/22

Date Received: 06/29/22

Project: BRIO, F&BI 206524

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: Laboratory Control Sample

Analyte	Reporting Units	Spike Level	Percent Recovery LCS	Acceptance Criteria
Propene	ug/m3	23	83	70-130
Dichlorodifluoromethane	ug/m3	67	105	70-130
Chloromethane	ug/m3	28	101	70-130
F-114	ug/m3	94	109	70-130
Vinyl chloride	ug/m3	35	103	70-130
1,3-Butadiene	ug/m3	30	96	70-130
Butane	ug/m3	32	85	70-130
Bromomethane	ug/m3	52	112	70-130
Chloroethane	ug/m3	36	103	70-130
Vinyl bromide	ug/m3	59	99	70-130
Ethanol	ug/m3	25	81	70-130
Acrolein	ug/m3	31	75	70-130
Pentane	ug/m3	40	76	70-130
Trichlorofluoromethane	ug/m3	76	107	70-130
Acetone	ug/m3	32	100	70-130
2-Propanol	ug/m3	33	86	70-130
1,1-Dichloroethene	ug/m3	54	105	70-130
trans-1,2-Dichloroethene	ug/m3	54	100	70-130
Methylene chloride	ug/m3	94	110	70-130
t-Butyl alcohol (TBA)	ug/m3	41	86	70-130
3-Chloropropene	ug/m3	42	81	70-130
CFC-113	ug/m3	100	111	70-130
Carbon disulfide	ug/m3	42	98	70-130
Methyl t-butyl ether (MTBE)	ug/m3	49	89	70-130
Vinyl acetate	ug/m3	48	75	70-130
1,1-Dichloroethane	ug/m3	55	101	70-130
cis-1,2-Dichloroethene	ug/m3	54	98	70-130
Hexane	ug/m3	48	79	70-130
Chloroform	ug/m3	66	104	70-130
Ethyl acetate	ug/m3	49	96	70-130
Tetrahydrofuran	ug/m3	40	82	70-130
2-Butanone (MEK)	ug/m3	40	97	70-130
1,2-Dichloroethane (EDC)	ug/m3	55	101	70-130
1,1,1-Trichloroethane	ug/m3	74	105	70-130
Carbon tetrachloride	ug/m3	85	105	70-130
Benzene	ug/m3	43	95	70-130
Cyclohexane	ug/m3	46	78	70-130
1,2-Dichloropropane	ug/m3	62	107	70-130
1,4-Dioxane	ug/m3	49	99	70-130
2,2,4-Trimethylpentane	ug/m3	63	96	70-130

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Date of Report: 07/11/22

Date Received: 06/29/22

Project: BRIO, F&BI 206524

**QUALITY ASSURANCE RESULTS FOR THE ANALYSIS OF AIR SAMPLES
FOR VOLATILES BY METHOD TO-15**

Laboratory Code: Laboratory Control Sample (continued)

Analyte	Reporting Units	Spike Level	Percent	Acceptance Criteria
			Recovery LCS	
Methyl methacrylate	ug/m3	55	92	70-130
Heptane	ug/m3	55	93	70-130
Bromodichloromethane	ug/m3	90	115	70-130
Trichloroethene	ug/m3	73	111	70-130
cis-1,3-Dichloropropene	ug/m3	61	109	70-130
4-Methyl-2-pentanone	ug/m3	55	100	70-130
trans-1,3-Dichloropropene	ug/m3	61	103	70-130
Toluene	ug/m3	51	102	70-130
1,1,2-Trichloroethane	ug/m3	74	118	70-130
2-Hexanone	ug/m3	55	96	70-130
Tetrachloroethene	ug/m3	92	124	70-130
Dibromochloromethane	ug/m3	120	124	70-130
1,2-Dibromoethane (EDB)	ug/m3	100	111	70-130
Chlorobenzene	ug/m3	62	111	70-130
Ethylbenzene	ug/m3	59	93	70-130
1,1,2,2-Tetrachloroethane	ug/m3	93	113	70-130
Nonane	ug/m3	71	86	70-130
Isopropylbenzene	ug/m3	66	116	70-130
2-Chlorotoluene	ug/m3	70	109	70-130
Propylbenzene	ug/m3	66	106	70-130
4-Ethyltoluene	ug/m3	66	97	70-130
m,p-Xylene	ug/m3	120	102	70-130
o-Xylene	ug/m3	59	105	70-130
Styrene	ug/m3	58	95	70-130
Bromoform	ug/m3	140	119	70-130
Benzyl chloride	ug/m3	70	107	70-130
1,3,5-Trimethylbenzene	ug/m3	66	100	70-130
1,2,4-Trimethylbenzene	ug/m3	66	99	70-130
1,3-Dichlorobenzene	ug/m3	81	124	70-130
1,4-Dichlorobenzene	ug/m3	81	118	70-130
1,2-Dichlorobenzene	ug/m3	81	123	70-130
1,2,4-Trichlorobenzene	ug/m3	100	126	70-130
Naphthalene	ug/m3	71	112	70-130
Hexachlorobutadiene	ug/m3	140	126	70-130

FRIEDMAN & BRUYA, INC.

ENVIRONMENTAL CHEMISTS

Data Qualifiers & Definitions

a - The analyte was detected at a level less than five times the reporting limit. The RPD results may not provide reliable information on the variability of the analysis.

b - The analyte was spiked at a level that was less than five times that present in the sample. Matrix spike recoveries may not be meaningful.

ca - The calibration results for the analyte were outside of acceptance criteria. The value reported is an estimate.

c - The presence of the analyte may be due to carryover from previous sample injections.

cf - The sample was centrifuged prior to analysis.

d - The sample was diluted. Detection limits were raised and surrogate recoveries may not be meaningful.

dv - Insufficient sample volume was available to achieve normal reporting limits.

f - The sample was laboratory filtered prior to analysis.

fb - The analyte was detected in the method blank.

fc - The analyte is a common laboratory and field contaminant.

hr - The sample and duplicate were reextracted and reanalyzed. RPD results were still outside of control limits. Variability is attributed to sample inhomogeneity.

hs - Headspace was present in the container used for analysis.

ht - The analysis was performed outside the method or client-specified holding time requirement.

ip - Recovery fell outside of control limits due to sample matrix effects.

j - The analyte concentration is reported below the lowest calibration standard. The value reported is an estimate.

J - The internal standard associated with the analyte is out of control limits. The reported concentration is an estimate.

jl - The laboratory control sample(s) percent recovery and/or RPD were out of control limits. The reported concentration should be considered an estimate.

js - The surrogate associated with the analyte is out of control limits. The reported concentration should be considered an estimate.

lc - The presence of the analyte is likely due to laboratory contamination.

L - The reported concentration was generated from a library search.

nm - The analyte was not detected in one or more of the duplicate analyses. Therefore, calculation of the RPD is not applicable.

pc - The sample was received with incorrect preservation or in a container not approved by the method. The value reported should be considered an estimate.

ve - The analyte response exceeded the valid instrument calibration range. The value reported is an estimate.

vo - The value reported fell outside the control limits established for this analyte.

x - The sample chromatographic pattern does not resemble the fuel standard used for quantitation.

6/29/22

TURNAROUND TIME

☐ Standard
☐ RUSH
Rush charge

SAMPLE DISPOSAL

- ☐ Default: Clean after 3 day
- ☐ Archive (Fee may apply)

Phone 503.916.9204 Email aj@point5source.com

SAMPLERS (signature) Johnny Ramon	PO #
PROJECT NAME & ADDRESS	INVOICE TO
GRID	
NOTES:	
ccm	

Page # _____ of _____

TURNAROUND TIME

☐ Standard _____

☐ RUSH _____

Rush charges authorized by: _____

SAMPLE DISPOSAL

☐ Default: Clean after 3 days

☐ Archive (Fee may apply) _____

ANALYSIS REQUESTED

[illegible]

FORMS\CON\COCTO-15.DOC

Friedman & Bruya, Inc.
3012 16th Avenue West
Seattle, WA 98119-2029
Ph. (206) 285-8282
Fax (206) 283-5044

SIGNATURE	PRINT NAME	COMPANY	DATE	TIME
Relinquished by: <i>John Renner</i>	John Renner	PSS	6/29/22	16:14
Received by: <i>W. Madden</i>	Windy Madden	F+BI	6/29/22	16:14
Relinquished by:				
Received by:		Samples received at	22 °C	

APPENDIX B

FIELD FORMS

PROJECT: Brio - 3902 N Vancouver		PM: Gil Cobb	DATE: 6/28/21	
CONDITIONS: Sunny 95°		Arrived on site: 8:45		
LOCATION: Passive system port		SAMPLE ID: PS1		
Soil Gas or Sub-slab (circle one)	TO-15 or TO-17 (circle one)	SN: 3412	Ti 9:00	Tf 9:06
SAMPLE DEPTH: N/A	Flow Rate: N/A	Reg ID: 17	Pi 30	Pf 5
Time	Task Description			
8:53	Met with tilly from Seabolt Const, given access to basement.			
	Opened passive system door, opened valve mt puget for 3 min at 100 ml/min. Set 2-prop leak check.			
9:00	Began sampling, opened canister			
9:06	Closed canister, collected PS1			
LOCATION: SW Corner of parking garage, Vapor well		SAMPLE ID: SS1		
Soil Gas or Sub-slab (circle one)	TO-15 or TO-17 (circle one)	SN: 3287	Ti 9:21	Tf 9:27
SAMPLE DEPTH: N/A	Flow Rate: N/A	Reg ID: 111	Pi 30	Pf 5
Time	Task Description			
9:15	Filled well with water to perform leak check, below opening of vapor pin, purged for 3 min at 100 ml/min. Observed no change in water level while purging, Set 2-prop leak check			
9:21	Began sampling, opened canister			
9:27	Closed canister, collected SS1			
LOCATION: Central portion of B garage, Vapor well		SAMPLE ID: SS2		
Soil Gas or Sub-slab (circle one)	TO-15 or TO-17 (circle one)	SN: 3386	Ti 9:41	Tf 9:47
SAMPLE DEPTH: N/A	Flow Rate: N/A	Reg ID: 18	Pi 30	Pf 5
Time	Task Description			
9:36	Filled well with water below opening of vapor pin for leak check. Purged for 3 min at 100 ml/min. Observed no change in water level while purging, Set 2-prop leak check.			
9:41	Began sampling, opened canister			
9:47	Closed canister, collected SS2			

All wells/ports in good condition

PROJECT: BR10 - 3912 N Vancouver		PM: Gil Cobb	DATE: 12-3-21	
CONDITIONS: Partly sunny 39°				
LOCATION: 3912 N Vancouver		SAMPLE ID: PS1		
Soil Gas or <u>Sub-slab</u> (circle one)	<u>TO-15</u> or TO-17 (circle one)	SN: 3412	T _i 10:31	T _f 10:36
SAMPLE DEPTH: NA	Flow Rate: NA	Reg ID: 35	P _i 29	P _f 5
Time	Task Description			
LOCATION: southwest corner		SAMPLE ID: SS1		
Soil Gas or <u>Sub-slab</u> (circle one)	<u>TO-15</u> or TO-17 (circle one)	SN: 3386	T _i 10:37	T _f 10:42
SAMPLE DEPTH: NA	Flow Rate: NA	Reg ID: 117	P _i 30	P _f 5
Time	Task Description			
LOCATION: center		SAMPLE ID: SS2		
Soil Gas or <u>Sub-slab</u> (circle one)	<u>TO-15</u> or TO-17 (circle one)	SN: 3378	T _i 10:45	T _f 10:49
SAMPLE DEPTH:	Flow Rate:	Reg ID: 108	P _i 30	P _f 5
Time	Task Description			

PROJECT: Brio - 3912 N Vancouver		PM: Gil Cobb	DATE: 6/21/22	
CONDITIONS: 60s, overcast				
LOCATION: Center		SAMPLE ID: 552		
Soil Gas or Sub-slab (circle one)	TO-15 or TO-17 (circle one)	SN: 3432	Ti 9:29	Tr 9:34
SAMPLE DEPTH: N/A	Flow Rate: N/A	Reg ID: 101	Pi 30	Pr 5
Time	Task Description			
9:23	Purged for 3 min at 100 ml/min, no change in water level introduced to well noted as primary leak check.			
9:29	Set 2-prop leak check, opened canister			
9:34	collected 552			
LOCATION: SW garage floor		SAMPLE ID: 551		
Soil Gas or Sub-slab (circle one)	TO-15 or TO-17 (circle one)	SN: 3386	Ti 9:46	Tr 9:58
SAMPLE DEPTH: N/A	Flow Rate: N/A	Reg ID: 229	Pi 30	Pr 5
Time	Task Description			
9:40	Purged for 3 min at 100 ml/min, no change in water level introduced to well noted as primary leak check			
9:46	Set 2-prop leak check, opened canister			
9:58	collected 551			
LOCATION: Passive System Stub-Up		SAMPLE ID: P51		
Soil Gas or Sub-slab (circle one)	TO-15 or TO-17 (circle one)	SN: 2434	Ti 10:39	Tr 10:43
SAMPLE DEPTH: N/A	Flow Rate: N/A	Reg ID: 108	Pi 21	Pr 5
Time	Task Description			
10:35	Purged for 3 min at 100 ml/min			
10:39	Set 2-prop leak check, opened canister			
10:43	collected P51			
called Eric at F&B. Said could not check can with another flow controller w/o contamination can with other sample. Said to sample any way with low initial pressure and eval. later				

PROJECT: 3912 N Vancouver / Brio		PM: Gil Cobb	DATE: 6/28/22	
CONDITIONS: 603, clear				
LOCATION: 3912 N Vancouver		SAMPLE ID: PSI (passive system)		
Soil Gas or <u>Sub-slab</u> (circle one)	<u>TO-15</u> or TO-17 (circle one)	SN: 3390	Ti 9:11	Tf 9:21
SAMPLE DEPTH: NA	Flow Rate: NA	Reg ID: 308	Pi 29	Pf 5
Time	Task Description			
9:05	purged system for 3 minutes @ 100 ml/min			
9:08	set 2-prop leak check.			
9:11	collected PSI → recollect due to prior canister malfunction.			
LOCATION:		SAMPLE ID:		
Soil Gas or Sub-slab (circle one)	TO-15 or TO-17 (circle one)	SN:	Ti	Tf
SAMPLE DEPTH:	Flow Rate:	Reg ID:	Pi	Pf
Time	Task Description			
LOCATION:		SAMPLE ID:		
Soil Gas or Sub-slab (circle one)	TO-15 or TO-17 (circle one)	SN:	Ti	Tf
SAMPLE DEPTH:	Flow Rate:	Reg ID:	Pi	Pf
Time	Task Description			

Eril Cobb

Report To John Paint Source Solutions, Inc.
Company Paint Source Solutions
Address 5317 NE St. Johns
City, State, ZIP Vancouver, WA 98664
Phone 503.916.9204 Email john@paintsource.com

Page # _____ of _____

TURNAROUND TIME

☐ Standard

☐ RUSH _____

Rush charges authorized by: _____

SAMPLE DISPOSAL

☐ Default: Clean after 3 days

☐ Archive (Fee may apply)

[illegible][illegible]

Friedman & Bruya, Inc.
3012 16th Avenue West
Seattle, WA 98119-2029
Ph. (206) 285-8282
Fax (206) 283-5044