



Pace Analytical Services, Inc.
940 South Harney
Seattle, WA 98108
Phone: (206)767-5060
Fax: (206)767-5063

Client: State of Oregon DEQ
811 SW 6th Ave.
Portland, OR 97204

ATTN: Seth Sadofsky

Project Name: **Mayberry Area Wide**

SDG Number: **DMAW0901**

Date Received: **1/16/2009 8:40:00AM**

Date Reported: **01/23/2009**

Dear Seth Sadofsky,

Enclosed are the analytical results for the sample(s) received by the laboratory on January 16, 2009. The results relate only to the samples included in this report. Unless otherwise instructed all samples with the exception of samples which are consumed during the analysis, such as microbiological samples, will be disposed of on or after April 27, 2009. This report shall not be reproduced, except in full, without the written consent of Pace Analytical Services, Inc.

If you have any question concerning the report, please feel free to contact me.

Respectfully submitted,
Pace Analytical Services, Inc.

Kara Godineaux

Sample Summary

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky

Sample Identification:

Sample Description	Lab Sample ID	Collection Date/Time		Type
R570 BW Way Mid	DMAW0901-002	01/15/2009	10:30	Water
R570 BW Way Pre	DMAW0901-003	01/15/2009	10:35	Water
R310 Lilly Mid	DMAW0901-005	01/15/2009	11:05	Water
R310 Lilly Pre	DMAW0901-006	01/15/2009	11:10	Water
R120 MB Mid	DMAW0901-008	01/15/2009	11:30	Water
R120 MB Pre	DMAW0901-009	01/15/2009	11:35	Water
R120 MB D	DMAW0901-010	01/15/2009	11:40	Water
R1440 Allen Pre	DMAW0901-012	01/15/2009	08:50	Water
R1440 Allen-Mid	DMAW0901-013	01/15/2009	08:55	Water
R1460 Allen-Pre	DMAW0901-014	01/15/2009	09:15	Water
R1460 Allen-Mid	DMAW0901-015	01/15/2009	09:20	Water
R1480 Allen-Pre	DMAW0901-017	01/15/2009	09:30	Water
R1480 Allen Mid	DMAW0901-018	01/15/2009	09:35	Water
R1540 Allen Mid	DMAW0901-021	01/15/2009	10:05	Water
R1540 Allen Pre	DMAW0901-022	01/15/2009	10:10	Water
R1520 Allen Mid	DMAW0901-024	01/15/2009	12:00	Water
R1520 Allen Pre	DMAW0901-025	01/15/2009	12:05	Water
Trip Blank	DMAW0901-026	01/15/2009		Water



Pace Analytical Services, Inc.

Test Request Summary

Pace Analytical Services, Inc.

940 South Harney
Seattle, WA 98108

Phone: (206)767-5060

Fax: (206)767-5063

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Pace Project No.:		Project Manager:	Seth Sadofsky

Samples	Methods									
Client Sample ID	8260B 1									
R570 BW Way-Post										
R570 BW Way Mid	X									
R570 BW Way Pre	X									
R310 Lilly Post										
R310 Lilly Mid	X									
R310 Lilly Pre	X									
R120 MB-Post										
R120 MB Mid	X									
R120 MB Pre	X									
R120 MB D	X									
R1440 Allen-Post										
R1440 Allen Pre	X									
R1440 Allen-Mid	X									
R1460 Allen-Pre	X									
R1460 Allen-Mid	X									
R1460 Allen-Post										
R1480 Allen-Pre	X									
R1480 Allen Mid	X									
R1480 Allen Post										
R1540 Allen Post										
R1540 Allen Mid	X									
R1540 Allen Pre	X									
R1520 Allen Post										
R1520 Allen Mid	X									
R1520 Allen Pre	X									
Trip Blank	X									

Determinations:

1 = 8260-1 VOAs Water Full list

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R570 BW Way Mid	Matrix:	Water
Collected On:	1/15/09 10:30	Lab Sample ID:	DMAW0901-002
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R570 BW Way Mid	Matrix:	Water
Collected On:	1/15/09 10:30	Lab Sample ID:	DMAW0901-002
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
<i>Surrogates:</i>									
4-Bromofluorobenzene	108	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	100	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	109	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	102	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R570 BW Way Pre	Matrix:	Water
Collected On:	1/15/09 10:35	Lab Sample ID:	DMAW0901-003
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R570 BW Way Pre	Matrix:	Water
Collected On:	1/15/09 10:35	Lab Sample ID:	DMAW0901-003
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	1.6	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Surrogates:									
4-Bromofluorobenzene	105	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	98	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	112	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	102	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R310 Lilly Mid	Matrix:	Water
Collected On:	1/15/09 11:05	Lab Sample ID:	DMAW0901-005
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R310 Lilly Mid	Matrix:	Water
Collected On:	1/15/09 11:05	Lab Sample ID:	DMAW0901-005
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
<i>Surrogates:</i>									
4-Bromofluorobenzene	108	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	98	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	110	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	102	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R310 Lilly Pre	Matrix:	Water
Collected On:	1/15/09 11:10	Lab Sample ID:	DMAW0901-006
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R310 Lilly Pre	Matrix:	Water
Collected On:	1/15/09 11:10	Lab Sample ID:	DMAW0901-006
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	3.0	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Surrogates:									
4-Bromofluorobenzene	107	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	96	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	113	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	100	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R120 MB Mid	Matrix:	Water
Collected On:	1/15/09 11:30	Lab Sample ID:	DMAW0901-008
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R120 MB Mid	Matrix:	Water
Collected On:	1/15/09 11:30	Lab Sample ID:	DMAW0901-008
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
<i>Surrogates:</i>									
4-Bromofluorobenzene	107	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	98	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	110	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	99	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R120 MB Pre	Matrix:	Water
Collected On:	1/15/09 11:35	Lab Sample ID:	DMAW0901-009
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R120 MB Pre	Matrix:	Water
Collected On:	1/15/09 11:35	Lab Sample ID:	DMAW0901-009
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	1.1	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Surrogates:									
4-Bromofluorobenzene	105	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	97	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	111	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	98	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R120 MB D	Matrix:	Water
Collected On:	1/15/09 11:40	Lab Sample ID:	DMAW0901-010
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R120 MB D	Matrix:	Water
Collected On:	1/15/09 11:40	Lab Sample ID:	DMAW0901-010
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	1.1	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Surrogates:									
4-Bromofluorobenzene	108	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	100	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	114	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	100	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1440 Allen Pre	Matrix:	Water
Collected On:	1/15/09 8:50	Lab Sample ID:	DMAW0901-012
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	1.6	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	12	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1440 Allen Pre	Matrix:	Water
Collected On:	1/15/09 8:50	Lab Sample ID:	DMAW0901-012
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
<i>Surrogates:</i>									
4-Bromofluorobenzene	103	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	97	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	113	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	103	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1440 Allen-Mid	Matrix:	Water
Collected On:	1/15/09 8:55	Lab Sample ID:	DMAW0901-013
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1440 Allen-Mid	Matrix:	Water
Collected On:	1/15/09 8:55	Lab Sample ID:	DMAW0901-013
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
<i>Surrogates:</i>									
4-Bromofluorobenzene	106	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	101	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	114	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	100	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1460 Allen-Pre	Matrix:	Water
Collected On:	1/15/09 9:15	Lab Sample ID:	DMAW0901-014
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	1.4	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1460 Allen-Pre	Matrix:	Water
Collected On:	1/15/09 9:15	Lab Sample ID:	DMAW0901-014
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	39	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Surrogates:									
4-Bromofluorobenzene	106	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	97	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	112	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	99	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1460 Allen-Mid	Matrix:	Water
Collected On:	1/15/09 9:20	Lab Sample ID:	DMAW0901-015
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1460 Allen-Mid	Matrix:	Water
Collected On:	1/15/09 9:20	Lab Sample ID:	DMAW0901-015
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Surrogates:									
4-Bromofluorobenzene	107	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	100	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	115	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	101	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1480 Allen-Pre	Matrix:	Water
Collected On:	1/15/09 9:30	Lab Sample ID:	DMAW0901-017
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1480 Allen-Pre	Matrix:	Water
Collected On:	1/15/09 9:30	Lab Sample ID:	DMAW0901-017
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
<i>Surrogates:</i>									
4-Bromofluorobenzene	110	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	99	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	115	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	100	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1480 Allen Mid	Matrix:	Water
Collected On:	1/15/09 9:35	Lab Sample ID:	DMAW0901-018
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1480 Allen Mid	Matrix:	Water
Collected On:	1/15/09 9:35	Lab Sample ID:	DMAW0901-018
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Surrogates:									
4-Bromofluorobenzene	107	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	99	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	113	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	103	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1540 Allen Mid	Matrix:	Water
Collected On:	1/15/09 10:05	Lab Sample ID:	DMAW0901-021
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1540 Allen Mid	Matrix:	Water
Collected On:	1/15/09 10:05	Lab Sample ID:	DMAW0901-021
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
<i>Surrogates:</i>									
4-Bromofluorobenzene	111	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	98	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	114	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	101	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1540 Allen Pre	Matrix:	Water
Collected On:	1/15/09 10:10	Lab Sample ID:	DMAW0901-022
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1540 Allen Pre	Matrix:	Water
Collected On:	1/15/09 10:10	Lab Sample ID:	DMAW0901-022
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Surrogates:									
4-Bromofluorobenzene	107	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	99	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	115	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	100	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1520 Allen Mid	Matrix:	Water
Collected On:	1/15/09 12:00	Lab Sample ID:	DMAW0901-024
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1520 Allen Mid	Matrix:	Water
Collected On:	1/15/09 12:00	Lab Sample ID:	DMAW0901-024
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
<i>Surrogates:</i>									
4-Bromofluorobenzene	103	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	100	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	118	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	101	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1520 Allen Pre	Matrix:	Water
Collected On:	1/15/09 12:05	Lab Sample ID:	DMAW0901-025
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37845	01/21/2009	01/21/2009	
Benzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Bromoform	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Bromomethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
2-Butanone	ND	ug/L	1		10	Q37845	01/21/2009	01/21/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Chloroethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Chloroform	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Chloromethane	ND	ug/L	1		5.0	Q37845	01/21/2009	01/21/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
2-Hexanone	ND	ug/L	1		10	Q37845	01/21/2009	01/21/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37845	01/21/2009	01/21/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37845	01/21/2009	01/21/2009	
Naphthalene	ND	ug/L	1		5.0	Q37845	01/21/2009	01/21/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	R1520 Allen Pre	Matrix:	Water
Collected On:	1/15/09 12:05	Lab Sample ID:	DMAW0901-025
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Toluene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Trichloroethene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37845	01/21/2009	01/21/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37845	01/21/2009	01/21/2009	
o-Xylene	ND	ug/L	1		1.0	Q37845	01/21/2009	01/21/2009	
Surrogates:									
4-Bromofluorobenzene	110	% Rec	1		72-128	Q37845	01/21/2009	01/21/2009	
Dibromofluoromethane	101	% Rec	1		76-127	Q37845	01/21/2009	01/21/2009	
1,2-Dichloroethane-d4	116	% Rec	1		66-133	Q37845	01/21/2009	01/21/2009	
Toluene-d8	99	% Rec	1		75-130	Q37845	01/21/2009	01/21/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	Trip Blank	Matrix:	Water
Collected On:	1/15/09 0:00	Lab Sample ID:	DMAW0901-026
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Acetone	ND	ug/L	1		20	Q37842	01/20/2009	01/20/2009	
Benzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromodichloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromoform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Bromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Butanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
n-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
sec-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
tert-Butylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon disulfide	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Carbon tetrachloride	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloroform	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Chloromethane	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
2-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Chlorotoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromo-3-chloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromochloromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dibromoethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dibromomethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,4-Dichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Dichlorodifluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,2-Dichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2,2-Dichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
cis-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
trans-1,3-Dichloropropene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Ethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Hexachlorobutadiene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
2-Hexanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Isopropylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Isopropyltoluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Methyl tert-butyl ether	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
4-Methyl-2-pentanone	ND	ug/L	1		10	Q37842	01/20/2009	01/20/2009	
Methylene chloride	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
Naphthalene	ND	ug/L	1		5.0	Q37842	01/20/2009	01/20/2009	
n-Propylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	

Analytical Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
Client Sample ID:	Trip Blank	Matrix:	Water
Collected On:	1/15/09 0:00	Lab Sample ID:	DMAW0901-026
Received On:	1/16/09 8:40		

Analyte	Result	Units	DF	Detection Limit Threshold	Reporting Limit	QC Batch Group	Prepared	Analyzed	Qualifiers
Purgeable Organic Compounds by GC/MS				Methods (Preparation Analysis): 5030B 8260B					
Styrene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Tetrachloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Toluene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trichlorobenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,1-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,1,2-Trichloroethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichloroethene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Trichlorofluoromethane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,3-Trichloropropane	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,2,4-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
1,3,5-Trimethylbenzene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
Vinyl chloride	ND	ug/L	1		0.20	Q37842	01/20/2009	01/20/2009	
m,p-Xylene	ND	ug/L	1		2.0	Q37842	01/20/2009	01/20/2009	
o-Xylene	ND	ug/L	1		1.0	Q37842	01/20/2009	01/20/2009	
<i>Surrogates:</i>									
4-Bromofluorobenzene	106	% Rec	1		72-128	Q37842	01/20/2009	01/20/2009	
Dibromofluoromethane	96	% Rec	1		76-127	Q37842	01/20/2009	01/20/2009	
1,2-Dichloroethane-d4	109	% Rec	1		66-133	Q37842	01/20/2009	01/20/2009	
Toluene-d8	101	% Rec	1		75-130	Q37842	01/20/2009	01/20/2009	

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
QC Batch(es):	Q37842	Analysis Method:	8260B
QC Batch Method:	5030B-L	Analysis Description:	Purgeable Organic Compounds by GC/MS
Preparation Started:	01/20/2009		
Blank: B012009MVOWY1			

Analyte	Blank Result	Units	DF	Detection Limit Threshold	Control Limit	Qualifiers
Acetone	ND	ug/L	1		20	
Benzene	ND	ug/L	1		1	
Bromobenzene	ND	ug/L	1		1	
Bromochloromethane	ND	ug/L	1		1	
Bromodichloromethane	ND	ug/L	1		1	
Bromoform	ND	ug/L	1		1	
Bromomethane	ND	ug/L	1		1	
2-Butanone	ND	ug/L	1		10	
n-Butylbenzene	ND	ug/L	1		1	
sec-Butylbenzene	ND	ug/L	1		1	
tert-Butylbenzene	ND	ug/L	1		1	
Carbon disulfide	ND	ug/L	1		1	
Carbon tetrachloride	ND	ug/L	1		1	
Chlorobenzene	ND	ug/L	1		1	
Chloroethane	ND	ug/L	1		1	
Chloroform	ND	ug/L	1		1	
Chloromethane	ND	ug/L	1		5	
2-Chlorotoluene	ND	ug/L	1		1	
4-Chlorotoluene	ND	ug/L	1		1	
1,2-Dibromo-3-chloropro	ND	ug/L	1		1	
Dibromochloromethane	ND	ug/L	1		1	
1,2-Dibromoethane	ND	ug/L	1		1	
Dibromomethane	ND	ug/L	1		1	
1,2-Dichlorobenzene	ND	ug/L	1		1	
1,3-Dichlorobenzene	ND	ug/L	1		1	
1,4-Dichlorobenzene	ND	ug/L	1		1	
Dichlorodifluoromethane	ND	ug/L	1		1	
1,1-Dichloroethane	ND	ug/L	1		1	
1,2-Dichloroethane	ND	ug/L	1		1	
1,1-Dichloroethene	ND	ug/L	1		1	
trans-1,2-Dichloroethene	ND	ug/L	1		1	
cis-1,2-Dichloroethene	ND	ug/L	1		1	
1,2-Dichloropropane	ND	ug/L	1		1	
1,3-Dichloropropane	ND	ug/L	1		1	
2,2-Dichloropropane	ND	ug/L	1		1	
1,1-Dichloropropene	ND	ug/L	1		1	
cis-1,3-Dichloropropene	ND	ug/L	1		1	
trans-1,3-Dichloropropene	ND	ug/L	1		1	
Ethylbenzene	ND	ug/L	1		1	
Hexachlorobutadiene	ND	ug/L	1		1	
2-Hexanone	ND	ug/L	1		10	
Isopropylbenzene	ND	ug/L	1		1	
4-Isopropyltoluene	ND	ug/L	1		1	
Methyl tert-butyl ether	ND	ug/L	1		1	
4-Methyl-2-pentanone	ND	ug/L	1		10	
Methylene chloride	ND	ug/L	1		5	
Naphthalene	ND	ug/L	1		5	
n-Propylbenzene	ND	ug/L	1		1	

Quality Control Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
QC Batch(es):	Q37842	Analysis Method:	8260B
QC Batch Method:	5030B-L	Analysis Description:	Purgeable Organic Compounds by GC/MS
Preparation Started:	01/20/2009		
Blank: B012009MVOWY1			

Analyte	Blank Result	Units	DF	Detection Limit Threshold	Control Limit	Qualifiers
Styrene	ND	ug/L	1		1	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1	
Tetrachloroethene	ND	ug/L	1		1	
Toluene	ND	ug/L	1		1	
1,2,3-Trichlorobenzene	ND	ug/L	1		1	
1,2,4-Trichlorobenzene	ND	ug/L	1		1	
1,1,1-Trichloroethane	ND	ug/L	1		1	
1,1,2-Trichloroethane	ND	ug/L	1		1	
Trichloroethene	ND	ug/L	1		1	
Trichlorofluoromethane	ND	ug/L	1		1	
1,2,3-Trichloropropane	ND	ug/L	1		1	
1,2,4-Trimethylbenzene	ND	ug/L	1		1	
1,3,5-Trimethylbenzene	ND	ug/L	1		1	
Vinyl chloride	ND	ug/L	1		0.2	
m,p-Xylene	ND	ug/L	1		2	
o-Xylene	ND	ug/L	1		1	
Surrogates:				% Rec		
4-Bromofluorobenzene			1	106	72-128	
Dibromofluoromethane			1	99	76-127	
1,2-Dichloroethane-d4			1	110	66-133	
Toluene-d8			1	103	75-130	

LCS: S012009MVOWY1
LCS Duplicate: S012009MVOWY1D

Analyte	Blank Spike Result	Units	DF	Spike Conc.	% Rec	Limits	RPD	RPD Limit	Qualifiers
Acetone	54	ug/L	1	50.0	107	40-140			
	51			50.0	102	40-140	6	30	
Benzene	48	ug/L	1	50.0	96	80-120			
	50			50.0	99	80-120	4	30	
Bromobenzene	47	ug/L	1	50.0	93	75-125			
	48			50.0	97	75-125	4	30	
Bromochloromethane	46	ug/L	1	50.0	92	65-130			
	48			50.0	96	65-130	4	30	
Bromodichloromethane	52	ug/L	1	50.0	103	75-120			
	52			50.0	104	75-120	1	30	
Bromoform	54	ug/L	1	50.0	108	70-130			
	53			50.0	106	70-130	3	30	
Bromomethane	41	ug/L	1	50.0	82	30-145			
	42			50.0	84	30-145	3	30	
2-Butanone	68	ug/L	1	50.0	136	30-150			
	64			50.0	127	30-150	7	30	
n-Butylbenzene	45	ug/L	1	50.0	91	70-135			
	48			50.0	96	70-135	6	30	
sec-Butylbenzene	45	ug/L	1	50.0	89	70-125			
	48			50.0	95	70-125	6	30	

Quality Control Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
QC Batch(es):	Q37842	Analysis Method:	8260B
QC Batch Method:	5030B-L	Analysis Description:	Purgeable Organic Compounds by GC/MS
Preparation Started:	01/20/2009		
LCS: S012009MVOWY1			
LCS Duplicate: S012009MVOWY1D			

Analyte	Blank Spike		DF	Spike		% Rec	Limits	RPD	RPD Limit	Qualifiers
	Result	Units		Conc.						
tert-Butylbenzene	44	ug/L	1	50.0		88	70-130			
	47			50.0		94	70-130	7	30	
Carbon disulfide	39	ug/L	1	50.0		79	35-160			
	41			50.0		82	35-160	4	30	
Carbon tetrachloride	50	ug/L	1	50.0		99	65-140			
	51			50.0		102	65-140	3	30	
Chlorobenzene	47	ug/L	1	50.0		95	80-120			
	47			50.0		95	80-120	0	30	
Chloroethane	43	ug/L	1	50.0		85	60-135			
	44			50.0		88	60-135	3	30	
Chloroform	45	ug/L	1	50.0		91	65-135			
	47			50.0		94	65-135	4	30	
Chloromethane	35	ug/L	1	50.0		69	40-125			
	37			50.0		75	40-125	7	30	
2-Chlorotoluene	41	ug/L	1	50.0		82	75-125			
	43			50.0		86	75-125	5	30	
4-Chlorotoluene	45	ug/L	1	50.0		91	75-130			
	48			50.0		96	75-130	5	30	
1,2-Dibromo-3-chloropro	43	ug/L	1	50.0		87	50-130			
	42			50.0		85	50-130	2	30	
Dibromochloromethane	55	ug/L	1	50.0		109	60-135			
	54			50.0		108	60-135	1	30	
1,2-Dibromoethane	56	ug/L	1	50.0		112	80-120			
	55			50.0		109	80-120	3	30	
Dibromomethane	54	ug/L	1	50.0		108	75-125			
	54			50.0		107	75-125	1	30	
1,2-Dichlorobenzene	43	ug/L	1	50.0		87	70-120			
	46			50.0		93	70-120	7	30	
1,3-Dichlorobenzene	46	ug/L	1	50.0		92	75-125			
	47			50.0		95	75-125	3	30	
1,4-Dichlorobenzene	45	ug/L	1	50.0		89	75-125			
	46			50.0		93	75-125	4	30	
Dichlorodifluoromethane	31	ug/L	1	50.0		62	30-155			
	32			50.0		64	30-155	4	30	
1,1-Dichloroethane	47	ug/L	1	50.0		94	70-135			
	48			50.0		97	70-135	3	30	
1,2-Dichloroethane	52	ug/L	1	50.0		104	70-130			
	53			50.0		106	70-130	2	30	
1,1-Dichloroethene	50	ug/L	1	50.0		100	70-130			
	53			50.0		105	70-130	5	30	
trans-1,2-Dichloroethene	48	ug/L	1	50.0		95	60-140			
	49			50.0		99	60-140	3	30	
cis-1,2-Dichloroethene	46	ug/L	1	50.0		92	70-125			
	48			50.0		97	70-125	5	30	
1,2-Dichloropropane	50	ug/L	1	50.0		100	75-125			
	52			50.0		103	75-125	4	30	

Quality Control Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
QC Batch(es):	Q37842	Analysis Method:	8260B
QC Batch Method:	5030B-L	Analysis Description:	Purgeable Organic Compounds by GC/MS
Preparation Started:	01/20/2009		
LCS: S012009MVOWY1			
LCS Duplicate: S012009MVOWY1D			

Analyte	Blank Spike		DF	Spike		% Rec	Limits	RPD	RPD Limit	Qualifiers
	Result	Units		Conc.						
1,3-Dichloropropane	55	ug/L	1	50.0		110	75-125			
	54			50.0		108	75-125	2	30	
2,2-Dichloropropane	44	ug/L	1	50.0		87	60-135			
	46			50.0		92	60-135	6	30	
1,1-Dichloropropene	52	ug/L	1	50.0		104	75-130			
	54			50.0		108	75-130	4	30	
cis-1,3-Dichloropropene	63	ug/L	1	50.0		126	70-130			
	64			50.0		128	70-130	2	30	
trans-1,3-Dichloropropene	55	ug/L	1	50.0		110	55-140			
	55			50.0		109	55-140	1	30	
Ethylbenzene	48	ug/L	1	50.0		95	75-125			
	48			50.0		96	75-125	1	30	
Hexachlorobutadiene	33	ug/L	1	50.0		67	50-140			
	37			50.0		74	50-140	11	30	
2-Hexanone	85	ug/L	1	50.0		169	55-130			*
	79			50.0		159	55-130	6	30	*
Isopropylbenzene	46	ug/L	1	50.0		92	75-125			
	46			50.0		93	75-125	1	30	
4-Isopropyltoluene	45	ug/L	1	50.0		90	75-130			
	47			50.0		95	75-130	5	30	
Methyl tert-butyl ether	50	ug/L	1	50.0		101	65-125			
	52			50.0		104	65-125	3	30	
4-Methyl-2-pentanone	66	ug/L	1	50.0		132	60-135			
	67			50.0		133	60-135	1	30	
Methylene chloride	51	ug/L	1	50.0		101	55-140			
	52			50.0		103	55-140	2	30	
Naphthalene	45	ug/L	1	50.0		90	55-140			
	47			50.0		94	55-140	4	30	
n-Propylbenzene	46	ug/L	1	50.0		91	70-130			
	49			50.0		97	70-130	6	30	
Styrene	51	ug/L	1	50.0		101	65-135			
	51			50.0		102	65-135	1	30	
1,1,1,2-Tetrachloroethane	42	ug/L	1	50.0		84	80-130			
	41			50.0		83	80-130	2	30	
1,1,2,2-Tetrachloroethane	51	ug/L	1	50.0		101	65-130			
	52			50.0		104	65-130	3	30	
Tetrachloroethene	44	ug/L	1	50.0		88	45-150			
	45			50.0		89	45-150	1	30	
Toluene	46	ug/L	1	50.0		93	75-120			
	46			50.0		92	75-120	1	30	
1,2,3-Trichlorobenzene	37	ug/L	1	50.0		74	55-140			
	41			50.0		81	55-140	9	30	
1,2,4-Trichlorobenzene	39	ug/L	1	50.0		77	65-135			
	42			50.0		84	65-135	8	30	
1,1,1-Trichloroethane	50	ug/L	1	50.0		100	65-130			
	52			50.0		104	65-130	4	30	

Quality Control Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
QC Batch(es):	Q37842	Analysis Method:	8260B
QC Batch Method:	5030B-L	Analysis Description:	Purgeable Organic Compounds by GC/MS
Preparation Started:	01/20/2009		
LCS: S012009MVOWY1			
LCS Duplicate: S012009MVOWY1D			

	Blank Spike			Spike					
Analyte	Result	Units	DF	Conc.	% Rec	Limits	RPD	RPD Limit	Qualifiers
1,1,2-Trichloroethane	52	ug/L	1	50.0	105	75-125			
	50			50.0	101	75-125	4	30	
Trichloroethene	49	ug/L	1	50.0	98	70-125			
	51			50.0	102	70-125	4	30	
Trichlorofluoromethane	42	ug/L	1	50.0	84	60-145			
	43			50.0	87	60-145	3	30	
1,2,3-Trichloropropane	53	ug/L	1	50.0	106	75-125			
	52			50.0	103	75-125	3	30	
1,2,4-Trimethylbenzene	43	ug/L	1	50.0	87	75-130			
	47			50.0	93	75-130	7	30	
1,3,5-Trimethylbenzene	44	ug/L	1	50.0	88	75-130			
	46			50.0	92	75-130	5	30	
Vinyl chloride	38	ug/L	1	50.0	76	50-145			
	40			50.0	80	50-145	6	30	
m,p-Xylene	93	ug/L	1	100	93	75-130			
	93			100	93	75-130	0	30	
o-Xylene	44	ug/L	1	50.0	88	80-120			
	44			50.0	89	80-120	1	30	
Surrogates:									
4-Bromofluorobenzene			1		103	72-128			
					104	72-128			
Dibromofluoromethane			1		98	76-127			
					98	76-127			
1,2-Dichloroethane-d4			1		110	66-133			
					112	66-133			
Toluene-d8			1		102	75-130			
					99	75-130			

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
QC Batch(es):	Q37845	Analysis Method:	8260B
QC Batch Method:	5030B-L	Analysis Description:	Purgeable Organic Compounds by GC/MS
Preparation Started:	01/21/2009		
Blank: B012109MVOWY1			

Analyte	Blank Result	Units	DF	Detection Limit Threshold	Control Limit	Qualifiers
Acetone	ND	ug/L	1		20	
Benzene	ND	ug/L	1		1	
Bromobenzene	ND	ug/L	1		1	
Bromochloromethane	ND	ug/L	1		1	
Bromodichloromethane	ND	ug/L	1		1	
Bromoform	ND	ug/L	1		1	
Bromomethane	ND	ug/L	1		1	
2-Butanone	ND	ug/L	1		10	
n-Butylbenzene	ND	ug/L	1		1	
sec-Butylbenzene	ND	ug/L	1		1	
tert-Butylbenzene	ND	ug/L	1		1	
Carbon disulfide	ND	ug/L	1		1	
Carbon tetrachloride	ND	ug/L	1		1	
Chlorobenzene	ND	ug/L	1		1	
Chloroethane	ND	ug/L	1		1	
Chloroform	ND	ug/L	1		1	
Chloromethane	ND	ug/L	1		5	
2-Chlorotoluene	ND	ug/L	1		1	
4-Chlorotoluene	ND	ug/L	1		1	
1,2-Dibromo-3-chloropro	ND	ug/L	1		1	
Dibromochloromethane	ND	ug/L	1		1	
1,2-Dibromoethane	ND	ug/L	1		1	
Dibromomethane	ND	ug/L	1		1	
1,2-Dichlorobenzene	ND	ug/L	1		1	
1,3-Dichlorobenzene	ND	ug/L	1		1	
1,4-Dichlorobenzene	ND	ug/L	1		1	
Dichlorodifluoromethane	ND	ug/L	1		1	
1,1-Dichloroethane	ND	ug/L	1		1	
1,2-Dichloroethane	ND	ug/L	1		1	
1,1-Dichloroethene	ND	ug/L	1		1	
trans-1,2-Dichloroethene	ND	ug/L	1		1	
cis-1,2-Dichloroethene	ND	ug/L	1		1	
1,2-Dichloropropane	ND	ug/L	1		1	
1,3-Dichloropropane	ND	ug/L	1		1	
2,2-Dichloropropane	ND	ug/L	1		1	
1,1-Dichloropropene	ND	ug/L	1		1	
cis-1,3-Dichloropropene	ND	ug/L	1		1	
trans-1,3-Dichloropropene	ND	ug/L	1		1	
Ethylbenzene	ND	ug/L	1		1	
Hexachlorobutadiene	ND	ug/L	1		1	
2-Hexanone	ND	ug/L	1		10	
Isopropylbenzene	ND	ug/L	1		1	
4-Isopropyltoluene	ND	ug/L	1		1	
Methyl tert-butyl ether	ND	ug/L	1		1	
4-Methyl-2-pentanone	ND	ug/L	1		10	
Methylene chloride	ND	ug/L	1		5	
Naphthalene	ND	ug/L	1		5	
n-Propylbenzene	ND	ug/L	1		1	

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
QC Batch(es):	Q37845	Analysis Method:	8260B
QC Batch Method:	5030B-L	Analysis Description:	Purgeable Organic Compounds by GC/MS
Preparation Started:	01/21/2009		
Blank: B012109MVOWY1			

Analyte	Blank Result	Units	DF	Detection Limit Threshold	Control Limit	Qualifiers
Styrene	ND	ug/L	1		1	
1,1,1,2-Tetrachloroethane	ND	ug/L	1		1	
1,1,2,2-Tetrachloroethane	ND	ug/L	1		1	
Tetrachloroethene	ND	ug/L	1		1	
Toluene	ND	ug/L	1		1	
1,2,3-Trichlorobenzene	ND	ug/L	1		1	
1,2,4-Trichlorobenzene	ND	ug/L	1		1	
1,1,1-Trichloroethane	ND	ug/L	1		1	
1,1,2-Trichloroethane	ND	ug/L	1		1	
Trichloroethene	ND	ug/L	1		1	
Trichlorofluoromethane	ND	ug/L	1		1	
1,2,3-Trichloropropane	ND	ug/L	1		1	
1,2,4-Trimethylbenzene	ND	ug/L	1		1	
1,3,5-Trimethylbenzene	ND	ug/L	1		1	
Vinyl chloride	ND	ug/L	1		0.2	
m,p-Xylene	ND	ug/L	1		2	
o-Xylene	ND	ug/L	1		1	
Surrogates:				% Rec		
4-Bromofluorobenzene			1	114	72-128	
Dibromofluoromethane			1	98	76-127	
1,2-Dichloroethane-d4			1	116	66-133	
Toluene-d8			1	100	75-130	

LCS: S012109MVOWY1
LCS Duplicate: S012109MVOWY1D

Analyte	Blank Spike Result	Units	DF	Spike Conc.	% Rec	Limits	RPD	RPD Limit	Qualifiers
Acetone	44	ug/L	1	50.0	88	40-140			
	46			50.0	92	40-140	4	30	
Benzene	50	ug/L	1	50.0	100	80-120			
	48			50.0	95	80-120	5	30	
Bromobenzene	52	ug/L	1	50.0	104	75-125			
	51			50.0	102	75-125	1	30	
Bromochloromethane	49	ug/L	1	50.0	99	65-130			
	47			50.0	94	65-130	5	30	
Bromodichloromethane	55	ug/L	1	50.0	110	75-120			
	53			50.0	106	75-120	3	30	
Bromoform	50	ug/L	1	50.0	99	70-130			
	48			50.0	97	70-130	2	30	
Bromomethane	34	ug/L	1	50.0	68	30-145			
	31			50.0	63	30-145	8	30	
2-Butanone	61	ug/L	1	50.0	123	30-150			
	67			50.0	134	30-150	9	30	
n-Butylbenzene	48	ug/L	1	50.0	96	70-135			
	47			50.0	93	70-135	3	30	
sec-Butylbenzene	48	ug/L	1	50.0	97	70-125			
	47			50.0	94	70-125	3	30	

Quality Control Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
QC Batch(es):	Q37845	Analysis Method:	8260B
QC Batch Method:	5030B-L	Analysis Description:	Purgeable Organic Compounds by GC/MS
Preparation Started:	01/21/2009		
LCS: S012109MVOWY1			
LCS Duplicate: S012109MVOWY1D			

Analyte	Blank Spike		DF	Spike		% Rec	Limits	RPD	RPD Limit	Qualifiers
	Result	Units		Conc.						
tert-Butylbenzene	48	ug/L	1	50.0		97	70-130			
	47			50.0		94	70-130	3	30	
Carbon disulfide	36	ug/L	1	50.0		73	35-160			
	34			50.0		68	35-160	6	30	
Carbon tetrachloride	54	ug/L	1	50.0		108	65-140			
	51			50.0		101	65-140	6	30	
Chlorobenzene	48	ug/L	1	50.0		96	80-120			
	47			50.0		94	80-120	2	30	
Chloroethane	36	ug/L	1	50.0		72	60-135			
	36			50.0		72	60-135	0	30	
Chloroform	49	ug/L	1	50.0		98	65-135			
	46			50.0		93	65-135	6	30	
Chloromethane	30	ug/L	1	50.0		60	40-125			
	28			50.0		56	40-125	7	30	
2-Chlorotoluene	45	ug/L	1	50.0		90	75-125			
	44			50.0		89	75-125	1	30	
4-Chlorotoluene	50	ug/L	1	50.0		100	75-130			
	48			50.0		97	75-130	3	30	
1,2-Dibromo-3-chloropro	43	ug/L	1	50.0		86	50-130			
	45			50.0		90	50-130	5	30	
Dibromochloromethane	55	ug/L	1	50.0		110	60-135			
	55			50.0		109	60-135	1	30	
1,2-Dibromoethane	55	ug/L	1	50.0		111	80-120			
	56			50.0		112	80-120	2	30	
Dibromomethane	56	ug/L	1	50.0		111	75-125			
	54			50.0		109	75-125	2	30	
1,2-Dichlorobenzene	45	ug/L	1	50.0		91	70-120			
	45			50.0		90	70-120	1	30	
1,3-Dichlorobenzene	48	ug/L	1	50.0		96	75-125			
	48			50.0		96	75-125	1	30	
1,4-Dichlorobenzene	47	ug/L	1	50.0		94	75-125			
	46			50.0		92	75-125	2	30	
Dichlorodifluoromethane	29	ug/L	1	50.0		58	30-155			
	26			50.0		53	30-155	10	30	
1,1-Dichloroethane	49	ug/L	1	50.0		98	70-135			
	46			50.0		92	70-135	7	30	
1,2-Dichloroethane	57	ug/L	1	50.0		114	70-130			
	55			50.0		109	70-130	4	30	
1,1-Dichloroethene	46	ug/L	1	50.0		93	70-130			
	46			50.0		92	70-130	1	30	
trans-1,2-Dichloroethene	49	ug/L	1	50.0		97	60-140			
	45			50.0		91	60-140	7	30	
cis-1,2-Dichloroethene	48	ug/L	1	50.0		97	70-125			
	46			50.0		92	70-125	5	30	
1,2-Dichloropropane	52	ug/L	1	50.0		104	75-125			
	49			50.0		97	75-125	7	30	

Quality Control Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
QC Batch(es):	Q37845	Analysis Method:	8260B
QC Batch Method:	5030B-L	Analysis Description:	Purgeable Organic Compounds by GC/MS
Preparation Started:	01/21/2009		
LCS: S012109MVOWY1			
LCS Duplicate: S012109MVOWY1D			

Analyte	Blank Spike		DF	Spike		% Rec	Limits	RPD	RPD Limit	Qualifiers
	Result	Units		Conc.						
1,3-Dichloropropane	54	ug/L	1	50.0		108	75-125			
	55			50.0		109	75-125	1	30	
2,2-Dichloropropane	43	ug/L	1	50.0		86	60-135			
	47			50.0		94	60-135	10	30	
1,1-Dichloropropene	56	ug/L	1	50.0		111	75-130			
	53			50.0		105	75-130	5	30	
cis-1,3-Dichloropropene	65	ug/L	1	50.0		129	70-130			
	63			50.0		125	70-130	3	30	
trans-1,3-Dichloropropene	56	ug/L	1	50.0		111	55-140			
	55			50.0		111	55-140	1	30	
Ethylbenzene	49	ug/L	1	50.0		98	75-125			
	47			50.0		94	75-125	4	30	
Hexachlorobutadiene	38	ug/L	1	50.0		77	50-140			
	38			50.0		76	50-140	2	30	
2-Hexanone	74	ug/L	1	50.0		149	55-130			*
	79			50.0		157	55-130	6	30	*
Isopropylbenzene	45	ug/L	1	50.0		91	75-125			
	43			50.0		87	75-125	5	30	
4-Isopropyltoluene	49	ug/L	1	50.0		97	75-130			
	47			50.0		94	75-130	4	30	
Methyl tert-butyl ether	47	ug/L	1	50.0		94	65-125			
	40			50.0		80	65-125	17	30	
4-Methyl-2-pentanone	62	ug/L	1	50.0		125	60-135			
	63			50.0		125	60-135	0	30	
Methylene chloride	47	ug/L	1	50.0		95	55-140			
	46			50.0		92	55-140	3	30	
Naphthalene	47	ug/L	1	50.0		95	55-140			
	48			50.0		96	55-140	1	30	
n-Propylbenzene	51	ug/L	1	50.0		103	70-130			
	50			50.0		101	70-130	2	30	
Styrene	50	ug/L	1	50.0		99	65-135			
	48			50.0		97	65-135	2	30	
1,1,1,2-Tetrachloroethane	42	ug/L	1	50.0		84	80-130			
	42			50.0		84	80-130	1	30	
1,1,2,2-Tetrachloroethane	51	ug/L	1	50.0		102	65-130			
	52			50.0		104	65-130	2	30	
Tetrachloroethene	47	ug/L	1	50.0		93	45-150			
	46			50.0		92	45-150	2	30	
Toluene	47	ug/L	1	50.0		95	75-120			
	47			50.0		94	75-120	1	30	
1,2,3-Trichlorobenzene	41	ug/L	1	50.0		82	55-140			
	42			50.0		83	55-140	2	30	
1,2,4-Trichlorobenzene	43	ug/L	1	50.0		86	65-135			
	42			50.0		85	65-135	1	30	
1,1,1-Trichloroethane	53	ug/L	1	50.0		106	65-130			
	51			50.0		101	65-130	5	30	

Quality Control Results

Project:	Mayberry Area Wide	SDG Number:	DMAW0901
Project Number:		Project Manager:	Seth Sadofsky
QC Batch(es):	Q37845	Analysis Method:	8260B
QC Batch Method:	5030B-L	Analysis Description:	Purgeable Organic Compounds by GC/MS
Preparation Started:	01/21/2009		
LCS: S012109MVOWY1			
LCS Duplicate: S012109MVOWY1D			

	Blank Spike			Spike					
Analyte	Result	Units	DF	Conc.	% Rec	Limits	RPD	RPD Limit	Qualifiers
1,1,2-Trichloroethane	51	ug/L	1	50.0	102	75-125			
	51			50.0	101	75-125	1	30	
Trichloroethene	52	ug/L	1	50.0	105	70-125			
	51			50.0	102	70-125	3	30	
Trichlorofluoromethane	41	ug/L	1	50.0	81	60-145			
	38			50.0	76	60-145	7	30	
1,2,3-Trichloropropane	56	ug/L	1	50.0	112	75-125			
	57			50.0	115	75-125	3	30	
1,2,4-Trimethylbenzene	47	ug/L	1	50.0	94	75-130			
	46			50.0	93	75-130	1	30	
1,3,5-Trimethylbenzene	48	ug/L	1	50.0	97	75-130			
	47			50.0	94	75-130	3	30	
Vinyl chloride	32	ug/L	1	50.0	65	50-145			
	31			50.0	62	50-145	5	30	
m,p-Xylene	93	ug/L	1	100	93	75-130			
	89			100	89	75-130	4	30	
o-Xylene	43	ug/L	1	50.0	86	80-120			
	42			50.0	83	80-120	4	30	
Surrogates:									
4-Bromofluorobenzene			1		108	72-128			
						111	72-128		
Dibromofluoromethane			1		100	76-127			
						99	76-127		
1,2-Dichloroethane-d4			1		119	66-133			
						115	66-133		
Toluene-d8			1		102	75-130			
						103	75-130		

Pace Analytical Services, Inc.

Notes and Definitions

SDG No: **DMAW0901**

Report Specific Notes:

ND The analyte of interest was not detected, to the limit of detection indicated

* Recovery result outside established control limits

Laboratory Reporting Conventions:

DF Dilution factor

Detection Limit Threshold The project or method defined limit that defines the lower bound for estimated results. This may be the MDL or IDL or a project-specified value.

MDL The project or method defined limit that defines the lower bound for estimated results. This may be the MDL or IDL or a project-specified value. Detection Limit Thresholds are listed on the report only if the data has been evaluated below the Reporting Limit. Results between the Reporting Limit and the Detection Limit Threshold are reported as estimated results.

IDL Instrument Detection Limit. IDLs are in instrument basis units. Reported results for samples are normalized appropriately using the preparation and analysis steps performed.

Reporting Limit The minimum detection limit for reporting unqualified results under routine laboratory operating conditions. Typically this is the PQL but it may be a different concentration on a project-specific basis.

QC Batch Group Quality Control Batch Group. The entity that links analytical results and supporting quality control results.

% Rec Percent recovery.

Limits The upper and lower control limits for spike recoveries.

RPD Relative Percent Difference. The relative difference between duplicate results (matrix spike, blank spike, or sample duplicate) expressed as a percentage.

RPD Limit The maximum RPD allowed for a set of duplicate measurements (see RPD).

Spike conc. The measured concentration, in sample basis units, of a spiked sample.

PQL Practical Quantitation Limit. The quantitation limit achievable by the laboratory under routine operating conditions. The PQL will be normalized for deviations from these conditions such as dilutions, dry weight adjustment, etc.

LCS Laboratory Control Sample