

Andy Peters

From: BRITSON Aliana <Aliana.BRITSON@state.or.us>
Sent: Monday, August 24, 2020 3:32 PM
To: Andy Peters
Subject: RE: Additional Question on Sampling Letter

Hi Andy,

I'm afraid I have not heard from Thanh today. Hopefully we can touch base soon though.

My sincere apologies on the date confusion. I normally catch when a permittee is a seasonal discharger, but I must have spaced it in this letter. I will need to change the dates, run it by management, and probably formally re-issue the letter. For now, please assume that sampling will start in November.

Regards,
Aliana

Aliana Britson, Ph.D.
Permit Developer
Oregon Department of Environmental Quality
Water Quality Permitting and Program Development
700 NE Multnomah St., Suite #600 Portland, OR 97232
Phone: (503) 229-6044
Email: Britson.Aliana@deq.state.or.us

PUBLIC RECORDS LAW DISCLOSURE: This is a public document. This email may be subject to the state retention schedule and made available to the public.

From: Andy Peters <apeters@cityofmolalla.com>
Sent: Monday, August 24, 2020 3:23 PM
To: BRITSON Aliana <Aliana.BRITSON@state.or.us>
Subject: Additional Question on Sampling Letter

Good Afternoon Aliana,

I hope you and Thanh were able to connect today as planned; She has been very helpful getting Molalla ready and I think we will save everyone issues down the road if you two can touch base.

In preparing the Sampling Plan I just need to clarify some of the dates: The letter states sampling for copper biotic ligand and the aluminum parameter must begin by September 2020 (page 3). And on page 4, table note "C" says testing must begin in August 2020. I know we can't make August, but I don't think September is right either because Molalla will not begin discharging to the river until November in accordance with the NPDES Permit. Conversely, the short list of Tier I/Tier II Toxics is asking for sampling dates beginning on November 15th 2020 as I might expect, but on page 5, the first paragraph is asking for a start in September 2020. Can you clarify these target dates? I'm guessing the intent of the letter is for Molalla to begin full sampling for all parameters in November 2020 when discharge begins?

Thanks very much. We are getting closer to having that sampling plan for your review.

Respectfully,

Andy Peters

City of Molalla

Public Works Operations Supervisor

(503) 829-6855 x220

Cell: 503-793-0507

apeters@cityofmolalla.com

117 N Molalla Ave

Molalla, OR 97038