# FIRST QUARTER 2008 GROUNDWATER MONITORING REPORT

FORMER MOLALLA KWIK GAS 305 WEST MAIN STREET MOLALLA, OREGON DEQ FILE No.: 03-05-461

ECN PROJECT No. 05-106





December 1, 2010



## ENVIRONMENTAL COMPLIANCE NORTHWEST

PO BOX 230163 PORTLAND, OR 97281 (503) 372-9760 Phone (503) 213-9980 Fax

December 1, 2010 ECN Project No. 05-106

Mr. Jason Powell. Powell Distributing Company 9125 North Burrage Portland, Oregon 97217

**SUBJECT:** First Quarter 2008

**Groundwater Monitoring Report** 

Former Molalla Kwik Gas 305 West Main Street Molalla, Oregon


**DEQ LUST File No.: 03-05-461** 

Dear Mr. Powell:

Environmental Compliance Northwest, Inc., (ECN) is pleased to submit this Groundwater Monitoring Report for the above referenced facility. We hope this report meets your needs at this time. If you should require additional information, please contact us at 503-372-9760.

Sincerely,

**ENVIRONMENTAL COMPLIANCE NORTHWEST, INC.** 



John M. Day, RG Principal Geologist President

#### TABLE OF CONTENTS

1.0	INTRODUCTION	. 1
2.0	SITE DESCRIPTION	1
3.0	BACKGROUND	1
4.0	FIELD ACTIVITIES	2
5.0	ANALYTICAL TEST METHODS	3
6.0	FINDINGS	3
7.0	RISK-BASED EVALUATION OVERVIEW	. 4
8.0	SUMMARY AND CONCLUSIONS	4
9.0	REFERENCES	. 5
10.0	LIMITATIONS	. 6

#### **TABLES**

- 1. Groundwater Analytical Results TPH, VOCs, and Lead
- 2. Groundwater Analytical Results PAHs

#### **FIGURES**

- 1. Vicinity Map
- 2. Groundwater Contour Map-1st Quarter 2008
- 3. Groundwater Analytical Results Map-1st Quarter 2008

#### **APPENDIX**

A. Laboratory Report and Chain of Custody

#### 1.0 INTRODUCTION

This report describes results of the first quarter 2008 groundwater monitoring and sampling activities conducted at the former Kwik Gas service station located at 305 West Main Street in Molalla, Oregon (Figure 1).

#### 2.0 SITE DESCRIPTION

The site is located on the north side of West Main Street, approximately 100 feet west of Kennel Avenue near downtown Molalla and was formerly used as a fuel service station. The site is currently occupied by an automobile detail facility. A former service station building is located in the southeastern portion of the site. The UST cavity, formerly containing four 10,000-gallon tanks is located in the northwestern portion of the site and a former fuel dispenser island is located south of the station building. The site and surrounding area are relatively flat generally covered with gravel, with the exception of the former fuel dispenser island area, which is paved with asphalt. The locations of pertinent site features are shown on Figure 2.

#### 3.0 BACKGROUND

The following background information was obtained from DEQ files, verbal discussions with Powell Distributing Company (Powell) personnel, and activities observed and conducted by ECN. The facility operated since at least 1977 until 2005 and consisted of a retail fueling and automotive repair facility. The former UST system consisted of three gasoline USTs and one diesel UST, located in the northwest corner of the site and one fuel dispenser island, located in the southern portion of the site (Figure 2). In April 2005, an apparent leak was detected in the underground product piping. A portion of the piping was uncovered and several small holes were observed in the piping.

In March 2005, ECN conducted initial site assessment activities consisting of drilling two hand auger borings adjacent to the fuel product piping. Subsurface soil sampling indicated the presence of petroleum hydrocarbon impact to soil in to the maximum explored depth of 8.5 feet below ground surface (bgs).

Also in March 2005, ECN conducted site assessment activities, including drilling a total of nine soil borings. Seven borings were completed adjacent and in the vanity of the underground product piping trench. Two of the borings were completed adjacent to the former fuel island. Petroleum hydrocarbons were detected in soil samples collected from each boring, with the exception of the boring completed located near the northwest corner of the former service station \( \text{PROJECTS\POWELL\05106\102008GMR.DOC} \) \( \text{PAGE 1 of 6} \) \( \text{December 1, 2010} \)

building. Grab groundwater samples were collected from four of the borings. Petroleum hydrocarbons were detected in each grab groundwater sample collected.

Between September and October 2006, the UST system (consisting of four USTs and underground product piping) were decommissioned by removal. Two soil samples were collected from beneath each UST. In addition, one soil sample was collected from the south sidewall of the UST cavity and from beneath each of the three former fuel dispensers.

Petroleum hydrocarbons were not detected the soil samples collected from beneath the former USTs, with the exception of the southeastern portion of the former UST cavity, near the location where the product piping entered the cavity. Gasoline- and diesel-range hydrocarbons were detected in the soil samples collected from the former fuel dispensers (ECN, 2007).

A total of four monitoring wells (MW-1 through MW-4) were installed and two soil borings (B-101 and B-102) were completed in May 2007. The locations of the monitoring wells are shown on Figures 2 and 3. Borings B-101 and B-102 were drilled north and east of the existing building, respectively, to further define soil and groundwater impacts. Laboratory results indicated that the highest petroleum hydrocarbons were detected in the samples collected from MW-4, located adjacent to the former underground product piping. Lower petroleum hydrocarbon concentrations were detected in the other three monitoring wells, as well as in boring B-102.

#### 4.0 FIELD ACTIVITIES

Field procedures for the first quarter 2008 groundwater monitoring and sampling were performed in accordance with DEQ guidelines. On March 30, 2008, depth to groundwater was measured and groundwater samples were collected monitoring wells MW-1 through MW-4. Prior to purging and sampling, the depth to water in the wells was measured from a permanent mark on top the well casing to the nearest 0.01-foot using an electronic water level indicator. The depth to water and top of casing elevation data were used to calculate the groundwater elevation in each well in reference to mean sea level (MSL). The survey data and historic groundwater elevation measurements collected through the first quarter 2008 monitoring event are presented in Table 1.

Prior to sample collection, monitoring wells were purged of at least three casing volumes. Groundwater samples were collected for laboratory analysis by lowering a bottom-fill, disposable bailer to just below the water level in the well. The collected water sample was then transferred from the bailer into laboratory-supplied containers.

#### 5.0 ANALYTICAL TEST METHODS

2008 collected the first quarter Each groundwater sample during monitoring event was analyzed for DEQ risk-based decision making (RBDM) volatile organic compounds (VOCs) by EPA Method 8260B. The RBDM VOCs include: benzene, toluene, ethylbenzene, and total xylenes (BTEX); 1,2,4-trimethylbenzene (1,2,4-TMB); ethylene dibromide (EDB); ethylene dichloride (EDC); 1,3,5-trimethylbenzene (1,3,5-TMB); isopropylbenzene (IPB) methyl-tertiary butyl ether (MTBE); n-propylbenzene (NPB); and naphthalene. Each sample was also analyzed for diesel-range hydrocarbons (diesel) and lube oilrange petroleum hydrocarbons (lube oil) by Northwest Method NWTPH-Dx, and gasoline-range hydrocarbons by Northwest Method NWTPH-Gx. Select groundwater samples were analyzed for dissolved lead by EPA Method 6010 and polynuclear aromatic hydrocarbons (PAHs) by DEQ Method 8270SIM.

#### 6.0 FINDINGS

Following are the physical and chemical results for the first quarter 2008 groundwater monitoring and sampling activities at the site. Naphthalene results are reported on both Table 1 and 2. The differing results shown in groundwater samples are a result of separate extraction methods. The concentrations from the VOC analyses are reported on the analytical results map (Figure 3).

#### Physical Results

The depth to water in the monitoring wells, as measured on March 30, 2008, ranged from 3.35 to 8.06 feet below the top of well casings. The groundwater flow direction was interpreted to be to the southwest with an average hydraulic gradient of approximately 0.06 feet per foot. Compared to the second quarter 2007 monitoring data, groundwater elevations in the monitoring wells increased between 2.34 and 6.01 feet.

The groundwater elevation and flow direction data for the first quarter 2008 monitoring event are shown on Figure 2.

#### Chemical Results

**MW-1** and **MW-2**: Diesel-, lube oil-, and gasoline-range hydrocarbons; and RBDM VOCs were not detected at or above the corresponding laboratory reporting limits.

MW-3: Diesel-range hydrocarbons (269 micrograms per liter  $[\mu g/L]$ ) and gasoline-range hydrocarbons (589  $\mu g/L$ ) were detected.

MW-4: Diesel-range hydrocarbons (2,050 μg/L); gasoline-range hydrocarbons (15,900 μg/L); benzene (985 μg/L); toluene (8.93 μg/L); ethylbenzene (397 μg/L); total xylenes (343.0 μg/L); 1,2,4-TMB (386 μg/L); 1,3,5-TMB (43.4 μg/L); IPB (92.2 μg/L); MTBE (11.3 μg/L); NPB (261 μg/L); naphthalene (150 μg/L); and dissolved lead (2.5 μg/L) were detected. The following PAHs were also detected: acenaphthene (0.231 μg/L); fluoranthene (0.0868 μg/L); fluorine (0.482 μg/L); naphthalene (115 μg/L); phenanthrene (0.415 μg/L); and pyrene (0.0868 μg/L).

The groundwater sampling results for the first quarter 2008 monitoring event are shown on Figure 3 and summarized in Tables 1 and 2.

#### 7.0 RISK-BASED EVALUATION OVERVIEW

In 1999, the Oregon DEQ issued the *Risk-Based Decision Making for the Remediation of Petroleum-Contaminated Sites* guidance document (DEQ, 1999). This guidance document listed Risk-Based Concentration (RBC) cleanup levels that are based on current and potential future land and water uses at a site. The RBC cleanup levels are periodically revised, the most recent being September 15, 2009.

A detailed assessment of potential exposure pathways has not yet been conducted for the site. Although a conceptual site model has not been completed, based on our current knowledge of site conditions, the potentially complete exposure pathways for groundwater include: 1) vapor intrusion into buildings (occupational); 2) volatilization to outdoor air (occupational); and 3) groundwater in an excavation for a construction or excavation worker. The potentially applicable RBCs are shown on Table 1 and 2.

The groundwater sample collected from monitoring well MW-4 during the first quarter 2008 monitoring event exceeded the groundwater in an excavation exposure pathway RBC for gasoline-range hydrocarbons.

#### 8.0 SUMMARY AND CONCLUSIONS

The site was operated as a retail fueling facility until March 2005. An apparent petroleum hydrocarbon release from the underground product piping was reported to DEQ on March 15, 2005. The site is currently operated as automotive detailing facility and is an area of commercial development.

ECN conducted site assessment activities between March and April 2005, consisting of advancing hand soil borings, limited excavation of apparent impacted soil associated with the product piping release, and drilling a total nine soil borings. Soil and water samples collected during the site assessment activities indicated that both soil and the shallow water-bearing zone in the vicinity of the product piping were impacted by petroleum hydrocarbons.

The four USTs at the site were decommissioned by removal in October 2006. Petroleum hydrocarbon-impacted backfill material was encountered adjacent to the fill port of one the USTs. Analytical results of samples collected from beneath the former fuel dispensers indicated that residual diesel- and gasoline-range hydrocarbons were present in the southern portion of the site.

A total of four groundwater monitoring wells and two soil borings were completed at the site in May 2007. Analytical results from the groundwater samples collected indicated that petroleum hydrocarbons were present in each monitoring well, the highest levels reported were in MW-4

Based on initial and current groundwater elevation direction data, it appears that the generalized shallow water-bearing zone flow direction varies between west-southwest and southwest.

The only petroleum hydrocarbon concentration (gasoline-range) exceeding the potentially complete exposure pathway RBC was detected in MW-4. Based on analytical results, impacts to the shallow water-bearing zone exceeding RBCs appear to be isolated to the immediate vicinity of MW-4.

#### 9.0 REFERENCES

ECN, 2007. Site Assessment and UST Decommissioning Report, Molalla Kwik Gas, 305 West Main Street, Molalla, Oregon, DEQ File No. 03-05-461. April 17.

ECN, 2010. Additional Site Assessment and Monitoring Installation Report, Former Molalla Kwik Gas, 305 West Main Street, Molalla, Oregon, DEQ File No. 03-05-461. October 14.

Oregon Department of Environmental Quality, 1999 and 2003. Risk-Based Decision Making for the Remediation of Petroleum-Contaminated Sites (OAR 340-122-0205 through 0360). September 29, 1999, updated September 22, 2003.

Oregon Department of Environmental Quality, 2000. UST Cleanup Manual, Cleanup Rules for Leaking Petroleum UST Systems, OAR 340-122-0205 through 340-122-0360, and Associated Documents. Oregon Department of Environmental Quality, Portland, Oregon, December.

Oregon Department of Environmental Quality, 2009. Risk-Based Concentrations for Individual Chemicals. September 15.

#### 10.0 LIMITATIONS

Environmental Compliance Northwest, Inc., has performed the work described in this report in accordance with the generally accepted standard of care existing in the State of Oregon at the time of the assessment. Judgments leading to conclusions and recommendations are generally made with an incomplete knowledge of the subsurface and historical conditions applicable to the study area. More extensive studies may be used to supplement the information presented in this report. Environmental Compliance Northwest, Inc., should be notified for additional consultation if Powell Distributing Company wishes to reduce uncertainties beyond the level associated with this assessment. Our assessment of the property also may change, as new data becomes available during additional site exploration, remediation, or development.

Since site activities and regulations beyond our control could change at any time after the completion of this report, our observations, findings, and opinions can be considered valid only as of the date of the report.

No warranty, express or implied is made.

**TABLES** 

TABLE 1 Groundwater Analytical Results - TPH-Dx, TPH-G, RBDM VOCs, and Dissolved Lead **Former Kwik Gas Station** 305 West Main Street Molalla, Oregon ECN Project No. 05-106



Well I.D.	Date of Sampling	Casing Elevation	Depth to Water	Groundwater Elevation	Change in Elevation	TPH- Diesel	·Dx [1]	TPH-G [2]	B [3]	T [3]	E [3]	X [3]	1,2,4-TMB [3]	EDB [3]	EDC [3]	1,3,5-TMB [3]	IPB [3]	MTBE [3]	NPB [3]	Naph- thalene [3]	Dissolved Lead [4]	LAB
		(Feet)	(Feet)	(Feet)	(Feet)		L		L				L	L						1 1-1		
MW-1	6/5/2007 3/30/2008	94.77 94.77	13.82 8.06	80.95 86.71	 5.76	247 ND<245	116 ND<491	624 ND<100	40.5 ND<0.300	7.16 ND<1.00	51.2 ND<1.00	67.4 ND<1.00	9.34 ND<1.00	ND<1.00 ND<1.00	ND<1.00 ND<1.00	5.98 ND<1.00	2.95 ND<1.00	ND<1.00 ND<1.00	5.04 ND<1.00	ND<1.00 ND<1.00		SA SA
MW-2	6/5/2007 3/30/2008	93.73 93.73	9.36 3.35	84.37 90.38	6.01	237 ND<248	ND<100 ND<495	ND<100 ND<100	ND<0.300 ND<0.300	ND<0.500 ND<1.00	ND<0.500 ND<1.00	ND<1.50 ND<1.00	 ND<1.00	 ND<1.00	 ND<1.00	 ND<1.00	 ND<1.00	 ND<1.00	ND<1.00	 ND<1.00		SA SA
MW-3	6/5/2007 3/30/2008	93.44 93.44	6.65 4.31	86.79 89.13	2.34	ND<49.9 269	ND<49.9 ND<485	363 589	ND<0.300 ND<0.300	0.84 ND<1.00	2.04 ND<1.00	ND<1.50 ND<3.00	 ND<1.00	 ND<1.00	 ND<1.00	 ND<1.00	 ND<1.00	 ND<1.00	ND<1.00	ND<1.00		SA SA
MW-4	6/5/2007 3/30/2008	94.10 94.10	7.16 4.29	86.94 89.81	 2.87	2,060 2,050	3,500 ND<489	7,370 <b>15,900</b>	326 985	5.97 8.93	216 397	336.2 343.0	239 386	ND<1.00 ND<1.00	ND<1.00 ND<1.00	55 43.4	34.4 92.2	6.92 11.3	66.2 261	55.6 150	14 2.5	SA SA
Risk-Based Concent - Volatilization to Ou						>\$	NE	>\$	14,000	>S	41,000	>S	>\$	960	9,500	6,800	>S	1,000,000	NE	16,000	NV	
(Occipational) - Vapor Intrusion Int	nto Buildings					>8	NE	>\$	2,800	>\$	7,400	>\$	>8	690	3,800	41,000	>S	590,000	NE	10,000	NV	
(Occupational) - Groundwater in an (Construction and Ex		ar)				>\$	NE	13,000	1,700	210,000	4,400	23,000	1,700	28	630	1,400	>S	62,000	NE	500	>\$	

#### ABBREVIATIONS:

B: Benzene

T: Toluene

E: Ethylbenzene

X: Total Xylenes
MTBE: Metyl tertiary-butyl ether
ND: Not detected at or above the indicated laboratory reporting limit

NE: Not established by DEQ

>S: The groundwater RBC exceeds the solubility limit.

NV: This chemical is considered "nonvolatile" for purposes of the exposure calculations


Results are in micrograms per liter (µg/L) (1) Nortwest Method NWTPH-Dx

Northwest Method NWTPH-Gx

EPA Method 8021B 0r 8260B
EPA Method 6011
Oregon Department of Environmental Quality (DEQ) Generic Risk Based Concentrations (RBCs)

Specialty Analytical

(1) (2) (3) (4) (5) SA BOLD Exceeds the RBC





Polynuclear Aromatic [1		Acenaphthene	Acenapthylene	Anthracene	enz(a)anthracene	Benzo(a)pyrene	enzo(b)fluoranthene	enzo(g,h,l)perylene	enzo(k)fluoranthene	Chrysene	oenz(a,h)anthracene	Fluoroanthene	Fluorene	leno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	LAB
Sample Identification	Sample Date	_			· œ		ä	m m	Ä		Dif			υ				
MW-1	6/5/2007	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	2.81	ND<0.0503	ND<0.0503	SA
MW-2	6/5/2007	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	SA
,MW-3	6/5/2007	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	0.0792	ND<0.0495	0.287	ND<0.0495	ND<0.0495	SA
MW-4	6/5/2007	0.115	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	0.136	ND<0.0525	83.4	0.0630	ND<0.0525	SA
	3/30/2008	0.231	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	0.0868	0.482	ND<0.0482	115	0.415	0.0868	SA
sk-Based Concentrat Occ. Volatilization to Occ. Vapor Intrusion Groundwater in an Ex Construction and Ex	Outdoor Air Into buidlings xcavation	>S >S >S	NE NE NE	>S >S >S	NV NV 9.1	NV NV 0.53	NV NV >S	NE NE NE	NV NV >S	NV NV >S	NV NV 0.21	NV NV >S	>S >S >S	NV NV >S	16,000 10,000 500	NE NE NE	NV NV >S	
not detected at or	above the indicated lab	oratory reporting	g limit					[1] [2]	DEQ Method 8: Oregon Depart		mental Quality (	DEQ) Generic R	tisk Based Conc	entrations (RBC	s)			

ND not detected at or above the indicated laboratory reporting limit SA Specialty Analytical  $\mu g/L$  Micrograms per Liter

(DEQ, 2009).


NE

A Risk-Based Concentration has not been determined for this constituent
This chemical is considered "nonvolatile" for purposes of the exposure calculation

NV >S

This groundwater RBC exceeds the solubility limit. Groundwater concentrations in excess of S indicate that free product may be present. If solubility is not listed, data was not listed in Appendix D of the DEQ RBDM guidance document

**FIGURES** 





## **VICINITY MAP**

MOLALLA KWIK GAS 305 WEST MAIN STREET MOLALLA, OREGON


ECNW PROJ. No. 05-106

FIGURE 1





APPENDIX A



11711 SE Capps Road Clackamas, OR 97015 (503) 607-1331 Fax (503) 607-1336

April 10, 2008

John Day

Environmental Compliance Northwest, Inc.

P.O. Box 230163

Portland, OR 97281

TEL: (503) 372-9760 FAX: (503) 213-9980

RE: Powell-Molalla / 05-106

Dear John Day:

Order No.: 0804010

Specialty Analytical received 4 samples on 4/2/2008 for the analyses presented in the following report.

There were no problems with the analysis and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative, or as qualified with flags. Results apply only to the samples analyzed. Without approval of the laboratory, the reproduction of this report is only permitted in its entirety.

If you have any questions regarding these tests, please feel free to call.

Sincerely,

Ned Engleson

Project Manager

Technical Review

Date: 10-Apr-08

CLIENT:

Environmental Compliance Northwest, Inc.

Lab Order:

0804010

Project:

Powell-Molalla / 05-106

Lab ID:

0804010-01

Client Sample ID: MW-1

**Collection Date:** 3/3 0/2008 5:30:00 PM

Analyses	Res ult	Limit	Qual	Units	DF	Date Analyzed
NW TPH-DX		NWTPH-DX				Analyst: jrp
Diesel	ND	0.245	r	mg/L	1	4/4/2008
Lube Oil	ND	0.491	r	mg/L	1	4/4/2008
Surr: o-Terphenyl	59.7	50-150	(	%REC	1	4/4/2008
NW TPH-GX		NWTPH-GX				Analyst: jrp
Gasoline	ND	100	1	µg/L	1	4/3/2008
Surr: 4-Bromofluorobenzene	98.1	50-150		%REC	1	4/3/2008
DISSOLVED METALS BY ICP/MS		SW6020				Analyst: zau
Lead	ND	0.10		ug/L	1	4/4/2008
VOLATILE ORGANICS BY GC/MS		SW8260B				Analyst: bda
1,2,4-Trimethy lbenzene	ND	1.00	1	μg/L	1	4/3/2008 9:09:00 A M
1,2-Dibromoethane	ND	1.00	- 1	μg/L	1	4/3/2008 9:09:00 A M
1,2-Dichloroethane	ND	1.00		μg/L	1	4/3/2008 9:09:00 A M
1,3,5-Trimethy lbenzene	ND	1.00		μg/L	1	4/3/2008 9:09:00 A M
Benzene	ND	0.300		μg/L	1	4/3/2008 9:09:00 A M
Ethylbenzene	ND	1.00	1	μg/L	1	4/3/2008 9:09:00 A M
ls opropylbenz ene	ND	1.00	1	μg/L	1	4/3/2008 9:09:00 A M
m,p-Xylene	ND	2.00	1	μg/L	1	4/3/2008 9:09:00 A M
Methyl tert-butyl ether	ND	1.00	1	μg/L	1	4/3/2008 9:09:00 A M
n-Propy Ibenzene	ND	1.00		μg/L	1	4/3/2008 9:09:00 A M
Naphthalene	ND	1.00	= 1	μg/L	1	4/3/2008 9:09:00 A M
o-Xylene	ND	1.00	1	µg/L	1	4/3/2008 9:09:00 A M
Toluene	ND	1.00	10	μg/L	1	4/3/2008 9:09:00 A M
Surr: 1,2-Dichloroethane-d4	110	72.2-129		%REC	1	4/3/2008 9:09:00 A M
Surr: 4-Bromofluorobenzene	96.7	73.5-125		%REC	1	4/3/2008 9:09:00 A M
Surr: Dibromofluoromethane	110	58.8-148	•	%REC	1	4/3/2008 9:09:00 A M
Surr: Toluene-d8	98.8	79.8-137	•	%REC	1	4/3/2008 9:09:00 A M

Date: 10-Apr-08

**CLIENT:** 

Environmental Compliance Northwest, Inc.

Lab Order:

0804010

Powell-Molalla / 05-106

Project: Lab ID:

0804010-02

Client Sample ID: MW-2

**Collection Date:** 3/30/2008 5:10:00 PM

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
NW TPH-DX		NWTPH-DX				Analyst: jrp
Diesel	ND	0.248		mg/L	1	4/4/2008
Lube Oil	ND	0.495		mg/L	1	4/4/2008
Surr: o-Terphenyl	46.1	50-150	S,MI	%REC	1	4/4/2008
NW TPH-GX		NWTPH-GX				Analyst: jrp
Gasoline	ND	100		µg/L	1	4/3/2008
Surr: 4-Bromofluorobenzene	97.8	50-150		%REC	1	4/3/2008
OLATILE ORGANICS BY GC/MS		SW8260B				Analyst: bda
1,2,4-Trimethy lbenzene	ND	1.00		μg/L	1	4/3/2008 9:42:00 A M
1,2-Dibromoethane	ND	1.00		μg/L	1	4/3/2008 9:42:00 A M
1,2-Dichloroethane	ND	1.00		µg/L	1	4/3/2008 9:42:00 A M
1,3,5-Trimethy lbenzene	ND	1.00		μg/L	1	4/3/2008 9:42:00 A M
Benzene	ND	0.300		μg/L	1	4/3/2008 9:42:00 A M
Ethylbenzene	ND	1.00		μg/L	1	4/3/2008 9:42:00 A M
ls opropylbenz ene	ND	1.00		μg/L	1	4/3/2008 9:42:00 A M
m,p-Xylene	ND	2.00		μg/L	1	4/3/2008 9:42:00 A M
Methyl tert-butyl ether	ND	1.00		μg/L	1	4/3/2008 9:42:00 A M
n-Propy Ibenzene	ND	1.00		µg/L	1	4/3/2008 9:42:00 A M
Naphthalene	ND	1.00		μg/L	1	4/3/2008 9:42:00 A M
o-Xylene	ND	1.00		μg/L	1	4/3/2008 9:42:00 A M
Toluene	ND	1.00		μg/L	1	4/3/2008 9:42:00 A M
Surr: 1,2-Dichloroethane-d4	108	72.2-129		%REC	1	4/3/2008 9:42:00 A M
Surr: 4-Bromofluorobenzene	95.1	73.5-125		%REC	1	4/3/2008 9:42:00 A M
Surr: Dibromofluoromethane	110	58.8-148		%REC	1	4/3/2008 9:42:00 A M
Surr: Toluene-d8	99.4	79.8-137		%REC	1	4/3/2008 9:42:00 A M

**Date:** 10-Apr-08

**CLIENT:** 

Environmental Compliance Northwest, Inc.

Lab Order:

0804010

Project:

Powell-Molalla / 05-106

Lab ID:

0804010-03

Client Sample ID: MW-3

**Collection Date:** 3/30/2008 2:30:00 PM

Analyses	Res ult	Limit	Qual	Units	DF	Date Analyzed
NW TPH-DX		NWTPH-DX				Analyst: jrp
Diesel	0.269	0.243	A1	mg/L	1	4/4/2008
Lube Oil	ND	0.485		mg/L	1	4/4/2008
Surr: o-Terphenyl	84.0	50-150		%REC	1	4/4/2008
NW TPH-GX		NWTPH-GX				Analyst: jrp
Gasoline	589	100		μg/L	1	4/3/2008
Surr: 4-Bromofluorobenzene	103	50-150		%REC	1	4/3/2008
DISSOLVED METALS BY ICP/MS		SW6020				Analyst: zau
Lead	0.98	0.10		ug/L	1	4/4/2008
VOLATILE ORGANICS BY GC/MS		SW8260B				Analyst: bda
1,2,4-Trimethy lbenzene	ND	1.00		µg/L	1	4/3/2008 10:15:00 AM
1,2-Dibromoethane	ND	1.00		μg/L	1	4/3/2008 10:15:00 AM
1,2-Dichloroethane	ND	1.00		µg/L	1	4/3/2008 10:15:00 AM
1,3,5-Trimethy lbenzene	ND	1.00		μg/L	1	4/3/2008 10:15:00 AM
Benzene	ND	0.300		μg/L	1	4/3/2008 10:15:00 AM
Ethylbenzene	ND	1.00		μg/L	1	4/3/2008 10:15:00 AM
ls opropylbenzene	ND	1.00		μg/L	1	4/3/2008 10:15:00 AM
m,p-Xylene	ND	2.00		µg/L	1	4/3/2008 10:15:00 AM
Methyl tert-butyl ether	ND	1.00		µg/L	1	4/3/2008 10:15:00 AM
n-Propy Ibenzene	ND	1.00		μg/L	1	4/3/2008 10:15:00 AM
Naphthalene	ND	1.00		μg/L	1	4/3/2008 10:15:00 AM
o-Xylene	ND	1.00		μg/L	1	4/3/2008 10:15:00 AM
Toluene	ND	1.00		μg/L	1	4/3/2008 10:15:00 AM
Surr: 1,2-Dichloroethane-d4	110	72.2-129		%REC	1	4/3/2008 10:15:00 AM
Surr: 4-Bromofluorobenzene	97.6	73.5-125		%REC	1	4/3/2008 10:15:00 AM
Surr: Dibromofluoromethane	112	58.8-148		%REC	1	4/3/2008 10:15:00 AM
Surr: Toluene-d8	91.0	79.8-137		%REC	1	4/3/2008 10:15:00 AM

Date: 10-Apr-08

**CLIENT:** 

Environmental Compliance Northwest, Inc.

Lab Order:

0804010

Project:

Powell-Molalla / 05-106

Lab ID:

0804010-04

Client Sample ID: MW-4

**Collection Date:** 3/30/2008 2:50:00 PM

Analyses	Res ult	Limit	Qual	Units	DF	Date Analyzed
NW TPH-DX		NWTPH-DX				Analyst: jrp
Diesel	2.05	0.245	Α1	mg/L	1	4/4/2008
Lube Oil	ND	0.489		mg/L	1	4/4/2008
Surr: o-Terphenyl	69.8	50-150		%REC	1	4/4/2008
NW TPH-GX		NWTPH-GX				Analyst: jrp
Gasoline	15900	200		μg/L	2	4/3/2008
Surr: 4-Bromofluorobenzene	104	50-150		%REC	2	4/3/2008
DISSOLVED METALS BY ICP/MS		SW6020				Analyst: zau
Lead	2.5	0.10		ug/L	1	4/4/2008
OW LEVEL PAH BY GC/MS OARSIM	(8270C)	8270SIM				Analyst: bda
Acenaphthene	0.231	0.0482		μg/L	1	4/9/2008 7:33:00 PM
A cenaphthylene	ND	0.0482		μg/L	1	4/9/2008 7:33:00 PM
Anthracene	ND	0.0482		µg/L	1	4/9/2008 7:33:00 PM
Benz(a)anthracene	ND	0.0482		µg/L	1	4/9/2008 7:33:00 PM
Benzo(a)pyrene	ND	0.0482		μg/L	1	4/9/2008 7:33:00 PM
Benzo(b)fluoranthene	ND	0.0482		µg/L	1	4/9/2008 7:33:00 PM
Benzo(g,h,i)perylene	ND	0.0482		μg/L	1	4/9/2008 7:33:00 PM
Benzo(k)fluoranthene	ND	0.0482		μg/L	1	4/9/2008 7:33:00 PM
Chrysene	ND	0.0482		μg/L	1	4/9/2008 7:33:00 PM
Dibenz(a,h)anthracene	ND	0.0482		μg/L	1	4/9/2008 7:33:00 PM
Fluoranthene	0.0868	0.0482		μg/L	1	4/9/2008 7:33:00 PM
Fluorene	0.482	0.0482		µg/L	1	4/9/2008 7:33:00 PM
Indeno(1,2,3-cd)pyrene	ND	0.0482		μg/L	1	4/9/2008 7:33:00 PM
Naphthalene	115	0.482		μg/L	10	4/10/2008 9:08:00 AM
Phenanthrene	0.415	0.0482		μg/L	1	4/9/2008 7:33:00 PM
Pyrene	0.0868	0.0482		μg/L	1	4/9/2008 7:33:00 PM
Surr: 2-Fluorobiphenyl	68.3	18.6-106		%REC	1	4/9/2008 7:33:00 PM
Surr: Nitrobenzene-d5	79.8	17-130		%REC	1	4/9/2008 7:33:00 PM
Surr: p-Terphenyl-d14	68.0	39.6-131		%REC	1	4/9/2008 7:33:00 PM
OLATILE ORGANICS BY GC/MS		SW8260B				Analyst: <b>bda</b>
1,2,4-Trimethy lbenzene	386	5.00		μg/L	5	4/3/2008 1:02:00 PM
1,2-Dibromoethane	ND	1.00		μg/L	1	4/3/2008 10:49:00 AM
1,2-Dichloroethane	ND	1.00		μg/L	1	4/3/2008 10:49:00 AM
1,3,5-Trimethy lbenzene	43.4	1.00		μg/L	1	4/3/2008 10:49:00 AM
Benzene	985	6.00		μg/L	20	4/3/2008 12:29:00 FM
Ethylbenzene	397	5.00		μg/L	5	4/3/2008 1:02:00 PM
ls opropylbenz ene	92.2	1.00		μg/L	1	4/3/2008 10:49:00 AM
m,p-Xylene	307	10.0		μg/L	. 5	4/3/2008 1:02:00 PM
Methyl tert-butyl ether	11.3	1.00		μg/L	1	4/3/2008 10:49:00 AM
n-Propy Ibenzene	261	5.00		μg/L	5	4/3/2008 1:02:00 PM

**Date:** 10-Apr-08

**CLIENT:** 

Environmental Compliance Northwest, Inc.

Lab Order:

0804010

Powell-Molalla / 05-106

**Project:** Lab ID:

0804010-04

Client Sample ID: MW-4

**Collection Date:** 3/3 0/200 8 2:50:00 PM

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS		SW8260B				Analyst: bda
Naphthalene	150	5.00		μg/L	5	4/3/2008 1:02:00 PM
o-Xylene	36.0	1.00		μg/L	1	4/3/2008 10:49:00 AM
Toluene	8.93	1.00		μg/L	1	4/3/2008 10:49:00 AM
Surr: 1,2-Dichloroethane-d4	108	72.2-129		%REC	1	4/3/2008 10:49:00 AM
Surr: 4-Bromofluorobenzene	101	73.5-125		%REC	1	4/3/2008 10:49:00 AM
Surr: Dibromofluoromethane	107	58.8-148		%REC	1	4/3/2008 10:49:00 AM
Surr: Toluene-d8	96.1	79.8-137		%REC	1	4/3/2008 10:49:00 AM

CLIENT:

Environmental Compliance Northwest, Inc.

Work Order:

0804010

Project:

Powell-Molalla / 05-106

**Date:** 10-Apr-08

## ANALYTICAL QC SUMMARY REPORT

TestCode: 6020\_WDISS

Sample ID	0804010-01CMS	SampType:	MS	TestCod	de: 6020_WD	ISS Units: ug/L		Prep Da	te: 4/4/20	08	Run ID: ICI	PMS_080404	<b>I</b> D
Client ID:	MW-1	Batch ID:	20775	TestN	b: <b>SW6020</b>			Analysis Da	te: 4/4/20	08	SeqNo: 52	9209	
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HghLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead			47.13	0.10	50	0	94.3	70	130	0	0		
Sample ID	0804010-01CMSD	SampType:	MSD	TestCo	de: 6020_WD	ISS Units: ug/L		Prep Da	te: 4/4/20	08	Run ID: ICI	PMS_080404	ID D
Client ID:	MW-1	Batch ID:	20775	Test	b: <b>SW6020</b>			Analysis Da	te: 4/4/20	08	SeqNo: 52	9210	1
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HghLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead			48.11	0.10	50	0	96.2	70	130	47.13	2.06	20	
Sample ID	0804010-01CDUP	SampType:	DUP	TestCo	de: 6020_WD	ISS Units: ug/L		Prep Da	te: 4/4/20	08	Run ID: ICI	PMS_080404	ID D
Client ID:	MW-1	Batch ID:	20775	Test	b: <b>SW6020</b>			Analysis Da	te: 4/4/20	08	SeqNo: 52	9208	
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HghLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead			ND	0.10	0	0	0	0	0	0	0	20	
Sample ID	ccv	SampType:	CCV	TestCo	de: 6020_WD	ISS Units: ug/L		Prep Da	te:		Run ID: ICI	PMS_080404	ID.
Client ID:	ZZZZZ	Batch ID:	20775	Test	b: SW6020			Analysis Da	ite: 4/4/20	08	SeqNo: 52	9205	
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	No.		50.27	0.10	50	0	101	90	110	0	0		
Sample ID	CCV	SampType:	CCV	TestCo	de: <b>6020_W</b> D	ISS Units: ug/L		Prep Da	te:		Run ID: ICI	PMS_080404	\$D
Client ID:	ZZZZZ	Batch ID:	20775	Test	b: <b>SW6020</b>			Analysis Da	ate: 4/4/20	08	SeqNo: 52	9214	
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead			49.58	0.10	50	0	99.2	90	110	0	0		

Environmental Compliance Northwest, Inc.

Work Order:

0804010

Project:

Powell-Molalla / 05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: 6020\_WDISS

Sample ID ICB-2077 Client ID: ZZZZZ	SampType: ICB Batch ID: 20775	TestCode: 6020_WDISS Units: ι TestNb: SW6020	g/L Prep Date: 4/4/2008 Analysis Date: 4/4/2008	Run ID: ICPMS_080404D SeqNo: 529206
Analyte	Result	PQL SPK value SPK Ref Val	%REC LowLimit HighLimit RPD Ref V	'al %RPD RPDLimit Qual
Lead	ND	0.10 0 0	0 0 0	0 0
Sample ID ICV Client ID: ZZZZZ	SampType: ICV Batch ID: 20775	TestCode: 6020_WDISS Units: ι TestNb: SW6020	g/L Prep Date: Analysis Date: 4/4/2008	Run ID: ICPMS_080404D SeqNo: 529204
			• · · · · · · · · · · · · · · · · · · ·	SeqNo: <b>529204</b>

Environmental Compliance Northwest, Inc.

Work Order:

0804010

Project:

Powell-Molalla / 05-106

## ANALYTICAL QC SUMMARY REPORT

TestCode: 8260\_W

Sample ID MB-20754 Client ID: ZZZZZ	SampType: MBLK Batch ID: 20754		de: 8260_W do: SW8260B	Units: µg/L		Prep Dat Analysis Da	te: 4/2/20		Run ID: 59° SeqNo: 52°		2A
Analyte	Result	PQL	SPK value						5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		_
			SPK value	SPK Ref Val	%REC	LowLimit	HghLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	1.00									
1,1,1-Trichloroethane	ND	1.00									
1,1,2,2-Tetrachloroethane	ND	1.00									
1,1,2-Trichloroethane	, ND	1.00									
1,1-Dichloroethane	ND	1.00									
1,1-Dichloroethene	ND	1.00									
1,1-Dichloropropene	ND	1.00									
1,2,3-Trichlorobenzene	ND	1.00									
1,2,3-Trichloropropane	ND	1.00									
1,2,4-Trichlorobenzene	ND	1.00									
1,2,4-Trimethylbenzene	ND	1.00									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2-Dibromoethane	ND	1.00									
1,2-Dichlorobenzene	ND	1.00									
1,2-Dichloroethane	ND	1.00									
1,2-Dichloropropane	ND	1.00									
1,3,5-Trimethylbenzene	ND	1.00									
1,3-Dichlorobenzene	ND	1.00									
1,3-Dichloropropane	ND	1.00									
1,4-Dichlorobenzene	0.38	1.00									J
2,2-Dichloropropane	ND	1.00									
2-Butanone	ND	10.0									
2-Chlorotoluene	ND	1.00									
2-Hexanone	ND	10.0									
4-Chlorotoluene	ND	1.00									
4-Isopropyltoluene	ND	1.00									
4-Methyl-2-pentanone	ND	20.0									
Acetone	ND	50.0									
Acrylonitrile	ND	5.00									
Benzene	ND	0.300									
Bromobenzene	ND	1.00									

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B- Analyte detected in the associated Method Blan

Page 3 of 13

Environmental Compliance Northwest, Inc.

Work Order:

0804010

Project:

Powell-Molalla / 05-106

## ANALYTICAL QC SUMMARY REPORT

TestCode: 8260\_W

Sample ID MB-20754 Client ID: ZZZZZ	SampType: MBLK Batch ID: 20754		de: 8260_W do: SW8260B	Units: µg/L		Prep Date Analysis Date	te: 4/2/20			73L_080402	A
OIGILID. ZZZZZ	Datcii ID. 20134	iestiv	U. 3440200E			Analysis Da	le. 4/2/20	VO	SeqNo: 52	0443	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	<b>RPDLimit</b>	Qual
Bromochloromethane	ND	1.00			1, =						
Bromodichloromethane	ND	1.00									
Bromoform	ND	1.00									
Bromomethane	ND	1.00									
Carbon disulfide	ND	2.00									
Carbon tetrachloride	ND	1.00									
Chlorobenzene	ND	1.00									
Chloroethane	ND	1.00									
Chloroform	ND	1.00									
Chloromethane	ND	1.00									
cis-1,2-Dichloroethene	ND	1.00									
cis-1,3-Dichloropropene	ND	1.00									
Dibromochloromethane	ND	1.00									
Dibromomethane	ND	1.00									
Dichlorodifluoromethane	ND	1.00									
Ethylbenzene	0.2	1.00									J
Hexachlorobutadiene	ND	1.00									
Isopropylbenzene	ND	1.00									
m,p-Xylene	0.42	2.00									J
Methyl tert-butyl ether	ND	1.00									
Methylene chloride	5.83	20.0									J
n-Butylbenzene	ND	1.00									
n-Propylbenzene	0.14	1.00									J
Naphthalene	0.48	1.00									J
o-Xylene	ND	1.00									
sec-Butylbenzene	ND	1.00									
Styrene	ND	1.00									
tert-Butylbenzene	ND	1.00									
Tetrachloroethene	ND	1.00									
Toluene	ND	1.00									
trans-1,2-Dichloroethene	ND	1.00									

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B- Analyte detected in the associated Method Blan

Page 4 of 13

Environmental Compliance Northwest, Inc.

Work Order:

0804010

Project:

Powell-Molalla / 05-106

## ANALYTICAL QC SUMMARY REPORT

TestCode: 8260\_W

Sample ID MB-20754 Client ID: ZZZZZ	SampType: <b>MBLK</b> Batch ID: <b>20754</b>		de: <b>8260_W</b> do: <b>SW8260B</b>	Units: µg/L		Prep Dat Analysis Dat	e: 4/2/200 te: 4/2/200		Run ID: 597 SeqNo: 528	_	2A
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,3-Dichloropropene	ND	1.00									
Trichloroethene	ND	1.00									
Trichlorofluoromethane	ND	1.00									
Vinyl chloride	ND	1.00									
Surr: 1,2-Dichloroethane-d4	105.9	0	100	0	106	72.2	129	0	0		
Surr: 4-Bromofluorobenzene	98.18	0	100	0	98.2	73.5	125	0	0		
Surr: Dibromofluoromethane	106.6	0	100	0	107	58.8	148	0	0		
Surr: Toluene-d8	97.61	0	100	0	97.6	79.8	137	0	0		
Sample ID LCS-20754	SampType: LCS	TestCod	de: <b>8260_W</b>	Units: µg/L		Prep Dat	e: 4/2/200	8	Run ID: 597	73L_080402	2A
Client ID: ZZZZZ	Batch ID: 20754	TestN	b: <b>SW8260B</b>			Analysis Da	te: 4/2/200	8	SeqNo: 528	8444	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	<b>H</b> ghLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	44.72	1.00	40	0	112	69.9	130	0	0		
Benzene	44.16	0.300	40	0	110	77.9	125	0	0		
Chlorobenzene	43.81	1.00	40	0	110	82.5	114	0	0		
Toluene	39.35	1.00	40	0	98.4	74.6	119	0	0		
Trichloroethene	42.83	1.00	40	0	107	74.7	125	0	0		
Sample ID 0804006-01AMS	SampType: MS	TestCo	de: <b>8260_W</b>	Units: µg/L		Prep Dat	e: <b>4/2/200</b>	8	Run ID: 597	73L_080402	2A
Client ID: ZZZZZ	Batch ID: 20754	Test	b: <b>SW8260B</b>			Analysis Da	te: 4/2/200	8	SeqNo: 528	8455	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	40.16	1.00	40	0	100	51.4	176	0	0		
Benzene	39.17	0.300	40	0	97.9	71.5	118	0	0		
Chlorobenzene	39.19	1.00	40	0	98	79.8	114	0	0		
Toluene	34.32	1.00	40	0	85.8	79.6	121	0	0		
Trichloroethene	38.57	1.00	40	0	96.4	73.6	120	0	0		

R - RPD outside accepted recovery limits

Environmental Compliance Northwest, Inc.

Work Order:

0804010

Project:

Powell-Molalla / 05-106

## ANALYTICAL QC SUMMARY REPORT

TestCode: 8260\_W

Sample ID 0804006-01AMSD	SampType: MSD					Prep Dat	e: <b>4/2/20</b> 0	08	Run ID: 597	73L_080402/	4
Client ID: ZZZZZ	Batch ID: 20754	TestN	b: SW8260B			Analysis Da	te: <b>4/2/20</b> 0	08	SeqNo: 528	3456	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	42.24	1.00	40	0	106	51.4	176	40.16	5.05	20	
Benzene	39.37	0.300	40	0	98.4	71.5	118	39.17	0.509	20	
Chlorobenzene	38.68	1.00	40	0	96.7	79.8	114	39.19	1.31	20	
Toluene	34.45	1.00	40	0	86.1	79.6	121	34.32	0.378	20	
Trichloroethene	39.4	1.00	40	0	98.5	73.6	120	38.57	2.13	20	
Sample ID CCV-20754	SampType: CCV	TestCod	de: 8260_W	Units: µg/L		Prep Dat	e:		Run ID: 597	73L_080402/	Α.
Client ID: ZZZZZ	Batch ID: 20754	TestN	b: <b>SW8260B</b>			Analysis Da	te: <b>4/2/20</b> 0	08	SeqNo: 528	8442	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	45.83	1.00	40	0	115	80	120	0	0		
1,2-Dichloropropane	42.2	1.00	40	0	106	80	120	0	0		
Chloroform	47.57	1.00	40	0	119	80	120	0	0		
Ethylbenzene	39.15	1.00	40	0	97.9	80	120	0	0		
Toluene	38.27	1.00	40	0	95.7	80	120	0	0		
Vinyl chloride	47.26	1.00	40	0	118	80	120	0	0		
Sample ID CCV-20754	SampType: CCV	TestCo	de: 8260_W	Units: µg/L		Prep Dat	te:		Run ID: 59	73L_080402	A
Client ID: ZZZZZ	Batch ID: 20754	Test	b: <b>SW8260</b> B			Analysis Da	te: 4/3/20	08	SeqNo: 52	8632	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	42.16	1.00	40	0	105	80	120	0	0		
1,2-Dichloropropane	38.15	1.00	40	0	95.4	80	120	0	0		
Chloroform	45.84	1.00	40	0	115	80	120	0	0		
Ethylbenzene	37	1.00	40	0	92.5	80	120	0	0		
Toluene	36.58	1.00	40	0	91.4	80	120	0	0		
Vinyl chloride	47.64	1.00	40	0	119	80	120	0	0		

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blan

Page 6 of 13

Environmental Compliance Northwest, Inc.

Work Order:

0804010

Project:

Powell-Molalla / 05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: NWTPHDX\_W

Sample ID MB-20761	SampType: MBLK	TestCode: NWTPHDX_ Un	its: mg/L	Prep Date: 4/3/200	8	Run ID: GC-M_080404	В
Client ID: ZZZZZ	Batch ID: 20761	TestNb: NWTPH-Dx		Analysis Date: 4/4/200	8	SeqNo: <b>528952</b>	
Analyte	Result	PQL SPK value SPK Re	f Val %REC	LowLimit HghLimit	RPD Ref Val	%RPD RPDLimit	Qual
Diesel	0.06505	0.250					J
Hydraulic Oil	ND	1.00					
Kerosene	ND	0.250					
Lube Oil	, ND	0.500			.9		
Surr: o-Terphenyl	0.4266	0 0.5	0 85.3	50 150	0	0	
Sample ID LCS-2076	SampType: LCS	TestCode: NWTPHDX_ Un	its: mg/L	Prep Date: 4/3/200	8	Run ID: GC-M_080404	В
Client ID: ZZZZZ	Batch ID: 20761	TestNb: NWTPH-Dx		Analysis Date: 4/4/200	8	SeqNo: <b>528953</b>	
Analyte	Result	PQL SPK value SPK Re	f Val %REC	LowLimit HighLimit	RPD Ref Val	%RPD RPDLimit	Qual
Diesel	2.21	0.250 2.509 0.0	6505 85.5	60,7 121	0	0	
Lube Oil	2.358	0.500 2.524	0 93.4	64 126	0	0	
Sample ID LCSD-207	61 SampType: LCSD	TestCode: NWTPHDX_ Un	its: mg/L	Prep Date: 4/3/200	8	Run ID: GC-M_080404	В
Client ID: ZZZZZ	Batch ID: 20761	TestNb: NWTPH-Dx		Analysis Date: 4/4/200	8	SeqNo: <b>528954</b>	
Analyte	Result	PQL SPK value SPK Re	f Val %REC	LowLimit HghLimit	RPD Ref Val	%RPD RPDLimit	Qual
Diesel	1.881	0.250 2.505 0.0	06505 72.5	60.7 121	2.21	16.1 20	
Lube Oil	2.132	0.500 2.505	0 85.1		2.358	10.1 20	
Sample ID CCV	SampType: CCV	TestCode: NWTPHDX_ Un	its: mg/L	Prep Date:		Run ID: GC-M_080404	В
Client ID: ZZZZZ	Batch ID: 20761	TestNb: <b>NWTPH-Dx</b>		Analysis Date: 4/4/200	8	SeqNo: <b>528955</b>	
Analyte	Result	PQL SPK value SPK Re	f Val %REC	LowLimit HighLimit	RPD Ref Val	%RPD RPDLimit	Qual
Diesel	15.21	0.250 15	0 101	85 115	0	0	
Lube Oil	7.894	0.500 7.5	0 105		0	0	

Environmental Compliance Northwest, Inc.

Work Order:

0804010

Project:

Powell-Molalla / 05-106

## ANALYTICAL QC SUMMARY REPORT

TestCode: NWTPHDX\_W

Sample ID CO	,	/pe: CCV ID: 20761		de: <b>NWTPHD</b> ) b: <b>NWTPH-D</b>	_		Prep Dat Analysis Da		08	Run ID: GC SeqNo: 528	В	
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Diesel Lube Oil		20.33 11.16	0.250 0.500	20 10	0 0	102 112	85 85	115 115	0	0 0		*
0 1 10 00		***********										
Sample ID CO	,	/pe: CCV ID: 20761		de: <b>NWTPHD</b> de: <b>NWTPH-D</b>	_		Prep Dat Analysis Da		08	Run ID: GC SeqNo: 529	_	В
'	,	·		b: NWTPH-D	_	%REC	a a creation regions		08 RPD Ref Val		_	<b>B</b> Qual

Environmental Compliance Northwest, Inc.

Work Order:

0804010

Project:

Powell-Molalla / 05-106

## ANALYTICAL QC SUMMARY REPORT

TestCode: NWTPHGX\_W

Sample ID MB-20755	SampType: MBLK	TestCode: NWTPHGX_ Units: µg/L	Prep Date: 4/2/2008	Run ID: GC-I_080402B
Client ID: ZZZZZ	Batch ID: 20755	TestNb: <b>NWTPH-Gx</b>	Analysis Date: 4/2/2008	SeqNo: <b>528575</b>
Analyte	Result	PQL SPK value SPK Ref Val	%REC LowLimit HighLimit RPD Ref Val	%RPD RPDLimit Qual
Gasoline	79.49	100		J
Mineral Spirits	ND	250		
Surr: 4-Bromofluorobenzene	99.49	0 100 0	99.5 50 150 0	0
Sample ID LCS-20755	SampType: LCS	TestCode: NWTPHGX_ Units: µg/L	Prep Date: 4/2/2008	Run ID: GC-I_080402B
Client ID: ZZZZZ	Batch ID: 20755	TestNb: <b>NWTPH-Gx</b>	Analysis Date: 4/2/2008	SeqNo: <b>528576</b>
Analyte	Result	PQL SPK value SPK Ref Val	%REC LowLimit HghLimit RPD Ref Val	%RPD RPDLimit Qual
Gasoline	2031	100 2000 79.49	97.6 74.4 128 0	0
Sample ID 0804004-04CDUP	SampType: DUP	TestCode: NWTPHGX_ Units: µg/L	Prep Date: 4/2/2008	Run ID: GC-I_080402B
Client ID: ZZZZZ	Batch ID: 20755	TestNb: <b>NWTPH-Gx</b>	Analysis Date: 4/2/2008	SeqNo: <b>528579</b>
Analyte	Result	PQL SPK value SPK Ref Val	%REC LowLimit HghLimit RPD Ref Val	%RPD RPDLimit Qual
Gasoline	43.72	100 0 0	0 0 0 88.65	0 20 J
Sample ID CCV	SampType: CCV	TestCode: NWTPHGX_ Units: µg/L	Prep Date:	Run ID: GC-I_080402B
Client ID: ZZZZZ	Batch ID: 20755	TestNb: <b>NWTPH-Gx</b>	Analysis Date: 4/2/2008	SeqNo: <b>528577</b>
Analyte	Result	PQL SPK value SPK Ref Val	%REC LowLimit HghLimit RPD Ref Val	%RPD RPDLimit Qual
Gasoline	2485	100 2500 0	99.4 80 120 0	0
Sample ID CCV	SampType: CCV	TestCode: NWTPHGX_ Units: µg/L	Prep Date:	Run ID: GC-I_080402B
Client ID: ZZZZZ	Batch ID: 20755	TestNb: NWTPH-Gx	Analysis Date: 4/2/2008	SeqNo: <b>528583</b>
Analyte	Result	PQL SPK value SPK Ref Val	%REC LowLimit HghLimit RPD Ref Val	%RPD RPDLimit Qual
Gasoline	3072	100 3000 0	102 80 120 0	0

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blan

Page 9 of 13

Environmental Compliance Northwest, Inc.

Work Order:

0804010

Project:

Powell-Molalla / 05-106

## ANALYTICAL QC SUMMARY REPORT

TestCode: NWTPHGX\_W

Sample ID		SampType: CC		ode: NWTPHG			Prep Dat		E** .	Run ID: GC		
Client ID:	ZZZZZ	Batch ID: 207	755 Test	Nb: NWTPH-G	ix		Analysis Da	te: 4/3/200	08	SeqNo: 52	8739	
Analyte		Res	sult PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline		2-	421 100	2500	0	96.8	80	120	0	0		
Sample ID	CCV	SampType: CC	V TestCo	de: <b>NWTPHG</b>	X_ Units: μg/L		Prep Dat	e:		Run ID: GC	-I_080402B	
Client ID:	ZZZZZ	Batch ID: 207	755 Test	No: NWTPH-G	SX .		Analysis Da	te: 4/3/200	08	SeqNo: 52	8747	
Analyte		Re	sult PQL	SPK value	SPK Ref Val	%REC	LowLimit	<b>HighLimit</b>	RPD Ref Val	%RPD	RPDLimit	Qual
Gasoline		2	833 100	3000	0	94.4	80	120	0	0		
Sample ID	ccv	SampType: CC	V TestCo	ode: <b>NWTPHG</b>	X_ Uhits: µg/L		Prep Dat	e:		Run ID: GC	-I_080402B	
Sample ID Client ID:	CCV	SampType: CC Batch ID: 207		ode: <b>NWTPHG</b> Nb: <b>NWTPH-G</b>			Prep Dat Analysis Da		08	Run ID: GC SeqNo: 528	_	
			<b>755</b> Test	No: <b>NWTPH-G</b>		%REC	Analysis Da	te: 4/4/200	08 RPD Ref Val		_	Qual
Client ID:	ZZZZZ	Batch ID: 207	<b>755</b> Test	No: <b>NWTPH-G</b>	Ex.		Analysis Da	te: 4/4/200		SeqNo: 528	8860	Qual
Client ID: Analyte	ZZZZZ	Batch ID: 207	755 Test sult PQL 453 250	Nb: <b>NWTPH-G</b> SPK value	SPK Ref Val	%REC	Analysis Da	te: <b>4/4/20</b> 0 <b>H</b> ghLimit 115	RPD Ref Val	SeqNo: <b>52</b> 8	RPDLimit	Qual
Client ID: Analyte Mineral Sp	ZZZZZ	Batch ID: 207 Re:	755 Test sult PQL 453 250 V TestCo	Nb: <b>NWTPH-G</b> SPK value 2500	SPK Ref Val  0  X_ Units: µg/L	%REC 98.1	Analysis Date LowLimit 85	te: <b>4/4/20</b> 0 HighLimit 115 e:	RPD Ref Val	SeqNo: <b>52</b> 6 %RPD 0	RPDLimit	Qual
Client ID: Analyte Mineral Sp  Sample ID	zzzzz irits	Batch ID: 207 Re: 2. SampType: CC	755 Test sult PQL 453 250 V TestCo 755 Test	SPK value 2500  ode: NWTPH-G	SPK Ref Val  0  X_ Units: µg/L	%REC 98.1	Analysis Date  LowLimit  85  Prep Date  Analysis Date	HghLimit 115 e: te: 4/4/200	RPD Ref Val	SeqNo: 528 %RPD 0 Run ID: GC	RPDLimit	Qual

Environmental Compliance Northwest, Inc.

Work Order:

0804010

Project:

Powell-Molalla / 05-106

## ANALYTICAL QC SUMMARY REPORT

TestCode: PAHLL\_W

Sample ID MB-20783 Client ID: ZZZZZ	SampType: MBLK Batch ID: 20783		b: 8270SIM	/ Units: µg/L		Prep Date Analysis Date	e: 4/7/200 e: 4/9/200		Run ID: 59° SeqNo: 52°	73P_080409 9611	Α
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HghLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acenaphthene	0.01	0.0500									J
Acenaphthylene	ND	0.0500									•
Anthracene	ND	0.0500									
Benz(a)anthracene	0.02	0.0500									J
Benzo(a)pyrene	0.01	0.0500									J
Benzo(b)fluoranthene	0.01	0.0500									J
Benzo(g,h,i)perylene	0.02	0.0500									J.
Benzo(k)fluoranthene	ND	0.0500									·
Chrysene	ND	0.0500									
Dibenz(a,h)anthracene	0.01	0.0500									J
Fluoranthene	0.01	0.0500									J
Fluorene	0.01	0.0500									J
Indeno(1,2,3-cd)pyrene	0.01	0.0500									J
Naphthalene	0.03	0.0500									J
Phenanthrene	0.01	0.0500									J
Pyrene	0.01	0.0500									J
Surr: 2-Fluorobiphenyl	67.57	1.00	100	0	67.6	18.6	106	0	0		-
Surr: Nitrobenzene-d5	69.19	1.00	100	0	69.2	17	130	0	0		
Surr: p-Terphenyl-d14	78.26	1.00	100	0	78.3	39.6	131	0	0		
Sample ID LCS-20783	SampType: LCS	TestCod	le: PAHLL_W	Units: µg/L		Prep Date	: 4/7/200	8	Run ID: 597	73P_080409	Α

Sample ID LCS-20783 Client ID: ZZZZZ	SampType: LCS Batch ID: 20783		de: PAHLL_W b: 8270SIM	/ Units: μg/L		Prep Dat Analysis Da	e: 4/7/200 te: 4/9/200		Run ID: <b>5973P_080409A</b> SeqNo: <b>529612</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Acenaphthene	4.08	0.0500	5	0.01	81.4	35.1	100	0	0			
Benzo(g,h,i)perylene	4.3	0.0500	5	0.02	85.6	20.8	120	0	0			
Chrysene	4.21	0.0500	5	0	84.2	39.1	119	0	0			
Naphthalene	3.94	0.0500	5	0.03	78.2	25.6	106	0	0			
Phenanthrene	4.19	0.0500	5	0.01	83.6	38.1	106	0	0			
Pyrene	4.72	0.0500	5	0.01	94.2	41.3	118	0	0			

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blan

Page 11 of 13

Environmental Compliance Northwest, Inc.

Work Order:

0804010

Project:

Powell-Molalla / 05-106

## ANALYTICAL QC SUMMARY REPORT

TestCode: PAHLL\_W

Sample ID LCSD-20783	SampType: LCSD	/ Units: µg/L		Prep Dat	te: <b>4/7/20</b> 0	08	Run ID: 5973P_080409A				
Client ID: ZZZZZ	Batch ID: 20783	TestN	b: 8270SIM			Analysis Da	te: <b>4/9/20</b> 0	08	SeqNo: 52	9613	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HghLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acenaphthene	3.73	0.0500	5	0.01	74.4	35.1	100	4.08	8.96	20	
Benzo(g,h,i)perylene	4.03	0.0500	5	0.02	80.2	20.8	120	4.3	6.48	20	
Chrysene	3.95	0.0500	5	0	79	39.1	119	4.21	6.37	20	
Naphthalene	3.73	0.0500	5	0.03	74	25.6	106	3.94	5.48	20	
Phenanthrene	3.78	0.0500	5	0.01	75.4	38.1	106	4.19	10.3	20	
Pyrene	4.28	0.0500	5	0.01	85.4	41.3	118	4.72	9.78	20	
Sample ID CCV-20783	SampType: CCV	TestCod	de: PAHLL_W	/ Units: µg/L		Prep Dat	te:		Run ID: 59	73P_080409	Α
Client ID: ZZZZZ	Batch ID: 20783	TestNo: 8270SIM				Analysis Da	ite: 4/9/200	08	SeqNo: 52	9610	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acenaphthene	1.07	0.0500	1	0	107	70	130	0	0		
Acenaphthylene	1.08	0.0500	1	0	108	70	130	0	0		
Anthracene	1.05	0.0500	1	0	105	70	130	0	0		
Benz(a)anthracene	1.13	0.0500	- 1	0	113	70	130	0	0		
Benzo(a)pyrene	0.9	0.0500	1	0	90	70	130	0	0		
Benzo(b)fluoranthene	0.9	0.0500	1	0	90	70	130	0	0		
Benzo(g,h,i)perylene	0.97	0.0500	1	0	97	70	130	0	0		
Benzo(k)fluoranthene	1.06	0.0500	1	0	106	70	130	0	0		
Chrysene	0.99	0.0500	1	0	99	70	130	0	0		
Dibenz(a,h)anthracene	0.89	0.0500	1	0	89	70	130	0	0		
Fluoranthene	1.13	0.0500	1	0	113	70	130	0	0		
Fluorene	1.12	0.0500	1	0	112	70	130	0	0		
Indeno(1,2,3-cd)pyrene	1.02	0.0500	1	0	102	70	130	0	0		
Naphthalene	1.11	0.0500	1	0	111	70	130	0	0		
Phenanthrene	1.01	0.0500	1	0	101	70	130	0	0		
Pyrene	1.1	0.0500	1	0	110	70	130	0	0		

Environmental Compliance Northwest, Inc.

Work Order:

0804010

Project:

Powell-Molalla / 05-106

## ANALYTICAL QC SUMMARY REPORT

TestCode: PAHLL\_W

Sample ID CCV-20783	SampType: CCV					Prep Dat	te:		Run ID: 5973P_080409A			
Client ID: ZZZZZ	Batch ID: 20783	TestN	b: 8270SIM			Analysis Da	te: 4/10/20	008	SeqNo: 529	9714		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Acenaphthene	0.99	0.0500	1	0	99	70	130	0	0			
Acenaphthylene	1.04	0.0500	1	0	104	70	130	0	0			
Anthracene	0.94	0.0500	1	0	94	70	130	0	0			
Benz(a)anthracene	1.04	0.0500	1	0	104	70	130	0	0			
Benzo(a)pyrene	0.88	0.0500	1	0	88	70	130	0	0			
Benzo(b)fluoranthene	0.84	0.0500	1	0	84	70	130	0	0			
Benzo(g,h,i)perylene	0.94	0.0500	1	0	94	70	130	0	0			
Benzo(k)fluoranthene	1.05	0.0500	1	0	105	70	130	0	0			
Chrysene	0.96	0.0500	1	0	96	70	130	0	0			
Dibenz(a,h)anthracene	0.85	0.0500	.1	0	85	70	130	0	0			
Fluoranthene	1.07	0.0500	1	0	107	70	130	0	0			
Fluorene	1.05	0.0500	1	0	105	70	130	0	0			
Indeno(1,2,3-cd)pyrene	1.03	0.0500	1	0	103	70	130	0	0			
Naphthalene	1.01	0.0500	1	0	101	70	130	0	0			
Phenanthrene	0.97	0.0500	1	0	97	70	130	0	0			
Pyrene	1.02	0.0500	1	0	102	70	130	0	0			

#### KEY TO FLAGS

- A This sample contains a Gasoline Range Organic not identified as a specific hydrocarbon product. The result was quantified against gasoline calibration standards. A1 This sample contains a Diesel Range Organic not identified as a specific hydrocarbon product. The result was quantified against diesel calibration standards. A2 This sample contains a Lube Oil Range Organic not identified as a specific hydrocarbon product. The result was quantified against a lube oil calibration standard. A3 The result was determined to be Non-Detect based on hydrocarbon pattern recognition. The product was carry-over from another hydrocarbon type. В The blank exhibited a positive result greater than the reporting limit for this compound. CN See Case Narrative. D Result is based from a dilution. E Result exceeds the calibration range for this compound. The result should be considered as estimate. F The positive result for this hydrocarbon is due to single component contamination. The product does not match any hydrocarbon in the fuels library. Η Sample was analyzed outside recommended hold time. HT At clients request, sample was analyzed outside recommended hold time. J The result for this analyte is between the MDL and the PQL and should be considered as estimated concentration. K Diesel result is biased high due to amount of Oil contained in the sample. L Diesel result is biased high due to amount of Gasoline contained in the sample. M Oil result is biased high due to amount of Diesel contained in the sample. N Gasoline result is biased high due to amount of Diesel contained in the sample. MC Sample concentration is greater than 4x the spiked value, the spiked value is considered insignificant. MI Result is outside control limits due to matrix interference. MSA Value determined by Method of Standard Addition. 0 Laboratory Control Standard (LCS) exceeded laboratory control limits, but meets CCV criteria. Data meets EPA requirements. P Detection levels of Methylene Chloride may be laboratory contamination, due to previous analysis or background levels. Q Detection levels elevated due to sample matrix. R RPD control limits were exceeded. RF Duplicate failed due to result being at or near the method-reporting limit. RP Matrix spike values exceed established QC limits, post digestion spike is in control.
- SC Closing CCV or LCS exceeded high recovery control limits, but associated samples are non-detect. Data meets EPA requirements.
- \* The result for this parameter was greater that the maximum contaminant level of the TCLP regulatory limit.

Recovery is outside control limits.

S

## CHAIN OF CUSTODY RECORD

Page	4	of	



# Specialty Analytical

Specialty Analytical 11711 SE Capps Road Clackamas, OR 97015 Phone: 503-607-1331 Fax: 503-607-1336  Collected By: Frinted  Control  Contro				C A F F	ompa Addres Phone Projec	e	P = P = 372	(1) (1) (1) (1) (1) (1)	J 30 76 06	× 0	2- 91 Pi WA_	30 2 2 2 7 2 7 8	n Day  163  8)  Fax 213 9  At Name fowell  Other  P.O.	980 -mola	lla
Printed  Furn Around Time  I Normal 5-7 Business Days  Rush  Specify  Rush Analyses Must Be Scheduled With The Lab In Advance		No. of Containers	3 Dm Socx	PH-Gx	PH-0x	isolved pb	Analy	/ses					For Labor Lab Job No. Shipped Via Air Bill No. Temperature On Receip Specialty Analytical Cor Specialty Analytical Trip	ot 5 ontainers? Y	1
Date Time Sample I.D.  3/30/08 1770 mw-1  1710 mw-2  1430 mw-3  1450 mw-4	Matrix W V	6 5 6	XXXX	X X X	× × ×	У Х У	J						Comments  Pur 2 Higher  BONZENCE  IF Dx is De  Run for fA	tectel	Lab I.D.
Relinquished By  Company:  Unless Reclaimed, Samples Will Be Disposed of 60 Days After Receipt.  Samples held beyond 60 days subject to storage fee(s)  Copies: White-Original  Yellow-Project File  Pink-O	Received Company	y:				,			Com	nquished pany:	-	ву:	1 1/1	Date Date	Time Time