THIRD QUARTER 2008 GROUNDWATER MONITORING REPORT

FORMER MOLALLA KWIK GAS 305 WEST MAIN STREET MOLALLA, OREGON DEQ FILE No.: 03-05-461

ECN PROJECT No. 05-106





December 2, 2010



ENVIRONMENTAL COMPLIANCE NORTHWEST

PO BOX 230163 PORTLAND, OR 97281 (503) 372-9760 Phone (503) 213-9980 Fax

December 2, 2010 ECN Project No. 05-106

Mr. Jason Powell. Powell Distributing Company 9125 North Burrage Portland, Oregon 97217

SUBJECT: Third Quarter 2008

Groundwater Monitoring Report

Former Molalla Kwik Gas 305 West Main Street Molalla, Oregon

DEQ LUST File No.: 03-05-461

Dear Mr. Powell:

Environmental Compliance Northwest, Inc., (ECN) is pleased to submit this Groundwater Monitoring Report for the above referenced facility. We hope this report meets your needs at this time. If you should require additional information, please contact us at 503-372-9760.

Sincerely,

ENVIRONMENTAL COMPLIANCE NORTHWEST, INC.



John M. Day, RG Principal Geologist President

TABLE OF CONTENTS

1.0	INTRODUCTION	1
	SITE DESCRIPTION	
	BACKGROUND	
	FIELD ACTIVITIES	
	ANALYTICAL TEST METHODS	
6.0	FINDINGS	3
7.0	RISK-BASED EVALUATION OVERVIEW	4
8.0	SUMMARY AND CONCLUSIONS	5
9.0	REFERENCES	5
10.0	LIMITATIONS	6

TABLES

- 1. Groundwater Analytical Results TPH, VOCs, and Lead
- 2. Groundwater Analytical Results PAHs

FIGURES

- 1. Vicinity Map
- 2. Groundwater Contour Map-3rd Quarter 2008
- 3. Groundwater Analytical Results Map-3rd Quarter 2008

APPENDIX

A. Laboratory Report and Chain of Custody

1.0 INTRODUCTION

This report describes results of the third quarter 2008 groundwater monitoring and sampling activities conducted at the former Kwik Gas service station located at 305 West Main Street in Molalla, Oregon (Figure 1).

2.0 SITE DESCRIPTION

The site is located on the north side of West Main Street, approximately 100 feet west of Kennel Avenue near downtown Molalla and was formerly used as a fuel service station. The site is currently occupied by an automobile detail facility. A former service station building is located in the southeastern portion of the site. The UST cavity, formerly containing four 10,000-gallon tanks is located in the northwestern portion of the site and a former fuel dispenser island is located south of the station building. The site and surrounding area are relatively flat generally covered with gravel, with the exception of the former fuel dispenser island area, which is paved with asphalt. The locations of pertinent site features are shown on Figure 2.

3.0 BACKGROUND

The following background information was obtained from DEQ files, verbal discussions with Powell Distributing Company (Powell) personnel, and activities observed and conducted by ECN. The facility operated since at least 1977 until 2005 and consisted of a retail fueling and automotive repair facility. The former UST system consisted of three gasoline USTs and one diesel UST, located in the northwest corner of the site and one fuel dispenser island, located in the southern portion of the site (Figure 2). In April 2005, an apparent leak was detected in the underground product piping. A portion of the piping was uncovered and several small holes were observed in the piping.

In March 2005, ECN conducted initial site assessment activities consisting of drilling two hand auger borings adjacent to the fuel product piping. Subsurface soil sampling indicated the presence of petroleum hydrocarbon impact to soil in to the maximum explored depth of 8.5 feet below ground surface (bgs).

Also in March 2005, ECN conducted site assessment activities, including drilling a total of nine soil borings. Seven borings were completed adjacent and in the vanity of the underground product piping trench. Two of the borings were completed adjacent to the former fuel island. Petroleum hydrocarbons were detected in soil samples collected from each boring, with the exception of the boring completed located near the northwest corner of the former service station

building. Grab groundwater samples were collected from four of the borings. Petroleum hydrocarbons were detected in each grab groundwater sample collected.

Between September and October 2006, the UST system (consisting of four USTs and underground product piping) were decommissioned by removal. Two soil samples were collected from beneath each UST. In addition, one soil sample was collected from the south sidewall of the UST cavity and from beneath each of the three former fuel dispensers.

Petroleum hydrocarbons were not detected the soil samples collected from beneath the former USTs, with the exception of the southeastern portion of the former UST cavity, near the location where the product piping entered the cavity. Gasoline- and diesel-range hydrocarbons were detected in the soil samples collected from the former fuel dispensers (ECN, 2007).

A total of four monitoring wells (MW-1 through MW-4) were installed and two soil borings (B-101 and B-102) were completed in May 2007. The locations of the monitoring wells are shown on Figures 2 and 3. Borings B-101 and B-102 were drilled north and east of the existing building, respectively, to further define soil and groundwater impacts. Laboratory results indicated that the highest petroleum hydrocarbons were detected in the samples collected from MW-4, located adjacent to the former underground product piping. Lower petroleum hydrocarbon concentrations were detected in the other three monitoring wells, as well as in boring B-102 (ECN, 2010a).

Groundwater monitoring has been conducted at the site since the monitoring wells were installed.

4.0 FIELD ACTIVITIES

Field procedures for the third quarter 2008 groundwater monitoring and sampling were performed in accordance with DEQ guidelines. On September 28, 2008, depth to groundwater was measured and groundwater samples were collected monitoring wells MW-1 through MW-4. Prior to purging and sampling, the depth to water in the wells was measured from a permanent mark on top the well casing to the nearest 0.01-foot using an electronic water level indicator. The depth to water and top of casing elevation data were used to calculate the groundwater elevation in each well in reference to mean sea level (MSL). The survey data and historic groundwater elevation measurements collected through the third quarter 2008 monitoring event are presented in Table 1.

Prior to sample collection, monitoring wells were purged of at least three casing volumes. Groundwater samples were collected for laboratory analysis by lowering a bottom-fill, disposable bailer to just below the water level in the well. The collected water sample was then transferred from the bailer into laboratory-supplied containers.

5.0 ANALYTICAL TEST METHODS

2008 third the quarter collected during Each groundwater sample monitoring event was analyzed for benzene, toluene, ethylbenzene, and total xylenes (BTEX). Groundwater samples collected from wells MW-3 and MW-4 were analyzed for DEQ risk-based decision making (RBDM) volatile organic compounds (VOCs) by EPA Method 8260B. In addition to BTEX, the RBDM VOCs include:; 1,2,4-trimethylbenzene (1,2,4-TMB); ethylene dibromide (EDB); ethylene dichloride (EDC); 1,3,5-trimethylbenzene (1,3,5-TMB); isopropylbenzene (IPB) methyl-tertiary butyl ether (MTBE); n-propylbenzene (NPB); and naphthalene. Each sample was also analyzed for diesel-range hydrocarbons (diesel) and lube oilrange petroleum hydrocarbons (lube oil) by Northwest Method NWTPH-Dx, and gasoline-range hydrocarbons by Northwest Method NWTPH-Gx. Select groundwater samples were analyzed for dissolved lead by EPA Method 6010 and polynuclear aromatic hydrocarbons (PAHs) by DEO Method 8270SIM.

6.0 FINDINGS

Following are the physical and chemical results for the third quarter 2008 groundwater monitoring and sampling activities at the site. Naphthalene results are reported on both Table 1 and 2. The differing results shown in groundwater samples are a result of separate extraction methods. The concentrations from the VOC analyses are reported on the analytical results map (Figure 3).

Physical Results

The depth to water in the monitoring wells, as measured on September 28, 2008, ranged from 6.46 to 17.41 feet below the top of well casings. The groundwater flow direction was interpreted to be to the southwest with an average hydraulic gradient of approximately 0.16 feet per foot. Compared to the first quarter 2008 monitoring data, groundwater elevations in the monitoring wells decreased between 2.15 and 9.35 feet.

The groundwater elevation and flow direction data for the third quarter 2008 monitoring event are shown on Figure 2.

Chemical Results

MW-1 and MW-2: Diesel-, lube oil-, and gasoline-range hydrocarbons; and BTEX constituents were not detected at or above the corresponding laboratory reporting limits.

MW-3: Diesel-range hydrocarbons (350 micrograms per liter $[\mu g/L]$), gasoline-range hydrocarbons (787 $\mu g/L$), and dissolved lead (0.65 $\mu g/L$) were detected.

MW-4: Diesel-range hydrocarbons (2,070 µg/L); lube oil-range hydrocarbons (665 µg/L); gasoline-range hydrocarbons (14,000 µg/L); benzene (979 µg/L); toluene (9.74 µg/L); ethylbenzene (743 µg/L); total xylenes (167.8 µg/L); 1,2,4-TMB (332 µg/L); 1,3,5-TMB (88.3 µg/L); IPB (125 µg/L); NPB (460 µg/L); naphthalene (766 µg/L); and dissolved lead (0.34 µg/L) were detected. The following PAHs were also detected: acenaphthene (0.203 µg/L); acenaphthylene (0.0676 µg/L); fluoranthene (0.126 µg/L); fluorine (0.261 µg/L); naphthalene (97.4 µg/L); phenanthrene (0.300 µg/L); and pyrene (0.126 µg/L).

The groundwater sampling results for the third quarter 2008 monitoring event are shown on Figure 3 and summarized in Tables 1 and 2.

7.0 RISK-BASED EVALUATION OVERVIEW

In 1999, the Oregon DEQ issued the *Risk-Based Decision Making for the Remediation of Petroleum-Contaminated Sites* guidance document (DEQ, 1999). This guidance document listed Risk-Based Concentration (RBC) cleanup levels that are based on current and potential future land and water uses at a site. The RBC cleanup levels are periodically revised, the most recent being September 15, 2009.

A detailed assessment of potential exposure pathways has not yet been conducted for the site. Although a conceptual site model has not been completed, based on our current knowledge of site conditions, the potentially complete exposure pathways for groundwater include: 1) vapor intrusion into buildings (occupational); 2) volatilization to outdoor air (occupational); and 3) groundwater in an excavation for a construction or excavation worker. The potentially applicable RBCs are shown on Tables 1 and 2.

The groundwater sample collected from monitoring well MW-4 during the third quarter 2008 monitoring event exceeded the groundwater in an excavation exposure pathway RBCs for gasoline-range hydrocarbons and naphthalene.

8.0 SUMMARY AND CONCLUSIONS

The site was operated as a retail fueling facility until March 2005. An apparent petroleum hydrocarbon release from the underground product piping was reported to DEQ on March 15, 2005. The site is currently operated as automotive detailing facility and is an area of commercial development.

ECN conducted site assessment activities between March and April 2005, consisting of advancing hand soil borings, limited excavation of apparent impacted soil associated with the product piping release, and drilling a total nine soil borings. Soil and water samples collected during the site assessment activities indicated that both soil and the shallow water-bearing zone in the vicinity of the product piping were impacted by petroleum hydrocarbons.

The four USTs at the site were decommissioned by removal in October 2006. Petroleum hydrocarbon-impacted backfill material was encountered adjacent to the fill port of one the USTs. Analytical results of samples collected from beneath the former fuel dispensers indicated that residual diesel- and gasoline-range hydrocarbons were present in the southern portion of the site.

A total of four groundwater monitoring wells and two soil borings were completed at the site in May 2007. Analytical results from the groundwater samples collected indicated that petroleum hydrocarbons were present in each monitoring well, the highest levels reported were in MW-4

Based on initial and current groundwater elevation direction data, it appears that the generalized shallow water-bearing zone flow direction varies between west-southwest and southwest.

The only petroleum hydrocarbon concentrations (gasoline-range and naphthalene) exceeding the potentially complete exposure pathway RBCs were detected in MW-4. Based on current and historical analytical results, impacts to the shallow water-bearing zone exceeding RBCs appear to be isolated to the immediate vicinity of MW-4.

9.0 REFERENCES

ECN, 2007. Site Assessment and UST Decommissioning Report, Molalla Kwik Gas, 305 West Main Street, Molalla, Oregon, DEQ File No. 03-05-461. April 17.

ECN, 2010a. Additional Site Assessment and Monitoring Installation Report, Former Molalla Kwik Gas, 305 West Main Street, Molalla, Oregon, DEQ File No. 03-05-461. October 14.

ECN, 2010b. First Quarter 2008 Groundwater Monitoring Report, Former Molalla Kwik Gas, 305 West Main Street, Molalla, Oregon, DEQ File No. 03-05-461. December 1.

Oregon Department of Environmental Quality, 1999 and 2003. Risk-Based Decision Making for the Remediation of Petroleum-Contaminated Sites (OAR 340-122-0205 through 0360). September 29, 1999, updated September 22, 2003.

Oregon Department of Environmental Quality, 2000. UST Cleanup Manual, Cleanup Rules for Leaking Petroleum UST Systems, OAR 340-122-0205 through 340-122-0360, and Associated Documents. Oregon Department of Environmental Quality, Portland, Oregon, December.

Oregon Department of Environmental Quality, 2009. Risk-Based Concentrations for Individual Chemicals. September 15.

10.0 LIMITATIONS

Environmental Compliance Northwest, Inc., has performed the work described in this report in accordance with the generally accepted standard of care existing in the State of Oregon at the time of the assessment. Judgments leading to conclusions and recommendations are generally made with an incomplete knowledge of the subsurface and historical conditions applicable to the study area. More extensive studies may be used to supplement the information presented in this report. Environmental Compliance Northwest, Inc., should be notified for additional consultation if Powell Distributing Company wishes to reduce uncertainties beyond the level associated with this assessment. Our assessment of the property also may change, as new data becomes available during additional site exploration, remediation, or development.

Since site activities and regulations beyond our control could change at any time after the completion of this report, our observations, findings, and opinions can be considered valid only as of the date of the report.

No warranty, express or implied is made.

TABLES

TABLE 1 Groundwater Analytical Results - TPH-Dx, TPH-G, RBDM VOCs, and Dissolved Lead Former Kwik Gas Station 305 West Main Street Molalla, Oregon ECN Project No. 05-106



Well I.D.	Date of Sampling	Casing Elevation	Depth to Water	Groundwater Elevation	Change in Elevation	TPH-	Dx [1] Lube Oil	TPH-G [2]	B [3]	T [3]	E [3]	X [3]	1,2,4-TMB [3]	EDB [3]	EDC [3]	1,3,5-TMB [3]	IPB [3]	MTBE [3]	NPB [3]	Naph- thalene [3]	Dissolved Lead [4]	LAB
	Sampling	(Feet)	(Feet)	(Feet)	(Feet)	Diesei	Lube On															
)							10.5	7.40	£4.0	67.4	9.34	ND<1.00	ND<1.00	5.98	2.95	ND<1.00	5.04	ND<1.00		SA
MW-1	6/5/2007	94.77	13.82	80.95		247	116	624	40.5	7.16	51.2	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00		SA
	3/30/2008	94.77	8.06	86.71	5.76	ND<245	ND<491	ND<100	ND<0.300	ND<1.00	ND<1.00	ND<1.00 ND<1.50										SA
	9/28/2008	94.77	17.41	77.36	-9.35	ND<243	ND<487	ND<100	ND<0.300	ND<0.500	ND<0.500	ND<1.50										
						***	ND -100	ND -400	ND<0.300	ND<0.500	ND<0.500	ND<1.50										SA
MW-2	6/5/2007	93.73	9.36	84.37		237	ND<100	ND<100	ND<0.300	ND<0.500	ND<0.500	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00		SA
	3/30/2008	93.73	3.35	90.38	6.01	ND<248	ND<495	ND<100	,,,,			ND<1.50										SA
	9/28/2008	93.73	11.10	82.63	-7.75	ND<242	ND<483	ND<100	ND<0.300	ND<0.500	ND~0.500	ND 1.50										
						ND<49.9	ND<49.9	363	ND<0.300	0.84	2.04	ND<1.50										SA
MW-3	6/5/2007	93.44	6.65	86.79			ND<49.9 ND<485	589	ND<0.300	ND<1.00	ND<1.00	ND<3.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00		SA
	3/30/2008	93.44	4.31	89.13	2.34	269		787	ND<0.300	ND<1.00	ND<1.00	ND<3.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	1.00	ND<1.00	ND<1.00	ND<1.00	0.65	SA
	9/28/2008	93.44	6.46	86.98	-2.15	350	ND<541	101	ND<0.300	140-1.00	11041.00	140.00	110									
			7.40	00.04		2,060	3,500	7,370	326	5.97	216	336.2	239	ND<1.00	ND<1.00	55	34.4	6.92	66.2	55.6	14	SA
MW-4	6/5/2007	94.10	7.16	86.94	0.07	2,050	ND<489	15,900	985	8.93	397	343.0	386	ND<1.00	ND<1.00	43.4	92.2	11.3	261	150	2.5	SA
	3/30/2008	94.10	4.29	89.81	2.87	2,050	665	14,000	979	9.74	743	167.8	332	ND<1.00	ND<1.00	88.3	125	ND<1.00	460	766	0.34	SA
	9/28/2008	94.10	7.69	86.41	-3.4	2,070	005	14,000	373	0.74												
Risk-Based Conce	entrations [5]																			40.000	NV	
- Volatilization to C						>\$	NE	>\$	14,000	>\$	41,000	>S	>S	960	9,500	6,800	>S	1,000,000	NE	16,000	NV	
(Occipational)	outdoo! /															44 000		590,000	NE	10,000	NV	
- Vapor Intrusion Ir	Into Buildings					>\$	NE	>\$	2,800	>S	7,400	>S	>S	690	3,800	41,000	>\$	590,000	INC	10,000		
(Occupational)										040.000	4.400	02.000	1,700	28	630	1,400	>\$	62,000	NE	500	>\$	
- Groundwater in a	an Excavation					>\$	NE	13,000	1,700	210,000	4,400	23,000	1,700	20	000	1,400						
(Construction and I	Excavation Work	(er)																				

ABBREVIATIONS:

- B: Benzene T: Toluene
- E: Ethylbenzene

- Total Xylenes
 MTBE: Metyl tertiary-butyl ether
 ND: Not detected at or above the indicated laboratory reporting limit

- NE: Not established by DEQ

 >S: The groundwater RBC exceeds the solubility limit.

 NV: This chemical is considered "nonvolatile" for purposes of the exposure calculations

Results are in micrograms per liter (µg/L)
(1) Nortwest Method NWTPH-Dx

- Northwest Method NWTPH-Gx
- EPA Method 8021B or 8260B EPA Method 6011
- Oregon Department of Environmental Quality (DEQ) Generic Risk Based Concentrations (RBCs)
- (1) (2) (3) (4) (5) SA BOLD Specialty Analytical
- Exceeds the RBC





lydrocarbons (μg/L)	Acenaphthene	Acenapthylene	Anthracene	enz(a)anthracene	Benzo(a)pyrene	enzo(b)fluoranthene	enzo(g,h,l)perylene	enzo(k)fluoranthene	Chrysene	benz(a,h)anthracene	Fluoroanthene	Fluorene	deno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	LAB
Sample Date						Be	8	œ.		Ö			드				
6/5/2007	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	2.81	ND<0.0503	ND<0.0503	SA
6/5/2007	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	SA
6/5/2007	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	0.0792	ND<0.0495	0.287	ND<0.0495	ND<0.0495	SA
6/5/2007	0.115	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	0.136	ND<0.0525	83.4	0.0630	ND<0.0525	SA
3/30/2008	0.231	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	0.0868	0.482	ND<0.0482	115	0.415	0.0868	SA
9/28/2008	0.203	0.0676	ND< 0.0483	ND< 0.0483	ND< 0.0483	ND< 0.0483	ND< 0.0483	ND< 0.0483	ND< 0.0483	ND< 0.0483	0.126	0.261	ND< 0.0483	94.7	0.300	0.126	SA
ons [2] Outdoor Air Onto buidlings Cavation Avation Worker	>S >S >S	NE NE NE	>S >S >S	NV NV 9.1	NV NV 0.53	NV NV >S	NE NE NE	NV NV >S	NV NV >S	NV NV 0.21	NV NV >S	>S >S >S	NV NV >S	16,000 10,000 500	NE NE NE	NV NV >S	
	Sample Date 6/5/2007 6/5/2007 6/5/2007 3/30/2008 9/28/2008 ons [2] outdoor Air nto buidlings cavation	Sample Date 6/5/2007 ND<0.0503 6/5/2007 ND<0.0498 6/5/2007 ND<0.0495 6/5/2007 0.115 3/30/2008 0.231 9/28/2008 0.203 ons [2] outdoor Air oto buildlings >S cavation >S	Sample Date 6/5/2007 ND<0.0503 ND<0.0503 6/5/2007 ND<0.0498 ND<0.0498 6/5/2007 ND<0.0495 ND<0.0495 6/5/2007 0.115 ND<0.0495 3/30/2008 0.231 ND<0.0482 9/28/2008 0.203 0.0676 ons [2] outdoor Air	Sample Date Sample Date Sample Date Sample Date Solution Sample Date Sample Date Solution Sample Date Solution Sample Date Sample Da	Sample Date Sample Date	Sample Date Sample Date Sample Date Sample Date ND<0.0503 ND<0.0498 ND<0.0498 ND<0.0498 ND<0.0498 ND<0.0498 ND<0.0498 ND<0.0498 ND<0.0495 ND<0.0495 ND<0.0495 ND<0.0495 ND<0.0495 ND<0.0495 ND<0.0495 ND<0.0495 ND<0.0495 ND<0.0525 ND<0.0525 ND<0.0525 ND<0.0525 ND<0.0525 ND<0.0525 ND<0.0525 ND<0.0525 ND<0.0525 ND<0.0482 ND<0.0482 ND<0.0482 ND<0.0482 ND<0.0482 ND<0.0483 ND<0.048	Sample Date Sample Date S	Sample Date Sample Date S	Sample Date Sample Date Sample Date Sample Date ND<0.0503 ND<0.0498 ND<0.0495 ND<0.0495	Sample Date Sample Date S	Sample Date Sample Date S	Sample Date Fig. F	Sample Date Fig. F	Sample Date Sampl	Sample Date Sample Date 6/6/2007 ND<0.0503 N	Sample Date Sample Date	### Band Fig. Fig.

SA Specialty Analytical µg/L Micrograms per Liter

NE


NV

>S

(DEQ, 2009).

A Risk-Based Concentration has not been determined for this constituent
This chemical is considered "nonvolatile" for purposes of the exposure calculation
This groundwater RBC exceeds the solubility limit. Groundwater concentrations in excess of S indicate that
free product may be present. If solubility is not listed, data was not listed in Appendix D of the DEQ RBDM guidance document
(DEQ, 2009).

FIGURES





VICINITY MAP

MOLALLA KWIK GAS 305 WEST MAIN STREET MOLALLA, OREGON


ECNW PROJ. No. 05-106

FIGURE 1





APPENDIX A



11711 SE Capps Road Clackamas, OR 97015 (503) 607-1331 Fax (503) 607-1336

October 14, 2008

John Day

Environmental Compliance Northwest, Inc.

P.O. Box 230163

Portland, OR 97281

TEL: (503) 372-9760

FAX (503) 213-9980

RE: Powell-Molalla / 05-106

Dear John Day:

Order No.: 0809136

Specialty Analytical received 4 samples on 9/30/2008 for the analyses presented in the following report.

REVISED REPORT VERSION 1. Please see case narrative for information on revision.

There were no problems with the analysis and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative, or as qualified with flags. Results apply only to the samples analyzed. Without approval of the laboratory, the reproduction of this report is only permitted in its entirety.

Cindy Hillyard

Project Manager

Technical Review

Date: 14-Oct-08

CLIENT:

Environmental Compliance Northwest, Inc.

Project:

Powell-Molalla / 05-106

Lab Order:

0809136

CASE NARRATIVE

Report Revision 1

PAH was added to Specialty Analytical sample 0809136-04 (MW-4) per clients request.

Date: 14-Oct-08

CLIENT:

Environmental Compliance Northwest, Inc.

Lab Order:

0809136

0009

Powell-Molalla / 05-106

Project: Lab ID:

0809136-01

Client Sample ID: MW-1

Collection Date: 9/28/2008 3:40:00 PM

Analyses	Result	Limit	Qual U	nits	DF	Date Analyzed
NWTPH-DX		NWTPH-DX				Analyst: jrp
Diesel	ND	0.243	m	ng/L	1	10/2/2008
Lube Oil	ND	0.487	m	ng/L	1	10/2/2008
Surr: o-Terphenyl	65.1	50-150	%	BREC	1	10/2/2008
BTEX - RBC		SW8021B				Analyst: jrp
Benzene	ND	0.300	μ	g/L	1	10/1/2008
Toluene	ND	0.500	μ	g/L	1	10/1/2008
Ethylbenzene	ND	0.500	μ	g/L	1	10/1/2008
Xylenes, Total	ND	1.50	μ	g/L	1	10/1/2008
Surr: 4-Bromofluorobenzene	106	74.8-126	%	REC	1	10/1/2008
NWTPH-GX		NWTPH-GX				Analyst: jrp
Gasoline	ND	100	μ	g/L	. 1	10/1/2008
Surr: 4-Bromofluorobenzene	104	50-150	%	REC	1	10/1/2008

Date: 14-Oct-08

CLIENT:

Environmental Compliance Northwest, Inc.

Lab Order:

0809136

Project:

Powell-Molalla / 05-106

Lab ID:

0809136-02

Client Sample ID: MW-2

Collection Date: 9/28/2008 4:10:00 PM

Analyses	Result	Limit	Qual Units	DF	Date Analyzed
NWTPH-DX		NWTPH-DX			Analyst: jrp
Diesel	ND	0.242	mg/L	1	10/2/2008
Lube Oil	ND	0.483	mg/L	1	10/2/2008
Surr: o-Terphenyl	55.9	50-150	%REC	1	10/2/2008
BTEX - RBC		SW8021B			Analyst: jrp
Benzene	ND	0.300	μg/L	1	10/1/2008
Toluene	ND	0.500	μg/L	1	10/1/2008
Ethylbenzene	ND	0.500	μg/L	1	10/1/2008
Xylenes, Total	ND	1.50	μg/L	1	10/1/2008
Surr: 4-Bromofluorobenzene	106	74.8-126	%REC	1	10/1/2008
NWTPH-GX		NWTPH-GX			Analyst: jrp
Gasoline	ND	100	μg/L	1	10/1/2008
Surr: 4-Bromofluorobenzene	101	50-150	%REC	1	10/1/2008

Date: 14-Oct-08

CLIENT:

Environmental Compliance Northwest, Inc.

Lab Order:

0809136

Client Sample ID: MW-3

Project:

Powell-Molalla / 05-106

Lab ID:

0809136-03

Collection Date: 9/28/2008 4:40:00 PM

Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
NWTPH-DX		NWTPH-DX				Analyst: jrp
Diesel	0.350	0.270	Α1	mg/L	1	10/2/2008
Lube Oil	ND	0.541		mg/L	1	10/2/2008
Surr: o-Terphenyl	83.4	50-150		%REC	1	10/2/2008
NWTPH-GX		NWTPH-GX				Analyst: jrp
Gasoline	787	100		μg/L	1	10/1/2008
Surr: 4-Bromofluorobenzene	99.9	50-150		%REC	1	10/1/2008
DISSOLVED METALS BY ICP/MS		SW6020				Analyst: zau
Lead	1.1	0.10		ug/L	1	10/2/2008 12:58:00 PM
VOLATILE ORGANICS BY GC/MS		SW8260B				Analyst: bda
1,2,4-Trimethylbenzene	ND	1.00		μg/L	1	10/1/2008 11:00:00 AM
1,2-Dibromoethane	ND	1.00		µg/L	1	10/1/2008 11:00:00 AM
1,2-Dichloroethane	ND	1.00		μg/L	1	10/1/2008 11:00:00 AM
1,3,5-Trimethylbenzene	ND	1.00		µg/L	1	10/1/2008 11:00:00 AM
Benzene	ND	0.300		μg/L	1	10/1/2008 11:00:00 AM
Ethylbenzene	ND	1.00		μg/L	1	10/1/2008 11:00:00 AM
Isopropylbenzene	1.00	1.00		μg/L	1	10/1/2008 11:00:00 AM
m,p-Xylene	ND	2.00		μg/L	1	10/1/2008 11:00:00 AM
Methyl tert-butyl ether	ND	1.00		μg/L	1	10/1/2008 11:00:00 AM
n-Propylbenzene	ND	1.00		μg/L	1	10/1/2008 11:00:00 AM
Naphthalene	ND	1.00		μg/L	1	10/1/2008 11:00:00 AM
o-Xylene	ND	1.00		μg/L	1	10/1/2008 11:00:00 AM
Toluene	ND	1.00		μg/L	1	10/1/2008 11:00:00 AM
Surr: 1,2-Dichloroethane-d4	94.4	72.2-129		%REC	1	10/1/2008 11:00:00 AM
Surr: 4-Bromofluorobenzene	104	73.5-125		%REC	1	10/1/2008 11:00:00 AM
Surr: Dibromofluoromethane	112	58.8-148		%REC	1	10/1/2008 11:00:00 AM
Surr: Toluene-d8	88.8	79.8-137		%REC	1	10/1/2008 11:00:00 AM

Date: 14-Oct-08

CLIENT:

Environmental Compliance Northwest, Inc.

Lab Order:

Client Sample ID: MW-4

0809136

Collection Date: 9/28/2008 5:10:00 PM

Project:

Powell-Molalla / 05-106

Lab ID:

0809136-04

Lab ID: 0809136-04				14	iatrix:	GRO	UNDWATER
Analyses	Result	Limit	Qual	Units		DF	Date Analyzed
NWTPH-DX		NWTPH-DX					Analyst: jrp
Diesel	2.07	0.245	Α1	mg/L		1	10/2/2008
Lube Oil	0.665	0.490		mg/L		1	10/2/2008
Surr: o-Terphenyl	54.6	50-150		%REC		1	_ 10/2/2008
NWTPH-GX		NWTPH-GX					Analyst: jrp
Gasoline	14000	500		μg/L		5	10/1/2008
Surr: 4-Bromofluorobenzene	112	50-150		%REC		5	10/1/2008
DISSOLVED METALS BY ICP/MS		SW6020					Analyst: zau
Lead	0.34	0.10		ug/L		1	10/2/2008 1:05:00 PM
LOW LEVEL PAH BY GC/MS OARSIM	(8270C)	8270SIM					Analyst: bda
Acenaphthene	0.203	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Acenaphthylene	0.0676	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Anthracene	ND	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Benz(a)anthracene	ND	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Benzo(a)pyrene	ND	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Benzo(b)fluoranthene	ND	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Benzo(g,h,i)perylene	ND	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Benzo(k)fluoranthene	ND	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Chrysene	ND	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Dibenz(a,h)anthracene	ND	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Fluoranthene	0.126	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Fluorene	0.261	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Indeno(1,2,3-cd)pyrene	ND	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Naphthalene	94.7	0.483		μg/L		10	10/13/2008 10:32:00 PM
Phenanthrene	0.300	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Pyrene	0.126	0.0483		μg/L		1	10/13/2008 11:01:00 PM
Surr: 2-Fluorobiphenyl	64.6	18.6-106		%REC		1	10/13/2008 11:01:00 PM
Surr: Nitrobenzene-d5	79.4	17-130		%REC		1	10/13/2008 11:01:00 PM
Surr: p-Terphenyl-d14	82.3	39.6-131		%REC		1	10/13/2008 11:01:00 PM
VOLATILE ORGANICS BY GC/MS		SW8260B					Analyst: bda
1,2,4-Trimethylbenzene	332	5.00		μg/L		5	10/1/2008 5:36:00 PM
1,2-Dibromoethane	ND	1.00		μg/L		1	10/1/2008 1:24:00 PM
1,2-Dichloroethane	ND	1.00		μg/L		1	10/1/2008 1:24:00 PM
1,3,5-Trimethylbenzene	88.3	1.00		μg/L		1	10/1/2008 1:24:00 PM
Benzene	979	6.00		μg/L		20	10/1/2008 5:00:00 PM
Ethylbenzene	743	20.0		μg/L		20	10/1/2008 5:00:00 PM
Isopropylbenzene	125	1.00		μg/L		1	10/1/2008 1:24:00 PM
m,p-Xylene	148	2.00		μg/L		1	10/1/2008 1:24:00 PM
Methyl tert-butyl ether	ND	1.00		μg/L		1	10/1/2008 1:24:00 PM
n-Propylbenzene	460	5.00		μg/L		5	10/1/2008 5:36:00 PM

Date: 14-Oct-08

CLIENT:

Environmental Compliance Northwest, Inc.

Lab Order:

0809136

0007130

Project:

Powell-Molalla / 05-106

Lab ID:

0809136-04

Client Sample ID: MW-4

Collection Date: 9/28/2008 5:10:00 PM

Analyses	Result	Limit	Qual Units	DF	Date Analyzed
VOLATILE ORGANICS BY GC/MS		SW8260B			Analyst: bda
Naphthalene	766	5.00	μg/L	5	10/1/2008 5:36:00 PM
o-Xylene	19.8	1.00	μg/L	1	10/1/2008 1:24:00 PM
Toluene	9.74	1.00	μg/L	1	10/1/2008 1:24:00 PM
Surr: 1,2-Dichloroethane-d4	84.1	72.2-129	%REC	1	10/1/2008 1:24:00 PM
Surr: 4-Bromofluorobenzene	88.0	73.5-125	%REC	1	10/1/2008 1:24:00 PM
Surr: Dibromofluoromethane	94.6	58.8-148	%REC	1	10/1/2008 1:24:00 PM
Surr: Toluene-d8	84.1	79.8-137	%REC	1	10/1/2008 1:24:00 PM

CLIENT:

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Project:

Powell-Molalla/05-106

Date: 14-Oct-08

ANALYTICAL QC SUMMARY REPORT

TestCode: 6020_WDISS

_													
Sample ID	0809137-04CMS	SampType: MS	S Te	estCod	le: 6020_WD	ISS Units: ug/L		Prep Da	te: 10/1/2	008	Run ID: IC	PMS_08100	2A
Client ID:	ZZZZZ	Batch ID: 21	909	TestN	lo: SW6020			Analysis Da	ite: 10/2/2	800	SeqNo: 56		
Analyte		Re	esult F	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Cadmium		5	0.45).10	50	0	101	70	130	0	0		
Chromium		4	8.17	1.0	50	0	96.3	70	130	0	0		
Lead		4	9.72 0).10	50	1.211	97	70	130		0		
Sample ID	0809137-04CMSD	SampType: MS	SD Te	estCod	le: 6020_WD	ISS Units: ug/L		Prep Da	te: 10/1/2	008	Run ID: IC	PMS_08100	2A
Client ID:	ZZZZZ	Batch ID: 21	909	TestN	lo: SW6020			Analysis Da		800	SeqNo: 56	_	
Analyte		Re	esult P	QL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Cadmium		4	9.92	.10	50	0	99.8	70	130	50.45	1.06	20	7
Chromium		4	8.87	1.0	50	0	97.7	70	130	48.17	1.44	20	
Lead		4	9.44 0	.10	50	1.211	96.5	70	130	49.72	0.565	20	
Sample ID	0809137-04CDUP	SampType: DU	IP Te	estCod	e: 6020_WD	ISS Units: ug/L		Prep Dat	te: 10/1/2	008	Run ID: IC	PMS_081002	2A
Client ID:	ZZZZZ	Batch ID: 21	909	TestN	o: SW6020			Analysis Da	te: 10/2/2	008	SeqNo: 56		
Analyte													
		K6	esult P	QL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Cadmium		K6		QL 1.10	SPK value 0	SPK Ref Val	%REC 0	LowLimit 0	HighLimit 0	RPD Ref Val	%RPD 0		Qual
Cadmium Chromium		R€	ND 0									20	Qual
			ND 0	.10	0	0	0	0	0	0	0		Qual
Chromium	ccv		ND 0 ND .198 0	1.0 1.0	0 0 0	0	0	0	0 0 0	0	0 0 1.08	20 20 20	
Chromium Lead Sample ID	CCV ZZZZZ	1.	ND 0 ND 198 0	1.0 1.0 1.10 estCod	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 1.211	0 0 1.08	20 20 20 PMS_081002	
Chromium Lead Sample ID		SampType: CC Batch ID: 219	ND 0 ND 198 0 EV Te	1.0 1.0 1.10 estCod	0 0 0 e: 6020_WD o: SW6020	0 0 0	0 0 0	0 0 0 Prep Dat Analysis Da	0 0 0 re: te: 10/2/2	0 0 1.211	0 0 1.08 Run ID: IC I	20 20 20 PMS_081002	
Chromium Lead Sample ID Client ID:		SampType: CC Batch ID: 219	ND 0 ND 198 0 EV Te	1.0 1.0 1.10 estCod	0 0 0 e: 6020_WD o: SW6020	0 0 0	0 0 0	0 0 0 Prep Dat Analysis Da	0 0 0 re: te: 10/2/2	0 0 1.211	0 0 1.08 Run ID: ICI SeqNo: 56	20 20 20 20 PMS_081002 0438	2A
Chromium Lead Sample ID Client ID: Analyte		SampType: CC Batch ID: 219	ND 0 ND 1198 0 OEV Te 909 Poult P	estCod TestN	0 0 0 e: 6020_WD o: SW6020 SPK value	0 0 0 ISS Units: ug/L	0 0 0	0 0 0 Prep Dat Analysis Da LowLimit	0 0 0 te: te: 10/2/2 HighLimit	0 0 1.211 008 RPD Ref Val	0 0 1.08 Run ID: ICI SeqNo: 56	20 20 20 20 PMS_081002 0438	2A

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blan

Page 1 of 15

Project:

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Powell-Molalla/05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: 6020_WDISS

CCV	SampType: C	CCV	TestCod	e: 6020_WD	ISS Units: ug/L		Prep Da	te:		Run ID: IC	PMS_08100	2A
ZZZZZ	Batch ID: 2	21909	TestN	o: SW6020			Analysis Da	te: 10/2/2	800	SeqNo: 56	0442	
	F	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
		51.49	0.10	50	0	103	90	110	0	0		
ICB-21909	SampType: I	СВ	TestCod	e: 6020_WD	SS Units: ug/L		Prep Dat	te: 10/1/2	008	Run ID: IC	PMS 08100	2A
ZZZZZ	Batch ID: 2	21909	TestN	o: SW6020								
	F	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
		ND	0.10	0	0	0	0	0	0	0		
		ND	1.0	0	0	0	0	0	0	0		
		ND	0.10	0	0	0	0	0	0	0		
ICV	SampType: I	cv	TestCode	e: 6020_WD I	SS Units: ug/L		Prep Dat	e:		Run ID: IC	PMS_08100	2A
ZZZZZ	Batch ID: 2	21909	TestN	o: SW6020			Analysis Da	te: 10/2/2	800			
	F	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
		50.74	0.10	50	0	101	90	110	0	0		
		50.54	1.0	50	0	101	90	110	0	0		
		48.02	0.10	50	0	96	90	110	0	0		
	ICB-21909 ZZZZZ	ICB-21909 SampType: I ZZZZZ Batch ID: 2	Result SampType: ICB Result	Result PQL	Result	Batch ID: 21909 TestNo: SW6020 Result PQL SPK value SPK Ref Val 51.49 0.10 50 0 0 ICB-21909 SampType: ICB TestCode: 6020_WDISS Units: ug/L	Result PQL SPK value SPK Ref Val %REC	Result PQL SPK value SPK Ref Val WREC LowLimit	Patch Description Patch Patch	Part Part	Patch ID: 21909 TestNo: SW6020 Analysis Date: 10/2/2008 SeqNo: 56	Part Part

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Project:

Powell-Molalla/05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID MB-21901	SampType: MBLK	TestCode	: 8260_W	Units: µg/L		Prep Dat	te: 10/1/2	800	Run ID: 59	73J_081001	В
Client ID: ZZZZZ	Batch ID: 21901	TestNo	: SW8260B			Analysis Da	te: 10/1/2	008	SeqNo: 56	0285	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1,1,2-Tetrachloroethane	ND	1.00									
1,1,1-Trichloroethane	ND	1.00									
1,1,2,2-Tetrachloroethane	ND	1.00									
1,1,2-Trichloroethane	ND	1.00									
1,1-Dichloroethane	ND	1.00									
1,1-Dichloroethene	ND	1.00									
1,1-Dichloropropene	ND	1.00									
1,2,3-Trichlorobenzene	ND	1.00									
1,2,3-Trichloropropane	ND	1.00									
1,2,4-Trichlorobenzene	ND	1.00									
1,2,4-Trimethylbenzene	ND	1.00									
1,2-Dibromo-3-chloropropane	ND	1.00									
1,2-Dibromoethane	ND	1.00									
1,2-Dichlorobenzene	ND	1.00									
1,2-Dichloroethane	ND	1.00									
1,2-Dichloropropane	ND	1.00									
1,3,5-Trimethylbenzene	ND	1.00									
1,3-Dichlorobenzene	ND	1.00									
1,3-Dichloropropane	ND	1.00									
1,4-Dichlorobenzene	ND	1.00									
2,2-Dichloropropane	ND	1.00									
2-Butanone	ND	10.0									
2-Chlorotoluene	ND	1.00									
2-Hexanone	ND	10.0									
4-Chlorotoluene	ND	1.00									
4-Isopropyltoluene	ND	1.00									
4-Methyl-2-pentanone	ND	20.0									
Acetone	ND	50.0									
Acrylonitrile	ND	5.00									
Benzene	ND	0.300									
Bromobenzene	ND	1.00									
	-										

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blan

Page 3 of 15

Project:

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Powell-Molalla/05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID MB-21901 Client ID: ZZZZZ	SampType: MBLK Batch ID: 21901		de: 8260_W No: SW8260B	Units: µg/L		Prep Dat Analysis Da	e: 10/1/2 te: 10/1/2		Run ID: 59 SeqNo: 56	73J_081001 0285	В
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Bromochloromethane	ND	1.00									
Bromodichloromethane	ND	1.00									
Bromoform	ND	1.00									
Bromomethane	ND	1.00									
Carbon disulfide	ND	2.00									
Carbontetrachloride	ND	1.00									
Chlorobenzene	ND	1.00									
Chloroethane	ND	1.00									
Chloroform	ND	1.00									
Chloromethane	ND	1.00									
cis-1,2-Dichloroethene	ND	1.00									
cis-1,3-Dichloropropene	ND	1.00									
Dibromochloromethane	ND	1.00									
Dibromomethane	ND	1.00									
Dichlorodifluoromethane	ND	1.00									
Ethylbenzene	0.16	1.00									J
Hexachlorobutadiene	ND	1.00									Ü
Isopropylbenzene	ND	1.00									
m,p-Xylene	ND	2.00									
Methyl tert-butyl ether	ND	1.00									
Methylene chloride	2.13	20.0									J
n-Butylbenzene	ND	1.00									J
n-Propylbenzene	ND	1.00									
Naphthalene	0.54	1.00									J
o-Xylene	ND	1.00									Ü
sec-Butylbenzene	ND	1.00									
Styrene	ND	1.00									
tert-Butylbenzene	ND	1.00									
Tetrachloroethene	ND	1.00									
Toluene	ND	1.00									
trans-1,2-Dichloroethene	ND	1.00									

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blan

Page 4 of 15

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Project:

Powell-Molalla/05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID MB-21901 Client ID: ZZZZZ	SampType: M Batch ID: 2			e: 8260_W o: SW8260B	Units: µg/L		Prep Date Analysis Dat			Run ID: 59 SegNo: 56		1B
Analyte	F	Result	PQL	SPK value	SPK Ref Val	%REC			RPD Ref Val	%RPD	RPDLimit	Qual
trans-1,3-Dichloropropene		ND	1.00									
Trichloroethene		ND	1.00									
Trichlorofluoromethane		ND	1.00									
Vinyl chloride		ND	1.00									
Surr:1,2-Dichloroethane-d4		101.1	0	100	0	101	72.2	129	0	0		
Surr:4-Bromofluorobenzene	- 9	104.3	0	100	0	104	73.5	125	0	0		
Surr:Dibromofluoromethane		115	0	100	0	115	58.8	148	0	0		
Surr: Toluene-d8		95.42	0	100	0	95.4	79.8	137	0	0		
Sample ID LCS-21901	SampType: L	.cs	TestCod	e: 8260_W	Units: µg/L		Prep Date	e: 10/1/20	008	Run ID: 59	73J_08100°	1B
Client ID: ZZZZZ	Batch ID: 2	1901	TestN	o: SW8260B			Analysis Dat	e: 10/1/2 0	008	SeqNo: 56		
Analyte	F	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	;	39.77	1.00	40	0	99.4	69.9	130	0	0		
Benzene		40.69	0.300	40	0	102	77.9	125	0	0		
Chlorobenzene	;	39.47	1.00	40	0	98.7	82.5	114	0	0		
Toluene	:	36.96	1.00	40	0	92.4	74.6	119	0	0		
Trichloroethene		47.08	1.00	40	0	118	74.7	125	0	0		
Sample ID A0810008-01AMS	SampType: N	/IS	TestCod	e: 8260_W	Units: µg/L		Prep Date	e: 10/1/2 0	008	Run ID: 59	73J_08100 ⁻	1B
Client ID: ZZZZZ	Batch ID: 2	1901	TestN	o: SW8260B			Analysis Dat	e: 10/2/2 0	008	SeqNo: 56	0304	
Analyte	F	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene		973.5	25.0	1000	0	97.4	51.4	176	0	0		
Benzene		1167	7.50	1000	0	117	71.5	118	0	0		
Chlorobenzene		1131	25.0	1000	0	113	79.8	114	0	0		
Toluene		1041	25.0	1000	3.75	104	79.6	121	0	0		
Trichloroethene		1347	25.0	1000	38.75	131	73.6	120	0	0		S

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blan

Page 5 of 15

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Project:

Powell-Molalla/05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: 8260_W

Sample ID	AMSD SampTyp	e: MSD	TestCo	de: 8260_W	Units: µg/L		Prep Da	te: 10/1/2	008	Run ID: 59	73J_081001	В
Client ID: ZZZZZ	Batch I	D: 21901	Test	No: SW8260E	3		Analysis Da	ate: 10/2/2	800	SeqNo: 56	0305	
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene		875.8	25.0	1000	0	87.6	51.4	176	973.5	10.6	20	
Benzene		1160	7.50	1000	0	116	71.5	118	1167	0.645	20	
Chlorobenzene		1087	25.0	1000	0	109	79.8	114	1131	4.01	20	
Toluene		1004	25.0	1000	3.75	100	79.6	121	1041	3.62	20	
Trichloroethene		1386	25.0	1000	38.75	135	73.6	120	1347	2.84	20	S
Sample ID CCV-21901	SampTyp	e: CCV	TestCo	de: 8260_W	Units: µg/L		Prep Da	te:		Run ID: 59	73J_081001	В
Client ID: ZZZZZ	Batch II	D: 21901	Test	No: SW8260 E	Lj (1		Analysis Da	te: 10/1/2	800	SeqNo: 56		
Analyte		Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene	*	38.53	1.00	40	0	96.3	80	120	0	0		
1,2-Dichloropropane		40.29	1.00	40	0	101	80	120	0	0		
Chloroform		43.71	1.00	40	0	109	80	120	0	0		
Ethylbenzene		40.31	1.00	40	0	101	80	120	0	0		
Toluene		37.44	1.00	40	0	93.6	80	120	0	0		
Vinyl chloride		39.29	1.00	40	0	98.2	80	120	0	0		
Sample ID CCV-21901	SampTyp	e: CCV	TestCod	de: 8260_W	Units: µg/L		Prep Da	te:		Run ID: 59	73J_081001I	В
Client ID: ZZZZZ	Batch II	D: 21901	TestN	lo: SW8260 B			Analysis Da	ite: 10/1/2	800	SeqNo: 56	0297	
Analyte	=	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,1-Dichloroethene		35.58	1.00	40	0	89	80	120	0	0		-
1,2-Dichloropropane		40.3	1.00	40	0	101	80	120	0	0		
Chloroform		38.7	1.00	40	0	96.8	80	120	0	0		
			4.00	40	0	97.5	80	120	0	0		
Ethylbenzene		39	1.00	40	U	31.5	ŲŪ					
Ethylbenzene Toluene		39 36.08	1.00	40	0	90.2	80	120	0	0		

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blan

Page 6 of 15

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Project:

Powell-Molalla/05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: BTEXRBC_W

Sample ID MB-21904	SampType: Mi	BLK TestCo	de: BTEXRBO	_W Units: µg/L		Prep Dat	e: 10/1/20	008	Run ID: GO	C-I_081001A	
Client ID: ZZZZZ	Batch ID: 21	904 Testi	No: SW8021E	1		Analysis Da	te: 10/1/20	008	SeqNo: 56	0321	
Analyte	Re	esult PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	-	ND 0.300									
Toluene		ND 0.500									
Ethylbenzene		ND 0.500									
Xylenes, Total		ND 1.50									
Surr:4-Bromofluorobenzene		104 1.00	100	0	104	74.8	126	0	0		
Sample ID LCS-21904	SampType: LC	CS TestCo	de: BTEXRBO	_W Units: µg/L		Prep Dat	e: 10/1/20	008	Run ID: GO	C-I_081001A	
Client ID: ZZZZZ	Batch ID: 21	904 Testi	No: SW8021E	i	9	Analysis Da	te: 10/1/20	008	SeqNo: 56	0322	
Analyte	Re	esult PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	2	26.02 0.300	25	0	104	75.8	113	0	0		
Toluene	2	25.23 0.500	25	0	101	77	116	0	0		
Ethylbenzene		25.8 0.500	25	0	103	76.6	118	0	0		
Xylenes, Total	7	79.22 1.50	75	0	106	76.7	118	0	0		
Sample ID 0809136-01BMS	SampType: M:	S TestCo	de: BTEXRBO	_W Units: µg/L		Prep Dat	e: 10/1/2 0	008	Run ID: GC	C-I_081001A	
Client ID: MW-1	Batch ID: 21	904 Testi	No: SW8021E			Analysis Da	te: 10/1/20	008	SeqNo: 56	0324	
Analyte	Re	esult PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	2	26.43 0.300	25	0	106	67.8	118	0	0		
Toluene	2	24.85 0.500	25	0	99.4	74.7	117	0	0		
Ethylbenzene	2	25.42 0.500	25	0	102	74.5	115	0	0		
Xylenes, Total	7	77.14 1.50	75	0	103	76.8	120	0	0		
Sample ID 0809136-01BMSD	SampType: MS	SD TestCo	de: BTEXRBO	_W Units: μg/L		Prep Dat	e: 10/1/20	008	Run ID: GC	C-I_081001A	
Client ID: MW-1	Batch ID: 21	904 Testi	No: SW8021E		20	Analysis Da	te: 10/1/20	008	SeqNo: 56	0325	
Analyte	Re	esult PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene	2	28.43 0.300	25	0	114	67.8	118	26.43	7.29	20	
Toluene	2	26.28 0.500	25	0	105	74.7	117	24.85	5.59	20	
Ethylbenzene	2	27.13 0.500	25	0	109	74.5	115	25.42	6.51	20	

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blan

Page 7 of 15

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Project:

Powell-Molalla/05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: BTEXRBC_W

Sample ID 0809136-01BMSD Client ID: MW-1	SampType: MSD Batch ID: 21904		BTEXRBO	C_W Units: µg/L		Prep Dat Analysis Da	te: 10/1/20		Run ID: G0 SeqNo: 56	C-I_081001A 0325	
Analyte	Result	PQL S	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Xylenes, Total	82.26	1.50	75	0	110	76.8	120	77.14	6.42	20	
Sample ID CCV Client ID: ZZZZZ	SampType: CCV Batch ID: 21904		BTEXRBC SW8021B	_W Units: µg/L	,	Prep Dat Analysis Da		008	Run ID: GC SeqNo: 56	C-I_081001A 0323	
Analyte	Result	PQL S	PK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Benzene Toluene Ethylbenzene Xylenes, Total	51.16 50 49.51 152.2	0.300 0.500 0.500 1.50	50 50 50 150	0 0 0	102 100 99 101	85 85 85 85	115 115 115 115	0 0 0 0	0 0 0		

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Project:

Powell-Molalla/05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: NWTPHDX_W

J J 31002A _imit Qual
J J 31002A
imit Qual
imit Qual
31002A
_imit Qual
20
20
31002A
imit Qual
31002A
31002A
31002A .imit Qual
2

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blan

Page 9 of 15

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Project:

Powell-Molalla/05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: NWTPHDX_W

Sample ID Client ID:	CCV ZZZZZ	SampType: Batch ID:			de: NWTPHD	_		Prep Da Analysis Da		008	Run ID: GC SeqNo: 560	.—	A
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lube Oil			9.463	0.500	10	0	94.6	85	115	0	0		
Sample ID Client ID:	CCV	SampType: Batch ID:			le: NWTPHD lo: NWTPH- D	_		Prep Da Analysis Da		008	Run ID: GC SeqNo: 560		A
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Diesel Lube Oil			14.89 7.364	0.250 0.500	15 7.5	0	99.3 98.2	85 85	115 115	0	0	12	
Sample ID Client ID:	CCV ZZZZZ	SampType: Batch ID:			le: NWTPHD)	_		Prep Dat Analysis Da		008	Run ID: GC SeqNo: 560	_	A
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Diesel Lube Oil			19.67 9.666	0.250 0.500	20 10	0	98.3 96.7	85 85	115 115	0	0		
Sample ID Client ID:	CCV ZZZZZ	SampType: Batch ID:			le: NWTPHD lo: NWTPH-D	_		Prep Dat Analysis Da		008	Run ID: GC	_	A
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Diesel Lube Oil			19.67 9.666	0.250 0.500	20 10	0	98.3 96.7	85 85	115 115	0	0		ī
Sample ID Client ID:	CCV ZZZZZ	SampType: Batch ID:			le: NWTPHD) lo: NWTPH-D	_		Prep Dat Analysis Da		008	Run ID: GC- SeqNo: 560	_	A
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Diesel Lube Oil			14.98 6.966	0.250 0.500	15 7.5	0	99.9 92.9	85 85	115 115	0	0		

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blan

Page 10 of 15

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Project:

Powell-Molalla/05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: NWTPHGX_W

Sample ID MB-21905 SampType: MBLK TestCode: NWTPHGX_ Units: μg/L Prep Date: 10/1/2008 Client ID: ZZZZZ Batch ID: 21905 TestNo: NWTPH-Gx Analysis Date: 10/1/2008 Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit RPD Ref Val Gasoline Surr:4-Bromofluorobenzene ND 100 0 94 50 150 0 Sample ID LCS-21905 SampType: LCS TestCode: NWTPHGX_ Units: μg/L Prep Date: 10/1/2008 Client ID: ZZZZZ Batch ID: 21905 TestNo: NWTPH-Gx Analysis Date: 10/1/2008	Run ID: GC-I_081001B SeqNo: 560335 %RPD RPDLimit Qual 0 Run ID: GC-I_081001B
Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit RPD Ref Val Gasoline Surr:4-Bromofluorobenzene ND 94.01 100 0 0 100 0 94 94 50 150 150 0 0 Sample ID Surr:4-Bromofluorobenzene SampType: LCS TestCode: NWTPHGX_ Units: μg/L Prep Date: 10/1/2008	0
Surr:4-Bromofluorobenzene 94.01 0 100 0 94 50 150 0 Sample ID LCS-21905 SampType: LCS TestCode: NWTPHGX_ Units: µg/L Units: µg/L Prep Date: 10/1/2008	
The plate. 10/1/2000	Run ID: GC-I_081001B
	SeqNo: 560336
Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit RPD Ref Val	%RPD RPDLimit Qual
Gasoline 1974 100 2000 0 98.7 74.4 128 0	0
Sample ID 0809136-02BDUP SampType: DUP TestCode: NWTPHGX_ Units: μg/L Prep Date: 10/1/2008 Client ID: MW-2 Batch ID: 21905 TestNo: NWTPH-Gx Analysis Date: 10/1/2008	Run ID: GC-I_081001B SeqNo: 560340
Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit RPD Ref Val	%RPD RPDLimit Qual
Gasoline ND 100 0 0 0 0 0 0	0 20
Sample ID CCV SampType: CCV TestCode: NWTPHGX_ Units: µg/L Prep Date: Client ID: ZZZZZ Batch ID: 21905 TestNo: NWTPH-Gx Analysis Date: 10/1/2008	Run ID: GC-I_081001B SeqNo: 560337
Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit RPD Ref Val	%RPD RPDLimit Qual
Gasoline 2490 100 2500 0 99.6 80 120 0	0
Sample ID CCV SampType: CCV TestCode: NWTPHGX_ Units: µg/L Prep Date: Client ID: ZZZZZ Batch ID: 21905 TestNo: NWTPH-Gx Analysis Date: 10/1/2008	Run ID: GC-I_081001B SeqNo: 560346
Analyte Result PQL SPK value SPK Ref Val %REC LowLimit HighLimit RPD Ref Val	%RPD RPDLimit Qual

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blan

Page 11 of 15

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Project:

Powell-Molalla/05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: NWTPHGX_W

Sample ID Client ID:	CCV	SampType: CCV Batch ID: 21905		le: NWTPHG			Prep Da Analysis Da		008	Run ID: G	C-I_081001B	
Analyte	×	Result	PQL	SPK value	SPK Ref Val	%REC	•	HighLimit		%RPD	RPDLimit	Qual
Gasoline		2509	100	2500	0	100	80	120	0	0		
Sample ID Client ID:	CCV ZZZZZ	SampType: CCV Batch ID: 21905		de: NWTPHG			Prep Da Analysis Da		008	Run ID: G SeqNo: 5	C-I_081001B 60519	
					5x	%REC	Analysis Da				_	Qual

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Project:

Powell-Molalla/05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: PAHLL_W

Sample ID MB-21947 Client ID: ZZZZZ	SampType: MBLK Batch ID: 21947		le: PAHLL_W	Units: μg/L		Prep Dat Analysis Da	te: 10/7/20		Run ID: 59 SegNo: 56	75Q_08101: 2510	3A
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC			RPD Ref Val	%RPD	RPDLimit	Qual
Acenaphthene	0.02	0.0500									J
Acenaphthylene	ND	0.0500									Ū
Anthracene	0.01	0.0500									J
Benz(a)anthracene	0.03	0.0500									J
Benzo(a)pyrene	0.01	0.0500									J
Benzo(b)fluoranthene	0.03	0.0500									J
Benzo(g,h,i)perylene	0.02	0.0500									J
Benzo(k)fluoranthene	0.03	0.0500									J
Chrysene	0.03	0.0500									J
Dibenz(a,h)anthracene	0.02	0.0500									J
Fluoranthene	0.03	0.0500									J
Fluorene	0.02	0.0500									J
Indeno(1,2,3-cd)pyrene	0.03	0.0500									J
Naphthalene	0.04	0.0500									J
Phenanthrene	0.04	0.0500									.J
Pyrene	0.03	0.0500									J
Surr: 2-Fluorobiphenyl	90.84	1.00	100	0	90.8	18.6	106	0	0		-
Surr: Nitrobenzene-d5	107.3	1.00	100	0	107	17	130	0	0		
Surr: p-Terphenyl-d14	117.1	1.00	100	0	117	39.6	131	0	0		
Sample ID LCS-21947	SampType: LCS	TestCod	le: PAHLL_W	/ Units: µg/L		Prep Dat	e: 10/7/20	008	Run ID: 59	75Q_081013	3A
Client ID: ZZZZZ	Batch ID: 21947	TestN	lo: 8270SIM			Analysis Da	te: 10/13/2	2008	SeqNo: 56	_	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acenaphthene	3.64	0.0500	5	0.02	72.4	35.1	100	0	0		
Benzo(g,h,i)perylene	3.82	0.0500	5	0.02	76	20.8	120	0	0		
Chrysene	4.02	0.0500	5	0.03	79.8	39.1	119	0	0		
Naphthalene	3.35	0.0500	5	0.03	66.2	25.6	106	0	0		
Phenanthrene	4.14	0.0500	5	0.04	82	38.1	106	0	0		
Pyrene	3.87	0.0500	5	0.03	76.8	41.3	118	0	0		
. ,	5.07	0.0000	3	0.00	70.0	41.3	110	U	U		

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blan

Page 13 of 15

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Project:

Powell-Molalla/05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: PAHLL_W

Sample ID LCSD-21947	SampType: LCSD		de: PAHLL_V	/ Units: μg/L		Prep Dat	te: 10/7/2	800	Run ID: 59	75Q_081013	SA
Client ID: ZZZZZ	Batch ID: 21947	Test	No: 8270SIM			Analysis Da	te: 10/13/	2008	SeqNo: 56	2512	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acenaphthene	3.74	0.0500	5	0.02	74.4	35.1	100	3.64	2.71	20	
Benzo(g,h,i)perylene	4.06	0.0500	5	0.02	80.8	20.8	120	3.82	6.09	20	
Chrysene	4.57	0.0500	5	0.03	90.8	39.1	119	4.02	12.8	20	
Naphthalene	3.64	0.0500	5	0.04	72	25.6	106	3.35	8.30	20	
Phenanthrene	4.4	0.0500	5	0.04	87.2	38.1	106	4.14	6.09	20	
Pyrene	4.83	0.0500	5	0.03	96	41.3	118	3.87	22.1	20	R
Sample ID CCV-21947	SampType: CCV	TestCod	de: PAHLL_W	/ Units: µg/L		Prep Dat	e:		Run ID: 59	75Q_081013	A
Client ID: ZZZZZ	Batch ID: 21947	Test	No: 8270SIM			Analysis Da	te: 10/13/2	2008	SeqNo: 56	_	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acenaphthene	4.62	0.0500	5	0	92.4	70	130	0	0		
Acenaphthylene	5.18	0.0500	5	0	104	70	130	0	0		
Anthracene	5.36	0.0500	5	0	107	70	130	0	0		
Benz(a)anthracene	4.86	0.0500	5	0	97.2	70	130	0	0		
Benzo(a)pyrene	4.74	0.0500	5	0	94.8	70	130	0	0		
Benzo(b)fluoranthene	4.72	0.0500	5	0	94.4	70	130	0	0		
Benzo(g,h,i)perylene	4.42	0.0500	5	0	88.4	70	130	0	0		
Benzo(k)fluoranthene	4.63	0.0500	5	0	92.6	70	130	0	0		
Chrysene	4.87	0.0500	5	0	97.4	70	130	0	0		
Dibenz(a,h)anthracene	4.73	0.0500	5	0	94.6	70	130	0	0		
Fluoranthene	5.37	0.0500	5	0	107	70	130	0	0		
Fluorene	4.97	0.0500	5	0	99.4	70	130	0	0		
Indeno(1,2,3-cd)pyrene	4.54	0.0500	5	0	90.8	70	130	0	0		
Naphthalene	4.59	0.0500	5	0	91.8	70	130	0	0		
	4.70	0.0500	5	0	95.8	70	130	0	0		
Phenanthrene	4.79	0.0500	5	U	95.0	/ 0	130	U	U		

Environmental Compliance Northwest, Inc.

WorkOrder:

0809136

Project:

Powell-Molalla/05-106

${\bf ANALYTICAL\,QC\,SUMMARY\,REPORT}$

TestCode: PAHLL_W

Sample ID CCV-21947	SampType: CCV	TestCod	le: PAHLL_V	/ Units: μg/L		Prep Dat	te:		Run ID: 59	75Q_081013A	4
Client ID: ZZZZZ	Batch ID: 21947	TestN	lo: 8270SIM		9	Analysis Da	te: 10/14/2	2008	SeqNo: 56	2528	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Acenaphthene	4.91	0.0500	5	0	98.2	70	130	0	0		
Acenaphthylene	5.2	0.0500	5	0	104	70	130	0	0		
Anthracene	4.69	0.0500	5	0	93.8	70	130	0	0		
Benz(a)anthracene	5.28	0.0500	5	0	106	70	130	0	0		
Benzo(a)pyrene	4.86	0.0500	5	0	97.2	70	130	0	0		
Benzo(b)fluoranthene	5.16	0.0500	5	0	103	70	130	0	0		
Benzo(g,h,i)perylene	4.58	0.0500	5	0	91.6	70	130	0	0		
Benzo(k)fluoranthene	4.66	0.0500	5	0	93.2	70	130	0	0		
Chrysene	5.08	0.0500	5	0	102	70	130	0	0		
Dibenz(a,h)anthracene	4.62	0.0500	5	0	92.4	70	130	0	0		
Fluoranthene	5.27	0.0500	5	0	105	70	130	0	0		
Fluorene	4.99	0.0500	5	0	99.8	70	130	0	0		
Indeno(1,2,3-cd)pyrene	4.72	0.0500	5	0	94.4	70	130	0	0		
Naphthalene	4.77	0.0500	5	0	95.4	70	130	0	0		
Phenanthrene	4.75	0.0500	5	0	95	70	130	0	0		
Pyrene	5.17	0.0500	5	0	103	70	130	0	0		

KEY TO FLAGS

- A This sample contains a Gasoline Range Organic not identified as a specific hydrocarbon product. The result was quantified against gasoline calibration standards.
- A1 This sample contains a Diesel Range Organic not identified as a specific hydrocarbon product. The result was quantified against diesel calibration standards.
- A2 This sample contains a Lube Oil Range Organic not identified as a specific hydrocarbon product. The result was quantified against a lube oil calibration standard.
- A3 The result was determined to be Non-Detect based on hydrocarbon pattern recognition. The product was carry-over from another hydrocarbon type.
- B The blank exhibited a positive result greater than the reporting limit for this compound.
- CN See Case Narrative.
- D Result is based from a dilution.
- E Result exceeds the calibration range for this compound. The result should be considered as estimate.
- F The positive result for this hydrocarbon is due to single component contamination. The product does not match any hydrocarbon in the fuels library.
- H Sample was analyzed outside recommended hold time.
- HT At clients request, sample was analyzed outside recommended hold time.
- J The result for this analyte is between the MDL and the PQL and should be considered as estimated concentration.
- K Diesel result is biased high due to amount of Oil contained in the sample.
- L Diesel result is biased high due to amount of Gasoline contained in the sample.
- M Oil result is biased high due to amount of Diesel contained in the sample.
- N Gasoline result is biased high due to amount of Diesel contained in the sample.
- MC Sample concentration is greater than 4x the spiked value, the spiked value is considered insignificant.
- MI Result is outside control limits due to matrix interference.
- MSA Value determined by Method of Standard Addition.
- O Laboratory Control Standard (LCS) exceeded laboratory control limits, but meets CCV criteria. Data meets EPA requirements.
- P Detection levels of Methylene Chloride may be laboratory contamination, due to previous analysis or background levels.
- Q Detection levels elevated due to sample matrix.
- R RPD control limits were exceeded.
- RF Duplicate failed due to result being at or near the method-reporting limit.
- RP Matrix spike values exceed established QC limits, post digestion spike is in control.
- S Recovery is outside control limits.
- SC Closing CCV or LCS exceeded high recovery control limits, but associated samples are non-detect. Data meets EPA requirements.
- * The result for this parameter was greater that the maximum contaminant level of the TCLP regulatory limit.

CHAIN OF COSTODY RECORD

Contact Person/Project Manager John Dray

/
1/2
M

Specialty Analytical
11711 SE Capps Road

Clackamas, OR 97015		Address 42 Z 2 2 2 2 3													
Phone: 503-607-1331		Address 130x 230 163 Phone 377 9760 Fax 213 9980													
Fax: 503-607-1336								OT	0	, 6	2	9	7285		4
Collected By:					Phor	ne	37	29	7-6	<u>ŏ</u>			Fax 213	9980	
Signature					Proje	ect No	0.0	5-1	06			Proj	ect Name _Powe	ll- Ma	lalla.
		Project No. 05-106 Project Name for ell- Wolal Project Site Location OR X WA Other													
Printed 30 h a stray	_				Invoi	ce To							P.	O. No.	
Signature			T	-											
Printed		1			Π	Г	Anai	vses	T	T				boratory Use	,
			×		-		0						Lab Job No. 180		7
Turn Around Time		Shipped ViaAir Bill No									Shipped Via				
Normal 5-7 Business Days		tain	TPH-	U			2						Air Bill No.		
		ő	2	0		×	8						1		
Specify		ofo		1	2 X	ZV.	16			1			Temperature On Rec		_℃
Rush Analyses Must Be Scheduled With The Lab in Advance		No.	X	0 7	,		6 8						Specialty Analytical (
		2	Xel	-	#4	Hd	D1550 1000	7					Specialty Analytical 1	rip Blanks?	Y/N
Date Time Sample I.D.	Matrix	1	N	CV	1	1-	0	PA							
9/28/08 1540 MW-1	W	15	×			1			_	\vdash			Comment	S	Lab I.D.
1610 mw-2	1	50	7			X							2 04.1		
1640 mw-3		6	T ,	X	X	X	X		-		\vdash		Run PAH	215	
\$10 nw-4	1	6		X	×			X)	_	-	\vdash		TPH-DX 3	= 0.5 pp	
	 	10	\vdash	-	0.	X	X	0			\vdash				
		-	\vdash		-		-								
		-	-		_										
		-													
		_													
		_													
N of															
Relinquished By: Date Time	Receive	Received By:													
Company: 500/ 142	CN 9/20/18 1425 Company:								Relinquished By:					Date	Time
Unless Reclaimed, Samples Will Be Disposed of 60 Days After Recei		-								npany:					
Samples held beyond 60 days subject to storage fee(s)									Received For Lab By: Date Time						
Copies: White-Original Yellow-Project File Pin	k-Customer Co	nnv							1	nd	47		yound	114.65	9/30/08
- 1,11		-1-7								,	1		11		, ,

Page 4 of 1