# SECOND QUARTER 2009 GROUNDWATER MONITORING REPORT

FORMER MOLALLA KWIK GAS 305 WEST MAIN STREET MOLALLA, OREGON DEQ FILE No.: 03-05-461

ECN PROJECT No. 05-106



**December 4, 2010** 



# ENVIRONMENTAL COMPLIANCE NORTHWEST

PO BOX 230163 PORTLAND, OR 97281 (503) 372-9760 Phone (503) 213-9980 Fax

December 4, 2010 ECN Project No. 05-106

Mr. Jason Powell. Powell Distributing Company 9125 North Burrage Portland, Oregon 97217

SUBJECT: Second Quarter 2009

**Groundwater Monitoring Report** 

Former Molalla Kwik Gas 305 West Main Street Molalla, Oregon

**DEQ LUST File No.: 03-05-461** 

Dear Mr. Powell:

Environmental Compliance Northwest, Inc., (ECN) is pleased to submit this Groundwater Monitoring Report for the above referenced facility. We hope this report meets your needs at this time. If you should require additional information, please contact us at 503-372-9760.

Sincerely,

ENVIRONMENTAL COMPLIANCE NORTHWEST, INC.



John M. Day, RG Principal Geologist President



## TABLE OF CONTENTS

1.0	INTRODUCTION1	L
2.0	SITE DESCRIPTION1	L
3.0	BACKGROUND1	Ĺ
4.0	FIELD ACTIVITIES	2
5.0	ANALYTICAL TEST METHODS	;
6.0	FINDINGS	;
7.0	RISK-BASED EVALUATION OVERVIEW4	ļ
8.0	SUMMARY AND CONCLUSIONS	5
9.0	REFERENCES	5
10.0	LIMITATIONS	Ó

## **TABLES**

- 1. Groundwater Analytical Results TPH, VOCs, and Lead
- 2. Groundwater Analytical Results PAHs

## **FIGURES**

- 1. Vicinity Map
- 2. Groundwater Contour Map-2nd Quarter 2009
- 3. Groundwater Analytical Results Map-2nd Quarter 2009

## **APPENDIX**

A. Laboratory Report and Chain of Custody

### 1.0 INTRODUCTION

This report describes results of the second quarter 2009 groundwater monitoring and sampling activities conducted at the former Kwik Gas service station located at 305 West Main Street in Molalla, Oregon (Figure 1).

## 2.0 SITE DESCRIPTION


The site is located on the north side of West Main Street, approximately 100 feet west of Kennel Avenue near downtown Molalla and was formerly used as a fuel service station. The site is currently occupied by an automobile detail facility. A former service station building is located in the southeastern portion of the site. The UST cavity, formerly containing four 10,000-gallon tanks is located in the northwestern portion of the site and a former fuel dispenser island is located south of the station building. The site and surrounding area are relatively flat generally covered with gravel, with the exception of the former fuel dispenser island area, which is paved with asphalt. The locations of pertinent site features are shown on Figure 2.

### 3.0 BACKGROUND

The following background information was obtained from DEQ files, verbal discussions with Powell Distributing Company (Powell) personnel, and activities observed and conducted by ECN. The facility operated since at least 1977 until 2005 and consisted of a retail fueling and automotive repair facility. The former UST system consisted of three gasoline USTs and one diesel UST, located in the northwest corner of the site and one fuel dispenser island, located in the southern portion of the site (Figure 2). In April 2005, an apparent leak was detected in the underground product piping. A portion of the piping was uncovered and several small holes were observed in the piping.

In March 2005, ECN conducted initial site assessment activities consisting of drilling two hand auger borings adjacent to the fuel product piping. Subsurface soil sampling indicated the presence of petroleum hydrocarbon impact to soil in to the maximum explored depth of 8.5 feet below ground surface (bgs).

Also in March 2005, ECN conducted site assessment activities, including drilling a total of nine soil borings. Seven borings were completed adjacent and in the vanity of the underground product piping trench. Two of the borings were completed adjacent to the former fuel island. Petroleum hydrocarbons were detected in soil samples collected from each boring, with the exception of the boring completed located near the northwest corner of the former service station \( \text{PROJECTS\POWELL\05106\202009GMR.DOC} \) \( \text{PAGE 1 of 6} \) \( \text{December 4, 2010} \)



Prior to sample collection, monitoring wells were purged of at least three casing volumes. Groundwater samples were collected for laboratory analysis by lowering a bottom-fill, disposable bailer to just below the water level in the well. The collected water sample was then transferred from the bailer into laboratory-supplied containers.

## 5.0 ANALYTICAL TEST METHODS

Each collected groundwater sample during the second 2009 quarter monitoring event was analyzed for DEQ risk-based decision making (RBDM) volatile organic compounds (VOCs) by EPA Method 8260B. The RBDM VOCs include: benzene, toluene, ethylbenzene, and total xylenes (BTEX); 1,2,4-trimethylbenzene (1,2,4-TMB); ethylene dibromide (EDB); ethylene dichloride (EDC); 1,3,5-trimethylbenzene (1,3,5-TMB); isopropylbenzene (IPB) methyl-tertiary butyl ether (MTBE); n-propylbenzene (NPB); and naphthalene. Each sample was also analyzed for diesel-range hydrocarbons (diesel) and lube oilrange petroleum hydrocarbons (lube oil) by Northwest Method NWTPH-Dx. Select groundwater samples were analyzed for dissolved lead by EPA Method 6010 and polynuclear aromatic hydrocarbons (PAHs) by DEQ Method 8270SIM.

### 6.0 FINDINGS

Following are the physical and chemical results for the second quarter 2009 groundwater monitoring and sampling activities at the site. Naphthalene results are reported on both Table 1 and 2. The differing results shown in groundwater samples are a result of separate extraction methods. The concentrations from the VOC analyses are reported on the analytical results map (Figure 3).

## **Physical Results**

The depth to water in the monitoring wells, as measured on June 30, 2009, ranged from 6.79 to 14.43 feet below the top of well casings. The groundwater flow direction was interpreted to be to the southwest with an average hydraulic gradient of approximately 0.11 feet per foot. Compared to the first quarter 2009 monitoring data, groundwater elevations in the monitoring wells decreased between 2.17 and 5.86 feet.

The groundwater elevation and flow direction data for the second quarter 2009 monitoring event are shown on Figure 2.

## **Chemical Results**

MW-1: Benzene (0.910 micrograms per liter  $[\mu g/L]$ ) was detected. The remaining RBDM VOCs, as well as diesel- and lube oil-range hydrocarbons, were not detected at or above the corresponding laboratory reporting limits.

**MW-2:** Diesel- and lube oil-range hydrocarbons, and RBDM VOCs were not detected at or above the corresponding laboratory reporting limits.

MW-3: Diesel-range hydrocarbons (194  $\mu$ g/L), IPB (1.21  $\mu$ g/L), and dissolved lead (1.1  $\mu$ g/L) were detected. The following PAHs were also detected: acenaphthene (0.0572  $\mu$ g/L); fluorene (0.124  $\mu$ g/L); and naphthalene (0.734  $\mu$ g/L).

MW-4: Diesel-range hydrocarbons (1,400 μg/L); lube oil-range hydrocarbons (310 μg/L); benzene (682 μg/L); toluene (7.28 μg/L); ethylbenzene (769 μg/L); total xylenes (248.8 μg/L); 1,2,4-TMB (594 μg/L); 1,3,5-TMB (76.7 μg/L); IPB (133 μg/L); MTBE (2.62 μg/L); NPB (438 μg/L); naphthalene (347 μg/L); and dissolved lead (1.4 μg/L) were detected. The following PAHs were also detected: acenaphthene (0.191 μg/L); acenaphthylene (0.0765 μg/L); fluorene (0.0.229 μg/L); naphthalene (179 μg/L); phenanthrene (0.143 μg/L); and pyrene (0.0478 μg/L).

The groundwater sampling results for the second quarter 2009 monitoring event are shown on Figure 3 and summarized in Tables 1 and 2.

## 7.0 RISK-BASED EVALUATION OVERVIEW

In 1999, the Oregon DEQ issued the *Risk-Based Decision Making for the Remediation of Petroleum-Contaminated Sites* guidance document (DEQ, 1999). This guidance document listed Risk-Based Concentration (RBC) cleanup levels that are based on current and potential future land and water uses at a site. The RBC cleanup levels are periodically revised, the most recent being September 15, 2009.

A detailed assessment of potential exposure pathways has not yet been conducted for the site. Although a conceptual site model has not been completed, based on our current knowledge of site conditions, the potentially complete exposure pathways for groundwater include: 1) vapor intrusion into buildings (occupational); 2) volatilization to outdoor air (occupational); and 3) groundwater in an excavation for a construction or excavation worker. The potentially applicable RBCs are shown on Tables 1 and 2.

None of the groundwater samples collected during the second quarter 2009 monitoring event exceeded RBCs for the potentially complete groundwater exposure pathways.

### 8.0 SUMMARY AND CONCLUSIONS

The site was operated as a retail fueling facility until March 2005. An apparent petroleum hydrocarbon release from the underground product piping was reported to DEQ on March 15, 2005. The site is currently operated as automotive detailing facility and is an area of commercial development.

ECN conducted site assessment activities between March and April 2005, consisting of advancing hand soil borings, limited excavation of apparent impacted soil associated with the product piping release, and drilling a total nine soil borings. Soil and water samples collected during the site assessment activities indicated that both soil and the shallow water-bearing zone in the vicinity of the product piping were impacted by petroleum hydrocarbons.

The four USTs at the site were decommissioned by removal in October 2006. Petroleum hydrocarbon-impacted backfill material was encountered adjacent to the fill port of one the USTs. Analytical results of samples collected from beneath the former fuel dispensers indicated that residual diesel- and gasoline-range hydrocarbons were present in the southern portion of the site.

A total of four groundwater monitoring wells and two soil borings were completed at the site in May 2007. Analytical results from the groundwater samples collected indicated that petroleum hydrocarbons were present in each monitoring well, the highest levels reported were in MW-4

Based on historic groundwater flow direction data, it appears that the generalized shallow water-bearing zone flow direction varies between west-southwest and southwest.

Based on analytical results, none of groundwater samples during the second quarter 2009 sampling event exceed the potentially complete exposure pathways at the site.

#### 9.0 REFERENCES

ECN, 2007. Site Assessment and UST Decommissioning Report, Molalla Kwik Gas, 305 West Main Street, Molalla, Oregon, DEQ File No. 03-05-461. April 17.

ECN, 2010a. Additional Site Assessment and Monitoring Installation Report, Former Molalla Kwik Gas, 305 West Main Street, Molalla, Oregon, DEQ File No. 03-05-461. October 14.

ECN, 2010b. First Quarter 2008 Groundwater Monitoring Report, Former Molalla Kwik Gas, 305 West Main Street, Molalla, Oregon, DEQ File No. 03-05-461. December 1.

ECN, 2010c. Third Quarter 2008 Groundwater Monitoring Report, Former Molalla Kwik Gas, 305 West Main Street, Molalla, Oregon, DEQ File No. 03-05-461. December 2.

ECN, 2010d. First Quarter 2009 Groundwater Monitoring Report, Former Molalla Kwik Gas, 305 West Main Street, Molalla, Oregon, DEQ File No. 03-05-461. December 2.

Oregon Department of Environmental Quality, 1999 and 2003. Risk-Based Decision Making for the Remediation of Petroleum-Contaminated Sites (OAR 340-122-0205 through 0360). September 29, 1999, updated September 22, 2003.

Oregon Department of Environmental Quality, 2000. UST Cleanup Manual, Cleanup Rules for Leaking Petroleum UST Systems, OAR 340-122-0205 through 340-122-0360, and Associated Documents. Oregon Department of Environmental Quality, Portland, Oregon, December.

Oregon Department of Environmental Quality, 2009. Risk-Based Concentrations for Individual Chemicals. September 15.

### 10.0 LIMITATIONS

Environmental Compliance Northwest, Inc., has performed the work described in this report in accordance with the generally accepted standard of care existing in the State of Oregon at the time of the assessment. Judgments leading to conclusions and recommendations are generally made with an incomplete knowledge of the subsurface and historical conditions applicable to the study area. More extensive studies may be used to supplement the information presented in this report. Environmental Compliance Northwest, Inc., should be notified for additional consultation if Powell Distributing Company wishes to reduce uncertainties beyond the level associated with this assessment. Our assessment of the property also may change, as new data becomes available during additional site exploration, remediation, or development.

Since site activities and regulations beyond our control could change at any time after the completion of this report, our observations, findings, and opinions can be considered valid only as of the date of the report.

No warranty, express or implied is made.

**TABLES** 

1

TABLE 1 Groundwater Analytical Results - TPH-Dx, TPH-G, RBDM VOCs, and Dissolved Lead Former Kwik Gas Station 305 West Main Street Molalla, Oregon ECN Project No. 05-106



Well I.D.	Date of Sampling	Casing Elevation (Feet)	Depth to Water (Feet)	Groundwater Elevation (Feet)	Change in Elevation (Feet)	TPH-	Dx [1] Lube Oil	TPH-G [2]	B [3]	T [3]	E [3]	X [3]	1,2,4-TMB [3]	EDB [3]	EDC [3]	1,3,5-TMB [3]	IPB [3]	MTBE [3]	NPB [3]	Naph- thalene [3]	Dissolved Lead [4]	LAB
		(1 661)	(1 661)	1 (1000)	(1 000)			-										ND 44 00	F 04	ND<1.00		SA
MW-1	6/5/2007	94.77	13.82	80.95		247	116	624	40.5	7.16	51.2	67.4	9.34	ND<1.00	ND<1.00	5.98	2.95	ND<1.00 ND<1.00	5.04 ND<1.00	ND<1.00		SA
	3/30/2008	94.77	8.06	86.71	5.76	ND<245	ND<491	ND<100	ND<0.300	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND~1.00	ND~1.00		SA
	9/28/2008	94.77	17.41	77.36	-9.35	ND<243	ND<487	ND<100	ND<0.300	ND<0.500	ND<0.500	ND<1.50										SA
	3/26/2009	94.77	9.54	85.23	7.87	ND<238	ND<476	ND<100	ND<0.300		ND<0.500	ND<1.50	ND-4 00	ND-4 00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00		SA
	6/30/2009	94.77	14.43	80.34	-4.89	ND<86.3	ND<216		0.910	ND<1.00	ND<1.00	ND<3.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND~1.00	ND~1.00	140-1.00		
MW-2	6/5/2007	93.73	9.36	84.37		237	ND<100	ND<100	ND<0.300	ND<0.500	ND<0.500	ND<1.50										SA
10100-2	3/30/2008	93.73	3.35	90.38	6.01	ND<248	ND<495	ND<100	ND<0.300	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00		SA
	9/28/2008	93.73	11.10	82.63	-7.75	ND<242	ND<483	ND<100	ND<0.300	ND<0.500	ND<0.500	ND<1.50										SA
	3/26/2009	93.73	3.50	90.23	7.6	ND<236	ND<473	ND<100	ND<0.300	ND<0.500	ND<0.500	ND<1.50										SA
_	6/30/2009	93.73	9.36	84.37	-5.86	ND<82.5	ND<206		ND<0.300	ND<1.00	ND<1.00	ND<3.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00		SA
	4,																					SA
MW-3	6/5/2007	93.44	6.65	86.79		ND<49.9	ND<49.9	363	ND<0.300	0.84	2.04	ND<1.50			ND -4 00	ND 44 00	ND 44 00	ND-4 00	ND<1.00	ND<1.00		SA
300,000,000,000	3/30/2008	93.44	4.31	89.13	2.34	269	ND<485	589	ND<0.300	ND<1.00	ND<1.00	ND<3.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00 ND<1.00	ND<1.00	ND<1.00	0.65	SA
	9/28/2008	93.44	6.46	86.98	-2.15	350	ND<541	787	ND<0.300	ND<1.00	ND<1.00	ND<3.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	1.00		ND<1.00	ND<1.00	1.1	SA
c	3/26/2009	93.44	4.62	88.82	1.84	277	ND<478	429	ND<0.300	ND<1.00	ND<1.00	ND<3.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00 ND<1.00	ND<1.00	ND<1.00	1.1	SA
	6/30/2009	93.44	6.79	86.65	-2.17	194	ND<203		ND<0.300	ND<1.00	ND<1.00	ND<3.00	ND<1.00	ND<1.00	ND<1.00	ND<1.00	1.21	ND<1.00	ND~1.00	ND~1.00	1.1	0.1
	0/5/0007	04.40	7.16	86.94		2,060	3,500	7,370	326	5.97	216	336.2	239	ND<1.00	ND<1.00	55	34.4	6.92	66.2	55.6	14	SA
MW-4	6/5/2007 3/30/2008	94.10 94.10	4.29	89.81	2.87	2,050	ND<489	15,900	985	8.93	397	343.0	386	ND<1.00	ND<1.00	43.4	92.2	11.3	261	150	2.5	SA
	9/28/2008	94.10	7.69	86.41	-3.4	2,070	665	14,000	979	9.74	743	167.8	332	ND<1.00	ND<1.00	88.3	125	ND<1.00	460	766	0.34	SA
	3/26/2009	94.10	4.54	89.56	3.15	1,700	893	8,010	480	4.49	356	91.4	125	ND<1.00	ND<1.00	23.7	87.6	1.80	185	119	0.82	SA
	6/30/2009	94.10	7.65	86.45	-3.11	1,460	310		682	7.28	769	248.2	594	ND<1.00	ND<1.00	76.7	133	2.62	438	347	1.4	SA
	0/00/2000	04.10	,			.,																
Risk-Based Conce						>S	NE	>8	14,000	>S	41,000	>\$	>\$	960	9,500	6,800	>\$	1,000,000	NE	16,000	NV	
- Volatilization to C	outdoor Air					20	NE	70	14,000	-3	41,000	-0		000	0,000	0,000						
(Occipational) - Vapor Intrusion Ir	nto Buildings					>\$	NE	>8	2,800	>\$	7,400	>\$	>S	690	3,800	41,000	>\$	590,000	NE	10,000	NV	
(Occupational)	no Dullalligo																		NE	500		
- Groundwater in a	n Excavation					>S	NE	13,000	1,700	210,000	4,400	23,000	1,700	28	630	1,400	>S	62,000	NE	500	>\$	
(Construction and I	Excavation Work	er)																				

## ABBREVIATIONS:

- B: Benzene
- T: Toluene
- E: Ethylbenzene

- X: Total Xylenes
   MTBE: Metyl tertiary-butyl ether
   ND: Not detected at or above the indicated laboratory reporting limit

- NE: Not established by DEQ

  >S: The groundwater RBC exceeds the solubility limit.

  NV: This chemical is considered "nonvolatile" for purposes of the exposure calculations

- Results are in micrograms per liter (µg/L)
  (1) Nortwest Method NWTPH-Dx
  (2) Northwest Method NWTPH-Gx (1) (2) (3) (4) (5) SA BOLD
- EPA Method 8021B 0r 8260B
- EPA Method 6011
- Oregon Department of Environmental Quality (DEQ) Generic Risk Based Concentrations (RBCs)
- Specialty Analytical
- Exceeds the RBC





Polynuclear Aromatic [1		Acenaphthene	Acenapthylene	Anthracene	Benz(a)anthracene	Benzo(a)pyrene	nzo(b)fluoranthene	enzo(g,h,l)perylene	enzo(k)fluoranthene	Chrysene	oenz(a,h)anthracene	Fluoroanthene	Fluorene	Indeno(1,2,3-cd)pyrene	Naphthalene	Phenanthrene	Pyrene	LAB
Sample Identification	Sample Date			-	ш.	=	B	ă	Ж		Dit			lno				
MW-1	6/5/2007	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	ND<0.0503	2.81	ND<0.0503	ND<0.0503	SA
MW-2	6/5/2007	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	ND<0.0498	SA
,MW-3	6/5/2007	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	ND<0.0495	0.0792	ND<0.0495	0.287	ND<0.0495	ND<0.0495	SA
	3/26/2009	ND<0.0479	ND<0.0479	ND<0.0479	ND<0.0479	ND<0.0479	ND<0.0479	ND<0.0479	ND<0.0479	ND<0.0479	ND<0.0479	ND<0.0479	ND<0.0479	ND<0.0479	0.211	ND<0.0479	ND<0.0479	SA
	6/30/2009	0.0572	ND<0.0477	ND<0.0477	ND<0.0477	ND<0.0477	ND<0.0477	ND<0.0477	ND<0.0477	ND<0.0477	ND<0.0477	ND<0.0477	0.124	ND<0.0477	0.734	ND<0.0477	ND<0.0477	SA
MW-4	6/5/2007	0.115	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	ND<0.0525	0.136	ND<0.0525	83.4	0.0630	ND<0.0525	SA
	3/30/2008	0.231	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	ND<0.0482	0.0868	0.482	ND<0.0482	115	0.415	0.0868	SA
	9/28/2008	0.203	0.0676	ND< 0.0483	ND< 0.0483	ND< 0.0483	ND< 0.0483	ND< 0.0483	ND< 0.0483	ND< 0.0483	ND< 0.0483	0.126	0.261	ND< 0.0483	94.7	0.300	0.126	SA
	3/26/2009	0.138	ND<0.0429	ND<0.0429	ND<0.0429	ND<0.0429	ND<0.0429	ND<0.0429	ND<0.0429	ND<0.0429	ND<0.0429	0.138	ND<0.0429	ND<0.0429	56.9	0.0984	0.0591	SA
	6/30/2009	0.191	0.0765	ND<0.0478	ND<0.0478	ND<0.0478	ND<0.0478	ND<0.0478	ND<0.0478	ND<0.0478	ND<0.0478	ND<0.0478	0.229	ND<0.0478	179	0.143	0.0478	SA
Risk-Based Concentrat - Occ. Volatilization to - Occ. Vapor Intrusion - Groundwater in an Ex Construction and Ex	Outdoor Air Into buidlings xcavation	>S >S >S	NE NE NE	>S >S >S	NV NV 9.1	NV NV 0.53	NV NV >S	NE NE NE	NV NV >S	NV NV >S	NV NV 0.21	NV NV >S	>S >S >S	NV NV >S	16,000 10,000 500	NE NE NE	NV NV >S	

ND not detected at or above the indicated laboratory reporting limit

SA Specialty Analytical µg/L Micrograms per Liter

DEQ Method 8270SIM
Oregon Department of Environmental Quality (DEQ) Generic Risk Based Concentrations (RBCs) (DEQ, 2009). [1] [2]


A Risk-Based Concentration has not been determined for this constituent NE

NV

This chemical is considered "nonvolatile" for purposes of the exposure calculation

This groundwater RBC exceeds the solubility limit. Groundwater concentrations in excess of S indicate that free product may be present. If solubility is not listed, data was not listed in Appendix D of the DEQ RBDM guidance document

**FIGURES** 





# **VICINITY MAP**

MOLALLA KWIK GAS 305 WEST MAIN STREET MOLALLA, OREGON


**ECNW Proj. No. 05-106** 

FIGURE 1





APPENDIX A



11711 SE Capps Road Clackamas, OR 97015 (503) 607-1331 Fax (503) 607-1336

July 16, 2009

John Day

Environmental Compliance Northwest, Inc.

P.O. Box 230163

Portland, OR 97281

TEL: (503) 372-9760

FAX (503) 213-9980

RE: Powell-Molalla / 05-106

Dear John Day:

Order No.: 0907014

Specialty Analytical received 4 samples on 7/2/2009 for the analyses presented in the following report.

There were no problems with the analysis and all data for associated QC met EPA or laboratory specifications except where noted in the Case Narrative, or as qualified with flags. Results apply only to the samples analyzed. Without approval of the laboratory, the reproduction of this report is only permitted in its entirety.

If you have any questions regarding these tests, please feel free to call.

Sincerely,

Cindy Hillyard

Project Manager

Consider the Technical Review

**Date:** 16-Jul-09

**CLIENT:** 

Environmental Compliance Northwest, Inc.

**Project:** 

Powell-Molalla / 05-106

Lab Order:

0907014

Lab ID:

0907014-01

Collection Date: 6/30/2009 8:30:00 AM

Lab ID: 090/014-01			(	Collection Date	: 6/30/2	009 8:30:00 AM
Client Sample ID: MW-1				Matrix	: GROU	INDWATER
Analyses	Result	Limit	Qual	Units	DF	Date Analyzed
NWTPH-DX		NWTPH-DX				Analyst: jrp
Diesel	ND	0.0863		mg/L	1	7/6/2009
Lube Oil	ND	0.216		mg/L	1	7/6/2009
Surr: o-Terphenyl	48.8	50-150	S,MI	%REC	1	7/6/2009
VOLATILE ORGANICS BY GC/MS		SW8260B				Analyst: bda
1,2,4-Trimethylbenzene	ND	1.00		μg/L	1	7/13/2009 10:45:00 AM
1,2-Dibromoethane	ND	1.00		µg/L	1	7/13/2009 10:45:00 AM
1,2-Dichloroethane	ND	1.00		μg/L	1	7/13/2009 10:45:00 AM
1,3,5-Trimethylbenzene	ND	1.00		µg/L	1	7/13/2009 10:45:00 AM
Benzene	0.910	0.300		μg/L	1	7/13/2009 10:45:00 AM
Ethylbenzene	ND	1.00		μg/L	1	7/13/2009 10:45:00 AM
Isopropylbenzene	ND	1.00		µg/L	1	7/13/2009 10:45:00 AM
m,p-Xylene	ND	2.00		μg/L	1	7/13/2009 10:45:00 AM
Methyl tert-butyl ether	ND	1.00		μg/L	1	7/13/2009 10:45:00 AM
n-Propylbenzene	ND	1.00		μg/L	1	7/13/2009 10:45:00 AM
Naphthalene	ND	1.00		μg/L	1	7/13/2009 10:45:00 AM
o-Xylene	ND	1.00		μg/L	1	7/13/2009 10:45:00 AM
Toluene	ND	1.00		μg/L	1	7/13/2009 10:45:00 AM
Surr: 1,2-Dichloroethane-d4	101	72.2-129		%REC	1	7/13/2009 10:45:00 AM
Surr: 4-Bromofluorobenzene	107	73.5-125		%REC	1	7/13/2009 10:45:00 AM
Surr: Dibromofluoromethane	99.0	58.8-148		%REC	1	7/13/2009 10:45:00 AM
Surr: Toluene-d8	109	79.8-137		%REC	1	7/13/2009 10:45:00 AM

Date: 16-Jul-09

**CLIENT:** 

Environmental Compliance Northwest, Inc.

**Project:** 

Powell-Molalla / 05-106

Lab Order:

0907014

Lab ID:

0907014-02

Collection Date: 6/30/2009 9:20:00 AM

Client Sample ID: MW-2			Mat	rix: GROU	NDWATER
Analyses	Result	Limit Q	ual Units	DF	Date Analyzed
NWTPH-DX		NWTPH-DX			Analyst: jrp
Diesel	ND	0.0825	mg/L	1	7/6/2009
Lube Oil	ND	0.206	mg/L	1	7/6/2009
Surr: o-Terphenyl	58.1	50-150	%REC	1	7/6/2009
VOLATILE ORGANICS BY GC/MS		SW8260B			Analyst: bda
1,2,4-Trimethylbenzene	ND	1.00	μg/L	1	7/13/2009 11:20:00 AM
1,2-Dibromoethane	ND	1.00	μg/L	1	7/13/2009 11:20:00 AM
1,2-Dichloroethane	ND	1.00	μg/L	1	7/13/2009 11:20:00 AM
1,3,5-Trimethylbenzene	ND	1.00	μg/L	1	7/13/2009 11:20:00 AM
Benzene	ND	0.300	µg/L	1	7/13/2009 11:20:00 AM
Ethylbenzene	ND	1.00	μg/L	1	7/13/2009 11:20:00 AM
Isopropylbenzene	ND	1.00	μg/L	1	7/13/2009 11:20:00 AM
m,p-Xylene	ND	2.00	μg/L	1	7/13/2009 11:20:00 AM
Methyl tert-butyl ether	ND	1.00	μg/L	1	7/13/2009 11:20:00 AM
n-Propylbenzene	ND	1.00	μg/L	1	7/13/2009 11:20:00 AM
Naphthalene	ND	1.00	μg/L	1	7/13/2009 11:20:00 AM
o-Xylene	ND	1.00	μg/L	1	7/13/2009 11:20:00 AM
Toluene	ND	1.00	μg/L	. 1	7/13/2009 11:20:00 AM
Surr: 1,2-Dichloroethane-d4	100	72.2-129	%REC	1	7/13/2009 11:20:00 AM
Surr: 4-Bromofluorobenzene	106	73.5-125	%REC	1	7/13/2009 11:20:00 AM
Surr: Dibromofluoromethane	99.6	58.8-148	%REC	1	7/13/2009 11:20:00 AM
Surr: Toluene-d8	109	79.8-137	%REC	1	7/13/2009 11:20:00 AM

Date: 16-Jul-09

**CLIENT:** 

Environmental Compliance Northwest, Inc.

Lab Order:

0907014

Project:

Powell-Molalla / 05-106

**Lab ID:** 0907014-03

**Collection Date:** 6/30/2009 9:50:00 AM

Client Sample ID: MW-3						D ( 1 1 1 1
Analyses	Result	Limit	Qual U	Jnits —————	DF	Date Analyzed
NWTPH-DX		NWTPH-DX				Analyst: jrp
Diesel	0.194	0.0814		ng/L	1	7/6/2009
Lube Oil	ND	0.203	m	ng/L	1	7/6/2009
Surr: o-Terphenyl	74.2	50-150	%	6REC	1	7/6/2009
DISSOLVED METALS BY ICP/MS		SW6020				Analyst: zau
Lead	1.1	0.10	u	ıg/L	1	7/6/2009 10:20:00 PM
LOW LEVEL PAH BY GC/MS OARSIN	(8270C)	8270SIM				Analyst: bda
Acenaphthene	0.0572	0.0477	μ	ıg/L	1	7/8/2009 2:46:00 PM
Acenaphthylene	ND	0.0477	μ	ıg/L	1	7/8/2009 2:46:00 PM
Anthracene	ND	0.0477		ıg/L	1	7/8/2009 2:46:00 PM
Benz(a)anthracene	ND	0.0477	μ	ıg/L	1	7/8/2009 2:46:00 PM
Benzo(a)pyrene	ND	0.0477	μ	ıg/L	1	7/8/2009 2:46:00 PM
Benzo(b)fluoranthene	ND	0.0477		ıg/L	1	7/8/2009 2:46:00 PM
Benzo(g,h,i)perylene	ND	0.0477		ıg/L	1	7/8/2009 2:46:00 PM
Benzo(k)fluoranthene	ND	0.0477		ıg/L	1	7/8/2009 2:46:00 PM
Chrysene	ND	0.0477		ıg/L	1	7/8/2009 2:46:00 PM
Dibenz(a,h)anthracene	ND	0.0477		ıg/L	1	7/8/2009 2:46:00 PM
Fluoranthene	ND	0.0477		ıg/L	1	7/8/2009 2:46:00 PM
Fluorene	0.124	0.0477		ıg/L	1	7/8/2009 2:46:00 PM
Indeno(1,2,3-cd)pyrene	ND	0.0477		ıg/L	1	7/8/2009 2:46:00 PM
Naphthalene	0.734	0.0477		ıg/L	1	7/8/2009 2:46:00 PM
Phenanthrene	ND	0.0477		ıg/L	1	7/8/2009 2:46:00 PM
Pyrene	ND	0.0477		ıg/L	1	7/8/2009 2:46:00 PM
Surr: 2-Fluorobiphenyl	63.3	18.6-106		%REC	1	7/8/2009 2:46:00 PM
Surr: Nitrobenzene-d5	69.1	17-130	9	%REC	1	7/8/2009 2:46:00 PM
Surr: p-Terphenyl-d14	69.3	39.6-131	9	%REC	1	7/8/2009 2:46:00 PM
VOLATILE ORGANICS BY GC/MS		SW8260B				Analyst: bda
1,2,4-Trimethylbenzene	ND	1.00	l.	ug/L	1	7/13/2009 11:54:00 AM
1.2-Dibromoethane	ND	1.00	ŀ	µg/L	1	7/13/2009 11:54:00 AM
1,2-Dichloroethane	ND	1.00		µg/L	1	7/13/2009 11:54:00 AM
1,3,5-Trimethylbenzene	ND	1.00		µg/L	1	7/13/2009 11:54:00 AM
Benzene	ND	0.300		μg/L	1	7/13/2009 11:54:00 AM
Ethylbenzene	ND	1.00	-	μg/L	1	7/13/2009 11:54:00 AM
Isopropylbenzene	1.21	1.00		μg/L	1	7/13/2009 11:54:00 AM
m,p-Xylene	ND	2.00		μg/L	1	7/13/2009 11:54:00 AM
Methyl tert-butyl ether	ND	1.00		μg/L	1	7/13/2009 11:54:00 AM
n-Propylbenzene	ND			μg/L	1	7/13/2009 11:54:00 AM
	ND			μg/L	1	7/13/2009 11:54:00 AM
Naphthalene o-Xylene	ND			μg/L	1	7/13/2009 11:54:00 AM

**Date:** 16-Jul-09

CLIENT: Project:	Environmental Compli Powell-Molalla / 05-10		vest, Inc.		Lab Order:	0907014
VOLATILE OF	RGANICS BY GC/MS		SW8260B			Analyst: bda
Toluene		ND	1.00	μg/L	1	7/13/2009 11:54:00 AM
Surr: 1.2-Die	chloroethane-d4	102	72.2-129	%REC	1	7/13/2009 11:54:00 AM
	nofluorobenzene	102	73.5-125	%REC	1	7/13/2009 11:54:00 AM
	nofluoromethane	102	58.8-148	%REC	1	7/13/2009 11:54:00 AM
Surr: Toluer		100	79.8-137	%REC	1	7/13/2009 11:54:00 AM

**Date:** 16-Jul-09

**CLIENT:** 

Environmental Compliance Northwest, Inc.

Project:

Powell-Molalla / 05-106

Lab Order:

0907014

Lab ID:

0907014-04

Collection Date: 6/30/2009 10:50:00 AM

Client Sample ID: MW-4	D 1	T	Ougl Heits	DE	<b>Date Analyzed</b>
Analyses	Result	Limit	Qual Units	DF	Date Analyzed
NWTPH-DX		NWTPH-DX			Analyst: <b>jrp</b>
Diesel	1.46	0.0832	mg/L	1	7/6/2009
Lube Oil	0.310	0.208	mg/L	1	7/6/2009
Surr: o-Terphenyl	58.6	50-150	%REC	1	7/6/2009
DISSOLVED METALS BY ICP/MS		SW6020			Analyst: <b>zau</b>
Lead	1.4	0.10	ug/L	1	7/6/2009 10:27:00 PM
LOW LEVEL PAH BY GC/MS OARSIN	(8270C)	8270SIM			Analyst: bda
Acenaphthene	0.191	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Acenaphthylene	0.0765	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Anthracene	ND	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Benz(a)anthracene	ND	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Benzo(a)pyrene	ND	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Benzo(b)fluoranthene	ND	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Benzo(g,h,i)perylene	ND	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Benzo(k)fluoranthene	ND	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Chrysene	ND	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Dibenz(a,h)anthracene	ND	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Fluoranthene	ND	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Fluorene	0.229	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Indeno(1,2,3-cd)pyrene	ND	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Naphthalene	179	0.478	μg/L	10	7/8/2009 5:28:00 PM
Phenanthrene	0.143	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Pyrene	0.0478	0.0478	μg/L	1	7/8/2009 3:18:00 PM
Surr: 2-Fluorobiphenyl	59.8	18.6-106	%REC	1	7/8/2009 3:18:00 PM
Surr: Nitrobenzene-d5	65.8	17-130	%REC	1	7/8/2009 3:18:00 PM
Surr: p-Terphenyl-d14	65.8	39.6-131	%REC	1	7/8/2009 3:18:00 PM
VOLATILE ORGANICS BY GC/MS		SW8260B			Analyst: <b>bda</b>
1,2,4-Trimethylbenzene	594	10.0	μg/L	10	7/13/2009 1:38:00 PM
1,2-Dibromoethane	ND	1.00	μg/L	1	7/13/2009 12:29:00 PM
1,2-Dichloroethane	ND	1.00	μg/L	1	7/13/2009 12:29:00 PM
1,3,5-Trimethylbenzene	76.7	1.00	μg/L	1	7/13/2009 12:29:00 PM
Benzene	682	3.00	μg/L	10	7/13/2009 1:38:00 PM
Ethylbenzene	769	10.0	μg/L	10	7/13/2009 1:38:00 PM
Isopropylbenzene	133	1.00	μg/L	1	7/13/2009 12:29:00 PM
m,p-Xylene	200	2.00	μg/L	1	7/13/2009 12:29:00 PM
Methyl tert-butyl ether	2.62	1.00	μg/L	1	7/13/2009 12:29:00 PM
n-Propylbenzene	438	10.0	μg/L	10	7/13/2009 1:38:00 PM
Naphthalene	347	10.0	μg/L	10	7/13/2009 1:38:00 PM
o-Xylene	48.2	1.00	μg/L	1	7/13/2009 12:29:00 PM

**Date:** 16-Jul-09

CLIENT: Project:	Environmental Compl Powell-Molalla / 05-10		west, Inc.	, , , , , , , , , , , , , , , , , , ,	Lab Order:	0907014
VOLATILE OF	RGANICS BY GC/MS		SW8260B			Analyst: bda
Toluene		7.28	1.00	μg/L	1	7/13/2009 12:29:00 PM
Surr: 1,2-Did	chloroethane-d4	93.8	72.2-129	%REC	1	7/13/2009 12:29:00 PM
Surr: 4-Bron	nofluorobenzene	92.5	73.5-125	%REC	1	7/13/2009 12:29:00 PM
Surr: Dibron	nofluoromethane	95.6	58.8-148	%REC	1	7/13/2009 12:29:00 PM
Surr: Toluen	ne-d8	90.9	79.8-137	%REC	1	7/13/2009 12:29:00 PM

Date: 16-Jul-09

**CLIENT:** 

Environmental Compliance Northwest, Inc.

Work Order:

0907014

**Project:** 

Powell-Molalla / 05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: 6020\_WDISS

Sample ID	0907003-03GMS	SampType:	MS		e: <b>6020_WD</b> I	SS Units: ug/L		Prep Date			Run ID: ICP	_	D
Client ID:	ZZZZZ	Batch ID:	23596	TestN	o: <b>SW6020</b>			Analysis Date	e: <b>7/6/200</b>	9	SeqNo: 614	345	
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead			47.66	0.10	50	0	95.3	70	130	0	0		
Sample ID	0907003-03GMSD	SampType:	MSD	TestCod	e: <b>6020_W</b> DI	ISS Units: ug/L		Prep Date	e: 7/6/200	9	Run ID: ICF	MS_090706	D
Client ID:	ZZZZZ	Batch ID:	23596	TestN	o: <b>SW6020</b>			Analysis Date	e: <b>7/6/200</b>	9	SeqNo: 614	1346	
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead			45.95	0.10	50	0	91.9	70	130	47.66	3.65	20	
Sample ID	0907003-03GDUP	SampType:	DUP	TestCod	e: <b>6020_WD</b>	ISS Units: ug/L		Prep Dat	e: 7/6/200	9	Run ID: ICF	MS_090706	D
Client ID:	ZZZZZ	Batch ID:	23596	TestN	lo: <b>SW6020</b>			Analysis Dat	e: <b>7/6/200</b>	9	SeqNo: 614	1344	
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead			ND	0.10	0	0	0	0	0	0	0	20	
Sample ID	ccv	SampType:	ccv	TestCod	le: 6020_WD	ISS Units: ug/L		Prep Dat	te:		Run ID: ICF	PMS_090706	D
Client ID:	ZZZZZ	Batch ID:	23596	TestN	lo: SW6020			Analysis Dat	e: <b>7/6/20</b> 0	9	SeqNo: 614	1337	
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead			47.18	0.10	50	0	94.4	90	110	0	0		
Sample ID	ccv	SampType:	CCV	TestCoo	de: <b>6020_W</b> D	ISS Units: ug/L		Prep Dat	te:		Run ID: ICI	PMS_090706	D
Client ID:	ZZZZZ	Batch ID:	23596	TestN	lo: <b>SW6020</b>			Analysis Dat	te: 7/6/200	9	SeqNo: 614	4339	
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lead	=		47.77	0.10	50	0	95.5	90	110	0	0		

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

Environmental Compliance Northwest, Inc.

Work Order:

0907014

Project:

Powell-Molalla / 05-106

## ANALYTICAL QC SUMMARY REPORT

TestCode: 6020\_WDISS

Sample ID	CCV	SampType:	CCV	TestCod	e: <b>6020 WD</b> I	ISS Units: ug/L		Prep Dat	ъ.		Run ID: ICPMS_090706	ח
	ZZZZZ	Batch ID:			o: <b>SW6020</b>	Omis. ug/L		Analysis Dat		10	_	
Client ID:		Balch ID:	23596	restiv	0. SVV6U2U			Analysis Dal	e. //6/200	19	SeqNo: <b>614340</b>	
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit	Qual
Lead			48.33	0.10	50	0	96.7	90	110	0	0	
Sample ID	ccv	SampType:	ccv	TestCod	e: <b>6020_WD</b> l	ISS Units: ug/L		Prep Dat	te:		Run ID: ICPMS_090706	D
Client ID:	ZZZZZ	Batch ID:	23596	TestN	o: <b>SW6020</b>			Analysis Dat	e: <b>7/6/200</b>	9	SeqNo: <b>614349</b>	
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit	Qual
Lead			46.62	0.10	50	0	93.2	90	110	0	0	
Sample ID	ccv	SampType:	ccv	TestCod	e: <b>6020_WD</b>	ISS Units: ug/L		Prep Dat	te:		Run ID: ICPMS_090706	D
Client ID:	ZZZZZ	Batch ID:	23596	TestN	o: <b>SW6020</b>			Analysis Dat	e: <b>7/6/200</b>	9	SeqNo: <b>614356</b>	
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit	Qual
Lead			47.78	0.10	50	0	95.6	90	110	0	0	
Sample ID	ICB-23596	SampType:	ICB	TestCod	e: <b>6020_WD</b>	ISS Units: ug/L		Prep Dat	te: <b>7/6/20</b> 0	19	Run ID: ICPMS_090706	SD.
Client ID:	ZZZZZ	Batch ID:	23596	TestN	lo: <b>SW6020</b>			Analysis Dat	te: <b>7/6/200</b>	9	SeqNo: <b>614338</b>	
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit	Qual
Lead	1	•	-0.08306	0.10	0	0	0	0	0	0	0	
Sample ID	ICV	SampType:	ICV	TestCoo	le: <b>6020_WD</b>	ISS Units: ug/L		Prep Dat	te:	7	Run ID: ICPMS_090706	D
Client ID:	ZZZZZ	Batch ID:	23596	TestN	lo: <b>SW6020</b>			Analysis Dat	te: <b>7/6/200</b>	9	SeqNo: <b>614336</b>	
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD RPDLimit	Qual
Lead			48.63	0.10	50	0	97.3	90	110	0	0	

Environmental Compliance Northwest, Inc.

Work Order:

0907014

Project:

Powell-Molalla / 05-106

# ANALYTICAL QC SUMMARY REPORT

TestCode: 8260\_W

Sample ID MB-23621	SampType: MBLK		de: <b>8260_W</b>	Units: µg/L		Prep Date			Run ID: 597	_	
Client ID: ZZZZZ	Batch ID: 23621	TestN	lo: <b>SW8260B</b>			Analysis Date	e: <b>7/13/2</b> 0	09	SeqNo: 615	411	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
1,2,4-Trimethylbenzene	ND	1.00									
1,2-Dibromoethane	ND	1.00									
1,2-Dichloroethane	ND	1.00									
1,3,5-Trimethylbenzene	ND	1.00									
Benzene	ND	0.300									
Ethylbenzene	0.2	1.00									J
Isopropylbenzene	ND	1.00									
m,p-Xylene	0.11	2.00									J
Methyl tert-butyl ether	ND	1.00									
n-Propylbenzene	ND	1.00									
Naphthalene	ND	1.00									
o-Xylene	ND	1.00									
Toluene	0.11	1.00									J
Surr: 1,2-Dichloroethane-d4	100.6	0	100	0	101	72.2	129	0	0		
Surr: 4-Bromofluorobenzene	106.3	0	100	0	106	73.5	125	0	0		
Surr: Dibromofluoromethane	99.49	0	100	0	99.5	58.8	148	0	0		
Surr: Toluene-d8	110.3	0	100	0	110	79.8	137	0	0		
Sample ID LCS-23621	SampType: LCS	TestCo	de: <b>8260_W</b>	Units: µg/L		Prep Dat	te: <b>7/12/2</b> 0	009	Run ID: 597	73J_090713 <i>A</i>	<b>A</b>
Client ID: ZZZZZ	Batch ID: 23621	Test	No: SW8260B			Analysis Dat	e: <b>7/13/2</b> 0	009	SeqNo: 618	5410	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qua
Benzene	46.88	0.300	40	0	117	77.9	125	0	0		
Toluene	44.73	1.00	40	0.11	112	74.6	119	0	0		
Sample ID <b>A0907025-03BMS</b>	SampType: <b>MS</b>	TestCo	de: <b>8260_W</b>	Units: µg/L	N/E	Prep Dat	te: 7/12/20	009	Run ID: 597	73J_090713 <i>A</i>	4
Client ID: ZZZZZ	Batch ID: 23621	Test	No: <b>SW8260B</b>			Analysis Dat	te: <b>7/14/2</b> 0	009	SeqNo: 61	5695	
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qua
Benzene	46.73	0.300	40	0	117	71.5	118	0	0		
Toluene	45.2	1.00	40	0	113	79.6	121	0	0		
Qualifiers: ND - Not Dete	ected at the Reporting Lim	it	S - Spi	ke Recovery outside ac	ccepted reco	very limits		B - Analyte detected	ed in the associat	ed Method Bla	ınk

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

Page 3 of 8

Environmental Compliance Northwest, Inc.

Work Order:

0907014

Project:

Powell-Molalla / 05-106

# ANALYTICAL QC SUMMARY REPORT

TestCode: 8260\_W

Sample ID A09070 Client ID: ZZZZZ			e: <b>8260_W</b> o: <b>SW8260B</b>	Units: µg/L		Prep Date			Run ID: <b>5973J_090713A</b> SeqNo: <b>615696</b>			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Benzene Toluene	46.33 44.69	0.300 1.00	40 40	0	116 112	71.5 79.6	118 121	46.73 45.2	0.860 1.13	20 20		
Sample ID CCV-23 Client ID: ZZZZZ			TestCode: <b>8260_W</b> Units: μg/L TestNo: <b>SW8260B</b>			Prep Date		Run ID: <b>5973J_090713A</b> SeqNo: <b>615409</b>				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Ethylbenzene Toluene	38.88 38.99	1.00 1.00	40 40	0	97.2 97.5	80 80	120 120	0	0			
Sample ID CCV-23 Client ID: ZZZZZ			e: 8260_W o: SW8260B	Units: µg/L		Prep Date Analysis Date		009	Run ID: <b>597</b> SeqNo: <b>615</b>	_		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Ethylbenzene Toluene	38.36 38.07	1.00 1.00	40 40	0 0	95.9 95.2	80 80	120 120	0	0			
Sample ID CCV-2: Client ID: ZZZZZ			le: 8260_W lo: SW8260B	Units: µg/L		Prep Dat Analysis Dat		009	Run ID: 5973J_090713/ SeqNo: 615839			
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	

Environmental Compliance Northwest, Inc.

Work Order:

0907014

**Project:** 

Powell-Molalla / 05-106

## ANALYTICAL QC SUMMARY REPORT

TestCode: NWTPHDXLL\_W

Sample ID	MB-23586	SampType:	MBLK	TestCoo	le: NWTPHD	XLL Units: mg/L		Prep Dat	e: <b>7/6/20</b> 0	9	Run ID: GC	-M_090706E	3	
Client ID:	ZZZZZ	Batch ID:	23586	TestN	lo: NWTPH-D	)x		Analysis Date	e: <b>7/6/20</b> 0	9	SeqNo: 614	1283		
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Diesel			ND	0.0800										
Lube Oil			ND	0.200										
Surr: o-T	erphenyl		0.1334	0	0.2	0	66.7	50	150	0	0			
Sample ID	LCS-23586	SampType:	LCS	TestCoo	le: NWTPHD	XLL Units: mg/L		Prep Date	e: <b>7/6/200</b>	19	Run ID: GC	-M_090706E	1	
Client ID:	ZZZZZ	Batch ID:	23586	TestN	lo: NWTPH-D	Σ		Analysis Date	e: <b>7/6/20</b> 0	9	SeqNo: <b>614284</b>			
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Diesel			0.8573	0.0800	1	0	85.7	60.7	121	0	0			
Lube Oil			0.6869	0.200	1	0	68.7	64	126	0	0			
Sample ID	LCSD-23586	SampType:	LCSD	TestCod	le: NWTPHD	XLL Units: mg/L		Prep Date	e: <b>7/6/20</b> 0	9	Run ID: GC	-M_090706B		
Client ID:	ZZZZZ	Batch ID:	23586	TestN	lo: NWTPH-D		Analysis Date	e: <b>7/6/200</b>	9	SeqNo: 614	1285			
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Diesel			0.7731	0.0800	1	0	77.3	60.7	121	0.8573	10.3	20		
Lube Oil			0.6667	0.200	1	0	66.7	64	126	0.6869	2.98	20		
Sample ID	ccv	SampType:	ccv	TestCoo	le: NWTPHD	XLL Units: mg/L		Prep Date	e:		Run ID: GC	-M_090706B	1	
Client ID:	ZZZZZ	Batch ID:	23586	TestN	lo: NWTPH-D	Σ		Analysis Date	e: <b>7/6/20</b> 0	9	SeqNo: 614	1282		
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Diesel			7.595	0.0800	8	0	94.9	85	115	0	0			
Lube Oil			3.756	0.200	4	0	93.9	85	115	0	0			
Sample ID	CCV	SampType:	ccv	TestCoo	le: NWTPHD	XLL Units: mg/L		Prep Date	e:	,	Run ID: GC	-M_090706B	1	
Client ID:	ZZZZZ	Batch ID:	23586	TestN	lo: <b>NWTPH-</b>	Σ		Analysis Date	e: <b>7/6/200</b>	9	SeqNo: 614	1290		
Analyte			Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual	
Diesel			5.771	0.0800	6	0	96.2	85	115	0	0			

Qualifiers:

ND - Not Detected at the Reporting Limit

J - Analyte detected below quantitation limits

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

B - Analyte detected in the associated Method Blank

Page 5 of 8

Environmental Compliance Northwest, Inc.

Work Order:

0907014

Project:

Powell-Molalla / 05-106

ANALYTICAL QC SUMMARY REPORT

TestCode: NWTPHDXLL\_W

Sample ID	ccv	SampType:	ccv	TestCode	: NWTPHD	KLL Units: mg	/L		Prep Dat	e:	Run ID: GC-M_090706B			
Client ID:	ZZZZZ	Batch ID:	23586	TestNo	: NWTPH-D	×		,	Analysis Dat	e: <b>7/6/200</b>	SeqNo: <b>614290</b>			
Analyte			Result	PQL	SPK value	SPK Ref Val	%R	REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual
Lube Oil			2.851	0.200	3	0		95	85	115	0	0		

Environmental Compliance Northwest, Inc.

Work Order:

0907014

**Project:** 

Powell-Molalla / 05-106

# ANALYTICAL QC SUMMARY REPORT

TestCode: PAHLL\_W

Sample ID MB-23605	SampType: MBLK	TestCo	de: PAHLL_W	Units: µg/L		Prep Da	te: <b>7/8/20</b> 0	Run ID: 5975Q_090708A				
Client ID: ZZZZZ	Batch ID: 23605	Testi	No: 8270SIM			Analysis Dat	te: <b>7/8/20</b> 0	SeqNo: <b>614881</b>				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qua	
Acenaphthene	ND	0.0500										
Acenaphthylene	ND	0.0500										
Anthracene	ND	0.0500										
Benz(a)anthracene	0.01	0.0500									J	
Benzo(a)pyrene	ND	0.0500										
Benzo(b)fluoranthene	ND	0.0500										
Benzo(g,h,i)perylene	ND	0.0500										
Benzo(k)fluoranthene	ND	0.0500										
Chrysene	ND	0.0500										
Dibenz(a,h)anthracene	ND	0.0500										
Fluoranthene	0.01	0.0500									J	
Fluorene	0.01	0.0500									J	
Indeno(1,2,3-cd)pyrene	ND	0.0500									-	
Naphthalene	0.02	0.0500									J	
Phenanthrene	0.01	0.0500									J	
Pyrene	ND	0.0500										
Surr: 2-Fluorobiphenyl	67.29	1.00	100	0	67.3	18.6	106	0	0			
Surr: Nitrobenzene-d5	83.22	1.00	100	0	83.2	17	130	0	0			
Surr: p-Terphenyl-d14	73.28	1.00	100	0	73.3	39.6	131	0	0			
Sample ID LCS-23605	SampType: LCS	TestCo	de: PAHLL_W	Units: μg/L		Prep Dat	te: 7/8/200	)9	Run ID: 597	5Q_090708/	Α	
Client ID: ZZZZZ	Batch ID: 23605	Testi	No: <b>8270SIM</b>			Analysis Dat	te: <b>7/8/20</b> 0	)9	SeqNo: 614	882		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qua	
Acenaphthene	3.39	0.0500	5	0	67.8	35.1	100	0	0	-		
Benzo(g,h,i)perylene	4.77	0.0500	5	0	95.4	20.8	120	0	0			
Chrysene	3.83	0.0500	5	0	76.6	39.1	119	0	0			
Naphthalene	3.46	0.0500	5	0.02	68.8	25.6	106	0	0			
Phenanthrene	3.76	0.0500	5	0.01	75	38.1	106	0	0			
Pyrene	3.96	0.0500	5	0	79.2	41.3	118	0	0			

Qualifiers:

ND - Not Detected at the Reporting Limit

S - Spike Recovery outside accepted recovery limits

B - Analyte detected in the associated Method Blank

J - Analyte detected below quantitation limits

R - RPD outside accepted recovery limits

Environmental Compliance Northwest, Inc.

Work Order:

0907014

**Project:** 

Powell-Molalla / 05-106

# ANALYTICAL QC SUMMARY REPORT

TestCode: PAHLL\_W

Sample ID LCSD-23605 Client ID: ZZZZZ	SampType: LCSD Batch ID: 23605		de: PAHLL_W No: 8270SIM	Units: µg/L		Prep Date Analysis Date			Run ID: 597 SeqNo: 614	75Q_090708 <i>A</i> 4883	Α.		
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual		
Acenaphthene	3.52	0.0500	5	0	70.4	35.1	100	3.39	3.76	20			
Benzo(g,h,i)perylene	4.89	0.0500	5	0	97.8	20.8	120	4.77	2.48	20			
Chrysene	3.87	0.0500	5	0	77.4	39.1	119	3.83	1.04	20			
Naphthalene	3.71	0.0500	5	0.02	73.8	25.6	106	3.46	6.97	20			
Phenanthrene	3.86	0.0500	5	0.01	77	38.1	106	3.76	2.62	20			
Pyrene	4.01	0.0500	5	0	80.2	41.3	118	3.96	1.25	20			
Sample ID CCV-23605	CCV-23605 SampType: CCV TestCode: PAHLL_W Units: μg/L					Prep Date	9:		Run ID: 5975Q_090708A				
Client ID: ZZZZZ	Batch ID: 23605	TestN	lo: <b>8270SIM</b>		Analysis Date: 7/8/			9	SeqNo: 614				
Analyte	Result	PQL	SPK value	SPK Ref Val	%REC	LowLimit	HighLimit	RPD Ref Val	%RPD	RPDLimit	Qual		
Acenaphthene	4.76	0.0500	5	0	95.2	70	130	0	0				
Acenaphthylene	3.81	0.0500	5	0	76.2	70	130	0	0				
Anthracene	4.73	0.0500	5	0	94.6	70	130	0	0				
Benz(a)anthracene	5.12	0.0500	5	0	102	70	130	0	0				
Benzo(a)pyrene	4.75	0.0500	5	0	95	70	130	0	0				
Benzo(b)fluoranthene	4.94	0.0500	5	0	98.8	70	130	0	0				
Benzo(g,h,i)perylene	6.32	0.0500	5	0	126	70	130	0	0				
Benzo(k)fluoranthene	5.43	0.0500	5	0	109	70	130	0	0				
Chrysene	4.95	0.0500	5	0	99	70	130	0	0				
Dibenz(a,h)anthracene	4.95	0.0500	5	0	99	70	130	0	0				
Fluoranthene	5.37	0.0500	5	0	107	70	130	0	0				
Fluorene	5.11	0.0500	5	0	102	70	130	0	0				
Indeno(1,2,3-cd)pyrene	4.98	0.0500	5	0	99.6	70	130	0	0				
Naphthalene	5.01	0.0500	5	0	100	70	130	0	0				
Phenanthrene	5	0.0500	5	0	100	70	130	0	0				
Pyrene	5.12	0.0500	5	0	102	70	130	0	0				

S - Spike Recovery outside accepted recovery limits

R - RPD outside accepted recovery limits

### **KEY TO FLAGS**

- A This sample contains a Gasoline Range Organic not identified as a specific hydrocarbon product. The result was quantified against gasoline calibration standards.
- A1 This sample contains a Diesel Range Organic not identified as a specific hydrocarbon product. The result was quantified against diesel calibration standards.
- A2 This sample contains a Lube Oil Range Organic not identified as a specific hydrocarbon product. The result was quantified against a lube oil calibration standard.
- A3 The result was determined to be Non-Detect based on hydrocarbon pattern recognition. The product was carry-over from another hydrocarbon type.
- B The blank exhibited a positive result greater than the reporting limit for this compound.
- CN See Case Narrative.
- D Result is based from a dilution.
- E Result exceeds the calibration range for this compound. The result should be considered as estimate.
- F The positive result for this hydrocarbon is due to single component contamination. The product does not match any hydrocarbon in the fuels library.
- H Sample was analyzed outside recommended hold time.
- HT At clients request, sample was analyzed outside recommended hold time.
- J The result for this analyte is between the MDL and the PQL and should be considered as estimated concentration.
- K Diesel result is biased high due to amount of Oil contained in the sample.
- L Diesel result is biased high due to amount of Gasoline contained in the sample.
- M Oil result is biased high due to amount of Diesel contained in the sample.
- N Gasoline result is biased high due to amount of Diesel contained in the sample.
- MC Sample concentration is greater than 4x the spiked value, the spiked value is considered insignificant.
- MI Result is outside control limits due to matrix interference.
- MSA Value determined by Method of Standard Addition.
- O Laboratory Control Standard (LCS) exceeded laboratory control limits, but meets CCV criteria. Data meets EPA requirements.
- P Detection levels of Methylene Chloride may be laboratory contamination, due to previous analysis or background levels.
- Q Detection levels elevated due to sample matrix.
- R RPD control limits were exceeded.
- RF Duplicate failed due to result being at or near the method-reporting limit.
- RP Matrix spike values exceed established QC limits, post digestion spike is in control.
- S Recovery is outside control limits.
- SC Closing CCV or LCS exceeded high recovery control limits, but associated samples are non-detect. Data meets EPA requirements.
- \* The result for this parameter was greater that the maximum contaminant level of the TCLP regulatory limit.

# **CHAIN OF CUSTODY RECORD**

Analyses

Page_	i_of_
-------	-------

For Laboratory Use

	/
7/	M
	'\

Copies: White-Original

Specialty Analytical

11711 SE Capps Road Clackamas, OR 97015 Phone: 503-607-1331

		10110. 703-007-1331	
	Fa	x: 503-607-1336	
Collected B Signature Printed	ý: / C	Dry	
Signature_			
Printed			
Turn Around		Business Days	
· a	Rush		
		Specify	
Rush Analys	ses Must Be	Scheduled With The Lab In Advance	
Date	Time	Sample I.D.	Mat
14.10	12.50	11-1	(.)

Yellow-Project File

Contact Person/Project Manager Tohn Drag
Company CCN
Address 00 Box 230163
Address po 13 ox 230163  positions or 97281
Phone 377-9760 Fax 213-9980
Project No. 05-106 Project Name powell - molalla
Project Site Location OR X WA Other
Invoice To P.O. No

Lab Job No. Shipped Via\_

Air Bill No.

Temperature On Receipt

Specialty Analytical Containers? Y/N

Rush Analys	Analyses must be scheduled with the Lab in Advance					2	77	Ho	1, 19	PA			- 1	-		Specially Analytical Th	p blatiks?	/ N
Date	Time	Sam	ple I.D.		Matrix		82	7.6	0	171						Comments		Lab I.D.
6/30/09	820	an W-1			W	5	Х	X										
1	920	mw-2			1	5	×	*								IF THOX	1>	
	950	mw-3			.\/	6	7	*	X	<b>X</b>						If THAX petected, pAHS	izen	
\'/	OZRI	mw-4			V	6	X	×	×	$\bigotimes$					-	DAHS		
\\	10							<b>'</b>				-				Ü		
												$\neg$						
	<del>                                     </del>										$\neg$	一	$\dashv$					
<u> </u>	-					T					1	1	$\neg$	$\top$	1			
	<del> </del>							$\vdash$			$\dashv$	$\dashv$	$\dashv$	+	+			
	<del> </del>	<del> </del>						$\vdash$	$\vdash$		$\dashv$	$\dashv$	+	+	+			
			······································			+-	-	-			$\dashv$	$\dashv$	$\dashv$	$\dashv$	+-	<del> </del>		
	<del>                                     </del>	7				+		$\vdash$	$\vdash$		-	$\dashv$	-	+	+-	<del> </del>		
			T	_				<u></u>				$\dashv$				1	Τ	-
						ceived By:							Relinquished By:				Date	Time
Company: EEN 7439 1435 Company												_	Comp	any:				
Unless Reclaimed, Samples Will Be Disposed of 60 Days After Receipt. Samples held beyond 60 days subject to storage fee(s)													Rece	ived Fo	r Lab By		Date	Time
Samples hel									V	W	les	Welton	MIZIO	1441				

o. of Containers

**Pink-Customer Copy**