

ORDINANCE NO. 1616

AN ORDINANCE AUTHORIZING THE CITY ADMINISTRATOR TO EXECUTE A CONTRACT WITH ANGELTRAX, LLC, OF DOTHAN, AL, IN THE AMOUNT OF \$86,263.28 TO PROVIDE CAMERA SYSTEMS FOR CANBY AREA TRANSIT VEHICLES.

WHEREAS, the City of Canby on behalf of Canby Area Transit (CAT) purchased the original camera system back in 2016;

WHEREAS, the current camera system is out of date no longer supported;

WHEREAS, Canby Area Transit requested quotes from three suppliers;


WHEREAS, Canby Area Transit received two quotes; and

WHEREAS, the quote from AngelTrax LLC, Dothan, AL was the lowest.

NOW, THEREFORE, THE CITY OF CANBY ORDAINS AS FOLLOWS:

The City Administrator is hereby authorized and directed to make, execute, and declare in the name of the City of Canby and on its behalf, an appropriate contract agreement with AngelTrax LLC in Dothan, Alabama to purchase and install camera systems for Canby Area Transit in the amount of \$86,263.28.

SUBMITTED to the Canby City Council and read for the first time at a regular meeting thereof on Wednesday, January 18th, 2024, and ordered posted in three (3) public and conspicuous places in the City of Canby as specified in the Canby City Charter, and to come before the City Council for final reading and action at a regular meeting thereof at 7:00pm on Wednesday, February 7th, 2024.


Maya Benham, CMC
City Recorder

PASSED on second and final reading by the Canby City Council at a regular meeting thereof on the 7th of February 2024 by the following vote:


YEAS 6

NAYS 0



Brian Hodson
Mayor

ATTEST:



Maya Benham, CMC
City Recorder

AFFIDAVIT OF POSTING

STATE OF OREGON)
)
County of Clackamas) ss:
)
CITY OF CANBY)

I, Maya Benham, being first duly sworn, depose and say that I am the City Recorder for the City of Canby, Clackamas County, Oregon, a City duly incorporated under and by virtue of the laws of the State of Oregon.

That on the 18th day of January, 2024 the Council for said City of Canby held a Regular City Council Meeting, at which meeting Ordinance No. 1616 was read for the first time and passed by the vote of said Council and was then and there ordered posted in at least three (3) public and conspicuous places in said City for a period of five (5) days prior to the second reading and final vote on said Ordinance, as provided in Section 2 of Chapter 8 of the Charter of the City of Canby, and

Thereafter, on the 19th day of January, 2024, I personally posted said Ordinance in the following three (3) conspicuous places, all within the said City of Canby, to wit:


- 1. Canby Civic Building
- 2. Canby Post Office
- 3. City of Canby Web Page


That since said posting on the date aforesaid, the said Ordinance will remain posted in the said three (3) public and conspicuous places continuously for the period of more than five (5) days and until the very 7th day of February, 2024.



Maya Benham, City Recorder

Subscribed and sworn to before me this 19th day of January, 2024.





Notary Public for Oregon
My Commission Expires: 9/7/27



Friday, January 5, 2024

Heidi Muller

City of Canby
195 Hazel Dell Way
Suite C
Canby , OR 97013

Dear Heidi Muller:

Thank you for allowing AngelTrax to customize a proposal to suit your mobile surveillance needs. We pride ourselves on our workmanship and the expertise put forth into our research, development and manufacturing process. At AngelTrax, we believe that surveillance, service and reliability matter.

Please see a summary of proposed AngelTrax equipment attached. Contact me at my cellular number or email below for answers to any questions you may have, or if you need immediate assistance and I am not available, please contact our AngelTrax corporate office at 1.800.673.1788.

Our business depends solely upon our loyal partners. Through you and companies like yours, we earn the satisfaction of producing and supporting some of the finest mobile surveillance equipment on the market today. AngelTrax is committed to ensuring that your experience with our products and our people exceeds your expectations. Once again, thank you for your consideration.

Best Regards,

Angela Morgan
Northwestern Sales Executive

angela.morgan@angeltrax.com
334.791.4376
334.692.4606 (F)




Search "AngelTrax" on www.gsaadvantage.gov
to see our products available for
direct purchase, without the bidding process.



ISSUE DATE.: 01/05/2024
 EXPIRY DATE.: 04/04/2024

PREPARED FOR:


PREPARED BY:
Angela Morgan



Northwestern Sales Executive
 119 South Woodburn Drive
 Dothan, AL 36305
 Cell: 334.791.4376
 Corporate Office: 1.800.673.1788
 angela.morgan@angeltrax.com

BILLING DETAILS	SHIPPING DETAILS
City of Canby Heidi Muller 195 Hazel Dell Way Suite C Canby, OR 97013 USA 503-266-0717 mullerh@canbyoregon.gov	City of Canby Heidi Muller 195 Hazel Dell Way Suite C Canby, OR 97013 USA 503-266-0717 mullerh@canbyoregon.gov




QUOTED PRODUCTS

MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
CHEVY ARBOC BUSES #31, 36, & 37 (23 ft)			
AngelTrax VULCANV1202HC Mobile Network Video Recorder System (System Contents and Product Descriptions Listed Below)	3	\$4,410.56	\$13,231.68
 <p>V1202HC Vulcan Series 14-Channel HD/IP Mobile Network Video Recorder</p> <ul style="list-style-type: none"> • 14 Channels with 12 Channels IP 720P, 1080P or up to 4MP + 2 Channels D1, WD1, 720P, or up to 1080P • Patented Hybrid Component Modular Design • 3.5-Inch Platter Hard Drive • 64GB SD Card for Redundant Recording • Built-in Wi-Fi Module • Built-in G-Force Sensor • Vandal-Resistant Locking Hard Drive • Panic Button • H.264/H.265 Compression 	1		
<p>HDD4TB35 4TB 3.5-Inch Platter Hard Drive REQUIRES PURCHASE OF HARD DRIVE TRAY</p> <p>We recommend the use of storage media provided only by AngelTrax for our recording devices. AngelTrax hard drives and SD cards are optimized for around-the-clock video surveillance and are designed to withstand extreme temperatures. Standard hard drives and SD cards purchased through consumer resellers are not made for surveillance devices and have been known to stop functioning at any time without warning, causing a loss of video.</p>	1		

QUOTED PRODUCTS

MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
 <p>MSD64GB 64GB microSD Solid-State Memory Card</p> <p>We recommend the use of storage media provided only by AngelTrax for our recording devices. AngelTrax hard drives, and SD cards are optimized for around-the-clock video surveillance and are designed to withstand extreme temperatures. Standard hard drives and SD cards purchased through consumer resellers are not made for surveillance devices and have been known to stop functioning at any time without warning, causing a loss of video.</p>	1		
 <p>VULPBH Vulcan Series Panic Button Housing PC color</p>	1		
 <p>IPI26V2 Vulcan Series Low Profile 2.6mm 4MP Interior IP Camera: Windshield w/ Bracket</p> <ul style="list-style-type: none"> • 2.6mm Lens with Fully Articulated Lens Casing • Interior Camera • 4 Megapixels • Noise-Gated Microphone • Anti-Vibration, Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared 	1		
 <p>IPX26V2 (2) Vulcan Series Low Profile 2.6mm 4MP Exterior IP Camera: customer to provide view details</p> <ul style="list-style-type: none"> • 2.6mm Lens • Adjustable Lens Housing for Mounting on Either Side of Vehicle • IP67 Rated Waterproof Exterior Camera • 4 Megapixels • Anti-Vibration, Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Super Infrared 	2		
 <p>IPSMB2800 Vulcan HC Series 2800 IP Backing Camera</p> <ul style="list-style-type: none"> • 2.8mm Lens • IP67 Rated Waterproof Exterior Camera • 1920 x 1080 Resolution • 2 Megapixels • Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared 	1		
 <p>PARLX4K (3) Vulcan HC Series Parallax 4K IP Camera: Mounted Center of vehicle starting at Front and Cross Staggered to view passengers</p> <ul style="list-style-type: none"> • 2.8mm, 4MP Lens • 210-Degree Horizontal Field of View • Parallax View (Horizontal Resolution Exceeds Cinema 4K) • Interior Camera • Rated IP65 and IK08 • Noise-Gated Microphone • Anti-Vibration, Vandal-Resistant, Steel Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared 	3		
<p>CAT812CBL CAT8 Shielded Camera Cable, 12 ft</p> <ul style="list-style-type: none"> • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs 	1		

QUOTED PRODUCTS

MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
<p>CAT825CBL (3) CAT8 Shielded Camera Cable, 25 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	3		
<p>CAT835CBL (2) CAT8 Shielded Camera Cable, 35 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	2		
<p>CAT850CBL CAT8 Shielded Camera Cable, 50 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	1		
 <p>VULBR100 Windshield Mounting Bracket for Vulcan Series HD-V Cameras</p>	1		
 <p>WC4G Vulcan Series Wi-Fi Cellular GPS Tri-Mode Antenna • Wi-Fi, Cellular and Passive GPS Antenna • Interior-mounted</p>	1		
<p>Chevy E4500 #18</p>			
<p>AngelTrax VULCANV1202HC Mobile Network Video Recorder System (System Contents and Product Descriptions Listed Below)</p>	1	\$4,410.56	\$4,410.56
 <p>V1202HC Vulcan Series 14-Channel HD/IP Mobile Network Video Recorder • 14 Channels with 12 Channels IP 720P, 1080P or up to 4MP + 2 Channels D1, WD1, 720P, or up to 1080P • Patented Hybrid Component Modular Design • 3.5-Inch Platter Hard Drive • 64GB SD Card for Redundant Recording • Built-in Wi-Fi Module • Built-in G-Force Sensor • Vandal-Resistant Locking Hard Drive • Panic Button • H.264/H.265 Compression</p>	1		

QUOTED PRODUCTS

MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
<p>HDD4TB35 4TB 3.5-Inch Platter Hard Drive REQUIRES PURCHASE OF HARD DRIVE TRAY</p> <p>We recommend the use of storage media provided only by AngelTrax for our recording devices. AngelTrax hard drives and SD cards are optimized for around-the-clock video surveillance and are designed to withstand extreme temperatures. Standard hard drives and SD cards purchased through consumer resellers are not made for surveillance devices and have been known to stop functioning at any time without warning, causing a loss of video.</p>	1		
 <p>MSD64GB 64GB microSD Solid-State Memory Card</p> <p>We recommend the use of storage media provided only by AngelTrax for our recording devices. AngelTrax hard drives, and SD cards are optimized for around-the-clock video surveillance and are designed to withstand extreme temperatures. Standard hard drives and SD cards purchased through consumer resellers are not made for surveillance devices and have been known to stop functioning at any time without warning, causing a loss of video.</p>	1		
 <p>VULPBH Vulcan Series Panic Button Housing PC color</p>	1		
 <p>IPI26V2 Vulcan Series Low Profile 2.6mm 4MP Interior IP Camera: Windshield w/ Bracket</p> <ul style="list-style-type: none"> • 2.6mm Lens with Fully Articulated Lens Casing • Interior Camera • 4 Megapixels • Noise-Gated Microphone • Anti-Vibration, Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared 	1		
 <p>IPX26V2 (2) Vulcan Series Low Profile 2.6mm 4MP Exterior IP Camera: customer to provide view details</p> <ul style="list-style-type: none"> • 2.6mm Lens • Adjustable Lens Housing for Mounting on Either Side of Vehicle • IP67 Rated Waterproof Exterior Camera • 4 Megapixels • Anti-Vibration, Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Super Infrared 	2		
 <p>IPSMB2800 Vulcan HC Series 2800 IP Backing Camera</p> <ul style="list-style-type: none"> • 2.8mm Lens • IP67 Rated Waterproof Exterior Camera • 1920 x 1080 Resolution • 2 Megapixels • Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared 	1		
 <p>PARLX4K (3) Vulcan HC Series Parallax 4K IP Camera: Mounted Center of vehicle starting at Front and Cross Staggered to view passengers</p> <ul style="list-style-type: none"> • 2.8mm, 4MP Lens • 210-Degree Horizontal Field of View • Parallax View (Horizontal Resolution Exceeds Cinema 4K) • Interior Camera • Rated IP65 and IK08 • Noise-Gated Microphone • Anti-Vibration, Vandal-Resistant, Steel Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared 	3		

QUOTED PRODUCTS

MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
<p>CAT812CBL CAT8 Shielded Camera Cable, 12 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	1		
<p>CAT825CBL (3) CAT8 Shielded Camera Cable, 25 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	3		
<p>CAT835CBL (2) CAT8 Shielded Camera Cable, 35 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	2		
<p>CAT850CBL CAT8 Shielded Camera Cable, 50 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	1		
<p>VULBR100 Windshield Mounting Bracket for Vulcan Series HD-V Cameras</p>	1		
<p>WC4G Vulcan Series Wi-Fi Cellular GPS Tri-Mode Antenna • Wi-Fi, Cellular and Passive GPS Antenna • Interior-mounted</p>	1		
<p>GILLIG BUSES #28, 29, & 42 (35 ft)</p>			
<p>AngelTrax VULCANV1202HC Mobile Network Video Recorder System (System Contents and Product Descriptions Listed Below)</p>	3	\$4,410.56	\$13,231.68



QUOTED PRODUCTS

MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
 <p>V1202HC Vulcan Series 14-Channel HD/IP Mobile Network Video Recorder • 14 Channels with 12 Channels IP 720P, 1080P or up to 4MP + 2 Channels D1, WD1, 720P, or up to 1080P • Patented Hybrid Component Modular Design • 3.5-Inch Platter Hard Drive • 64GB SD Card for Redundant Recording • Built-in Wi-Fi Module • Built-in G-Force Sensor • Vandal-Resistant Locking Hard Drive • Panic Button • H.264/H.265 Compression</p>	1		
<p>HDD4TB35 4TB 3.5-Inch Platter Hard Drive REQUIRES PURCHASE OF HARD DRIVE TRAY</p> <p>We recommend the use of storage media provided only by AngelTrax for our recording devices. AngelTrax hard drives and SD cards are optimized for around-the-clock video surveillance and are designed to withstand extreme temperatures. Standard hard drives and SD cards purchased through consumer resellers are not made for surveillance devices and have been known to stop functioning at any time without warning, causing a loss of video.</p>	1		
 <p>MSD64GB 64GB microSD Solid-State Memory Card</p> <p>We recommend the use of storage media provided only by AngelTrax for our recording devices. AngelTrax hard drives, and SD cards are optimized for around-the-clock video surveillance and are designed to withstand extreme temperatures. Standard hard drives and SD cards purchased through consumer resellers are not made for surveillance devices and have been known to stop functioning at any time without warning, causing a loss of video.</p>	1		
 <p>VULPBH Vulcan Series Panic Button Housing PC color</p>	1		
 <p>IPI26V2 Vulcan Series Low Profile 2.6mm 4MP Interior IP Camera: Windshield w/ Bracket • 2.6mm Lens with Fully Articulated Lens Casing • Interior Camera • 4 Megapixels • Noise-Gated Microphone • Anti-Vibration, Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared</p>	1		
 <p>IPX26V2 (2) Vulcan Series Low Profile 2.6mm 4MP Exterior IP Camera: customer to provide view details • 2.6mm Lens • Adjustable Lens Housing for Mounting on Either Side of Vehicle • IP67 Rated Waterproof Exterior Camera • 4 Megapixels • Anti-Vibration, Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Super Infrared</p>	2		
 <p>IPSMB2800 Vulcan HC Series 2800 IP Backing Camera • 2.8mm Lens • IP67 Rated Waterproof Exterior Camera • 1920 x 1080 Resolution • 2 Megapixels • Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared</p>	1		

QUOTED PRODUCTS

MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
 <p>PARLX4K (3) Vulcan HC Series Parallax 4K IP Camera: Mounted Center of vehicle starting at Front and Cross Staggered to view passengers • 2.8mm, 4MP Lens • 210-Degree Horizontal Field of View • Parallax View (Horizontal Resolution Exceeds Cinema 4K) • Interior Camera • Rated IP65 and IK08 • Noise-Gated Microphone • Anti-Vibration, Vandal-Resistant, Steel Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared</p>	3		
<p>CAT812CBL CAT8 Shielded Camera Cable, 12 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	1		
<p>CAT825CBL (3) CAT8 Shielded Camera Cable, 25 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	3		
<p>CAT835CBL (2) CAT8 Shielded Camera Cable, 35 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	2		
<p>CAT850CBL CAT8 Shielded Camera Cable, 50 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	1		
 <p>VULBR100 Windshield Mounting Bracket for Vulcan Series HD-V Cameras</p>	1		
 <p>WC4G Vulcan Series Wi-Fi Cellular GPS Tri-Mode Antenna • Wi-Fi, Cellular and Passive GPS Antenna • Interior-mounted</p>	1		
<p>CHEVY ARBOC BUSES #32 & 33 (26 ft)</p>			

QUOTED PRODUCTS

MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
<p>AngelTrax VULCANV1202HC Mobile Network Video Recorder System (System Contents and Product Descriptions Listed Below)</p>	2	\$4,410.56	\$8,821.12
 <p>V1202HC Vulcan Series 14-Channel HD/IP Mobile Network Video Recorder • 14 Channels with 12 Channels IP 720P, 1080P or up to 4MP + 2 Channels D1, WD1, 720P, or up to 1080P • Patented Hybrid Component Modular Design • 3.5-Inch Platter Hard Drive • 64GB SD Card for Redundant Recording • Built-in Wi-Fi Module • Built-in G-Force Sensor • Vandal-Resistant Locking Hard Drive • Panic Button • H.264/H.265 Compression</p>	1		
<p>HDD4TB35 4TB 3.5-Inch Platter Hard Drive REQUIRES PURCHASE OF HARD DRIVE TRAY</p>	1		
<p>We recommend the use of storage media provided only by AngelTrax for our recording devices. AngelTrax hard drives and SD cards are optimized for around-the-clock video surveillance and are designed to withstand extreme temperatures. Standard hard drives and SD cards purchased through consumer resellers are not made for surveillance devices and have been known to stop functioning at any time without warning, causing a loss of video.</p>			
 <p>MSD64GB 64GB microSD Solid-State Memory Card</p>	1		
<p>We recommend the use of storage media provided only by AngelTrax for our recording devices. AngelTrax hard drives, and SD cards are optimized for around-the-clock video surveillance and are designed to withstand extreme temperatures. Standard hard drives and SD cards purchased through consumer resellers are not made for surveillance devices and have been known to stop functioning at any time without warning, causing a loss of video.</p>			
 <p>VULPBH Vulcan Series Panic Button Housing PC color</p>	1		
<p>IPI26V2 Vulcan Series Low Profile 2.6mm 4MP Interior IP Camera: Windshield w/ Bracket • 2.6mm Lens with Fully Articulated Lens Casing • Interior Camera • 4 Megapixels • Noise-Gated Microphone • Anti-Vibration, Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared</p>	1		
			
<p>IPX26V2 (2) Vulcan Series Low Profile 2.6mm 4MP Exterior IP Camera: customer to provide view details • 2.6mm Lens • Adjustable Lens Housing for Mounting on Either Side of Vehicle • IP67 Rated Waterproof Exterior Camera • 4 Megapixels • Anti-Vibration, Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Super Infrared</p>	2		
			



QUOTED PRODUCTS

MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
 <p>IPSMB2800 Vulcan HC Series 2800 IP Backing Camera • 2.8mm Lens • IP67 Rated Waterproof Exterior Camera • 1920 x 1080 Resolution • 2 Megapixels • Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared</p>	1		
 <p>PARLX4K (3) Vulcan HC Series Parallax 4K IP Camera: Mounted Center of vehicle starting at Front and Cross Staggered to view passengers • 2.8mm, 4MP Lens • 210-Degree Horizontal Field of View • Parallax View (Horizontal Resolution Exceeds Cinema 4K) • Interior Camera • Rated IP65 and IK08 • Noise-Gated Microphone • Anti-Vibration, Vandal-Resistant, Steel Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared</p>	3		
<p>CAT812CBL CAT8 Shielded Camera Cable, 12 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	1		
<p>CAT825CBL (3) CAT8 Shielded Camera Cable, 25 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	3		
<p>CAT835CBL (2) CAT8 Shielded Camera Cable, 35 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	2		
<p>CAT850CBL CAT8 Shielded Camera Cable, 50 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	1		
 <p>VULBR100 Windshield Mounting Bracket for Vulcan Series HD-V Cameras</p>	1		
 <p>WC4G Vulcan Series Wi-Fi Cellular GPS Tri-Mode Antenna • Wi-Fi, Cellular and Passive GPS Antenna • Interior-mounted</p>	1		






QUOTED PRODUCTS

MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
<p>CHEVY ARBOC BUS #35 (28 ft)</p>			
<p>AngelTrax VULCANV1202HC Mobile Network Video Recorder System (System Contents and Product Descriptions Listed Below)</p>	1	\$4,410.56	\$4,410.56
 <p>V1202HC Vulcan Series 14-Channel HD/IP Mobile Network Video Recorder <ul style="list-style-type: none"> • 14 Channels with 12 Channels IP 720P, 1080P or up to 4MP + 2 Channels D1, WD1, 720P, or up to 1080P • Patented Hybrid Component Modular Design • 3.5-Inch Platter Hard Drive • 64GB SD Card for Redundant Recording • Built-in Wi-Fi Module • Built-in G-Force Sensor • Vandal-Resistant Locking Hard Drive • Panic Button • H.264/H.265 Compression </p>	1		
<p>HDD4TB35 4TB 3.5-Inch Platter Hard Drive REQUIRES PURCHASE OF HARD DRIVE TRAY</p> <p>We recommend the use of storage media provided only by AngelTrax for our recording devices. AngelTrax hard drives and SD cards are optimized for around-the-clock video surveillance and are designed to withstand extreme temperatures. Standard hard drives and SD cards purchased through consumer resellers are not made for surveillance devices and have been known to stop functioning at any time without warning, causing a loss of video.</p>	1		
 <p>MSD64GB 64GB microSD Solid-State Memory Card</p> <p>We recommend the use of storage media provided only by AngelTrax for our recording devices. AngelTrax hard drives, and SD cards are optimized for around-the-clock video surveillance and are designed to withstand extreme temperatures. Standard hard drives and SD cards purchased through consumer resellers are not made for surveillance devices and have been known to stop functioning at any time without warning, causing a loss of video.</p>	1		
 <p>VULPBH Vulcan Series Panic Button Housing PC color</p>	1		
 <p>IPI26V2 Vulcan Series Low Profile 2.6mm 4MP Interior IP Camera: Windshield w/ Bracket <ul style="list-style-type: none"> • 2.6mm Lens with Fully Articulated Lens Casing • Interior Camera • 4 Megapixels • Noise-Gated Microphone • Anti-Vibration, Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared </p>	1		






QUOTED PRODUCTS

MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
 <p>IPX26V2 (2) Vulcan Series Low Profile 2.6mm 4MP Exterior IP Camera: customer to provide view details • 2.6mm Lens • Adjustable Lens Housing for Mounting on Either Side of Vehicle • IP67 Rated Waterproof Exterior Camera • 4 Megapixels • Anti-Vibration, Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Super Infrared</p>	2		
 <p>IPSMB2800 Vulcan HC Series 2800 IP Backing Camera • 2.8mm Lens • IP67 Rated Waterproof Exterior Camera • 1920 x 1080 Resolution • 2 Megapixels • Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared</p>	1		
 <p>PARLX4K (3) Vulcan HC Series Parallax 4K IP Camera: Mounted Center of vehicle starting at Front and Cross Staggered to view passengers • 2.8mm, 4MP Lens • 210-Degree Horizontal Field of View • Parallax View (Horizontal Resolution Exceeds Cinema 4K) • Interior Camera • Rated IP65 and IK08 • Noise-Gated Microphone • Anti-Vibration, Vandal-Resistant, Steel Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared</p>	3		
<p>CAT812CBL CAT8 Shielded Camera Cable, 12 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	1		
<p>CAT825CBL (3) CAT8 Shielded Camera Cable, 25 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	3		
<p>CAT835CBL (2) CAT8 Shielded Camera Cable, 35 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	2		
<p>CAT850CBL CAT8 Shielded Camera Cable, 50 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	1		

QUOTED PRODUCTS

MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
 <p>VULBR100 Windshield Mounting Bracket for Vulcan Series HD-V Cameras</p>	1		
 <p>WC4G Vulcan Series Wi-Fi Cellular GPS Tri-Mode Antenna • Wi-Fi, Cellular and Passive GPS Antenna • Interior-mounted</p>	1		
<p>CANBY BUSES #38, 39, 40, & 41 (28 ft)</p>			
<p>AngelTrax VULCANV1202HC Mobile Network Video Recorder System (System Contents and Product Descriptions Listed Below)</p>	4	\$3,799.68	\$15,198.72
 <p>V1202HC Vulcan Series 14-Channel HD/IP Mobile Network Video Recorder • 14 Channels with 12 Channels IP 720P, 1080P or up to 4MP + 2 Channels D1, WD1, 720P, or up to 1080P • Patented Hybrid Component Modular Design • 3.5-Inch Platter Hard Drive • 64GB SD Card for Redundant Recording • Built-in Wi-Fi Module • Built-in G-Force Sensor • Vandal-Resistant Locking Hard Drive • Panic Button • H.264/H.265 Compression</p>	1		
<p>HDD4TB35 4TB 3.5-Inch Platter Hard Drive REQUIRES PURCHASE OF HARD DRIVE TRAY</p> <p>We recommend the use of storage media provided only by AngelTrax for our recording devices. AngelTrax hard drives and SD cards are optimized for around-the-clock video surveillance and are designed to withstand extreme temperatures. Standard hard drives and SD cards purchased through consumer resellers are not made for surveillance devices and have been known to stop functioning at any time without warning, causing a loss of video.</p>	1		
 <p>MSD64GB 64GB microSD Solid-State Memory Card</p> <p>We recommend the use of storage media provided only by AngelTrax for our recording devices. AngelTrax hard drives, and SD cards are optimized for around-the-clock video surveillance and are designed to withstand extreme temperatures. Standard hard drives and SD cards purchased through consumer resellers are not made for surveillance devices and have been known to stop functioning at any time without warning, causing a loss of video.</p>	1		
 <p>VULPBH Vulcan Series Panic Button Housing PC color</p>	1		

QUOTED PRODUCTS

MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
 <p>IPI26V2 Vulcan Series Low Profile 2.6mm 4MP Interior IP Camera: Windshield w/ Bracket • 2.6mm Lens with Fully Articulated Lens Casing • Interior Camera • 4 Megapixels • Noise-Gated Microphone • Anti-Vibration, Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared</p>	1		
 <p>IPSMB2800 Vulcan HC Series 2800 IP Backing Camera • 2.8mm Lens • IP67 Rated Waterproof Exterior Camera • 1920 x 1080 Resolution • 2 Megapixels • Vandal-Resistant Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared</p>	1		
 <p>PARLX4K (3) Vulcan HC Series Parallax 4K IP Camera: Mounted Center of vehicle starting at Front and Cross Staggered to view passengers • 2.8mm, 4MP Lens • 210-Degree Horizontal Field of View • Parallax View (Horizontal Resolution Exceeds Cinema 4K) • Interior Camera • Rated IP65 and IK08 • Noise-Gated Microphone • Anti-Vibration, Vandal-Resistant, Steel Casing • Scratch-Resistant, Anti-Glare Glass Lens Cover • Infrared</p>	3		
<p>CAT812CBL CAT8 Shielded Camera Cable, 12 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	1		
<p>CAT825CBL (3) CAT8 Shielded Camera Cable, 25 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	3		
<p>CAT850CBL CAT8 Shielded Camera Cable, 50 ft • RJ45 Connection • Compatible with most Vulcan Series MDVRs and MNVRs</p>	1		
 <p>VULBR100 Windshield Mounting Bracket for Vulcan Series HD-V Cameras</p>	1		
 <p>WC4G Vulcan Series Wi-Fi Cellular GPS Tri-Mode Antenna • Wi-Fi, Cellular and Passive GPS Antenna • Interior-mounted</p>	1		

QUOTED PRODUCTS

MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
<p>CP4 MONITORS WITH MOUNTING PARTS FOR BUSES 18/28/29/31/32/33/42/43</p>	8	\$263.89	\$2,111.12
 <p>CP4 Vulcan Series Touchscreen Backing & Firmware Control Monitor with Bracket *Required for programming and diagnostics of Vulcan systems</p>	1		
 <p>RAMDIAMT RAM Diamond Mount</p>	1		
 <p>RAMMDARM RAM Medium Arm</p>	1		
 <p>RAMSHSD RAM Short Stud 1/4-20</p>	1		
 <p>VULPWRCBL Security Key Power Cable Adapter Hard Drive Version for Vulcan Series MNVRs and MDVRs</p>	1	\$23.92	\$23.92
 <p>VULPWRKEY Security Key USB 3.0 for Hard Drive Version Vulcan Series MNVRs, MDVRs • Includes DC Power Supply for Reader</p>	1	\$63.92	\$63.92
<p>CONTLABOR-UNINSTALL CUT AND TUCK Uninstallation of AngelTrax Camera System(s) with Cut and Tuck Method • Existing cables will remain in the vehicle(s). • Uninstallation price is based upon the total quantity of existing systems to be removed in the same trip at the same location.</p>	14	\$100.00	\$1,400.00

QUOTED PRODUCTS			
MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE
CONTLABOR Installation of AngelTrax 07 Camera System, per system. This quote does not include the upcharge for removal of any existing Camera Systems or equipment. *If quote is for multiple cameras/systems, installation price is based upon the installation of the total quantity quoted at the same time and location.	14	\$1,600.00	\$22,400.00
SHIPPING/HANDLING Shipping and Handling Charges - 14 Bx + 2 Bulk Bx * Optional items are not included in the calculation.*	1	\$960.00	\$960.00
TOTAL			\$86,263.28

QUOTED PRODUCTS - OPTIONAL ITEMS		NOTE: OPTIONAL ITEMS BELOW ARE NOT INCLUDED IN TOTAL PRICING ABOVE.	
MODEL & DESCRIPTION	QTY	UNIT PRICE	TOTAL PRICE

Signed and endorsed by: Eileen Stein
 Printed Name Eileen Stein, City Administrator

CORPORATE & FREIGHT POLICIES

The information in this document is to be held confidential by the receiving party. Disclosure of this information is permitted only to persons with the need to know the information for the intended purpose of this document, for the sole and exclusive benefit of the disclosing party. Specifications and prices are subject to change without notice. Please allow three to four weeks for delivery on special order items. Net 30 days from date of invoice to approved accounts. A handling fee is charged for customers who request third party billing freight. Items will be shipped UPS or FedEx, ground delivery, unless otherwise requested. No returns will be accepted after 30 days from invoice date. A 15% restocking fee will be added to all returned items. All items returned will be subject to inspection by IVS, Inc. Items deemed used or "B" goods will be returned to customer freight collect.

This price quote is good for 90 days or for the agreed upon contract date; after which, products and pricing are subject to change.

The customer will be responsible for all applicable taxes.

Warranty Notice: Technical support, warranty parts and services are contingent on your account being current and up to date.

License Notice: All AngelTrax and VizuCop software is used by license agreement only and is not for sale.

TITLE & OWNERSHIP POLICY

Title/Ownership of any item described in the quote or invoice does not pass to purchaser until such time as the invoice is paid in full. Seller has no duty to provide back office software support, warranty support or any monitoring for any item described in the unpaid invoice. Seller has the right to immediate possession of all items not paid for. Purchaser agrees to deliver to seller each item described in the invoice upon demand of seller at purchaser's expense. Delivery of the product described in the invoice shall not in any way terminate purchaser's obligation to pay for products ordered by purchaser and delivered to purchaser by seller. By accepting the product described on the invoice, buyer agrees that, should civil litigation arise due to non-payment, buyer expressly consents to jurisdiction in the State of Alabama and venue in Houston County, Alabama.

BID TERMS & CONDITIONS

If this quote is for a bid, the terms and conditions of the bid shall take the place of any applicable terms, conditions and disclaimers included in this quote.

CAUTION: IF INSTALLATION IS DELAYED DUE TO VEHICLES NOT AVAILABLE ACCORDING TO INSTALLATION DEPLOYMENT PROFILE, THE CUSTOMER WILL BE CHARGED FOR AN ADDITIONAL SITE VISIT TO INSTALL REMAINING EQUIPMENT.