

Oregon Dept. of Env. Quality - ODEQ

Sample Delivery Group: L1634580
Samples Received: 07/12/2023
Project Number: 310200
Description: Elmira Family Store QCAT #37622
Site: QCAT #37622
Report To: Sarah KINGERY
165 E. 7th Avenue
Suite 100
Eugene, OR 97401

Entire Report Reviewed By:



Brian Ford
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	4
Sr: Sample Results	5
MCQUARRIE POST L1634580-01	5
MCQUARRIE MID 2 L1634580-02	6
MCQUARRIE MID 1 L1634580-03	7
MCQUARRIE PRE L1634580-04	8
MCQUARRIE DUPLICATE L1634580-05	9
CORDON L1634580-06	10
TRIP BLANK L1634580-07	11
Qc: Quality Control Summary	12
Volatile Organic Compounds (GC) by Method NWTPHGX	12
Volatile Organic Compounds (GC/MS) by Method 524.2	14
Volatile Organic Compounds (GC/MS) by Method 8260D	17
Gl: Glossary of Terms	19
Al: Accreditations & Locations	20
Sc: Sample Chain of Custody	21

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

SAMPLE SUMMARY

MCQUARRIE POST L1634580-01 GW

				Collected by Sarah Kingery	Collected date/time 07/11/23 09:15	Received date/time 07/12/23 08:45
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC) by Method NWTPHGX	WG2095898	1	07/17/23 15:22	07/17/23 15:22	KSD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 524.2	WG2094855	1	07/14/23 17:29	07/14/23 17:29	DWR	Mt. Juliet, TN

MCQUARRIE MID 2 L1634580-02 GW

				Collected by Sarah Kingery	Collected date/time 07/11/23 09:20	Received date/time 07/12/23 08:45
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC) by Method NWTPHGX	WG2095898	1	07/17/23 15:44	07/17/23 15:44	KSD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2095267	1	07/14/23 23:56	07/14/23 23:56	DWR	Mt. Juliet, TN

MCQUARRIE MID 1 L1634580-03 GW

				Collected by Sarah Kingery	Collected date/time 07/11/23 09:30	Received date/time 07/12/23 08:45
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC) by Method NWTPHGX	WG2095657	1	07/17/23 04:41	07/17/23 04:41	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2095267	1	07/15/23 00:15	07/15/23 00:15	DWR	Mt. Juliet, TN

MCQUARRIE PRE L1634580-04 GW

				Collected by Sarah Kingery	Collected date/time 07/11/23 09:35	Received date/time 07/12/23 08:45
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC) by Method NWTPHGX	WG2095657	1	07/17/23 05:04	07/17/23 05:04	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2095267	5	07/15/23 03:44	07/15/23 03:44	DWR	Mt. Juliet, TN

MCQUARRIE DUPLICATE L1634580-05 GW


				Collected by Sarah Kingery	Collected date/time 07/11/23 09:35	Received date/time 07/12/23 08:45
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC) by Method NWTPHGX	WG2095657	1	07/17/23 05:26	07/17/23 05:26	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2095267	5	07/15/23 04:03	07/15/23 04:03	DWR	Mt. Juliet, TN

CORDON L1634580-06 GW

				Collected by Sarah Kingery	Collected date/time 07/11/23 09:55	Received date/time 07/12/23 08:45
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC) by Method NWTPHGX	WG2095657	1	07/17/23 05:48	07/17/23 05:48	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 524.2	WG2094855	1	07/14/23 17:55	07/14/23 17:55	DWR	Mt. Juliet, TN

TRIP BLANK L1634580-07 GW

				Collected by Sarah Kingery	Collected date/time 07/11/23 00:00	Received date/time 07/12/23 08:45
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2095267	1	07/14/23 22:20	07/14/23 22:20	DWR	Mt. Juliet, TN




CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Brian Ford
Project Manager



MCQUARRIE POST

Collected date/time: 07/11/23 09:15

SAMPLE RESULTS - 01

L1634580

Volatile Organic Compounds (GC) by Method NWTPHGX

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Gasoline Range Organics-NWTPH	91.2	<u>B</u> <u>J</u>	31.6	100	1	07/17/2023 15:22	WG2095898
(S) a,a,a-Trifluorotoluene(FID)	102			78.0-120		07/17/2023 15:22	WG2095898

Volatile Organic Compounds (GC/MS) by Method 524.2/8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Benzene	0.173	<u>J</u>	0.0490	0.500	1	07/14/2023 17:29	WG2094855
Carbon tetrachloride	U		0.0660	0.500	1	07/14/2023 17:29	WG2094855
1,4-Dichlorobenzene	U		0.0310	0.500	1	07/14/2023 17:29	WG2094855
1,2-Dichloroethane	1.32		0.0498	0.500	1	07/14/2023 17:29	WG2094855
1,1-Dichloroethene	U		0.0540	0.500	1	07/14/2023 17:29	WG2094855
1,1,1-Trichloroethane	U		0.0490	0.500	1	07/14/2023 17:29	WG2094855
Trichloroethene	U		0.0440	0.500	1	07/14/2023 17:29	WG2094855
Vinyl chloride	U		0.0260	0.500	1	07/14/2023 17:29	WG2094855
1,2,4-Trichlorobenzene	U		0.0530	0.500	1	07/14/2023 17:29	WG2094855
cis-1,2-Dichloroethene	U		0.0640	0.500	1	07/14/2023 17:29	WG2094855
Xylenes, Total	U		0.340	0.500	1	07/14/2023 17:29	WG2094855
Methylene chloride	U		0.0608	0.500	1	07/14/2023 17:29	WG2094855
1,2-Dichlorobenzene	U		0.0410	0.500	1	07/14/2023 17:29	WG2094855
trans-1,2-Dichloroethene	U		0.100	0.500	1	07/14/2023 17:29	WG2094855
1,2-Dichloropropane	U		0.0270	0.500	1	07/14/2023 17:29	WG2094855
1,1,2-Trichloroethane	U		0.0701	0.500	1	07/14/2023 17:29	WG2094855
Tetrachloroethene	U		0.0790	0.500	1	07/14/2023 17:29	WG2094855
Chlorobenzene	U		0.0370	0.500	1	07/14/2023 17:29	WG2094855
Toluene	U		0.412	0.500	1	07/14/2023 17:29	WG2094855
Ethylbenzene	U		0.0440	0.500	1	07/14/2023 17:29	WG2094855
Styrene	U		0.0360	0.500	1	07/14/2023 17:29	WG2094855
Bromobenzene	U		0.0490	0.500	1	07/14/2023 17:29	WG2094855
Bromodichloromethane	U		0.0810	0.500	1	07/14/2023 17:29	WG2094855
Bromoform	U		0.0800	0.500	1	07/14/2023 17:29	WG2094855
Bromomethane	U		0.0790	1.00	1	07/14/2023 17:29	WG2094855
Chlorodibromomethane	U		0.0930	0.500	1	07/14/2023 17:29	WG2094855
Chloroethane	U		0.190	0.500	1	07/14/2023 17:29	WG2094855
Chloroform	U		0.0800	0.500	1	07/14/2023 17:29	WG2094855
Chloromethane	0.128	<u>J</u>	0.0290	0.500	1	07/14/2023 17:29	WG2094855
2-Chlorotoluene	U		0.0480	0.500	1	07/14/2023 17:29	WG2094855
4-Chlorotoluene	U		0.0550	0.500	1	07/14/2023 17:29	WG2094855
Dibromomethane	U		0.0700	0.500	1	07/14/2023 17:29	WG2094855
1,3-Dichlorobenzene	U		0.0360	0.500	1	07/14/2023 17:29	WG2094855
1,1-Dichloroethane	U		0.0240	0.500	1	07/14/2023 17:29	WG2094855
1,3-Dichloropropane	U		0.0230	0.500	1	07/14/2023 17:29	WG2094855
2,2-Dichloropropane	U		0.0680	0.500	1	07/14/2023 17:29	WG2094855
1,1-Dichloropropene	U		0.0450	0.500	1	07/14/2023 17:29	WG2094855
1,3-Dichloropropene	U		0.150	0.500	1	07/14/2023 17:29	WG2094855
1,1,1,2-Tetrachloroethane	U		0.0700	0.500	1	07/14/2023 17:29	WG2094855
1,1,2,2-Tetrachloroethane	U		0.0790	0.500	1	07/14/2023 17:29	WG2094855
1,2,3-Trichloropropane	U		0.0720	0.500	1	07/14/2023 17:29	WG2094855
Methyl tert-butyl ether	0.0926	<u>J</u>	0.0530	0.500	1	07/14/2023 17:29	WG2094855
Naphthalene	U		0.110	0.500	1	07/14/2023 17:29	WG2094855
1,2-Dibromoethane	U		0.210	0.500	1	07/14/2023 17:29	WG2094855
Isopropylbenzene	U		0.0410	0.500	1	07/14/2023 17:29	WG2094855
1,2,4-Trimethylbenzene	U		0.0430	0.500	1	07/14/2023 17:29	WG2094855
1,3,5-Trimethylbenzene	U		0.0430	0.500	1	07/14/2023 17:29	WG2094855

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

ACCOUNT:

Oregon Dept. of Env. Quality - ODEQ

PROJECT:

310200

SDG:

L1634580

DATE/TIME:

07/19/23 15:33

PAGE:

5 of 21

Volatile Organic Compounds (GC) by Method NWTPHGX

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Gasoline Range Organics-NWTPH	74.8	B J	31.6	100	1	07/17/2023 15:44	WG2095898
(S) a,a,a-Trifluorotoluene(FID)	103			78.0-120		07/17/2023 15:44	WG2095898

Volatile Organic Compounds (GC/MS) by Method 524.2/8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Benzene	0.274	J	0.0941	1.00	1	07/14/2023 23:56	WG2095267
Ethylbenzene	U		0.137	1.00	1	07/14/2023 23:56	WG2095267
Toluene	U		0.278	1.00	1	07/14/2023 23:56	WG2095267
Xylenes, Total	U		0.174	3.00	1	07/14/2023 23:56	WG2095267
Methyl tert-butyl ether	U		0.101	1.00	1	07/14/2023 23:56	WG2095267
Naphthalene	U		1.00	5.00	1	07/14/2023 23:56	WG2095267
1,2-Dibromoethane	U		0.126	1.00	1	07/14/2023 23:56	WG2095267
1,2-Dichloroethane	1.87		0.0819	1.00	1	07/14/2023 23:56	WG2095267
Isopropylbenzene	U		0.105	1.00	1	07/14/2023 23:56	WG2095267
n-Propylbenzene	U		0.0993	1.00	1	07/14/2023 23:56	WG2095267
1,2,4-Trimethylbenzene	U		0.322	1.00	1	07/14/2023 23:56	WG2095267
1,3,5-Trimethylbenzene	U		0.104	1.00	1	07/14/2023 23:56	WG2095267
(S) Toluene-d8	104			80.0-120		07/14/2023 23:56	WG2095267
(S) 4-Bromofluorobenzene	97.3			77.0-126		07/14/2023 23:56	WG2095267
(S) 1,2-Dichloroethane-d4	109			70.0-130		07/14/2023 23:56	WG2095267

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method NWTPHGX

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Gasoline Range Organics-NWTPH	166	<u>B</u>	31.6	100	1	07/17/2023 04:41	WG2095657
(S) a,a,a-Trifluorotoluene(FID)	100			78.0-120		07/17/2023 04:41	WG2095657

Volatile Organic Compounds (GC/MS) by Method 524.2/8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Benzene	13.2		0.0941	1.00	1	07/15/2023 00:15	WG2095267
Ethylbenzene	U		0.137	1.00	1	07/15/2023 00:15	WG2095267
Toluene	U		0.278	1.00	1	07/15/2023 00:15	WG2095267
Xylenes, Total	U		0.174	3.00	1	07/15/2023 00:15	WG2095267
Methyl tert-butyl ether	0.156	<u>J</u>	0.101	1.00	1	07/15/2023 00:15	WG2095267
Naphthalene	U		1.00	5.00	1	07/15/2023 00:15	WG2095267
1,2-Dibromoethane	U		0.126	1.00	1	07/15/2023 00:15	WG2095267
1,2-Dichloroethane	5.24		0.0819	1.00	1	07/15/2023 00:15	WG2095267
Isopropylbenzene	U		0.105	1.00	1	07/15/2023 00:15	WG2095267
n-Propylbenzene	U		0.0993	1.00	1	07/15/2023 00:15	WG2095267
1,2,4-Trimethylbenzene	U		0.322	1.00	1	07/15/2023 00:15	WG2095267
1,3,5-Trimethylbenzene	U		0.104	1.00	1	07/15/2023 00:15	WG2095267
(S) Toluene-d8	109			80.0-120		07/15/2023 00:15	WG2095267
(S) 4-Bromofluorobenzene	98.5			77.0-126		07/15/2023 00:15	WG2095267
(S) 1,2-Dichloroethane-d4	108			70.0-130		07/15/2023 00:15	WG2095267

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC) by Method NWTPHGX

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Gasoline Range Organics-NWTPH	2320		31.6	100	1	07/17/2023 05:04	WG2095657
(S) a,a,a-Trifluorotoluene(FID)	93.0			78.0-120		07/17/2023 05:04	WG2095657

Volatile Organic Compounds (GC/MS) by Method 524.2/8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Benzene	754		0.471	5.00	5	07/15/2023 03:44	WG2095267
Ethylbenzene	18.2		0.685	5.00	5	07/15/2023 03:44	WG2095267
Toluene	U		1.39	5.00	5	07/15/2023 03:44	WG2095267
Xylenes, Total	3.92	J	0.870	15.0	5	07/15/2023 03:44	WG2095267
Methyl tert-butyl ether	U		0.505	5.00	5	07/15/2023 03:44	WG2095267
Naphthalene	U		5.00	25.0	5	07/15/2023 03:44	WG2095267
1,2-Dibromoethane	U		0.630	5.00	5	07/15/2023 03:44	WG2095267
1,2-Dichloroethane	4.46	J	0.409	5.00	5	07/15/2023 03:44	WG2095267
Isopropylbenzene	7.55		0.525	5.00	5	07/15/2023 03:44	WG2095267
n-Propylbenzene	7.60		0.497	5.00	5	07/15/2023 03:44	WG2095267
1,2,4-Trimethylbenzene	U		1.61	5.00	5	07/15/2023 03:44	WG2095267
1,3,5-Trimethylbenzene	U		0.520	5.00	5	07/15/2023 03:44	WG2095267
(S) Toluene-d8	102			80.0-120		07/15/2023 03:44	WG2095267
(S) 4-Bromofluorobenzene	101			77.0-126		07/15/2023 03:44	WG2095267
(S) 1,2-Dichloroethane-d4	108			70.0-130		07/15/2023 03:44	WG2095267

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC) by Method NWTPHGX

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Gasoline Range Organics-NWTPH	2240		31.6	100	1	07/17/2023 05:26	WG2095657
(S) a,a,a-Trifluorotoluene(FID)	94.3			78.0-120		07/17/2023 05:26	WG2095657

1 Cp

2 Tc

3 Ss

Volatile Organic Compounds (GC/MS) by Method 524.2/8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Benzene	746		0.471	5.00	5	07/15/2023 04:03	WG2095267
Ethylbenzene	18.1		0.685	5.00	5	07/15/2023 04:03	WG2095267
Toluene	U		1.39	5.00	5	07/15/2023 04:03	WG2095267
Xylenes, Total	3.60	J	0.870	15.0	5	07/15/2023 04:03	WG2095267
Methyl tert-butyl ether	U		0.505	5.00	5	07/15/2023 04:03	WG2095267
Naphthalene	U		5.00	25.0	5	07/15/2023 04:03	WG2095267
1,2-Dibromoethane	U		0.630	5.00	5	07/15/2023 04:03	WG2095267
1,2-Dichloroethane	4.49	J	0.409	5.00	5	07/15/2023 04:03	WG2095267
Isopropylbenzene	7.37		0.525	5.00	5	07/15/2023 04:03	WG2095267
n-Propylbenzene	7.94		0.497	5.00	5	07/15/2023 04:03	WG2095267
1,2,4-Trimethylbenzene	U		1.61	5.00	5	07/15/2023 04:03	WG2095267
1,3,5-Trimethylbenzene	U		0.520	5.00	5	07/15/2023 04:03	WG2095267
(S) Toluene-d8	108			80.0-120		07/15/2023 04:03	WG2095267
(S) 4-Bromofluorobenzene	98.0			77.0-126		07/15/2023 04:03	WG2095267
(S) 1,2-Dichloroethane-d4	105			70.0-130		07/15/2023 04:03	WG2095267

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC) by Method NWTPHGX

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Gasoline Range Organics-NWTPH	54.9	B J	31.6	100	1	07/17/2023 05:48	WG2095657
(S) a,a,a-Trifluorotoluene(FID)	102			78.0-120		07/17/2023 05:48	WG2095657

Volatile Organic Compounds (GC/MS) by Method 524.2/8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0490	0.500	1	07/14/2023 17:55	WG2094855
Carbon tetrachloride	U		0.0660	0.500	1	07/14/2023 17:55	WG2094855
1,4-Dichlorobenzene	U		0.0310	0.500	1	07/14/2023 17:55	WG2094855
1,2-Dichloroethane	U		0.0498	0.500	1	07/14/2023 17:55	WG2094855
1,1-Dichloroethene	U		0.0540	0.500	1	07/14/2023 17:55	WG2094855
1,1,1-Trichloroethane	U		0.0490	0.500	1	07/14/2023 17:55	WG2094855
Trichloroethene	U		0.0440	0.500	1	07/14/2023 17:55	WG2094855
Vinyl chloride	U		0.0260	0.500	1	07/14/2023 17:55	WG2094855
1,2,4-Trichlorobenzene	U		0.0530	0.500	1	07/14/2023 17:55	WG2094855
cis-1,2-Dichloroethene	U		0.0640	0.500	1	07/14/2023 17:55	WG2094855
Xylenes, Total	U		0.340	0.500	1	07/14/2023 17:55	WG2094855
Methylene chloride	U		0.0608	0.500	1	07/14/2023 17:55	WG2094855
1,2-Dichlorobenzene	U		0.0410	0.500	1	07/14/2023 17:55	WG2094855
trans-1,2-Dichloroethene	U		0.100	0.500	1	07/14/2023 17:55	WG2094855
1,2-Dichloropropane	U		0.0270	0.500	1	07/14/2023 17:55	WG2094855
1,1,2-Trichloroethane	U		0.0701	0.500	1	07/14/2023 17:55	WG2094855
Tetrachloroethene	U		0.0790	0.500	1	07/14/2023 17:55	WG2094855
Chlorobenzene	U		0.0370	0.500	1	07/14/2023 17:55	WG2094855
Toluene	U		0.412	0.500	1	07/14/2023 17:55	WG2094855
Ethylbenzene	U		0.0440	0.500	1	07/14/2023 17:55	WG2094855
Styrene	U		0.0360	0.500	1	07/14/2023 17:55	WG2094855
Bromobenzene	U		0.0490	0.500	1	07/14/2023 17:55	WG2094855
Bromodichloromethane	U		0.0810	0.500	1	07/14/2023 17:55	WG2094855
Bromoform	U		0.0800	0.500	1	07/14/2023 17:55	WG2094855
Bromomethane	U		0.0790	1.00	1	07/14/2023 17:55	WG2094855
Chlorodibromomethane	U		0.0930	0.500	1	07/14/2023 17:55	WG2094855
Chloroethane	U		0.190	0.500	1	07/14/2023 17:55	WG2094855
Chloroform	U		0.0800	0.500	1	07/14/2023 17:55	WG2094855
Chloromethane	U		0.0290	0.500	1	07/14/2023 17:55	WG2094855
2-Chlorotoluene	U		0.0480	0.500	1	07/14/2023 17:55	WG2094855
4-Chlorotoluene	U		0.0550	0.500	1	07/14/2023 17:55	WG2094855
Dibromomethane	U		0.0700	0.500	1	07/14/2023 17:55	WG2094855
1,3-Dichlorobenzene	U		0.0360	0.500	1	07/14/2023 17:55	WG2094855
1,1-Dichloroethane	U		0.0240	0.500	1	07/14/2023 17:55	WG2094855
1,3-Dichloropropane	U		0.0230	0.500	1	07/14/2023 17:55	WG2094855
2,2-Dichloropropane	U		0.0680	0.500	1	07/14/2023 17:55	WG2094855
1,1-Dichloropropene	U		0.0450	0.500	1	07/14/2023 17:55	WG2094855
1,3-Dichloropropene	U		0.150	0.500	1	07/14/2023 17:55	WG2094855
1,1,1,2-Tetrachloroethane	U		0.0700	0.500	1	07/14/2023 17:55	WG2094855
1,1,2,2-Tetrachloroethane	U		0.0790	0.500	1	07/14/2023 17:55	WG2094855
1,2,3-Trichloropropane	U		0.0720	0.500	1	07/14/2023 17:55	WG2094855
Methyl tert-butyl ether	U		0.0530	0.500	1	07/14/2023 17:55	WG2094855
Naphthalene	U		0.110	0.500	1	07/14/2023 17:55	WG2094855
1,2-Dibromoethane	U		0.210	0.500	1	07/14/2023 17:55	WG2094855
Isopropylbenzene	U		0.0410	0.500	1	07/14/2023 17:55	WG2094855
1,2,4-Trimethylbenzene	U		0.0430	0.500	1	07/14/2023 17:55	WG2094855
1,3,5-Trimethylbenzene	U		0.0430	0.500	1	07/14/2023 17:55	WG2094855

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 524.2/8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Benzene	U		0.0941	1.00	1	07/14/2023 22:20	WG2095267
Ethylbenzene	U		0.137	1.00	1	07/14/2023 22:20	WG2095267
Toluene	U		0.278	1.00	1	07/14/2023 22:20	WG2095267
Xylenes, Total	U		0.174	3.00	1	07/14/2023 22:20	WG2095267
Methyl tert-butyl ether	U		0.101	1.00	1	07/14/2023 22:20	WG2095267
Naphthalene	U		1.00	5.00	1	07/14/2023 22:20	WG2095267
1,2-Dibromoethane	U		0.126	1.00	1	07/14/2023 22:20	WG2095267
1,2-Dichloroethane	U		0.0819	1.00	1	07/14/2023 22:20	WG2095267
Isopropylbenzene	U		0.105	1.00	1	07/14/2023 22:20	WG2095267
n-Propylbenzene	U		0.0993	1.00	1	07/14/2023 22:20	WG2095267
1,2,4-Trimethylbenzene	U		0.322	1.00	1	07/14/2023 22:20	WG2095267
1,3,5-Trimethylbenzene	U		0.104	1.00	1	07/14/2023 22:20	WG2095267
(S) Toluene-d8	104			80.0-120		07/14/2023 22:20	WG2095267
(S) 4-Bromofluorobenzene	96.6			77.0-126		07/14/2023 22:20	WG2095267
(S) 1,2-Dichloroethane-d4	107			70.0-130		07/14/2023 22:20	WG2095267

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R3950331-2 07/16/23 23:48

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Gasoline Range Organics-NWTPH	52.5	J	31.6	100
(S) a,a,a-Trifluorotoluene(FID)	104			78.0-120

Laboratory Control Sample (LCS)

(LCS) R3950331-1 07/16/23 21:55

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Gasoline Range Organics-NWTPH	5500	4690	85.3	70.0-124	
(S) a,a,a-Trifluorotoluene(FID)			109	78.0-120	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R3949894-2 07/17/23 11:42

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Gasoline Range Organics-NWTPH	69.5	J	31.6	100
(S) a,a,a-Trifluorotoluene(FID)	104			78.0-120

Laboratory Control Sample (LCS)

(LCS) R3949894-1 07/17/23 10:51

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Gasoline Range Organics-NWTPH	5500	4950	90.0	70.0-124	
(S) a,a,a-Trifluorotoluene(FID)			107	78.0-120	

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Method Blank (MB)

(MB) R3949759-2 07/14/23 11:54

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Benzene	U		0.0490	0.500
Carbon tetrachloride	U		0.0660	0.500
1,4-Dichlorobenzene	U		0.0310	0.500
1,2-Dichloroethane	U		0.0498	0.500
1,1-Dichloroethene	U		0.0540	0.500
1,1,1-Trichloroethane	U		0.0490	0.500
Trichloroethene	U		0.0440	0.500
Vinyl chloride	U		0.0260	0.500
1,2,4-Trichlorobenzene	U		0.0530	0.500
cis-1,2-Dichloroethene	U		0.0640	0.500
Xylenes, Total	U		0.340	0.500
Methylene chloride	U		0.0608	0.500
1,2-Dichlorobenzene	U		0.0410	0.500
trans-1,2-Dichloroethene	U		0.100	0.500
1,2-Dichloropropane	U		0.0270	0.500
1,1,2-Trichloroethane	U		0.0701	0.500
Tetrachloroethene	U		0.0790	0.500
Chlorobenzene	U		0.0370	0.500
Toluene	U		0.412	0.500
Ethylbenzene	U		0.0440	0.500
Styrene	U		0.0360	0.500
Bromobenzene	U		0.0490	0.500
Bromodichloromethane	U		0.0810	0.500
Bromoform	U		0.0800	0.500
Bromomethane	U		0.0790	1.00
Chlorodibromomethane	U		0.0930	0.500
Chloroethane	U		0.190	0.500
Chloroform	U		0.0800	0.500
Chloromethane	U		0.0290	0.500
2-Chlorotoluene	U		0.0480	0.500
4-Chlorotoluene	U		0.0550	0.500
Dibromomethane	U		0.0700	0.500
1,3-Dichlorobenzene	U		0.0360	0.500
1,1-Dichloroethane	U		0.0240	0.500
1,3-Dichloropropane	U		0.0230	0.500
2,2-Dichloropropane	U		0.0680	0.500
1,1-Dichloropropene	U		0.0450	0.500
1,3-Dichloropropene	U		0.150	0.500
1,1,1,2-Tetrachloroethane	U		0.0700	0.500
1,1,2,2-Tetrachloroethane	U		0.0790	0.500

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3949759-2 07/14/23 11:54

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,2,3-Trichloropropane	U		0.0720	0.500
Methyl tert-butyl ether	U		0.0530	0.500
Naphthalene	U		0.110	0.500
1,2-Dibromoethane	U		0.210	0.500
Isopropylbenzene	U		0.0410	0.500
1,2,4-Trimethylbenzene	U		0.0430	0.500
1,3,5-Trimethylbenzene	U		0.0430	0.500

Laboratory Control Sample (LCS)

(LCS) R3949759-1 07/14/23 10:36

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	5.00	5.67	113	70.0-130	
Carbon tetrachloride	5.00	5.83	117	70.0-130	
1,4-Dichlorobenzene	5.00	6.26	125	70.0-130	
1,2-Dichloroethane	5.00	5.29	106	70.0-130	
1,1-Dichloroethene	5.00	5.86	117	70.0-130	
1,1,1-Trichloroethane	5.00	5.81	116	70.0-130	
Trichloroethene	5.00	5.83	117	70.0-130	
Vinyl chloride	5.00	5.07	101	70.0-130	
1,2,4-Trichlorobenzene	5.00	5.08	102	70.0-130	
cis-1,2-Dichloroethene	5.00	5.61	112	70.0-130	
Xylenes, Total	15.0	17.3	115	70.0-130	
Methylene chloride	5.00	5.67	113	70.0-130	
1,2-Dichlorobenzene	5.00	6.08	122	70.0-130	
trans-1,2-Dichloroethene	5.00	5.86	117	70.0-130	
1,2-Dichloropropane	5.00	5.24	105	70.0-130	
1,1,2-Trichloroethane	5.00	5.56	111	70.0-130	
Tetrachloroethene	5.00	6.12	122	70.0-130	
Chlorobenzene	5.00	5.97	119	70.0-130	
Toluene	5.00	5.57	111	70.0-130	
Ethylbenzene	5.00	5.53	111	70.0-130	
Styrene	5.00	5.59	112	70.0-130	
Bromobenzene	5.00	6.03	121	70.0-130	
Bromodichloromethane	5.00	5.29	106	70.0-130	
Bromoform	5.00	4.74	94.8	70.0-130	
Bromomethane	5.00	5.69	114	70.0-130	
Chlorodibromomethane	5.00	5.08	102	70.0-130	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Laboratory Control Sample (LCS)

(LCS) R3949759-1 07/14/23 10:36

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Chloroethane	5.00	5.32	106	70.0-130	
Chloroform	5.00	5.68	114	70.0-130	
Chloromethane	5.00	4.66	93.2	70.0-130	
2-Chlorotoluene	5.00	5.75	115	70.0-130	
4-Chlorotoluene	5.00	5.58	112	70.0-130	
Dibromomethane	5.00	5.51	110	70.0-130	
1,3-Dichlorobenzene	5.00	6.37	127	70.0-130	
1,1-Dichloroethane	5.00	5.18	104	70.0-130	
1,3-Dichloropropane	5.00	5.24	105	70.0-130	
2,2-Dichloropropane	5.00	5.43	109	70.0-130	
1,1-Dichloropropene	5.00	5.50	110	70.0-130	
1,3-Dichloropropene	10.0	10.1	101	70.0-130	
1,1,1,2-Tetrachloroethane	5.00	5.73	115	70.0-130	
1,1,2,2-Tetrachloroethane	5.00	5.12	102	70.0-130	
1,2,3-Trichloropropane	5.00	5.87	117	70.0-130	
Methyl tert-butyl ether	5.00	5.14	103	70.0-130	
Naphthalene	5.00	4.22	84.4	70.0-130	
Isopropylbenzene	5.00	5.72	114	70.0-130	
1,2,4-Trimethylbenzene	5.00	5.84	117	70.0-130	
1,3,5-Trimethylbenzene	5.00	5.93	119	70.0-130	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R3949904-3 07/14/23 19:52

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Benzene	U		0.0941	1.00
Ethylbenzene	U		0.137	1.00
Toluene	U		0.278	1.00
Xylenes, Total	U		0.174	3.00
Methyl tert-butyl ether	U		0.101	1.00
Naphthalene	U		1.00	5.00
1,2-Dibromoethane	U		0.126	1.00
1,2-Dichloroethane	U		0.0819	1.00
Isopropylbenzene	U		0.105	1.00
n-Propylbenzene	U		0.0993	1.00
1,2,4-Trimethylbenzene	U		0.322	1.00
1,3,5-Trimethylbenzene	U		0.104	1.00
(S) Toluene-d8	107			80.0-120
(S) 4-Bromofluorobenzene	96.5			77.0-126
(S) 1,2-Dichloroethane-d4	104			70.0-130

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R3949904-1 07/14/23 18:55 • (LCSD) R3949904-2 07/14/23 19:14

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	5.00	4.87	5.04	97.4	101	70.0-123			3.43	20
Ethylbenzene	5.00	4.80	4.82	96.0	96.4	79.0-123			0.416	20
Toluene	5.00	4.81	4.96	96.2	99.2	79.0-120			3.07	20
Xylenes, Total	15.0	14.1	14.3	94.0	95.3	79.0-123			1.41	20
Methyl tert-butyl ether	5.00	4.65	4.58	93.0	91.6	68.0-125			1.52	20
Naphthalene	5.00	4.59	4.73	91.8	94.6	54.0-135			3.00	20
1,2-Dibromoethane	5.00	4.99	5.03	99.8	101	80.0-122			0.798	20
1,2-Dichloroethane	5.00	5.40	5.52	108	110	70.0-128			2.20	20
Isopropylbenzene	5.00	4.54	4.62	90.8	92.4	76.0-127			1.75	20
n-Propylbenzene	5.00	4.58	4.63	91.6	92.6	77.0-124			1.09	20
1,2,4-Trimethylbenzene	5.00	4.50	4.58	90.0	91.6	76.0-121			1.76	20
1,3,5-Trimethylbenzene	5.00	4.55	4.66	91.0	93.2	76.0-122			2.39	20
(S) Toluene-d8				105	105	80.0-120				
(S) 4-Bromofluorobenzene				98.4	98.1	77.0-126				
(S) 1,2-Dichloroethane-d4				108	109	70.0-130				

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

L1634614-03 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1634614-03 07/15/23 02:10 • (MS) R3949904-4 07/15/23 04:22 • (MSD) R3949904-5 07/15/23 04:41

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	5.00	U	6.37	5.77	127	115	1	17.0-158			9.88	27
Ethylbenzene	5.00	U	5.79	5.28	116	106	1	30.0-155			9.21	27
Toluene	5.00	U	6.06	5.55	121	111	1	26.0-154			8.79	28
Xylenes, Total	15.0	U	17.2	15.7	115	105	1	29.0-154			9.12	28
Methyl tert-butyl ether	5.00	U	5.42	5.35	108	107	1	28.0-150			1.30	29
Naphthalene	5.00	U	4.57	4.78	91.4	95.6	1	12.0-156			4.49	35
1,2-Dibromoethane	5.00	U	5.87	5.77	117	115	1	34.0-147			1.72	27
1,2-Dichloroethane	5.00	U	6.59	6.15	132	123	1	29.0-151			6.91	27
Isopropylbenzene	5.00	U	5.43	5.03	109	101	1	28.0-157			7.65	27
n-Propylbenzene	5.00	U	5.56	5.15	111	103	1	31.0-154			7.66	28
1,2,4-Trimethylbenzene	5.00	U	5.29	4.95	106	99.0	1	26.0-154			6.64	27
1,3,5-Trimethylbenzene	5.00	U	5.45	4.98	109	99.6	1	28.0-153			9.01	27
(S) Toluene-d8					104	104		80.0-120				
(S) 4-Bromofluorobenzene					95.8	98.8		77.0-126				
(S) 1,2-Dichloroethane-d4					108	110		70.0-130				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.


Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier Description

B	The same analyte is found in the associated blank.
J	The identification of the analyte is acceptable; the reported value is an estimate.



ACCREDITATIONS & LOCATIONS


Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP, LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



State of Oregon Chain of Custody

B046

Agency, Authorized Purchaser or Agent: DEQ				Contract Laboratory Name: Pace Analytical				Lab Selection Criteria: ☐ Proximity (if TAT < 48 hrs) ☐ Prior work on same project ☒ Cost (for anticipated analyses) ☐ Other labs disqualified or unable to perform requested services ☐ Emergency work				Turn Around Time: ☒ 10 days (std.) ☐ 5 days ☐ 72 hours ☐ 48 hours ☐ 24 hours ☐ Other																																			
Send Lab Report To: Sarah Kingery Address: 165 East 7 th Ave, Suite 100 Eugene, OR, 97401 Tel. #: 541-321-3687 E-mail: Sarah.kingery@deq.oregon.gov				Lab Batch #:				Invoice To: Address: DEQEXP@deq.state.or.us																																							
Project Name: Elmira Family Store Project #: 310200 Sampler Name: Sarah Kingery				<table border="1"> <tr> <th colspan="8">Sample Preservative</th> </tr> <tr> <td>HCL</td><td>HCL</td><td>HCL</td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <th colspan="8">Requested Analyses</th> </tr> <tr> <td>NWTPH- Gx</td><td>VOCs by 8260C*</td><td>VOCs by EPA 524.2</td><td></td><td></td><td></td><td></td><td></td> </tr> </table>								Sample Preservative								HCL	HCL	HCL						Requested Analyses								NWTPH- Gx	VOCs by 8260C*	VOCs by EPA 524.2						L1634980			
Sample Preservative																																															
HCL	HCL	HCL																																													
Requested Analyses																																															
NWTPH- Gx	VOCs by 8260C*	VOCs by EPA 524.2																																													
Sample ID#	Collection Date/Time	Matrix	Number of Containers																																												
McQuarrie Post	7/11/2023/9:15	W	6	X		X								-01 -02 -03 -04 -05 -06 -07																																	
McQuarrie Mid 2	7/11/2023/9:20	W	6	X	X																																										
McQuarrie Mid 1	7/11/2023/9:30	W	6	X	X																																										
McQuarrie Pre	7/11/2023/9:35	W	6	X	X																																										
McQuarrie Duplicate	7/11/2023/9:35	W	6	X	X																																										
Cordon	7/11/2023/9:55	W	6	x		x																																									
Trip Blank		W	2		X																																										
Notes: *Please report RBDM VOCs for the 8260C analysis.																																															
Relinquished By: Sarah Kingery				Agency/Agent: OR-DEQ				Received By: Alexa Mitchell				Agency/Agent: PACE																																			
Signature: <i>[Signature]</i>				Time & Date: 7/11/2023 10:25				Signature: <i>[Signature]</i>				Time & Date: 7/11/23 0845																																			
Relinquished By:				Agency/Agent:				Received By:				Agency/Agent:																																			
Signature:				Time & Date:				Signature:				Time & Date:																																			

Sample Receipt Checklist

COC Seal Present/Intact: ☒ Y ☐ N If Applicable

COC Signed/Accurate: ☒ Y ☐ N VOA Zero Headspace: ☒ Y ☐ N

Bottles arrive intact: ☒ Y ☐ N Pres. Correct/Check: ☒ Y ☐ N

Correct bottles used: ☒ Y ☐ N

Sufficient volume sent: ☒ Y ☐ N

RA Screen <0.5 mR/hr: ☒ Y ☐ N

50710=5.7

CITATION #102-1098-07 AND PRICE AGREEMENT
 (S) CONTAINED IN THE PRICE AGREEMENT AT
 FLECTING T'S AND C'S, EXPRESS OR IMPLIED.

Invoice:
 Customer : PNPAAZ
 Phone : (615)758-5858
 SAT Del : N

Date : 28Apr23
Weight : 10 LBS
COD :
DV :

Shipping : 0.00
Special : 0.00
Handling : 0.00
Total : 0.00

Sys: PRIORITY OVERNIGHT
 TRK: 6426 8309 7432