

Oregon Dept. of Env. Quality - ODEQ

Sample Delivery Group: L1698979
Samples Received: 01/25/2024
Project Number: 310200
Description: Elmira Family Store QCAT #37622

Report To: Sarah KINGERY
165 E. 7th Avenue
Suite 100
Eugene, OR 97401

Entire Report Reviewed By:



Jason Romer
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 www.pacenational.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	4
Sr: Sample Results	5
MCQUARRIE POST L1698979-01	5
MCQUARRIE MID 2 L1698979-02	6
MCQUARRIE MID 1 L1698979-03	7
MCQUARRIE PRE L1698979-04	8
CORDON L1698979-05	9
TRIP BLANK L1698979-06	10
Qc: Quality Control Summary	11
Volatile Organic Compounds (GC) by Method NWTPHGX	11
Volatile Organic Compounds (GC/MS) by Method 524.2	13
Volatile Organic Compounds (GC/MS) by Method 8260D	16
Gl: Glossary of Terms	19
Al: Accreditations & Locations	20
Sc: Sample Chain of Custody	21

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al
⁹ Sc

SAMPLE SUMMARY

MCQUARRIE POST L1698979-01 GW

				Collected by Rachel Long	Collected date/time 01/24/24 08:55	Received date/time 01/25/24 09:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC) by Method NWTPHGX	WG2216495	1	01/31/24 00:56	01/31/24 00:56	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 524.2	WG2214010	1	01/26/24 13:56	01/26/24 13:56	DWR	Mt. Juliet, TN

MCQUARRIE MID 2 L1698979-02 GW

				Collected by Rachel Long	Collected date/time 01/24/24 09:05	Received date/time 01/25/24 09:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC) by Method NWTPHGX	WG2216495	1	01/31/24 01:18	01/31/24 01:18	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2214583	1	01/27/24 18:12	01/27/24 18:12	DYW	Mt. Juliet, TN

MCQUARRIE MID 1 L1698979-03 GW

				Collected by Rachel Long	Collected date/time 01/24/24 09:15	Received date/time 01/25/24 09:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC) by Method NWTPHGX	WG2216764	1	01/31/24 15:39	01/31/24 15:39	NCD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2215689	1	01/30/24 00:41	01/30/24 00:41	DWR	Mt. Juliet, TN

MCQUARRIE PRE L1698979-04 GW


				Collected by Rachel Long	Collected date/time 01/24/24 09:25	Received date/time 01/25/24 09:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC) by Method NWTPHGX	WG2216764	1	01/31/24 16:01	01/31/24 16:01	NCD	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2214583	25	01/27/24 19:55	01/27/24 19:55	DYW	Mt. Juliet, TN

CORDON L1698979-05 GW

				Collected by Rachel Long	Collected date/time 01/24/24 09:40	Received date/time 01/25/24 09:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC) by Method NWTPHGX	WG2216495	1	01/31/24 02:24	01/31/24 02:24	ADM	Mt. Juliet, TN
Volatile Organic Compounds (GC/MS) by Method 524.2	WG2214010	1	01/26/24 14:21	01/26/24 14:21	DWR	Mt. Juliet, TN

TRIP BLANK L1698979-06 GW

				Collected by Rachel Long	Collected date/time 01/24/24 00:00	Received date/time 01/25/24 09:30
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2214583	1	01/27/24 15:06	01/27/24 15:06	DYW	Mt. Juliet, TN



CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Jason Romer
Project Manager



Volatile Organic Compounds (GC) by Method NWTPHGX

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Gasoline Range Organics-NWTPH	ND		100	1	01/31/2024 00:56	WG2216495
(S) a,a,a-Trifluorotoluene(FID)	97.4		78.0-120		01/31/2024 00:56	WG2216495

Volatile Organic Compounds (GC/MS) by Method 524.2/8260D

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Benzene	ND		0.500	1	01/26/2024 13:56	WG2214010
Carbon tetrachloride	ND		0.500	1	01/26/2024 13:56	WG2214010
1,4-Dichlorobenzene	ND		0.500	1	01/26/2024 13:56	WG2214010
1,2-Dichloroethane	ND		0.500	1	01/26/2024 13:56	WG2214010
1,1-Dichloroethene	ND		0.500	1	01/26/2024 13:56	WG2214010
1,1,1-Trichloroethane	ND		0.500	1	01/26/2024 13:56	WG2214010
Trichloroethene	ND		0.500	1	01/26/2024 13:56	WG2214010
Vinyl chloride	ND		0.500	1	01/26/2024 13:56	WG2214010
1,2,4-Trichlorobenzene	ND		0.500	1	01/26/2024 13:56	WG2214010
cis-1,2-Dichloroethene	ND		0.500	1	01/26/2024 13:56	WG2214010
Xylenes, Total	ND		0.500	1	01/26/2024 13:56	WG2214010
Methylene chloride	ND		0.500	1	01/26/2024 13:56	WG2214010
1,2-Dichlorobenzene	ND		0.500	1	01/26/2024 13:56	WG2214010
trans-1,2-Dichloroethene	ND		0.500	1	01/26/2024 13:56	WG2214010
1,2-Dichloropropane	ND		0.500	1	01/26/2024 13:56	WG2214010
1,1,2-Trichloroethane	ND		0.500	1	01/26/2024 13:56	WG2214010
Tetrachloroethene	ND		0.500	1	01/26/2024 13:56	WG2214010
Chlorobenzene	ND		0.500	1	01/26/2024 13:56	WG2214010
Toluene	ND		0.500	1	01/26/2024 13:56	WG2214010
Ethylbenzene	ND		0.500	1	01/26/2024 13:56	WG2214010
Styrene	ND		0.500	1	01/26/2024 13:56	WG2214010
Bromobenzene	ND		0.500	1	01/26/2024 13:56	WG2214010
Bromodichloromethane	ND		0.500	1	01/26/2024 13:56	WG2214010
Bromoform	ND		0.500	1	01/26/2024 13:56	WG2214010
Bromomethane	ND		1.00	1	01/26/2024 13:56	WG2214010
Chlorodibromomethane	ND		0.500	1	01/26/2024 13:56	WG2214010
Chloroethane	ND		0.500	1	01/26/2024 13:56	WG2214010
Chloroform	ND		0.500	1	01/26/2024 13:56	WG2214010
Chloromethane	ND		0.500	1	01/26/2024 13:56	WG2214010
2-Chlorotoluene	ND		0.500	1	01/26/2024 13:56	WG2214010
4-Chlorotoluene	ND		0.500	1	01/26/2024 13:56	WG2214010
Dibromomethane	ND		0.500	1	01/26/2024 13:56	WG2214010
1,3-Dichlorobenzene	ND		0.500	1	01/26/2024 13:56	WG2214010
1,1-Dichloroethane	ND		0.500	1	01/26/2024 13:56	WG2214010
1,3-Dichloropropane	ND		0.500	1	01/26/2024 13:56	WG2214010
2,2-Dichloropropane	ND		0.500	1	01/26/2024 13:56	WG2214010
1,1-Dichloropropene	ND		0.500	1	01/26/2024 13:56	WG2214010
1,3-Dichloropropene	ND		0.500	1	01/26/2024 13:56	WG2214010
1,1,1,2-Tetrachloroethane	ND		0.500	1	01/26/2024 13:56	WG2214010
1,1,2,2-Tetrachloroethane	ND		0.500	1	01/26/2024 13:56	WG2214010
1,2,3-Trichloropropane	ND		0.500	1	01/26/2024 13:56	WG2214010
Methyl tert-butyl ether	ND		0.500	1	01/26/2024 13:56	WG2214010
Naphthalene	ND		0.500	1	01/26/2024 13:56	WG2214010
1,2-Dibromoethane	ND		0.500	1	01/26/2024 13:56	WG2214010
Isopropylbenzene	ND		0.500	1	01/26/2024 13:56	WG2214010
1,2,4-Trimethylbenzene	ND		0.500	1	01/26/2024 13:56	WG2214010
1,3,5-Trimethylbenzene	ND		0.500	1	01/26/2024 13:56	WG2214010

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC) by Method NWTPHGX

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Gasoline Range Organics-NWTPH	ND		100	1	01/31/2024 01:18	WG2216495
(S) a,a,a-Trifluorotoluene(FID)	97.5		78.0-120		01/31/2024 01:18	WG2216495

Volatile Organic Compounds (GC/MS) by Method 524.2/8260D

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Benzene	ND		1.00	1	01/27/2024 18:12	WG2214583
Ethylbenzene	ND		1.00	1	01/27/2024 18:12	WG2214583
Toluene	ND		1.00	1	01/27/2024 18:12	WG2214583
Xylenes, Total	ND		3.00	1	01/27/2024 18:12	WG2214583
Methyl tert-butyl ether	ND		1.00	1	01/27/2024 18:12	WG2214583
Naphthalene	ND	C3	5.00	1	01/27/2024 18:12	WG2214583
1,2-Dibromoethane	ND		1.00	1	01/27/2024 18:12	WG2214583
1,2-Dichloroethane	ND		1.00	1	01/27/2024 18:12	WG2214583
Isopropylbenzene	ND		1.00	1	01/27/2024 18:12	WG2214583
n-Propylbenzene	ND		1.00	1	01/27/2024 18:12	WG2214583
1,2,4-Trimethylbenzene	ND		1.00	1	01/27/2024 18:12	WG2214583
1,3,5-Trimethylbenzene	ND		1.00	1	01/27/2024 18:12	WG2214583
(S) Toluene-d8	96.4		80.0-120		01/27/2024 18:12	WG2214583
(S) 4-Bromofluorobenzene	95.1		77.0-126		01/27/2024 18:12	WG2214583
(S) 1,2-Dichloroethane-d4	90.2		70.0-130		01/27/2024 18:12	WG2214583

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC) by Method NWTPHGX

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Gasoline Range Organics-NWTPH	ND		100	1	01/31/2024 15:39	WG2216764
(S) a,a,a-Trifluorotoluene(FID)	93.5		78.0-120		01/31/2024 15:39	WG2216764

1
Cp

2
Tc

3
Ss

Volatile Organic Compounds (GC/MS) by Method 524.2/8260D

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Benzene	ND		1.00	1	01/30/2024 00:41	WG2215689
Ethylbenzene	ND		1.00	1	01/30/2024 00:41	WG2215689
Toluene	ND		1.00	1	01/30/2024 00:41	WG2215689
Xylenes, Total	ND		3.00	1	01/30/2024 00:41	WG2215689
Methyl tert-butyl ether	ND		1.00	1	01/30/2024 00:41	WG2215689
Naphthalene	ND		5.00	1	01/30/2024 00:41	WG2215689
1,2-Dibromoethane	ND		1.00	1	01/30/2024 00:41	WG2215689
1,2-Dichloroethane	ND		1.00	1	01/30/2024 00:41	WG2215689
Isopropylbenzene	ND		1.00	1	01/30/2024 00:41	WG2215689
n-Propylbenzene	ND		1.00	1	01/30/2024 00:41	WG2215689
1,2,4-Trimethylbenzene	ND		1.00	1	01/30/2024 00:41	WG2215689
1,3,5-Trimethylbenzene	ND		1.00	1	01/30/2024 00:41	WG2215689
(S) Toluene-d8	102		80.0-120		01/30/2024 00:41	WG2215689
(S) 4-Bromofluorobenzene	92.3		77.0-126		01/30/2024 00:41	WG2215689
(S) 1,2-Dichloroethane-d4	102		70.0-130		01/30/2024 00:41	WG2215689

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Volatile Organic Compounds (GC) by Method NWTPHGX

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Gasoline Range Organics-NWTPH	2580		100	1	01/31/2024 16:01	WG2216764
(S) a,a,a-Trifluorotoluene(FID)	81.6		78.0-120		01/31/2024 16:01	WG2216764

Volatile Organic Compounds (GC/MS) by Method 524.2/8260D

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Benzene	1480		25.0	25	01/27/2024 19:55	WG2214583
Ethylbenzene	36.5		25.0	25	01/27/2024 19:55	WG2214583
Toluene	ND		25.0	25	01/27/2024 19:55	WG2214583
Xylenes, Total	ND		75.0	25	01/27/2024 19:55	WG2214583
Methyl tert-butyl ether	ND		25.0	25	01/27/2024 19:55	WG2214583
Naphthalene	ND	C3	125	25	01/27/2024 19:55	WG2214583
1,2-Dibromoethane	ND		25.0	25	01/27/2024 19:55	WG2214583
1,2-Dichloroethane	ND		25.0	25	01/27/2024 19:55	WG2214583
Isopropylbenzene	ND		25.0	25	01/27/2024 19:55	WG2214583
n-Propylbenzene	ND		25.0	25	01/27/2024 19:55	WG2214583
1,2,4-Trimethylbenzene	ND		25.0	25	01/27/2024 19:55	WG2214583
1,3,5-Trimethylbenzene	ND		25.0	25	01/27/2024 19:55	WG2214583
(S) Toluene-d8	96.6		80.0-120		01/27/2024 19:55	WG2214583
(S) 4-Bromofluorobenzene	95.8		77.0-126		01/27/2024 19:55	WG2214583
(S) 1,2-Dichloroethane-d4	89.1		70.0-130		01/27/2024 19:55	WG2214583

¹ Cp² Tc³ Ss⁴ Cn⁵ Sr⁶ Qc⁷ Gl⁸ Al⁹ Sc

Volatile Organic Compounds (GC) by Method NWTPHGX

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Gasoline Range Organics-NWTPH	ND		100	1	01/31/2024 02:24	WG2216495
(S) a,a,a-Trifluorotoluene(FID)	96.9		78.0-120		01/31/2024 02:24	WG2216495

Volatile Organic Compounds (GC/MS) by Method 524.2/8260D

Analyte	Result ug/l	Qualifier	RDL ug/l	Dilution	Analysis date / time	Batch
Benzene	ND		0.500	1	01/26/2024 14:21	WG2214010
Carbon tetrachloride	ND		0.500	1	01/26/2024 14:21	WG2214010
1,4-Dichlorobenzene	ND		0.500	1	01/26/2024 14:21	WG2214010
1,2-Dichloroethane	ND		0.500	1	01/26/2024 14:21	WG2214010
1,1-Dichloroethene	ND		0.500	1	01/26/2024 14:21	WG2214010
1,1,1-Trichloroethane	ND		0.500	1	01/26/2024 14:21	WG2214010
Trichloroethene	ND		0.500	1	01/26/2024 14:21	WG2214010
Vinyl chloride	ND		0.500	1	01/26/2024 14:21	WG2214010
1,2,4-Trichlorobenzene	ND		0.500	1	01/26/2024 14:21	WG2214010
cis-1,2-Dichloroethene	ND		0.500	1	01/26/2024 14:21	WG2214010
Xylenes, Total	ND		0.500	1	01/26/2024 14:21	WG2214010
Methylene chloride	ND		0.500	1	01/26/2024 14:21	WG2214010
1,2-Dichlorobenzene	ND		0.500	1	01/26/2024 14:21	WG2214010
trans-1,2-Dichloroethene	ND		0.500	1	01/26/2024 14:21	WG2214010
1,2-Dichloropropane	ND		0.500	1	01/26/2024 14:21	WG2214010
1,1,2-Trichloroethane	ND		0.500	1	01/26/2024 14:21	WG2214010
Tetrachloroethene	ND		0.500	1	01/26/2024 14:21	WG2214010
Chlorobenzene	ND		0.500	1	01/26/2024 14:21	WG2214010
Toluene	ND		0.500	1	01/26/2024 14:21	WG2214010
Ethylbenzene	ND		0.500	1	01/26/2024 14:21	WG2214010
Styrene	ND		0.500	1	01/26/2024 14:21	WG2214010
Bromobenzene	ND		0.500	1	01/26/2024 14:21	WG2214010
Bromodichloromethane	ND		0.500	1	01/26/2024 14:21	WG2214010
Bromoform	ND		0.500	1	01/26/2024 14:21	WG2214010
Bromomethane	ND		1.00	1	01/26/2024 14:21	WG2214010
Chlorodibromomethane	ND		0.500	1	01/26/2024 14:21	WG2214010
Chloroethane	ND		0.500	1	01/26/2024 14:21	WG2214010
Chloroform	ND		0.500	1	01/26/2024 14:21	WG2214010
Chloromethane	ND		0.500	1	01/26/2024 14:21	WG2214010
2-Chlorotoluene	ND		0.500	1	01/26/2024 14:21	WG2214010
4-Chlorotoluene	ND		0.500	1	01/26/2024 14:21	WG2214010
Dibromomethane	ND		0.500	1	01/26/2024 14:21	WG2214010
1,3-Dichlorobenzene	ND		0.500	1	01/26/2024 14:21	WG2214010
1,1-Dichloroethane	ND		0.500	1	01/26/2024 14:21	WG2214010
1,3-Dichloropropane	ND		0.500	1	01/26/2024 14:21	WG2214010
2,2-Dichloropropane	ND		0.500	1	01/26/2024 14:21	WG2214010
1,1-Dichloropropene	ND		0.500	1	01/26/2024 14:21	WG2214010
1,3-Dichloropropene	ND		0.500	1	01/26/2024 14:21	WG2214010
1,1,1,2-Tetrachloroethane	ND		0.500	1	01/26/2024 14:21	WG2214010
1,1,2,2-Tetrachloroethane	ND		0.500	1	01/26/2024 14:21	WG2214010
1,2,3-Trichloropropane	ND		0.500	1	01/26/2024 14:21	WG2214010
Methyl tert-butyl ether	ND		0.500	1	01/26/2024 14:21	WG2214010
Naphthalene	ND		0.500	1	01/26/2024 14:21	WG2214010
1,2-Dibromoethane	ND		0.500	1	01/26/2024 14:21	WG2214010
Isopropylbenzene	ND		0.500	1	01/26/2024 14:21	WG2214010
1,2,4-Trimethylbenzene	ND		0.500	1	01/26/2024 14:21	WG2214010
1,3,5-Trimethylbenzene	ND		0.500	1	01/26/2024 14:21	WG2214010

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 524.2/8260D

Analyte	Result	Qualifier	RDL	Dilution	Analysis	Batch
	ug/l		ug/l		date / time	
Benzene	ND		1.00	1	01/27/2024 15:06	WG2214583
Ethylbenzene	ND		1.00	1	01/27/2024 15:06	WG2214583
Toluene	ND		1.00	1	01/27/2024 15:06	WG2214583
Xylenes, Total	ND		3.00	1	01/27/2024 15:06	WG2214583
Methyl tert-butyl ether	ND		1.00	1	01/27/2024 15:06	WG2214583
Naphthalene	ND	C3	5.00	1	01/27/2024 15:06	WG2214583
1,2-Dibromoethane	ND		1.00	1	01/27/2024 15:06	WG2214583
1,2-Dichloroethane	ND		1.00	1	01/27/2024 15:06	WG2214583
Isopropylbenzene	ND		1.00	1	01/27/2024 15:06	WG2214583
n-Propylbenzene	ND		1.00	1	01/27/2024 15:06	WG2214583
1,2,4-Trimethylbenzene	ND		1.00	1	01/27/2024 15:06	WG2214583
1,3,5-Trimethylbenzene	ND		1.00	1	01/27/2024 15:06	WG2214583
(S) Toluene-d8	95.1		80.0-120		01/27/2024 15:06	WG2214583
(S) 4-Bromofluorobenzene	94.3		77.0-126		01/27/2024 15:06	WG2214583
(S) 1,2-Dichloroethane-d4	89.9		70.0-130		01/27/2024 15:06	WG2214583

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R4028081-3 01/30/24 20:17

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Gasoline Range Organics-NWTPH	32.2	J	31.6	100
(S) a,a,a-Trifluorotoluene(FID)	98.3			78.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4028081-1 01/30/24 19:12 • (LCSD) R4028081-2 01/30/24 19:33

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Gasoline Range Organics-NWTPH	5500	5230	5380	95.1	97.8	70.0-124			2.83	20
(S) a,a,a-Trifluorotoluene(FID)				98.9	98.4	78.0-120				

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Method Blank (MB)

(MB) R4028483-3 01/31/24 14:00

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Gasoline Range Organics-NWTPH	U		31.6	100
(S) a,a,a-Trifluorotoluene(FID)	93.9			78.0-120

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4028483-1 01/31/24 11:51 • (LCSD) R4028483-2 01/31/24 13:17

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Gasoline Range Organics-NWTPH	5500	4840	4640	88.0	84.4	70.0-124			4.22	20
(S) a,a,a-Trifluorotoluene(FID)				89.1	91.8	78.0-120				

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Method Blank (MB)

(MB) R4027763-2 01/26/24 12:33

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Benzene	U		0.0490	0.500
Carbon tetrachloride	U		0.0660	0.500
1,4-Dichlorobenzene	U		0.0310	0.500
1,2-Dichloroethane	U		0.0498	0.500
1,1-Dichloroethene	U		0.0540	0.500
1,1,1-Trichloroethane	U		0.0490	0.500
Trichloroethene	U		0.0440	0.500
Vinyl chloride	U		0.0260	0.500
1,2,4-Trichlorobenzene	U		0.0530	0.500
cis-1,2-Dichloroethene	U		0.0640	0.500
Xylenes, Total	U		0.340	0.500
Methylene chloride	U		0.0608	0.500
1,2-Dichlorobenzene	U		0.0410	0.500
trans-1,2-Dichloroethene	U		0.100	0.500
1,2-Dichloropropane	U		0.0270	0.500
1,1,2-Trichloroethane	U		0.0701	0.500
Tetrachloroethene	U		0.0790	0.500
Chlorobenzene	U		0.0370	0.500
Toluene	U		0.412	0.500
Ethylbenzene	U		0.0440	0.500
Styrene	U		0.0360	0.500
Bromobenzene	U		0.0490	0.500
Bromodichloromethane	U		0.0810	0.500
Bromoform	U		0.0800	0.500
Bromomethane	U		0.0790	1.00
Chlorodibromomethane	U		0.0930	0.500
Chloroethane	U		0.190	0.500
Chloroform	0.223	U	0.0800	0.500
Chloromethane	U		0.0290	0.500
2-Chlorotoluene	U		0.0480	0.500
4-Chlorotoluene	U		0.0550	0.500
Dibromomethane	U		0.0700	0.500
1,3-Dichlorobenzene	U		0.0360	0.500
1,1-Dichloroethane	U		0.0240	0.500
1,3-Dichloropropane	U		0.0230	0.500
2,2-Dichloropropane	U		0.0680	0.500
1,1-Dichloropropene	U		0.0450	0.500
1,3-Dichloropropene	U		0.150	0.500
1,1,1,2-Tetrachloroethane	U		0.0700	0.500
1,1,2,2-Tetrachloroethane	U		0.0790	0.500

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Method Blank (MB)

(MB) R4027763-2 01/26/24 12:33

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
1,2,3-Trichloropropane	U		0.0720	0.500
Methyl tert-butyl ether	U		0.0530	0.500
Naphthalene	U		0.110	0.500
1,2-Dibromoethane	U		0.210	0.500
Isopropylbenzene	U		0.0410	0.500
1,2,4-Trimethylbenzene	U		0.0430	0.500
1,3,5-Trimethylbenzene	U		0.0430	0.500

Laboratory Control Sample (LCS)

(LCS) R4027763-1 01/26/24 11:16

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	5.00	4.70	94.0	70.0-130	
Carbon tetrachloride	5.00	5.02	100	70.0-130	
1,4-Dichlorobenzene	5.00	5.05	101	70.0-130	
1,2-Dichloroethane	5.00	4.94	98.8	70.0-130	
1,1-Dichloroethene	5.00	4.46	89.2	70.0-130	
1,1,1-Trichloroethane	5.00	5.09	102	70.0-130	
Trichloroethene	5.00	4.47	89.4	70.0-130	
Vinyl chloride	5.00	4.47	89.4	70.0-130	
1,2,4-Trichlorobenzene	5.00	4.52	90.4	70.0-130	
cis-1,2-Dichloroethene	5.00	4.65	93.0	70.0-130	
Xylenes, Total	15.0	14.2	94.7	70.0-130	
Methylene chloride	5.00	4.47	89.4	70.0-130	
1,2-Dichlorobenzene	5.00	5.00	100	70.0-130	
trans-1,2-Dichloroethene	5.00	4.75	95.0	70.0-130	
1,2-Dichloropropane	5.00	4.55	91.0	70.0-130	
1,1,2-Trichloroethane	5.00	4.86	97.2	70.0-130	
Tetrachloroethene	5.00	5.00	100	70.0-130	
Chlorobenzene	5.00	4.80	96.0	70.0-130	
Toluene	5.00	4.57	91.4	70.0-130	
Ethylbenzene	5.00	4.72	94.4	70.0-130	
Styrene	5.00	4.75	95.0	70.0-130	
Bromobenzene	5.00	4.89	97.8	70.0-130	
Bromodichloromethane	5.00	5.01	100	70.0-130	
Bromoform	5.00	5.10	102	70.0-130	
Bromomethane	5.00	4.18	83.6	70.0-130	
Chlorodibromomethane	5.00	5.09	102	70.0-130	

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Laboratory Control Sample (LCS)

(LCS) R4027763-1 01/26/24 11:16

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Chloroethane	5.00	4.52	90.4	70.0-130	
Chloroform	5.00	4.87	97.4	70.0-130	
Chloromethane	5.00	4.47	89.4	70.0-130	
2-Chlorotoluene	5.00	4.97	99.4	70.0-130	
4-Chlorotoluene	5.00	4.83	96.6	70.0-130	
Dibromomethane	5.00	5.01	100	70.0-130	
1,3-Dichlorobenzene	5.00	4.94	98.8	70.0-130	
1,1-Dichloroethane	5.00	4.78	95.6	70.0-130	
1,3-Dichloropropane	5.00	4.63	92.6	70.0-130	
2,2-Dichloropropane	5.00	4.97	99.4	70.0-130	
1,1-Dichloropropene	5.00	4.61	92.2	70.0-130	
1,3-Dichloropropene	10.0	9.31	93.1	70.0-130	
1,1,1,2-Tetrachloroethane	5.00	5.18	104	70.0-130	
1,1,2,2-Tetrachloroethane	5.00	4.59	91.8	70.0-130	
1,2,3-Trichloropropane	5.00	5.36	107	70.0-130	
Methyl tert-butyl ether	5.00	4.77	95.4	70.0-130	
Naphthalene	5.00	3.88	77.6	70.0-130	
Isopropylbenzene	5.00	4.90	98.0	70.0-130	
1,2,4-Trimethylbenzene	5.00	4.90	98.0	70.0-130	
1,3,5-Trimethylbenzene	5.00	4.93	98.6	70.0-130	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4027410-3 01/27/24 10:45

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Benzene	U		0.0941	1.00
Ethylbenzene	U		0.137	1.00
Toluene	U		0.278	1.00
Xylenes, Total	U		0.174	3.00
Methyl tert-butyl ether	U		0.101	1.00
Naphthalene	U		1.00	5.00
1,2-Dibromoethane	U		0.126	1.00
1,2-Dichloroethane	U		0.0819	1.00
Isopropylbenzene	U		0.105	1.00
n-Propylbenzene	U		0.0993	1.00
1,2,4-Trimethylbenzene	U		0.322	1.00
1,3,5-Trimethylbenzene	U		0.104	1.00
(S) Toluene-d8	96.2			80.0-120
(S) 4-Bromofluorobenzene	95.4			77.0-126
(S) 1,2-Dichloroethane-d4	89.6			70.0-130

Laboratory Control Sample (LCS)

(LCS) R4027410-1 01/27/24 09:43

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Benzene	5.00	4.62	92.4	70.0-123	
Ethylbenzene	5.00	4.54	90.8	79.0-123	
Toluene	5.00	4.32	86.4	79.0-120	
Xylenes, Total	15.0	13.6	90.7	79.0-123	
Methyl tert-butyl ether	5.00	4.46	89.2	68.0-125	
Naphthalene	5.00	3.70	74.0	54.0-135	
1,2-Dibromoethane	5.00	4.35	87.0	80.0-122	
1,2-Dichloroethane	5.00	4.14	82.8	70.0-128	
Isopropylbenzene	5.00	4.62	92.4	76.0-127	
n-Propylbenzene	5.00	4.44	88.8	77.0-124	
1,2,4-Trimethylbenzene	5.00	4.40	88.0	76.0-121	
1,3,5-Trimethylbenzene	5.00	4.69	93.8	76.0-122	
(S) Toluene-d8			94.0	80.0-120	
(S) 4-Bromofluorobenzene			96.8	77.0-126	
(S) 1,2-Dichloroethane-d4			90.0	70.0-130	

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

L1698959-14 Original Sample (OS) • Matrix Spike (MS) • Matrix Spike Duplicate (MSD)

(OS) L1698959-14 01/27/24 15:47 • (MS) R4027410-4 01/27/24 20:37 • (MSD) R4027410-5 01/27/24 20:57

Analyte	Spike Amount ug/l	Original Result ug/l	MS Result ug/l	MSD Result ug/l	MS Rec. %	MSD Rec. %	Dilution	Rec. Limits %	MS Qualifier	MSD Qualifier	RPD %	RPD Limits %
Benzene	5.00	ND	5.18	4.83	104	96.6	1	17.0-158			6.99	27
Ethylbenzene	5.00	ND	4.97	4.59	99.4	91.8	1	30.0-155			7.95	27
Toluene	5.00	ND	4.86	4.39	97.2	87.8	1	26.0-154			10.2	28
Xylenes, Total	15.0	ND	15.1	13.6	101	90.7	1	29.0-154			10.5	28
Methyl tert-butyl ether	5.00	ND	4.72	4.60	94.4	92.0	1	28.0-150			2.58	29
Naphthalene	5.00	ND	ND	ND	73.6	72.8	1	12.0-156			1.09	35
1,2-Dibromoethane	5.00	ND	4.85	4.45	97.0	89.0	1	34.0-147			8.60	27
1,2-Dichloroethane	5.00	ND	4.60	4.44	92.0	88.8	1	29.0-151			3.54	27
Isopropylbenzene	5.00	ND	5.05	4.55	101	91.0	1	28.0-157			10.4	27
n-Propylbenzene	5.00	ND	4.75	4.29	95.0	85.8	1	31.0-154			10.2	28
1,2,4-Trimethylbenzene	5.00	ND	4.72	4.34	94.4	86.8	1	26.0-154			8.39	27
1,3,5-Trimethylbenzene	5.00	ND	5.00	4.45	100	89.0	1	28.0-153			11.6	27
(S) Toluene-d8					93.4	92.1		80.0-120				
(S) 4-Bromofluorobenzene					96.9	93.9		77.0-126				
(S) 1,2-Dichloroethane-d4					90.8	87.8		70.0-130				

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R4027517-3 01/29/24 22:21

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Benzene	U		0.0941	1.00
Ethylbenzene	U		0.137	1.00
Toluene	U		0.278	1.00
Xylenes, Total	U		0.174	3.00
Methyl tert-butyl ether	U		0.101	1.00
Naphthalene	U		1.00	5.00
1,2-Dibromoethane	U		0.126	1.00
1,2-Dichloroethane	U		0.0819	1.00
Isopropylbenzene	U		0.105	1.00
n-Propylbenzene	U		0.0993	1.00
1,2,4-Trimethylbenzene	U		0.322	1.00
1,3,5-Trimethylbenzene	U		0.104	1.00
(S) Toluene-d8	105			80.0-120
(S) 4-Bromofluorobenzene	93.7			77.0-126
(S) 1,2-Dichloroethane-d4	100			70.0-130

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4027517-1 01/29/24 21:16 • (LCSD) R4027517-2 01/29/24 21:37

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	5.00	4.73	4.75	94.6	95.0	70.0-123			0.422	20
Ethylbenzene	5.00	4.91	4.78	98.2	95.6	79.0-123			2.68	20
Toluene	5.00	4.85	4.65	97.0	93.0	79.0-120			4.21	20
Xylenes, Total	15.0	14.6	14.3	97.3	95.3	79.0-123			2.08	20
Methyl tert-butyl ether	5.00	4.75	4.52	95.0	90.4	68.0-125			4.96	20
Naphthalene	5.00	4.09	4.23	81.8	84.6	54.0-135			3.37	20
1,2-Dibromoethane	5.00	4.77	4.84	95.4	96.8	80.0-122			1.46	20
1,2-Dichloroethane	5.00	5.34	5.31	107	106	70.0-128			0.563	20
Isopropylbenzene	5.00	5.01	4.92	100	98.4	76.0-127			1.81	20
n-Propylbenzene	5.00	4.68	4.91	93.6	98.2	77.0-124			4.80	20
1,2,4-Trimethylbenzene	5.00	4.67	4.88	93.4	97.6	76.0-121			4.40	20
1,3,5-Trimethylbenzene	5.00	4.64	4.96	92.8	99.2	76.0-122			6.67	20
(S) Toluene-d8				104	101	80.0-120				
(S) 4-Bromofluorobenzene				93.0	95.1	77.0-126				
(S) 1,2-Dichloroethane-d4				103	98.9	70.0-130				

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
ND	Not detected at the Reporting Limit (or MDL where applicable).
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Original Sample	The non-spiked sample in the prep batch used to determine the Relative Percent Difference (RPD) from a quality control sample. The Original Sample may not be included within the reported SDG.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
C3	The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Method sensitivity check is acceptable.
J	The identification of the analyte is acceptable; the reported value is an estimate.



ACCREDITATIONS & LOCATIONS


Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1 6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1 4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



State of Oregon Chain of Custody

C120

Agency, Authorized Purchaser or Agent: DEQ				Contract Laboratory Name: Pace Analytical				Lab Selection Criteria: ☐ Proximity (if TAT < 48 hrs) ☐ Prior work on same project ☒ Cost (for anticipated analyses) ☐ Other labs disqualified or unable to perform requested services ☐ Emergency work				Turn Around Time: ☒ 10 days (std.) ☐ 5 days ☐ 72 hours ☐ 48 hours ☐ 24 hours ☐ Other			
Send Lab Report To: Rachel Long Address: 165 East 7 th Ave, Suite 100 Eugene, OR, 97401 Tel. #: 503-954-8350 E-mail: Rachel.long@deq.oregon.gov				Lab Batch #:				Invoice To: Address: DEQEXP@deq.oregon.gov							
Project Name: Elmira Family Store Project #: 310200 Sampler Name: Rachel Long				Sample Preservative HCL HCL HCL											
				Requested Analyses											
Sample ID#	Collection Date/Time	Matrix	Number of Containers	NWTPH-Gx	VOCs by 8260C*	VOCs by EPA 524.2								Comments	
McQuarrie Post	1/24 8:55	W	6	X		X								-01	
McQuarrie Mid 2	1/24 9:05	W	6	X	X									-02	
McQuarrie Mid 1	1/24 9:15	W	6	X	X									-03	
McQuarrie Pre	1/24 9:25	W	6	X	X									-04	
														-05	
Cordon	1/24 9:40	W	6	X		X								-0605	
Trip Blank		W	3		X									-0706	
														1/25/24	

Sample Receipt Checklist

COC Seal Present/Intact: ☒ Y ☐ N If Applicable

COC Signed/Accurate: ☒ Y ☐ N VOA Zero Headspace: ☐ Y ☒ N

Bottles arrive intact: ☒ Y ☐ N Pres. Correct/Check: ☐ Y ☒ N

Correct bottles used: ☒ Y ☐ N

Sufficient volume sent: ☒ Y ☐ N

RA Screen <0.5 mR/hr: ☒ Y ☐ N

Invoice: Date: 14Dec23
 Customer: PNPAZ Weight: 10 LBS
 Phone: (615)758-5858 COD: Shipping: 0.00
 SAT Del: N DV: 0.00 Special: 0.00
 Handling: 0.00
 Total: 0.00

Svcs: PRIORITY OVERNIGHT
 TRCK: 7210 2108 9103

Notes: *Please report RBDM VOCs for the 8260C analysis.

Relinquished By: Rachel Long	Agency/Agent: OR-DEQ	Received By: alexa mitchell	Agency/Agent: PACE
Signature: Rachel Long	Time & Date: 1/24 10AM	Signature: Alexa Mitchell	Time & Date: 1/25/24 0930
Relinquished By:	Agency/Agent:	Received By:	Agency/Agent:
Signature:	Time & Date:	Signature:	Time & Date:

THIS PURCHASE IS SUBMITTED PURSUANT TO STATE OF OREGON SOLICITATION #102-1098-07 AND PRICE AGREEMENT # . THE PRICE AGREEMENT INCLUDING CONTRACT TERMS AND CONDITIONS AND SPECIAL CONTRACT TERMS AND CONDITIONS (T'S & C'S) CONTAINED IN THE PRICE AGREEMENT ARE HEREBY INCORPORATED BY REFERENCE AND SHALL APPLY TO THIS PURCHASE AND SHALL TAKE PRECEDENCE OVER ALL OTHER CONFLICTING T'S AND C'S, EXPRESS OR IMPLIED.

#7210 2108 9103