

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Oregon Dept. of Env. Quality - ODEQ

Sample Delivery Group: L1816385
Samples Received: 01/13/2025
Project Number: QCAT # 45007
Description: Green Hills East


Report To: Rachel Long

Entire Report Reviewed By:



Brian Ford
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.



Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 mydata.pacelabs.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	5
Sr: Sample Results	6
WELL 7 POST L1816385-01	6
WELL 7 MID 2 L1816385-02	8
WELL 7 MID 1 L1816385-03	10
WELL 7 PRE L1816385-04	12
TRIP BLANK L1816385-05	14
WELL 31 POST L1816385-06	16
WELL 31 MID 2 L1816385-07	18
WELL 31 MID 1 L1816385-08	20
WELL 31 PRE L1816385-09	22
DUP L1816385-10	24
WELL 1B L1816385-11	26
WELL 10 L1816385-12	28
Qc: Quality Control Summary	30
Volatile Organic Compounds (GC/MS) by Method 8260D	30
Gl: Glossary of Terms	34
Al: Accreditations & Locations	35
Sc: Sample Chain of Custody	36

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al
⁹ Sc

SAMPLE SUMMARY

WELL 7 POST L1816385-01 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2432977	1	01/14/25 15:26	01/14/25 15:26	DYW	Mt. Juliet, TN

Collected by PE/RL
 Collected date/time 01/09/25 10:30
 Received date/time 01/13/25 09:00

1 Cp

2 Tc

WELL 7 MID 2 L1816385-02 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2432977	1	01/14/25 15:48	01/14/25 15:48	DYW	Mt. Juliet, TN

Collected by PE/RL
 Collected date/time 01/09/25 10:35
 Received date/time 01/13/25 09:00

3 Ss

4 Cn

5 Sr

WELL 7 MID 1 L1816385-03 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2432977	1	01/14/25 16:10	01/14/25 16:10	DYW	Mt. Juliet, TN

Collected by PE/RL
 Collected date/time 01/09/25 10:40
 Received date/time 01/13/25 09:00

6 Qc

7 Gl

8 Al

WELL 7 PRE L1816385-04 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2432977	1	01/14/25 16:32	01/14/25 16:32	DYW	Mt. Juliet, TN

Collected by PE/RL
 Collected date/time 01/09/25 10:45
 Received date/time 01/13/25 09:00

9 Sc

TRIP BLANK L1816385-05 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2432977	1	01/14/25 15:04	01/14/25 15:04	DYW	Mt. Juliet, TN

Collected by PE/RL
 Collected date/time 01/09/25 00:00
 Received date/time 01/13/25 09:00

WELL 31 POST L1816385-06 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2432977	1	01/14/25 16:53	01/14/25 16:53	DYW	Mt. Juliet, TN

Collected by PE/RL
 Collected date/time 01/09/25 11:00
 Received date/time 01/13/25 09:00

WELL 31 MID 2 L1816385-07 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2432977	1	01/14/25 17:14	01/14/25 17:14	DYW	Mt. Juliet, TN

Collected by PE/RL
 Collected date/time 01/09/25 11:05
 Received date/time 01/13/25 09:00

WELL 31 MID 1 L1816385-08 GW

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2432977	1	01/14/25 17:36	01/14/25 17:36	DYW	Mt. Juliet, TN

Collected by PE/RL
 Collected date/time 01/09/25 11:10
 Received date/time 01/13/25 09:00

SAMPLE SUMMARY

WELL 31 PRE L1816385-09 GW

Collected by PE/RL Collected date/time 01/09/25 11:15 Received date/time 01/13/25 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2432977	1	01/14/25 17:58	01/14/25 17:58	DYW	Mt. Juliet, TN

1 Cp

2 Tc

DUP L1816385-10 GW

Collected by PE/RL Collected date/time 01/09/25 00:00 Received date/time 01/13/25 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2432977	1	01/14/25 18:19	01/14/25 18:19	DYW	Mt. Juliet, TN

3 Ss

4 Cn

5 Sr

WELL 1B L1816385-11 GW

Collected by PE/RL Collected date/time 01/09/25 11:40 Received date/time 01/13/25 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2432977	1	01/14/25 18:41	01/14/25 18:41	DYW	Mt. Juliet, TN

6 Qc

7 Gl

8 Al

WELL 10 L1816385-12 GW

Collected by PE/RL Collected date/time 01/09/25 15:00 Received date/time 01/13/25 09:00

Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2432977	1	01/14/25 19:02	01/14/25 19:02	DYW	Mt. Juliet, TN

9 Sc

CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Brian Ford
Project Manager

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

WELL 7 POST

Collected date/time: 01/09/25 10:30

SAMPLE RESULTS - 01

L1816385

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	U		11.3	50.0	1	01/14/2025 15:26	WG2432977
Acrolein	U	C3	2.54	50.0	1	01/14/2025 15:26	WG2432977
Acrylonitrile	U		0.671	10.0	1	01/14/2025 15:26	WG2432977
Benzene	U		0.0941	1.00	1	01/14/2025 15:26	WG2432977
Bromobenzene	U		0.118	1.00	1	01/14/2025 15:26	WG2432977
Bromodichloromethane	U		0.136	1.00	1	01/14/2025 15:26	WG2432977
Bromoform	U	C3	0.129	1.00	1	01/14/2025 15:26	WG2432977
Bromomethane	U		0.605	5.00	1	01/14/2025 15:26	WG2432977
n-Butylbenzene	U		0.157	1.00	1	01/14/2025 15:26	WG2432977
sec-Butylbenzene	U		0.125	1.00	1	01/14/2025 15:26	WG2432977
tert-Butylbenzene	U		0.127	1.00	1	01/14/2025 15:26	WG2432977
Carbon disulfide	U		0.0962	1.00	1	01/14/2025 15:26	WG2432977
Carbon tetrachloride	U		0.128	1.00	1	01/14/2025 15:26	WG2432977
Chlorobenzene	U		0.116	1.00	1	01/14/2025 15:26	WG2432977
Chlorodibromomethane	U		0.140	1.00	1	01/14/2025 15:26	WG2432977
Chloroethane	U	C3 J4	0.192	5.00	1	01/14/2025 15:26	WG2432977
Chloroform	U		0.111	5.00	1	01/14/2025 15:26	WG2432977
Chloromethane	U		0.960	2.50	1	01/14/2025 15:26	WG2432977
2-Chlorotoluene	U		0.106	1.00	1	01/14/2025 15:26	WG2432977
4-Chlorotoluene	U		0.114	1.00	1	01/14/2025 15:26	WG2432977
1,2-Dibromo-3-Chloropropane	U		0.276	5.00	1	01/14/2025 15:26	WG2432977
1,2-Dibromoethane	U		0.126	1.00	1	01/14/2025 15:26	WG2432977
Dibromomethane	U		0.122	1.00	1	01/14/2025 15:26	WG2432977
1,2-Dichlorobenzene	U		0.107	1.00	1	01/14/2025 15:26	WG2432977
1,3-Dichlorobenzene	U		0.110	1.00	1	01/14/2025 15:26	WG2432977
1,4-Dichlorobenzene	U		0.120	1.00	1	01/14/2025 15:26	WG2432977
Dichlorodifluoromethane	U	C3	0.374	5.00	1	01/14/2025 15:26	WG2432977
1,1-Dichloroethane	U		0.100	1.00	1	01/14/2025 15:26	WG2432977
1,2-Dichloroethane	U		0.0819	1.00	1	01/14/2025 15:26	WG2432977
1,1-Dichloroethene	U		0.188	1.00	1	01/14/2025 15:26	WG2432977
cis-1,2-Dichloroethene	3.97		0.126	1.00	1	01/14/2025 15:26	WG2432977
trans-1,2-Dichloroethene	U		0.149	1.00	1	01/14/2025 15:26	WG2432977
1,2-Dichloropropane	U		0.149	1.00	1	01/14/2025 15:26	WG2432977
1,1-Dichloropropene	U		0.142	1.00	1	01/14/2025 15:26	WG2432977
1,3-Dichloropropane	U		0.110	1.00	1	01/14/2025 15:26	WG2432977
cis-1,3-Dichloropropene	U	J4	0.111	1.00	1	01/14/2025 15:26	WG2432977
trans-1,3-Dichloropropene	U		0.118	1.00	1	01/14/2025 15:26	WG2432977
2,2-Dichloropropane	U	C3	0.161	1.00	1	01/14/2025 15:26	WG2432977
Di-isopropyl ether	U		0.105	1.00	1	01/14/2025 15:26	WG2432977
Ethylbenzene	U		0.137	1.00	1	01/14/2025 15:26	WG2432977
Hexachloro-1,3-butadiene	U		0.337	1.00	1	01/14/2025 15:26	WG2432977
Isopropylbenzene	U		0.105	1.00	1	01/14/2025 15:26	WG2432977
p-Isopropyltoluene	U		0.120	1.00	1	01/14/2025 15:26	WG2432977
2-Butanone (MEK)	U		1.19	10.0	1	01/14/2025 15:26	WG2432977
Methylene Chloride	U	C3	0.430	5.00	1	01/14/2025 15:26	WG2432977
4-Methyl-2-pentanone (MIBK)	U		0.478	10.0	1	01/14/2025 15:26	WG2432977
Methyl tert-butyl ether	U		0.101	1.00	1	01/14/2025 15:26	WG2432977
Naphthalene	U		1.00	5.00	1	01/14/2025 15:26	WG2432977
n-Propylbenzene	U		0.0993	1.00	1	01/14/2025 15:26	WG2432977
Styrene	U		0.118	1.00	1	01/14/2025 15:26	WG2432977
1,1,1,2-Tetrachloroethane	U		0.147	1.00	1	01/14/2025 15:26	WG2432977
1,1,2,2-Tetrachloroethane	U		0.133	1.00	1	01/14/2025 15:26	WG2432977
1,1,2-Trichlorotrifluoroethane	U		0.180	1.00	1	01/14/2025 15:26	WG2432977
Tetrachloroethene	U		0.300	1.00	1	01/14/2025 15:26	WG2432977
Toluene	U		0.278	1.00	1	01/14/2025 15:26	WG2432977
1,2,3-Trichlorobenzene	U		0.230	1.00	1	01/14/2025 15:26	WG2432977

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

ACCOUNT:

Oregon Dept. of Env. Quality - ODEQ

PROJECT:

QCAT # 45007

SDG:

L1816385

DATE/TIME:

01/15/25 12:04

PAGE:

6 of 36

WELL 7 POST

SAMPLE RESULTS - 01

Collected date/time: 01/09/25 10:30

L1816385

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	01/14/2025 15:26	WG2432977
1,1,1-Trichloroethane	U		0.149	1.00	1	01/14/2025 15:26	WG2432977
1,1,2-Trichloroethane	U		0.158	1.00	1	01/14/2025 15:26	WG2432977
Trichloroethene	U		0.190	1.00	1	01/14/2025 15:26	WG2432977
Trichlorofluoromethane	U		0.160	5.00	1	01/14/2025 15:26	WG2432977
1,2,3-Trichloropropane	U		0.237	2.50	1	01/14/2025 15:26	WG2432977
1,2,4-Trimethylbenzene	U		0.322	1.00	1	01/14/2025 15:26	WG2432977
1,2,3-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 15:26	WG2432977
1,3,5-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 15:26	WG2432977
Vinyl chloride	U		0.234	1.00	1	01/14/2025 15:26	WG2432977
Xylenes, Total	U		0.174	3.00	1	01/14/2025 15:26	WG2432977
(S) Toluene-d8	101			80.0-120		01/14/2025 15:26	WG2432977
(S) 4-Bromofluorobenzene	89.2			77.0-126		01/14/2025 15:26	WG2432977
(S) 1,2-Dichloroethane-d4	104			70.0-130		01/14/2025 15:26	WG2432977

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

WELL 7 MID 2

Collected date/time: 01/09/25 10:35

SAMPLE RESULTS - 02

L1816385

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	U		11.3	50.0	1	01/14/2025 15:48	WG2432977
Acrolein	U	C3	2.54	50.0	1	01/14/2025 15:48	WG2432977
Acrylonitrile	U		0.671	10.0	1	01/14/2025 15:48	WG2432977
Benzene	U		0.0941	1.00	1	01/14/2025 15:48	WG2432977
Bromobenzene	U		0.118	1.00	1	01/14/2025 15:48	WG2432977
Bromodichloromethane	U		0.136	1.00	1	01/14/2025 15:48	WG2432977
Bromoform	U	C3	0.129	1.00	1	01/14/2025 15:48	WG2432977
Bromomethane	U		0.605	5.00	1	01/14/2025 15:48	WG2432977
n-Butylbenzene	U		0.157	1.00	1	01/14/2025 15:48	WG2432977
sec-Butylbenzene	U		0.125	1.00	1	01/14/2025 15:48	WG2432977
tert-Butylbenzene	U		0.127	1.00	1	01/14/2025 15:48	WG2432977
Carbon disulfide	U		0.0962	1.00	1	01/14/2025 15:48	WG2432977
Carbon tetrachloride	U		0.128	1.00	1	01/14/2025 15:48	WG2432977
Chlorobenzene	U		0.116	1.00	1	01/14/2025 15:48	WG2432977
Chlorodibromomethane	U		0.140	1.00	1	01/14/2025 15:48	WG2432977
Chloroethane	U	C3 J4	0.192	5.00	1	01/14/2025 15:48	WG2432977
Chloroform	U		0.111	5.00	1	01/14/2025 15:48	WG2432977
Chloromethane	U		0.960	2.50	1	01/14/2025 15:48	WG2432977
2-Chlorotoluene	U		0.106	1.00	1	01/14/2025 15:48	WG2432977
4-Chlorotoluene	U		0.114	1.00	1	01/14/2025 15:48	WG2432977
1,2-Dibromo-3-Chloropropane	U		0.276	5.00	1	01/14/2025 15:48	WG2432977
1,2-Dibromoethane	U		0.126	1.00	1	01/14/2025 15:48	WG2432977
Dibromomethane	U		0.122	1.00	1	01/14/2025 15:48	WG2432977
1,2-Dichlorobenzene	U		0.107	1.00	1	01/14/2025 15:48	WG2432977
1,3-Dichlorobenzene	U		0.110	1.00	1	01/14/2025 15:48	WG2432977
1,4-Dichlorobenzene	U		0.120	1.00	1	01/14/2025 15:48	WG2432977
Dichlorodifluoromethane	U	C3	0.374	5.00	1	01/14/2025 15:48	WG2432977
1,1-Dichloroethane	U		0.100	1.00	1	01/14/2025 15:48	WG2432977
1,2-Dichloroethane	U		0.0819	1.00	1	01/14/2025 15:48	WG2432977
1,1-Dichloroethene	U		0.188	1.00	1	01/14/2025 15:48	WG2432977
cis-1,2-Dichloroethene	55.6		0.126	1.00	1	01/14/2025 15:48	WG2432977
trans-1,2-Dichloroethene	14.0		0.149	1.00	1	01/14/2025 15:48	WG2432977
1,2-Dichloropropane	U		0.149	1.00	1	01/14/2025 15:48	WG2432977
1,1-Dichloropropene	U		0.142	1.00	1	01/14/2025 15:48	WG2432977
1,3-Dichloropropane	U		0.110	1.00	1	01/14/2025 15:48	WG2432977
cis-1,3-Dichloropropene	U	J4	0.111	1.00	1	01/14/2025 15:48	WG2432977
trans-1,3-Dichloropropene	U		0.118	1.00	1	01/14/2025 15:48	WG2432977
2,2-Dichloropropane	U	C3	0.161	1.00	1	01/14/2025 15:48	WG2432977
Di-isopropyl ether	U		0.105	1.00	1	01/14/2025 15:48	WG2432977
Ethylbenzene	U		0.137	1.00	1	01/14/2025 15:48	WG2432977
Hexachloro-1,3-butadiene	U		0.337	1.00	1	01/14/2025 15:48	WG2432977
Isopropylbenzene	U		0.105	1.00	1	01/14/2025 15:48	WG2432977
p-Isopropyltoluene	U		0.120	1.00	1	01/14/2025 15:48	WG2432977
2-Butanone (MEK)	U		1.19	10.0	1	01/14/2025 15:48	WG2432977
Methylene Chloride	U	C3	0.430	5.00	1	01/14/2025 15:48	WG2432977
4-Methyl-2-pentanone (MIBK)	U		0.478	10.0	1	01/14/2025 15:48	WG2432977
Methyl tert-butyl ether	U		0.101	1.00	1	01/14/2025 15:48	WG2432977
Naphthalene	U		1.00	5.00	1	01/14/2025 15:48	WG2432977
n-Propylbenzene	U		0.0993	1.00	1	01/14/2025 15:48	WG2432977
Styrene	U		0.118	1.00	1	01/14/2025 15:48	WG2432977
1,1,1,2-Tetrachloroethane	U		0.147	1.00	1	01/14/2025 15:48	WG2432977
1,1,2,2-Tetrachloroethane	U		0.133	1.00	1	01/14/2025 15:48	WG2432977
1,1,2-Trichlorotrifluoroethane	U		0.180	1.00	1	01/14/2025 15:48	WG2432977
Tetrachloroethene	U		0.300	1.00	1	01/14/2025 15:48	WG2432977
Toluene	U		0.278	1.00	1	01/14/2025 15:48	WG2432977
1,2,3-Trichlorobenzene	U		0.230	1.00	1	01/14/2025 15:48	WG2432977

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

ACCOUNT:

Oregon Dept. of Env. Quality - ODEQ

PROJECT:

QCAT # 45007

SDG:

L1816385

DATE/TIME:

01/15/25 12:04

PAGE:

8 of 36

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	01/14/2025 15:48	WG2432977
1,1,1-Trichloroethane	U		0.149	1.00	1	01/14/2025 15:48	WG2432977
1,1,2-Trichloroethane	U		0.158	1.00	1	01/14/2025 15:48	WG2432977
Trichloroethene	U		0.190	1.00	1	01/14/2025 15:48	WG2432977
Trichlorofluoromethane	U		0.160	5.00	1	01/14/2025 15:48	WG2432977
1,2,3-Trichloropropane	U		0.237	2.50	1	01/14/2025 15:48	WG2432977
1,2,4-Trimethylbenzene	U		0.322	1.00	1	01/14/2025 15:48	WG2432977
1,2,3-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 15:48	WG2432977
1,3,5-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 15:48	WG2432977
Vinyl chloride	U		0.234	1.00	1	01/14/2025 15:48	WG2432977
Xylenes, Total	U		0.174	3.00	1	01/14/2025 15:48	WG2432977
(S) Toluene-d8	99.1			80.0-120		01/14/2025 15:48	WG2432977
(S) 4-Bromofluorobenzene	90.6			77.0-126		01/14/2025 15:48	WG2432977
(S) 1,2-Dichloroethane-d4	103			70.0-130		01/14/2025 15:48	WG2432977

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Acetone	U		11.3	50.0	1	01/14/2025 16:10	WG2432977
Acrolein	U	C3	2.54	50.0	1	01/14/2025 16:10	WG2432977
Acrylonitrile	U		0.671	10.0	1	01/14/2025 16:10	WG2432977
Benzene	U		0.0941	1.00	1	01/14/2025 16:10	WG2432977
Bromobenzene	U		0.118	1.00	1	01/14/2025 16:10	WG2432977
Bromodichloromethane	U		0.136	1.00	1	01/14/2025 16:10	WG2432977
Bromoform	U	C3	0.129	1.00	1	01/14/2025 16:10	WG2432977
Bromomethane	U		0.605	5.00	1	01/14/2025 16:10	WG2432977
n-Butylbenzene	U		0.157	1.00	1	01/14/2025 16:10	WG2432977
sec-Butylbenzene	U		0.125	1.00	1	01/14/2025 16:10	WG2432977
tert-Butylbenzene	U		0.127	1.00	1	01/14/2025 16:10	WG2432977
Carbon disulfide	U		0.0962	1.00	1	01/14/2025 16:10	WG2432977
Carbon tetrachloride	U		0.128	1.00	1	01/14/2025 16:10	WG2432977
Chlorobenzene	U		0.116	1.00	1	01/14/2025 16:10	WG2432977
Chlorodibromomethane	U		0.140	1.00	1	01/14/2025 16:10	WG2432977
Chloroethane	U	C3 J4	0.192	5.00	1	01/14/2025 16:10	WG2432977
Chloroform	U		0.111	5.00	1	01/14/2025 16:10	WG2432977
Chloromethane	U		0.960	2.50	1	01/14/2025 16:10	WG2432977
2-Chlorotoluene	U		0.106	1.00	1	01/14/2025 16:10	WG2432977
4-Chlorotoluene	U		0.114	1.00	1	01/14/2025 16:10	WG2432977
1,2-Dibromo-3-Chloropropane	U		0.276	5.00	1	01/14/2025 16:10	WG2432977
1,2-Dibromoethane	U		0.126	1.00	1	01/14/2025 16:10	WG2432977
Dibromomethane	U		0.122	1.00	1	01/14/2025 16:10	WG2432977
1,2-Dichlorobenzene	U		0.107	1.00	1	01/14/2025 16:10	WG2432977
1,3-Dichlorobenzene	U		0.110	1.00	1	01/14/2025 16:10	WG2432977
1,4-Dichlorobenzene	U		0.120	1.00	1	01/14/2025 16:10	WG2432977
Dichlorodifluoromethane	U	C3	0.374	5.00	1	01/14/2025 16:10	WG2432977
1,1-Dichloroethane	U		0.100	1.00	1	01/14/2025 16:10	WG2432977
1,2-Dichloroethane	U		0.0819	1.00	1	01/14/2025 16:10	WG2432977
1,1-Dichloroethene	0.251	J	0.188	1.00	1	01/14/2025 16:10	WG2432977
cis-1,2-Dichloroethene	51.6		0.126	1.00	1	01/14/2025 16:10	WG2432977
trans-1,2-Dichloroethene	23.7		0.149	1.00	1	01/14/2025 16:10	WG2432977
1,2-Dichloropropane	U		0.149	1.00	1	01/14/2025 16:10	WG2432977
1,1-Dichloropropene	U		0.142	1.00	1	01/14/2025 16:10	WG2432977
1,3-Dichloropropane	U		0.110	1.00	1	01/14/2025 16:10	WG2432977
cis-1,3-Dichloropropene	U	J4	0.111	1.00	1	01/14/2025 16:10	WG2432977
trans-1,3-Dichloropropene	U		0.118	1.00	1	01/14/2025 16:10	WG2432977
2,2-Dichloropropane	U	C3	0.161	1.00	1	01/14/2025 16:10	WG2432977
Di-isopropyl ether	U		0.105	1.00	1	01/14/2025 16:10	WG2432977
Ethylbenzene	U		0.137	1.00	1	01/14/2025 16:10	WG2432977
Hexachloro-1,3-butadiene	U		0.337	1.00	1	01/14/2025 16:10	WG2432977
Isopropylbenzene	U		0.105	1.00	1	01/14/2025 16:10	WG2432977
p-Isopropyltoluene	U		0.120	1.00	1	01/14/2025 16:10	WG2432977
2-Butanone (MEK)	U		1.19	10.0	1	01/14/2025 16:10	WG2432977
Methylene Chloride	U	C3	0.430	5.00	1	01/14/2025 16:10	WG2432977
4-Methyl-2-pentanone (MIBK)	U		0.478	10.0	1	01/14/2025 16:10	WG2432977
Methyl tert-butyl ether	U		0.101	1.00	1	01/14/2025 16:10	WG2432977
Naphthalene	U		1.00	5.00	1	01/14/2025 16:10	WG2432977
n-Propylbenzene	U		0.0993	1.00	1	01/14/2025 16:10	WG2432977
Styrene	U		0.118	1.00	1	01/14/2025 16:10	WG2432977
1,1,1,2-Tetrachloroethane	U		0.147	1.00	1	01/14/2025 16:10	WG2432977
1,1,2,2-Tetrachloroethane	U		0.133	1.00	1	01/14/2025 16:10	WG2432977
1,1,2-Trichlorotrifluoroethane	U		0.180	1.00	1	01/14/2025 16:10	WG2432977
Tetrachloroethene	U		0.300	1.00	1	01/14/2025 16:10	WG2432977
Toluene	U		0.278	1.00	1	01/14/2025 16:10	WG2432977
1,2,3-Trichlorobenzene	U		0.230	1.00	1	01/14/2025 16:10	WG2432977

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

WELL 7 MID 1

SAMPLE RESULTS - 03

Collected date/time: 01/09/25 10:40

L1816385

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	01/14/2025 16:10	WG2432977
1,1,1-Trichloroethane	U		0.149	1.00	1	01/14/2025 16:10	WG2432977
1,1,2-Trichloroethane	0.440	J	0.158	1.00	1	01/14/2025 16:10	WG2432977
Trichloroethene	38.4		0.190	1.00	1	01/14/2025 16:10	WG2432977
Trichlorofluoromethane	U		0.160	5.00	1	01/14/2025 16:10	WG2432977
1,2,3-Trichloropropane	U		0.237	2.50	1	01/14/2025 16:10	WG2432977
1,2,4-Trimethylbenzene	U		0.322	1.00	1	01/14/2025 16:10	WG2432977
1,2,3-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 16:10	WG2432977
1,3,5-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 16:10	WG2432977
Vinyl chloride	U		0.234	1.00	1	01/14/2025 16:10	WG2432977
Xylenes, Total	U		0.174	3.00	1	01/14/2025 16:10	WG2432977
(S) Toluene-d8	103			80.0-120		01/14/2025 16:10	WG2432977
(S) 4-Bromofluorobenzene	91.0			77.0-126		01/14/2025 16:10	WG2432977
(S) 1,2-Dichloroethane-d4	103			70.0-130		01/14/2025 16:10	WG2432977

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	U		11.3	50.0	1	01/14/2025 16:32	WG2432977
Acrolein	U	C3	2.54	50.0	1	01/14/2025 16:32	WG2432977
Acrylonitrile	U		0.671	10.0	1	01/14/2025 16:32	WG2432977
Benzene	U		0.0941	1.00	1	01/14/2025 16:32	WG2432977
Bromobenzene	U		0.118	1.00	1	01/14/2025 16:32	WG2432977
Bromodichloromethane	U		0.136	1.00	1	01/14/2025 16:32	WG2432977
Bromoform	U	C3	0.129	1.00	1	01/14/2025 16:32	WG2432977
Bromomethane	U		0.605	5.00	1	01/14/2025 16:32	WG2432977
n-Butylbenzene	U		0.157	1.00	1	01/14/2025 16:32	WG2432977
sec-Butylbenzene	U		0.125	1.00	1	01/14/2025 16:32	WG2432977
tert-Butylbenzene	U		0.127	1.00	1	01/14/2025 16:32	WG2432977
Carbon disulfide	U		0.0962	1.00	1	01/14/2025 16:32	WG2432977
Carbon tetrachloride	U		0.128	1.00	1	01/14/2025 16:32	WG2432977
Chlorobenzene	U		0.116	1.00	1	01/14/2025 16:32	WG2432977
Chlorodibromomethane	U		0.140	1.00	1	01/14/2025 16:32	WG2432977
Chloroethane	U	C3 J4	0.192	5.00	1	01/14/2025 16:32	WG2432977
Chloroform	U		0.111	5.00	1	01/14/2025 16:32	WG2432977
Chloromethane	U		0.960	2.50	1	01/14/2025 16:32	WG2432977
2-Chlorotoluene	U		0.106	1.00	1	01/14/2025 16:32	WG2432977
4-Chlorotoluene	U		0.114	1.00	1	01/14/2025 16:32	WG2432977
1,2-Dibromo-3-Chloropropane	U		0.276	5.00	1	01/14/2025 16:32	WG2432977
1,2-Dibromoethane	U		0.126	1.00	1	01/14/2025 16:32	WG2432977
Dibromomethane	U		0.122	1.00	1	01/14/2025 16:32	WG2432977
1,2-Dichlorobenzene	U		0.107	1.00	1	01/14/2025 16:32	WG2432977
1,3-Dichlorobenzene	U		0.110	1.00	1	01/14/2025 16:32	WG2432977
1,4-Dichlorobenzene	U		0.120	1.00	1	01/14/2025 16:32	WG2432977
Dichlorodifluoromethane	U	C3	0.374	5.00	1	01/14/2025 16:32	WG2432977
1,1-Dichloroethane	U		0.100	1.00	1	01/14/2025 16:32	WG2432977
1,2-Dichloroethane	U		0.0819	1.00	1	01/14/2025 16:32	WG2432977
1,1-Dichloroethene	U		0.188	1.00	1	01/14/2025 16:32	WG2432977
cis-1,2-Dichloroethene	38.2		0.126	1.00	1	01/14/2025 16:32	WG2432977
trans-1,2-Dichloroethene	16.7		0.149	1.00	1	01/14/2025 16:32	WG2432977
1,2-Dichloropropane	U		0.149	1.00	1	01/14/2025 16:32	WG2432977
1,1-Dichloropropene	U		0.142	1.00	1	01/14/2025 16:32	WG2432977
1,3-Dichloropropane	U		0.110	1.00	1	01/14/2025 16:32	WG2432977
cis-1,3-Dichloropropene	U	J4	0.111	1.00	1	01/14/2025 16:32	WG2432977
trans-1,3-Dichloropropene	U		0.118	1.00	1	01/14/2025 16:32	WG2432977
2,2-Dichloropropane	U	C3	0.161	1.00	1	01/14/2025 16:32	WG2432977
Di-isopropyl ether	U		0.105	1.00	1	01/14/2025 16:32	WG2432977
Ethylbenzene	U		0.137	1.00	1	01/14/2025 16:32	WG2432977
Hexachloro-1,3-butadiene	U		0.337	1.00	1	01/14/2025 16:32	WG2432977
Isopropylbenzene	U		0.105	1.00	1	01/14/2025 16:32	WG2432977
p-Isopropyltoluene	U		0.120	1.00	1	01/14/2025 16:32	WG2432977
2-Butanone (MEK)	U		1.19	10.0	1	01/14/2025 16:32	WG2432977
Methylene Chloride	U	C3	0.430	5.00	1	01/14/2025 16:32	WG2432977
4-Methyl-2-pentanone (MIBK)	U		0.478	10.0	1	01/14/2025 16:32	WG2432977
Methyl tert-butyl ether	U		0.101	1.00	1	01/14/2025 16:32	WG2432977
Naphthalene	U		1.00	5.00	1	01/14/2025 16:32	WG2432977
n-Propylbenzene	U		0.0993	1.00	1	01/14/2025 16:32	WG2432977
Styrene	U		0.118	1.00	1	01/14/2025 16:32	WG2432977
1,1,1,2-Tetrachloroethane	U		0.147	1.00	1	01/14/2025 16:32	WG2432977
1,1,2,2-Tetrachloroethane	146		0.133	1.00	1	01/14/2025 16:32	WG2432977
1,1,2-Trichlorotrifluoroethane	U		0.180	1.00	1	01/14/2025 16:32	WG2432977
Tetrachloroethene	1.03		0.300	1.00	1	01/14/2025 16:32	WG2432977
Toluene	U		0.278	1.00	1	01/14/2025 16:32	WG2432977
1,2,3-Trichlorobenzene	U		0.230	1.00	1	01/14/2025 16:32	WG2432977

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	01/14/2025 16:32	WG2432977
1,1,1-Trichloroethane	U		0.149	1.00	1	01/14/2025 16:32	WG2432977
1,1,2-Trichloroethane	0.612	U	0.158	1.00	1	01/14/2025 16:32	WG2432977
Trichloroethene	88.9		0.190	1.00	1	01/14/2025 16:32	WG2432977
Trichlorofluoromethane	U		0.160	5.00	1	01/14/2025 16:32	WG2432977
1,2,3-Trichloropropane	U		0.237	2.50	1	01/14/2025 16:32	WG2432977
1,2,4-Trimethylbenzene	U		0.322	1.00	1	01/14/2025 16:32	WG2432977
1,2,3-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 16:32	WG2432977
1,3,5-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 16:32	WG2432977
Vinyl chloride	U		0.234	1.00	1	01/14/2025 16:32	WG2432977
Xylenes, Total	U		0.174	3.00	1	01/14/2025 16:32	WG2432977
(S) Toluene-d8	103			80.0-120		01/14/2025 16:32	WG2432977
(S) 4-Bromofluorobenzene	91.1			77.0-126		01/14/2025 16:32	WG2432977
(S) 1,2-Dichloroethane-d4	106			70.0-130		01/14/2025 16:32	WG2432977

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	11.5	J	11.3	50.0	1	01/14/2025 15:04	WG2432977
Acrolein	U	C3	2.54	50.0	1	01/14/2025 15:04	WG2432977
Acrylonitrile	U		0.671	10.0	1	01/14/2025 15:04	WG2432977
Benzene	U		0.0941	1.00	1	01/14/2025 15:04	WG2432977
Bromobenzene	U		0.118	1.00	1	01/14/2025 15:04	WG2432977
Bromodichloromethane	U		0.136	1.00	1	01/14/2025 15:04	WG2432977
Bromoform	U	C3	0.129	1.00	1	01/14/2025 15:04	WG2432977
Bromomethane	U		0.605	5.00	1	01/14/2025 15:04	WG2432977
n-Butylbenzene	U		0.157	1.00	1	01/14/2025 15:04	WG2432977
sec-Butylbenzene	U		0.125	1.00	1	01/14/2025 15:04	WG2432977
tert-Butylbenzene	U		0.127	1.00	1	01/14/2025 15:04	WG2432977
Carbon disulfide	U		0.0962	1.00	1	01/14/2025 15:04	WG2432977
Carbon tetrachloride	U		0.128	1.00	1	01/14/2025 15:04	WG2432977
Chlorobenzene	U		0.116	1.00	1	01/14/2025 15:04	WG2432977
Chlorodibromomethane	U		0.140	1.00	1	01/14/2025 15:04	WG2432977
Chloroethane	U	C3 J4	0.192	5.00	1	01/14/2025 15:04	WG2432977
Chloroform	U		0.111	5.00	1	01/14/2025 15:04	WG2432977
Chloromethane	U		0.960	2.50	1	01/14/2025 15:04	WG2432977
2-Chlorotoluene	U		0.106	1.00	1	01/14/2025 15:04	WG2432977
4-Chlorotoluene	U		0.114	1.00	1	01/14/2025 15:04	WG2432977
1,2-Dibromo-3-Chloropropane	U		0.276	5.00	1	01/14/2025 15:04	WG2432977
1,2-Dibromoethane	U		0.126	1.00	1	01/14/2025 15:04	WG2432977
Dibromomethane	U		0.122	1.00	1	01/14/2025 15:04	WG2432977
1,2-Dichlorobenzene	U		0.107	1.00	1	01/14/2025 15:04	WG2432977
1,3-Dichlorobenzene	U		0.110	1.00	1	01/14/2025 15:04	WG2432977
1,4-Dichlorobenzene	U		0.120	1.00	1	01/14/2025 15:04	WG2432977
Dichlorodifluoromethane	U	C3	0.374	5.00	1	01/14/2025 15:04	WG2432977
1,1-Dichloroethane	U		0.100	1.00	1	01/14/2025 15:04	WG2432977
1,2-Dichloroethane	U		0.0819	1.00	1	01/14/2025 15:04	WG2432977
1,1-Dichloroethene	U		0.188	1.00	1	01/14/2025 15:04	WG2432977
cis-1,2-Dichloroethene	U		0.126	1.00	1	01/14/2025 15:04	WG2432977
trans-1,2-Dichloroethene	U		0.149	1.00	1	01/14/2025 15:04	WG2432977
1,2-Dichloropropane	U		0.149	1.00	1	01/14/2025 15:04	WG2432977
1,1-Dichloropropene	U		0.142	1.00	1	01/14/2025 15:04	WG2432977
1,3-Dichloropropane	U		0.110	1.00	1	01/14/2025 15:04	WG2432977
cis-1,3-Dichloropropene	U	J4	0.111	1.00	1	01/14/2025 15:04	WG2432977
trans-1,3-Dichloropropene	U		0.118	1.00	1	01/14/2025 15:04	WG2432977
2,2-Dichloropropane	U	C3	0.161	1.00	1	01/14/2025 15:04	WG2432977
Di-isopropyl ether	U		0.105	1.00	1	01/14/2025 15:04	WG2432977
Ethylbenzene	U		0.137	1.00	1	01/14/2025 15:04	WG2432977
Hexachloro-1,3-butadiene	U		0.337	1.00	1	01/14/2025 15:04	WG2432977
Isopropylbenzene	U		0.105	1.00	1	01/14/2025 15:04	WG2432977
p-Isopropyltoluene	U		0.120	1.00	1	01/14/2025 15:04	WG2432977
2-Butanone (MEK)	U		1.19	10.0	1	01/14/2025 15:04	WG2432977
Methylene Chloride	U	C3	0.430	5.00	1	01/14/2025 15:04	WG2432977
4-Methyl-2-pentanone (MIBK)	U		0.478	10.0	1	01/14/2025 15:04	WG2432977
Methyl tert-butyl ether	U		0.101	1.00	1	01/14/2025 15:04	WG2432977
Naphthalene	U		1.00	5.00	1	01/14/2025 15:04	WG2432977
n-Propylbenzene	U		0.0993	1.00	1	01/14/2025 15:04	WG2432977
Styrene	U		0.118	1.00	1	01/14/2025 15:04	WG2432977
1,1,1,2-Tetrachloroethane	U		0.147	1.00	1	01/14/2025 15:04	WG2432977
1,1,2,2-Tetrachloroethane	U		0.133	1.00	1	01/14/2025 15:04	WG2432977
1,1,2-Trichlorotrifluoroethane	U		0.180	1.00	1	01/14/2025 15:04	WG2432977
Tetrachloroethene	U		0.300	1.00	1	01/14/2025 15:04	WG2432977
Toluene	U		0.278	1.00	1	01/14/2025 15:04	WG2432977
1,2,3-Trichlorobenzene	U		0.230	1.00	1	01/14/2025 15:04	WG2432977

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	01/14/2025 15:04	WG2432977
1,1,1-Trichloroethane	U		0.149	1.00	1	01/14/2025 15:04	WG2432977
1,1,2-Trichloroethane	U		0.158	1.00	1	01/14/2025 15:04	WG2432977
Trichloroethene	U		0.190	1.00	1	01/14/2025 15:04	WG2432977
Trichlorofluoromethane	U		0.160	5.00	1	01/14/2025 15:04	WG2432977
1,2,3-Trichloropropane	U		0.237	2.50	1	01/14/2025 15:04	WG2432977
1,2,4-Trimethylbenzene	U		0.322	1.00	1	01/14/2025 15:04	WG2432977
1,2,3-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 15:04	WG2432977
1,3,5-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 15:04	WG2432977
Vinyl chloride	U		0.234	1.00	1	01/14/2025 15:04	WG2432977
Xylenes, Total	U		0.174	3.00	1	01/14/2025 15:04	WG2432977
(S) Toluene-d8	101			80.0-120		01/14/2025 15:04	WG2432977
(S) 4-Bromofluorobenzene	90.6			77.0-126		01/14/2025 15:04	WG2432977
(S) 1,2-Dichloroethane-d4	103			70.0-130		01/14/2025 15:04	WG2432977

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	U		11.3	50.0	1	01/14/2025 16:53	WG2432977
Acrolein	U	C3	2.54	50.0	1	01/14/2025 16:53	WG2432977
Acrylonitrile	U		0.671	10.0	1	01/14/2025 16:53	WG2432977
Benzene	U		0.0941	1.00	1	01/14/2025 16:53	WG2432977
Bromobenzene	U		0.118	1.00	1	01/14/2025 16:53	WG2432977
Bromodichloromethane	U		0.136	1.00	1	01/14/2025 16:53	WG2432977
Bromoform	U	C3	0.129	1.00	1	01/14/2025 16:53	WG2432977
Bromomethane	U		0.605	5.00	1	01/14/2025 16:53	WG2432977
n-Butylbenzene	U		0.157	1.00	1	01/14/2025 16:53	WG2432977
sec-Butylbenzene	U		0.125	1.00	1	01/14/2025 16:53	WG2432977
tert-Butylbenzene	U		0.127	1.00	1	01/14/2025 16:53	WG2432977
Carbon disulfide	U		0.0962	1.00	1	01/14/2025 16:53	WG2432977
Carbon tetrachloride	U		0.128	1.00	1	01/14/2025 16:53	WG2432977
Chlorobenzene	U		0.116	1.00	1	01/14/2025 16:53	WG2432977
Chlorodibromomethane	U		0.140	1.00	1	01/14/2025 16:53	WG2432977
Chloroethane	U	C3 J4	0.192	5.00	1	01/14/2025 16:53	WG2432977
Chloroform	U		0.111	5.00	1	01/14/2025 16:53	WG2432977
Chloromethane	U		0.960	2.50	1	01/14/2025 16:53	WG2432977
2-Chlorotoluene	U		0.106	1.00	1	01/14/2025 16:53	WG2432977
4-Chlorotoluene	U		0.114	1.00	1	01/14/2025 16:53	WG2432977
1,2-Dibromo-3-Chloropropane	U		0.276	5.00	1	01/14/2025 16:53	WG2432977
1,2-Dibromoethane	U		0.126	1.00	1	01/14/2025 16:53	WG2432977
Dibromomethane	U		0.122	1.00	1	01/14/2025 16:53	WG2432977
1,2-Dichlorobenzene	U		0.107	1.00	1	01/14/2025 16:53	WG2432977
1,3-Dichlorobenzene	U		0.110	1.00	1	01/14/2025 16:53	WG2432977
1,4-Dichlorobenzene	U		0.120	1.00	1	01/14/2025 16:53	WG2432977
Dichlorodifluoromethane	U	C3	0.374	5.00	1	01/14/2025 16:53	WG2432977
1,1-Dichloroethane	U		0.100	1.00	1	01/14/2025 16:53	WG2432977
1,2-Dichloroethane	U		0.0819	1.00	1	01/14/2025 16:53	WG2432977
1,1-Dichloroethene	U		0.188	1.00	1	01/14/2025 16:53	WG2432977
cis-1,2-Dichloroethene	U		0.126	1.00	1	01/14/2025 16:53	WG2432977
trans-1,2-Dichloroethene	U		0.149	1.00	1	01/14/2025 16:53	WG2432977
1,2-Dichloropropane	U		0.149	1.00	1	01/14/2025 16:53	WG2432977
1,1-Dichloropropene	U		0.142	1.00	1	01/14/2025 16:53	WG2432977
1,3-Dichloropropane	U		0.110	1.00	1	01/14/2025 16:53	WG2432977
cis-1,3-Dichloropropene	U	J4	0.111	1.00	1	01/14/2025 16:53	WG2432977
trans-1,3-Dichloropropene	U		0.118	1.00	1	01/14/2025 16:53	WG2432977
2,2-Dichloropropane	U	C3	0.161	1.00	1	01/14/2025 16:53	WG2432977
Di-isopropyl ether	U		0.105	1.00	1	01/14/2025 16:53	WG2432977
Ethylbenzene	U		0.137	1.00	1	01/14/2025 16:53	WG2432977
Hexachloro-1,3-butadiene	U		0.337	1.00	1	01/14/2025 16:53	WG2432977
Isopropylbenzene	U		0.105	1.00	1	01/14/2025 16:53	WG2432977
p-Isopropyltoluene	U		0.120	1.00	1	01/14/2025 16:53	WG2432977
2-Butanone (MEK)	U		1.19	10.0	1	01/14/2025 16:53	WG2432977
Methylene Chloride	U	C3	0.430	5.00	1	01/14/2025 16:53	WG2432977
4-Methyl-2-pentanone (MIBK)	U		0.478	10.0	1	01/14/2025 16:53	WG2432977
Methyl tert-butyl ether	U		0.101	1.00	1	01/14/2025 16:53	WG2432977
Naphthalene	U		1.00	5.00	1	01/14/2025 16:53	WG2432977
n-Propylbenzene	U		0.0993	1.00	1	01/14/2025 16:53	WG2432977
Styrene	U		0.118	1.00	1	01/14/2025 16:53	WG2432977
1,1,1,2-Tetrachloroethane	U		0.147	1.00	1	01/14/2025 16:53	WG2432977
1,1,2,2-Tetrachloroethane	U		0.133	1.00	1	01/14/2025 16:53	WG2432977
1,1,2-Trichlorotrifluoroethane	U		0.180	1.00	1	01/14/2025 16:53	WG2432977
Tetrachloroethene	U		0.300	1.00	1	01/14/2025 16:53	WG2432977
Toluene	U		0.278	1.00	1	01/14/2025 16:53	WG2432977
1,2,3-Trichlorobenzene	U		0.230	1.00	1	01/14/2025 16:53	WG2432977

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	01/14/2025 16:53	WG2432977
1,1,1-Trichloroethane	U		0.149	1.00	1	01/14/2025 16:53	WG2432977
1,1,2-Trichloroethane	U		0.158	1.00	1	01/14/2025 16:53	WG2432977
Trichloroethene	U		0.190	1.00	1	01/14/2025 16:53	WG2432977
Trichlorofluoromethane	U		0.160	5.00	1	01/14/2025 16:53	WG2432977
1,2,3-Trichloropropane	U		0.237	2.50	1	01/14/2025 16:53	WG2432977
1,2,4-Trimethylbenzene	U		0.322	1.00	1	01/14/2025 16:53	WG2432977
1,2,3-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 16:53	WG2432977
1,3,5-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 16:53	WG2432977
Vinyl chloride	U		0.234	1.00	1	01/14/2025 16:53	WG2432977
Xylenes, Total	U		0.174	3.00	1	01/14/2025 16:53	WG2432977
(S) Toluene-d8	102			80.0-120		01/14/2025 16:53	WG2432977
(S) 4-Bromofluorobenzene	88.6			77.0-126		01/14/2025 16:53	WG2432977
(S) 1,2-Dichloroethane-d4	104			70.0-130		01/14/2025 16:53	WG2432977

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	U		11.3	50.0	1	01/14/2025 17:14	WG2432977
Acrolein	U	C3	2.54	50.0	1	01/14/2025 17:14	WG2432977
Acrylonitrile	U		0.671	10.0	1	01/14/2025 17:14	WG2432977
Benzene	U		0.0941	1.00	1	01/14/2025 17:14	WG2432977
Bromobenzene	U		0.118	1.00	1	01/14/2025 17:14	WG2432977
Bromodichloromethane	U		0.136	1.00	1	01/14/2025 17:14	WG2432977
Bromoform	U	C3	0.129	1.00	1	01/14/2025 17:14	WG2432977
Bromomethane	U		0.605	5.00	1	01/14/2025 17:14	WG2432977
n-Butylbenzene	U		0.157	1.00	1	01/14/2025 17:14	WG2432977
sec-Butylbenzene	U		0.125	1.00	1	01/14/2025 17:14	WG2432977
tert-Butylbenzene	U		0.127	1.00	1	01/14/2025 17:14	WG2432977
Carbon disulfide	U		0.0962	1.00	1	01/14/2025 17:14	WG2432977
Carbon tetrachloride	U		0.128	1.00	1	01/14/2025 17:14	WG2432977
Chlorobenzene	U		0.116	1.00	1	01/14/2025 17:14	WG2432977
Chlorodibromomethane	U		0.140	1.00	1	01/14/2025 17:14	WG2432977
Chloroethane	U	C3 J4	0.192	5.00	1	01/14/2025 17:14	WG2432977
Chloroform	U		0.111	5.00	1	01/14/2025 17:14	WG2432977
Chloromethane	U		0.960	2.50	1	01/14/2025 17:14	WG2432977
2-Chlorotoluene	U		0.106	1.00	1	01/14/2025 17:14	WG2432977
4-Chlorotoluene	U		0.114	1.00	1	01/14/2025 17:14	WG2432977
1,2-Dibromo-3-Chloropropane	U		0.276	5.00	1	01/14/2025 17:14	WG2432977
1,2-Dibromoethane	U		0.126	1.00	1	01/14/2025 17:14	WG2432977
Dibromomethane	U		0.122	1.00	1	01/14/2025 17:14	WG2432977
1,2-Dichlorobenzene	U		0.107	1.00	1	01/14/2025 17:14	WG2432977
1,3-Dichlorobenzene	U		0.110	1.00	1	01/14/2025 17:14	WG2432977
1,4-Dichlorobenzene	U		0.120	1.00	1	01/14/2025 17:14	WG2432977
Dichlorodifluoromethane	U	C3	0.374	5.00	1	01/14/2025 17:14	WG2432977
1,1-Dichloroethane	U		0.100	1.00	1	01/14/2025 17:14	WG2432977
1,2-Dichloroethane	U		0.0819	1.00	1	01/14/2025 17:14	WG2432977
1,1-Dichloroethene	U		0.188	1.00	1	01/14/2025 17:14	WG2432977
cis-1,2-Dichloroethene	U		0.126	1.00	1	01/14/2025 17:14	WG2432977
trans-1,2-Dichloroethene	U		0.149	1.00	1	01/14/2025 17:14	WG2432977
1,2-Dichloropropane	U		0.149	1.00	1	01/14/2025 17:14	WG2432977
1,1-Dichloropropene	U		0.142	1.00	1	01/14/2025 17:14	WG2432977
1,3-Dichloropropane	U		0.110	1.00	1	01/14/2025 17:14	WG2432977
cis-1,3-Dichloropropene	U	J4	0.111	1.00	1	01/14/2025 17:14	WG2432977
trans-1,3-Dichloropropene	U		0.118	1.00	1	01/14/2025 17:14	WG2432977
2,2-Dichloropropane	U	C3	0.161	1.00	1	01/14/2025 17:14	WG2432977
Di-isopropyl ether	U		0.105	1.00	1	01/14/2025 17:14	WG2432977
Ethylbenzene	U		0.137	1.00	1	01/14/2025 17:14	WG2432977
Hexachloro-1,3-butadiene	U		0.337	1.00	1	01/14/2025 17:14	WG2432977
Isopropylbenzene	U		0.105	1.00	1	01/14/2025 17:14	WG2432977
p-Isopropyltoluene	U		0.120	1.00	1	01/14/2025 17:14	WG2432977
2-Butanone (MEK)	U		1.19	10.0	1	01/14/2025 17:14	WG2432977
Methylene Chloride	U	C3	0.430	5.00	1	01/14/2025 17:14	WG2432977
4-Methyl-2-pentanone (MIBK)	U		0.478	10.0	1	01/14/2025 17:14	WG2432977
Methyl tert-butyl ether	U		0.101	1.00	1	01/14/2025 17:14	WG2432977
Naphthalene	U		1.00	5.00	1	01/14/2025 17:14	WG2432977
n-Propylbenzene	U		0.0993	1.00	1	01/14/2025 17:14	WG2432977
Styrene	U		0.118	1.00	1	01/14/2025 17:14	WG2432977
1,1,1,2-Tetrachloroethane	U		0.147	1.00	1	01/14/2025 17:14	WG2432977
1,1,2,2-Tetrachloroethane	U		0.133	1.00	1	01/14/2025 17:14	WG2432977
1,1,2-Trichlorotrifluoroethane	U		0.180	1.00	1	01/14/2025 17:14	WG2432977
Tetrachloroethene	U		0.300	1.00	1	01/14/2025 17:14	WG2432977
Toluene	U		0.278	1.00	1	01/14/2025 17:14	WG2432977
1,2,3-Trichlorobenzene	U		0.230	1.00	1	01/14/2025 17:14	WG2432977

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	01/14/2025 17:14	WG2432977
1,1,1-Trichloroethane	U		0.149	1.00	1	01/14/2025 17:14	WG2432977
1,1,2-Trichloroethane	U		0.158	1.00	1	01/14/2025 17:14	WG2432977
Trichloroethene	U		0.190	1.00	1	01/14/2025 17:14	WG2432977
Trichlorofluoromethane	U		0.160	5.00	1	01/14/2025 17:14	WG2432977
1,2,3-Trichloropropane	U		0.237	2.50	1	01/14/2025 17:14	WG2432977
1,2,4-Trimethylbenzene	U		0.322	1.00	1	01/14/2025 17:14	WG2432977
1,2,3-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 17:14	WG2432977
1,3,5-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 17:14	WG2432977
Vinyl chloride	U		0.234	1.00	1	01/14/2025 17:14	WG2432977
Xylenes, Total	U		0.174	3.00	1	01/14/2025 17:14	WG2432977
(S) Toluene-d8	100			80.0-120		01/14/2025 17:14	WG2432977
(S) 4-Bromofluorobenzene	91.3			77.0-126		01/14/2025 17:14	WG2432977
(S) 1,2-Dichloroethane-d4	104			70.0-130		01/14/2025 17:14	WG2432977

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis date / time	Batch
	ug/l		ug/l	ug/l			
Acetone	U		11.3	50.0	1	01/14/2025 17:36	WG2432977
Acrolein	U	C3	2.54	50.0	1	01/14/2025 17:36	WG2432977
Acrylonitrile	U		0.671	10.0	1	01/14/2025 17:36	WG2432977
Benzene	U		0.0941	1.00	1	01/14/2025 17:36	WG2432977
Bromobenzene	U		0.118	1.00	1	01/14/2025 17:36	WG2432977
Bromodichloromethane	U		0.136	1.00	1	01/14/2025 17:36	WG2432977
Bromoform	U	C3	0.129	1.00	1	01/14/2025 17:36	WG2432977
Bromomethane	U		0.605	5.00	1	01/14/2025 17:36	WG2432977
n-Butylbenzene	U		0.157	1.00	1	01/14/2025 17:36	WG2432977
sec-Butylbenzene	U		0.125	1.00	1	01/14/2025 17:36	WG2432977
tert-Butylbenzene	U		0.127	1.00	1	01/14/2025 17:36	WG2432977
Carbon disulfide	U		0.0962	1.00	1	01/14/2025 17:36	WG2432977
Carbon tetrachloride	U		0.128	1.00	1	01/14/2025 17:36	WG2432977
Chlorobenzene	U		0.116	1.00	1	01/14/2025 17:36	WG2432977
Chlorodibromomethane	U		0.140	1.00	1	01/14/2025 17:36	WG2432977
Chloroethane	U	C3 J4	0.192	5.00	1	01/14/2025 17:36	WG2432977
Chloroform	U		0.111	5.00	1	01/14/2025 17:36	WG2432977
Chloromethane	U		0.960	2.50	1	01/14/2025 17:36	WG2432977
2-Chlorotoluene	U		0.106	1.00	1	01/14/2025 17:36	WG2432977
4-Chlorotoluene	U		0.114	1.00	1	01/14/2025 17:36	WG2432977
1,2-Dibromo-3-Chloropropane	U		0.276	5.00	1	01/14/2025 17:36	WG2432977
1,2-Dibromoethane	U		0.126	1.00	1	01/14/2025 17:36	WG2432977
Dibromomethane	U		0.122	1.00	1	01/14/2025 17:36	WG2432977
1,2-Dichlorobenzene	U		0.107	1.00	1	01/14/2025 17:36	WG2432977
1,3-Dichlorobenzene	U		0.110	1.00	1	01/14/2025 17:36	WG2432977
1,4-Dichlorobenzene	U		0.120	1.00	1	01/14/2025 17:36	WG2432977
Dichlorodifluoromethane	U	C3	0.374	5.00	1	01/14/2025 17:36	WG2432977
1,1-Dichloroethane	U		0.100	1.00	1	01/14/2025 17:36	WG2432977
1,2-Dichloroethane	U		0.0819	1.00	1	01/14/2025 17:36	WG2432977
1,1-Dichloroethene	U		0.188	1.00	1	01/14/2025 17:36	WG2432977
cis-1,2-Dichloroethene	U		0.126	1.00	1	01/14/2025 17:36	WG2432977
trans-1,2-Dichloroethene	U		0.149	1.00	1	01/14/2025 17:36	WG2432977
1,2-Dichloropropane	U		0.149	1.00	1	01/14/2025 17:36	WG2432977
1,1-Dichloropropene	U		0.142	1.00	1	01/14/2025 17:36	WG2432977
1,3-Dichloropropane	U		0.110	1.00	1	01/14/2025 17:36	WG2432977
cis-1,3-Dichloropropene	U	J4	0.111	1.00	1	01/14/2025 17:36	WG2432977
trans-1,3-Dichloropropene	U		0.118	1.00	1	01/14/2025 17:36	WG2432977
2,2-Dichloropropane	U	C3	0.161	1.00	1	01/14/2025 17:36	WG2432977
Di-isopropyl ether	U		0.105	1.00	1	01/14/2025 17:36	WG2432977
Ethylbenzene	U		0.137	1.00	1	01/14/2025 17:36	WG2432977
Hexachloro-1,3-butadiene	U		0.337	1.00	1	01/14/2025 17:36	WG2432977
Isopropylbenzene	U		0.105	1.00	1	01/14/2025 17:36	WG2432977
p-Isopropyltoluene	U		0.120	1.00	1	01/14/2025 17:36	WG2432977
2-Butanone (MEK)	U		1.19	10.0	1	01/14/2025 17:36	WG2432977
Methylene Chloride	U	C3	0.430	5.00	1	01/14/2025 17:36	WG2432977
4-Methyl-2-pentanone (MIBK)	U		0.478	10.0	1	01/14/2025 17:36	WG2432977
Methyl tert-butyl ether	U		0.101	1.00	1	01/14/2025 17:36	WG2432977
Naphthalene	U		1.00	5.00	1	01/14/2025 17:36	WG2432977
n-Propylbenzene	U		0.0993	1.00	1	01/14/2025 17:36	WG2432977
Styrene	U		0.118	1.00	1	01/14/2025 17:36	WG2432977
1,1,1,2-Tetrachloroethane	U		0.147	1.00	1	01/14/2025 17:36	WG2432977
1,1,2,2-Tetrachloroethane	U		0.133	1.00	1	01/14/2025 17:36	WG2432977
1,1,2-Trichlorotrifluoroethane	U		0.180	1.00	1	01/14/2025 17:36	WG2432977
Tetrachloroethene	U		0.300	1.00	1	01/14/2025 17:36	WG2432977
Toluene	U		0.278	1.00	1	01/14/2025 17:36	WG2432977
1,2,3-Trichlorobenzene	U		0.230	1.00	1	01/14/2025 17:36	WG2432977

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	01/14/2025 17:36	WG2432977
1,1,1-Trichloroethane	U		0.149	1.00	1	01/14/2025 17:36	WG2432977
1,1,2-Trichloroethane	U		0.158	1.00	1	01/14/2025 17:36	WG2432977
Trichloroethene	U		0.190	1.00	1	01/14/2025 17:36	WG2432977
Trichlorofluoromethane	U		0.160	5.00	1	01/14/2025 17:36	WG2432977
1,2,3-Trichloropropane	U		0.237	2.50	1	01/14/2025 17:36	WG2432977
1,2,4-Trimethylbenzene	U		0.322	1.00	1	01/14/2025 17:36	WG2432977
1,2,3-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 17:36	WG2432977
1,3,5-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 17:36	WG2432977
Vinyl chloride	U		0.234	1.00	1	01/14/2025 17:36	WG2432977
Xylenes, Total	U		0.174	3.00	1	01/14/2025 17:36	WG2432977
(S) Toluene-d8	102			80.0-120		01/14/2025 17:36	WG2432977
(S) 4-Bromofluorobenzene	91.9			77.0-126		01/14/2025 17:36	WG2432977
(S) 1,2-Dichloroethane-d4	104			70.0-130		01/14/2025 17:36	WG2432977

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	U		11.3	50.0	1	01/14/2025 17:58	WG2432977
Acrolein	U	C3	2.54	50.0	1	01/14/2025 17:58	WG2432977
Acrylonitrile	U		0.671	10.0	1	01/14/2025 17:58	WG2432977
Benzene	U		0.0941	1.00	1	01/14/2025 17:58	WG2432977
Bromobenzene	U		0.118	1.00	1	01/14/2025 17:58	WG2432977
Bromodichloromethane	U		0.136	1.00	1	01/14/2025 17:58	WG2432977
Bromoform	U	C3	0.129	1.00	1	01/14/2025 17:58	WG2432977
Bromomethane	U		0.605	5.00	1	01/14/2025 17:58	WG2432977
n-Butylbenzene	U		0.157	1.00	1	01/14/2025 17:58	WG2432977
sec-Butylbenzene	U		0.125	1.00	1	01/14/2025 17:58	WG2432977
tert-Butylbenzene	U		0.127	1.00	1	01/14/2025 17:58	WG2432977
Carbon disulfide	U		0.0962	1.00	1	01/14/2025 17:58	WG2432977
Carbon tetrachloride	U		0.128	1.00	1	01/14/2025 17:58	WG2432977
Chlorobenzene	U		0.116	1.00	1	01/14/2025 17:58	WG2432977
Chlorodibromomethane	U		0.140	1.00	1	01/14/2025 17:58	WG2432977
Chloroethane	U	C3 J4	0.192	5.00	1	01/14/2025 17:58	WG2432977
Chloroform	U		0.111	5.00	1	01/14/2025 17:58	WG2432977
Chloromethane	U		0.960	2.50	1	01/14/2025 17:58	WG2432977
2-Chlorotoluene	U		0.106	1.00	1	01/14/2025 17:58	WG2432977
4-Chlorotoluene	U		0.114	1.00	1	01/14/2025 17:58	WG2432977
1,2-Dibromo-3-Chloropropane	U		0.276	5.00	1	01/14/2025 17:58	WG2432977
1,2-Dibromoethane	U		0.126	1.00	1	01/14/2025 17:58	WG2432977
Dibromomethane	U		0.122	1.00	1	01/14/2025 17:58	WG2432977
1,2-Dichlorobenzene	U		0.107	1.00	1	01/14/2025 17:58	WG2432977
1,3-Dichlorobenzene	U		0.110	1.00	1	01/14/2025 17:58	WG2432977
1,4-Dichlorobenzene	U		0.120	1.00	1	01/14/2025 17:58	WG2432977
Dichlorodifluoromethane	U	C3	0.374	5.00	1	01/14/2025 17:58	WG2432977
1,1-Dichloroethane	U		0.100	1.00	1	01/14/2025 17:58	WG2432977
1,2-Dichloroethane	U		0.0819	1.00	1	01/14/2025 17:58	WG2432977
1,1-Dichloroethene	U		0.188	1.00	1	01/14/2025 17:58	WG2432977
cis-1,2-Dichloroethene	0.919	J	0.126	1.00	1	01/14/2025 17:58	WG2432977
trans-1,2-Dichloroethene	0.487	J	0.149	1.00	1	01/14/2025 17:58	WG2432977
1,2-Dichloropropane	U		0.149	1.00	1	01/14/2025 17:58	WG2432977
1,1-Dichloropropene	U		0.142	1.00	1	01/14/2025 17:58	WG2432977
1,3-Dichloropropane	U		0.110	1.00	1	01/14/2025 17:58	WG2432977
cis-1,3-Dichloropropene	U	J4	0.111	1.00	1	01/14/2025 17:58	WG2432977
trans-1,3-Dichloropropene	U		0.118	1.00	1	01/14/2025 17:58	WG2432977
2,2-Dichloropropane	U	C3	0.161	1.00	1	01/14/2025 17:58	WG2432977
Di-isopropyl ether	U		0.105	1.00	1	01/14/2025 17:58	WG2432977
Ethylbenzene	U		0.137	1.00	1	01/14/2025 17:58	WG2432977
Hexachloro-1,3-butadiene	U		0.337	1.00	1	01/14/2025 17:58	WG2432977
Isopropylbenzene	U		0.105	1.00	1	01/14/2025 17:58	WG2432977
p-Isopropyltoluene	U		0.120	1.00	1	01/14/2025 17:58	WG2432977
2-Butanone (MEK)	U		1.19	10.0	1	01/14/2025 17:58	WG2432977
Methylene Chloride	U	C3	0.430	5.00	1	01/14/2025 17:58	WG2432977
4-Methyl-2-pentanone (MIBK)	U		0.478	10.0	1	01/14/2025 17:58	WG2432977
Methyl tert-butyl ether	U		0.101	1.00	1	01/14/2025 17:58	WG2432977
Naphthalene	U		1.00	5.00	1	01/14/2025 17:58	WG2432977
n-Propylbenzene	U		0.0993	1.00	1	01/14/2025 17:58	WG2432977
Styrene	U		0.118	1.00	1	01/14/2025 17:58	WG2432977
1,1,1,2-Tetrachloroethane	U		0.147	1.00	1	01/14/2025 17:58	WG2432977
1,1,2,2-Tetrachloroethane	U		0.133	1.00	1	01/14/2025 17:58	WG2432977
1,1,2-Trichlorotrifluoroethane	U		0.180	1.00	1	01/14/2025 17:58	WG2432977
Tetrachloroethene	0.796	J	0.300	1.00	1	01/14/2025 17:58	WG2432977
Toluene	U		0.278	1.00	1	01/14/2025 17:58	WG2432977
1,2,3-Trichlorobenzene	U		0.230	1.00	1	01/14/2025 17:58	WG2432977

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	01/14/2025 17:58	WG2432977
1,1,1-Trichloroethane	U		0.149	1.00	1	01/14/2025 17:58	WG2432977
1,1,2-Trichloroethane	U		0.158	1.00	1	01/14/2025 17:58	WG2432977
Trichloroethene	4.37		0.190	1.00	1	01/14/2025 17:58	WG2432977
Trichlorofluoromethane	U		0.160	5.00	1	01/14/2025 17:58	WG2432977
1,2,3-Trichloropropane	U		0.237	2.50	1	01/14/2025 17:58	WG2432977
1,2,4-Trimethylbenzene	U		0.322	1.00	1	01/14/2025 17:58	WG2432977
1,2,3-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 17:58	WG2432977
1,3,5-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 17:58	WG2432977
Vinyl chloride	U		0.234	1.00	1	01/14/2025 17:58	WG2432977
Xylenes, Total	U		0.174	3.00	1	01/14/2025 17:58	WG2432977
(S) Toluene-d8	102			80.0-120		01/14/2025 17:58	WG2432977
(S) 4-Bromofluorobenzene	89.9			77.0-126		01/14/2025 17:58	WG2432977
(S) 1,2-Dichloroethane-d4	107			70.0-130		01/14/2025 17:58	WG2432977

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	U		11.3	50.0	1	01/14/2025 18:19	WG2432977
Acrolein	U	C3	2.54	50.0	1	01/14/2025 18:19	WG2432977
Acrylonitrile	U		0.671	10.0	1	01/14/2025 18:19	WG2432977
Benzene	U		0.0941	1.00	1	01/14/2025 18:19	WG2432977
Bromobenzene	U		0.118	1.00	1	01/14/2025 18:19	WG2432977
Bromodichloromethane	U		0.136	1.00	1	01/14/2025 18:19	WG2432977
Bromoform	U	C3	0.129	1.00	1	01/14/2025 18:19	WG2432977
Bromomethane	U		0.605	5.00	1	01/14/2025 18:19	WG2432977
n-Butylbenzene	U		0.157	1.00	1	01/14/2025 18:19	WG2432977
sec-Butylbenzene	U		0.125	1.00	1	01/14/2025 18:19	WG2432977
tert-Butylbenzene	U		0.127	1.00	1	01/14/2025 18:19	WG2432977
Carbon disulfide	U		0.0962	1.00	1	01/14/2025 18:19	WG2432977
Carbon tetrachloride	U		0.128	1.00	1	01/14/2025 18:19	WG2432977
Chlorobenzene	U		0.116	1.00	1	01/14/2025 18:19	WG2432977
Chlorodibromomethane	U		0.140	1.00	1	01/14/2025 18:19	WG2432977
Chloroethane	U	C3 J4	0.192	5.00	1	01/14/2025 18:19	WG2432977
Chloroform	U		0.111	5.00	1	01/14/2025 18:19	WG2432977
Chloromethane	U		0.960	2.50	1	01/14/2025 18:19	WG2432977
2-Chlorotoluene	U		0.106	1.00	1	01/14/2025 18:19	WG2432977
4-Chlorotoluene	U		0.114	1.00	1	01/14/2025 18:19	WG2432977
1,2-Dibromo-3-Chloropropane	U		0.276	5.00	1	01/14/2025 18:19	WG2432977
1,2-Dibromoethane	U		0.126	1.00	1	01/14/2025 18:19	WG2432977
Dibromomethane	U		0.122	1.00	1	01/14/2025 18:19	WG2432977
1,2-Dichlorobenzene	U		0.107	1.00	1	01/14/2025 18:19	WG2432977
1,3-Dichlorobenzene	U		0.110	1.00	1	01/14/2025 18:19	WG2432977
1,4-Dichlorobenzene	U		0.120	1.00	1	01/14/2025 18:19	WG2432977
Dichlorodifluoromethane	U	C3	0.374	5.00	1	01/14/2025 18:19	WG2432977
1,1-Dichloroethane	U		0.100	1.00	1	01/14/2025 18:19	WG2432977
1,2-Dichloroethane	U		0.0819	1.00	1	01/14/2025 18:19	WG2432977
1,1-Dichloroethene	U		0.188	1.00	1	01/14/2025 18:19	WG2432977
cis-1,2-Dichloroethene	0.895	J	0.126	1.00	1	01/14/2025 18:19	WG2432977
trans-1,2-Dichloroethene	0.496	J	0.149	1.00	1	01/14/2025 18:19	WG2432977
1,2-Dichloropropane	U		0.149	1.00	1	01/14/2025 18:19	WG2432977
1,1-Dichloropropene	U		0.142	1.00	1	01/14/2025 18:19	WG2432977
1,3-Dichloropropane	U		0.110	1.00	1	01/14/2025 18:19	WG2432977
cis-1,3-Dichloropropene	U	J4	0.111	1.00	1	01/14/2025 18:19	WG2432977
trans-1,3-Dichloropropene	U		0.118	1.00	1	01/14/2025 18:19	WG2432977
2,2-Dichloropropane	U	C3	0.161	1.00	1	01/14/2025 18:19	WG2432977
Di-isopropyl ether	U		0.105	1.00	1	01/14/2025 18:19	WG2432977
Ethylbenzene	U		0.137	1.00	1	01/14/2025 18:19	WG2432977
Hexachloro-1,3-butadiene	U		0.337	1.00	1	01/14/2025 18:19	WG2432977
Isopropylbenzene	U		0.105	1.00	1	01/14/2025 18:19	WG2432977
p-Isopropyltoluene	U		0.120	1.00	1	01/14/2025 18:19	WG2432977
2-Butanone (MEK)	U		1.19	10.0	1	01/14/2025 18:19	WG2432977
Methylene Chloride	U	C3	0.430	5.00	1	01/14/2025 18:19	WG2432977
4-Methyl-2-pentanone (MIBK)	U		0.478	10.0	1	01/14/2025 18:19	WG2432977
Methyl tert-butyl ether	U		0.101	1.00	1	01/14/2025 18:19	WG2432977
Naphthalene	U		1.00	5.00	1	01/14/2025 18:19	WG2432977
n-Propylbenzene	U		0.0993	1.00	1	01/14/2025 18:19	WG2432977
Styrene	U		0.118	1.00	1	01/14/2025 18:19	WG2432977
1,1,1,2-Tetrachloroethane	U		0.147	1.00	1	01/14/2025 18:19	WG2432977
1,1,2,2-Tetrachloroethane	U		0.133	1.00	1	01/14/2025 18:19	WG2432977
1,1,2-Trichlorotrifluoroethane	U		0.180	1.00	1	01/14/2025 18:19	WG2432977
Tetrachloroethene	0.770	J	0.300	1.00	1	01/14/2025 18:19	WG2432977
Toluene	U		0.278	1.00	1	01/14/2025 18:19	WG2432977
1,2,3-Trichlorobenzene	U		0.230	1.00	1	01/14/2025 18:19	WG2432977

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	01/14/2025 18:19	WG2432977
1,1,1-Trichloroethane	U		0.149	1.00	1	01/14/2025 18:19	WG2432977
1,1,2-Trichloroethane	U		0.158	1.00	1	01/14/2025 18:19	WG2432977
Trichloroethene	4.31		0.190	1.00	1	01/14/2025 18:19	WG2432977
Trichlorofluoromethane	U		0.160	5.00	1	01/14/2025 18:19	WG2432977
1,2,3-Trichloropropane	U		0.237	2.50	1	01/14/2025 18:19	WG2432977
1,2,4-Trimethylbenzene	U		0.322	1.00	1	01/14/2025 18:19	WG2432977
1,2,3-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 18:19	WG2432977
1,3,5-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 18:19	WG2432977
Vinyl chloride	U		0.234	1.00	1	01/14/2025 18:19	WG2432977
Xylenes, Total	U		0.174	3.00	1	01/14/2025 18:19	WG2432977
(S) Toluene-d8	102			80.0-120		01/14/2025 18:19	WG2432977
(S) 4-Bromofluorobenzene	89.9			77.0-126		01/14/2025 18:19	WG2432977
(S) 1,2-Dichloroethane-d4	106			70.0-130		01/14/2025 18:19	WG2432977

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

WELL 1B

SAMPLE RESULTS - 11

Collected date/time: 01/09/25 11:40

L1816385

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	U		11.3	50.0	1	01/14/2025 18:41	WG2432977
Acrolein	U	C3	2.54	50.0	1	01/14/2025 18:41	WG2432977
Acrylonitrile	U		0.671	10.0	1	01/14/2025 18:41	WG2432977
Benzene	U		0.0941	1.00	1	01/14/2025 18:41	WG2432977
Bromobenzene	U		0.118	1.00	1	01/14/2025 18:41	WG2432977
Bromodichloromethane	U		0.136	1.00	1	01/14/2025 18:41	WG2432977
Bromoform	U	C3	0.129	1.00	1	01/14/2025 18:41	WG2432977
Bromomethane	U		0.605	5.00	1	01/14/2025 18:41	WG2432977
n-Butylbenzene	U		0.157	1.00	1	01/14/2025 18:41	WG2432977
sec-Butylbenzene	U		0.125	1.00	1	01/14/2025 18:41	WG2432977
tert-Butylbenzene	U		0.127	1.00	1	01/14/2025 18:41	WG2432977
Carbon disulfide	U		0.0962	1.00	1	01/14/2025 18:41	WG2432977
Carbon tetrachloride	U		0.128	1.00	1	01/14/2025 18:41	WG2432977
Chlorobenzene	U		0.116	1.00	1	01/14/2025 18:41	WG2432977
Chlorodibromomethane	U		0.140	1.00	1	01/14/2025 18:41	WG2432977
Chloroethane	U	C3 J4	0.192	5.00	1	01/14/2025 18:41	WG2432977
Chloroform	U		0.111	5.00	1	01/14/2025 18:41	WG2432977
Chloromethane	U		0.960	2.50	1	01/14/2025 18:41	WG2432977
2-Chlorotoluene	U		0.106	1.00	1	01/14/2025 18:41	WG2432977
4-Chlorotoluene	U		0.114	1.00	1	01/14/2025 18:41	WG2432977
1,2-Dibromo-3-Chloropropane	U		0.276	5.00	1	01/14/2025 18:41	WG2432977
1,2-Dibromoethane	U		0.126	1.00	1	01/14/2025 18:41	WG2432977
Dibromomethane	U		0.122	1.00	1	01/14/2025 18:41	WG2432977
1,2-Dichlorobenzene	U		0.107	1.00	1	01/14/2025 18:41	WG2432977
1,3-Dichlorobenzene	U		0.110	1.00	1	01/14/2025 18:41	WG2432977
1,4-Dichlorobenzene	U		0.120	1.00	1	01/14/2025 18:41	WG2432977
Dichlorodifluoromethane	U	C3	0.374	5.00	1	01/14/2025 18:41	WG2432977
1,1-Dichloroethane	U		0.100	1.00	1	01/14/2025 18:41	WG2432977
1,2-Dichloroethane	U		0.0819	1.00	1	01/14/2025 18:41	WG2432977
1,1-Dichloroethene	U		0.188	1.00	1	01/14/2025 18:41	WG2432977
cis-1,2-Dichloroethene	U		0.126	1.00	1	01/14/2025 18:41	WG2432977
trans-1,2-Dichloroethene	U		0.149	1.00	1	01/14/2025 18:41	WG2432977
1,2-Dichloropropane	U		0.149	1.00	1	01/14/2025 18:41	WG2432977
1,1-Dichloropropene	U		0.142	1.00	1	01/14/2025 18:41	WG2432977
1,3-Dichloropropane	U		0.110	1.00	1	01/14/2025 18:41	WG2432977
cis-1,3-Dichloropropene	U	J4	0.111	1.00	1	01/14/2025 18:41	WG2432977
trans-1,3-Dichloropropene	U		0.118	1.00	1	01/14/2025 18:41	WG2432977
2,2-Dichloropropane	U	C3	0.161	1.00	1	01/14/2025 18:41	WG2432977
Di-isopropyl ether	U		0.105	1.00	1	01/14/2025 18:41	WG2432977
Ethylbenzene	U		0.137	1.00	1	01/14/2025 18:41	WG2432977
Hexachloro-1,3-butadiene	U		0.337	1.00	1	01/14/2025 18:41	WG2432977
Isopropylbenzene	U		0.105	1.00	1	01/14/2025 18:41	WG2432977
p-Isopropyltoluene	U		0.120	1.00	1	01/14/2025 18:41	WG2432977
2-Butanone (MEK)	U		1.19	10.0	1	01/14/2025 18:41	WG2432977
Methylene Chloride	U	C3	0.430	5.00	1	01/14/2025 18:41	WG2432977
4-Methyl-2-pentanone (MIBK)	U		0.478	10.0	1	01/14/2025 18:41	WG2432977
Methyl tert-butyl ether	U		0.101	1.00	1	01/14/2025 18:41	WG2432977
Naphthalene	U		1.00	5.00	1	01/14/2025 18:41	WG2432977
n-Propylbenzene	U		0.0993	1.00	1	01/14/2025 18:41	WG2432977
Styrene	U		0.118	1.00	1	01/14/2025 18:41	WG2432977
1,1,1,2-Tetrachloroethane	U		0.147	1.00	1	01/14/2025 18:41	WG2432977
1,1,2,2-Tetrachloroethane	U		0.133	1.00	1	01/14/2025 18:41	WG2432977
1,1,2-Trichlorotrifluoroethane	U		0.180	1.00	1	01/14/2025 18:41	WG2432977
Tetrachloroethene	U		0.300	1.00	1	01/14/2025 18:41	WG2432977
Toluene	U		0.278	1.00	1	01/14/2025 18:41	WG2432977
1,2,3-Trichlorobenzene	U		0.230	1.00	1	01/14/2025 18:41	WG2432977

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

ACCOUNT:

Oregon Dept. of Env. Quality - ODEQ

PROJECT:

QCAT # 45007

SDG:

L1816385

DATE/TIME:

01/15/25 12:04

PAGE:

26 of 36

WELL 1B

SAMPLE RESULTS - 11

Collected date/time: 01/09/25 11:40

L1816385

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	01/14/2025 18:41	WG2432977
1,1,1-Trichloroethane	U		0.149	1.00	1	01/14/2025 18:41	WG2432977
1,1,2-Trichloroethane	U		0.158	1.00	1	01/14/2025 18:41	WG2432977
Trichloroethene	U		0.190	1.00	1	01/14/2025 18:41	WG2432977
Trichlorofluoromethane	U		0.160	5.00	1	01/14/2025 18:41	WG2432977
1,2,3-Trichloropropane	U		0.237	2.50	1	01/14/2025 18:41	WG2432977
1,2,4-Trimethylbenzene	U		0.322	1.00	1	01/14/2025 18:41	WG2432977
1,2,3-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 18:41	WG2432977
1,3,5-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 18:41	WG2432977
Vinyl chloride	U		0.234	1.00	1	01/14/2025 18:41	WG2432977
Xylenes, Total	U		0.174	3.00	1	01/14/2025 18:41	WG2432977
(S) Toluene-d8	101			80.0-120		01/14/2025 18:41	WG2432977
(S) 4-Bromofluorobenzene	89.8			77.0-126		01/14/2025 18:41	WG2432977
(S) 1,2-Dichloroethane-d4	106			70.0-130		01/14/2025 18:41	WG2432977

- 1 Cp
- 2 Tc
- 3 Ss
- 4 Cn
- 5 Sr
- 6 Qc
- 7 Gl
- 8 Al
- 9 Sc

WELL 10

Collected date/time: 01/09/25 15:00

SAMPLE RESULTS - 12

L1816385

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	U		11.3	50.0	1	01/14/2025 19:02	WG2432977
Acrolein	U	C3	2.54	50.0	1	01/14/2025 19:02	WG2432977
Acrylonitrile	U		0.671	10.0	1	01/14/2025 19:02	WG2432977
Benzene	U		0.0941	1.00	1	01/14/2025 19:02	WG2432977
Bromobenzene	U		0.118	1.00	1	01/14/2025 19:02	WG2432977
Bromodichloromethane	U		0.136	1.00	1	01/14/2025 19:02	WG2432977
Bromoform	U	C3	0.129	1.00	1	01/14/2025 19:02	WG2432977
Bromomethane	U		0.605	5.00	1	01/14/2025 19:02	WG2432977
n-Butylbenzene	U		0.157	1.00	1	01/14/2025 19:02	WG2432977
sec-Butylbenzene	U		0.125	1.00	1	01/14/2025 19:02	WG2432977
tert-Butylbenzene	U		0.127	1.00	1	01/14/2025 19:02	WG2432977
Carbon disulfide	U		0.0962	1.00	1	01/14/2025 19:02	WG2432977
Carbon tetrachloride	U		0.128	1.00	1	01/14/2025 19:02	WG2432977
Chlorobenzene	U		0.116	1.00	1	01/14/2025 19:02	WG2432977
Chlorodibromomethane	U		0.140	1.00	1	01/14/2025 19:02	WG2432977
Chloroethane	U	C3 J4	0.192	5.00	1	01/14/2025 19:02	WG2432977
Chloroform	U		0.111	5.00	1	01/14/2025 19:02	WG2432977
Chloromethane	U		0.960	2.50	1	01/14/2025 19:02	WG2432977
2-Chlorotoluene	U		0.106	1.00	1	01/14/2025 19:02	WG2432977
4-Chlorotoluene	U		0.114	1.00	1	01/14/2025 19:02	WG2432977
1,2-Dibromo-3-Chloropropane	U		0.276	5.00	1	01/14/2025 19:02	WG2432977
1,2-Dibromoethane	U		0.126	1.00	1	01/14/2025 19:02	WG2432977
Dibromomethane	U		0.122	1.00	1	01/14/2025 19:02	WG2432977
1,2-Dichlorobenzene	U		0.107	1.00	1	01/14/2025 19:02	WG2432977
1,3-Dichlorobenzene	U		0.110	1.00	1	01/14/2025 19:02	WG2432977
1,4-Dichlorobenzene	U		0.120	1.00	1	01/14/2025 19:02	WG2432977
Dichlorodifluoromethane	U	C3	0.374	5.00	1	01/14/2025 19:02	WG2432977
1,1-Dichloroethane	U		0.100	1.00	1	01/14/2025 19:02	WG2432977
1,2-Dichloroethane	U		0.0819	1.00	1	01/14/2025 19:02	WG2432977
1,1-Dichloroethene	U		0.188	1.00	1	01/14/2025 19:02	WG2432977
cis-1,2-Dichloroethene	U		0.126	1.00	1	01/14/2025 19:02	WG2432977
trans-1,2-Dichloroethene	U		0.149	1.00	1	01/14/2025 19:02	WG2432977
1,2-Dichloropropane	U		0.149	1.00	1	01/14/2025 19:02	WG2432977
1,1-Dichloropropene	U		0.142	1.00	1	01/14/2025 19:02	WG2432977
1,3-Dichloropropane	U		0.110	1.00	1	01/14/2025 19:02	WG2432977
cis-1,3-Dichloropropene	U	J4	0.111	1.00	1	01/14/2025 19:02	WG2432977
trans-1,3-Dichloropropene	U		0.118	1.00	1	01/14/2025 19:02	WG2432977
2,2-Dichloropropane	U	C3	0.161	1.00	1	01/14/2025 19:02	WG2432977
Di-isopropyl ether	U		0.105	1.00	1	01/14/2025 19:02	WG2432977
Ethylbenzene	U		0.137	1.00	1	01/14/2025 19:02	WG2432977
Hexachloro-1,3-butadiene	U		0.337	1.00	1	01/14/2025 19:02	WG2432977
Isopropylbenzene	U		0.105	1.00	1	01/14/2025 19:02	WG2432977
p-Isopropyltoluene	U		0.120	1.00	1	01/14/2025 19:02	WG2432977
2-Butanone (MEK)	U		1.19	10.0	1	01/14/2025 19:02	WG2432977
Methylene Chloride	U	C3	0.430	5.00	1	01/14/2025 19:02	WG2432977
4-Methyl-2-pentanone (MIBK)	U		0.478	10.0	1	01/14/2025 19:02	WG2432977
Methyl tert-butyl ether	U		0.101	1.00	1	01/14/2025 19:02	WG2432977
Naphthalene	U		1.00	5.00	1	01/14/2025 19:02	WG2432977
n-Propylbenzene	U		0.0993	1.00	1	01/14/2025 19:02	WG2432977
Styrene	U		0.118	1.00	1	01/14/2025 19:02	WG2432977
1,1,1,2-Tetrachloroethane	U		0.147	1.00	1	01/14/2025 19:02	WG2432977
1,1,2,2-Tetrachloroethane	U		0.133	1.00	1	01/14/2025 19:02	WG2432977
1,1,2-Trichlorotrifluoroethane	U		0.180	1.00	1	01/14/2025 19:02	WG2432977
Tetrachloroethene	U		0.300	1.00	1	01/14/2025 19:02	WG2432977
Toluene	U		0.278	1.00	1	01/14/2025 19:02	WG2432977
1,2,3-Trichlorobenzene	U		0.230	1.00	1	01/14/2025 19:02	WG2432977

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

ACCOUNT:

Oregon Dept. of Env. Quality - ODEQ

PROJECT:

QCAT # 45007

SDG:

L1816385

DATE/TIME:

01/15/25 12:04

PAGE:

28 of 36

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	01/14/2025 19:02	WG2432977
1,1,1-Trichloroethane	U		0.149	1.00	1	01/14/2025 19:02	WG2432977
1,1,2-Trichloroethane	U		0.158	1.00	1	01/14/2025 19:02	WG2432977
Trichloroethene	U		0.190	1.00	1	01/14/2025 19:02	WG2432977
Trichlorofluoromethane	U		0.160	5.00	1	01/14/2025 19:02	WG2432977
1,2,3-Trichloropropane	U		0.237	2.50	1	01/14/2025 19:02	WG2432977
1,2,4-Trimethylbenzene	U		0.322	1.00	1	01/14/2025 19:02	WG2432977
1,2,3-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 19:02	WG2432977
1,3,5-Trimethylbenzene	U		0.104	1.00	1	01/14/2025 19:02	WG2432977
Vinyl chloride	U		0.234	1.00	1	01/14/2025 19:02	WG2432977
Xylenes, Total	U		0.174	3.00	1	01/14/2025 19:02	WG2432977
(S) Toluene-d8	100			80.0-120		01/14/2025 19:02	WG2432977
(S) 4-Bromofluorobenzene	89.1			77.0-126		01/14/2025 19:02	WG2432977
(S) 1,2-Dichloroethane-d4	104			70.0-130		01/14/2025 19:02	WG2432977

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Method Blank (MB)

(MB) R4166777-3 01/14/25 11:05

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Acetone	U		11.3	50.0
Acrolein	U		2.54	50.0
Acrylonitrile	U		0.671	10.0
Benzene	U		0.0941	1.00
Bromobenzene	U		0.118	1.00
Bromodichloromethane	U		0.136	1.00
Bromoform	U		0.129	1.00
Bromomethane	U		0.605	5.00
n-Butylbenzene	U		0.157	1.00
sec-Butylbenzene	U		0.125	1.00
tert-Butylbenzene	U		0.127	1.00
Carbon disulfide	U		0.0962	1.00
Carbon tetrachloride	U		0.128	1.00
Chlorobenzene	U		0.116	1.00
Chlorodibromomethane	U		0.140	1.00
Chloroethane	U		0.192	5.00
Chloroform	U		0.111	5.00
Chloromethane	U		0.960	2.50
2-Chlorotoluene	U		0.106	1.00
4-Chlorotoluene	U		0.114	1.00
1,2-Dibromo-3-Chloropropane	U		0.276	5.00
1,2-Dibromoethane	U		0.126	1.00
Dibromomethane	U		0.122	1.00
1,2-Dichlorobenzene	U		0.107	1.00
1,3-Dichlorobenzene	U		0.110	1.00
1,4-Dichlorobenzene	U		0.120	1.00
Dichlorodifluoromethane	U		0.374	5.00
1,1-Dichloroethane	U		0.100	1.00
1,2-Dichloroethane	U		0.0819	1.00
1,1-Dichloroethene	U		0.188	1.00
cis-1,2-Dichloroethene	U		0.126	1.00
trans-1,2-Dichloroethene	U		0.149	1.00
1,2-Dichloropropane	U		0.149	1.00
1,1-Dichloropropene	U		0.142	1.00
1,3-Dichloropropane	U		0.110	1.00
cis-1,3-Dichloropropene	U		0.111	1.00
trans-1,3-Dichloropropene	U		0.118	1.00
2,2-Dichloropropane	U		0.161	1.00
Di-isopropyl ether	U		0.105	1.00
Ethylbenzene	U		0.137	1.00

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4166777-3 01/14/25 11:05

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Hexachloro-1,3-butadiene	U		0.337	1.00
Isopropylbenzene	U		0.105	1.00
p-Isopropyltoluene	U		0.120	1.00
2-Butanone (MEK)	U		1.19	10.0
Methylene Chloride	U		0.430	5.00
4-Methyl-2-pentanone (MIBK)	U		0.478	10.0
Methyl tert-butyl ether	U		0.101	1.00
Naphthalene	U		1.00	5.00
n-Propylbenzene	U		0.0993	1.00
Styrene	U		0.118	1.00
1,1,1,2-Tetrachloroethane	U		0.147	1.00
1,1,2,2-Tetrachloroethane	U		0.133	1.00
1,1,2-Trichlorotrifluoroethane	U		0.180	1.00
Tetrachloroethene	U		0.300	1.00
Toluene	U		0.278	1.00
1,2,3-Trichlorobenzene	U		0.230	1.00
1,2,4-Trichlorobenzene	U		0.481	1.00
1,1,1-Trichloroethane	U		0.149	1.00
1,1,2-Trichloroethane	U		0.158	1.00
Trichloroethene	U		0.190	1.00
Trichlorofluoromethane	U		0.160	5.00
1,2,3-Trichloropropane	U		0.237	2.50
1,2,4-Trimethylbenzene	U		0.322	1.00
1,2,3-Trimethylbenzene	U		0.104	1.00
1,3,5-Trimethylbenzene	U		0.104	1.00
Vinyl chloride	U		0.234	1.00
Xylenes, Total	U		0.174	3.00
(S) Toluene-d8	102			80.0-120
(S) 4-Bromofluorobenzene	95.2			77.0-126
(S) 1,2-Dichloroethane-d4	98.0			70.0-130

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4166777-1 01/14/25 10:02 • (LCSD) R4166777-2 01/14/25 10:23

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Acetone	25.0	25.9	24.2	104	96.8	19.0-160	J	J	6.79	27
Acrolein	25.0	11.8	11.2	47.2	44.8	10.0-160	J	J	5.22	26
Acrylonitrile	25.0	25.3	26.4	101	106	55.0-149			4.26	20

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4166777-1 01/14/25 10:02 • (LCSD) R4166777-2 01/14/25 10:23

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Benzene	5.00	4.34	4.14	86.8	82.8	70.0-123			4.72	20
Bromobenzene	5.00	5.06	4.83	101	96.6	73.0-121			4.65	20
Bromodichloromethane	5.00	4.12	3.89	82.4	77.8	75.0-120			5.74	20
Bromoform	5.00	3.89	3.81	77.8	76.2	68.0-132			2.08	20
Bromomethane	5.00	5.01	4.86	100	97.2	10.0-160		U	3.04	25
n-Butylbenzene	5.00	4.60	4.29	92.0	85.8	73.0-125			6.97	20
sec-Butylbenzene	5.00	4.83	4.49	96.6	89.8	75.0-125			7.30	20
tert-Butylbenzene	5.00	4.93	4.48	98.6	89.6	76.0-124			9.56	20
Carbon disulfide	5.00	4.30	4.25	86.0	85.0	61.0-128			1.17	20
Carbon tetrachloride	5.00	4.14	4.15	82.8	83.0	68.0-126			0.241	20
Chlorobenzene	5.00	4.61	4.48	92.2	89.6	80.0-121			2.86	20
Chlorodibromomethane	5.00	4.19	4.04	83.8	80.8	77.0-125			3.65	20
Chloroethane	5.00	2.34	2.64	46.8	52.8	47.0-150	J J4	U	12.0	20
Chloroform	5.00	4.25	4.12	85.0	82.4	73.0-120	U	U	3.11	20
Chloromethane	5.00	5.27	5.29	105	106	41.0-142			0.379	20
2-Chlorotoluene	5.00	5.15	4.81	103	96.2	76.0-123			6.83	20
4-Chlorotoluene	5.00	5.04	4.59	101	91.8	75.0-122			9.35	20
1,2-Dibromo-3-Chloropropane	5.00	4.64	4.33	92.8	86.6	58.0-134	U	U	6.91	20
1,2-Dibromoethane	5.00	4.36	4.41	87.2	88.2	80.0-122			1.14	20
Dibromomethane	5.00	4.43	4.20	88.6	84.0	80.0-120			5.33	20
1,2-Dichlorobenzene	5.00	4.86	4.54	97.2	90.8	79.0-121			6.81	20
1,3-Dichlorobenzene	5.00	4.95	4.57	99.0	91.4	79.0-120			7.98	20
1,4-Dichlorobenzene	5.00	4.89	4.54	97.8	90.8	79.0-120			7.42	20
Dichlorodifluoromethane	5.00	3.84	3.81	76.8	76.2	51.0-149	U	U	0.784	20
1,1-Dichloroethane	5.00	4.13	3.86	82.6	77.2	70.0-126			6.76	20
1,2-Dichloroethane	5.00	4.38	4.29	87.6	85.8	70.0-128			2.08	20
1,1-Dichloroethene	5.00	4.25	4.17	85.0	83.4	71.0-124			1.90	20
cis-1,2-Dichloroethene	5.00	4.58	4.35	91.6	87.0	73.0-120			5.15	20
trans-1,2-Dichloroethene	5.00	4.04	3.86	80.8	77.2	73.0-120			4.56	20
1,2-Dichloropropane	5.00	4.47	4.38	89.4	87.6	77.0-125			2.03	20
1,1-Dichloropropene	5.00	4.31	4.13	86.2	82.6	74.0-126			4.27	20
1,3-Dichloropropane	5.00	4.59	4.49	91.8	89.8	80.0-120			2.20	20
cis-1,3-Dichloropropene	5.00	4.06	3.92	81.2	78.4	80.0-123		J4	3.51	20
trans-1,3-Dichloropropene	5.00	4.20	4.20	84.0	84.0	78.0-124			0.000	20
2,2-Dichloropropane	5.00	3.01	3.20	60.2	64.0	58.0-130			6.12	20
Di-isopropyl ether	5.00	4.80	4.63	96.0	92.6	58.0-138			3.61	20
Ethylbenzene	5.00	4.55	4.32	91.0	86.4	79.0-123			5.19	20
Hexachloro-1,3-butadiene	5.00	4.26	3.94	85.2	78.8	54.0-138			7.80	20
Isopropylbenzene	5.00	4.34	4.20	86.8	84.0	76.0-127			3.28	20
p-Isopropyltoluene	5.00	4.90	4.52	98.0	90.4	76.0-125			8.07	20

1 Cp
2 Tc
3 Ss
4 Cn
5 Sr
6 Qc
7 Gl
8 Al
9 Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4166777-1 01/14/25 10:02 • (LCSD) R4166777-2 01/14/25 10:23

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
2-Butanone (MEK)	25.0	25.2	25.8	101	103	44.0-160			2.35	20
Methylene Chloride	5.00	3.90	3.68	78.0	73.6	67.0-120	↓	↓	5.80	20
4-Methyl-2-pentanone (MIBK)	25.0	26.0	25.7	104	103	68.0-142			1.16	20
Methyl tert-butyl ether	5.00	4.37	4.42	87.4	88.4	68.0-125			1.14	20
Naphthalene	5.00	4.51	4.18	90.2	83.6	54.0-135	↓	↓	7.59	20
n-Propylbenzene	5.00	5.10	4.70	102	94.0	77.0-124			8.16	20
Styrene	5.00	4.24	4.05	84.8	81.0	73.0-130			4.58	20
1,1,1,2-Tetrachloroethane	5.00	4.38	4.24	87.6	84.8	75.0-125			3.25	20
1,1,2,2-Tetrachloroethane	5.00	5.17	4.86	103	97.2	65.0-130			6.18	20
1,1,2-Trichlorotrifluoroethane	5.00	4.15	4.12	83.0	82.4	69.0-132			0.726	20
Tetrachloroethene	5.00	4.34	4.13	86.8	82.6	72.0-132			4.96	20
Toluene	5.00	4.45	4.29	89.0	85.8	79.0-120			3.66	20
1,2,3-Trichlorobenzene	5.00	4.29	3.83	85.8	76.6	50.0-138			11.3	20
1,2,4-Trichlorobenzene	5.00	4.23	3.79	84.6	75.8	57.0-137			11.0	20
1,1,1-Trichloroethane	5.00	4.48	4.10	89.6	82.0	73.0-124			8.86	20
1,1,2-Trichloroethane	5.00	4.53	4.49	90.6	89.8	80.0-120			0.887	20
Trichloroethene	5.00	4.46	4.10	89.2	82.0	78.0-124			8.41	20
Trichlorofluoromethane	5.00	5.35	5.56	107	111	59.0-147			3.85	20
1,2,3-Trichloropropane	5.00	5.31	4.98	106	99.6	73.0-130			6.41	20
1,2,4-Trimethylbenzene	5.00	4.78	4.46	95.6	89.2	76.0-121			6.93	20
1,2,3-Trimethylbenzene	5.00	5.04	4.65	101	93.0	77.0-120			8.05	20
1,3,5-Trimethylbenzene	5.00	5.03	4.63	101	92.6	76.0-122			8.28	20
Vinyl chloride	5.00	4.02	4.30	80.4	86.0	67.0-131			6.73	20
Xylenes, Total	15.0	13.4	13.0	89.3	86.7	79.0-123			3.03	20
(S) Toluene-d8				102	102	80.0-120				
(S) 4-Bromofluorobenzene				92.6	95.7	77.0-126				
(S) 1,2-Dichloroethane-d4				97.7	99.5	70.0-130				

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report

The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
C3	The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Method sensitivity check is acceptable.
J	The identification of the analyte is acceptable; the reported value is an estimate.
J4	The associated batch QC was outside the established quality control range for accuracy.

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 GI

8 AI

9 Sc

ACCREDITATIONS & LOCATIONS

Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey–NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio–VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA – ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA – ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA–Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.

¹ Cp

² Tc

³ Ss

⁴ Cn

⁵ Sr

⁶ Qc

⁷ Gl

⁸ Al

⁹ Sc

Agency, Authorized Purchaser or Agent: Oregon Department of Environmental Quality	Contract Laboratory Name: Environmental Science Corp.	Lab Selection Criteria: <input type="checkbox"/> Proximity (if TAT < 48 hrs) <input type="checkbox"/> Prior work on same project <input checked="" type="checkbox"/> Cost (for anticipated analyses) <input type="checkbox"/> Other labs disqualified or unable to perform requested services <input type="checkbox"/> Emergency work	Turn Around Time: <input type="checkbox"/> 10 days (std.) <input checked="" type="checkbox"/> 5 days <input type="checkbox"/> 72 hours <input type="checkbox"/> 48 hours <input type="checkbox"/> 24 hours <input type="checkbox"/> Other
Send Lab Report To: Rachel Long Address: 165 East 7 th Ave Ste 100 Eugene, OR 97401 Tel. #: 503-954-8350 E-mail: rachel.long@deq.oregon.gov	Lab Batch #: Invoice To: rachel.long@deq.oregon.gov		

Project Name: Green Hills East Project #: QCAT # 45007	Sample Preservative HCL HCL		K066
Sampler Name: Paul Elias and Lynda Ogilvie	Requested Analyses		

Sample ID#	Collection Date/Time	Matrix	Number of Containers	VOC 8260							Comments
Well 7 Post	1/9 10:30a	W	3	X							→
Well 7 mid 2	1/9 10:35a	W	3	X							02
Well 7 mid 1	1/9 10:40a	W	3	X							03
Well 7 Pre	1/9 10:45a	W	3	X							04
Trip Blank	1/9	W	1	X							05
Well 31 Post	1/9 11:00a	W	3	X							06
Well 31 mid 2	1/9 11:05a	W	3	X							07
Well 31 mid 1	1/9 11:10a	W	3	X							08
Well 31 Pre	1/9 11:15a	W	3	X							
Dup	1/9	W	3	X							
Well 16	1/9 11:40a	W	3	X							
Well 10	1/9 3 pm	W	3	X							

Invoice:	Date: 12Jul24	Shipping: 0.00	69
Customer: PNPOR	Weight: 10 LBS	Special: 0.00	10
Phone: (615)758-5858	COD:	Handling: 0.00	
SAT Del: N	DV:	Total: 0.00	71
Svcs: PRIORITY OVERNIGHT TRK: 4047 5441 6359			12

Notes:			
Relinquished By: Rachel Long <i>Rachel Long</i>	Agency/Agent: OR-DEQ	Received By:	Agency/Agent:
Signature:	Time & Date: 1/9/25	Signature:	Time & Date:
Relinquished By: Paul Elias <i>Paul Elias</i>	Agency/Agent: OR-DEQ	Received By:	Agency/Agent:
Signature:	Time & Date: 1/9/25	Signature:	Time & Date: 9:00 am, 1/13/25

THIS PURCHASE IS SUBMITTED PURSUANT TO STATE OF OREGON SOLICITATION #102-1098-07 AND PRICE AGREEMENT # [8903]. THE PRICE AGREEMENT INCLUDING CONTRACT TERMS AND CONDITIONS AND SPECIAL CONTRACT TERMS AND CONDITIONS (T'S & C'S) CONTAINED IN THE PRICE AGREEMENT ARE HEREBY INCORPORATED BY REFERENCE AND SHALL APPLY TO THIS PURCHASE AND SHALL TAKE PRECEDENCE OVER ALL OTHER CONFLICTING T'S AND C'S, EXPRESS OR IMPLIED.

TLA9 0.5 to = 0.5 TRK 4047 5441 6359

Sample Receipt Checklist	
COC Seal Present/Intact:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
COC Signed/Accurate:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Bottles arrive intact:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Correct bottles used:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
Sufficient volume sent:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
RA Screen <0.5 mR/hr:	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
	Count = 33