Risk Assessment Report (Revision 1)

Hollingsworth & Vose Fiber Company

Prepared for:

Oregon Department of Environmental Quality

Cleaner Air Oregon Permitting Program February 18, 2025 Project No. M1421.01.001

Prepared by:

Maul Foster & Alongi, Inc. 6 Centerpointe Drive, Suite 360, Lake Oswego, OR 97035

© 2025 Maul Foster & Alongi, Inc.



Contents

Ab	brevia	tions		vi	
1	Intro	duction		1	
2	Facility Description				
	2.1 Facility Location				
	2.2	Facility	ility Description		
		2.2.1	Raw Material Loading and Blending	3	
		2.2.2	Glass Melt Furnaces	4	
		2.2.3	Forehearths	4	
		2.2.4	Fiberizers	4	
		2.2.5	Product Collection	5	
3	Mode	eled Em	ission Units	5	
	3.1	Fiber F	Production CFU Stacks	5	
		3.1.1	RF Fiber Production, CFU Bulking Agent, and RF Fiber Production Natural Gas Combustion (TEU IDs: RF, CFU_RF, and NG_GP)	6	
		3.1.2	RC Fiber Production, CFU Bulking Agent, and RC Fiber Production Natural Gas Combustion (TEU IDs: RC, CFU_RC, and NG_GP)	6	
		3.1.3	FB Fiber Production, CFU Bulking Agent, and FB Fiber Production Natural Gas Combustion (TEU IDs: FB, CFU_FB, and NG_GP)	6	
	3.2 Glass Melt and CFU Bulking Agent (TEU ID: GM and CFU_GM)				
	3.3				
	3.4	Glass Plant Baling (TEU ID: BALING)			
	3.5	5 Bulking Agent Storage Silos (TEU IDs: SILO1 and SILO2)			
	3.6				
	3.7	7 Raw Material Handling Off Specification (TEU ID: RMH_OFF)		8	
	3.8	.8 Cooling Towers (TEU IDs: CT1_2, CT3, and CT4)			
	3.9 Shipping and Receiving Spray Paint (TEU ID: PAINT)				
	3.10 Emergency Generators (TEU IDs: EGEN1 and EGEN2)				
	3.11 Natural Gas Combustion TEUs (TEU IDs: NG_FH and NG)				
	3.12 Exempt TEUs				
4	Air D	r Dispersion Modeling Methodology			

	4.1	Model Selection			
	4.2	Meteo	rological Data	10	
		4.2.1	Surface Meteorological Data	11	
		4.2.2	Upper-Air Data	11	
		4.2.3	Data Processing—AERMET	11	
	4.3	AERSU	JRFACE Land Use	11	
	4.4	Unit Emission Rates			
	4.5	Building Downwash and TEU Locations			
	4.6	6 Receptor Locations and Terrain			
		4.6.1	Sensitive Receptor Location	13	
5	Risk Assessment Methodology			14	
	5.1	1 Land-Use Zoning Classification Data for Determining Exposure Types			
	5.2	2 Exposure Pathways			
	5.3	Risk-Based Concentrations			
	5.4	1 Risk Estimates			
		5.4.1	Example Calculation—Level 3 Risk Assessment	15	
6	Risk Assessment Result Summary			16	
	6.1	L Excess Cancer Risk		17	
	6.2	2 Chronic Noncancer Hazard Index		17	
	6.3	5.3 Acute Noncancer Hazard Index			
	6.4	.4 Uncertainty Analysis			
7	Closi	osing			

Limitations

Figures

Following the Report

- 2-1 Aerial Image of the Facility
- 2-2 Local Topography
- 2-3 Process Flow Diagram Glass Plant 1
- 2-4 Process Flow Diagram Glass Plant 2
- 4-1 Wind Rose for Corvallis, OR
- 4-2 Significant Toxic Emission Unit Locations
- 4-3 Gas Combustion Toxic Emission Unit Locations

- 4-4 Downwash Structures
- 4-5 Receptor Locations
- 4-6 Receptor Locations in the Immediate Area
- 4-7 Existing Land-Use Zoning Classifications
- 4-8 Existing Land-Use Zoning Classifications in the Immediate Area
- 4-9 Exposure Categorization
- 4-10 Exposure Categorization in the Immediate Area

Tables

In the Text

- 1-1 CAO Process Step Submittals and Approvals
- 1-2 L3RA Result Summary Significant TEUs
- 4-1 Model Selection
- 4-2 Meteorological and Terrain Data
- 4-7 Modeled Receptor Locations
- 4-8 Identification of Sensitive Receptor Locations
- 6-1 Level 3 Risk Assessment Results—Significant TEUs
- 6-2 Level 3 Risk Assessment Results—Gas Combustion TEUs

Following the Report

- 3-1 Annual TAC Emission Rates—Significant TEUs, Production Scenario 1
- 3-2 Annual TAC Emission Rates—Significant TEUs, Production Scenario 2
- 3-3 Daily TAC Emission Rates—Significant TEUs, Production Scenario 1
- 3-4 Daily TAC Emission Rates—Significant TEUs, Production Scenario 2
- 3-5 Annual TAC Emission Rates—Gas Combustion TEUs
- 3-6 Daily TAC Emission Rates—Gas Combustion TEUs
- 3-7 Model Source Parameters—Point Sources
- 3-8 Model Source Parameters—Volume Sources
- 4-3 Assessment of Missing Meteorological Data
- 4-4 AERSURFACE Settings
- 4-5 Surface Soil Moisture Condition Assessment
- 4-6 Summary of Downwash Structure Heights
- 5-1 Summary of Statewide Zoning and Exposure Type Categorization
- 5-2 Applicable RBCs Significant TEUs

5-3	Applicable RBCs - Gas Combustion TEUs
6-3	Production Scenario 1-Maximum Predicted Risk Exposure Location Per TEU
6-4	Production Scenario 1-L3RA Results for Significant TEUs-Cancer Assessment
6-5	Production Scenario 1-L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
6-6	Results for Gas Combustion TEUs-Cancer Assessment
6-7	Results for Gas Combustion TEUs-Chronic and Acute Noncancer Assessments
6-8	Production Scenario 2-Maximum Predicted Risk Exposure Location Per TEU
6-9	Production Scenario 2-L3RA Results for Significant TEUs-Cancer Assessment
6-10	Production Scenario 2-L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
6-11	List of TACs With No Published RBCs - Significant TEUs
6-12	List of TACs With No Published RBCs - Gas Combustion TEUs

Appendixes

Appendix A

Tables

Appendix B

Figures

Abbreviations

BPIP Building Profile Input Program for PRIME

CAO Cleaner Air Oregon
CFU ceramic filtration unit

DEQ Oregon Department of Environmental Quality

EPA U.S. Environmental Protection Agency

the facility specialty glass fiber manufacturing facility located at 1115 SE Crystal Lake

Drive in Corvallis, Oregon 97339

FB flameblown
GP1 Glass Plant 1
GP2 Glass Plant 2

g/s gram(s) per second

H&V Hollingsworth & Vose Fiber Company

MFA Maul Foster & Alongi, Inc.
OAR Oregon Administrative Rule

PM particulate matter

RC rotary coarse RF rotary fine

Scenario 1 production scenario with all rotary fiberizers assigned to production of RF

fiber

Scenario 2 production scenario with all rotary fiberizers assigned to production of RC

fiber

TAC toxic air contaminant
TEU toxic emissions unit

ug/m³ micrograms per cubic meter

URC ultra-rotary coarse

1 Introduction

Hollingsworth & Vose Fiber Company (H&V) owns and operates a specialty glass fiber manufacturing facility located at 1115 SE Crystal Lake Drive in Corvallis, Oregon 97339 (the facility). The facility consists of two glass fiber manufacturing buildings: Glass Plant 1 (GP1) and Glass Plant 2 (GP2). Additional buildings at the facility are used for raw material and finished product storage, maintenance, and administration.

On January 10, 2022, the Oregon Department of Environmental Quality (DEQ) provided written notice to H&V that the facility was being officially called-in to the Cleaner Air Oregon (CAO) permitting program. H&V retained Maul Foster & Alongi, Inc. to assist the facility with each step of the CAO permitting process. H&V has completed the CAO permitting program requirements presented in Table 1-1.

CAO Requirement	Submittal Date	DEQ Approval Date	
CAO Emissions Inventory	April 11, 2022	June 13, 2023	
	(Final Revision—March 14, 2024)	(Final Approval—June 20, 2024)	
CAO Modeling Protocol	July 13, 2023	June 20, 2024	
	(Final Revision—February 18, 2025)		
CAO Risk Assessment Work	August 10, 2023	June 20, 2024	
Plan	(Final Revision—February 18, 2025)	Julie 20, 2024	
CAO Pick Assessment Penert	October 15, 2024		
CAO Risk Assessment Report	(Revised—February 18, 2025)		

The purpose of this revision to the risk assessment report is to incorporate changes proposed by the DEQ in a letter dated January 17, 2025. H&V is submitting a revised modeling protocol and revised risk assessment work plan to the DEQ to align with the revisions in this risk assessment report. The Level 3 Risk Assessments were completed according to the revised modeling protocol and risk assessment work plan.

MFA performed two Level 3 Risk Assessments representing two production scenarios to estimate the maximum potential cancer and noncancer risk impacts from the facility for comparison to the applicable risk action levels (RALs) shown in OAR 340-245-8010 Table 1. The two production scenarios are described in Section 3.1.

The facility has the flexibility to produce many fiber types. MFA evaluated multiple potential fiber production scenarios to the determine the highest theoretical risk production scenario for each risk category (e.g. residential cancer risk). From this analysis, it was determined that rotary fine (RF) fiber production results in the highest potential risk for the following categories: Cancer Worker and Chronic Noncancer (all categories). Rotary coarse (RC) fiber production results in the highest potential risk for the following categories: Cancer Residential, Cancer Child, and Acute Noncancer.

Based on this analysis, H&V assessed risk for two production scenarios: the first with all rotary fiberizers assigned to production of RF fiber (Scenario 1) and second with all rotary fiberizers assigned

to production of RC fiber (Scenario 2). As ultra rotary coarse (URC) production did not represent the highest risk for any category, it was excluded from the production scenarios.

Neither of the production scenarios reflect realistic production at the facility and cannot be achieved in practice. H&V is evaluating these assumptions only to address any questions about the maximum risk posed by the facility under any scenario. Under Scenario 1, full production of RF fiber would lead to drastic underutilization of the capacity of both the Line 1 and Line 2 Furnaces. In contrast, full production of RC fiber (Scenario 2) would require pull rates on the remelters at Lines 3 and 4 that cannot be met by the equipment, nor could the Line 1 and Line 2 furnaces produce enough glass to supply all fiberizers at the RC production rate. While neither scenario could be achieved in practice, calculating predicted risk at these theoretical extremes ensured that risk from the facility was not underestimated.

Table 1-2 presents the results of the Level 3 Risk Assessment for significant toxic emissions units (TEUs) as defined under OAR 340-245-0020(52), for both production scenarios.

Table 1-2. L3RA Result Summary—Significant TEUs

European Assessment	Maximum Facility Risk/Hazard Index		DAL Australia
Exposure Assessment —	Scenario 1 S	Scenario 2	RAL Analysis
Cancer Risk (chances-in- one-million)	2.8	2.9	Below Source Permit Level
Chronic Noncancer Hazard Index	0.2	0.2	Below Source Permit Level
Acute Noncancer Hazard Index	0.2	0.2	Below Source Permit Level

< = less than

The maximum predicted excess cancer risk, and chronic and acute noncancer hazard indices for both scenarios are all below the source permit level RAL for existing sources per OAR 340-245-8010 Table 1.

2 Facility Description

2.1 Facility Location

The facility is located along the western edge of the Willamette Valley in Corvallis, Oregon. To the south and west of the facility are primarily residential and commercial land use zones. The Willamette River runs along the north and east sides of the facility property boundary. An aerial image of the facility location and property boundary is presented in Figure 2-1. The area surrounding the facility location is characterized primarily by elevated terrain to the west and rural, flat lands to the east as shown in Figure 2-2.

2.2 Facility Description

Raw materials are blended together and introduced into the furnaces where they are melted into molten glass. The blend or batch is melted from the heat generated by opposing electrodes placed below the molten glass level. The molten glass passes from the furnace melter into a riser chamber where a gas firing and electrical system are provided to offset heat losses and control the temperature of the glass entering a gas fired forehearth. Molten glass is removed from the forehearth through electrically heated orifices located on the bottom.

The exiting glass streams are either sent directly to glass fiber forming equipment or are sent to molds which form the glass into either solid patties or cullet. In the first case, the molten glass streams enter high temperature rotating alloy containers that have holes in the side. Centrifugal force causes the glass to pass through the holes where the resulting fibers are subjected to a gas burner that alters their diameter and length to specification. This is referred to as the direct melt rotary fiberization process. In the second case, the streams enter alloy molds that capture a fixed quantity of glass and form pools. This is referred to as the patty making process.

The glass patties or cullet can be used in two different glass fiber production processes. In both processes, glass patties or cullet are introduced into electric remelters where heat, generated by application of electricity, melts the glass patties or cullet into a liquid. In one process, the molten glass flows through numerous orifices in the bottom of the remelters. The resulting fibers are subjected to a gas burner that alters their diameter and length to specification. This is referred to as the flameblown process. In the second process, the molten glass flows through a single orifice in the bottom of the remelters. The resulting fibers are subjected to a gas burner that alters their diameter and length to specification. This is referred to as the remelt rotary fiberization process.

The fiberizers rotate at high speeds and use centrifugal force to push the molten glass through small holes to produce the glass fiber. The facility can produce four distinct types of fiber: RF, RC, ultra-rotary coarse (URC), and flameblown (FB). Each fiber type is characterized by different widths and glass recipe. In all cases, the glass fibers are typically hundreds of microns in length, which is what allows the fibers to form mats for collection and for use in final products.

The resulting fibers from the forming lines are collected on revolving conveyors or cylindrical drums that have a vacuum applied to them. The collected fiber is transferred into hydraulic balers that compress the fiber into its final block form of baled fiber. The bales are temporarily stored on site until they are shipped out to customers.

Figures 2-3 and 2-4 present process flow diagrams that outline the manufacturing process and emission points at GP1 and GP2, respectively.

The following sections provide a description of the manufacturing process from raw material receipt through product collection and emissions control.

2.2.1 Raw Material Loading and Blending

Super sacks of raw materials are received from off-site sources. The raw material received includes, but is not limited to, sodium carbonate, nepheline syenite, sand, fluorspar, zinc oxide, potassium carbonate, dolomite, limestone, and barium carbonate. A diverter hose is used to pump raw materials from a sub-grade bin up to the third-floor batch tower processing area located at GP1. The batch tower consists of eight individual raw material hoppers. Each hopper vent is equipped with a cartridge filter

for pretreatment of the hopper exhaust before it is routed to a baghouse (pollution control ID: BBBH) which vents to atmosphere. Raw materials in each hopper are loaded by weight into batch weigh hoppers, which weigh the ingredients for the desired glass product recipe. Particulate matter (PM) emissions generated from the weigh bin are routed to baghouse BBBH. Next, the weighed raw materials are directed to the mixing tank where the product recipe is blended. The mixing tank vents to baghouse BBBH.

Processed material received from the mixing tank is diverted to a feed hopper. Each feed hopper includes a chute with an attached screw auger that continuously feeds processed material onto the top of a bed of molten glass inside the glass melting furnaces. Feed hoppers vent PM emissions through cartridge filters (pollution control IDs: L1BH and L2BH) inside GP1. GP1 houses one raw material loading and blending system feeding two glass melting furnaces. No glass melting furnaces are located at GP2, so there is no raw material handling for bulk materials in that building.

2.2.2 Glass Melt Furnaces

The facility has two glass melt furnaces located at GP1: Glass Melter 1 and Glass Melter 2. The two glass melt furnaces service Line 1 and Line 2, respectively. Inside the glass melt furnaces, the blended raw materials are added to the surface of the molten glass already present, thereby ensuring a continuous homogeneous mixture. Both glass melt furnaces are electrically heated. Emissions generated by melting bulk materials in the furnaces are routed to ceramic filtration unit (CFU) 113 (pollution control ID: CFU-113).

GP2 does not operate any glass melt furnaces as all fiberizers are fed by electric remelter units that use cullet or glass patties. Electric remelters are an alternative technology to forehearths that allow the facility to recycle glass patties and cullet by placing this glass in a hopper and then melting it with electric heaters.

2.2.3 Forehearths

Both glass melting furnaces at GP1 are serviced by a forehearth that receives molten glass at high temperatures and delivers it to the fiberizers. The forehearths, unlike the glass melting furnaces, are heated by natural gas combustion. The emissions generated from natural gas combustion are captured by a suspended rectangular hood positioned above the forehearth. Exhaust from both the Line 1 and the Line 2 Forehearths are routed to CFU-113 for emissions control.

The forehearths can also deliver molten glass to glass patty formers or to a station that produces glass cullet. No forehearths are located at GP2 as there are no glass melt furnaces.

2.2.4 Fiberizers

Rotary fiberizers receive molten glass from the forehearths (in GP1) or electric remelters (in GP1 and GP2). The fiber forming process uses equipment that combusts natural gas to achieve and maintain critical product specifications. The facility monitors the natural gas flow rate and air-to-fuel ratio to maintain the molten glass in liquid form and maximize the blast velocity for fiber formation. The molten glass is fed to a rotary spinner which utilizes centrifugal forces to push the molten glass outward through small holes in the walls of the rotary fiberizers resulting in thin glass fibers. The newly formed glass fibers are pneumatically conveyed to collection drums (GP1 and GP2) or a former (GP1 only) for capture and packaging. The facility produces three rotary fiber types: RF, RC, and URC.

The facility also operates four FB fiberizers in GP2. The FB fiberizers receive molten glass from electric remelters. Molten glass flows by gravity through numerous small orifices to create threads that are attenuated (stretched to the point of breaking) by high velocity hot air and flame. The newly formed glass fibers are pneumatically conveyed to drums for capture and packaging.

2.2.5 Product Collection

2.2.5.1 Drums

After glass fibers have been created by the rotary or FB fiberizers, they are collected on a drum screen. The drum is a spinning cylinder with holes. A fan is used to pull air from inside the drum. As the air is sucked through the outside holes in the drum, the fibers collect on the drum surface. The glass fibers build up a pelt on the drum surface, which is physically removed for product packaging. Drum collection of glass fiber is used in both GP1 and GP2. Each drum vents PM emissions to a CFU for emissions control (pollution control IDs: CFU-101 to CFU-109, CFU-111, and CFU-114 to CFU-118).

2.2.5.2 Formers

Glass fiber generated by some rotary fiberizer positions on Lines 1 and 2 in GP1 is collected on formers. Unlike a cylindrical drum, a former is a porous belt. Glass fiber from the fiberizers is directed to the top surface of the belt, while air is pulled from the underside of the belt. As the belt moves, it accumulates more fiber. At one end of the belt, the mat of fiber is removed and packaged. Emissions from Line 1 and Line 2 formers are controlled by CFUs.

3 Modeled Emission Units

Annual and daily toxic air contaminate (TAC) emission estimates for the process equipment and emission-control devices, considered to be toxic emissions units (TEUs) per OAR 340-245-0020(59), were prepared as shown in the DEQ-approved TAC emissions inventory. The annual and daily TAC emission estimates for significant TEUs were converted to units of grams per second (g/s) for purposes of conducting the Level 3 Risk Assessment as shown in Tables 3-1, 3-2, 3-3 and 3-4. Tables 3-5 and 3-6 present the annual and daily TAC emission estimates for gas combustion TEUs as defined under OAR 340-245-0050(5).

The TEUs identified in the DEQ-approved TAC emissions inventory were represented in a dispersion model developed to represent the facility. Each TEU source representation was modeled using a unit emission rate equivalent to 1 g/s for all modeled source types as shown in Tables 3-7 and 3-8. Additional details describing unit emission rate modeling are provided in Section 4.4.

3.1 Fiber Production CFU Stacks

Each of the CFU stacks has multiple sources of TAC emissions venting through a single stack. These TAC sources include fiber production, production natural gas combustion, and CFU bulking agent. Production natural gas combustion TAC emissions are apportioned between the fiber types based on fiberizer natural gas usage rates.

As discussed in Section 1 H&V assessed risk for two production scenarios: the first with all rotary fiberizers assigned to production of RF fiber (Scenario 1) and second with all rotary fiberizers assigned to production of RC fiber (Scenario 2). As URC production did not represent the highest risk for any category, it was excluded from the production scenarios.

3.1.1 RF Fiber Production, CFU Bulking Agent, and RF Fiber Production Natural Gas Combustion (TEU IDs: RF, CFU_RF, and NG_GP)

Under Scenario 1, all rotary fiberizers were assigned to produce RF fiber. No RF fiber production occurred under Scenario 2. The total annual and daily TAC emission estimates for the RF fiberizers, CFU bulking agent, and production natural gas combustion were split evenly across fifteen CFUs as shown in Tables 3-1 and 3-3. Each CFU was represented in the dispersion model as an individual point source with a unique model ID (CFU101, CFU102, CFU103, CFU104, CFU105, CFU106, CFU107, CFU108, CFU109, CFU110, CFU111, CFU112, CFU116, CFU117, and CFU118). Release parameters for each point source representation are presented in Table 3-7. Release parameters for the rotary fiberizer CFUs do not differ between fiber type and are the same for both production scenarios.

3.1.2 RC Fiber Production, CFU Bulking Agent, and RC Fiber Production Natural Gas Combustion (TEU IDs: RC, CFU_RC, and NG_GP)

Under Scenario 2, all rotary fiberizers were assigned to produce RC fiber. No RC fiber production occurred under Scenario 1. The total annual and daily TAC emission estimates for the RC fiberizers, CFU bulking agent, and production natural gas combustion were split evenly across the same fifteen CFUs discussed in Section 3.1.1, as shown in Tables 3-2 and 3-4. Each CFU was represented in the dispersion model as an individual point source with a unique model ID (CFU101, CFU102, CFU103, CFU104, CFU105, CFU106, CFU107, CFU108, CFU109, CFU110, CFU111, CFU1112, CFU116, CFU117, and CFU118). Release parameters for each point source representation are presented in Table 3-7. Release parameters for the rotary fiberizer CFUs do not differ between fiber type and are the same for both production scenarios.

3.1.3 FB Fiber Production, CFU Bulking Agent, and FB Fiber Production Natural Gas Combustion (TEU IDs: FB, CFU_FB, and NG_GP)

The exhaust from the FB fiberizers is routed to one of two downstream CFUs for emissions control. The total annual and daily TAC emission estimates for the FB fiberizers, CFU bulking agent, and production natural gas combustion were split evenly across the two CFUs as shown in Tables 3-1 through 3-4. TAC emission estimates for these TEUs are the same under both production scenarios. Both CFUs were represented in the dispersion model as an individual point source representation with a unique label (CFU114 and CFU115). Release parameters for both point source representations are presented in Table 3-7.

3.2 Glass Melt and CFU Bulking Agent (TEU ID: GM and CFU_GM)

The exhaust from the two glass melt furnaces is routed through CFU-113 for emissions control. The total annual and daily TAC emission estimates for the Glass Melt and CFU bulking agent are shown in

Tables 3-1 through 3-4. The CFU-113 stack was represented in the dispersion model as a single point source with a unique label (CFU113). Release parameters for CFU-113 are presented in Table 3-7.

3.3 CFU Super Sack Filling (TEU IDs: SSF_RF, SSF_RC, SSF_FB, and SSF_GM)

Periodic air pulses displace the filtered material that accumulates on the ceramic filters attached to each CFU. The displaced filtered material drops below the filter housing and is collected as waste in a super sack. Each CFU is equipped with between two and six super sacks which are identified, for each CFU, as the CFU Super Sack Filling TEU. As each super sack is filled, displaced air is forced through an attached fabric filter for control of TAC emissions.

Due to the close proximity of each CFU's super sacks, MFA included a single volume source in the dispersion model for each CFU Super Sack Filling TEU. The location of each source was conservatively selected based on proximity to the plant boundary.

Annual and daily TAC emissions from the CFU Super Sack Filling was split evenly across each associated CFU super sack based on the fiber produced. The fiber production assignment is based on typical fiber production at each fiberizer. The SSF_RF TEU was represented in the dispersion model as six volume sources with unique model IDs (SSF01, SSF02, SSF05, SSF16, SSF17, and SSF18). The SSF_RC TEU was represented in the dispersion model as nine volume sources with unique model IDs (SSF03, SSF04, SSF06, SSF07, SSF08, SSF09, SSF11, and SSF12). The SSF_FB TEU was represented in the dispersion model as two volume sources with unique model IDs (SSF14 and SSF15). The SSF_GM TEU was represented in the dispersion model as a single volume source with unique model ID SSF13. Release parameters for each volume source are presented in Table 3-8.

3.4 Glass Plant Baling (TEU ID: BALING)

Fugitive TAC emissions of glasswool fibers may be generated when removing glass fiber pelts from the drum collectors or formers and baling them. Small tufts of glasswool fiber can sometimes be seen falling off a pelt or becoming airborne from displaced air during the baling process. Only a small portion of the displaced glasswool fiber emitted during the baling process is estimated to leave the glass plant building. Fugitive emissions from baling are exclusive to GP1, however fugitive TAC emissions from baling were conservatively estimated for both plants. TAC emission estimates are apportioned between GP1 and GP2 based on annual fiber production rates that occur in the two plants under Scenario 2 which is the higher of the two production scenarios.

Glasswool fibers (DEQ Sequence ID 352) do not have a risk-based concentration and therefore the Baling TEU does not need to be included in the risk assessment. However, emissions from the Line 1 and Line 2 Furnace Bin Vents (discussed in Section 3.6) also vent internally at GP1 and fugitive emissions from GP1 were included in the dispersion model. MFA reviewed typical baling locations at GP1 and determined the most likely locations for glasswool fibers to exit the GP1 building are from two passive roof vents located at the peak of GP1. The total annual and daily TAC emission estimates for baling and the Line 1 and Line 2 Furnace Bin Vents are shown in Tables 3-1 through 3-4. TAC emissions from Baling at GP1 were represented in the dispersion model as two distinct volume sources with unique model IDs (GP1_A and GP1_B). Release parameters for both volume sources are presented in Table 3-8.

3.5 Bulking Agent Storage Silos (TEU IDs: SILO1 and SILO2)

The facility uses two storage silos to store fresh bulking agent that is pneumatically conveyed to the CFUs as needed. Each silo vent is equipped with high efficiency fabric filters for capture and recovery of bulking agent dust generated during silo filling activities. The Bulking Agent Storage Silos for GP1 and GP2 were represented as two individual volume sources with model IDs SILO1 and SILO2, respectively. Release parameters for both volume sources are presented in Table 3-8.

3.6 Raw Material Handling (TEU IDs: RMH_BA, RMH_ZN, RMH_F, RMH_S, RMH_D, RMH_L, and RMH_N)

TAC emissions from raw material handling activities, represented as TEUs RMH_BA, RMH_ZN, RMH_F, RMH_S, RMH_D, RMH_L, and RMH_N, were combined for purposes of dispersion modeling. Raw material handling activities occur simultaneously in the same locations at the facility. Annual and daily TAC emissions from raw material handling were apportioned based on the associated PM emission factor ratio as shown in Table 3-1 through 3-4.

Emissions generated from raw material transport, storage, and mixing activities are routed to baghouse BBBH for emissions control. The baghouse BBBH stack was represented in the dispersion model as a single point source with model ID BBBH. Emissions from batch mix storage at the Line 1 and Line 2 furnace bins are exhausted through cartridge filters that vent inside GP1. MFA determined the most likely locations for TAC emissions to exit the GP1 building are from two roof vents located at the peak of GP1. Emissions from the GP1 baling activities (discussed in Section 3.4) also exhaust through this location. The total annual and daily TAC emission estimates for GP1 baling and the Line 1 and Line 2 Furnace Bin Vents are shown in Tables 3-1 through 3-4. The GP1 roof vents were represented in the dispersion model as two distinct volume sources with unique model IDs (GP1_A and GP1_B). Release parameters for the raw material handling source representations are presented in Table 3-8.

3.7 Raw Material Handling Off Specification (TEU ID: RMH_OFF)

Mixed batches of raw materials that do not meet the glass type specifications are conveyed to the Off Specification Bin for disposal as waste. Fugitive TAC emissions generated by transport of the materials are routed to baghouse BHBH. The baghouse BHBH stack was represented in the dispersion model as a single volume source with the unique model ID BHBH. Release parameters for this volume source are presented in Table 3-8.

3.8 Cooling Towers (TEU IDs: CT1_2, CT3, and CT4)

The facility has two cooling towers at GP1 and one cooling tower at GP2 that generate TAC emissions due to TAC-containing corrosion inhibitor use. The cooling tower on Line 1 and Line 2 at GP1 was represented in the dispersion model as a single point source with the unique model ID CT1_2. The cooling tower on Line 3 at GP1 was represented in the dispersion model as two distinct point sources, one point source per cooling tower cell, with unique model IDs (CT3_A and CT3_B). The cooling tower

on Line 4 at GP2 was represented in the dispersion model as a single point source with the unique model ID CT4. Release parameters for each cooling tower source representation are presented in Table 3-7.

3.9 Shipping and Receiving Spray Paint (TEU ID: PAINT)

The Shipping and Receiving Department at the facility uses a small volume of spray paint to mark incoming and outgoing materials. Typical usage locations were reviewed, and the source location conservatively represents the location nearest to the facility property boundary. The Shipping and Receiving Spray Paint was represented in the model as a volume source with the unique model ID PAINT. Release parameters for this volume source are presented in Table 3-8.

3.10 Emergency Generators (TEU IDs: EGEN1 and EGEN2)

The facility uses two diesel-powered emergency generators to provide power to critical equipment at GP1 during power outages. TAC emissions from each emergency generator were represented in the dispersion model as an individual point source with a unique model ID (EGEN1 and EGEN2). Release parameters for both point sources are presented in Table 3-7.

3.11 Natural Gas Combustion TEUs (TEU IDs: NG_FH and NG)

The specific procedures for assessing the risk of each TEU are dependent on the TEU designation per OAR 340-245-0050(4). Per OAR 340-245-0050(5), the gas combustion "exemption applies to TEUs that solely combust natural gas, propane, [or] liquefied petroleum gas." The following units represent sources of natural gas-fired combustion emissions only (shown with the corresponding dispersion model IDs in parentheses). As discussed in Sections 3.1 and 3.2, due to the characteristics of the facility's natural gas combustion for production activities at the fiberizers, TAC emissions from the fiberizers' natural gas combustion were included in the significant TEU analysis.

- Natural gas combustion TAC emissions for Lines 1 and 2 Forehearths are exhausted through CFU-113. This TEU was represented in the model as an individual point source (CFU113NG).
- TAC emissions from non-production related natural gas-fired combustion were assigned to a single
 air handling unit located on the roof of GP2. MFA reviewed the locations where non-production
 related natural gas is used at the facility and has represented TAC emissions from non-production
 related natural gas usage as an individual point source (NG) at a conservative location nearest to
 the facility property boundary and nearest residential area. Conservative exhaust parameters were
 selected for this source as actual parameters are unavailable.

Release parameters for each gas combustion TEU are presented in Table 3-7. The annual and daily TAC emission rates for the gas combustion TEUs are presented in Tables 3-5 and 3-6, respectively.

3.12 Exempt TEUs

The facility operates a maintenance shop for periodic maintenance and repair of process equipment. Activities include a small amount of welding and use of various lubricants and greases. MFA compared usages of maintenance products against thresholds set by the DEQ in reporting guidance and

determined, applying that guidance, that the maintenance shop constitutes an Exempt TEU for the purposes of CAO.

4 Air Dispersion Modeling Methodology

The following subsections detail the dispersion modeling methodology and setup, including input parameters and assumptions.

4.1 Model Selection

MFA executed the dispersion model using the model versions shown in Table 4-1. Lakes Environmental, a third-party overlay software, was used to execute the dispersion model.

Table 4-1. Model Selection

Model	Model Version
AERMOD	23132
AERMET	23132
AERMAP	18081
AERSURFACE	20060
BPIP	04274

4.2 Meteorological Data

MFA developed the meteorological and terrain data files shown in Table 4-2.

Table 4-2. Meteorological and Terrain Data

Model	Model Version	
AERMOD	23132	
Site-specific	Onsite ambient meteorological monitoring tower	
Upper Air	Station ID 24232 for Salem, OR (National Oceanic and Atmospheric Administration/	
ορρεί Αιι	Earth System Research Laboratory Radiosonde Database)	
Terrain	U.S. Geological Survey National Elevation Dataset (1/3-arc seconds with horizontal resolution of 10 meters)	

4.2.1 Surface Meteorological Data

In late December 2016, H&V installed an ambient meteorological monitoring tower at the facility near GP2 at a location approved by DEQ. Beginning January 1, 2017, H&V collected a full calendar year of meteorological data through January 1, 2018. MFA used the actual, site-specific data to develop an onsite surface dataset for input into AERMET.

Hourly data for wind speed, wind direction, standard deviation of wind direction (sigma theta), solar radiation, atmospheric pressure, and temperature were monitored at the facility. To create a dataset appropriate for modeling, all ambient monitored data were collected and assessed following guidance outlined in the U.S. Environmental Protection Agency (EPA) "Meteorological Monitoring Guidance for Regulatory Modeling Applications" manual. Appendix W to Part 51 of Title 40 of the Code of Federal Regulations, "The Guidelines on Air Quality Models," states:

"The model user should acquire enough meteorological data to ensure that worst-case meteorological conditions are adequately represented in the model results [...], at least 1 year of site-specific, [...] meteorological data, are required."

H&V collected one full calendar year of onsite data meeting the requirements of Appendix W.

4.2.2 Upper-Air Data

MFA collected upper-air meteorological data for Salem, OR (station ID 24232) from the National Oceanic and Atmospheric Administration Earth System Research Laboratory Radiosonde Database in Forecast Systems Laboratory format. Upper-air meteorological data was extracted for the 2017 calendar year.

4.2.3 Data Processing—AERMET

MFA processed the site-specific and upper air meteorological data using the EPA AERMET program to produce a single year of model-ready meteorological data for use in the AERMOD dispersion model. The land use surface characteristics were processed using AERSURFACE.

MFA performed an analysis of the data completeness for the meteorological dataset using the quality assurance feature available in the Lakes Environmental software. Each of the four calendar quarters were reviewed for the number of missing hours shown in the output file. Each calendar quarter in the meteorological dataset must have fewer than 10 percent missing hours to be considered valid and complete. As shown in Table 4-3, each calendar quarter met this criterion.

A wind rose for the one-year meteorological dataset is presented in Figure 4-1. The most prominent winds blow from 160 degrees and 280 degrees. This alignment corresponds to the typical coastal winds blowing in from the west (280 degrees), and summertime winds blowing up the Willamette Valley from the south (160 degrees). The Willamette Valley is generally oriented north south.

4.3 AERSURFACE Land Use

AERSURFACE was used to generate seasonal values for albedo, Bowen ratio, and surface roughness heights. State of Oregon National Land Cover Dataset land cover class definitions, along with concurrent percent impervious surface and percent tree canopy data were downloaded from the U.S. Geological Survey and processed using the AERSURFACE land-use tool to generate the surface

characteristics necessary to run AERMET. The data was processed in AERSURFACE using the settings presented in Table 4-4.

Surface moisture conditions were determined following the methodology set forth in the AERSURFACE User's Guide dated February 2022. Section 2.2.3 in the AERSURFACE User's Guide states:

"the surface moisture condition can be determined by comparing precipitation for the period of data to be processed to the 30-year climatological record. It is recommended the user specify "wet" conditions if precipitation is in the upper 30th-percentile, "dry" conditions if precipitation is in the lower 30th-percentile, and "average" conditions if precipitation is in the middle 40th-percentile."

Annual precipitation data for the Corvallis, Oregon (ID: 351862) met station were retrieved from the Western Regional Climate Center for the 2017 calendar year to assess soil moisture conditions for the site-specific meteorological data. The Corvallis met station was chosen because of its proximity to the modeling domain. As shown in Table 4-5, the total precipitation collected during the modeling period at the Corvallis station was 53.6 inches, which is more than the 70th percentile annual precipitation of 47.8 inches. As a result, AERSURFACE was executed assuming wet soil moisture conditions for the site-specific meteorological data.

4.4 Unit Emission Rates

Results from the air dispersion model runs, executed using a unit emission rate equivalent to 1 g/s for each TEU identified in the DEQ-approved TAC emissions inventory, can be used to derive the predicted concentrations of TACs emitted from a given TEU. MFA executed the dispersion model using unit emission rates for all TEUs, for both the annual and daily averaging periods, as shown in Tables 3-1 through 3-4.

The maximum modeled unit concentration in micrograms per cubic meter (ug/m³) for each averaging period was considered a modeled dispersion factor in units of ug/m³ per g/s. When this dispersion factor is multiplied by the TAC emission rate for the modeled TEU, the result is the modeled concentration of the TAC. The dispersion factors were used to conduct the Level 3 Risk Assessment in combination with TAC emission rates for each TEU in g/s and the risk-based concentrations in ug/m³ set forth under OAR 340-245-8010 Table 2.

4.5 Building Downwash and TEU Locations

The most recent version of the EPA Building Profile Input Program for PRIME (BPIP) was used to calculate direction-specific building downwash parameters for applicable building structures located at the facility as shown in Table 4-1.

The location of each significant TEU and gas combustion TEU included in the dispersion model are shown in Figure 4-2 and Figure 4-3, respectively. The locations for structures that are projected to influence downwash are presented in Figure 4-4. Table 4-6 presents a summary of the building heights included in the dispersion model.

4.6 Receptor Locations and Terrain

Receptors were defined consistent with Section 2.4 of the DEQ's Recommended Procedures for Air Quality Dispersion Modeling¹ as shown in Table 4-6 below. Figure 4-5 presents the receptor spacing and locations within the modeling domain. Figure 4-6 presents the receptor locations in the area immediately surrounding the facility.

Table 4-7. Modeled Receptor Locations

Receptor Spacing (meters)	Receptor Distance (meters)
25	Along the property boundary and out to at least 200 meters from the property boundary
50	200 to 1,000
100	1,000 to 2,000
200	2,000 to 5,000
500	5,000 to 10,000

Terrain elevations for model receptors, TEU base elevations, and base elevations of downwash structures were derived from U.S. Geological Survey National Elevation Dataset data at a resolution of 1/3 arc-seconds (a horizontal resolution of roughly 10 meters) and processed using the current version of AERMAP.

4.6.1 Sensitive Receptor Location

MFA identified locations considered to be a "sensitive receptor" (e.g., daycare, school, or medical facilities) within approximately 1 kilometer of the facility property boundary. These sensitive receptor locations are shown in Table 4-8. Discrete receptors for the identified sensitive receptors were included at these coordinates in the dispersion model.

Table 4-8. Identification of Sensitive Receptor Locations

Consisting Aven	UTM Coordinates (meters)		
Sensitive Area	Easting	Northing	
Avery House Nature Center	478569.73	4933304.15	
CSC Youth House	479156.75	4934053.31	

© 2025 Maul Foster & Alongi, Inc.

 $^{^{1}}$ DEQ. 2022. Recommended Procedures for Air Quality Dispersion Modeling. Oregon Department of Environmental Quality. March.

5 Risk Assessment Methodology

5.1 Land-Use Zoning Classification Data for Determining Exposure Types

MFA reviewed the Department of Land Conservation and Development's statewide zoning data to determine land-use classifications for areas within the modeling domain. The statewide zoning classifications provide the basis for the initial categorization of exposure classifications (i.e., residential, nonresidential worker, nonresidential child, or acute), as shown in Table 5-1. School locations were obtained from the Oregon Department of Human Services and the Oregon Health Authority.

The zoning data were further evaluated against the local City of Corvallis zoning data, Benton and Linn County zoning data, school data obtained from the Oregon Health Authority, hospital location data obtained from the U.S. Department of Homeland Security, and early learning provider location data obtained from the Oregon Department of Education. MFA also reviewed aerial imagery via Esri ArcGIS and Google Earth software to determine whether the existing zoning information reflects actual land use and the corresponding exposure type categorization. MFA reviewed proposed zoning changes in the South Corvallis Area Plan, dated November 25, 2024, and incorporated any changes that resulted in a more conservative exposure scenario with respect to risk estimates.

The zoning data and internal MFA review process indicate that multiple locations fall within roadway and/or rail rights-of-way interstitial spaces as shown in blue in Figures 4-4 and 4-5. These locations were included in the dispersion model to maintain a uniform receptor grid. MFA did not conduct risk evaluations for any receptor locations in roadways or rail rights-of-way inside the 50-m receptor grid. These locations are labeled as "Risk Not Assessed" in the crosswalk-of-receptors which is being provided to the DEQ in spreadsheet format due to the number of receptor locations.

Figure 4-7 presents the existing land-use zoning in the modeling domain, and Figure 4-8 presents existing land-use zoning for the area immediately surrounding the facility. Figure 4-9 and Figure 4-10 present the corresponding exposure location categorization for the modeling domain and the immediate area surrounding the facility, respectively.

5.2 Exposure Pathways

As stated in the risk assessment work plan, predicted cancer and noncancer risk from facility TEUs do not have additional exposure pathways (e.g., ingestion or dermal uptake) other than those already accounted for in each published RBC.

5.3 Risk-Based Concentrations

Excess cancer risk and chronic and acute noncancer risk were assessed using the established RBCs set forth in OAR 340-245-8010 Table 2. The RBCs used for the Level 3 Risk Assessment are presented in Table 5-2 and Table 5-3.

5.4 Risk Estimates

As mentioned in Section 4.4, MFA executed the dispersion model using unit emission rates (equivalent to 1 g/s) for each TEU, for the annual and daily (i.e., 24-hours) averaging periods. The unit emission rate model produces the dispersion factor, with units of ug/m³ per g/s, at each exposure location for each modeled TEU and averaging period. Risk estimates were calculated for each modeled TEU by multiplying the dispersion factor at a given location by the individual TAC emission rate in units of g/s, then dividing by the appropriate RBC. The resulting risk estimate for each TAC was summed for each modeled TEU. The total predicted risk at each TEU was then summed at each exposure location to calculate the cumulative predicted excess cancer risk, chronic noncancer hazard index, and acute noncancer hazard index for the facility.

5.4.1 Example Calculation—Level 3 Risk Assessment

Example calculations for estimating excess cancer risk and noncancer hazard index (chronic and acute) for a single exposure location are presented in Equations 1 through 3 to satisfy the requirements set forth under OAR 340-245-0210(2)(c).

Equation 1.

Excess cancer risk (chances-in-a-million)

$$= \Sigma \frac{(\text{TAC annual emission rate [g/s]}) \times (\text{TEU dispersion factor } [\frac{\text{ug/m}^3}{\text{g/s}}])}{(\text{applicable RBC at exposure location [ug/m}^3])}$$

Equation 2.

Chronic noncancer hazard index

$$= \Sigma \frac{(\text{TAC annual emission rate [g/s]}) \times (\text{TEU dispersion factor } [\frac{\text{ug/m}^3}{\text{g/s}}])}{(\text{applicable RBC at exposure location [ug/m}^3])}$$

Equation 3.

Acute noncancer hazard index

$$= \Sigma \frac{(\text{TAC daily emission rate [g/s]}) \times (\text{TEU dispersion factor } [\frac{\text{ug/m}^3}{\text{g/s}}])}{(\text{applicable RBC at exposure location [ug/m}^3])}$$

The cumulative facility excess cancer risk and chronic and acute noncancer hazard index was derived by summing each individual TAC risk contribution at each exposure location for each applicable TEU.

6 Risk Assessment Result Summary

MFA determined the total predicted excess cancer risk and chronic and acute noncancer risk (expressed numerically as the chronic and acute noncancer hazard index) at each modeled exposure location following the applicable requirements set forth in OAR 340-245-0050(1) for the Level 3 Risk Assessment. Significant TEUs and gas combustion TEUs were evaluated separately consistent with OAR 340-245-0050(5). Excess cancer risk, and chronic and acute noncancer hazard index calculation methodologies are discussed in detail in Section 5.

Summaries of the Level 3 Risk Assessment results are presented in Table 6-1 and Table 6-2. The supporting calculations, including modeled dispersion factors, and applicable RBCs for each risk or hazard index estimate, and the locations of maximum predicted risk for each modeled TEU and exposure scenario are presented in Table 6-3 through 6-10.

Table 6-1. Level 3 Risk Assessment Results—Significant TEUs

Significant TEU	Facility Risk/Hazard Index			
Exposure Assessment	Scenario 1	Scenario 2	RAL Analysis	
Cancer Risk (chances-in-one-r	nillion)			
Residential	2.8	2.9	Below Source Permit Level	
Nonresidential Child	<0.1	<0.1	Below Source Permit Level	
Nonresidential Worker	0.3	0.2	Below Source Permit Level	
Chronic Noncancer Hazard Index				
Residential	0.2	0.2	Below Source Permit Level	
Nonresidential Child	<0.1	<0.1	Below Source Permit Level	
Nonresidential Worker	0.1	0.1	Below Source Permit Level	
Acute Noncancer Hazard Index	0.2	0.2	Below Source Permit Level	

Table 6-2. Level 3 Risk Assessment Results—Gas Combustion TEUs

Gas TEU Exposure Assessment	Facility Risk/Hazard Index	
Cancer Risk (chances-in-one-million)		
Residential	0.1	
Nonresidential Child	<0.1	
Nonresidential Worker	<0.1	
Chronic Noncancer Hazard Index		
Residential	<0.1	

Gas TEU Exposure Assessment	Facility Risk/Hazard Index
Cancer Risk (chances-in-one-million)	
Nonresidential Child	<0.1
Nonresidential Worker	<0.1
Acute Noncancer Hazard Index	<0.1

The Level 3 Risk Assessments were performed consistent with the CAO rules in effect on the date of issuance of this report.

6.1 Excess Cancer Risk

The maximum predicted excess cancer risk for Scenario 1 (all rotary fiberizers producing RF fiber) for significant TEUs is 2.8 additional chances of developing cancer in a population of 1,000,000 people (chances-in-one-million) as shown in Table 6-4.

The maximum predicted excess cancer risk for Scenario 2 (all rotary fiberizers producing RC fiber) for significant TEUs is 2.9 additional chances of developing cancer in a population of 1,000,000 people (chances-in-one-million) as shown in Table 6-9.

The maximum predicted excess cancer risk for gas combustion TEUs is 0.1 chances-in-one-million as shown in Table 6-6.

6.2 Chronic Noncancer Hazard Index

The maximum predicted chronic noncancer hazard index for Scenario 1 (all rotary fiberizers producing RF fiber) for significant TEUs is 0.2 as shown in Table 6-5.

The maximum predicted chronic noncancer hazard index for Scenario 2 (all rotary fiberizers producing RC fiber) for significant TEUs is 0.2 as shown in Table 6-10.

The maximum predicted chronic noncancer hazard index for gas combustion TEUs is <0.1 as shown in Table 6-7.

6.3 Acute Noncancer Hazard Index

The maximum predicted acute noncancer hazard index for Scenario 1 (all rotary fiberizers producing RF fiber) for significant TEUs is 0.2 as shown in Table 6-5.

The maximum predicted acute noncancer hazard index for Scenario 2 (all rotary fiberizers producing RC fiber) for significant TEUs is 0.2 as shown in Table 6-10.

The maximum predicted acute noncancer hazard index for gas combustion TEUs is <0.1 as shown in Table 6-7.

6.4 Uncertainty Analysis

Although the Level 3 Risk Assessments were conducted using the most accurate and readily available information, there are various levels of uncertainty associated with the risk assessment. Per OAR 340-245-0210(2)(d), known quantitative and qualitative uncertainties with the Level 3 Risk Assessment include, but may not be limited to, the following:

Acute Assessments:

- To assess acute noncancer risk, the full 24-hour exposure duration was assumed, though, by definition, the duration of acute exposure can be less than 24 hours. While this risk assessment will assume 24 hours of exposure, it is very unlikely that any individual would be exposed for a full 24 hours outside of a residential location. However, if the toxicity reference value is based on data collected for a lower exposure duration than the 24-hour exposure duration, the estimated risk may differ. Therefore, for TACs with RBCs that were developed using toxicity reference values based on longer exposure durations, the Level 3 Risk Assessment may overestimate acute noncancer risk due to the 24-hour exposure duration assumption.
- The Level 3 Risk Assessments were conducted assuming each TEU at the facility is simultaneously operating at maximum design capacity for 24 hours. It is highly unlikely that all TEUs at the facility will simultaneously operate at their maximum capacity for a 24-hour period. Therefore, the Level 3 Risk Assessment likely overestimates acute noncancer risk due to unrealistic operating conditions.
- The Level 3 Risk Assessment includes meteorological conditions which may only occur a few days or less in a one-year period that can result in worst-case dispersion characteristics. It is unlikely that these infrequent meteorological conditions would occur at the same time that the facility was operating all TEUs at maximum capacity. Therefore, the Level 3 Risk Assessment likely overestimates acute noncancer risk because of the improbability of facility operations at maximum capacity aligning with worst-case meteorological conditions.
- Dispersion modeling was used to determine the daily dispersion factors per exposure location for use in risk estimate calculations. This method determines, for each TEU, a single day within the one-year period of hourly meteorological data, during which the highest predicted concentration occurs at each exposure location. It is highly unlikely that the maximum predicted concentration at a given exposure location occurs on the same day for all TEUs at the facility. For example, the highest predicted concentration for the Ceramic Filtration Unit 113 may occur at exposure location "X" on March 1 while, due to differences in location, release characteristics (i.e., stack height, velocity, etc.), and meteorological variation, the highest predicted concentration for the Emergency Generator 1 may occur at exposure location "X" on December 1. The maximum predicted concentrations are not paired-in-time such that maximum predicted concentrations per TEU may occur on different days within the meteorological dataset. Therefore, the Level 3 Risk Assessment likely overestimates acute noncancer risk because it is unlikely that that the highest predicted concentration from each TEU occurs at every exposure location on the same day.

Cancer and Chronic Noncancer Assessments:

The RBCs developed by the DEQ for excess cancer risk and chronic noncancer risk assume a 70-year exposure duration for 24 hours per day. It is unlikely that a person would remain at the same residence or in areas potentially impacted by emissions covered by the CAO program for 70 consecutive years for 24 hours per day. The risk assessments also account for a person being exposed to the local facility emission rate for the entire exposure duration. Therefore, the Level 3

- Risk Assessment will overestimate cancer and chronic noncancer risk due to the unrealistic exposure duration assumption.
- The excess cancer and chronic noncancer risk assessments were performed assuming that all TEUs operate for the course of the calendar year at their maximum operational capacities. It is physically impossible that the facility could operate several of its TEUs at maximum capacity for an entire year without shutdown time for maintenance and cleaning of equipment. Therefore, the Level 3 Risk Assessment will overestimate cancer and chronic noncancer risk due to the overestimation of emissions resulting from continuous maximum capacity facility operation.

All Assessments:

• Only excess cancer risk and chronic and acute noncancer hazard index from TACs that have RBCs published by the DEQ were assessed. Tables 6-11 and 6-12 present the TACs emitted from the significant TEUs and gas combustion TEUs, respectively, that do not have RBCs published by the DEQ. For example, H&V produces special purpose fibers, a type of glasswool fiber, a listed TAC. Glasswool fiber emissions were quantified as 1,241 lb/yr under Scenario 1 and 1,254 lb/yr under Scenario 2. However, because no state or federal authoritative source has published toxicity information for glasswool fibers, consistent with OAR 340-247-0030 DEQ has not developed an RBC for glasswool fibers. As no RBC has been developed, the potential health impact associated with glasswool fiber emissions was not evaluated as part of this risk assessment consistent with the requirements of OAR 340-245-0200. As a result, the Level 3 Risk Assessment may underestimate cancer and/or noncancer risk associated with those TACs, such as glasswool fibers, that do not have an associated RBC. However, the development of RBCs generally has a level of conservatism that will likely overestimate cancer and/or noncancer risk from TACs with RBCs.

7 Closing

If there are any questions or comments regarding this report, please contact Leslie Riley at Iriley@maulfoster.com.

Limitations

The services undertaken in completing this report were performed consistent with generally accepted professional consulting principles and practices. No other warranty, express or implied, is made. These services were performed consistent with our agreement with our client. This report is solely for the use and information of our client unless otherwise noted. Any reliance on this report by a third party is at such party's sole risk.

Opinions and recommendations contained in this report apply to conditions existing when services were performed and are intended only for the client, purposes, locations, time frames, and project parameters indicated. We are not responsible for the impacts of any changes in environmental standards, practices, or regulations subsequent to performance of services. We do not warrant the accuracy of information supplied by others, or the use of segregated portions of this report.

Appendix A

Tables





Table 3-1 Annual TAC Emission Rates—Significant TEUs Production Scenario 1 (all Rotary Fine) Hollingsworth & Vose Fiber Company—Corvallis, OR

	T 1			Annual Emission Estimates									
			Glass Plant			7 1111	aci Erriioor		y Fine				
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	(Excluding Forehearth) Natural Gas Combustion	Fiber Production	CFU Bulking Agent	Natural Gas Combustion	То	tal	L3R3/R4	L3R5/R6	L1R3/R4	L1R7/R8	L1R1/R2
			(lb/yr) ⁽¹⁾	(lb/yr) ⁽¹⁾	(lb/yr) ⁽¹⁾	(lb/yr) (a)	(lb/yr)	(g/s) (b)	(g/s) (c)				
TEU ID			NG_GP	RF	CFU_RF		-						
Model ID								. <u>.</u>	CFU101	CFU102	CFU103	CFU104	CFU105
Production Fraction						0.857 ^(e)		. <u>-</u>					
Apportioning Fraction									0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)
METALS			•	!	•	•			•			•	-
Aluminum	7429-90-5	Yes											
Antimony	7440-36-0	Yes											
Arsenic	7440-38-2	Yes											
Barium	7440-39-3	No		0.41			0.41	5.8E-06	3.9E-07	3.9E-07	3.9E-07	3.9E-07	3.9E-07
Cadmium	7440-43-9	Yes											
Chromium (total)	7440-47-3	No		0.14			0.14	2.0E-06	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07
Chromium VI	18540-29-9	Yes		0.14			0.14	2.0E-06	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07
Copper	7440-48-4	Yes		2.42			2.42	4 OF OF	2 2E 04	2 2E 04	2 25 04	2 2E 04	2 2E 04
Copper Lead	7440-50-8 7439-92-1	Yes Yes		3.43			3.43	4.9E-05	3.3E-06	3.3E-06	3.3E-06	3.3E-06	3.3E-06
Manganese	7439-92-1 7439-96-5	Yes		0.68			0.68	9.8E-06	6.5E-07	6.5E-07	6.5E-07	6.5E-07	6.5E-07
Manganese Mercury	7439-96-5	Yes		0.68			0.68	9.8E-06 5.1E-07	3.4E-08	3.4E-08	3.4E-08	3.4E-08	3.4E-08
Molybdenum trioxide	1313-27-5	No	1.62	0.035		1.39	1.39	2.0E-05	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06
Nickel	7440-02-0	Yes		0.30			0.30	4.3E-06	2.9E-07	2.9E-07	2.9E-07	2.9E-07	2.9E-07
Phosphorus	504	No		5.66			5.66	8.1E-05	5.4E-06	5.4E-06	5.4E-06	5.4E-06	5.4E-06
Selenium	7782-49-2	Yes										J.4L-00	
Vanadium	7440-62-2	Yes	2.26			1.94	1.94	2.8E-05	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06
Zinc	7440-66-6	No		8.43			8.43	1.2E-04	8.1E-06	8.1E-06	8.1E-06	8.1E-06	8.1E-06
Zinc Oxide	1314-13-2	No											
INORGANIC COMPOUNDS			·			<u> </u>							
Ammonia	7664-41-7	Yes	3,141			2,692	2,692	0.039	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03
Carbon disulfide	75-15-0	Yes											
Fluorides	239	Yes											
Hydrogen Fluoride	7664-39-3	Yes		256			256	3.7E-03	2.5E-04	2.5E-04	2.5E-04	2.5E-04	2.5E-04
Hydrochloric Acid	7647-01-0	Yes											
Phosphoric Acid	7664-38-2	Yes											
Glasswool Fibers	352	No		39.8			39.8	5.7E-04	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05
Silica, Crystalline	7631-86-9	Yes			39.4		39.4	5.7E-04	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05
Sulfuric Acid	7664-93-9	Yes											
ORGANIC COMPOUNDS									1				
Acetaldehyde	75-07-0	Yes	4.22			3.62	3.62	5.2E-05	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06
Acetone	67-64-1	Yes		388			388	5.6E-03	3.7E-04	3.7E-04	3.7E-04	3.7E-04	3.7E-04
Acrolein	107-02-8	Yes	2.65	77.1		2.27	2.27	3.3E-05	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06
Benzene 1,3-Butadiene	71-43-2 106-99-0	Yes Yes		77.1			77.1	1.1E-03	7.4E-05	7.4E-05	7.4E-05	7.4E-05	7.4E-05
	110-82-7	Yes Yes											
Cyclohexane Ethylbenzene	100-41-4	Yes											
Chloroethane	75-00-3	Yes											
Formaldehyde	50-00-0	Yes		6,088			6,088	0.088	5.8E-03	5.8E-03	5.8E-03	5.8E-03	5.8E-03
Hexane	110-54-3	Yes		379			379	5.5E-03	3.6E-04	3.6E-04	3.6E-04	3.6E-04	3.6E-04
Chloromethane	74-87-3	Yes		30.0			30.0	4.3E-04	2.9E-05	2.9E-05	2.9E-05	2.9E-05	2.9E-05
2-Butanone	78-93-3	Yes		14.7			14.7	2.1E-04	1.4E-05	1.4E-05	1.4E-05	1.4E-05	1.4E-05
Methyl isobutyl ketone	108-10-1	Yes											
1,2,4-Trimethylbenzene	95-63-6	Yes											
Toluene	108-88-3	Yes		183			183	2.6E-03	1.8E-04	1.8E-04	1.8E-04	1.8E-04	1.8E-04
Xylenes (mixed isomers)	1330-20-7	Yes											
o-Xylene	95-47-6	Yes											
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)													
PAHs	401	Yes	0.098			0.084	0.084	1.2E-06	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08
Benzo[a]pyrene	50-32-8	Yes	1.2E-03			1.0E-03	1.0E-03	1.5E-08	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10
Naphthalene	91-20-3	Yes	0.29			0.25	0.25	3.6E-06	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07
Diesel Particulate Matter (DPM)	,							1	1	1			
DPM	200	Yes											
Total TAC Emission E	stimate		3,152	7,474	39.4	2,702	10,216	0.15	9.8E-03	9.8E-03	9.8E-03	9.8E-03	9.8E-03

Notes

g = gram. RBC = risk-based concentration.

RMH = raw material handling. GP1 = Glass Plant 1. GP2 = Glass Plant 2. s = second.

TAC = toxic air contaminant. hr = hour.lb= pound. TEU = toxic emission unit. PM = particulate matter

(a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction)

yr = year.

(b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs)

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)

(d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr]) / (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	96,000
Rotary Coarse	
Flameblown	16,000
Total	112,000

 $^{(f)}$ Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr]) **Glass Plant** Fiber Production (tons/yr) GP1 19,359

GP2 10,468 Total 29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = (3) 0.037 Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038 (3)

 $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

 $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.

 $^{(3)}$ Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.

 $^{(4)}$ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and GP1 Baling emission estimates.

Page 1 of 175 M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001



Table 3-1 Annual TAC Emission Rates—Significant TEUs Production Scenario 1 (all Rotary Fine) Hollingsworth & Vose Fiber Company—Corvallis, OR

			Annual Emission Estimates Rotary Fine									
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	L1R9/L10	L1R11/R12	L1R5/L6	L2R7/R8	L2R2/R3	L2R5/R6	L2R4/R9	L4R5/R10	L4R6/R7	L4R8/R9
			(g/s) (c)	(g/s) (c)	(g/s) ^(c)	(g/s) ^(c)	(g/s) (c)	(g/s) ^(c)				
TEU ID												
Model ID			CEU104	CFU107	CFU100	CFU109	CFU110	CFU111	CFU112	CFU116	CFU117	CFU118
Production Fraction			CFU106	CF0107	CFU108							CFU118
Apportioning Fraction			0.067 (2)	0.067 (2)	0.067 (2)		0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)
METALS												
Aluminum	7429-90-5	Yes										
Antimony	7440-36-0	Yes										
Arsenic	7440-38-2	Yes										
Barium	7440-39-3	No	3.9E-07	3.9E-07	3.9E-07	3.9E-07	3.9E-07	3.9E-07	3.9E-07	3.9E-07	3.9E-07	3.9E-07
Cadmium	7440-43-9	Yes										
Chromium (total)	7440-47-3	No	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07
Chromium VI	18540-29-9	Yes	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07
Copper	7440-48-4	Yes	2.25.04	2.25.04	2.25.04	2.25.04	2.25.04	 2.2F.04	2.25.04	2.25.04	2.25.04	2.25.07
Copper Lead	7440-50-8 7439-92-1	Yes Yes	3.3E-06	3.3E-06	3.3E-06	3.3E-06	3.3E-06	3.3E-06	3.3E-06	3.3E-06	3.3E-06	3.3E-06
Manganese	7439-92-1 7439-96-5	Yes	6.5E-07	6.5E-07	6.5E-07	6.5E-07	6.5E-07	6.5E-07	6.5E-07	6.5E-07	6.5E-07	6.5E-07
Mercury	7439-90-3	Yes	3.4E-08	3.4E-08	3.4E-08	3.4E-08	3.4E-08	3.4E-08	3.4E-08	3.4E-08	3.4E-08	3.4E-08
Molybdenum trioxide	1313-27-5	No	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06
Nickel	7440-02-0	Yes	2.9E-07	2.9E-07	2.9E-07	2.9E-07	2.9E-07	2.9E-07	2.9E-07	2.9E-07	2.9E-07	2.9E-07
Phosphorus	504	No	5.4E-06	5.4E-06	5.4E-06	5.4E-06	5.4E-06	5.4E-06	5.4E-06	5.4E-06	5.4E-06	5.4E-06
Selenium	7782-49-2	Yes										
Vanadium	7440-62-2	Yes	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06
Zinc	7440-66-6	No	8.1E-06	8.1E-06	8.1E-06	8.1E-06	8.1E-06	8.1E-06	8.1E-06	8.1E-06	8.1E-06	8.1E-06
Zinc Oxide	1314-13-2	No										
INORGANIC COMPOUNDS												
Ammonia	7664-41-7	Yes	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03
Carbon disulfide	75-15-0	Yes										
Fluorides	239	Yes										
Hydrogen Fluoride	7664-39-3	Yes	2.5E-04	2.5E-04	2.5E-04	2.5E-04	2.5E-04	2.5E-04	2.5E-04	2.5E-04	2.5E-04	2.5E-04
Hydrochloric Acid	7647-01-0	Yes										
Phosphoric Acid	7664-38-2	Yes	2.05.05	 2.0F.0F	2.05.05	2.05.05	2.05.05	2.05.05	2.05.05	2.05.05	2.05.05	2.05.05
Glasswool Fibers	352 7631-86-9	No Yes	3.8E-05	3.8E-05 3.8E-05	3.8E-05 3.8E-05	3.8E-05	3.8E-05 3.8E-05	3.8E-05 3.8E-05	3.8E-05 3.8E-05	3.8E-05 3.8E-05	3.8E-05 3.8E-05	3.8E-05 3.8E-05
Silica, Crystalline Sulfuric Acid	7631-86-9	Yes	3.8E-05	3.8E-05	3.8E-U5	3.8E-05	3.8E-U5	3.8E-U5	3.8E-U5	3.8E-U5	3.8E-U5	3.8E-05
ORGANIC COMPOUNDS	7004-93-9	163										
Acetaldehyde	75-07-0	Yes	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06
Acetone	67-64-1	Yes	3.7E-04	3.7E-04	3.7E-04	3.7E-04	3.7E-04	3.7E-04	3.7E-04	3.7E-04	3.7E-04	3.7E-04
Acrolein	107-02-8	Yes	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06
Benzene	71-43-2	Yes	7.4E-05	7.4E-05	7.4E-05	7.4E-05	7.4E-05	7.4E-05	7.4E-05	7.4E-05	7.4E-05	7.4E-05
1,3-Butadiene	106-99-0	Yes										
Cyclohexane	110-82-7	Yes										
Ethylbenzene	100-41-4	Yes										
Chloroethane	75-00-3	Yes										
Formaldehyde	50-00-0	Yes	5.8E-03	5.8E-03	5.8E-03	5.8E-03	5.8E-03	5.8E-03	5.8E-03	5.8E-03	5.8E-03	5.8E-03
Hexane	110-54-3	Yes	3.6E-04	3.6E-04	3.6E-04	3.6E-04	3.6E-04	3.6E-04	3.6E-04	3.6E-04	3.6E-04	3.6E-04
Chloromethane	74-87-3	Yes	2.9E-05	2.9E-05	2.9E-05	2.9E-05	2.9E-05	2.9E-05	2.9E-05	2.9E-05	2.9E-05	2.9E-05
2-Butanone Mothyl isobutyl kotono	78-93-3	Yes	1.4E-05	1.4E-05	1.4E-05	1.4E-05	1.4E-05	1.4E-05	1.4E-05	1.4E-05	1.4E-05	1.4E-05
Methyl isobutyl ketone 1,2,4-Trimethylbenzene	108-10-1 95-63-6	Yes Yes										
Toluene	108-88-3	Yes	1.8E-04	1.8E-04	1.8E-04	1.8E-04	 1.8E-04	1.8E-04	1.8E-04	1.8E-04	1.8E-04	1.8E-04
Xylenes (mixed isomers)	1330-20-7	Yes	1.8E-04	1.0E-U4	1.6E-04	1.0E-U4	1.6E-U4 	1.6E-U4 	1.0E-04	1.6E-04	1.0E-U4 	1.0L-04
o-Xylene	95-47-6	Yes										
POLYCYCLIC AROMATIC HYDROCARBONS (PAH		103		<u> </u>		1	<u> </u>	<u> </u>	I		<u> </u>	•
PAHs	401	Yes	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08
Benzo[a]pyrene	50-32-8	Yes	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10
Naphthalene	91-20-3	Yes	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07
Diesel Particulate Matter (DPM)	· · · · · · · · · · · · · · · · · · ·											
DPM	200	Yes										
Total TAC Emission	Fetimate		9.8E-03	9.8E-03	9.8E-03	9.8E-03	9.8E-03	9.8E-03	9.8E-03	9.8E-03	9.8E-03	9.8E-03

Notes

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling. GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter yr = year.

- (a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction) (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs)
- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)
- (e) Production fraction = (fiber type natural gas usage [scf/hr])

Flameblown

/ (total fiberizer natural gas usage [scf/hr]) Fiber Type Natural Gas Usage (scf/hr) Rotary Fine 96,000 Rotary Coarse

112,000 Total Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])

Glass Plant	Fiber Production (tons/yr)
GP1	19,359
GP2	10,468
Total	29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = (3) 0.037 Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038 (3)

16,000

References

- (1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- ⁽²⁾ Emission estimates equally apportioned among the defined model source representations.
- (3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
- (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

(5) Sum of Furnace Bin and GP1 Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 2 of 175



Table 3-1 Annual TAC Emission Rates—Significant TEUs Production Scenario 1 (all Rotary Fine) Hollingsworth & Vose Fiber Company—Corvallis, OR

			Annual Emission Estimates											
					Flameblowr	Fiber Pro	duction				Glass	Melt		
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	Fiber Production	CFU Bulking Agent	Natural Gas Combustion	То	tal	L4F1/F2	L4F3/F4	Fiber Production	CFU Bulking Agent	To	otal	
				(lb/yr) ⁽¹⁾	(lb/yr) ^(a)	(lb/yr)	(g/s) (b)	(g/s) (c)	(g/s) (c)	(lb/yr) ⁽¹⁾	(lb/yr) ⁽¹⁾	(lb/yr)	(g/s) (b)	
TEU ID			FB	CFU_FB						GM	CFU_GM			
Model ID							· -	CFU114	CFU115				CFU113	
Production Fraction					0.143 ^(e)									
Apportioning Fraction						-	· -	0.50 (2)	0.50 (2)					
METALS	, ,			1	T	1	T	1	1	T	T	1	_	
Aluminum	7429-90-5	Yes												
Antimony	7440-36-0	Yes	0.26			0.26	3.7E-06	1.8E-06	1.8E-06	0.084		0.084	1.2E-06	
Arsenic	7440-38-2	Yes					 2.4E.04	1 25 04	1 25 04	 0.0E0		 0.0E0	 0.4E.07	
Barium Cadmium	7440-39-3 7440-43-9	No Yes	0.17			0.17 0.047	2.4E-06 6.8E-07	1.2E-06 3.4E-07	1.2E-06 3.4E-07	0.058 0.070		0.058 0.070	8.4E-07 1.0E-06	
Chromium (total)	7440-43-9	No No	0.047			0.047	7.9E-07	3.4E-07 3.9E-07	3.4E-07 3.9E-07	0.070		0.070	4.3E-07	
Chromium VI	18540-29-9	Yes	0.055			0.055	7.9E-07	3.9E-07	3.9E-07	0.030		0.030	4.3E-07	
Cobalt	7440-48-4	Yes								0.013		0.033	1.8E-07	
Copper	7440-50-8	Yes	0.78			0.78	1.1E-05	5.6E-06	5.6E-06	0.46		0.46	6.6E-06	
Lead	7439-92-1	Yes								0.62		0.62	9.0E-06	
Manganese	7439-96-5	Yes	0.18			0.18	2.6E-06	1.3E-06	1.3E-06	0.017		0.017	2.4E-07	
Mercury	7439-97-6	Yes	8.9E-03			8.9E-03	1.3E-07	6.4E-08	6.4E-08	8.49		8.49	1.2E-04	
Molybdenum trioxide	1313-27-5	No			0.23	0.23	3.3E-06	1.7E-06	1.7E-06					
Nickel	7440-02-0	Yes	0.29			0.29	4.2E-06	2.1E-06	2.1E-06					
Phosphorus	504	No	1.46			1.46	2.1E-05	1.0E-05	1.0E-05	1.82		1.82	2.6E-05	
Selenium	7782-49-2	Yes												
Vanadium	7440-62-2	Yes			0.32	0.32	4.6E-06	2.3E-06	2.3E-06					
Zinc	7440-66-6	No	4.70			4.70	6.8E-05	3.4E-05	3.4E-05	0.96		0.96	1.4E-05	
Zinc Oxide	1314-13-2	No												
Ammonia	7664-41-7	Yes			449	449	6.5E-03	3.2E-03	3.2E-03	l				
Carbon disulfide	75-15-0	Yes						3.2L-03	J.ZL-03	0.90		0.90	1.3E-05	
Fluorides	239	Yes	2.84			2.84	4.1E-05	2.0E-05	2.0E-05	3.26		3.26	4.7E-05	
Hydrogen Fluoride	7664-39-3	Yes	38.1			38.1	5.5E-04	2.7E-04	2.7E-04	0.48		0.48	6.8E-06	
Hydrochloric Acid	7647-01-0	Yes												
Phosphoric Acid	7664-38-2	Yes												
Glasswool Fibers	352	No	8.20			8.20	1.2E-04	5.9E-05	5.9E-05					
Silica, Crystalline	7631-86-9	Yes		8.11		8.11	1.2E-04	5.8E-05	5.8E-05		0.82	0.82	1.2E-05	
Sulfuric Acid	7664-93-9	Yes												
ORGANIC COMPOUNDS			_	T	.	ı	1	T	T	1	1	T		
Acetaldehyde	75-07-0	Yes			0.60	0.60	8.7E-06	4.3E-06	4.3E-06					
Acetone	67-64-1	Yes	340			340	4.9E-03	2.4E-03	2.4E-03	130		130	1.9E-03	
Acrolein	107-02-8	Yes	 0E 1		0.38	0.38	5.4E-06	2.7E-06	2.7E-06	21.0		21.0	4 EE O4	
Benzene 1,3-Butadiene	71-43-2 106-99-0	Yes Yes	85.1			85.1	1.2E-03	6.1E-04	6.1E-04	31.0 13.7		31.0 13.7	4.5E-04 2.0E-04	
Cyclohexane	110-82-7	Yes	5.24			5.24	7.5E-05	3.8E-05	3.8E-05	13.7			2.UE-U4	
Ethylbenzene	100-41-4	Yes	4.46			4.46	6.4E-05	3.8E-05 3.2E-05	3.8E-05					
Chloroethane	75-00-3	Yes	2.40			2.40	3.5E-05	1.7E-05	1.7E-05					
Formaldehyde	50-00-0	Yes	366			366	5.3E-03	2.6E-03	2.6E-03	68.6		68.6	9.9E-04	
Hexane	110-54-3	Yes	493			493	7.1E-03	3.5E-03	3.5E-03	18.7		18.7	2.7E-04	
Chloromethane	74-87-3	Yes	32.2			32.2	4.6E-04	2.3E-04	2.3E-04					
2-Butanone	78-93-3	Yes	10.8			10.8	1.6E-04	7.8E-05	7.8E-05	1.71		1.71	2.5E-05	
Methyl isobutyl ketone	108-10-1	Yes	3.93			3.93	5.7E-05	2.8E-05	2.8E-05					
1,2,4-Trimethylbenzene	95-63-6	Yes												
Toluene	108-88-3	Yes	85.9			85.9	1.2E-03	6.2E-04	6.2E-04	7.76		7.76	1.1E-04	
Xylenes (mixed isomers)	1330-20-7	Yes	9.22			9.22	1.3E-04	6.6E-05	6.6E-05					
o-Xylene	95-47-6	Yes												
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)	404	V			0.014	0.014	2.05.07	1.05.07	1 05 07	1	1		1	
PAHs Ponzo (al pyropo	401	Yes			0.014	0.014	2.0E-07	1.0E-07	1.0E-07					
Benzo[a]pyrene Naphthalene	50-32-8 91-20-3	Yes Yes			1.7E-04 0.042	1.7E-04 0.042	2.4E-09 6.1E-07	1.2E-09 3.0E-07	1.2E-09 3.0E-07					
Diesel Particulate Matter (DPM)	71-ZU-J	162			0.042	0.042	U. IE-U/	J.UE-U/	J.UE-U/					
DPM	200	Yes												
Total TAC Emission E		. 55	1,495	8.11	450	1,953	0.028	0.014	0.014	288	0.82	289	4.2E-03	
Notes				· ·										

Notes

g = gram. RBC = risk-based concentration. RMH = raw material handling. GP1 = Glass Plant 1.

GP2 = Glass Plant 2. s = second.

hr = hour.TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit. PM = particulate matter yr = year.

(a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction) (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs)

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr]) / (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	96,000
Rotary Coarse	
Flameblown	16,000
Total	112,000

(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr]) Glass Plant Fiber Production (tons/yr) GP1 19,359

GP2 10,468 Total 29,827 (g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

> Transport, storage, mixing PM emission factor (lb/ton) = (3) 0.037 Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

 $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

 $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.

 $^{(3)}$ Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022. ⁽⁴⁾ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from

Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and GP1 Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 3 of 175



Table 3-1

Annual TAC Emission Rates—Significant TEUs Production Scenario 1 (all Rotary Fine)

Hollingsworth & Vose Fiber Company—Corvallis, OR

			Annual Emission Estimates CFU Super Sack Filling								
						CFU Supe	r Sack Fillir	ng			
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)				Rota	ary Fine				
				tal	CFU101	CFU102	CFU105	CFU116	CFU117	CFU118	
			(lb/yr) ⁽¹⁾	(g/s) (b)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	
TEU ID			SSF	_RF							
Model ID			-	· -	SSF01	SSF02	SSF05	SSF16	SSF17	SSF18	
Production Fraction			-	· -							
Apportioning Fraction			-	· -	0.167 (2)	0.167 (2)	0.167 (2)	0.167 (2)	0.167 (2)	0.167 (2)	
METALS Aluminum	7429-90-5	Yes									
Antimony	7440-36-0	Yes									
Arsenic	7440-38-2	Yes									
Barium	7440-39-3	No	5.8E-04	8.4E-09	1.4E-09	1.4E-09	1.4E-09	1.4E-09	1.4E-09	1.4E-09	
Cadmium	7440-43-9	Yes									
Chromium (total)	7440-47-3	No	2.0E-04	2.9E-09	4.9E-10	4.9E-10	4.9E-10	4.9E-10	4.9E-10	4.9E-10	
Chromium VI	18540-29-9	Yes	2.0E-04	2.9E-09	4.9E-10	4.9E-10	4.9E-10	4.9E-10	4.9E-10	4.9E-10	
Cobalt	7440-48-4	Yes									
Copper	7440-50-8	Yes	4.9E-03	7.1E-08	1.2E-08	1.2E-08	1.2E-08	1.2E-08	1.2E-08	1.2E-08	
Lead	7439-92-1	Yes									
Manganese	7439-96-5	Yes	9.7E-04	1.4E-08	2.3E-09	2.3E-09	2.3E-09	2.3E-09	2.3E-09	2.3E-09	
Mercury Melybdanum trioxida	7439-97-6	Yes	5.1E-05	7.3E-10	1.2E-10	1.2E-10	1.2E-10	1.2E-10	1.2E-10	1.2E-10	
Molybdenum trioxide Nickel	1313-27-5 7440-02-0	No Yes	4.3E-04	6.2E-09	1.0E-09	1.0E-09	1.0E-09	1.0E-09	1.0E-09	1.0E-09	
Phosphorus	504	No	8.1E-03	1.2E-07	1.9E-08	1.9E-08	1.9E-08	1.9E-08	1.9E-08	1.9E-08	
Selenium	7782-49-2	Yes			1.7L=00	1.7L-00		1.7L-00		1.7L=00	
Vanadium	7440-62-2	Yes									
Zinc	7440-66-6	No	0.012	1.7E-07	2.9E-08	2.9E-08	2.9E-08	2.9E-08	2.9E-08	2.9E-08	
Zinc Oxide	1314-13-2	No									
INORGANIC COMPOUNDS											
Ammonia	7664-41-7	Yes									
Carbon disulfide	75-15-0	Yes									
Fluorides	239	Yes									
Hydrogen Fluoride	7664-39-3	Yes									
Hydrochloric Acid	7647-01-0	Yes									
Phosphoric Acid	7664-38-2	Yes									
Glasswool Fibers Silica, Crystalline	352 7631-86-9	No Yes	0.16	2.3E-06	3.8E-07	3.8E-07	3.8E-07	3.8E-07	3.8E-07	3.8E-07	
Sulfuric Acid	7631-86-9	Yes	0.16	2.3E-06	3.8E-U7	3.8E-07	3.8E-07	3.8E-07	3.8E-07	3.8E-07	
ORGANIC COMPOUNDS	7004-73-7	163									
Acetaldehyde	75-07-0	Yes									
Acetone	67-64-1	Yes									
Acrolein	107-02-8	Yes									
Benzene	71-43-2	Yes									
1,3-Butadiene	106-99-0	Yes									
Cyclohexane	110-82-7	Yes									
Ethylbenzene	100-41-4	Yes									
Chloroethane	75-00-3	Yes									
Formaldehyde	50-00-0	Yes									
Hexane	110-54-3	Yes									
Chloromethane	74-87-3	Yes									
2-Butanone	78-93-3	Yes									
Methyl isobutyl ketone 1,2,4-Trimethylbenzene	108-10-1 95-63-6	Yes Yes									
Toluene	108-88-3	Yes									
Xylenes (mixed isomers)	1330-20-7	Yes									
o-Xylene	95-47-6	Yes									
POLYCYCLIC AROMATIC HYDROCARBONS (PA			_	1	1	1	1	1	1	-	
PAHs	401	Yes									
Benzo[a]pyrene	50-32-8	Yes									
Naphthalene	91-20-3	Yes									
Diesel Particulate Matter (DPM)											
DPM	200	Yes									
Total TAC Emission	n Estimate		0.19	2.7E-06	4.5E-07	4.5E-07	4.5E-07	4.5E-07	4.5E-07	4.5E-07	
Notes											

Notes

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling.

GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit. PM = particulate matter yr = year. (a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction)

- (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs) (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)
- (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr]) / (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	96,000
Rotary Coarse	
Flameblown	16,000
Total	112,000

(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])

19,359
10,468
29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = (3) 0.037

Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038

- $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.
- $^{(3)}$ Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
- $^{(4)}$ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).
- $^{\rm (5)}$ Sum of Furnace Bin and GP1 Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001



Table 3-1
Annual TAC Emission Rates—Significant TEUs
Production Scenario 1 (all Rotary Fine)
Hollingsworth & Vose Fiber Company—Corvallis, OR

			Annual Emission Estimates CFU Super Sack Filling										
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)					Rotary Co	arse/Ultra F	Rotary Coa	rse			
	Sequence ib	(Tes/No)	То	tal	CFU103	CFU104	CFU106	CFU107	CFU108	CFU109	CFU110	CFU111	CFU112
			(lb/yr) (1)	(g/s) (b)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)
TEU ID				_RC									
Model ID			-		SSF03	SSF04	SSF06	SSF07	SSF08	SSF09	SSF10	SSF11	SSF12
Production Fraction			-	· -									
Apportioning Fraction			-	· -	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)
METALS	T =		1	Ι	I	Т	Ī	1	Ī	Т	T	Т	
Aluminum	7429-90-5	Yes	 4 2F 02	 0.0F.00	0.05.00		0.05.00	0.05.00		0.05.00	0.05.00		0.05.00
Antimony Arsenic	7440-36-0 7440-38-2	Yes Yes	6.2E-03	8.9E-08	9.8E-09 	9.8E-09	9.8E-09	9.8E-09	9.8E-09	9.8E-09	9.8E-09	9.8E-09	9.8E-09
Barium	7440-38-2	No	3.8E-03	5.5E-08	6.1E-09	6.1E-09	6.1E-09	6.1E-09	6.1E-09	6.1E-09	6.1E-09	6.1E-09	6.1E-09
Cadmium	7440-43-9	Yes	3.9E-03	5.7E-08	6.3E-09	6.3E-09	6.3E-09	6.3E-09	6.3E-09	6.3E-09	6.3E-09	6.3E-09	6.3E-09
Chromium (total)	7440-47-3	No	3.7E-03	5.3E-08	5.8E-09	5.8E-09	5.8E-09	5.8E-09	5.8E-09	5.8E-09	5.8E-09	5.8E-09	5.8E-09
Chromium VI	18540-29-9	Yes	3.7E-03	5.3E-08	5.8E-09	5.8E-09	5.8E-09	5.8E-09	5.8E-09	5.8E-09	5.8E-09	5.8E-09	5.8E-09
Cobalt	7440-48-4	Yes	1.6E-04	2.3E-09	2.6E-10	2.6E-10	2.6E-10	2.6E-10	2.6E-10	2.6E-10	2.6E-10	2.6E-10	2.6E-10
Copper	7440-50-8	Yes	0.022	3.1E-07	3.5E-08	3.5E-08	3.5E-08	3.5E-08	3.5E-08	3.5E-08	3.5E-08	3.5E-08	3.5E-08
Lead	7439-92-1	Yes	0.035	5.0E-07	5.5E-08	5.5E-08	5.5E-08	5.5E-08	5.5E-08	5.5E-08	5.5E-08	5.5E-08	5.5E-08
Manganese	7439-96-5	Yes	5.5E-03	7.9E-08	8.8E-09	8.8E-09	8.8E-09	8.8E-09	8.8E-09	8.8E-09	8.8E-09	8.8E-09	8.8E-09
Mercury	7439-97-6	Yes	4.2E-04	6.0E-09	6.7E-10	6.7E-10	6.7E-10	6.7E-10	6.7E-10	6.7E-10	6.7E-10	6.7E-10	6.7E-10
Molybdenum trioxide	1313-27-5	No											
Nickel	7440-02-0	Yes	8.3E-03	1.2E-07	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08
Phosphorus	504	No	0.098	1.4E-06	1.6E-07	1.6E-07	1.6E-07	1.6E-07	1.6E-07	1.6E-07	1.6E-07	1.6E-07	1.6E-07
Selenium	7782-49-2	Yes											
Vanadium	7440-62-2	Yes											
Zinc Zinc Oxide	7440-66-6	No No	0.062	8.9E-07	9.8E-08	9.8E-08	9.8E-08	9.8E-08	9.8E-08	9.8E-08	9.8E-08	9.8E-08	9.8E-08
INORGANIC COMPOUNDS	1314-13-2	INO											
Ammonia	7664-41-7	Yes											
Carbon disulfide	75-15-0	Yes											
Fluorides	239	Yes	0.71	1.0E-05	1.1E-06	1.1E-06	1.1E-06	1.1E-06	1.1E-06	1.1E-06	1.1E-06	1.1E-06	1.1E-06
Hydrogen Fluoride	7664-39-3	Yes											
Hydrochloric Acid	7647-01-0	Yes											
Phosphoric Acid	7664-38-2	Yes											
Glasswool Fibers	352	No											
Silica, Crystalline	7631-86-9	Yes	0.16	2.3E-06	2.6E-07	2.6E-07	2.6E-07	2.6E-07	2.6E-07	2.6E-07	2.6E-07	2.6E-07	2.6E-07
Sulfuric Acid	7664-93-9	Yes											
ORGANIC COMPOUNDS									•				_
Acetaldehyde	75-07-0	Yes											
Acetone	67-64-1	Yes											
Acrolein	107-02-8	Yes											
Benzene	71-43-2	Yes											
1,3-Butadiene	106-99-0	Yes											
Cyclohexane	110-82-7	Yes											
Ethylbenzene Chloroethane	100-41-4 75-00-3	Yes Yes											
Formaldehyde	50-00-0	Yes											
Hexane	110-54-3	Yes											
Chloromethane	74-87-3	Yes											
2-Butanone	78-93-3	Yes											
Methyl isobutyl ketone	108-10-1	Yes											
1,2,4-Trimethylbenzene	95-63-6	Yes											
Toluene	108-88-3	Yes											
Xylenes (mixed isomers)	1330-20-7	Yes											
o-Xylene	95-47-6	Yes											
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)			_						•				
PAHs	401	Yes											
Benzo[a]pyrene	50-32-8	Yes											
Naphthalene	91-20-3	Yes											
Diesel Particulate Matter (DPM)	000			I	I	1	1		1	1		1	
DPM Tabel TAG Frederica	200	Yes		4 / 5 0 5	4.05.07	1.05.07	4.05.07	4.05.07	1.05.07	1.05.07	1.05.07	1.05.07	1.05.07
Total TAC Emission Notes	Estimate		1.12	1.6E-05	1.8E-06	1.8E-06	1.8E-06	1.8E-06	1.8E-06	1.8E-06	1.8E-06	1.8E-06	1.8E-06

Notes

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling.

GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant.

lb= pound. TEU = toxic emission unit.

PM = particulate matter yr = year.

- (a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction) (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453 592 g/lb) x (yr/8 760 brs)
- (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs) x (hr/3,600 s)
- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)
- (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)
 (e) Production fraction = (fiber type natural gas usage [scf/hr])

Production fraction = (fiber type natural gas usage [scf/hr])/ (total fiberizer natural gas usage [scf/hr])

	Fiber Type	Natural Gas Usage (scf/hr)						
	Rotary Fine	96,000						
	Rotary Coarse							
	Flameblown	16,000						
	Total	112,000						
(f)	(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])							

 Glass Plant
 Fiber Production (tons/yr)

 GP1
 19,359

 GP2
 10,468

 Total
 29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton])
See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = 0.037 (3)

Furnace bin PM emission factor (lb/ton) = 0.001 (3)

Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

- (1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- (2) Emission estimates equally apportioned among the defined model source representations.
- (3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
 (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from
- Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\mbox{\scriptsize (5)}}$ Sum of Furnace Bin and GP1 Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001



Table 3-1

Annual TAC Emission Rates—Significant TEUs

Production Scenario 1 (all Rotary Fine)

Hollingsworth & Vose Fiber Company—Corvallis, OR

			Annual Emission Esti CFU Super Sack Filling						nates Bulking Agent Silos					
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)			eblown	Sack Fillin	Ĭ	s Melt	To	Bulking	GP1 Silo	GP2 Silo		
	sequence ib			tal	CFU114	CFU115		J113			(SILO1)	(SILO2)		
			(lb/yr) ⁽¹⁾	(g/s) (b)	(g/s) (c)	(g/s) (c)	(lb/yr) ⁽¹⁾	(g/s) (b)	(lb/yr) (g/s) (g/s)		(g/s) (c)	(g/s) (c)		
TEU ID			SSF	_FB			SSF.	_GM			SILO1	SILO2		
Model ID					SSF14	SSF15		SSF13			SILO1	SILO2		
Production Fraction					(2)	(2)					(2)	0.50 ⁽²⁾		
Apportioning Fraction					0.50 (2)	0.50 (2)					0.50 (2)	0.50 (2)		
METALS	7429-90-5	Yes	T	ı	<u> </u>	Ι	I	I	Τ	1	<u> </u>	I		
Aluminum Antimony	7429-90-5	Yes	1.9E-03	2.7E-08	 1.4E-08	 1.4E-08	4.8E-03	6.9E-08						
Arsenic	7440-38-2	Yes	1.9E-03	2.7E-UO	1.4E-06	1.4E-U0	4.0E-U3	0.9E-U0						
Barium	7440-39-3	No	1.3E-03	1.8E-08	9.1E-09	9.1E-09	3.3E-03	4.8E-08						
Cadmium	7440-43-9	Yes	3.5E-04	5.0E-09	2.5E-09	2.5E-09	4.0E-03	5.8E-08						
Chromium (total)	7440-47-3	No	4.1E-04	5.9E-09	2.9E-09	2.9E-09	1.7E-03	2.5E-08						
Chromium VI	18540-29-9	Yes	4.1E-04	5.9E-09	2.9E-09	2.9E-09	1.7E-03	2.5E-08						
Cobalt	7440-48-4	Yes					7.3E-04	1.0E-08						
Copper	7440-50-8	Yes	5.8E-03	8.3E-08	4.2E-08	4.2E-08	0.026	3.8E-07						
Lead	7439-92-1	Yes					0.036	5.1E-07						
Manganese	7439-96-5	Yes	1.3E-03	1.9E-08	9.5E-09	9.5E-09	9.6E-04	1.4E-08						
Mercury	7439-97-6	Yes	6.6E-05	9.5E-10	4.8E-10	4.8E-10	0.49	7.0E-06						
Molybdenum trioxide	1313-27-5	No												
Nickel	7440-02-0	Yes	2.2E-03	3.2E-08	1.6E-08	1.6E-08								
Phosphorus	504	No	0.011	1.6E-07	7.8E-08	7.8E-08	0.10	1.5E-06						
Selenium	7782-49-2	Yes												
Vanadium	7440-62-2	Yes												
Zinc	7440-66-6	No	0.035	5.0E-07	2.5E-07	2.5E-07	0.055	7.9E-07						
Zinc Oxide	1314-13-2	No												
INORGANIC COMPOUNDS														
Ammonia	7664-41-7	Yes												
Carbon disulfide	75-15-0	Yes												
Fluorides	239	Yes	0.021	3.0E-07	1.5E-07	1.5E-07	0.19	2.7E-06						
Hydrogen Fluoride	7664-39-3	Yes												
Hydrochloric Acid	7647-01-0	Yes												
Phosphoric Acid	7664-38-2	Yes												
Glasswool Fibers	352	No												
Silica, Crystalline	7631-86-9	Yes	0.16	2.3E-06	1.2E-06	1.2E-06	0.16	2.3E-06	0.020	2.9E-07	1.5E-07	1.5E-07		
Sulfuric Acid	7664-93-9	Yes												
ORGANIC COMPOUNDS	1													
Acetaldehyde	75-07-0	Yes												
Acetone	67-64-1	Yes												
Acrolein	107-02-8	Yes												
Benzene	71-43-2	Yes												
1,3-Butadiene	106-99-0	Yes												
Cyclohexane	110-82-7 100-41-4	Yes Yes												
Ethylbenzene Chloroethane	75-00-3	Yes												
Formaldehyde	50-00-0	Yes												
Hexane	110-54-3	Yes												
Chloromethane	74-87-3	Yes												
2-Butanone	78-93-3	Yes												
Methyl isobutyl ketone	108-10-1	Yes												
1,2,4-Trimethylbenzene	95-63-6	Yes												
Toluene	108-88-3	Yes												
Xylenes (mixed isomers)	1330-20-7	Yes												
o-Xylene	95-47-6	Yes												
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)				1		1		1		1		1		
PAHs	401	Yes												
Benzo[a]pyrene	50-32-8	Yes												
Naphthalene	91-20-3	Yes												
Diesel Particulate Matter (DPM)														
DPM	200	Yes												
Total TAC Emission E	stimate		0.24	3.5E-06	1.7E-06	1.7E-06	1.07	1.5E-05	0.020	2.9E-07	1.5E-07	1.5E-07		

Notes

RBC = risk-based concentration.

g = gram. GP1 = Glass Plant 1. RMH = raw material handling.

GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter yr = year. (a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction)

- (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs)
- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)
- (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr]) / (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	96,000
Rotary Coarse	
Flameblown	16,000
Total	112,000

 $^{(f)}$ Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])

Glass Plant	Fiber Production (tons/yr)
GP1	19,359
GP2	10,468
Total	29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = (3) Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

- $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.
- $^{(3)}$ Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
- $^{(4)}$ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and GP1 Baling emission estimates.

Page 6 of 175 M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001



Table 3-1 **Annual TAC Emission Rates—Significant TEUs** Production Scenario 1 (all Rotary Fine) Hollingsworth & Vose Fiber Company—Corvallis, OR

				Paw Mate	erial Handlir	na	Annual Emission Estimates Baling Fugitives							
	CAS/ODEQ	RBC? (Yes/No)		Kaw Mate	Transport,			Dali	ng rugitives			GP1 Fugitiv	es	
TAC	Sequence ID		То	Total Sto Mi		Furnace Bins	Total		GP1	GP2	Total	Area A	Area B	
			(lb/yr) ⁽¹⁾	(g/s) (b)		(g/s) (c)	(lb/yr) ⁽¹⁾	(g/s) (b)	(g/s) ^(d)	(g/s) ^(d)	(g/s) ⁽⁵⁾		(g/s) (c)	
TEU ID			RMH_	BA; RMH_	ZN; RMH_F; MH_L; RMH_	RMH_S;	().,		BALING	(3: -)				
Model ID					BBBH	\ 		- <u>-</u>				GP1_A	GP1_B	
Production Fraction									0.649 ^(f)	0.351 ^(f)				
Apportioning Fraction				-	0.974 ^(g)	0.026 ^(g)						0.50 (2)	0.50 (2)	
METALS			1	T	T	T		1	Т	T	T	T		
Aluminum	7429-90-5	Yes	207	3.0E-03	2.9E-03	7.8E-05					7.8E-05	3.9E-05	3.9E-05	
Antimony	7440-36-0 7440-38-2	Yes Yes												
Arsenic Barium	7440-38-2	No No	53.8	7.7E-04	7.5E-04	2.0E-05					2.0E-05	1.0E-05	1.0E-05	
Cadmium	7440-43-9	Yes	3.5E-03	5.0E-08	4.9E-08	1.3E-09					1.3E-09	6.6E-10	6.6E-10	
Chromium (total)	7440-47-3	No												
Chromium VI	18540-29-9	Yes												
Cobalt	7440-48-4	Yes												
Copper	7440-50-8	Yes												
Lead	7439-92-1	Yes	0.035	5.0E-07	4.9E-07	1.3E-08					1.3E-08	6.6E-09	6.6E-09	
Manganese	7439-96-5	Yes												
Mercury	7439-97-6	Yes												
Molybdenum trioxide	1313-27-5	No												
Nickel	7440-02-0	Yes												
Phosphorus	504	No												
Selenium	7782-49-2	Yes												
Vanadium	7440-62-2	Yes												
Zinc Zinc Oxide	7440-66-6 1314-13-2	No No	34.0	4.9E-04	4.8E-04	1.3E-05					1.3E-05	6.4E-06	6.4E-06	
INORGANIC COMPOUNDS	1314-13-2	NO	34.0	4.9E-04	4.0E-U4	1.3E-03					1.3E-03	0.46-00	0.4E-00	
Ammonia	7664-41-7	Yes												
Carbon disulfide	75-15-0	Yes												
Fluorides	239	Yes	14.8	2.1E-04	2.1E-04	5.6E-06					5.6E-06	2.8E-06	2.8E-06	
Hydrogen Fluoride	7664-39-3	Yes												
Hydrochloric Acid	7647-01-0	Yes												
Phosphoric Acid	7664-38-2	Yes												
Glasswool Fibers	352	No					1,193	0.017	0.011	6.0E-03	0.011	5.6E-03	5.6E-03	
Silica, Crystalline	7631-86-9	Yes	523	7.5E-03	7.3E-03	2.0E-04					2.0E-04	9.9E-05	9.9E-05	
Sulfuric Acid	7664-93-9	Yes												
ORGANIC COMPOUNDS										T	I			
Acetaldehyde	75-07-0	Yes												
Acetone	67-64-1	Yes												
Acrolein	107-02-8	Yes												
Benzene 1,3-Butadiene	71-43-2 106-99-0	Yes Yes												
Cyclohexane	110-82-7	Yes												
Ethylbenzene	100-41-4	Yes												
Chloroethane	75-00-3	Yes												
Formaldehyde	50-00-0	Yes												
Hexane	110-54-3	Yes												
Chloromethane	74-87-3	Yes												
2-Butanone	78-93-3	Yes												
Methyl isobutyl ketone	108-10-1	Yes												
1,2,4-Trimethylbenzene	95-63-6	Yes												
Toluene	108-88-3	Yes												
Xylenes (mixed isomers)	1330-20-7	Yes												
o-Xylene	95-47-6	Yes												
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)	401	\/		1	1			<u> </u>		1				
PAHs Ponzo (al pyropo	401	Yes												
Benzo[a]pyrene	50-32-8 91-20-3	Yes Yes												
Naphthalene Diesel Particulate Matter (DPM)	71-ZU-3	162												
DPM	200	Yes												
Total TAC Emission E		. 55	833	0.012		3.2E-04				6.0E-03			5.7E-03	
Notes				<u> </u>	<u> </u>				•					

Notes

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling.

GP2 = Glass Plant 2. s = second.

hr = hour.TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit. PM = particulate matter

- (a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction)
- (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs)

yr = year.

- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)
- (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction) (e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

	Fiber Type	Natural Gas Usage (scf/hr)							
	Rotary Fine	96,000							
	Rotary Coarse								
	Flameblown	16,000							
	Total	112,000							
(f)	(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])								

GP2 10,468

Glass Plant Fiber Production (tons/yr) GP1 19,359 Total 29,827 (g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton])

Transport, storage, mixing PM emission factor (lb/ton) =

Furnace bin PM emission factor (lb/ton) =

Total RMH PM emission factor (lb/ton) =

See Reference 4.

References (1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

- ⁽²⁾ Emission estimates equally apportioned among the defined model source representations.
- (3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
- (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

(5) Sum of Furnace Bin and GP1 Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 7 of 175

(3)

(3)

(3)

0.037

0.001

0.038



Table 3-1 Annual TAC Emission Rates—Significant TEUs Production Scenario 1 (all Rotary Fine) Hollingsworth & Vose Fiber Company—Corvallis, OR

						Aı	nnual Emission Estimates						
TAC	CAS/ODEQ	RBC?	Handliı	Raw Material Handling - Off and 2					ng Towers tion Line 3		Production Line 4		
	Sequence ID	(Yes/No)	Specification		and 2 Total		Total		Fan A	Fan B	Total		
			(lb/yr) ⁽¹⁾	(g/s) (b)	(lb/yr) ⁽¹⁾	(g/s) (b)	(lb/yr) ⁽¹⁾	(g/s) (b)	(g/s) (c)	(g/s) (c)	(lb/yr) ⁽¹⁾	(g/s) (b)	
TEU ID			RMH	_OFF	СТ	1_2	c	т3			C	CT4	
Model ID				внвн		CT1_2			CT3A	СТ3В		CT4	
Production Fraction													
Apportioning Fraction			-	· -					0.50 (2)	0.50 (2)			
METALS Aluminum	7429-90-5	Yes	5.5E-03	7.9E-08								T	
Antimony	7440-36-0	Yes	5.5E-03 	7.9E-06									
Arsenic	7440-38-2	Yes											
Barium	7440-39-3	No	1.4E-03	2.0E-08									
Cadmium	7440-43-9	Yes	9.1E-08	1.3E-12									
Chromium (total)	7440-47-3	No											
Chromium VI	18540-29-9	Yes											
Cobalt	7440-48-4	Yes											
Copper	7440-50-8	Yes											
Lead	7439-92-1	Yes	9.1E-07	1.3E-11									
Manganese	7439-96-5	Yes											
Mercury	7439-97-6	Yes											
Molybdenum trioxide	1313-27-5	No											
Nickel	7440-02-0	Yes											
Phosphorus	504	No											
Selenium Vanadium	7782-49-2	Yes Yes											
Zinc	7440-62-2 7440-66-6	No											
Zinc Oxide	1314-13-2	No	8.9E-04	1.3E-08									
INORGANIC COMPOUNDS	1314-13-2	110	0.72 04	1.52 00									
Ammonia	7664-41-7	Yes											
Carbon disulfide	75-15-0	Yes											
Fluorides	239	Yes	3.9E-04	5.6E-09									
Hydrogen Fluoride	7664-39-3	Yes											
Hydrochloric Acid	7647-01-0	Yes											
Phosphoric Acid	7664-38-2	Yes			1.42	2.0E-05	1.58	2.3E-05	1.1E-05	1.1E-05	1.26	1.8E-05	
Glasswool Fibers	352	No											
Silica, Crystalline	7631-86-9	Yes	0.014	2.0E-07									
Sulfuric Acid	7664-93-9	Yes			1.42	2.0E-05	1.58	2.3E-05	1.1E-05	1.1E-05	1.26	1.8E-05	
ORGANIC COMPOUNDS		.,		1		ı		ı	ı	1			
Acetaldehyde	75-07-0	Yes											
Accetone	67-64-1	Yes											
Acrolein Benzene	107-02-8 71-43-2	Yes Yes											
1,3-Butadiene	106-99-0	Yes											
Cyclohexane	110-82-7	Yes											
Ethylbenzene	100-41-4	Yes											
Chloroethane	75-00-3	Yes											
Formaldehyde	50-00-0	Yes											
Hexane	110-54-3	Yes											
Chloromethane	74-87-3	Yes											
2-Butanone	78-93-3	Yes											
Methyl isobutyl ketone	108-10-1	Yes											
1,2,4-Trimethylbenzene	95-63-6	Yes											
Toluene	108-88-3	Yes											
Xylenes (mixed isomers)	1330-20-7	Yes											
o-Xylene	95-47-6	Yes											
POLYCYCLIC AROMATIC HYDROCARBONS (PA PAHs	401	Yes		1		T	<u> </u>	1		1		т —	
Benzo[a]pyrene	50-32-8	Yes											
Naphthalene	91-20-3	Yes											
Diesel Particulate Matter (DPM)	/1-2U-J	103											
DPM	200	Yes											

Notes

g = gram. RBC = risk-based concentration. RMH = raw material handling.

GP1 = Glass Plant 1. GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter yr = year.

- (a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction)
- (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs)
- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)
- (e) Production fraction = (fiber type natural gas usage [scf/hr]) / (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	96,000
Rotary Coarse	
Flameblown	16,000
Total	112,000

(f)	Production fraction = (glass plant fiber production [t	ons/yr]) / (total fiber production [tons	s/yr])
	Glass Plant	Fiber Production (tons/yr)	
	GP1	19,359	
	GP2	10,468	

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = (3) Furnace bin PM emission factor (lb/ton) = 0.001 (3)

Total RMH PM emission factor (lb/ton) =

0.038

- $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.
- $^{(3)}$ Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
- (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

Page 8 of 175 M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001

 $^{^{\}rm (5)}$ Sum of Furnace Bin and GP1 Baling emission estimates.



Table 3-1
Annual TAC Emission Rates—Significant TEUs
Production Scenario 1 (all Rotary Fine)
Hollingsworth & Vose Fiber Company—Corvallis, OR

				Anı	nual Emiss	ion Estim	ates			
			a		En	nergency	Generat	ors	T-4-1 /	\
TAC	CAS/ODEQ Sequence ID		Shipping and Receiving - Paint Usage		Lin	e 1	Lin	e 2	Total <i>F</i> Emission	
	Jequence 15				Total		Total			
			(lb/yr) (1)	(g/s) (b)	(lb/yr) ⁽¹⁾	(g/s) (b)	(lb/yr) ⁽¹⁾	(g/s) (b)	(lb/yr)	(g/s)
TEU ID			P.A	MNT	EG	EN1	EG	EN2	-	-
Model ID				PAINT		EGEN1		EGEN2	-	-
Production Fraction					-	-			_	-
Apportioning Fraction					-	-			-	-
METALS Aluminum	7429-90-5	Yes	1		1		1	1	207	3.0E-03
Antimony	7429-90-5	Yes							0.35	5.1E-06
Arsenic	7440-38-2	Yes			3.7E-03	5.4E-08	2.6E-03	3.8E-08	6.4E-03	9.2E-08
Barium	7440-39-3	No	14.7	2.1E-04					69.2	9.9E-04
Cadmium	7440-43-9	Yes			3.5E-03	5.0E-08	2.5E-03	3.6E-08	0.13	1.9E-06
Chromium (total)	7440-47-3	No							0.23	3.3E-06
Chromium VI	18540-29-9	Yes			2.3E-04	3.4E-09	1.7E-04	2.4E-09	0.23	3.4E-06
Cobalt	7440-48-4	Yes	0.70	1.0E-05					0.72	1.0E-05
Copper	7440-50-8	Yes			9.6E-03	1.4E-07	6.8E-03	9.7E-08	4.74	6.8E-05
Lead	7439-92-1 7439-96-5	Yes Yes			0.019 7.3E-03	2.8E-07 1.0E-07	0.014 5.1E-03	2.0E-07 7.4E-08	0.76 0.89	1.1E-05 1.3E-05
Manganese Mercury	7439-96-5	Yes			4.7E-03	6.7E-08	3.3E-03	4.7E-08	9.03	1.3E-05
Molybdenum trioxide	1313-27-5	No			4.7L-03				1.62	2.3E-05
Nickel	7440-02-0	Yes			9.1E-03	1.3E-07	6.4E-03	9.3E-08	0.62	9.0E-06
Phosphorus	504	No							9.16	1.3E-04
Selenium	7782-49-2	Yes			5.1E-03	7.4E-08	3.6E-03	5.2E-08	8.8E-03	1.3E-07
Vanadium	7440-62-2	Yes							2.26	3.2E-05
Zinc	7440-66-6	No							14.2	2.0E-04
Zinc Oxide	1314-13-2	No							34.0	4.9E-04
INORGANIC COMPOUNDS	7//4 41 7	\/			1.07	2.75.05	1.00	1 05 05	0.144	0.045
Ammonia Carbon disulfide	7664-41-7 75-15-0	Yes Yes			1.87	2.7E-05	1.32	1.9E-05	3,144 0.90	0.045 1.3E-05
Fluorides	239	Yes							21.9	3.1E-04
Hydrogen Fluoride	7664-39-3	Yes							294	4.2E-03
Hydrochloric Acid	7647-01-0	Yes			0.44	6.3E-06	0.31	4.4E-06	0.74	1.1E-05
Phosphoric Acid	7664-38-2	Yes							4.26	6.1E-05
Glasswool Fibers	352	No							1,241	0.018
Silica, Crystalline	7631-86-9	Yes							572	8.2E-03
Sulfuric Acid	7664-93-9	Yes							4.26	6.1E-05
ORGANIC COMPOUNDS	75.07.0		_		4.00	0 / 5 0 5	1.00	4.05.05	7.05	1 15 01
Acetaldehyde Acetone	75-07-0 67-64-1	Yes Yes	245	3.5E-03	1.83	2.6E-05	1.29	1.9E-05	7.35 1,102	1.1E-04 0.016
Acrolein	107-02-8	Yes		3.3E-U3	0.079	1.1E-06	0.056	8.0E-07	2.79	4.0E-05
Benzene	71-43-2	Yes			0.079	6.3E-06	0.036	4.4E-06	194	2.8E-03
1,3-Butadiene	106-99-0	Yes			0.51	7.3E-06	0.36	5.2E-06	14.6	2.1E-04
Cyclohexane	110-82-7	Yes							5.24	7.5E-05
Ethylbenzene	100-41-4	Yes	10.3	1.5E-04	0.026	3.7E-07	0.018	2.6E-07	14.8	2.1E-04
Chloroethane	75-00-3	Yes							2.40	3.5E-05
Formaldehyde	50-00-0	Yes			4.04	5.8E-05	2.85	4.1E-05	6,530	0.094
Hexane	110-54-3	Yes			0.063	9.1E-07	0.044	6.4E-07	891	0.013
Chloromethane	74-87-3	Yes							62.1	8.9E-04
2-Butanone Mothyl isobutyl kotono	78-93-3	Yes Yes							27.2 3.93	3.9E-04 5.7E-05
Methyl isobutyl ketone 1,2,4-Trimethylbenzene	108-10-1 95-63-6	Yes Yes	13.1	1.9E-04					13.1	1.9E-04
Toluene	108-88-3	Yes		1.9L-04 	0.25	3.5E-06	0.17	2.5E-06	277	4.0E-03
Xylenes (mixed isomers)	1330-20-7	Yes	42.1	6.1E-04	0.099	1.4E-06	0.070	1.0E-06	51.5	7.4E-04
o-Xylene	95-47-6	Yes							0	0
POLYCYCLIC AROMATIC HYDROCARBONS (PA									-	
PAHs	401	Yes			0.085	1.2E-06	0.060	8.6E-07	0.24	3.5E-06
Benzo[a]pyrene	50-32-8	Yes			8.4E-05	1.2E-09	5.9E-05	8.5E-10	1.3E-03	1.9E-08
Naphthalene	91-20-3	Yes			0.046	6.6E-07	0.033	4.7E-07	0.37	5.4E-06
Diesel Particulate Matter (DPM)						a ==	I == -	0 :		
DPM	200	Yes			78.4	1.1E-03	55.3	8.0E-04	134	1.9E-03

Notes

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling.

GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant.

Ib= pound. TEU = toxic emission unit.

PM = particulate matter yr = year.

(a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction) (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs)

⁽e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	96,000
Rotary Coarse	
Flameblown	16,000
Total	112,000

(f)	Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])									
	Glass Plant	Fiber Production (tons/yr)								
	GP1	19,359								
	GP2	10,468								
	Total	20.027								

⁽g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = 0.037 (3)

Furnace bin PM emission factor (lb/ton) = 0.001 (3)

Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

- (1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- (2) Emission estimates equally apportioned among the defined model source representations.
- (3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
- (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

⁽b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs x (hr/3,600 s)

⁽c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)

⁽d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

⁽⁵⁾ Sum of Furnace Bin and GP1 Baling emission estimates.



Table 3-2 **Annual TAC Emission Rates—Significant TEUs** Production Scenario 2 (all Rotary Coarse) Hollingsworth & Vose Fiber Company—Corvallis, OR

			Annual Emission Estimates											
ı			Glass Plant					Rotary	Coarse					
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	(Excluding Forehearth) Natural Gas Combustion	Fiber Production	CFU Bulking Agent	Natural Gas Combustion	То	tal	L3R3/R4	L3R5/R6	L1R3/R4	L1R7/R8	L1R1/R2	
			(lb/yr) ⁽¹⁾	(lb/yr) ⁽¹⁾	(lb/yr) ⁽¹⁾	(lb/yr) ^(a)	(lb/yr)	(g/s) (b)	(g/s) (c)					
TEU ID			NG_GP	RC	CFU_RC		-	· -						
Model ID							_	. <u>.</u>	CFU101	CFU102	CFU103	CFU104	CFU105	
Production Fraction						0.857 ^(e)		. -						
Apportioning Fraction									0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	
METALS						•			!			!		
Aluminum	7429-90-5	Yes												
Antimony	7440-36-0	Yes												
Arsenic	7440-38-2	Yes												
Barium	7440-39-3	No		0.96			0.96	1.4E-05	9.2E-07	9.2E-07	9.2E-07	9.2E-07	9.2E-07	
Cadmium	7440-43-9	Yes		1.00			1.00	1.4E-05	9.6E-07	9.6E-07	9.6E-07	9.6E-07	9.6E-07	
Chromium (total)	7440-47-3	No		0.93			0.93	1.3E-05	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07	
Chromium VI	18540-29-9	Yes		0.93			0.93	1.3E-05	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07	
Copper	7440-48-4	Yes		5.52			5.52	7.9E-05	5.3E-06	5.3E-06	5.3E-06	5.3E-06	5.3E-06	
Copper Lead	7440-50-8 7439-92-1	Yes Yes		5.52 8.80			8.80	1.3E-04	8.4E-06	8.4E-06	8.4E-06	8.4E-06	8.4E-06	
Manganese	7439-92-1	Yes		0.85			0.85	1.3E-04 1.2E-05	8.4E-06 8.1E-07	8.4E-06 8.1E-07	8.4E-06 8.1E-07	8.4E-06 8.1E-07	8.4E-06 8.1E-07	
Mercury	7439-97-6	Yes		0.055			0.055	8.0E-07	5.3E-08	5.3E-08	5.3E-08	5.3E-08	5.3E-08	
Molybdenum trioxide	1313-27-5	No	1.62			1.39	1.39	2.0E-05	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	
Nickel	7440-02-0	Yes		2.11			2.11	3.0E-05	2.0E-06	2.0E-06	2.0E-06	2.0E-06	2.0E-06	
Phosphorus	504	No		25.0			25.0	3.6E-04	2.4E-05	2.4E-05	2.4E-05	2.4E-05	2.4E-05	
Selenium	7782-49-2	Yes												
Vanadium	7440-62-2	Yes	2.26			1.94	1.94	2.8E-05	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	
Zinc	7440-66-6	No		15.7			15.7	2.3E-04	1.5E-05	1.5E-05	1.5E-05	1.5E-05	1.5E-05	
Zinc Oxide	1314-13-2	No												
INORGANIC COMPOUNDS								_	•					
Ammonia	7664-41-7	Yes	3,141			2,692	2,692	0.039	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	
Carbon disulfide	75-15-0	Yes												
Fluorides	239	Yes		180			180	2.6E-03	1.7E-04	1.7E-04	1.7E-04	1.7E-04	1.7E-04	
Hydrogen Fluoride	7664-39-3	Yes		20.8			20.8	3.0E-04	2.0E-05	2.0E-05	2.0E-05	2.0E-05	2.0E-05	
Hydrochloric Acid Phosphoric Acid	7647-01-0 7664-38-2	Yes Yes												
Glasswool Fibers	352	No		52.3			52.3	7.5E-04	5.0E-05	5.0E-05	5.0E-05	5.0E-05	5.0E-05	
Silica, Crystalline	7631-86-9	Yes			 51.7		52.3	7.5E-04 7.4E-04	5.0E-05	5.0E-05	5.0E-05	5.0E-05	5.0E-05	
Sulfuric Acid	7664-93-9	Yes						7.4L-04	J.OL-03	J.UL-03	J.OL-03	3.0L-03	3.0L-03	
ORGANIC COMPOUNDS	7001707	103			l									
Acetaldehyde	75-07-0	Yes	4.22			3.62	3.62	5.2E-05	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	
Acetone	67-64-1	Yes		360			360	5.2E-03	3.5E-04	3.5E-04	3.5E-04	3.5E-04	3.5E-04	
Acrolein	107-02-8	Yes	2.65			2.27	2.27	3.3E-05	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	
Benzene	71-43-2	Yes		31.9			31.9	4.6E-04	3.1E-05	3.1E-05	3.1E-05	3.1E-05	3.1E-05	
1,3-Butadiene	106-99-0	Yes												
Cyclohexane	110-82-7	Yes												
Ethylbenzene	100-41-4	Yes		25.7			25.7	3.7E-04	2.5E-05	2.5E-05	2.5E-05	2.5E-05	2.5E-05	
Chloroethane	75-00-3	Yes		1.000						4.05.00				
Formaldehyde	50-00-0	Yes		1,888			1,888	0.027	1.8E-03	1.8E-03	1.8E-03	1.8E-03	1.8E-03	
Hexane	110-54-3 74-87-3	Yes Yes		58.1			58.1	8.4E-04	5.6E-05	5.6E-05	5.6E-05	5.6E-05	5.6E-05	
Chloromethane 2-Butanone	78-93-3	Yes Yes		16.6			16.6	2.4E-04	1.6E-05	1.6E-05	1.6E-05	1.6E-05	 1.6E-05	
Z-Butanone Methyl isobutyl ketone	108-10-1	Yes		16.6				2.4E-04	1.6E-U5	1.6E-U5	1.6E-U5	1.6E-U5	1.6E-U5	
1,2,4-Trimethylbenzene	95-63-6	Yes												
Toluene	108-88-3	Yes		149			149	2.1E-03	1.4E-04	1.4E-04	1.4E-04	1.4E-04	1.4E-04	
Xylenes (mixed isomers)	1330-20-7	Yes		61.0			61.0	8.8E-04	5.8E-05	5.8E-05	5.8E-05	5.8E-05	5.8E-05	
o-Xylene	95-47-6	Yes		28.9			28.9	4.2E-04	2.8E-05	2.8E-05	2.8E-05	2.8E-05	2.8E-05	
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)			<u> </u>		•									
PAHs	401	Yes	0.098			0.084	0.084	1.2E-06	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	
Benzo[a]pyrene	50-32-8	Yes	1.2E-03			1.0E-03	1.0E-03	1.5E-08	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	
Naphthalene	91-20-3	Yes	0.29			0.25	0.25	3.6E-06	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	
Diesel Particulate Matter (DPM)														
DPM	200	Yes												
Total TAC Emission E			3,152	2,934	51.7	2,702	5,687	0.082	5.5E-03	5.5E-03	5.5E-03	5.5E-03	5.5E-03	

Notes

RBC = risk-based concentration. g = gram.

RMH = raw material handling. GP1 = Glass Plant 1. GP2 = Glass Plant 2. s = second.

TAC = toxic air contaminant. hr = hour.lb= pound. TEU = toxic emission unit.

PM = particulate matter yr = year. $^{(a)}$ Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction)

⁽e) Production fraction = (fiber type natural gas usage [scf/hr]) / (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	
Rotary Coarse	96,000
Flameblown	16,000
Total	112,000

(1)	Production fraction = (glass plant fiber production [t	cons/yr]) / (total fiber production [ton	s/yı
	Glass Plant	Fiber Production (tons/yr)	
	GP1	19,359	
	GP2	10,468	

Total 29,827 (g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton])

See Reference 4. Transport, storage, mixing PM emission factor (lb/ton) = (3) Furnace bin PM emission factor (lb/ton) = 0.001 (3)

Total RMH PM emission factor (lb/ton) =

0.038

(3)

 $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

 $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.

 $^{(3)}$ Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022. $^{(4)}$ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from

Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

Page 10 of 175 M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001

⁽b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs)

⁽c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)

⁽d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

 $^{^{\}rm (5)}$ Sum of Furnace Bin and GP1 Baling emission estimates.



Table 3-2 Annual TAC Emission Rates—Significant TEUs **Production Scenario 2 (all Rotary Coarse)** Hollingsworth & Vose Fiber Company—Corvallis, OR

			Annual Emission Estimates Rotary Coarse											
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	L1R9/L10	L1R11/R12	L1R5/L6	L2R7/R8	L2R2/R3	L2R5/R6	L2R4/R9	L4R5/R10	L4R6/R7	L4R8/R9		
			(g/s) (c)	(g/s) ^(c)	(g/s) (c)	(g/s) ^(c)								
TEU ID														
Model ID			CFU106	CFU107	CFU108	CFU109	CFU110	CFU111	CFU112	CFU116	CFU117	CFU118		
Production Fraction														
Apportioning Fraction			0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)			0.067 (2)	0.067 (2)		
METALS														
Aluminum	7429-90-5	Yes												
Antimony	7440-36-0	Yes												
Arsenic	7440-38-2	Yes												
Barium	7440-39-3	No	9.2E-07	9.2E-07	9.2E-07	9.2E-07	9.2E-07	9.2E-07	9.2E-07	9.2E-07	9.2E-07	9.2E-07		
Cadmium	7440-43-9	Yes	9.6E-07	9.6E-07	9.6E-07	9.6E-07	9.6E-07	9.6E-07	9.6E-07	9.6E-07	9.6E-07	9.6E-07		
Chromium (total)	7440-47-3	No	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07		
Chromium VI	18540-29-9	Yes	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07		
Copper	7440-48-4	Yes Yes	5.3E-06	5.3E-06	5.3E-06	5.3E-06	5.3E-06	5.3E-06	5.3E-06	5.3E-06	5.3E-06	5.3E-06		
Copper Lead	7440-50-8 7439-92-1	Yes Yes	5.3E-06 8.4E-06	5.3E-06 8.4E-06	8.4E-06	5.3E-06 8.4E-06	5.3E-06 8.4E-06	8.4E-06	5.3E-06 8.4E-06	5.3E-06 8.4E-06	5.3E-06 8.4E-06	5.3E-06 8.4E-06		
Manganese	7439-92-1	Yes	8.4E-06 8.1E-07	8.4E-06 8.1E-07	8.4E-06 8.1E-07	8.4E-06	8.4E-06	8.4E-06 8.1E-07	8.4E-06	8.1E-07	8.4E-06	8.4E-06		
Mercury	7439-96-5	Yes	5.3E-08	5.3E-08	5.3E-08	5.3E-08	5.3E-08	5.3E-08	5.3E-08	5.3E-08	5.3E-08	5.3E-08		
Molybdenum trioxide	1313-27-5	No	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06		
Nickel	7440-02-0	Yes	2.0E-06	2.0E-06	2.0E-06	2.0E-06	2.0E-06	2.0E-06	2.0E-06	2.0E-06	2.0E-06	2.0E-06		
Phosphorus	504	No	2.4E-05	2.4E-05	2.4E-05	2.4E-05	2.4E-05	2.4E-05	2.4E-05	2.4E-05	2.4E-05	2.4E-05		
Selenium	7782-49-2	Yes												
Vanadium	7440-62-2	Yes	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06		
Zinc	7440-66-6	No	1.5E-05	1.5E-05	1.5E-05	1.5E-05	1.5E-05	1.5E-05	1.5E-05	1.5E-05	1.5E-05	1.5E-05		
Zinc Oxide	1314-13-2	No			-									
INORGANIC COMPOUNDS														
Ammonia	7664-41-7	Yes	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03		
Carbon disulfide	75-15-0	Yes												
Fluorides	239	Yes	1.7E-04	1.7E-04	1.7E-04	1.7E-04	1.7E-04	1.7E-04	1.7E-04	1.7E-04	1.7E-04	1.7E-04		
Hydrogen Fluoride	7664-39-3	Yes	2.0E-05	2.0E-05	2.0E-05	2.0E-05	2.0E-05	2.0E-05	2.0E-05	2.0E-05	2.0E-05	2.0E-05		
Hydrochloric Acid	7647-01-0	Yes												
Phosphoric Acid	7664-38-2	Yes							 		 	 		
Glasswool Fibers	352 7631-86-9	No Yes	5.0E-05	5.0E-05 5.0E-05	5.0E-05 5.0E-05	5.0E-05 5.0E-05	5.0E-05 5.0E-05	5.0E-05 5.0E-05	5.0E-05 5.0E-05	5.0E-05 5.0E-05	5.0E-05 5.0E-05	5.0E-05 5.0E-05		
Silica, Crystalline Sulfuric Acid	7631-86-9	Yes	5.0E-05	5.UE-U5	5.UE-U5	5.UE-U5	5.UE-U5	5.UE-U5	5.UE-U5	5.UE-U5	5.UE-U5	5.UE-U5		
ORGANIC COMPOUNDS	7004-93-9	163												
Acetaldehyde	75-07-0	Yes	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06		
Acetone	67-64-1	Yes	3.5E-04	3.5E-04	3.5E-04	3.5E-04	3.5E-04	3.5E-04	3.5E-04	3.5E-04	3.5E-04	3.5E-04		
Acrolein	107-02-8	Yes	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06		
Benzene	71-43-2	Yes	3.1E-05	3.1E-05	3.1E-05	3.1E-05	3.1E-05	3.1E-05	3.1E-05	3.1E-05	3.1E-05	3.1E-05		
1,3-Butadiene	106-99-0	Yes												
Cyclohexane	110-82-7	Yes												
Ethylbenzene	100-41-4	Yes	2.5E-05	2.5E-05	2.5E-05	2.5E-05	2.5E-05	2.5E-05	2.5E-05	2.5E-05	2.5E-05	2.5E-05		
Chloroethane	75-00-3	Yes												
Formaldehyde	50-00-0	Yes	1.8E-03	1.8E-03	1.8E-03	1.8E-03	1.8E-03	1.8E-03	1.8E-03	1.8E-03	1.8E-03	1.8E-03		
Hexane	110-54-3	Yes	5.6E-05	5.6E-05	5.6E-05	5.6E-05	5.6E-05	5.6E-05	5.6E-05	5.6E-05	5.6E-05	5.6E-05		
Chloromethane	74-87-3	Yes	1 / 5 05	1 / 5 05	1 / 5 05	1 / 5 05	1 / 5 05	1 / 5 05	1 / 5 05	1 / 5 05	1 / 5 05	1 / 5 05		
2-Butanone	78-93-3	Yes	1.6E-05	1.6E-05	1.6E-05	1.6E-05	1.6E-05	1.6E-05	1.6E-05	1.6E-05	1.6E-05	1.6E-05		
Methyl isobutyl ketone	108-10-1 95-63-6	Yes Yes												
1,2,4-Trimethylbenzene Toluene	108-88-3	Yes	1.4E-04	 1.4E-04	1.4E-04	 1.4E-04	1.4E-04	1.4E-04	1.4E-04	1.4E-04	1.4E-04	1.4E-04		
Xylenes (mixed isomers)	1330-20-7	Yes	5.8E-05	5.8E-05	5.8E-05	5.8E-05	5.8E-05	5.8E-05	5.8E-05	5.8E-05	5.8E-05	5.8E-05		
o-Xylene	95-47-6	Yes	2.8E-05	2.8E-05	2.8E-05	2.8E-05	2.8E-05	2.8E-05	2.8E-05	2.8E-05	2.8E-05	2.8E-05		
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)		103	2.01 00	2.02 00	2.02 00	2.02.00	2.02.00	2.02.00	2.02.00	2.02.00	2.02.00	2.02 00		
PAHs	401	Yes	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08		
Benzo[a]pyrene	50-32-8	Yes	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10		
Naphthalene	91-20-3	Yes	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07		
Diesel Particulate Matter (DPM)														
DPM	200	Yes												
				5.5E-03	5.5E-03	5.5E-03	5.5E-03	5.5E-03	5.5E-03	5.5E-03	5.5E-03	5.5E-03		

Notes

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling. GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit. PM = particulate matter

(a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction)

yr = year.

- (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs)
- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)
- (e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)				
Rotary Fine					
Rotary Coarse	96,000				
Flameblown	16,000				
Total	112,000				

Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])

Glass Plant	Fiber Production (tons/yr)
GP1	19,359
GP2	10,468
Total	29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = 0.037 (3) Furnace bin PM emission factor (lb/ton) = 0.001 (3)

Total RMH PM emission factor (lb/ton) =

0.038

- $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- ⁽²⁾ Emission estimates equally apportioned among the defined model source representations.
- (3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022. (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from
- Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

(5) Sum of Furnace Bin and GP1 Baling emission estimates.

Page 11 of 175 M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001



Table 3-2
Annual TAC Emission Rates—Significant TEUs
Production Scenario 2 (all Rotary Coarse)
Hollingsworth & Vose Fiber Company—Corvallis, OR

			Annual Emission Estimates											
			Flameblown Fiber Production Glass Melt											
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	Fiber Production	CFU Bulking Agent	Natural Gas Combustion		tal	L4F1/F2	L4F3/F4	Fiber Production	CFU		otal	
			(lb/yr) ⁽¹⁾	(lb/yr) ⁽¹⁾	(lb/yr) ^(a)	(lb/yr)	(g/s) (b)	(g/s) (c)	(g/s) (c)	(lb/yr) ⁽¹⁾	(lb/yr) ⁽¹⁾	(lb/yr)	(g/s) (b)	
TEU ID			FB	CFU_FB		-				GM	CFU_GM			
Model ID						-	· -	CFU114	CFU115		-	. -	CFU113	
Production Fraction					0.143 ^(e)	-	· -							
Apportioning Fraction						-	· -	0.50 (2)	0.50 (2)					
METALS	7400 00 5	\/		ı		ı	ı							
Aluminum Antimony	7429-90-5 7440-36-0	Yes Yes	0.26			0.26	3.7E-06	1.8E-06	1.8E-06	0.084		0.084	1.2E-06	
Arsenic	7440-38-2	Yes					3.7E-00	1.0E-U0	1.0E-U0	0.064			1.2E-00	
Barium	7440-39-3	No	0.17			0.17	2.4E-06	1.2E-06	1.2E-06	0.058		0.058	8.4E-07	
Cadmium	7440-43-9	Yes	0.047			0.047	6.8E-07	3.4E-07	3.4E-07	0.070		0.070	1.0E-06	
Chromium (total)	7440-47-3	No	0.055			0.055	7.9E-07	3.9E-07	3.9E-07	0.030		0.030	4.3E-07	
Chromium VI	18540-29-9	Yes	0.055			0.055	7.9E-07	3.9E-07	3.9E-07	0.030		0.030	4.3E-07	
Cobalt	7440-48-4	Yes								0.013		0.013	1.8E-07	
Copper	7440-50-8	Yes	0.78			0.78	1.1E-05	5.6E-06	5.6E-06	0.46		0.46	6.6E-06	
Lead	7439-92-1	Yes								0.62		0.62	9.0E-06	
Manganese	7439-96-5	Yes	0.18			0.18	2.6E-06	1.3E-06	1.3E-06	0.017		0.017	2.4E-07	
Mercury	7439-97-6	Yes	8.9E-03			8.9E-03	1.3E-07	6.4E-08	6.4E-08	8.49		8.49	1.2E-04	
Molybdenum trioxide	1313-27-5	No			0.23	0.23	3.3E-06	1.7E-06	1.7E-06					
Nickel	7440-02-0	Yes	0.29			0.29	4.2E-06	2.1E-06	2.1E-06					
Phosphorus	504	No	1.46			1.46	2.1E-05	1.0E-05	1.0E-05	1.82		1.82	2.6E-05	
Selenium	7782-49-2	Yes												
Vanadium	7440-62-2	Yes	4.70		0.32	0.32	4.6E-06	2.3E-06	2.3E-06				1 45 05	
Zinc	7440-66-6	No	4.70			4.70	6.8E-05	3.4E-05	3.4E-05	0.96		0.96	1.4E-05	
Zinc Oxide INORGANIC COMPOUNDS	1314-13-2	No												
Ammonia	7664-41-7	Yes			449	449	6.5E-03	3.2E-03	3.2E-03					
Carbon disulfide	75-15-0	Yes							J.ZL 05	0.90		0.90	1.3E-05	
Fluorides	239	Yes	2.84			2.84	4.1E-05	2.0E-05	2.0E-05	3.26		3.26	4.7E-05	
Hydrogen Fluoride	7664-39-3	Yes	38.1			38.1	5.5E-04	2.7E-04	2.7E-04	0.48		0.48	6.8E-06	
Hydrochloric Acid	7647-01-0	Yes												
Phosphoric Acid	7664-38-2	Yes												
Glasswool Fibers	352	No	8.20			8.20	1.2E-04	5.9E-05	5.9E-05					
Silica, Crystalline	7631-86-9	Yes		8.11		8.11	1.2E-04	5.8E-05	5.8E-05		0.82	0.82	1.2E-05	
Sulfuric Acid	7664-93-9	Yes												
ORGANIC COMPOUNDS			1	1	•	1	ı		1			ı		
Acetaldehyde	75-07-0	Yes			0.60	0.60	8.7E-06	4.3E-06	4.3E-06					
Acetone	67-64-1	Yes	340			340	4.9E-03	2.4E-03	2.4E-03	130		130	1.9E-03	
Acrolein	107-02-8	Yes			0.38	0.38	5.4E-06	2.7E-06	2.7E-06			21.0	4.55.04	
Benzene 1.2 Butadiona	71-43-2	Yes	85.1			85.1	1.2E-03	6.1E-04	6.1E-04	31.0		31.0	4.5E-04	
1,3-Butadiene Cyclohexane	106-99-0 110-82-7	Yes Yes	5.24			 5.24	7.5E-05	3.8E-05	3.8E-05	13.7		13.7	2.0E-04	
Ethylbenzene	100-41-4	Yes	4.46			4.46	6.4E-05	3.8E-05 3.2E-05	3.8E-05 3.2E-05					
Chloroethane	75-00-3	Yes	2.40			2.40	3.5E-05	1.7E-05	1.7E-05					
Formaldehyde	50-00-0	Yes	366			366	5.3E-03	2.6E-03	2.6E-03	68.6		68.6	9.9E-04	
Hexane	110-54-3	Yes	493			493	7.1E-03	3.5E-03	3.5E-03	18.7		18.7	2.7E-04	
Chloromethane	74-87-3	Yes	32.2			32.2	4.6E-04	2.3E-04	2.3E-04					
2-Butanone	78-93-3	Yes	10.8			10.8	1.6E-04	7.8E-05	7.8E-05	1.71		1.71	2.5E-05	
Methyl isobutyl ketone	108-10-1	Yes	3.93			3.93	5.7E-05	2.8E-05	2.8E-05					
1,2,4-Trimethylbenzene	95-63-6	Yes												
Toluene	108-88-3	Yes	85.9			85.9	1.2E-03	6.2E-04	6.2E-04	7.76		7.76	1.1E-04	
Xylenes (mixed isomers)	1330-20-7	Yes	9.22			9.22	1.3E-04	6.6E-05	6.6E-05					
o-Xylene	95-47-6	Yes												
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)	, ,		1	1		T .	I					ı		
PAHs	401	Yes			0.014	0.014	2.0E-07	1.0E-07	1.0E-07					
Benzo[a]pyrene	50-32-8	Yes			1.7E-04	1.7E-04	2.4E-09	1.2E-09	1.2E-09					
Naphthalene	91-20-3	Yes			0.042	0.042	6.1E-07	3.0E-07	3.0E-07					
Diesel Particulate Matter (DPM) DPM	200	Yes				ı	I							
Total TAC Emission E		162	1,495	8.11	450	1,953	0.028	0.014	0.014	288	0.82	289	4.2E-03	
Notes	Junate		1,470	0.11	430	1,700	0.020	0.014	0.014	200	0.02	207	7.26-03	

Notes

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling.

GP2 = Glass Plant 2. s = second.

(a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction) (b) Emission rate (α/s) = (annual emissions estimate [lb/yr]) x ($453.592.\alpha/lb$) x (yr/8.760.brs)

(b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs) x (hr/3,600 s)

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)

(d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction) (e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

Fiber Type Natural Gas Usage (scf/hr)

Rotary Fine -
Rotary Coarse 96,000

Flameblown 16,000

Total 112,000

(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])

Glass Plant Fiber Production (tons/yr)

GP1 19,359

GP2 10,468

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = 0.037 (3)

Furnace bin PM emission factor (lb/ton) = 0.001 (3)

Total RMH PM emission factor (lb/ton) = 0.038 (3)

29,827

References

(1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

(2) Emission estimates equally apportioned among the defined model source representations.

(3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
 (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from

Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

(5) Sum of Furnace Bin and GP1 Baling emission estimates.

Total



Table 3-2

Annual TAC Emission Rates—Significant TEUs

Production Scenario 2 (all Rotary Coarse)

Hollingsworth & Vose Fiber Company—Corvallis, OR

			Annual Emission Estimates CELL Super Sack Filling										
			CFU Super Sack Filling										
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	Rotary Fine										
	ocquemee ib	(100/110)		tal	CFU101	CFU102	CFU105	CFU116	CFU117	CFU118			
			(lb/yr) ⁽¹⁾	(g/s) (b)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)			
TEU ID			SSI	_RF									
Model ID					SSF01	SSF02	SSF05	SSF16	SSF17	SSF18			
Production Fraction													
Apportioning Fraction					0.167 (2)	0.167 (2)	0.167 (2)	0.167 (2)	0.167 (2)	0.167 (2)			
METALS				Ī	ı	ı	I	ı	Ī	ī			
Aluminum	7429-90-5	Yes											
Antimony	7440-36-0	Yes											
Arsenic	7440-38-2	Yes	 	8.4E-09	1 45 00	1 45 00	1 45 00	1 45 00	1 45 00	1 45 00			
Barium Cadmium	7440-39-3 7440-43-9	No Yes	5.8E-04		1.4E-09	1.4E-09	1.4E-09	1.4E-09	1.4E-09	1.4E-09			
Chromium (total)	7440-43-9	No No	2.0E-04	2.9E-09	4.9E-10	4.9E-10	 4.9E-10	4.9E-10	4.9E-10	4.9E-10			
Chromium VI	18540-29-9	Yes	2.0E-04	2.9E-09	4.9E-10	4.9E-10	4.9E-10 4.9E-10	4.9E-10	4.9E-10 4.9E-10	4.9E-10 4.9E-10			
Cobalt	7440-48-4	Yes	2.0L-04	Z.7L-07		4.7L=10			4.7L=10				
Copper	7440-48-4	Yes	4.9E-03	7.1E-08	1.2E-08	1.2E-08	1.2E-08	1.2E-08	1.2E-08	1.2E-08			
Lead	7439-92-1	Yes											
Manganese	7439-96-5	Yes	9.7E-04	1.4E-08	2.3E-09	2.3E-09	2.3E-09	2.3E-09	2.3E-09	2.3E-09			
Mercury	7439-97-6	Yes	5.1E-05	7.3E-10	1.2E-10	1.2E-10	1.2E-10	1.2E-10	1.2E-10	1.2E-10			
Molybdenum trioxide	1313-27-5	No											
Nickel	7440-02-0	Yes	4.3E-04	6.2E-09	1.0E-09	1.0E-09	1.0E-09	1.0E-09	1.0E-09	1.0E-09			
Phosphorus	504	No	8.1E-03	1.2E-07	1.9E-08	1.9E-08	1.9E-08	1.9E-08	1.9E-08	1.9E-08			
Selenium	7782-49-2	Yes											
Vanadium	7440-62-2	Yes											
Zinc	7440-66-6	No	0.012	1.7E-07	2.9E-08	2.9E-08	2.9E-08	2.9E-08	2.9E-08	2.9E-08			
Zinc Oxide	1314-13-2	No											
INORGANIC COMPOUNDS					_								
Ammonia	7664-41-7	Yes											
Carbon disulfide	75-15-0	Yes											
Fluorides	239	Yes											
Hydrogen Fluoride	7664-39-3	Yes											
Hydrochloric Acid	7647-01-0	Yes											
Phosphoric Acid	7664-38-2	Yes											
Glasswool Fibers	352	No											
Silica, Crystalline	7631-86-9	Yes	0.16	2.3E-06	3.8E-07	3.8E-07	3.8E-07	3.8E-07	3.8E-07	3.8E-07			
Sulfuric Acid ORGANIC COMPOUNDS	7664-93-9	Yes											
Acetaldehyde	75-07-0	Yes						l					
Acetone	67-64-1	Yes											
Acrolein	107-02-8	Yes											
Benzene	71-43-2	Yes											
1,3-Butadiene	106-99-0	Yes											
Cyclohexane	110-82-7	Yes											
Ethylbenzene	100-41-4	Yes											
Chloroethane	75-00-3	Yes											
Formaldehyde	50-00-0	Yes											
Hexane	110-54-3	Yes											
Chloromethane	74-87-3	Yes											
2-Butanone	78-93-3	Yes											
Methyl isobutyl ketone	108-10-1	Yes											
1,2,4-Trimethylbenzene	95-63-6	Yes											
Toluene	108-88-3	Yes											
Xylenes (mixed isomers)	1330-20-7	Yes											
o-Xylene	95-47-6	Yes											
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)	404	V -		1	1	1	I	1	1				
PAHs	401	Yes											
Benzo[a]pyrene	50-32-8	Yes											
Naphthalene Diesel Particulate Matter (DPM)	91-20-3	Yes											
DPM	200	Yes				<u> </u>		l					
Total TAC Emission E		162	0.19	2.7E-06	4.5E-07	4.5E-07	4.5E-07	4.5E-07	4.5E-07	4.5E-07			
Notes	sumate		0.19	Z./E-00	4.5E-07	4.0E-07	4.5E-U/	4.5E-0/	4.0E-U/	4.0E-U/			

Notes

g = gram. RBC = risk-based concentration.
GP1 = Glass Plant 1. RMH = raw material handling.

 $GP2 = Glass \ Plant \ 2.$ s = second. hr = hour. $TAC = toxic \ air \ contaminant.$

Ib= pound. TEU = toxic emission unit.

PM = particulate matter yr = year.

(a) Emission rate (Ib/yr) = (total annual emissions estimate [Ib/yr]) x (production fraction)

(b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs)

- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)
- (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	
Rotary Coarse	96,000
Flameblown	16,000
Total	112,000

(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])

Glass Plant

Fiber Production (tons/yr)

Glass Plant	Fiber Production (tons/yr)
GP1	19,359
GP2	10,468
Total	29,827
Total	29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = 0.037 (3)

Furnace bin PM emission factor (lb/ton) = 0.001 (3)

Total RMH PM emission factor (lb/ton) = 0.038 (3)

Reference

- (1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- (2) Emission estimates equally apportioned among the defined model source representations.
- (3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
 (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from
- Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH). (5) Sum of Furnace Bin and GP1 Baling emission estimates.

· · · sum or rumace bin and GFT bailing emission estimate:



Table 3-2
Annual TAC Emission Rates—Significant TEUs
Production Scenario 2 (all Rotary Coarse)
Hollingsworth & Vose Fiber Company—Corvallis, OR

TAC CAS/ODEO Sequence ID RBC? (Yes/No) TOTAL CFU103 CFU104 CFU105 CFU107 CFU108 CFU108 CFU107 CFU108 CFU108 CFU108 CFU107 CFU108 CFU108 CFU108 CFU108 CFU108 CFU108 CFU108 CFU108 CFU10	(g/s) (c) (g/s)
Note Company	(g/s) (c) (g/s)
TEU ID SSF_RC	(g/s) (c) (g/s)
Tell ID SSF_RC	 F11 SSF12
Model ID SSF03 SSF04 SSF06 SSF07 SSF08 SSF09 SSF10 SS	F11 SSF12
Production Fraction	
Apportioning Fraction	
METALS Aluminum 7429-90-5 Yes	1 ⁽²⁾ 0.111 ⁽²⁾
Aluminum 7429-90-5 Yes	
Antimony 7440-36-0 Yes 6.2E-03 8.9E-09 9.8E-09 6.3E-09	
Arsenic	E-09 9.8E-09
Cadmium	
Chromium (total) 7440-47-3 No 3.7E-03 5.3E-08 5.8E-09	E-09 6.1E-09
Chromium VI	E-09 6.3E-09
Cobalt	E-09 5.8E-09
Copper	E-09 5.8E-09
Lead	
Manganese 7439-96-5 Yes 5.5E-03 7.9E-08 8.8E-09 6.7E-10 6.7E-10 <t< td=""><td></td></t<>	
Mercury 7439-97-6 Yes 4.2E-04 6.0E-09 6.7E-10	
Molybdenum trioxide 1313-27-5 No <th< td=""><td></td></th<>	
Nickel	E-10 6.7E-10
Phosphorus 504 No 0.098 1.4E-06 1.6E-07 1.6E-0	
Selenium 7782-49-2 Yes	
Vanadium 7440-62-2 Yes	
Zinc 7440-66-6 No 0.062 8.9E-07 9.8E-08 9.8E-0	
Zinc Oxide 1314-13-2 No	
NORGANIC COMPOUNDS	
Ammonia 7664-41-7 Yes	
Carbon disulfide 75-15-0 Yes <	
Fluorides 239 Yes 0.71 1.0E-05 1.1E-06	
Hydrochloric Acid 7647-01-0 Yes	E-06 1.1E-06
Phosphoric Acid 7664-38-2 Yes	
7,001,002	
Glasswool Fibers 352 No	
Silica, Crystalline 7631-86-9 Yes 0.16 2.3E-06 2.6E-07	E-07 2.6E-07
Sulfuric Acid 7664-93-9 Yes	
ORGANIC COMPOUNDS	
Acetaldehyde 75-07-0 Yes	
Acetone 67-64-1 Yes	
Acrolein 107-02-8 Yes	
Benzene 71-43-2 Yes	
1,3-Butadiene 106-99-0 Yes	
Cyclonexame 110-82-7 Yes	
Chloroethane 75-00-3 Yes	
Formaldehyde 50-00-0 Yes	
Hexane 110-54-3 Yes	
Chloromethane 74-87-3 Yes	
2-Butanone 78-93-3 Yes	
Methyl isobutyl ketone 108-10-1 Yes	
1,2,4-Trimethylbenzene 95-63-6 Yes	
Toluene 108-88-3 Yes	
Xylenes (mixed isomers) 1330-20-7 Yes	
o-Xylene 95-47-6 Yes	
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)	
PAHs 401 Yes	
Benzo[a]pyrene 50-32-8 Yes	
Naphthalene 91-20-3 Yes	
Diesel Particulate Matter (DPM)	
DPM 200 Yes	
Total TAC Emission Estimate 1.12 1.6E-05 1.8E-06 1	1.05.07

Notes

g = gram.

GP1 = Glass Plant 1.

RMH = raw material handling.

GP2 = Glass Plant 2. s = second.

- (a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction) (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453 592 g/lb) x (yr/8 760 brs)
- (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs) x (hr/3,600 s)
- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)
- (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)
 (e) Production fraction = (fiber type natural gas usage [scf/hr])

(e) Production fraction = (fiber type natural gas usage [scf/hr])/ (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)					
Rotary Fine						
Rotary Coarse	96,000					
Flameblown	16,000					
Total	112,000					

	iotai	112,000								
(f)	Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])									
	Glass Plant	Fiber Production (tons/yr)								
	GP1	19,359								
	GP2	10,468								
	Total	29,827								

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = 0.037 (3)

Furnace bin PM emission factor (lb/ton) = 0.001 (3)

Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

- (1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- (2) Emission estimates equally apportioned among the defined model source representations.
- (3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
- (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).
- $^{\mbox{\scriptsize (5)}}$ Sum of Furnace Bin and GP1 Baling emission estimates.



Table 3-2

Annual TAC Emission Rates—Significant TEUs

Production Scenario 2 (all Rotary Coarse)

Hollingsworth & Vose Fiber Company—Corvallis, OR

					0511.0		nual Emis	sion Estima	ates	5 !! :		
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)			eblown	Sack Filling	Ĭ	s Melt	To	Bulking	Agent Silos GP1 Silo	GP2 Silo
	Sequence 15	(103/110)		tal	CFU114	CFU115		J113			(SILO1)	(SILO2)
			(lb/yr) ⁽¹⁾	(g/s) (b)	(g/s) (c)	(g/s) (c)	(lb/yr) ⁽¹⁾	(g/s) (b)	(lb/yr) ⁽¹⁾	(g/s) (b)	(g/s) (c)	(g/s) (c)
TEU ID			SSI	_FB			SSF.	_GM			SILO1	SILO2
Model ID					SSF14	SSF15		SSF13			SILO1	SILO2
Production Fraction					(2)	(2)					(2)	(2)
Apportioning Fraction					0.50 (2)	0.50 (2)					0.50 (2)	0.50 (2)
METALS	7429-90-5	Yes		Τ	<u> </u>	Τ	Ι	Ī	Ι		<u> </u>	Π
Aluminum Antimony	7429-90-5	Yes	1.9E-03	 2.7E-08	 1.4E-08	 1.4E-08	4.8E-03	6.9E-08				
Arsenic	7440-38-2	Yes	1.9E-03	2.7E-06	1.46-06	1.46-06	4.6E-03	0.9E-06				
Barium	7440-39-3	No	1.3E-03	1.8E-08	9.1E-09	9.1E-09	3.3E-03	4.8E-08				
Cadmium	7440-43-9	Yes	3.5E-04	5.0E-09	2.5E-09	2.5E-09	4.0E-03	5.8E-08				
Chromium (total)	7440-47-3	No	4.1E-04	5.9E-09	2.9E-09	2.9E-09	1.7E-03	2.5E-08				
Chromium VI	18540-29-9	Yes	4.1E-04	5.9E-09	2.9E-09	2.9E-09	1.7E-03	2.5E-08				
Cobalt	7440-48-4	Yes					7.3E-04	1.0E-08				
Copper	7440-50-8	Yes	5.8E-03	8.3E-08	4.2E-08	4.2E-08	0.026	3.8E-07				
Lead	7439-92-1	Yes					0.036	5.1E-07				
Manganese	7439-96-5	Yes	1.3E-03	1.9E-08	9.5E-09	9.5E-09	9.6E-04	1.4E-08				
Mercury	7439-97-6	Yes	6.6E-05	9.5E-10	4.8E-10	4.8E-10	0.49	7.0E-06				
Molybdenum trioxide	1313-27-5	No										
Nickel	7440-02-0	Yes	2.2E-03	3.2E-08	1.6E-08	1.6E-08						
Phosphorus	504	No	0.011	1.6E-07	7.8E-08	7.8E-08	0.10	1.5E-06				
Selenium	7782-49-2	Yes										
Vanadium	7440-62-2	Yes										
Zinc	7440-66-6	No	0.035	5.0E-07	2.5E-07	2.5E-07	0.055	7.9E-07				
Zinc Oxide	1314-13-2	No										
INORGANIC COMPOUNDS				•		•		•	•	•		
Ammonia	7664-41-7	Yes										
Carbon disulfide	75-15-0	Yes										
Fluorides	239	Yes	0.021	3.0E-07	1.5E-07	1.5E-07	0.19	2.7E-06				
Hydrogen Fluoride	7664-39-3	Yes			-						-	
Hydrochloric Acid	7647-01-0	Yes			-						-	
Phosphoric Acid	7664-38-2	Yes			-							
Glasswool Fibers	352	No										
Silica, Crystalline	7631-86-9	Yes	0.16	2.3E-06	1.2E-06	1.2E-06	0.16	2.3E-06	0.020	2.9E-07	1.5E-07	1.5E-07
Sulfuric Acid	7664-93-9	Yes										
ORGANIC COMPOUNDS												
Acetaldehyde	75-07-0	Yes										
Acetone	67-64-1	Yes										
Acrolein	107-02-8	Yes										
Benzene	71-43-2	Yes										
1,3-Butadiene	106-99-0	Yes										
Cyclohexane	110-82-7	Yes										
Ethylbenzene	100-41-4	Yes										
Chloroethane	75-00-3	Yes										
Formaldehyde	50-00-0	Yes										
Hexane	110-54-3	Yes										
Chloromethane	74-87-3	Yes										
2-Butanone Mothyl isobutyl kotono	78-93-3 108-10-1	Yes										
Methyl isobutyl ketone 1,2,4-Trimethylbenzene	95-63-6	Yes Yes										
Toluene	108-88-3	Yes										
Xylenes (mixed isomers)	1330-20-7	Yes										
o-Xylene	95-47-6	Yes										
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)	7J-4/-U	163										
PAHs	401	Yes										
Benzo[a]pyrene	50-32-8	Yes										
Naphthalene	91-20-3	Yes										
Diesel Particulate Matter (DPM)	/ I-ZU-J	163										
DPM	200	Yes										
Total TAC Emission E		1 03	0.24		1.7E-06	1.7E-06	1.07	1.5E-05		2.9E-07		1.5E-07
Notes	- minute		0.24	5.5L-00	1.72-00	1.7L-00	1.07	1.5L-03	0.020	L. /L-U/	1.0L-07	1.0L-07

Notes

RBC = risk-based concentration.

g = gram. GP1 = Glass Plant 1. RMH = raw material handling.

GP2 = Glass Plant 2. s = second.hr = hour. TAC = toxic air contaminant.

lb= pound. TEU = toxic emission unit. PM = particulate matter yr = year.

(a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction)

(b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs)

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)

(d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr]) / (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	
Rotary Coarse	96,000
Flameblown	16,000
Total	112,000

 $^{(f)}$ Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])

Glass Plant	Fiber Production (tons/yr)
GP1	19,359
GP2	10,468
Total	29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = (3) Furnace bin PM emission factor (lb/ton) = 0.001 (3)

Total RMH PM emission factor (lb/ton) =

0.038

(3)

References

- $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.
- $^{(3)}$ Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022. $^{(4)}$ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from
- Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and GP1 Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 15 of 175



Table 3-2 Annual TAC Emission Rates—Significant TEUs Production Scenario 2 (all Rotary Coarse) Hollingsworth & Vose Fiber Company—Corvallis, OR

			Annual Emission Estimates Raw Material Handling Baling Fugitives										
	CAS/ODEQ	RBC?		Kaw Mate	Transport,			Dali	ng rugitives		GP1 Fugiti		es
TAC	Sequence ID	(Yes/No)	Total		Storage, Mixing	Furnace Bins	Total		GP1	GP2	Total	Area A	Area B
			(lb/yr) ⁽¹⁾	(g/s) (b)		(g/s) (c)	(lb/yr) ⁽¹⁾	(g/s) (b)	(g/s) ^(d)	(g/s) ^(d)	(g/s) ⁽⁵⁾		(g/s) (c)
TEU ID			RMH_	BA; RMH_	ZN; RMH_F; MH_L; RMH_	RMH_S;	().,		BALING	(3: -)			
Model ID					BBBH	\ 		- <u>-</u>				GP1_A	GP1_B
Production Fraction									0.649 ^(f)	0.351 ^(f)			
Apportioning Fraction				-	0.974 ^(g)	0.026 ^(g)						0.50 (2)	0.50 (2)
METALS			1	T	T	T		1	Т	T	T	T	
Aluminum	7429-90-5	Yes	207	3.0E-03	2.9E-03	7.8E-05					7.8E-05	3.9E-05	3.9E-05
Antimony	7440-36-0 7440-38-2	Yes Yes											
Arsenic Barium	7440-38-2	No No	53.8	7.7E-04	7.5E-04	2.0E-05					2.0E-05	1.0E-05	1.0E-05
Cadmium	7440-43-9	Yes	3.5E-03	5.0E-08	4.9E-08	1.3E-09					1.3E-09	6.6E-10	6.6E-10
Chromium (total)	7440-47-3	No											
Chromium VI	18540-29-9	Yes											
Cobalt	7440-48-4	Yes											
Copper	7440-50-8	Yes											
Lead	7439-92-1	Yes	0.035	5.0E-07	4.9E-07	1.3E-08					1.3E-08	6.6E-09	6.6E-09
Manganese	7439-96-5	Yes											
Mercury	7439-97-6	Yes											
Molybdenum trioxide	1313-27-5	No											
Nickel	7440-02-0	Yes											
Phosphorus	504	No											
Selenium	7782-49-2	Yes											
Vanadium	7440-62-2	Yes											
Zinc Zinc Oxide	7440-66-6 1314-13-2	No No	34.0	4.9E-04	4.8E-04	1.3E-05					1.3E-05	6.4E-06	6.4E-06
INORGANIC COMPOUNDS	1314-13-2	NO	34.0	4.9E-04	4.0E-U4	1.3E-03					1.3E-03	0.46-00	0.4E-00
Ammonia	7664-41-7	Yes											
Carbon disulfide	75-15-0	Yes											
Fluorides	239	Yes	14.8	2.1E-04	2.1E-04	5.6E-06					5.6E-06	2.8E-06	2.8E-06
Hydrogen Fluoride	7664-39-3	Yes											
Hydrochloric Acid	7647-01-0	Yes											
Phosphoric Acid	7664-38-2	Yes											
Glasswool Fibers	352	No					1,193	0.017	0.011	6.0E-03	0.011	5.6E-03	5.6E-03
Silica, Crystalline	7631-86-9	Yes	523	7.5E-03	7.3E-03	2.0E-04					2.0E-04	9.9E-05	9.9E-05
Sulfuric Acid	7664-93-9	Yes											
ORGANIC COMPOUNDS					ı					T	I		
Acetaldehyde	75-07-0	Yes											
Acetone	67-64-1	Yes											
Acrolein	107-02-8	Yes											
Benzene 1,3-Butadiene	71-43-2 106-99-0	Yes Yes											
Cyclohexane	110-82-7	Yes											
Ethylbenzene	100-41-4	Yes											
Chloroethane	75-00-3	Yes											
Formaldehyde	50-00-0	Yes											
Hexane	110-54-3	Yes											
Chloromethane	74-87-3	Yes											
2-Butanone	78-93-3	Yes											
Methyl isobutyl ketone	108-10-1	Yes											
1,2,4-Trimethylbenzene	95-63-6	Yes											
Toluene	108-88-3	Yes											
Xylenes (mixed isomers)	1330-20-7	Yes											
o-Xylene	95-47-6	Yes											
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)	401	Voc		1	l			1					
PAHs Benzo[a]pyrene	401 50-32-8	Yes Yes											
Naphthalene	91-20-3	Yes											
Diesel Particulate Matter (DPM)	71-20-3	1 63			<u> </u>					<u> </u>			
DPM	200	Yes											
Total TAC Emission E			833	0.012		3.2E-04				6.0E-03			5.7E-03
Notes			•		•					•		•	

Notes

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling.

GP2 = Glass Plant 2. s = second.

TAC = toxic air contaminant. hr = hour.lb= pound. TEU = toxic emission unit. PM = particulate matter yr = year. (a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction)

- (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs)
- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)
- (e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr]) Natural Gas Usage (scf/hr)

Fiber Type	ivaturai Gas Usage (SCI/III)
Rotary Fine	
Rotary Coarse	96,000
Flameblown	16,000
Total	112,000
Production fraction = (glass plant fiber production)	[tons/vr]) / (total fiber production [tons

	Glass Plant	Fiber Production (tons/yr)	1				
	GP1	19,359	Ì				
	GP2	10,468	Ì				
	Total	29,827	Ì				
g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/to							

Transport, storage, mixing PM emission factor (lb/ton) =

Furnace bin PM emission factor (lb/ton) =

Total RMH PM emission factor (lb/ton) =

0.037

0.001

0.038

(3)

(3)

(3)

See Reference 4.

- References (1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- ⁽²⁾ Emission estimates equally apportioned among the defined model source representations.
- (3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
- (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).
- (5) Sum of Furnace Bin and GP1 Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 16 of 175



Table 3-2 Annual TAC Emission Rates—Significant TEUs **Production Scenario 2 (all Rotary Coarse)** Hollingsworth & Vose Fiber Company—Corvallis, OR

					•	Aı	nnual Emi	ission Estin					
			Raw M	Raw Material Handling - Off Specification		Cooling Towers							
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)						Produc		roduction Line 3			ion Line 4
			(lb/yr) ⁽¹⁾	(g/s) ^(b)	(lb/yr) ⁽¹⁾			(g/s) (b)	Fan A (g/s) (c)	Fan B (g/s) (c)		(g/s) (b)	
TEU ID				_OFF		1_2		T3				T4	
				_									
Model ID Production Fraction				ВНВН		CT1_2		 	CT3A	CT3B		CT4	
Apportioning Fraction				· -		 		 	0.50 (2)	0.50 (2)		 	
METALS													
Aluminum	7429-90-5	Yes	5.5E-03	7.9E-08									
Antimony	7440-36-0	Yes											
Arsenic	7440-38-2	Yes											
Barium	7440-39-3	No	1.4E-03	2.0E-08									
Cadmium Chromium (total)	7440-43-9 7440-47-3	Yes No	9.1E-08	1.3E-12									
Chromium VI	18540-29-9	Yes											
Cobalt	7440-48-4	Yes											
Copper	7440-50-8	Yes											
Lead	7439-92-1	Yes	9.1E-07	1.3E-11									
Manganese	7439-96-5	Yes											
Mercury	7439-97-6	Yes											
Molybdenum trioxide	1313-27-5	No											
Nickel	7440-02-0	Yes											
Phosphorus Selenium	504	No Yes											
Vanadium	7782-49-2 7440-62-2	Yes											
Zinc	7440-66-6	No											
Zinc Oxide	1314-13-2	No	8.9E-04	1.3E-08									
INORGANIC COMPOUNDS	10111102												
Ammonia	7664-41-7	Yes											
Carbon disulfide	75-15-0	Yes											
Fluorides	239	Yes	3.9E-04	5.6E-09									
Hydrogen Fluoride	7664-39-3	Yes											
Hydrochloric Acid	7647-01-0	Yes											
Phosphoric Acid	7664-38-2	Yes			1.42	2.0E-05	1.58	2.3E-05	1.1E-05	1.1E-05	1.26	1.8E-05	
Glasswool Fibers	352	No		 2.0F.07									
Silica, Crystalline Sulfuric Acid	7631-86-9 7664-93-9	Yes Yes	0.014	2.0E-07	1.42	2.0E-05	1.58	2.3E-05	1.1E-05	 1.1E-05	1.26	1.8E-05	
ORGANIC COMPOUNDS	7004-93-9	162			1.42	2.0E-03	1.36	2.3E-03	1.1E-03	1.1E-03	1.20	1.6E-05	
Acetaldehyde	75-07-0	Yes											
Acetone	67-64-1	Yes											
Acrolein	107-02-8	Yes											
Benzene	71-43-2	Yes											
1,3-Butadiene	106-99-0	Yes											
Cyclohexane	110-82-7	Yes											
Ethylbenzene	100-41-4	Yes											
Chloroethane	75-00-3	Yes											
Formaldehyde Hexane	50-00-0 110-54-3	Yes Yes											
Chloromethane	74-87-3	Yes											
2-Butanone	78-93-3	Yes											
Methyl isobutyl ketone	108-10-1	Yes											
1,2,4-Trimethylbenzene	95-63-6	Yes											
Toluene	108-88-3	Yes											
Xylenes (mixed isomers)	1330-20-7	Yes											
o-Xylene	95-47-6	Yes											
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)				1		_	ı	ı			_	_	
PAHs	401	Yes											
Benzo[a]pyrene	50-32-8	Yes											
Naphthalene Diesel Particulate Matter (DPM)	91-20-3	Yes											
DPM DPM	200	Yes											
Total TAC Emission		1 53	0.022	3.2E-07		4.1E-05	3.16	4.5E-05		2.3E-05	2.52	3.6E-05	
Notes						00							

Notes

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling.

GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter yr = year. (a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction)

- (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs)
- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)
- (e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)					
Rotary Fine						
Rotary Coarse	96,000					
Flameblown	16,000					
Total	112,000					
Production fraction – (glass plant fiber production [tons/vr]) / (total fiber production [tons						

Glass Plant Fiber Production (tons/yr) GP1 19,359 GP2 10,468

Total 29,827 (g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

> Transport, storage, mixing PM emission factor (lb/ton) = (3) 0.037 Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038

- $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.
- $^{(3)}$ Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
- (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 17 of 175

 $^{^{\}rm (5)}$ Sum of Furnace Bin and GP1 Baling emission estimates.



Table 3-2
Annual TAC Emission Rates—Significant TEUs
Production Scenario 2 (all Rotary Coarse)
Hollingsworth & Vose Fiber Company—Corvallis, OR

				Anı	nual Emiss	ion Estim	ates			
			Chinni		Er	nergency	Generat	ors	Total	\nnual
TAC	CAS/ODEQ Sequence ID	CAS/ODEQ RBC? Sequence ID (Yes/No)		Shipping and Receiving - Paint Usage		Line 1		ne 2	Total Annual Emission Estimates	
		(100,110)	US	usage		Total		otal		
			(lb/yr) ⁽¹⁾	(g/s) (b)	(lb/yr) ⁽¹⁾	(g/s) (b)	(lb/yr) ⁽¹⁾	(g/s) (b)	(lb/yr)	(g/s)
TEU ID			P.A	MINT	EG	EN1	EG	EN2	-	· -
Model ID				PAINT		EGEN1		EGEN2	-	
Production Fraction					-	· -			-	· -
Apportioning Fraction					-	-			-	· -
METALS Aluminum	7429-90-5	Yes	<u> </u>		1		Γ	1	207	3.0E-03
Antimony	7429-90-5	Yes							0.35	5.1E-06
Arsenic	7440-38-2	Yes			3.7E-03	5.4E-08	2.6E-03	3.8E-08	6.4E-03	9.2E-08
Barium	7440-39-3	No	14.7	2.1E-04					69.7	1.0E-03
Cadmium	7440-43-9	Yes			3.5E-03	5.0E-08	2.5E-03	3.6E-08	1.13	1.6E-05
Chromium (total)	7440-47-3	No							1.02	1.5E-05
Chromium VI	18540-29-9	Yes			2.3E-04	3.4E-09	1.7E-04	2.4E-09	1.02	1.5E-05
Cobalt	7440-48-4	Yes	0.70	1.0E-05					0.72	1.0E-05
Copper	7440-50-8	Yes			9.6E-03	1.4E-07	6.8E-03	9.7E-08	6.83	9.8E-05
Lead	7439-92-1	Yes			0.019	2.8E-07	0.014	2.0E-07	9.56	1.4E-04
Manganese	7439-96-5	Yes			7.3E-03	1.0E-07	5.1E-03	7.4E-08	1.06	1.5E-05
Melyhdanum triavida	7439-97-6	Yes			4.7E-03	6.7E-08	3.3E-03	4.7E-08	9.05	1.3E-04
Molybdenum trioxide	1313-27-5	No Yes			9.1E-03	1.3E-07	6.4E-03	9.3E-08	1.62 2.43	2.3E-05
Nickel Phosphorus	7440-02-0 504	No Yes					6.4E-03		2.43	3.5E-05 4.1E-04
Selenium	7782-49-2	Yes			5.1E-03	7.4E-08	3.6E-03	5.2E-08	8.8E-03	1.3E-07
Vanadium	7440-62-2	Yes				7.4L-00	3.0L-03	J.ZL-00	2.26	3.2E-05
Zinc	7440-66-6	No							21.5	3.1E-04
Zinc Oxide	1314-13-2	No							34.0	4.9E-04
INORGANIC COMPOUNDS	1011102									
Ammonia	7664-41-7	Yes			1.87	2.7E-05	1.32	1.9E-05	3,144	0.045
Carbon disulfide	75-15-0	Yes							0.90	1.3E-05
Fluorides	239	Yes							201	2.9E-03
Hydrogen Fluoride	7664-39-3	Yes							59.4	8.5E-04
Hydrochloric Acid	7647-01-0	Yes			0.44	6.3E-06	0.31	4.4E-06	0.74	1.1E-05
Phosphoric Acid	7664-38-2	Yes							4.26	6.1E-05
Glasswool Fibers	352	No							1,254	0.018
Silica, Crystalline	7631-86-9	Yes							584	8.4E-03
Sulfuric Acid	7664-93-9	Yes							4.26	6.1E-05
ORGANIC COMPOUNDS Acetaldehyde	75-07-0	Yes			1.83	2.6E-05	1.29	1.9E-05	7.35	1.1E-04
Acetaideriyde	67-64-1	Yes	245	3.5E-03	1.03	2.0L-03	1.27	1.7L-03	1,075	0.015
Acrolein	107-02-8	Yes		3.3L=03	0.079	1.1E-06	0.056	8.0E-07	2.79	4.0E-05
Benzene	71-43-2	Yes			0.44	6.3E-06	0.31	4.4E-06	149	2.1E-03
1,3-Butadiene	106-99-0	Yes			0.51	7.3E-06	0.36	5.2E-06	14.6	2.1E-04
Cyclohexane	110-82-7	Yes							5.24	7.5E-05
Ethylbenzene	100-41-4	Yes	10.3	1.5E-04	0.026	3.7E-07	0.018	2.6E-07	40.5	5.8E-04
Chloroethane	75-00-3	Yes							2.40	3.5E-05
Formaldehyde	50-00-0	Yes			4.04	5.8E-05	2.85	4.1E-05	2,329	0.034
Hexane	110-54-3	Yes			0.063	9.1E-07	0.044	6.4E-07	569	8.2E-03
Chloromethane	74-87-3	Yes							32.2	4.6E-04
2-Butanone	78-93-3	Yes							29.1	4.2E-04
Methyl isobutyl ketone	108-10-1	Yes							3.93	5.7E-05
1,2,4-Trimethylbenzene	95-63-6	Yes	13.1	1.9E-04					13.1	1.9E-04
Toluene	108-88-3	Yes	40.1		0.25	3.5E-06	0.17	2.5E-06	243	3.5E-03
Xylenes (mixed isomers)	1330-20-7	Yes	42.1	6.1E-04	0.099	1.4E-06	0.070	1.0E-06	112	1.6E-03
o-Xylene POLYCYCLIC AROMATIC HYDROCARBONS	95-47-6	Yes							28.9	4.2E-04
PAHs	401	Yes			0.085	1.2E-06	0.060	8.6E-07	0.24	3.5E-06
Benzo[a]pyrene	50-32-8	Yes			8.4E-05	1.2E-06	5.9E-05	8.5E-10	1.3E-03	1.9E-08
Naphthalene	91-20-3	Yes			0.046	6.6E-07	0.033	4.7E-07	0.37	5.4E-06
Diesel Particulate Matter (DPM)	,, 20 0	. 33			5.5 10	3.32 07	3.000	, 2 07	0.07	5.12 00
DPM	200	Yes			78.4	1.1E-03	55.3	8.0E-04	134	1.9E-03
	ission Estimate		326	4.7E-03		1.3E-03	 	8.9E-04		0.15

Notes g = gram.

RBC = risk-based concentration. RMH = raw material handling.

GP1 = Glass Plant 1. RMH = raw mate GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant.

Ib= pound. TEU = toxic emission unit.

PM = particulate matter yr = year.

- (a) Emission rate (lb/yr) = (total annual emissions estimate [lb/yr]) x (production fraction)
- (b) Emission rate (g/s) = (annual emissions estimate [lb/yr]) x (453.592 g/lb) x (yr/8,760 hrs)
- x (hr/3,600 s)
- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)
- (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)
- (e) Production fraction = (fiber type natural gas usage [scf/hr]) / (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	
Rotary Coarse	96,000
Flameblown	16,000
Total	112,000

(f)	(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/y									
	Glass Plant	Fiber Production (tons/yr)								
	GP1	19,359								
	GP2	10,468								

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = 0.037 (3)

Furnace bin PM emission factor (lb/ton) = 0.001 (3)

Total RMH PM emission factor (lb/ton) = 0.038 (3)

- (1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- (2) Emission estimates equally apportioned among the defined model source representations.
- (3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
- (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

⁽⁵⁾ Sum of Furnace Bin and GP1 Baling emission estimates.



Table 3-3 Daily TAC Emission Rates—Significant TEUs Production Scenario 1 (all Rotary Fine) Hollingsworth & Vose Fiber Company—Corvallis, OR

			Daily Emission Estimates										
			Glass Plant Rotary Fine										
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	(Excluding Forehearth) Natural Gas Combustion	Fiber Production	CFU Bulking Agent	Natural Gas Combustion	lo	otal (5)	L3R3/R4	L3R5/R6	L1R3/R4	L1R7/R8	L1R1/R2
			(lb/day) ⁽¹⁾	(lb/day) (1)	(lb/day) (1)	(lb/day) ^(a)	(lb/day)	(g/s) (b)	(g/s) (c)				
TEU ID			NG_GP	RF	CFU_RF								
Model ID									CFU101	CFU102	CFU103	CFU104	CFU105
Production Fraction						0.857 ^(e)							
Apportioning Fraction									0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)
METALS Aluminum	7429-90-5	Yes											
Antimony	7440-36-0	Yes											
Arsenic	7440-38-2	Yes											
Barium	7440-39-3	No		1.1E-03			1.1E-03	5.8E-06	3.9E-07	3.9E-07	3.9E-07	3.9E-07	3.9E-07
Cadmium	7440-43-9	Yes											
Chromium (total)	7440-47-3	No		3.9E-04			3.9E-04	2.0E-06	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07
Chromium VI	18540-29-9	Yes		3.9E-04			3.9E-04	2.0E-06	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07
Cobalt	7440-48-4	Yes											
Copper	7440-50-8	Yes		9.4E-03			9.4E-03	4.9E-05	3.3E-06	3.3E-06	3.3E-06	3.3E-06	3.3E-06
Lead	7439-92-1	Yes											
Manganese	7439-96-5	Yes		1.9E-03			1.9E-03	9.8E-06	6.5E-07	6.5E-07	6.5E-07	6.5E-07	6.5E-07
Mercury	7439-97-6	Yes		9.7E-05			9.7E-05	5.1E-07	3.4E-08	3.4E-08	3.4E-08	3.4E-08	3.4E-08
Molybdenum trioxide	1313-27-5	No	4.4E-03			3.8E-03	3.8E-03	2.0E-05	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06
Nickel	7440-02-0	Yes		8.3E-04			8.3E-04	4.3E-06	2.9E-07	2.9E-07	2.9E-07	2.9E-07	2.9E-07
Phosphorus	504	No		0.016			0.016	8.1E-05	5.4E-06	5.4E-06	5.4E-06	5.4E-06	5.4E-06
Selenium Vanadium	7782-49-2	Yes Yes	 6.2E-03			 E 2E 02	5.3E-03	2.8E-05	 1.9E-06	 1.9E-06	1.9E-06	1.9E-06	1.9E-06
Zinc	7440-62-2 7440-66-6	No	0.2E-U3	0.023		5.3E-03	0.023	1.2E-04	8.1E-06	8.1E-06	8.1E-06	8.1E-06	8.1E-06
Zinc Oxide	1314-13-2	No					0.023	1.2E-U4 	0. IE-U0	0.1E-U0	0.1E-U0		
INORGANIC COMPOUNDS	1314-13-2	NO											
Ammonia	7664-41-7	Yes	8.59			7.36	7.36	0.039	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03
Carbon disulfide	75-15-0	Yes											
Fluorides	239	Yes											
Hydrogen Fluoride	7664-39-3	Yes		0.70			0.70	3.7E-03	2.5E-04	2.5E-04	2.5E-04	2.5E-04	2.5E-04
Hydrochloric Acid	7647-01-0	Yes											
Phosphoric Acid	7664-38-2	Yes											
Glasswool Fibers	352	No		0.11			0.11	5.7E-04	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05
Silica, Crystalline	7631-86-9	Yes			0.11		0.11	5.7E-04	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05
Sulfuric Acid	7664-93-9	Yes											
ORGANIC COMPOUNDS	75.07.0		0.010			0.05.00	0.05.00	F 05 05	0.55.07	0.55.07	0.55.07	0.55.07	0.55.07
Acetaldehyde	75-07-0	Yes	0.012	1.0/		9.9E-03	9.9E-03	5.2E-05	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06
Acetone	67-64-1	Yes	7.2E-03	1.06		 4 2F 02	1.06 6.2E-03	5.6E-03 3.3E-05	3.7E-04 2.2E-06	3.7E-04 2.2E-06	3.7E-04 2.2E-06	3.7E-04 2.2E-06	3.7E-04 2.2E-06
Acrolein Benzene	107-02-8 71-43-2	Yes Yes		0.21		6.2E-03	0.21	1.1E-03	7.4E-05	7.4E-05	7.4E-05	7.4E-05	7.4E-05
1,3-Butadiene	106-99-0	Yes						1.1E-U3	7.4E-U5	7.4E-05	7.4E-U5	7.4E-U5	7.4E-U5
Cyclohexane	110-82-7	Yes											
Ethylbenzene	100-41-4	Yes											
Chloroethane	75-00-3	Yes											
Formaldehyde	50-00-0	Yes		16.7			16.7	0.088	5.8E-03	5.8E-03	5.8E-03	5.8E-03	5.8E-03
Hexane	110-54-3	Yes		1.04			1.04	5.5E-03	3.6E-04	3.6E-04	3.6E-04	3.6E-04	3.6E-04
Chloromethane	74-87-3	Yes		0.082			0.082	4.3E-04	2.9E-05	2.9E-05	2.9E-05	2.9E-05	2.9E-05
2-Butanone	78-93-3	Yes		0.040			0.040	2.1E-04	1.4E-05	1.4E-05	1.4E-05	1.4E-05	1.4E-05
Methyl isobutyl ketone	108-10-1	Yes											
1,2,4-Trimethylbenzene	95-63-6	Yes											
Toluene	108-88-3	Yes		0.50			0.50	2.6E-03	1.8E-04	1.8E-04	1.8E-04	1.8E-04	1.8E-04
Xylenes (mixed isomers)	1330-20-7	Yes											
o-Xylene	95-47-6	Yes											
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)	404	V/ -	0.75.01			0.05.01	2.25.21	1.05.67	0.45.00	0.45.00	0.45.00	0.45.00	0.45.00
PAHs Panzalalayrana	401	Yes	2.7E-04			2.3E-04	2.3E-04	1.2E-06	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08
Benzo[a]pyrene Naphthalene	50-32-8 91-20-3	Yes Yes	3.2E-06 8.1E-04			2.8E-06 6.9E-04	2.8E-06 6.9E-04	1.4E-08 3.6E-06	9.7E-10 2.4E-07	9.7E-10 2.4E-07	9.7E-10 2.4E-07	9.7E-10 2.4E-07	9.7E-10 2.4E-07
Diesel Particulate Matter (DPM)	71-20-3	162	O. IE-U4			0.7E-U4	0.9E-U4	3.0E-06	∠.4E-U/	Z.4E-U/	Z.4E-U/	∠.4E-U/	∠.4E-U/
DPM	200	Yes											
Total TAC Emission E		1.03	8.62	20.5	0.11	7.39	28.0	0.15			9.8E-03		
Notes			3.02	20.0	V. 1 1	7.07	20.0	0.10	7.02-00	7.02-00	,.oL=00	7.0L-00	,.oz=00

Notes

g = gram. RBC = risk-based concentration. RMH = raw material handling. GP1 = Glass Plant 1.

GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter. $^{(a)}$ Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)

(b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)

 $^{(c)}$ Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr]) / (total fiberizer natural gas usage [scf/hr])

Fiber Type Natural Gas Usage (scf/hr) Rotary Fine 96,000 Rotary Coarse Flameblown 16,000 112,000 Total

(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr]) **Glass Plant** Fiber Production (tons/yr) GP1 19,359 GP2 10,468

Total (g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton])

29,827

See Reference 4. Transport, storage, mixing PM emission factor (lb/ton) = (3) 0.037

Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

 $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

 $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.

 $^{(3)}$ Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.

 $^{(4)}$ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 19 of 175



Table 3-3 Daily TAC Emission Rates—Significant TEUs Production Scenario 1 (all Rotary Fine) Hollingsworth & Vose Fiber Company—Corvallis, OR

			Daily Emission Estimates										
				•			Rotar	y Fine	1				
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	L1R9/L10	L1R11/R12	L1R5/L6	L2R7/R8	L2R2/R3	L2R5/R6	L2R4/R9	L4R5/R10	L4R6/R7	L4R8/R9	
			(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	
TEU ID													
Model ID			CFU106	CFU107	CFU108	CFU109	CFU110	CFU111	CFU112	CFU116	CFU117	CFU118	
Production Fraction													
Apportioning Fraction			0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	
METALS						•	•		•	•		,	
Aluminum	7429-90-5	Yes											
Antimony	7440-36-0	Yes											
Arsenic	7440-38-2	Yes											
Barium	7440-39-3	No	3.9E-07	3.9E-07	3.9E-07	3.9E-07	3.9E-07	3.9E-07	3.9E-07	3.9E-07	3.9E-07	3.9E-07	
Cadmium	7440-43-9	Yes											
Chromium (total)	7440-47-3	No	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	
Chromium VI	18540-29-9	Yes	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	1.4E-07	
Copper	7440-48-4	Yes	2 2E 06	2 2E 06	2 2E 06	3.3E-06	2 2E 06	2 2E 06					
Copper Lead	7440-50-8 7439-92-1	Yes Yes	3.3E-06	3.3E-06	3.3E-06	3.3E-06	3.3E-06	3.3E-06	3.3E-06	3.3E-06	3.3E-06	3.3E-06	
Manganese	7439-92-1	Yes	6.5E-07	6.5E-07	6.5E-07	6.5E-07	6.5E-07	6.5E-07	6.5E-07	6.5E-07	6.5E-07	6.5E-07	
Mercury	7439-97-6	Yes	3.4E-08	3.4E-08	3.4E-08	3.4E-08	3.4E-08	3.4E-08	3.4E-08	3.4E-08	3.4E-08	3.4E-08	
Molybdenum trioxide	1313-27-5	No	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06	
Nickel	7440-02-0	Yes	2.9E-07	2.9E-07	2.9E-07	2.9E-07	2.9E-07	2.9E-07	2.9E-07	2.9E-07	2.9E-07	2.9E-07	
Phosphorus	504	No	5.4E-06	5.4E-06	5.4E-06	5.4E-06	5.4E-06	5.4E-06	5.4E-06	5.4E-06	5.4E-06	5.4E-06	
Selenium	7782-49-2	Yes											
Vanadium	7440-62-2	Yes	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06	
Zinc	7440-66-6	No	8.1E-06	8.1E-06	8.1E-06	8.1E-06	8.1E-06	8.1E-06	8.1E-06	8.1E-06	8.1E-06	8.1E-06	
Zinc Oxide	1314-13-2	No											
INORGANIC COMPOUNDS						1	1		ı	1			
Ammonia	7664-41-7	Yes	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03	
Carbon disulfide	75-15-0	Yes											
Fluorides Hydrogen Fluoride	239 7664-39-3	Yes Yes	2.5E-04	2.5E-04	2.5E-04	2.5E-04	2.5E-04	2.5E-04	 2.5E-04	2.5E-04	 2.5E-04	2.5E-04	
Hydrochloric Acid	7647-01-0	Yes	2.5E-U4 	2.5E-04	2.5E-U4 	2.5E-04	2.5E-04	2.5E-04	2.5E-04	2.5E-04	2.5E-04	2.5E-04	
Phosphoric Acid	7664-38-2	Yes											
Glasswool Fibers	352	No	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05	
Silica, Crystalline	7631-86-9	Yes	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05	3.8E-05	
Sulfuric Acid	7664-93-9	Yes											
ORGANIC COMPOUNDS	•					•	•						
Acetaldehyde	75-07-0	Yes	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06	
Acetone	67-64-1	Yes	3.7E-04	3.7E-04	3.7E-04	3.7E-04	3.7E-04	3.7E-04	3.7E-04	3.7E-04	3.7E-04	3.7E-04	
Acrolein	107-02-8	Yes	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06	
Benzene	71-43-2	Yes	7.4E-05	7.4E-05	7.4E-05	7.4E-05	7.4E-05	7.4E-05	7.4E-05	7.4E-05	7.4E-05	7.4E-05	
1,3-Butadiene	106-99-0	Yes											
Cyclohexane	110-82-7	Yes											
Ethylbenzene Chloroethana	100-41-4	Yes											
Chloroethane	75-00-3	Yes	 5.0E.02	 5 0E 02	5.8E-03								
Formaldehyde Hexane	50-00-0 110-54-3	Yes Yes	5.8E-03 3.6E-04	5.8E-03 3.6E-04	5.8E-03 3.6E-04	5.8E-03 3.6E-04	5.8E-03 3.6E-04	5.8E-03 3.6E-04	5.8E-03 3.6E-04	5.8E-03 3.6E-04	5.8E-03 3.6E-04	3.6E-04	
Chloromethane	74-87-3	Yes	2.9E-05	2.9E-05	2.9E-05	2.9E-05	2.9E-05	2.9E-05	2.9E-05	2.9E-05	2.9E-05	2.9E-05	
2-Butanone	78-93-3	Yes	1.4E-05	1.4E-05	1.4E-05	1.4E-05	1.4E-05	1.4E-05	1.4E-05	1.4E-05	1.4E-05	1.4E-05	
Methyl isobutyl ketone	108-10-1	Yes											
1,2,4-Trimethylbenzene	95-63-6	Yes											
Toluene	108-88-3	Yes	1.8E-04	1.8E-04	1.8E-04	1.8E-04	1.8E-04	1.8E-04	1.8E-04	1.8E-04	1.8E-04	1.8E-04	
Xylenes (mixed isomers)	1330-20-7	Yes											
o-Xylene	95-47-6	Yes											
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)													
PAHs	401	Yes	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08	
Benzo[a]pyrene	50-32-8	Yes	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10	
Naphthalene	91-20-3	Yes	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07	
Diesel Particulate Matter (DPM)	T			1		1	1		I	1			
DPM	200	Yes											
Total TAC Emission E	sumate		9.8E-03	9.8E-03	9.8E-03	9.8E-03	9.8E-03	9.8E-03	9.8E-03	9.8E-03	9.8E-03	9.8E-03	
Notes													

Notes

g = gram. RBC = risk-based concentration. RMH = raw material handling. GP1 = Glass Plant 1. GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter.

- (a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)
- (b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)
- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)
- (e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

	Fiber Type	Natural Gas Usage (scf/hr)	
	Rotary Fine	96,000	
	Rotary Coarse		
	Flameblown	16,000	
	Total	112,000	
(f)	Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons	s/yr])

Glass Plant	Fiber Production (tons/yr)
GP1	19,359
GP2	10,468
Total	29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = (3) Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

- $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- (2) Emission estimates equally apportioned among the defined model source representations.
- $^{(3)}$ Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
- (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and Baling emission estimates.

Page 20 of 175 M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001



Table 3-3

Daily TAC Emission Rates—Significant TEUs

Production Scenario 1 (all Rotary Fine)

Hollingsworth & Vose Fiber Company—Corvallis, OR

	T		Daily Emission Estimates										
		RBC? (Yes/No)		Flameblown Glass Melt									
TAC	CAS/ODEQ Sequence ID		Fiber Production	CFU Bulking Agent	Natural Gas Combustion	1 10	tal	L4F1/F2	L4F3/F4	Fiber Production	CFU Bulking Agent	То	tal
			(lb/day) ⁽¹⁾	(lb/day) ⁽¹⁾	(lb/day) ^(a)	(lb/day)	(g/s) (b)	(g/s) (c)	(g/s) (c)	(lb/day) ⁽¹	(lb/day) ⁽¹⁾	(lb/day)	(g/s) (b)
TEU ID			FB	CFU_FB						GM	CFU_GM	-	· -
Model ID						<u> </u>	- -	CFU114	CFU115				CFU113
Production Fraction					0.143 ^(e)							-	-
Apportioning Fraction								0.50 (2)	0.50 (2)			-	
METALS				T				•	•		·	•	
Aluminum	7429-90-5	Yes											
Antimony	7440-36-0	Yes	7.0E-04			7.0E-04	3.7E-06	1.8E-06	1.8E-06	2.3E-04		2.3E-04	1.2E-06
Arsenic	7440-38-2	Yes	4.75.04			4.75.04		1.05.07	1.05.07				
Barium	7440-39-3	No	4.7E-04 1.3E-04			4.7E-04	2.4E-06 6.8E-07	1.2E-06 3.4E-07	1.2E-06 3.4E-07	1.6E-04 1.9E-04		1.6E-04	8.4E-07 1.0E-06
Cadmium Chromium (total)	7440-43-9 7440-47-3	Yes No	1.3E-04 1.5E-04			1.3E-04 1.5E-04	7.9E-07	3.4E-07 3.9E-07	3.4E-07 3.9E-07	8.2E-05		1.9E-04 8.2E-05	4.3E-07
Chromium VI	18540-29-9	Yes	1.5E-04			1.5E-04	7.9E-07	3.9E-07 3.9E-07	3.9E-07	8.2E-05		8.2E-05	4.3E-07
Cobalt	7440-48-4	Yes	1.5L-04 			1.5L-04	7.9L-07	3.7L=07 	3.7L-07 	3.5E-05		3.5E-05	1.8E-07
Copper	7440-50-8	Yes	2.1E-03			2.1E-03	1.1E-05	5.6E-06	5.6E-06	1.3E-03		1.3E-03	6.6E-06
Lead	7439-92-1	Yes								1.7E-03		1.7E-03	9.0E-06
Manganese	7439-96-5	Yes	4.9E-04			4.9E-04	2.6E-06	1.3E-06	1.3E-06	4.6E-05		4.6E-05	2.4E-07
Mercury	7439-97-6	Yes	2.4E-05			2.4E-05	1.3E-07	6.4E-08	6.4E-08	0.023		0.023	1.2E-04
Molybdenum trioxide	1313-27-5	No			6.3E-04	6.3E-04	3.3E-06	1.7E-06	1.7E-06				
Nickel	7440-02-0	Yes	8.1E-04			8.1E-04	4.2E-06	2.1E-06	2.1E-06				
Phosphorus	504	No	4.0E-03			4.0E-03	2.1E-05	1.0E-05	1.0E-05	5.0E-03		5.0E-03	2.6E-05
Selenium	7782-49-2	Yes											
Vanadium	7440-62-2	Yes			8.8E-04	8.8E-04	4.6E-06	2.3E-06	2.3E-06				
Zinc	7440-66-6	No	0.013			0.013	6.8E-05	3.4E-05	3.4E-05	2.6E-03		2.6E-03	1.4E-05
Zinc Oxide	1314-13-2	No											
INORGANIC COMPOUNDS		.,		I		1.00		0.05.00		1	T	ı	I
Ammonia	7664-41-7	Yes			1.23	1.23	6.4E-03	3.2E-03	3.2E-03				
Carbon disulfide Fluorides	75-15-0 239	Yes	7.8E-03			7.05.03	4.1E-05	2.0E-05	2.0E-05	2.5E-03 8.9E-03		2.5E-03 8.9E-03	1.3E-05 4.7E-05
Hydrogen Fluoride	7664-39-3	Yes Yes	0.10			7.8E-03 0.10	5.5E-04	2.0E-05 2.7E-04	2.0E-05 2.7E-04	1.3E-03		1.3E-03	6.8E-06
Hydrochloric Acid	7647-01-0	Yes					5.5L-04	2.7L-04 	2.7L-04 	1.3L-03		1.3L-03	0.8L-00
Phosphoric Acid	7664-38-2	Yes											
Glasswool Fibers	352	No	0.022			0.022	1.2E-04	5.9E-05	5.9E-05				
Silica, Crystalline	7631-86-9	Yes		0.022		0.022	1.2E-04	5.8E-05	5.8E-05		2.2E-03	2.2E-03	1.2E-05
Sulfuric Acid	7664-93-9	Yes											
ORGANIC COMPOUNDS													
Acetaldehyde	75-07-0	Yes			1.6E-03	1.6E-03	8.7E-06	4.3E-06	4.3E-06				
Acetone	67-64-1	Yes	0.93			0.93	4.9E-03	2.4E-03	2.4E-03	0.36		0.36	1.9E-03
Acrolein	107-02-8	Yes			1.0E-03	1.0E-03	5.4E-06	2.7E-06	2.7E-06				
Benzene	71-43-2	Yes	0.23			0.23	1.2E-03	6.1E-04	6.1E-04	0.085		0.085	4.5E-04
1,3-Butadiene	106-99-0	Yes								0.038		0.038	2.0E-04
Cyclohexane	110-82-7	Yes	0.014			0.014	7.5E-05	3.8E-05	3.8E-05				
Ethylbenzene	100-41-4	Yes	0.012 6.6E-03			0.012	6.4E-05 3.5E-05	3.2E-05 1.7E-05	3.2E-05				
Chloroethane Formaldehyde	75-00-3 50-00-0	Yes Yes	1.00			6.6E-03 1.00	5.3E-05	2.6E-03	1.7E-05 2.6E-03	0.19		0.19	9.9E-04
Hexane	110-54-3	Yes	1.35			1.35	7.1E-03	3.5E-03	3.5E-03	0.19		0.19	2.7E-04
Chloromethane	74-87-3	Yes	0.088			0.088	4.6E-04	2.3E-04	2.3E-04	0.031			2.7L-04
2-Butanone	78-93-3	Yes	0.030			0.030	1.6E-04	7.8E-05	7.8E-05	4.7E-03		4.7E-03	2.5E-05
Methyl isobutyl ketone	108-10-1	Yes	0.011			0.011	5.7E-05	2.8E-05	2.8E-05				
1,2,4-Trimethylbenzene	95-63-6	Yes											
Toluene	108-88-3	Yes	0.24			0.24	1.2E-03	6.2E-04	6.2E-04	0.021		0.021	1.1E-04
Xylenes (mixed isomers)	1330-20-7	Yes	0.025			0.025	1.3E-04	6.6E-05	6.6E-05				
o-Xylene	95-47-6	Yes											
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)													
PAHs	401	Yes			3.8E-05	3.8E-05	2.0E-07	1.0E-07	1.0E-07				
Benzo[a]pyrene	50-32-8	Yes			4.6E-07	4.6E-07	2.4E-09	1.2E-09	1.2E-09				
Naphthalene	91-20-3	Yes			1.2E-04	1.2E-04	6.0E-07	3.0E-07	3.0E-07				
Diesel Particulate Matter (DPM)	0.55		1	ı	T	1	T		ı	<u> </u>	1	1	I
DPM Tabal TAC Franciscion	200	Yes	4.10		4.00		0.000			0.70	2.25.02	0.70	4.25.02
Total TAC Emission	Esumate		4.10	0.022	1.23	5.35	0.028	0.014	0.014	0.79	2.2E-03	0.79	4.2E-03

Notes

g = gram. RBC = risk-based concentration. RMH = raw material handling.

GP1 = Glass Plant 1. GP2 = Glass Plant 2. s = second.

TAC = toxic air contaminant. hr = hour. lb= pound. TEU = toxic emission unit.

(a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction) (b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)

PM = particulate matter.

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)

(d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction) (e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	96,000
Rotary Coarse	
Flameblown	16,000
Total	112,000

(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])

Glass Plant	Fiber Production (tons/yr)
GP1	19,359
GP2	10,468
Total	29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

> Transport, storage, mixing PM emission factor (lb/ton) = (3) 0.037 Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038

References

(1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

⁽²⁾ Emission estimates equally apportioned among the defined model source representations.

(3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.

 $^{(4)}$ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 21 of 175



Page 22 of 175

© 2025 Maul Foster & Alongi, Inc. All Rights Reserved.

Table 3-3

Table 3-3
Daily TAC Emission Rates—Significant TEUs
Production Scenario 1 (all Rotary Fine)
Hollingsworth & Vose Fiber Company—Corvallis, OR

			Daily Emission Estimates									
			CFU Super Sack Filling									
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	Rotary Fine									
			Total		CFU101	CFU102	CFU105	CFU116	CFU117	CFU118		
			(lb/day) (1)	(g/s) (b)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)		
TEU ID			SSF_RF									
Model ID					SSF01	SSF02	SSF05	SSF16	SSF17	SSF18		
Production Fraction												
Apportioning Fraction					0.167 (2)	0.167 (2)	0.167 (2)	0.167 (2)	0.167 (2)	0.167 (2		
METALS			1	•	T	•	1		T			
Aluminum	7429-90-5	Yes										
Antimony	7440-36-0	Yes										
Arsenic	7440-38-2	Yes	2.55.07	1.05.00	2.05.00	2.05.00	2.05.00	2.05.00	2.05.00	2.05.00		
Barium Cadmium	7440-39-3 7440-43-9	No Yes	3.5E-06	1.8E-08	3.0E-09	3.0E-09	3.0E-09	3.0E-09	3.0E-09	3.0E-09		
Cadmium Chromium (total)	7440-43-9	No	1.2E-06	6.3E-09	 1.1E-09	1.1E-09	 1.1E-09	 1.1E-09	 1.1E-09	1.1E-09		
Chromium VI	18540-29-9	Yes	1.2E-06	6.3E-09	1.1E-09	1.1E-09	1.1E-09	1.1E-09	1.1E-09	1.1E-09		
Cobalt	7440-48-4	Yes	1.2L-00									
Copper	7440-48-4	Yes	2.9E-05	1.5E-07	2.5E-08	2.5E-08	2.5E-08	2.5E-08	2.5E-08	2.5E-08		
Lead	7439-92-1	Yes										
Manganese	7439-96-5	Yes	5.8E-06	3.0E-08	5.0E-09	5.0E-09	5.0E-09	5.0E-09	5.0E-09	5.0E-09		
Mercury	7439-97-6	Yes	3.0E-07	1.6E-09	2.6E-10	2.6E-10	2.6E-10	2.6E-10	2.6E-10	2.6E-10		
Molybdenum trioxide	1313-27-5	No										
Nickel	7440-02-0	Yes	2.6E-06	1.3E-08	2.2E-09	2.2E-09	2.2E-09	2.2E-09	2.2E-09	2.2E-09		
Phosphorus	504	No	4.8E-05	2.5E-07	4.2E-08	4.2E-08	4.2E-08	4.2E-08	4.2E-08	4.2E-08		
Selenium	7782-49-2	Yes										
Vanadium	7440-62-2	Yes										
Zinc	7440-66-6	No	7.2E-05	3.8E-07	6.3E-08	6.3E-08	6.3E-08	6.3E-08	6.3E-08	6.3E-08		
Zinc Oxide	1314-13-2	No										
INORGANIC COMPOUNDS	7//4 44 7			<u> </u>	ı	1	I		1	I		
Ammonia	7664-41-7	Yes										
Carbon disulfide Fluorides	75-15-0 239	Yes Yes										
Hydrogen Fluoride	7664-39-3	Yes										
Hydrochloric Acid	7647-01-0	Yes										
Phosphoric Acid	7664-38-2	Yes										
Glasswool Fibers	352	No										
Silica, Crystalline	7631-86-9	Yes	9.5E-04	5.0E-06	8.3E-07	8.3E-07	8.3E-07	8.3E-07	8.3E-07	8.3E-07		
Sulfuric Acid	7664-93-9	Yes										
ORGANIC COMPOUNDS												
Acetaldehyde	75-07-0	Yes										
Acetone	67-64-1	Yes										
Acrolein	107-02-8	Yes										
Benzene	71-43-2	Yes										
1,3-Butadiene	106-99-0	Yes										
Cyclohexane	110-82-7	Yes										
Ethylbenzene	100-41-4	Yes										
Chloroethane	75-00-3	Yes										
Formaldehyde Hexane	50-00-0 110-54-3	Yes Yes										
Chloromethane	74-87-3	Yes										
2-Butanone	78-93-3	Yes										
Methyl isobutyl ketone	108-10-1	Yes										
1,2,4-Trimethylbenzene	95-63-6	Yes										
Toluene	108-88-3	Yes										
Xylenes (mixed isomers)	1330-20-7	Yes										
o-Xylene	95-47-6	Yes										
POLYCYCLIC AROMATIC HYDROCARBONS	(PAH)											
PAHs	401	Yes										
Benzo[a]pyrene	50-32-8	Yes										
Naphthalene	91-20-3	Yes										
Diesel Particulate Matter (DPM)					1	1	T		1			
DPM	200	Yes										
Total TAC Em	nission Estimate		1.1E-03	5.8E-06	9.7E-07	9.7E-07	9.7E-07	9.7E-07	9.7E-07	9.7E-07		

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling.

GP2 = Glass Plant 2. s = second.hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter.

- (a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)
- (b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)
- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)
- (e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)					
Rotary Fine	96,000					
Rotary Coarse						
Flameblown	16,000					
Total	112,000					

(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])

Glass Plant	Fiber Production (tons/yr)
GP1	19,359
GP2	10,468
Total	29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

> Transport, storage, mixing PM emission factor (lb/ton) = (3) 0.037 Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

 $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

 $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.

 $^{(3)}$ Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.

 $^{(4)}$ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{^{\}rm (5)}$ Sum of Furnace Bin and Baling emission estimates.



Table 3-3

Daily TAC Emission Rates—Significant TEUs

Production Scenario 1 (all Rotary Fine)

Hollingsworth & Vose Fiber Company—Corvallis, OR

		Daily Emission Estimates CFU Super Sack Filling											
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)				ı		•	otary Coars	se			
	bequeince ib	(103/140)	Tot		CFU103	CFU104	CFU106	CFU107	CFU108	CFU109	CFU110	CFU111	CFU112
			(lb/day) (1)	(g/s) (b)	(g/s) (c)								
TEU ID			SSF_	RC									
Model ID					SSF03	SSF04	SSF06	SSF07	SSF08	SSF09	SSF10	SSF11	SSF12
Production Fraction													
Apportioning Fraction				•	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)
METALS	T T		<u> </u>			1	1	I	_			I	
Aluminum	7429-90-5	Yes											
Antimony	7440-36-0	Yes	3.6E-05	1.9E-07	2.1E-08								
Arsenic	7440-38-2	Yes	2.25.05	1.05.07	1 25 00	1 25 00	1 25 00	1 25 00	1 25 00	1 25 00	1 25 00	1 25 00	1 25 00
Barium	7440-39-3	No	2.2E-05	1.2E-07	1.3E-08								
Cadmium Chromium (total)	7440-43-9 7440-47-3	Yes No	2.3E-05 2.2E-05	1.2E-07 1.1E-07	1.4E-08 1.3E-08								
Chromium (total)		Yes	2.2E-05 2.2E-05	1.1E-07 1.1E-07	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08 1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08
Cobalt	18540-29-9 7440-48-4	Yes	9.5E-07	5.0E-09	5.5E-10								
Copper	7440-48-4	Yes	1.3E-04	6.7E-07	7.5E-08								
Lead	7439-92-1	Yes	2.1E-04	1.1E-06	1.2E-07								
Manganese	7439-92-1	Yes	3.3E-05	1.7E-07	1.9E-08								
Mercury	7439-97-6	Yes	2.5E-06	1.7E-07	1.4E-09								
Molybdenum trioxide	1313-27-5	No											
Nickel	7440-02-0	Yes	4.9E-05	2.6E-07	2.9E-08								
Phosphorus	504	No	5.8E-04	3.1E-06	3.4E-07								
Selenium	7782-49-2	Yes											
Vanadium	7440-62-2	Yes											
Zinc	7440-66-6	No	3.6E-04	1.9E-06	2.1E-07								
Zinc Oxide	1314-13-2	No											
INORGANIC COMPOUNDS								•				•	
Ammonia	7664-41-7	Yes											
Carbon disulfide	75-15-0	Yes											
Fluorides	239	Yes	4.2E-03	2.2E-05	2.4E-06								
Hydrogen Fluoride	7664-39-3	Yes											
Hydrochloric Acid	7647-01-0	Yes											
Phosphoric Acid	7664-38-2	Yes											
Glasswool Fibers	352	No											
Silica, Crystalline	7631-86-9	Yes	9.5E-04	5.0E-06	5.5E-07								
Sulfuric Acid	7664-93-9	Yes											
ORGANIC COMPOUNDS			_										
Acetaldehyde	75-07-0	Yes											
Acetone	67-64-1	Yes											
Acrolein	107-02-8	Yes											
Benzene	71-43-2	Yes											
1,3-Butadiene	106-99-0 110-82-7	Yes Yes											
Cyclohexane Ethylbenzene	110-82-7	Yes											
Chloroethane	75-00-3	Yes											
Formaldehyde	50-00-0	Yes											
Hexane	110-54-3	Yes											
Chloromethane	74-87-3	Yes											
2-Butanone	78-93-3	Yes											
Methyl isobutyl ketone	108-10-1	Yes											
1,2,4-Trimethylbenzene	95-63-6	Yes											
Toluene	108-88-3	Yes											
Xylenes (mixed isomers)	1330-20-7	Yes											
o-Xylene	95-47-6	Yes											
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)													
PAHs	401	Yes											
Benzo[a]pyrene	50-32-8	Yes											
Naphthalene	91-20-3	Yes											
Diesel Particulate Matter (DPM)						1		1			1	T	T
DPM	200	Yes											
Total TAC Emission E	stimate		6.6E-03	3.5E-05	3.9E-06								

Notes

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling. GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant.

lb= pound. TEU = toxic emission unit.

PM = particulate matter.

- (a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)
- (b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)
- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)
- (e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	96,000
Rotary Coarse	
Flameblown	16,000
Total	112,000

(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])

Glass Plant	Fiber Production (tons/yr)							
GP1	19,359							
GP2	10,468							
Total	29,827							

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = (3) Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

- $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.
- (3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022. (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from
- Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).
- $^{\rm (5)}$ Sum of Furnace Bin and Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 23 of 175



Table 3-3 Daily TAC Emission Rates—Significant TEUs Production Scenario 1 (all Rotary Fine)

Hollingsworth & Vose Fiber Company—Corvallis, OR

			Daily Emission Estimates CFU Super Sack Filling							es Bulking Agent Silos				
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)		Flame	eblown	Sack Filling	Glass	Melt	Tot		GP1 Silo	GP2 Silo		
			Tot		CFU114	CFU115	CFU		1		(SILO1)	(SILO2)		
			(lb/day) (1)	(g/s) (b)	(g/s) (c)	(g/s) (c)	(lb/day) ⁽¹⁾	(g/s) (b)	(lb/day) (1)	(g/s) (b)	(g/s) (c)	(g/s) (c)		
TEU ID			SSF_	_FB			SSF_	GM			SILO1	SILO2		
Model ID				-	SSF14	SSF15		SSF13			SILO1	SILO2		
Production Fraction				•				•		•				
Apportioning Fraction				•	0.50 (2)	0.50 (2)		-		•	0.50 (2)	0.50 (2)		
METALS	7400.00.5		1		I	1	T	1		T	I	ı		
Aluminum	7429-90-5	Yes						1.55.07						
Antimony Arsenic	7440-36-0 7440-38-2	Yes Yes	1.1E-05	5.9E-08	3.0E-08	3.0E-08	2.8E-05	1.5E-07						
Barium	7440-38-2	No res	7.5E-06	3.9E-08	2.0E-08	2.0E-08	2.0E-05	1.0E-07						
Cadmium	7440-43-9	Yes	2.1E-06	1.1E-08	5.4E-09	5.4E-09	2.4E-05	1.2E-07						
Chromium (total)	7440-47-3	No	2.4E-06	1.3E-08	6.3E-09	6.3E-09	1.0E-05	5.4E-08						
Chromium VI	18540-29-9	Yes	2.4E-06	1.3E-08	6.3E-09	6.3E-09	1.0E-05	5.4E-08						
Cobalt	7440-48-4	Yes					4.3E-06	2.3E-08						
Copper	7440-50-8	Yes	3.4E-05	1.8E-07	9.0E-08	9.0E-08	1.5E-04	8.1E-07						
Lead	7439-92-1	Yes					2.1E-04	1.1E-06						
Manganese	7439-96-5	Yes	7.8E-06	4.1E-08	2.1E-08	2.1E-08	5.7E-06	3.0E-08						
Mercury	7439-97-6	Yes	3.9E-07	2.1E-09	1.0E-09	1.0E-09	2.9E-03	1.5E-05						
Molybdenum trioxide	1313-27-5	No												
Nickel	7440-02-0	Yes	1.3E-05	6.8E-08	3.4E-08	3.4E-08								
Phosphorus	504	No	6.4E-05	3.4E-07	1.7E-07	1.7E-07	6.2E-04	3.2E-06						
Selenium	7782-49-2	Yes												
Vanadium	7440-62-2	Yes												
Zinc	7440-66-6	No	2.1E-04	1.1E-06	5.4E-07	5.4E-07	3.3E-04	1.7E-06						
Zinc Oxide INORGANIC COMPOUNDS	1314-13-2	No												
Ammonia	7664-41-7	Yes												
Carbon disulfide	75-15-0	Yes												
Fluorides	239	Yes	1.2E-04	6.6E-07	3.3E-07	3.3E-07	1.1E-03	5.8E-06						
Hydrogen Fluoride	7664-39-3	Yes												
Hydrochloric Acid	7647-01-0	Yes												
Phosphoric Acid	7664-38-2	Yes												
Glasswool Fibers	352	No												
Silica, Crystalline	7631-86-9	Yes	9.5E-04	5.0E-06	2.5E-06	2.5E-06	9.5E-04	5.0E-06	1.5E-04	8.0E-07	4.0E-07	4.0E-07		
Sulfuric Acid	7664-93-9	Yes												
ORGANIC COMPOUNDS				ı	•	•					•	•		
Acetaldehyde	75-07-0	Yes												
Acetone	67-64-1	Yes												
Acrolein	107-02-8	Yes												
Benzene	71-43-2	Yes												
1,3-Butadiene	106-99-0 110-82-7	Yes Yes												
Cyclohexane Ethylbenzene	100-41-4	Yes												
Chloroethane	75-00-3	Yes												
Formaldehyde	50-00-0	Yes												
Hexane	110-54-3	Yes												
Chloromethane	74-87-3	Yes												
2-Butanone	78-93-3	Yes												
Methyl isobutyl ketone	108-10-1	Yes												
1,2,4-Trimethylbenzene	95-63-6	Yes												
Toluene	108-88-3	Yes												
Xylenes (mixed isomers)	1330-20-7	Yes												
o-Xylene	95-47-6	Yes												
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)	, 				ı	1		_		_	ı			
PAHs	401	Yes												
Benzo[a]pyrene	50-32-8	Yes												
Naphthalene Diesel Particulate Matter (DPM)	91-20-3	Yes												
DPM	200	Yes												
Total TAC Emission E		162	1.4E-03		3.7E-06	3.7E-06	6.3E-03	3.3E-05	1.5E-04	8.0E-07		4.0E-07		
Notes	.sumate		1.46-03	7.3E-06	3.7E-U0	3.7E-00	U.3E-U3	3.3E-U3	1.5E-U4	0.UE-U/	4.0E-07	4.UE-U/		

Notes

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling. GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter.

- (a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)
- (b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)
- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)
- (e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)						
Rotary Fine	96,000						
Rotary Coarse							
Flameblown	16,000						
Total	112,000						

(f)	Production fraction = (glass plant fiber production [t	ons/yr]) / (total fiber production [tons	s/yr])
	Glass Plant	Fiber Production (tons/yr)	
	GP1	19,359	
	GP2	10,468	
	Total	29,827	

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = (3) 0.037 Furnace bin PM emission factor (lb/ton) =

0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

(1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

 $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.

(3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.

 $^{(4)}$ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and Baling emission estimates.

Page 24 of 175 M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001



Table 3-3 Daily TAC Emission Rates—Significant TEUs

•	<u> </u>
Production	Scenario 1 (all Rotary Fine)
Hollingswor	th & Vose Fiber Company—Corvallis, OR

			Daily Emission Estimates Raw Material Handling Baling Fugitives												
			R	aw Materi		g I		Balin	g Fugitives	1	ļ	CD1 Fugitiv			
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	Tota	al	Transport, Storage, Mixing	Furnace Bins	Tota	al	GP1	GP2	Total	GP1 Fugitive	es Area B		
			(lb/day) (1)	(g/s) (b)	(g/s) ^(c)	(g/s) (c)	(lb/day) ⁽¹⁾	(g/s) (b)	(g/s) ^(d)	(g/s) ^(d)	(g/s) ⁽⁵⁾	(g/s) (c)	(g/s) (c)		
TEU ID			RMH_BA; R	MH_ZN; RI	MH_F; RMH		(ib/day)	•	(g/s) BALING	(9/3)		(g/3) 			
					RMH_N	1				1		CD1 A	CD1 D		
Model ID Production Fraction					BBBH 				0.649 ^(f)	0.351 ^(f)		GP1_A	GP1_B		
Apportioning Fraction					0.974 ^(g)	0.026 ^(g)						0.50 (2)	0.50 (2)		
METALS					0.774	0.020						0.00	0.00		
Aluminum	7429-90-5	Yes	0.68	3.6E-03	3.5E-03	9.4E-05					9.4E-05	4.7E-05	4.7E-05		
Antimony	7440-36-0	Yes													
Arsenic	7440-38-2	Yes													
Barium	7440-39-3	No	0.18	9.3E-04	9.0E-04	2.4E-05					2.4E-05	1.2E-05	1.2E-05		
Cadmium	7440-43-9	Yes	1.1E-05	6.0E-08	5.9E-08	1.6E-09					1.6E-09	7.9E-10	7.9E-10		
Chromium (total)	7440-47-3	No													
Chromium VI	18540-29-9	Yes							-						
Cobalt	7440-48-4	Yes													
Copper	7440-50-8	Yes													
Lead	7439-92-1	Yes	1.1E-04	6.0E-07	5.9E-07	1.6E-08					1.6E-08	7.9E-09	7.9E-09		
Manganese	7439-96-5	Yes													
Mercury	7439-97-6	Yes													
Molybdenum trioxide	1313-27-5	No													
Nickel	7440-02-0	Yes													
Phosphorus	504	No													
Selenium	7782-49-2	Yes													
Vanadium	7440-62-2	Yes													
Zinc Zinc Oxide	7440-66-6 1314-13-2	No No	0.11	5.9E-04	 5.7E-04	 1.5E-05					1.5E-05	7.7E-06	7.7E-06		
INORGANIC COMPOUNDS	1314-13-2	IVO	0.11	5.9E-04	3.7E-04	1.5E-05					1.5E-05	7.7E-00	7.7E-00		
Ammonia	7664-41-7	Yes													
Carbon disulfide	75-15-0	Yes													
Fluorides	239	Yes	0.049	2.6E-04	2.5E-04	6.7E-06					6.7E-06	3.4E-06	3.4E-06		
Hydrogen Fluoride	7664-39-3	Yes													
Hydrochloric Acid	7647-01-0	Yes													
Phosphoric Acid	7664-38-2	Yes													
Glasswool Fibers	352	No					3.27	0.017	0.011	6.0E-03	0.011	5.6E-03	5.6E-03		
Silica, Crystalline	7631-86-9	Yes	1.72	9.0E-03	8.8E-03	2.4E-04					2.4E-04	1.2E-04	1.2E-04		
Sulfuric Acid	7664-93-9	Yes													
ORGANIC COMPOUNDS			_												
Acetaldehyde	75-07-0	Yes													
Acetone	67-64-1	Yes													
Acrolein	107-02-8	Yes													
Benzene	71-43-2	Yes													
1,3-Butadiene	106-99-0	Yes													
Cyclohexane	110-82-7	Yes													
Ethylbenzene Chloroothano	100-41-4 75-00-3	Yes Yes													
Chloroethane Formaldehyde	75-00-3 50-00-0	Yes													
Hexane	110-54-3	Yes													
Chloromethane	74-87-3	Yes													
2-Butanone	78-93-3	Yes													
Methyl isobutyl ketone	108-10-1	Yes													
1,2,4-Trimethylbenzene	95-63-6	Yes													
Toluene	108-88-3	Yes													
Xylenes (mixed isomers)	1330-20-7	Yes													
o-Xylene	95-47-6	Yes													
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)															
PAHs	401	Yes													
Benzo[a]pyrene	50-32-8	Yes													
Naphthalene	91-20-3	Yes													
Diesel Particulate Matter (DPM)	1		1	1		ı	ı			ı	ı				
DPM	200	Yes													
Total TAC Emission E	stimate		2.74	0.014	0.014	3.8E-04	3.27	0.017	0.011	6.0E-03	0.012	5.8E-03	5.8E-03		

Notes

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling. GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter.

 $^{(a)}$ Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)

(b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	96,000
Rotary Coarse	
Flameblown	16,000
Total	112,000

(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr]) **Glass Plant** Fiber Production (tons/yr) GP1 19,359 GP2 10,468

Total 29,827 (g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

> Transport, storage, mixing PM emission factor (lb/ton) = (3) 0.037 Furnace bin PM emission factor (lb/ton) = 0.001 (3) 0.038 Total RMH PM emission factor (lb/ton) = (3)

References

 $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

⁽²⁾ Emission estimates equally apportioned among the defined model source representations.

 $^{(3)}$ Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.

(4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 25 of 175



Table 3-3 Daily TAC Emission Rates—Significant TEUs **Production Scenario 1 (all Rotary Fine)** Hollingsworth & Vose Fiber Company—Corvallis, OR

					Daily Emission Estimates									
TAC	CAS/ODEQ	RBC?	Raw Ma Handlin		Production				g Towers on Line 3		Production	on Line 4		
IAC	Sequence ID	(Yes/No)	Specific	_	and		Tot		Fan A	Fan R	Fan B Total			
			(lb/day) ⁽¹⁾	(g/s) (b)				1		(g/s) (c)	(lb/day) (1)			
TEU ID			RMH_	OFF	CT1	_2	СТ	3			СТ	4		
Model ID				ВНВН		CT1_2			СТЗА	СТЗВ		CT4		
Production Fraction														
Apportioning Fraction				•				•	0.50 (2)	0.50 (2)				
METALS	Т		_		ı		1	_	1		1			
Aluminum	7429-90-5	Yes	4.6E-04	2.4E-06										
Antimony	7440-36-0	Yes												
Arsenic Barium	7440-38-2 7440-39-3	Yes No	1.2E-04	6.2E-07										
Cadmium	7440-39-3	Yes	7.6E-09	4.0E-11										
Chromium (total)	7440-47-3	No	7.0L-09	4.0L-11										
Chromium VI	18540-29-9	Yes												
Cobalt	7440-48-4	Yes												
Copper	7440-50-8	Yes												
Lead	7439-92-1	Yes	7.6E-08	4.0E-10										
Manganese	7439-96-5	Yes												
Mercury	7439-97-6	Yes												
Molybdenum trioxide	1313-27-5	No												
Nickel	7440-02-0	Yes												
Phosphorus	504	No												
Selenium	7782-49-2	Yes												
Vanadium	7440-62-2	Yes												
Zinc	7440-66-6	No	7.45.05	2.05.07										
Zinc Oxide INORGANIC COMPOUNDS	1314-13-2	No	7.4E-05	3.9E-07										
Ammonia	7664-41-7	Yes												
Carbon disulfide	75-15-0	Yes												
Fluorides	239	Yes	3.3E-05	1.7E-07										
Hydrogen Fluoride	7664-39-3	Yes												
Hydrochloric Acid	7647-01-0	Yes												
Phosphoric Acid	7664-38-2	Yes			3.9E-03	2.0E-05	4.3E-03	2.3E-05	1.1E-05	1.1E-05	3.5E-03	1.8E-05		
Glasswool Fibers	352	No												
Silica, Crystalline	7631-86-9	Yes	1.1E-03	6.0E-06										
Sulfuric Acid	7664-93-9	Yes			3.9E-03	2.0E-05	4.3E-03	2.3E-05	1.1E-05	1.1E-05	3.5E-03	1.8E-05		
ORGANIC COMPOUNDS				•	ı	,	1		1	T	1			
Acetaldehyde	75-07-0	Yes												
Acetone	67-64-1	Yes												
Acrolein	107-02-8	Yes												
Benzene 1,3-Butadiene	71-43-2 106-99-0	Yes Yes												
Cyclohexane	110-82-7	Yes												
Ethylbenzene	100-41-4	Yes												
Chloroethane	75-00-3	Yes												
Formaldehyde	50-00-0	Yes												
Hexane	110-54-3	Yes												
Chloromethane	74-87-3	Yes												
2-Butanone	78-93-3	Yes												
Methyl isobutyl ketone	108-10-1	Yes												
1,2,4-Trimethylbenzene	95-63-6	Yes												
Toluene	108-88-3	Yes												
Xylenes (mixed isomers)	1330-20-7	Yes												
o-Xylene	95-47-6	Yes												
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)	101	V				1	1	1	ı		1	Т		
PAHs Representations	401 50.33.8	Yes												
Benzo[a]pyrene Naphthalene	50-32-8 91-20-3	Yes Yes												
Diesel Particulate Matter (DPM)	71-20-3	1 62												
DPM	200	Yes												
Total TAC Emission	.		1.8E-03	9.6E-06		4.1E-05	.		2.3E-05	2.3E-05	6.9E-03	3.6E-05		
Notes														

Notes

g = gram. RBC = risk-based concentration. RMH = raw material handling. GP1 = Glass Plant 1. GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter.

(a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)

(b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr]) Fiber Type Natural Gas Usage (scf/hr) Rotary Fine 96,000 Rotary Coarse Flameblown 16,000

Total 112,000 (f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr]) Glass Plant Fiber Production (tons/yr) GP1 19,359 GP2 10,468

Total 29,827 (g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = (3) 0.037 Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

(1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

⁽²⁾ Emission estimates equally apportioned among the defined model source representations.

(3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.

(4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 26 of 175



Table 3-3
Daily TAC Emission Rates—Significant TEUs
Production Scenario 1 (all Rotary Fine)
Hollingsworth & Vose Fiber Company—Corvallis, OR

				Daily Emission Estimates Emergency Generators							
	CAS/ODEQ	RBC?		Shipping and Receiving - Paint						Daily ssion	
TAC	Sequence ID	(Yes/No)	Receiving	_	Line		Line		Estin	Estimates	
			(1) (1) \((1)	(1) (() (b)		Total		Total (lb/day) (1) (g/s) (b)		(11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
			(lb/day) (1)						(lb/day)	(g/s)	
TEU ID			PAINT		EGE	N1	EGE	N2	-	-	
Model ID				PAINT		EGEN1		EGEN2		· -	
Production Fraction Apportioning Fraction						·				·- ·-	
METALS			_								
Aluminum	7429-90-5	Yes							0.68	3.6E-03	
Antimony	7440-36-0	Yes							1.0E-03	5.3E-06	
Arsenic	7440-38-2	Yes			7.5E-05	3.9E-07	5.3E-05	2.8E-07	1.3E-04	6.7E-07	
Barium	7440-39-3	No	0.070	3.7E-04	7.05.05	2.75.07		2 / 5 07	0.25	1.3E-03	
Cadmium Chromium (total)	7440-43-9 7440-47-3	Yes No			7.0E-05	3.7E-07	5.0E-05	2.6E-07	5.0E-04 6.6E-04	2.6E-06 3.4E-06	
Chromium VI	18540-29-9	Yes			4.7E-06	2.5E-08	3.3E-06	1.7E-08	6.6E-04	3.4E-06 3.5E-06	
Cobalt	7440-48-4	Yes	2.3E-03	1.2E-05	4.7L-00	2.3L-00	3.3L-00		2.3E-03	1.2E-05	
Copper	7440-50-8	Yes			1.9E-04	1.0E-06	1.4E-04	7.1E-07	0.013	7.1E-05	
Lead	7439-92-1	Yes			3.9E-04	2.0E-06	2.7E-04	1.4E-06	2.9E-03	1.5E-05	
Manganese	7439-96-5	Yes			1.5E-04	7.6E-07	1.0E-04	5.4E-07	2.7E-03	1.4E-05	
Mercury	7439-97-6	Yes			9.4E-05	4.9E-07	6.6E-05	3.5E-07	0.026	1.4E-04	
Molybdenum trioxide	1313-27-5	No							4.4E-03	2.3E-05	
Nickel	7440-02-0	Yes			1.8E-04	9.6E-07	1.3E-04	6.8E-07	2.0E-03	1.1E-05	
Phosphorus	504	No							0.026	1.4E-04	
Selenium	7782-49-2	Yes			1.0E-04	5.4E-07	7.3E-05	3.8E-07	1.8E-04	9.2E-07	
Vanadium	7440-62-2	Yes							6.2E-03	3.2E-05 2.1E-04	
Zinc Zinc Oxide	7440-66-6 1314-13-2	No No							0.040	5.9E-04	
INORGANIC COMPOUNDS	1314-13-2	NO							0.11	3.9E-04	
Ammonia	7664-41-7	Yes			0.037	2.0E-04	0.026	1.4E-04	8.66	0.045	
Carbon disulfide	75-15-0	Yes							2.5E-03	1.3E-05	
Fluorides	239	Yes							0.071	3.7E-04	
Hydrogen Fluoride	7664-39-3	Yes							0.81	4.2E-03	
Hydrochloric Acid	7647-01-0	Yes			8.7E-03	4.6E-05	6.1E-03	3.2E-05	0.015	7.8E-05	
Phosphoric Acid	7664-38-2	Yes							0.012	6.1E-05	
Glasswool Fibers	352	No							3.40	0.018	
Silica, Crystalline	7631-86-9	Yes							1.86	9.7E-03	
Sulfuric Acid	7664-93-9	Yes							0.012	6.1E-05	
ORGANIC COMPOUNDS Acetaldehyde	75-07-0	Yes			0.037	1.9E-04	0.026	1.4E-04	0.074	3.9E-04	
Acetone	67-64-1	Yes	1.08	5.7E-03	0.037	1.9E-04	0.020	1.4E-04	3.43	0.018	
Acrolein	107-02-8	Yes		3.7L=03	1.6E-03	8.3E-06	1.1E-03	5.9E-06	1.0E-02	5.2E-05	
Benzene	71-43-2	Yes			8.7E-03	4.6E-05	6.1E-03	3.2E-05	0.54	2.9E-03	
1,3-Butadiene	106-99-0	Yes			0.010	5.3E-05	7.2E-03	3.8E-05	0.055	2.9E-04	
Cyclohexane	110-82-7	Yes							0.014	7.5E-05	
Ethylbenzene	100-41-4	Yes	0.053	2.8E-04	5.1E-04	2.7E-06	3.6E-04	1.9E-06	0.066	3.4E-04	
Chloroethane	75-00-3	Yes							6.6E-03	3.5E-05	
Formaldehyde	50-00-0	Yes			0.081	4.2E-04	0.057	3.0E-04	18.0	0.095	
Hexane	110-54-3	Yes			1.3E-03	6.6E-06	8.9E-04	4.7E-06	2.44	0.013	
Chloromethane	74-87-3	Yes							0.17	8.9E-04	
2-Butanone Methyl isobutyl ketone	78-93-3 108-10-1	Yes Yes							0.074 0.011	3.9E-04 5.7E-05	
1,2,4-Trimethylbenzene	95-63-6	Yes Yes	0.042	2.2E-04					0.011	2.2E-04	
Toluene	108-88-3	Yes			4.9E-03	2.6E-05	3.5E-03	1.8E-05	0.042	4.0E-03	
Xylenes (mixed isomers)	1330-20-7	Yes	0.19	9.8E-04	2.0E-03	1.0E-05	1.4E-03	7.3E-06	0.22	1.1E-03	
o-Xylene	95-47-6	Yes							0	0	
POLYCYCLIC AROMATIC HYDROCARBONS											
PAHs	401	Yes			1.7E-03	8.9E-06	1.2E-03	6.3E-06	3.2E-03	1.7E-05	
Benzo[a]pyrene	50-32-8	Yes			1.7E-06	8.8E-09	1.2E-06	6.2E-09	6.1E-06	3.2E-08	
Naphthalene	91-20-3	Yes			9.2E-04	4.8E-06	6.5E-04	3.4E-06	2.4E-03	1.2E-05	
Diesel Particulate Matter (DPM)				_				1		1	
DPM	200	Yes			1.57	8.2E-03	1.11	5.8E-03	2.67	0.014	
Total TAC Em	ission Estimate		1.43	7.5E-03	1.76	9.3E-03	1.24	6.5E-03	44.6	0.23	

Notes

 $g = gram. \\ GP1 = Glass \ Plant \ 1. \\ GP2 = Glass \ Plant \ 2. \\ RMH = raw \ material \ handling. \\ s = second.$

hr = hour. TAC = toxic air contaminant.

Ib= pound. TEU = toxic emission unit.

PM = particulate matter.

(a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)

(b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs) x (hr/3 600 s)

x (hr/3,600 s)Emission rate (q/s) = (total e

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

	Fiber Type	Natural Gas Usage (scf/hr)						
	Rotary Fine	96,000						
	Rotary Coarse							
	Flameblown	16,000						
	Total	112,000						
(f)	Production fraction = (glass plant fiber production [t	ons/yr]) / (total fiber production [tons	s/yr])					

Glass Plant Fiber Production (tons/yr)

GP1 19,359

GP2 10,468

Total 29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton])
See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = 0.037 (3) Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

- (1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- (2) Emission estimates equally apportioned among the defined model source representations.
- (3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
- (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

⁽⁵⁾ Sum of Furnace Bin and Baling emission estimates.



Table 3-4

Daily TAC Emission Rates—Significant TEUs **Production Scenario 2 (all Rotary Coarse)**

Hollingsworth & Vose Fiber Company—Corvallis, OR

			Daily Emission Estimates										
			Glass Plant Rotary Coarse										
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	(Excluding Forehearth) Natural Gas Combustion	Fiber Production	Agent	Natural Gas Combustion	lo	tal	L3R3/R4	L3R5/R6	L1R3/R4	L1R7/R8	L1R1/R2
			(lb/day) ⁽¹⁾	(lb/day) (1)	(lb/day) ⁽¹⁾	(lb/day) ^(a)	(lb/day)	(g/s) (b)	(g/s) (c)				
TEU ID			NG_GP	RC	CFU_RC			. -					
Model ID								· -	CFU101	CFU102	CFU103	CFU104	CFU105
Production Fraction						0.857 ^(e)		· -					
Apportioning Fraction								· -	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)
METALS	_		_	_	1	_		T	1	•	•	1	_
Aluminum	7429-90-5	Yes											
Antimony	7440-36-0	Yes											
Arsenic	7440-38-2	Yes											
Barium	7440-39-3	No		2.6E-03			2.6E-03	1.4E-05	9.2E-07	9.2E-07	9.2E-07	9.2E-07	9.2E-07
Claracium	7440-43-9	Yes		2.7E-03			2.7E-03	1.4E-05	9.6E-07	9.6E-07	9.6E-07	9.6E-07	9.6E-07
Chromium (total)	7440-47-3	No		2.5E-03			2.5E-03	1.3E-05	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07
Chromium VI	18540-29-9	Yes		2.5E-03			2.5E-03	1.3E-05	8.9E-07	8.9E-07	8.9E-07	8.9E-07	8.9E-07
Copper	7440-48-4	Yes		0.015			0.015	7 OF OF	5.3E-06	5.3E-06	5 2E 06	5 2E 06	5 2E 06
Copper	7440-50-8	Yes Yes		0.015 0.024			0.015	7.9E-05		5.3E-06 8.4E-06	5.3E-06 8.4E-06	5.3E-06 8.4E-06	5.3E-06
Lead Manganese	7439-92-1 7439-96-5	Yes		2.3E-03			2.3E-03	1.3E-04 1.2E-05	8.4E-06 8.1E-07	8.4E-06 8.1E-07	8.4E-06 8.1E-07	8.4E-06 8.1E-07	8.4E-06 8.1E-07
Mercury		Yes		1.5E-04			1.5E-04	8.0E-07	5.3E-08	5.3E-08	5.3E-08	5.3E-08	5.3E-08
Molybdenum trioxide	7439-97-6 1313-27-5	No	 4.4E-03	1.5E-U4 		3.8E-03	3.8E-03	2.0E-05	1.3E-06	1.3E-06	1.3E-06	1.3E-06	1.3E-06
Nickel	7440-02-0	Yes		5.8E-03		3.0L-03	5.8E-03	3.0E-05	2.0E-06	2.0E-06	2.0E-06	2.0E-06	2.0E-06
Phosphorus	504	No		0.069			0.069	3.6E-04	2.4E-05	2.4E-05	2.4E-05	2.4E-05	2.4E-05
Selenium	7782-49-2	Yes											
Vanadium	7440-62-2	Yes	6.2E-03			5.3E-03	5.3E-03	2.8E-05	1.9E-06	1.9E-06	1.9E-06	1.9E-06	1.9E-06
Zinc	7440-66-6	No		0.043			0.043	2.3E-04	1.5E-05	1.5E-05	1.5E-05	1.5E-05	1.5E-05
Zinc Oxide	1314-13-2	No											
INORGANIC COMPOUNDS	1314 13 2	110				•							
Ammonia	7664-41-7	Yes	8.59			7.36	7.36	0.039	2.6E-03	2.6E-03	2.6E-03	2.6E-03	2.6E-03
Carbon disulfide	75-15-0	Yes											
Fluorides	239	Yes		0.49			0.49	2.6E-03	1.7E-04	1.7E-04	1.7E-04	1.7E-04	1.7E-04
Hydrogen Fluoride	7664-39-3	Yes		0.057			0.057	3.0E-04	2.0E-05	2.0E-05	2.0E-05	2.0E-05	2.0E-05
Hydrochloric Acid	7647-01-0	Yes											
Phosphoric Acid	7664-38-2	Yes											
Glasswool Fibers	352	No		0.14			0.14	7.5E-04	5.0E-05	5.0E-05	5.0E-05	5.0E-05	5.0E-05
Silica, Crystalline	7631-86-9	Yes			0.14		0.14	7.4E-04	5.0E-05	5.0E-05	5.0E-05	5.0E-05	5.0E-05
Sulfuric Acid	7664-93-9	Yes											
ORGANIC COMPOUNDS													
Acetaldehyde	75-07-0	Yes	0.012			9.9E-03	9.9E-03	5.2E-05	3.5E-06	3.5E-06	3.5E-06	3.5E-06	3.5E-06
Acetone	67-64-1	Yes		0.99			0.99	5.2E-03	3.5E-04	3.5E-04	3.5E-04	3.5E-04	3.5E-04
Acrolein	107-02-8	Yes	7.2E-03			6.2E-03	6.2E-03	3.3E-05	2.2E-06	2.2E-06	2.2E-06	2.2E-06	2.2E-06
Benzene	71-43-2	Yes		0.088			0.088	4.6E-04	3.1E-05	3.1E-05	3.1E-05	3.1E-05	3.1E-05
1,3-Butadiene	106-99-0	Yes											
Cyclohexane	110-82-7	Yes											
Ethylbenzene	100-41-4	Yes		0.070			0.070	3.7E-04	2.5E-05	2.5E-05	2.5E-05	2.5E-05	2.5E-05
Chloroethane	75-00-3	Yes							1.05.00	1.05.00	1.05.00	1.05.00	1.05.00
Formaldehyde	50-00-0	Yes		5.17			5.17	0.027	1.8E-03	1.8E-03	1.8E-03	1.8E-03	1.8E-03
Hexane	110-54-3	Yes		0.16			0.16	8.4E-04	5.6E-05	5.6E-05	5.6E-05	5.6E-05	5.6E-05
Chloromethane	74-87-3 78-93-3	Yes Yes		0.045			0.045	2.4E-04	 1.6E-05	1 4E 0E	1.6E-05	1 AE OE	1 6E 0E
2-Butanone Methyl isobutyl ketone	78-93-3 108-10-1	Yes Yes		0.045			0.045			1.6E-05		1.6E-05	1.6E-05
1,2,4-Trimethylbenzene	95-63-6	Yes Yes											
Toluene	108-88-3	Yes		0.41			0.41	2.1E-03	1.4E-04	1.4E-04	1.4E-04	1.4E-04	1.4E-04
Xylenes (mixed isomers)	1330-20-7	Yes		0.41			0.41	8.8E-04	5.9E-05	5.9E-05	5.9E-05	5.9E-05	5.9E-05
o-Xylene	95-47-6	Yes		0.17			0.17	4.2E-04	2.8E-05	2.8E-05	2.8E-05	2.8E-05	2.8E-05
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)	75-47-0	1 63	<u> </u>	0.017			0.079	7.26-04	2.0L-00	2.0L-00	2.02-00	2.0L-00	2.01-00
PAHs	401	Yes	2.7E-04			2.3E-04	2.3E-04	1.2E-06	8.1E-08	8.1E-08	8.1E-08	8.1E-08	8.1E-08
Benzo[a]pyrene	50-32-8	Yes	3.2E-06			2.8E-06	2.8E-06	1.4E-08	9.7E-10	9.7E-10	9.7E-10	9.7E-10	9.7E-10
Naphthalene	91-20-3	Yes	8.1E-04			6.9E-04	6.9E-04		2.4E-07	2.4E-07	2.4E-07	2.4E-07	2.4E-07
Diesel Particulate Matter (DPM)							1 = 01						
DPM	200	Yes											
Total TAC Emission I	Estimate		8.62	8.04	0.14	7.39	15.6	0.082	5.5E-03	5.5E-03	5.5E-03	5.5E-03	5.5E-03
					_		_		_			_	

Notes

g = gram. RBC = risk-based concentration. RMH = raw material handling. GP1 = Glass Plant 1.

GP2 = Glass Plant 2. s = second.

TAC = toxic air contaminant. hr = hour. lb= pound. TEU = toxic emission unit.

PM = particulate matter. $^{(a)}$ Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)

(b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr])

Flameblown

GP2

Total

/ (total fiberizer natural gas usage [scf/hr]) Fiber Type Natural Gas Usage (scf/hr) Rotary Fine 96,000 Rotary Coarse

	Total	112,000	
(f)	Production fraction = (glass plant fiber production [t	ons/yr]) / (total fiber production [ton:	s/yr])
	Glass Plant	Fiber Production (tons/yr)	
	GP1	19,359	

16,000

10,468

29,827

0.038

(3)

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton])

See Reference 4. Transport, storage, mixing PM emission factor (lb/ton) = (3) 0.037 Furnace bin PM emission factor (lb/ton) = 0.001 (3)

Total RMH PM emission factor (lb/ton) =

References

 $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

 $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.

 $^{(3)}$ Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.

 $^{(4)}$ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 28 of 175



Table 3-4 Daily TAC Emission Rates—Significant TEUs Production Scenario 2 (all Rotary Coarse) Hollingsworth & Vose Fiber Company—Corvallis, OR

						<u> </u>	aily Emissio	on Estimate	es			
							Rotary	Coarse				
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	L1R9/L10	L1R11/R12	L1R5/L6	L2R7/R8	L2R2/R3	L2R5/R6	L2R4/R9	L4R5/R10	L4R6/R7	L4R8/R9
			(g/s) (c)									
TEU ID												
Model ID			CFU106	CFU107	CFU108	CFU109	CFU110	CFU111	CFU112	CFU116	CFU117	CFU118
Production Fraction												
Apportioning Fraction			0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)	0.067 (2)
METALS				!			!		!			
Aluminum	7429-90-5	Yes										
Antimony	7440-36-0	Yes										
Arsenic	7440-38-2	Yes										
Barium	7440-39-3	No	9.2E-07									
Cadmium	7440-43-9	Yes	9.6E-07									
Chromium (total)	7440-47-3	No	8.9E-07									
Chromium VI	18540-29-9	Yes	8.9E-07									
Copper	7440-48-4	Yes	 E 2E 04	 E 2E 24	 E 2E 04	 E 2E 04						
Copper Lead	7440-50-8 7439-92-1	Yes Yes	5.3E-06 8.4E-06									
Manganese	7439-92-1 7439-96-5	Yes	8.4E-06 8.1E-07									
Mercury	7439-97-6	Yes	5.3E-08									
Molybdenum trioxide	1313-27-5	No	1.3E-06									
Nickel	7440-02-0	Yes	2.0E-06									
Phosphorus	504	No	2.4E-05									
Selenium	7782-49-2	Yes										
Vanadium	7440-62-2	Yes	1.9E-06									
Zinc	7440-66-6	No	1.5E-05									
Zinc Oxide	1314-13-2	No										
INORGANIC COMPOUNDS												
Ammonia	7664-41-7	Yes	2.6E-03									
Carbon disulfide	75-15-0	Yes										
Fluorides	239	Yes	1.7E-04									
Hydrogen Fluoride	7664-39-3	Yes	2.0E-05									
Hydrochloric Acid	7647-01-0	Yes										
Phosphoric Acid	7664-38-2	Yes									5.0E-05	
Glasswool Fibers Silica, Crystalline	352 7631-86-9	No Yes	5.0E-05 5.0E-05									
Sulfuric Acid	7664-93-9	Yes	5.UE-U5	5.UE-U5	5.UE-U5	5.0E-05	5.0E-05	5.UE-U5	5.UE-U5	5.UE-U5	5.UE-U5	5.UE-U5
ORGANIC COMPOUNDS	7004-73-7	103										
Acetaldehyde	75-07-0	Yes	3.5E-06									
Acetone	67-64-1	Yes	3.5E-04									
Acrolein	107-02-8	Yes	2.2E-06									
Benzene	71-43-2	Yes	3.1E-05									
1,3-Butadiene	106-99-0	Yes										
Cyclohexane	110-82-7	Yes										
Ethylbenzene	100-41-4	Yes	2.5E-05									
Chloroethane	75-00-3	Yes										
Formaldehyde	50-00-0	Yes	1.8E-03									
Hexane	110-54-3	Yes	5.6E-05									
Chloromethane	74-87-3	Yes	1 AE OS	1 6E 05	1 6E 05	1 6E 05	1 6E 05	1 AE OE	1 6E 05	1 6E 05	 1.6E-05	 1.6E-05
2-Butanone Methyl isobutyl ketone	78-93-3 108-10-1	Yes Yes	1.6E-05		1.6E-05							
1,2,4-Trimethylbenzene	95-63-6	Yes Yes										
Toluene	108-88-3	Yes	1.4E-04									
Xylenes (mixed isomers)	1330-20-7	Yes	5.9E-05									
o-Xylene	95-47-6	Yes	2.8E-05									
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)										30		
PAHs	401	Yes	8.1E-08									
Benzo[a]pyrene	50-32-8	Yes	9.7E-10									
Naphthalene	91-20-3	Yes	2.4E-07									
Diesel Particulate Matter (DPM)												
DPM	200	Yes										
Total TAC Emission E	stimate		5.5E-03									
Notes												

Notes

g = gram. RBC = risk-based concentration. RMH = raw material handling. GP1 = Glass Plant 1. GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter.

- (a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)
- (b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)
- (c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)
- (e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

	Fiber Type	Natural Gas Usage (scf/hr)						
	Rotary Fine							
	Rotary Coarse	96,000						
	Flameblown	16,000						
	Total 112,000							
(f)	Production fraction = (glass plant fiber production [t	ons/yr]) / (total fiber production [tons	s/yr])					

Glass Plant	Fiber Production (tons/yr)					
GP1	19,359					
GP2	10,468					
Total	29,827					

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = (3) Furnace bin PM emission factor (lb/ton) = 0.001 (3)

Total RMH PM emission factor (lb/ton) =

0.038

(3)

References

- $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- (2) Emission estimates equally apportioned among the defined model source representations.
- $^{(3)}$ Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
- (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).
- $^{\rm (5)}$ Sum of Furnace Bin and Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 29 of 175



Table 3-4 Daily TAC Emission Rates—Significant TEUs Production Scenario 2 (all Rotary Coarse) Hollingsworth & Vose Fiber Company—Corvallis, OR

			Daily Emission Estimates										
					Flan	neblown					Glass N	/lelt	
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	Fiber Production	CFU Bulking Agent	Natural Gas Combustion	То		L4F1/F2		Fiber Production	Agent	To	tal
			(lb/day) ⁽¹⁾	(lb/day) (1)	(lb/day) ^(a)	(lb/day)	(g/s) (b)	(g/s) (c)	(g/s) (c)	(lb/day) ⁽¹⁾	(lb/day) ⁽¹⁾	(lb/day)	(g/s) (b)
TEU ID			FB	CFU_FB		-	-			GM	CFU_GM	-	-
Model ID				-		_	-	CFU114	CFU115				CFU113
Production Fraction					0.143 ^(e)	-	-					-	-
Apportioning Fraction						-	-	0.50 (2)	0.50 (2)			-	-
METALS Aluminum	7429-90-5	Yes											
Antimony	7429-90-3	Yes	7.0E-04			7.0E-04	3.7E-06	1.8E-06	1.8E-06	2.3E-04		2.3E-04	1.2E-06
Arsenic	7440-38-2	Yes	7.0L 04 										
Barium	7440-39-3	No	4.7E-04			4.7E-04	2.4E-06	1.2E-06	1.2E-06	1.6E-04		1.6E-04	8.4E-07
Cadmium	7440-43-9	Yes	1.3E-04			1.3E-04	6.8E-07	3.4E-07	3.4E-07	1.9E-04		1.9E-04	1.0E-06
Chromium (total)	7440-47-3	No	1.5E-04			1.5E-04	7.9E-07	3.9E-07	3.9E-07	8.2E-05		8.2E-05	4.3E-07
Chromium VI	18540-29-9	Yes	1.5E-04			1.5E-04	7.9E-07	3.9E-07	3.9E-07	8.2E-05		8.2E-05	4.3E-07
Cobalt	7440-48-4	Yes								3.5E-05		3.5E-05	1.8E-07
Copper	7440-50-8	Yes	2.1E-03			2.1E-03	1.1E-05	5.6E-06	5.6E-06	1.3E-03		1.3E-03	6.6E-06
Lead	7439-92-1	Yes								1.7E-03		1.7E-03	9.0E-06
Manganese	7439-96-5	Yes	4.9E-04			4.9E-04	2.6E-06	1.3E-06	1.3E-06	4.6E-05		4.6E-05	2.4E-07
Mercury	7439-97-6	Yes	2.4E-05			2.4E-05	1.3E-07	6.4E-08	6.4E-08	0.023		0.023	1.2E-04
Molybdenum trioxide	1313-27-5	No			6.3E-04	6.3E-04	3.3E-06	1.7E-06	1.7E-06				
Nickel	7440-02-0	Yes	8.1E-04			8.1E-04	4.2E-06	2.1E-06	2.1E-06	 E OE O2		 E OE O2	 2.4E.0E
Phosphorus Selenium	504	No Yes	4.0E-03			4.0E-03	2.1E-05	1.0E-05	1.0E-05	5.0E-03		5.0E-03	2.6E-05
Vanadium	7782-49-2 7440-62-2	Yes			 8.8E-04	8.8E-04	4.6E-06	2.3E-06	2.3E-06				
Zinc	7440-62-2	No	0.013			0.013	6.8E-05	3.4E-05	3.4E-05	2.6E-03		2.6E-03	1.4E-05
Zinc Oxide	1314-13-2	No								2.0L-03			
INORGANIC COMPOUNDS	1314 13 2	110			ı	l							
Ammonia	7664-41-7	Yes			1.23	1.23	6.4E-03	3.2E-03	3.2E-03				
Carbon disulfide	75-15-0	Yes								2.5E-03		2.5E-03	1.3E-05
Fluorides	239	Yes	7.8E-03			7.8E-03	4.1E-05	2.0E-05	2.0E-05	8.9E-03		8.9E-03	4.7E-05
Hydrogen Fluoride	7664-39-3	Yes	0.10			0.10	5.5E-04	2.7E-04	2.7E-04	1.3E-03		1.3E-03	6.8E-06
Hydrochloric Acid	7647-01-0	Yes											
Phosphoric Acid	7664-38-2	Yes											
Glasswool Fibers	352	No	0.022			0.022	1.2E-04	5.9E-05	5.9E-05				
Silica, Crystalline	7631-86-9	Yes		0.022		0.022	1.2E-04	5.8E-05	5.8E-05		2.2E-03	2.2E-03	1.2E-05
Sulfuric Acid	7664-93-9	Yes											
ORGANIC COMPOUNDS	75 07 0	Vaa			1 / 5 00	1 (5 02	0.75.07	4.25.07	4.25.07	I		I	
Acetaldehyde Acetone	75-07-0 67-64-1	Yes Yes	0.93		1.6E-03	1.6E-03 0.93	8.7E-06 4.9E-03	4.3E-06 2.4E-03	4.3E-06 2.4E-03	0.36		0.36	 1.9E-03
Acrolein	107-02-8	Yes	0.93		1.0E-03	1.0E-03	5.4E-06	2.4E-03 2.7E-06	2.4E-03 2.7E-06	0.30			1.9E-U3
Benzene	71-43-2	Yes	0.23			0.23	1.2E-03	6.1E-04	6.1E-04	0.085		0.085	4.5E-04
1,3-Butadiene	106-99-0	Yes								0.038		0.038	2.0E-04
Cyclohexane	110-82-7	Yes	0.014			0.014	7.5E-05	3.8E-05	3.8E-05				
Ethylbenzene	100-41-4	Yes	0.012			0.012	6.4E-05	3.2E-05	3.2E-05				
Chloroethane	75-00-3	Yes	6.6E-03			6.6E-03	3.5E-05	1.7E-05	1.7E-05				
Formaldehyde	50-00-0	Yes	1.00			1.00	5.3E-03	2.6E-03	2.6E-03	0.19		0.19	9.9E-04
Hexane	110-54-3	Yes	1.35			1.35	7.1E-03	3.5E-03	3.5E-03	0.051		0.051	2.7E-04
Chloromethane	74-87-3	Yes	0.088			0.088	4.6E-04	2.3E-04	2.3E-04				
2-Butanone	78-93-3	Yes	0.030			0.030	1.6E-04	7.8E-05	7.8E-05	4.7E-03		4.7E-03	2.5E-05
Methyl isobutyl ketone	108-10-1	Yes	0.011			0.011	5.7E-05	2.8E-05	2.8E-05				
1,2,4-Trimethylbenzene	95-63-6	Yes											
Toluene (value d'Ingrana)	108-88-3	Yes	0.24			0.24	1.2E-03	6.2E-04	6.2E-04	0.021		0.021	1.1E-04
Xylenes (mixed isomers)	1330-20-7	Yes	0.025			0.025	1.3E-04	6.6E-05	6.6E-05				
O-Xylene	95-47-6	Yes											
POLYCYCLIC AROMATIC HYDROCARBONS (PAH) PAHs	401	Yes			3.8E-05	3.8E-05	2.0E-07	1.0E-07	1.0E-07				
Benzo[a]pyrene	50-32-8	Yes			4.6E-07	4.6E-07	2.4E-09	1.0E-07 1.2E-09	1.0E-07 1.2E-09				
Naphthalene	91-20-3	Yes			1.2E-04	1.2E-04	6.0E-07	3.0E-07	3.0E-07				
Diesel Particulate Matter (DPM)	71 20-0	1 03		· -	1.26-04	1.26-04	J.JL-07	J.UL-U/	J.UL-U/		!	·	
DPM	200	Yes											
Total TAC Emission E			4.10	0.022	1.23	5.35	0.028	0.014	0.014	0.79	2.2E-03	0.79	4.2E-03
Notes			•		•	•	-	-	-		•	•	

Notes

g = gram. RBC = risk-based concentration.

RMH = raw material handling. GP1 = Glass Plant 1. GP2 = Glass Plant 2. s = second.

TAC = toxic air contaminant. hr = hour. lb= pound. TEU = toxic emission unit.

PM = particulate matter.

(a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)

(b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	
Rotary Coarse	96,000
Flameblown	16,000
Total	112,000

(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])

Glass Plant	Fiber Production (tons/yr)
GP1	19,359
GP2	10,468
Total	29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

> Transport, storage, mixing PM emission factor (lb/ton) = (3) 0.037 Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038

References

(1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

⁽²⁾ Emission estimates equally apportioned among the defined model source representations.

(3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.

 $^{(4)}$ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 30 of 175



Table 3-4 Daily TAC Emission Rates—Significant TEUs Production Scenario 2 (all Rotary Coarse) Hollingsworth & Vose Fiber Company—Corvallis, OR

					[Daily Emissi	ion Estimate	es				
		I	CFU Super Sack Filling Rotary Fine									
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)										
		(100/110)	Tot	T	CFU101	CFU102	CFU105	CFU116	CFU117	CFU118		
			(lb/day) (1)	(g/s) (b)	(g/s) (c)	(g/s) (c)	(g/s) ^(c)	(g/s) ^(c)	(g/s) (c)	(g/s) (c)		
TEU ID			SSF_	_RF								
Model ID					SSF01	SSF02	SSF05	SSF16	SSF17	SSF18		
Production Fraction				•								
Apportioning Fraction					0.167 (2)	0.167 (2)	0.167 (2)	0.167 (2)	0.167 (2)	0.167 (2)		
METALS Aluminum	7429-90-5	Yes			T		T			T		
Antimony	7440-36-0	Yes										
Arsenic	7440-38-2	Yes										
Barium	7440-39-3	No	3.5E-06	1.8E-08	3.0E-09	3.0E-09	3.0E-09	3.0E-09	3.0E-09	3.0E-09		
Cadmium	7440-43-9	Yes										
Chromium (total)	7440-47-3	No	1.2E-06	6.3E-09	1.1E-09	1.1E-09	1.1E-09	1.1E-09	1.1E-09	1.1E-09		
Chromium VI	18540-29-9	Yes	1.2E-06	6.3E-09	1.1E-09	1.1E-09	1.1E-09	1.1E-09	1.1E-09	1.1E-09		
Cobalt	7440-48-4	Yes	2.05.05	1.55.07								
Copper	7440-50-8	Yes	2.9E-05	1.5E-07	2.5E-08	2.5E-08	2.5E-08	2.5E-08	2.5E-08	2.5E-08		
Lead Manganese	7439-92-1 7439-96-5	Yes Yes	5.8E-06	3.0E-08	5.0E-09	5.0E-09	5.0E-09	5.0E-09	5.0E-09	5.0E-09		
Manganese Mercury	7439-96-5	Yes	3.0E-07	1.6E-09	2.6E-10	2.6E-10	2.6E-10	2.6E-10	2.6E-10	2.6E-10		
Molybdenum trioxide	1313-27-5	No res	3.UE-U7	1.0E-09 	2.0E-10 	2.0E-10 	2.0E-10 	2.0E-10	2.0E-10	2.0E-10 		
Nickel	7440-02-0	Yes	2.6E-06	1.3E-08	2.2E-09	2.2E-09	2.2E-09	2.2E-09	2.2E-09	2.2E-09		
Phosphorus	504	No	4.8E-05	2.5E-07	4.2E-08	4.2E-08	4.2E-08	4.2E-08	4.2E-08	4.2E-08		
Selenium	7782-49-2	Yes										
Vanadium	7440-62-2	Yes										
Zinc	7440-66-6	No	7.2E-05	3.8E-07	6.3E-08	6.3E-08	6.3E-08	6.3E-08	6.3E-08	6.3E-08		
Zinc Oxide	1314-13-2	No										
INORGANIC COMPOUNDS			_		•		•			•		
Ammonia	7664-41-7	Yes										
Carbon disulfide	75-15-0	Yes										
Fluorides	239 7664-39-3	Yes Yes										
Hydrogen Fluoride Hydrochloric Acid	+	Yes										
Phosphoric Acid	7647-01-0 7664-38-2	Yes										
Glasswool Fibers	352	No										
Silica, Crystalline	7631-86-9	Yes	9.5E-04	5.0E-06	8.3E-07	8.3E-07	8.3E-07	8.3E-07	8.3E-07	8.3E-07		
Sulfuric Acid	7664-93-9	Yes										
ORGANIC COMPOUNDS				•	•		•	•	•	•		
Acetaldehyde	75-07-0	Yes										
Acetone	67-64-1	Yes										
Acrolein	107-02-8	Yes										
Benzene	71-43-2	Yes										
1,3-Butadiene	106-99-0	Yes										
Cyclohexane	110-82-7	Yes										
Ethylbenzene Chloroethane	100-41-4 75-00-3	Yes Yes										
Formaldehyde	50-00-0	Yes										
Hexane	110-54-3	Yes										
Chloromethane	74-87-3	Yes										
2-Butanone	78-93-3	Yes										
Methyl isobutyl ketone	108-10-1	Yes										
1,2,4-Trimethylbenzene	95-63-6	Yes										
Toluene	108-88-3	Yes										
Xylenes (mixed isomers)	1330-20-7	Yes										
o-Xylene	95-47-6	Yes										
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)					<u> </u>	I	1	<u> </u>		1		
PAHs	401	Yes										
Benzo[a]pyrene	50-32-8	Yes										
Naphthalene	91-20-3	Yes										
Diesel Particulate Matter (DPM) DPM	200	Voc		1	1		I	1	1			
Total TAC Emission E	200	Yes	1 1F_03	5 8F-06	 0.7F_07	9.7F_07	9.7F_07	9.7E-07	9.7F_07	9.7F_07		
Notes Total TAC Emission E	sumate		1.1E-03	J.0E-00	7.1E-U1	7.7E-U/	7.7E-U/	7.7E-U/	7.7E-U/	7.7E-U/		

Notes

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling. GP2 = Glass Plant 2.

s = second.

hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter. (a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)

(b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr])

Total

/ (total fiberizer natural gas usage [scf/hr])							
Fiber Type	Natural Gas Usage (scf/hr)						
Rotary Fine							
Rotary Coarse	96,000						
Flameblown	16,000						
Total	112,000						

(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr]) Glass Plant Fiber Production (tons/yr) GP1 19,359 GP2 10,468

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = (3) 0.037 Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038 (3)

29,827

References

(1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

⁽²⁾ Emission estimates equally apportioned among the defined model source representations.

(3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.

 $^{(4)}$ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and Baling emission estimates.



Table 3-4

Daily TAC Emission Rates—Significant TEUs

Production Scenario 2 (all Rotary Coarse)

Hollingsworth & Vose Fiber Company—Corvallis, OR

								Emission Es					
							CFU S	Super Sack	Filling				
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)				F	Rotary Coa	rse/Ultra Ro	otary Coars	se			
			Tot		CFU103	CFU104	CFU106	CFU107	CFU108	CFU109	CFU110	CFU111	CFU112
			(lb/day) (1)	(g/s) (b)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)	(g/s) (c)
TEU ID			SSF_	RC									
Model ID					SSF03	SSF04	SSF06	SSF07	SSF08	SSF09	SSF10	SSF11	SSF12
Production Fraction													
Apportioning Fraction					0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)	0.111 (2)
METALS		.,	T	<u> </u>		1	Ī	I	ı	Т	T	1	1
Aluminum	7429-90-5	Yes	 2 (F OF	1.05.07	 0.1F.00	 0.1F.00	2.15.00	2.15.00	2.15.00	2.15.00	2.15.00	 2.1F.00	 2.1F.00
Antimony Arsenic	7440-36-0 7440-38-2	Yes Yes	3.6E-05	1.9E-07	2.1E-08	2.1E-08	2.1E-08	2.1E-08	2.1E-08	2.1E-08	2.1E-08	2.1E-08	2.1E-08
Barium	7440-38-2	No	2.2E-05	1.2E-07	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08
Cadmium	7440-43-9	Yes	2.3E-05	1.2E-07	1.4E-08	1.4E-08	1.4E-08	1.4E-08	1.4E-08	1.4E-08	1.4E-08	1.4E-08	1.4E-08
Chromium (total)	7440-47-3	No	2.2E-05	1.1E-07	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08
Chromium VI	18540-29-9	Yes	2.2E-05	1.1E-07	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08	1.3E-08
Cobalt	7440-48-4	Yes	9.5E-07	5.0E-09	5.5E-10	5.5E-10	5.5E-10	5.5E-10	5.5E-10	5.5E-10	5.5E-10	5.5E-10	5.5E-10
Copper	7440-50-8	Yes	1.3E-04	6.7E-07	7.5E-08	7.5E-08	7.5E-08	7.5E-08	7.5E-08	7.5E-08	7.5E-08	7.5E-08	7.5E-08
Lead	7439-92-1	Yes	2.1E-04	1.1E-06	1.2E-07	1.2E-07	1.2E-07	1.2E-07	1.2E-07	1.2E-07	1.2E-07	1.2E-07	1.2E-07
Manganese	7439-96-5	Yes	3.3E-05	1.7E-07	1.9E-08	1.9E-08	1.9E-08	1.9E-08	1.9E-08	1.9E-08	1.9E-08	1.9E-08	1.9E-08
Mercury	7439-97-6	Yes	2.5E-06	1.3E-08	1.4E-09	1.4E-09	1.4E-09	1.4E-09	1.4E-09	1.4E-09	1.4E-09	1.4E-09	1.4E-09
Molybdenum trioxide	1313-27-5	No	4.05.05										
Nickel	7440-02-0	Yes	4.9E-05	2.6E-07	2.9E-08	2.9E-08	2.9E-08	2.9E-08	2.9E-08	2.9E-08	2.9E-08	2.9E-08	2.9E-08
Phosphorus Selenium	504	No Yes	5.8E-04	3.1E-06	3.4E-07	3.4E-07	3.4E-07	3.4E-07	3.4E-07	3.4E-07	3.4E-07	3.4E-07	3.4E-07
Vanadium	7782-49-2 7440-62-2	Yes											
Zinc	7440-62-2	No	3.6E-04	1.9E-06	2.1E-07	2.1E-07	2.1E-07	2.1E-07	2.1E-07	2.1E-07	2.1E-07	2.1E-07	2.1E-07
Zinc Oxide	1314-13-2	No											
INORGANIC COMPOUNDS	1011102												
Ammonia	7664-41-7	Yes											
Carbon disulfide	75-15-0	Yes											
Fluorides	239	Yes	4.2E-03	2.2E-05	2.4E-06	2.4E-06	2.4E-06	2.4E-06	2.4E-06	2.4E-06	2.4E-06	2.4E-06	2.4E-06
Hydrogen Fluoride	7664-39-3	Yes											
Hydrochloric Acid	7647-01-0	Yes											
Phosphoric Acid	7664-38-2	Yes											
Glasswool Fibers	352	No											
Silica, Crystalline Sulfuric Acid	7631-86-9 7664-93-9	Yes	9.5E-04	5.0E-06	5.5E-07	5.5E-07	5.5E-07	5.5E-07	5.5E-07	5.5E-07	5.5E-07	5.5E-07	5.5E-07
ORGANIC COMPOUNDS	7004-93-9	Yes											
Acetaldehyde	75-07-0	Yes											
Acetone	67-64-1	Yes											
Acrolein	107-02-8	Yes											
Benzene	71-43-2	Yes											
1,3-Butadiene	106-99-0	Yes											
Cyclohexane	110-82-7	Yes											
Ethylbenzene	100-41-4	Yes											
Chloroethane	75-00-3	Yes											
Formaldehyde	50-00-0	Yes											
Hexane	110-54-3	Yes											
Chloromethane	74-87-3	Yes											
2-Butanone Methyl isobutyl ketone	78-93-3 108-10-1	Yes Yes											
1,2,4-Trimethylbenzene	95-63-6	Yes											
Toluene	108-88-3	Yes											
Xylenes (mixed isomers)	1330-20-7	Yes											
o-Xylene	95-47-6	Yes											
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)													
PAHs	401	Yes											
Benzo[a]pyrene	50-32-8	Yes											
Naphthalene	91-20-3	Yes											
Diesel Particulate Matter (DPM)			1	1			1	ı	ı	1			
DPM	200	Yes											
Total TAC Emission E	stimate		6.6E-03	3.5E-05	3.9E-06	3.9E-06	3.9E-06	3.9E-06	3.9E-06	3.9E-06	3.9E-06	3.9E-06	3.9E-06

Notes

RBC = risk-based concentration.

g = gram. GP1 = Glass Plant 1. RMH = raw material handling.

GP2 = Glass Plant 2. s = second.

hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter.

(a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)

(b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr])

Total

/ (total fiberizer natural gas usage [scf/hr]) Fiber Type Natural Gas Usage (scf/hr) Rotary Fine 96,000 Rotary Coarse Flameblown 16,000

Total 112,000 (f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr]) Glass Plant Fiber Production (tons/yr) GP1 19,359 GP2 10,468

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton])

See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = (3) Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038 (3)

29,827

References

 $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

 $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.

(3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.

 $^{(4)}$ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 32 of 175



Table 3-4 Daily TAC Emission Rates—Significant TEUs Production Scenario 2 (all Rotary Coarse) Hollingsworth & Vose Fiber Company—Corvallis, OR

			CFU Super Sack Filling						Bulking Agen			nt Silos	
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	Tot		eblown	OFU11F	Glass		Total		GP1 Silo (SILO1)	GP2 Silo (SILO2)	
			(lb/day) (1)		CFU114 CFU115 (g/s) (c) (g/s) (c)		CFU113 (lb/day) (g/s) (b)		(lb/day) ⁽¹⁾	(g/s) (b)	(g/s) (c)	(g/s) (c)	
TEU ID	l l		SSF_				SSF_GM				SILO1	SILO2	
Model ID					SSF14	SSF15		SSF13			SILO1	SILO2	
Production Fraction											31LO1	31LO2 	
Apportioning Fraction					0.50 (2)	0.50 (2)					0.50 (2)	0.50 (2)	
METALS												•	
Aluminum	7429-90-5	Yes											
Antimony	7440-36-0	Yes	1.1E-05	5.9E-08	3.0E-08	3.0E-08	2.8E-05	1.5E-07					
Arsenic	7440-38-2	Yes											
Barium	7440-39-3	No	7.5E-06	3.9E-08	2.0E-08	2.0E-08	2.0E-05	1.0E-07					
Cadmium	7440-43-9	Yes	2.1E-06	1.1E-08	5.4E-09	5.4E-09	2.4E-05	1.2E-07					
Chromium (total)	7440-47-3	No	2.4E-06	1.3E-08	6.3E-09	6.3E-09	1.0E-05	5.4E-08					
Chromium VI	18540-29-9	Yes	2.4E-06	1.3E-08	6.3E-09	6.3E-09	1.0E-05	5.4E-08 2.3E-08					
Copper	7440-48-4	Yes	3.4E-05	 1.8E-07	9.0E-08	9.0E-08	4.3E-06 1.5E-04	2.3E-08 8.1E-07					
Copper Lead	7440-50-8 7439-92-1	Yes Yes	3.4E-05	1.8E-07	9.0E-08	9.0E-08	2.1E-04	1.1E-06					
Manganese	7439-92-1	Yes	7.8E-06	4.1E-08	2.1E-08	2.1E-08	5.7E-04	3.0E-08					
Mercury	7439-90-3	Yes	3.9E-07	2.1E-09	1.0E-09	1.0E-09	2.9E-03	1.5E-05					
Molybdenum trioxide	1313-27-5	No											
Nickel	7440-02-0	Yes	1.3E-05	6.8E-08	3.4E-08	3.4E-08							
Phosphorus	504	No	6.4E-05	3.4E-07	1.7E-07	1.7E-07	6.2E-04	3.2E-06					
Selenium	7782-49-2	Yes											
Vanadium	7440-62-2	Yes											
Zinc	7440-66-6	No	2.1E-04	1.1E-06	5.4E-07	5.4E-07	3.3E-04	1.7E-06					
Zinc Oxide	1314-13-2	No											
INORGANIC COMPOUNDS			_										
Ammonia	7664-41-7	Yes											
Carbon disulfide	75-15-0	Yes	1.05.04		2.25.07	2.25.07	1.15.00						
Fluorides Hydrogen Fluoride	239 7664-39-3	Yes Yes	1.2E-04	6.6E-07	3.3E-07	3.3E-07	1.1E-03	5.8E-06					
Hydrochloric Acid	7647-01-0	Yes											
Phosphoric Acid	7664-38-2	Yes											
Glasswool Fibers	352	No											
Silica, Crystalline	7631-86-9	Yes	9.5E-04	5.0E-06	2.5E-06	2.5E-06	9.5E-04	5.0E-06	1.5E-04	8.0E-07	4.0E-07	4.0E-07	
Sulfuric Acid	7664-93-9	Yes											
ORGANIC COMPOUNDS	•		•								I.		
Acetaldehyde	75-07-0	Yes											
Acetone	67-64-1	Yes											
Acrolein	107-02-8	Yes											
Benzene	71-43-2	Yes											
1,3-Butadiene	106-99-0	Yes											
Cyclohexane	110-82-7	Yes											
Ethylbenzene	100-41-4	Yes											
Chloroethane	75-00-3 50.00.0	Yes											
Formaldehyde Hexane	50-00-0 110-54-3	Yes Yes											
Chloromethane	74-87-3	Yes											
2-Butanone	78-93-3	Yes											
Methyl isobutyl ketone	108-10-1	Yes											
1,2,4-Trimethylbenzene	95-63-6	Yes											
Toluene	108-88-3	Yes											
Xylenes (mixed isomers)	1330-20-7	Yes											
o-Xylene	95-47-6	Yes											
POLYCYCLIC AROMATIC HYDROCARBONS (PAR													
PAHs	401	Yes											
Benzo[a]pyrene	50-32-8	Yes											
Naphthalene	91-20-3	Yes											
Diesel Particulate Matter (DPM)	000			1	1	1		1	<u> </u>				
DPM Total TAC Emission	200	Yes	1 45 02	7 FF 04	2.7E.04	2.7E.04	 4 2E 02	2 2E 0E	1 55 04	 0.0E.07	4 OF O7	4 OF O7	
Total TAC Emission Notes	ı Estimate		1.4E-03	7.5E-06	3.7E-06	3.7E-06	6.3E-03	3.3E-05	1.5E-04	8.0E-07	4.0E-07	4.0E-07	

Notes

g = gram. RBC = risk-based concentration. GP1 = Glass Plant 1. RMH = raw material handling.

GP2 = Glass Plant 2. s = second.hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter.

(a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)

(b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	
Rotary Coarse	96,000
Flameblown	16,000
Total	112,000

(f)	Production fraction = (glass plant fiber production [t	ons/yr]) / (total fiber production [tons	s/yr])
	Glass Plant	Fiber Production (tons/yr)	
	GP1	19,359	
	GP2	10,468	
	Total	29,827	

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = (3)

Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038

References

(1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

 $^{(2)}$ Emission estimates equally apportioned among the defined model source representations.

(3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022. $^{(4)}$ Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from

Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

 $^{\rm (5)}$ Sum of Furnace Bin and Baling emission estimates.

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 33 of 175



Table 3-4
Daily TAC Emission Rates—Significant TEUs
Production Scenario 2 (all Rotary Coarse)
Hollingsworth & Vose Fiber Company—Corvallis, OR

			Daily Emission Estimates										
			R	aw Mater	al Handlin	g I	Baling Fugitives				 	CD1 Fugitiv	
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)	Tot	al	Transport, Storage, Mixing	Furnace Bins	Tota	al	GP1	GP2	Total	GP1 Fugitive	es Area B
			(lb/day) (1)	(g/s) (b)	(g/s) ^(c)	(g/s) (c)	(lb/day) ⁽¹⁾	(g/s) (b)	(g/s) ^(d)	(g/s) ^(d)	(g/s) ⁽⁵⁾	(g/s) (c)	(g/s) (c)
TEU ID			RMH_BA; R	MH_ZN; RI	MH_F; RMH		(ib/day)	•	BALING	(9/3)		(g/3) 	
					RMH_N	1						CD1 A	CD1 D
Model ID Production Fraction					BBBH 				0.649 ^(f)	0.351 ^(f)		GP1_A	GP1_B
Apportioning Fraction					0.974 ^(g)	0.026 ^(g)						0.50 (2)	0.50 (2)
METALS					0.774	0.020						0.00	0.00
Aluminum	7429-90-5	Yes	0.68	3.6E-03	3.5E-03	9.4E-05					9.4E-05	4.7E-05	4.7E-05
Antimony	7440-36-0	Yes											
Arsenic	7440-38-2	Yes											
Barium	7440-39-3	No	0.18	9.3E-04	9.0E-04	2.4E-05					2.4E-05	1.2E-05	1.2E-05
Cadmium	7440-43-9	Yes	1.1E-05	6.0E-08	5.9E-08	1.6E-09					1.6E-09	7.9E-10	7.9E-10
Chromium (total)	7440-47-3	No											
Chromium VI	18540-29-9	Yes											
Cobalt	7440-48-4	Yes											
Copper	7440-50-8	Yes											
Lead	7439-92-1	Yes	1.1E-04	6.0E-07	5.9E-07	1.6E-08					1.6E-08	7.9E-09	7.9E-09
Manganese	7439-96-5	Yes											
Mercury	7439-97-6	Yes											
Molybdenum trioxide	1313-27-5	No											
Nickel Phosphorus	7440-02-0 504	Yes No											
Selenium	7782-49-2	Yes											
Vanadium	7440-62-2	Yes											
Zinc	7440-66-6	No											
Zinc Oxide	1314-13-2	No	0.11	5.9E-04	5.7E-04	1.5E-05					1.5E-05	7.7E-06	7.7E-06
INORGANIC COMPOUNDS	1011 10 2	1,10	0.11	0.72 0 1	0.72 01	1.02 00					1.02 00	7.72 00	7.72.00
Ammonia	7664-41-7	Yes											
Carbon disulfide	75-15-0	Yes											
Fluorides	239	Yes	0.049	2.6E-04	2.5E-04	6.7E-06					6.7E-06	3.4E-06	3.4E-06
Hydrogen Fluoride	7664-39-3	Yes											
Hydrochloric Acid	7647-01-0	Yes											
Phosphoric Acid	7664-38-2	Yes											
Glasswool Fibers	352	No					3.27	0.017	0.011	6.0E-03	0.011	5.6E-03	5.6E-03
Silica, Crystalline	7631-86-9	Yes	1.72	9.0E-03	8.8E-03	2.4E-04					2.4E-04	1.2E-04	1.2E-04
Sulfuric Acid	7664-93-9	Yes											
ORGANIC COMPOUNDS	75.07.0	.,				ı	1	1			I	1	
Acetaldehyde	75-07-0	Yes											
Acetone Acrolein	67-64-1 107-02-8	Yes Yes											
Benzene	71-43-2	Yes											
1,3-Butadiene	106-99-0	Yes											
Cyclohexane	110-82-7	Yes											
Ethylbenzene	100-41-4	Yes											
Chloroethane	75-00-3	Yes											
Formaldehyde	50-00-0	Yes											
Hexane	110-54-3	Yes											
Chloromethane	74-87-3	Yes											
2-Butanone	78-93-3	Yes											
Methyl isobutyl ketone	108-10-1	Yes											
1,2,4-Trimethylbenzene	95-63-6	Yes											
Toluene	108-88-3	Yes											
Xylenes (mixed isomers)	1330-20-7	Yes											
o-Xylene	95-47-6	Yes											
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)	401	Yes				I	1				l		
PAHs Benzo[a]pyrene	50-32-8	Yes											
Naphthalene	91-20-3	Yes											
Diesel Particulate Matter (DPM)	/1 ZU-J	103	·			<u> </u>	·		<u></u>	·-	!		
DPM	200	Yes											
Total TAC Emission E	•			0.014		3.8E-04	3.27	0.017	0.011		0.012	5.8E-03	5.8E-03
Notos			•	-	-	•	-	-	•	•	-	-	

Notes

g = gram.

GP1 = Glass Plant 1.

GP2 = Glass Plant 2.

RBC = risk-based concentration.

RMH = raw material handling.

s = second.

hr = hour. TAC = toxic air contaminant.

Ib= pound. TEU = toxic emission unit.

lb= pound.PM = particulate matter.

(a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)

(b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs) x (hr/3,600 s)

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)

(d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr])								
Fiber Type	Natural Gas Usage (scf/hr)							
Rotary Fine								
Rotary Coarse	96,000							
Flameblown	16,000							
Total	112,000							

Froduction fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])

Glass Plant
Fiber Production (tons/yr)

GP1
19,359
GP2
10,468

Total 29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton])
See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = 0.037 (3)

Furnace bin PM emission factor (lb/ton) = 0.001 (3)

Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

(1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

(2) Emission estimates equally apportioned among the defined model source representations.

(3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.

(4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

(5) Sum of Furnace Bin and Baling emission estimates.



Table 3-4 Daily TAC Emission Rates—Significant TEUs Production Scenario 2 (all Rotary Coarse) Hollingsworth & Vose Fiber Company—Corvallis, OR

					T	Γ	Daily Emissic					
	CAS/ODEQ	RBC?	Raw Ma	Production	I		g Towers					
TAC	Sequence ID	(Yes/No)	Handlin Specific	_	and	l 2			on Line 3	T	Production	
			(lb/day) ⁽¹⁾	(g/s) (b)	(lb/day) (1)		(lb/day) (1)	1	Fan A (g/s) (c)	Fan B (g/s) (c)	(lb/day) (1)	1
TEU ID			RMH_		CT1	•	СТ				Cī	•
Model ID				ВНВН		CT1_2			CT3A	СТЗВ		CT4
Production Fraction				•								
Apportioning Fraction									0.50 (2)	0.50 (2)		
METALS						•					_	_
Aluminum	7429-90-5	Yes	4.6E-04	2.4E-06								
Antimony	7440-36-0	Yes										
Arsenic	7440-38-2	Yes	1 25 04	 4 2F 07								
Barium Cadmium	7440-39-3 7440-43-9	No Yes	1.2E-04 7.6E-09	6.2E-07 4.0E-11								
Chromium (total)	7440-43-9	No No	7.0E-09	4.UE-11								
Chromium VI	18540-29-9	Yes										
Cobalt	7440-48-4	Yes										
Copper	7440-50-8	Yes										
Lead	7439-92-1	Yes	7.6E-08	4.0E-10								
Manganese	7439-96-5	Yes										
Mercury	7439-97-6	Yes										
Molybdenum trioxide	1313-27-5	No										
Nickel	7440-02-0	Yes										
Phosphorus	504	No										
Selenium	7782-49-2	Yes										
Vanadium	7440-62-2	Yes										
Zinc	7440-66-6	No	7.45.05									
Zinc Oxide	1314-13-2	No	7.4E-05	3.9E-07								
INORGANIC COMPOUNDS Ammonia	7664-41-7	Yes		1	I	Ι	1	1	I	I		1
Carbon disulfide	75-15-0	Yes										
Fluorides	239	Yes	3.3E-05	1.7E-07								
Hydrogen Fluoride	7664-39-3	Yes										
Hydrochloric Acid	7647-01-0	Yes										
Phosphoric Acid	7664-38-2	Yes			3.9E-03	2.0E-05	4.3E-03	2.3E-05	1.1E-05	1.1E-05	3.5E-03	1.8E-05
Glasswool Fibers	352	No										
Silica, Crystalline	7631-86-9	Yes	1.1E-03	6.0E-06								
Sulfuric Acid	7664-93-9	Yes			3.9E-03	2.0E-05	4.3E-03	2.3E-05	1.1E-05	1.1E-05	3.5E-03	1.8E-05
ORGANIC COMPOUNDS			_	•		•	•					
Acetaldehyde	75-07-0	Yes										
Acetone	67-64-1	Yes										
Acrolein	107-02-8	Yes										
Benzene 1.3 Putadione	71-43-2	Yes										
1,3-Butadiene Cyclohexane	106-99-0 110-82-7	Yes Yes										
Ethylbenzene	100-41-4	Yes										
Chloroethane	75-00-3	Yes										
Formaldehyde	50-00-0	Yes										
Hexane	110-54-3	Yes										
Chloromethane	74-87-3	Yes										
2-Butanone	78-93-3	Yes										
Methyl isobutyl ketone	108-10-1	Yes										
1,2,4-Trimethylbenzene	95-63-6	Yes										
Toluene	108-88-3	Yes										
Xylenes (mixed isomers)	1330-20-7	Yes										
o-Xylene	95-47-6	Yes										
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)					I	1	I	1	I	I	1	<u> </u>
PAHs	401	Yes										
Benzo[a]pyrene	50-32-8	Yes										
Naphthalene Diesel Particulate Matter (DPM)	91-20-3	Yes										
DPM	200	Yes										
Total TAC Emission	.	1 03	1.8E-03	9.6E-06		4.1E-05	.	4.5E-05		2.3E-05	6.9E-03	3.6E-05
Notes												

Notes

g = gram. RBC = risk-based concentration. RMH = raw material handling. GP1 = Glass Plant 1.

GP2 = Glass Plant 2. s = second.hr = hour. TAC = toxic air contaminant. lb= pound. TEU = toxic emission unit.

PM = particulate matter.

(a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)

(b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs)

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction) (d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)

(e) Production fraction = (fiber type natural gas usage [scf/hr])

/ (total fiberizer natural gas usage [scf/hr]) Natural Gas Usage (scf/hr) Fiber Type Rotary Fine Rotary Coarse 96,000 Flameblown 16,000

	Total	112,000	
(f)	Production fraction = (glass plant fiber production [t	ons/yr]) / (total fiber production [ton	s/yr])
	Glass Plant	Fiber Production (tons/yr)	
	GP1	19,359	
	GP2	10,468	

Total 29,827 (g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton]) See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = 0.037 (3) Furnace bin PM emission factor (lb/ton) = 0.001 (3) Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

(1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

⁽²⁾ Emission estimates equally apportioned among the defined model source representations.

(3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022. (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from

Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 35 of 175

 $^{^{\}rm (5)}$ Sum of Furnace Bin and Baling emission estimates.



Table 3-4
Daily TAC Emission Rates—Significant TEUs
Production Scenario 2 (all Rotary Coarse)
Hollingsworth & Vose Fiber Company—Corvallis, OR

			Daily Emission Estimates Emergency Generators						Total Daily		
	CAS/ODEQ	RBC?	Shippin	_		<u> </u>			4	Daily ssion	
TAC	Sequence ID	(Yes/No)	Receiving Usa	-	Line	÷ 1	Line	2		nates	
					Tot		Tota	1			
			(lb/day) (1)	(g/s) (b)	(lb/day) ⁽¹⁾	(g/s) (b)	(lb/day) ⁽¹⁾	(g/s) (b)	(lb/day)	(g/s)	
TEU ID			PAI	NT	EGE	N1	EGE	N2	-	-	
Model ID				PAINT		EGEN1		EGEN2	_		
Production Fraction								•	-	-	
Apportioning Fraction								•	-		
METALS Aluminum	7429-90-5	Yes			l		l		0.68	3.6E-03	
Antimony	7440-36-0	Yes							1.0E-03	5.3E-06	
Arsenic	7440-38-2	Yes			7.5E-05	3.9E-07	5.3E-05	2.8E-07	1.3E-04	6.7E-07	
Barium	7440-39-3	No	0.070	3.7E-04					0.25	1.3E-03	
Cadmium	7440-43-9	Yes			7.0E-05	3.7E-07	5.0E-05	2.6E-07	3.2E-03	1.7E-05	
Chromium (total)	7440-47-3	No							2.8E-03	1.5E-05	
Chromium VI	18540-29-9	Yes			4.7E-06	2.5E-08	3.3E-06	1.7E-08	2.8E-03	1.5E-05	
Cobalt	7440-48-4	Yes	2.3E-03	1.2E-05					2.3E-03	1.2E-05	
Copper Lead	7440-50-8 7439-92-1	Yes Yes			1.9E-04 3.9E-04	1.0E-06 2.0E-06	1.4E-04 2.7E-04	7.1E-07 1.4E-06	0.019 0.027	1.0E-04 1.4E-04	
Manganese	7439-92-1	Yes			3.9E-04 1.5E-04	7.6E-07	1.0E-04	5.4E-07	3.1E-03	1.4E-04 1.7E-05	
Mercury	7439-97-6	Yes			9.4E-05	4.9E-07	6.6E-05	3.5E-07	0.026	1.4E-04	
Molybdenum trioxide	1313-27-5	No							4.4E-03	2.3E-05	
Nickel	7440-02-0	Yes			1.8E-04	9.6E-07	1.3E-04	6.8E-07	7.0E-03	3.7E-05	
Phosphorus	504	No							0.079	4.1E-04	
Selenium	7782-49-2	Yes			1.0E-04	5.4E-07	7.3E-05	3.8E-07	1.8E-04	9.2E-07	
Vanadium	7440-62-2	Yes							6.2E-03	3.2E-05	
Zinc Zina Ovida	7440-66-6	No							0.059	3.1E-04	
Zinc Oxide INORGANIC COMPOUNDS	1314-13-2	No							0.11	5.9E-04	
Ammonia	7664-41-7	Yes			0.037	2.0E-04	0.026	1.4E-04	8.66	0.045	
Carbon disulfide	75-15-0	Yes							2.5E-03	1.3E-05	
Fluorides	239	Yes							0.56	3.0E-03	
Hydrogen Fluoride	7664-39-3	Yes							0.16	8.6E-04	
Hydrochloric Acid	7647-01-0	Yes			8.7E-03	4.6E-05	6.1E-03	3.2E-05	0.015	7.8E-05	
Phosphoric Acid	7664-38-2	Yes							0.012	6.1E-05	
Glasswool Fibers Silica, Crystalline	352 7631-86-9	No Yes							3.44 1.89	0.018 9.9E-03	
Sulfuric Acid	7664-93-9	Yes							0.012	6.1E-05	
ORGANIC COMPOUNDS	7001 70 7	103							0.012	0.12 00	
Acetaldehyde	75-07-0	Yes			0.037	1.9E-04	0.026	1.4E-04	0.074	3.9E-04	
Acetone	67-64-1	Yes	1.08	5.7E-03					3.35	0.018	
Acrolein	107-02-8	Yes			1.6E-03	8.3E-06	1.1E-03	5.9E-06	1.0E-02	5.2E-05	
Benzene	71-43-2	Yes			8.7E-03	4.6E-05	6.1E-03	3.2E-05	0.42	2.2E-03	
1,3-Butadiene	106-99-0	Yes			0.010	5.3E-05	7.2E-03	3.8E-05	0.055	2.9E-04	
Cyclohexane Ethylbenzene	110-82-7 100-41-4	Yes Yes	0.053	2.8E-04	5.1E-04	2.7E-06	3.6E-04	1.9E-06	0.014	7.5E-05 7.1E-04	
Chloroethane	75-00-3	Yes		2.6E-U4 	J. TL-U4	2.7E-UO	3.0E-U4 	1.9E-06	6.6E-03	3.5E-05	
Formaldehyde	50-00-0	Yes			0.081	4.2E-04	0.057	3.0E-04	6.50	0.034	
Hexane	110-54-3	Yes			1.3E-03	6.6E-06	8.9E-04	4.7E-06	1.56	8.2E-03	
Chloromethane	74-87-3	Yes							0.088	4.6E-04	
2-Butanone	78-93-3	Yes							0.080	4.2E-04	
Methyl isobutyl ketone	108-10-1	Yes							0.011	5.7E-05	
1,2,4-Trimethylbenzene	95-63-6	Yes	0.042	2.2E-04	4 OF O2	2 6E 0E	2 EE 02	1 OF OF	0.042	2.2E-04	
Toluene Xylenes (mixed isomers)	108-88-3 1330-20-7	Yes Yes	0.19	9.8E-04	4.9E-03 2.0E-03	2.6E-05 1.0E-05	3.5E-03 1.4E-03	1.8E-05 7.3E-06	0.67	3.5E-03 2.0E-03	
o-Xylene	95-47-6	Yes		9.0E-U4 	2.UE-U3	1.0E-03	1.4E-03 	7.3E-00	0.079	4.2E-04	
POLYCYCLIC AROMATIC HYDROCARBONS (PAH)	70 17 0	. 55	1		1	1	1	1	3.377	01	
PAHs	401	Yes			1.7E-03	8.9E-06	1.2E-03	6.3E-06	3.2E-03	1.7E-05	
Benzo[a]pyrene	50-32-8	Yes			1.7E-06	8.8E-09	1.2E-06	6.2E-09	6.1E-06	3.2E-08	
Naphthalene	91-20-3	Yes			9.2E-04	4.8E-06	6.5E-04	3.4E-06	2.4E-03	1.2E-05	
Diesel Particulate Matter (DPM)	20-		1	1	l	0.5-					
DPM Total TAC Emission F	200	Yes	1.42	7 55 02	1.57	8.2E-03	1.11	5.8E-03	2.67	0.014	
Total TAC Emission E	sumate		1.43	7.5E-03	1.76	9.3E-03	1.24	6.5E-03	32.2	0.17	

Notes

 $g = gram. \\ GP1 = Glass \ Plant \ 1. \\ GP2 = Glass \ Plant \ 2. \\ RMH = raw \ material \ handling. \\ s = second.$

hr = hour. TAC = toxic air contaminant.

Ib= pound. TEU = toxic emission unit.

PM = particulate matter.

(a) Emission rate (lb/day) = (total daily emissions estimate [lb/day]) x (production fraction)

(b) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs) x (hr/3 600 s)

(c) Emission rate (g/s) = (total emission rate [g/s]) x (apportioning fraction)

(d) Emission rate (g/s) = (total emission rate [g/s]) x (production fraction)
 (e) Production fraction = (fiber type natural gas usage [scf/hr])
 / (total fiberizer natural gas usage [scf/hr])

Fiber Type	Natural Gas Usage (scf/hr)
Rotary Fine	
Rotary Coarse	96,000
Flameblown	16,000
Total	112,000

(f) Production fraction = (glass plant fiber production [tons/yr]) / (total fiber production [tons/yr])

| Glass Plant | Fiber Production (tons/yr) |
| GP1 | 19,359 |
| GP2 | 10,468

Total 29,827

(g) Apportioning fraction = (PM emission factor [lb/ton]) / (total RMH PM emission factor [lb/ton])
See Reference 4.

Transport, storage, mixing PM emission factor (lb/ton) = 0.037 (3)

Furnace bin PM emission factor (lb/ton) = 0.001 (3)

Total RMH PM emission factor (lb/ton) = 0.038 (3)

References

- (1) Emission estimates obtained from the revised emissions inventory dated March 14, 2024.
- (2) Emission estimates equally apportioned among the defined model source representations.
- (3) Emission factors obtained from the Standard ACDP 02-2173-ST-01 dated November 23, 2022.
- (4) Emissions from the Furnace Bin are released as fugitives from GP1. Emissions from Transport, Storage, and Mixing are released from the RMH area baghouse (BBBH).

⁽⁵⁾ Sum of Furnace Bin and Baling emission estimates.



Table 3-5 Annual TAC Emission Rates—Gas Combustion TEUs Hollingsworth & Vose Fiber Company—Corvallis, OR

				Annual Emiss	ion Estimate	es .		
TAC	CAS/ODEQ	RBC?		Natural Gas				al Emission nates
IAC	Sequence ID	(Yes/No)		ustion		mbustion		
			(lb/yr) ⁽¹⁾	(g/s) ^(a)	(lb/yr) ⁽¹⁾	(g/s) ^(a)	(lb/yr)	(g/s)
TEU ID			NG	_FH	N	G	-	-
Model ID				CFU113NG		NG	-	-
METALS			_					
Arsenic	7440-38-2	Yes			5.1E-03	7.3E-08	5.1E-03	7.3E-08
Barium	7440-39-3	No			0.11	1.6E-06	0.11	1.6E-06
Beryllium	7440-41-7	Yes			3.1E-04	4.4E-09	3.1E-04	4.4E-09
Cadmium	7440-43-9	Yes			0.028	4.0E-07	0.028	4.0E-07
Chromium (total)	7440-47-3	No			0.036	5.1E-07	0.036	5.1E-07
Chromium VI	18540-29-9	Yes			1.4E-03	2.1E-08	1.4E-03	2.1E-08
Cobalt	7440-48-4	Yes			2.1E-03	3.1E-08	2.1E-03	3.1E-08
Copper	7440-50-8	Yes			0.022	3.1E-07	0.022	3.1E-07
Lead	7439-92-1	Yes			0.013	1.8E-07	0.013	1.8E-07
Manganese	7439-96-5	Yes			9.7E-03	1.4E-07	9.7E-03	1.4E-07
Mercury	7439-97-6	Yes			6.6E-03	9.5E-08	6.6E-03	9.5E-08
Molybdenum trioxide	1313-27-5	No	0.063	9.1E-07	0.042	6.0E-07	0.11	1.5E-06
Nickel	7440-02-0	Yes			0.054	7.7E-07	0.054	7.7E-07
Selenium	7782-49-2	Yes			6.1E-04	8.8E-09	6.1E-04	8.8E-09
Vanadium	7440-62-2	Yes	0.088	1.3E-06	0.059	8.4E-07	0.15	2.1E-06
Zinc	7440-66-6	No			0.74	1.1E-05	0.74	1.1E-05
INORGANIC COMPOUNDS								
Ammonia	7664-41-7	Yes	123	1.8E-03	81.6	1.2E-03	204	2.9E-03
ORGANIC COMPOUNDS			-					
Acetaldehyde	75-07-0	Yes	0.17	2.4E-06	0.11	1.6E-06	0.27	4.0E-06
Acrolein	107-02-8	Yes	0.10	1.5E-06	0.069	9.9E-07	0.17	2.5E-06
Benzene	71-43-2	Yes	0.31	4.4E-06	0.20	2.9E-06	0.51	7.4E-06
Ethylbenzene	100-41-4	Yes	0.36	5.2E-06	0.24	3.5E-06	0.61	8.7E-06
Formaldehyde	50-00-0	Yes			0.43	6.2E-06	0.43	6.2E-06
Hexane	110-54-3	Yes	0.24	3.5E-06	0.16	2.3E-06	0.40	5.8E-06
Toluene	108-88-3	Yes	1.41	2.0E-05	0.93	1.3E-05	2.34	3.4E-05
Xylenes (mixed isomers)	1330-20-7	Yes	1.04	1.5E-05	0.69	1.0E-05	1.74	2.5E-05
POLYCYCLIC AROMATIC HY	DROCARBONS	(PAH)						
PAHs	401	Yes	3.8E-03	5.5E-08	2.5E-03	3.7E-08	6.4E-03	9.2E-08
Benzo[a]pyrene	50-32-8	Yes	4.6E-05	6.6E-10	3.1E-05	4.4E-10	7.7E-05	1.1E-09
Naphthalene	91-20-3	Yes	0.012	1.7E-07	7.6E-03	1.1E-07	0.019	2.8E-07
Total TAC Emis	sion Estimate		127	1.8E-03	85.5	1.2E-03	212	3.1E-03

Notes

g = gram.

hr = hour.

lb= pound.

RBC = risk-based concentration.

s = second.

TAC = toxic air contaminant.

TEU = toxic emission unit.

yr = year

(a) Emission rate (g/s) = (annual emissions estimate [lb/yr]) \times (453.592 g/lb) \times (yr/8,760 hrs) \times (hr/3,600 s)

Reference

 $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.



Table 3-6 Daily TAC Emission Rates—Gas Combustion TEUs Hollingsworth & Vose Fiber Company—Corvallis, OR

			Daily Emission Estimates Forehearth Natural Gas Non-Production Natural		Tatal Daile	. F!!		
TAC	CAS/ODEQ Sequence ID	RBC? (Yes/No)		Natural Gas	Non-Produc Gas Cor		Total Daily Estim	
		()	(lb/day) (1)	(g/s) ^(a)	(lb/day) (1)	(g/s) ^(a)	(lb/day)	(g/s)
TEU ID	•			_FH	N		-	-
Model ID				CFU113NG		NG	_	-
METALS								
Arsenic	7440-38-2	Yes			1.4E-05	7.3E-08	1.4E-05	7.3E-08
Barium	7440-39-3	No			3.1E-04	1.6E-06	3.1E-04	1.6E-06
Beryllium	7440-41-7	Yes			8.4E-07	4.4E-09	8.4E-07	4.4E-09
Cadmium	7440-43-9	Yes			7.7E-05	4.0E-07	7.7E-05	4.0E-07
Chromium (total)	7440-47-3	No			9.8E-05	5.1E-07	9.8E-05	5.1E-07
Chromium VI	18540-29-9	Yes			3.9E-06	2.0E-08	3.9E-06	2.0E-08
Cobalt	7440-48-4	Yes			5.9E-06	3.1E-08	5.9E-06	3.1E-08
Copper	7440-50-8	Yes			5.9E-05	3.1E-07	5.9E-05	3.1E-07
Lead	7439-92-1	Yes			3.5E-05	1.8E-07	3.5E-05	1.8E-07
Manganese	7439-96-5	Yes			2.6E-05	1.4E-07	2.6E-05	1.4E-07
Mercury	7439-97-6	Yes			1.8E-05	9.5E-08	1.8E-05	9.5E-08
Molybdenum trioxide	1313-27-5	No	1.7E-04	9.1E-07	1.2E-04	6.0E-07	2.9E-04	1.5E-06
Nickel	7440-02-0	Yes			1.5E-04	7.7E-07	1.5E-04	7.7E-07
Selenium	7782-49-2	Yes			1.7E-06	8.8E-09	1.7E-06	8.8E-09
Vanadium	7440-62-2	Yes	2.4E-04	1.3E-06	1.6E-04	8.4E-07	4.0E-04	2.1E-06
Zinc	7440-66-6	No			2.0E-03	1.1E-05	2.0E-03	1.1E-05
INORGANIC COMPOUNDS								
Ammonia	7664-41-7	Yes	0.34	1.8E-03	0.22	1.2E-03	0.56	2.9E-03
ORGANIC COMPOUNDS			•			•		
Acetaldehyde	75-07-0	Yes	4.5E-04	2.4E-06	3.0E-04	1.6E-06	7.5E-04	3.9E-06
Acrolein	107-02-8	Yes	2.8E-04	1.5E-06	1.9E-04	9.9E-07	4.7E-04	2.5E-06
Benzene	71-43-2	Yes	8.4E-04	4.4E-06	5.6E-04	2.9E-06	1.4E-03	7.3E-06
Ethylbenzene	100-41-4	Yes	1.0E-03	5.2E-06	6.6E-04	3.5E-06	1.7E-03	8.7E-06
Formaldehyde	50-00-0	Yes			1.2E-03	6.2E-06	1.2E-03	6.2E-06
Hexane	110-54-3	Yes	6.6E-04	3.5E-06	4.4E-04	2.3E-06	1.1E-03	5.8E-06
Toluene	108-88-3	Yes	3.9E-03	2.0E-05	2.6E-03	1.3E-05	6.4E-03	3.4E-05
Xylenes (mixed isomers)	1330-20-7	Yes	2.9E-03	1.5E-05	1.9E-03	1.0E-05	4.8E-03	2.5E-05
POLYCYCLIC AROMATIC HY	DROCARBONS	(PAH)						
PAHs	401	Yes	1.1E-05	5.5E-08	7.0E-06	3.7E-08	1.7E-05	9.2E-08
Benzo[a]pyrene	50-32-8	Yes	1.3E-07	6.6E-10	8.4E-08	4.4E-10	2.1E-07	1.1E-09
Naphthalene	91-20-3	Yes	3.2E-05	1.7E-07	2.1E-05	1.1E-07	5.2E-05	2.8E-07
Total TAC Emis	sion Estimate		0.35	1.8E-03	0.23	1.2E-03	0.58	3.1E-03

Notes

g = gram.

hr = hour.

lb= pound.

RBC = risk-based concentration.

s = second.

TAC = toxic air contaminant.

TEU = toxic emission unit.

Reference

 $^{(1)}$ Emission estimates obtained from the revised emissions inventory dated March 14, 2024.

⁽a) Emission rate (g/s) = (daily emissions estimate [lb/day]) x (453.592 g/lb) x (day/24 hrs) x (hr/3,600 s)



Table 3-7

Model Source Parameters—Point Sources Hollingsworth & Vose Fiber Company—Corvallis, OR

				Point S	ources						
Model ID	Model Source Description				Emission Discharge		Release Height ⁽¹⁾	Stack Diameter	Exit Velocity	Exit Flowrate	Exit Temperature
Inida in ib	Model Cod Description	Easting	Northing	(g/s)	Orientation (1)	(m)	(m)	(m)	(m/s)	(m ³ /s)	(K)
Significant TE	EUs										
CFU101	CFU-101	479585.5	4933222.3	1	VERTICAL (1)	71.5	13.7	0.76 (1)	14.5 ⁽¹⁾	6.61	375 ⁽¹⁾
CFU102	CFU-102	479583.96	4933226.3	1	VERTICAL (1)	71.5	13.7	0.76 ⁽¹⁾	14.5 ⁽¹⁾	6.61	375 ⁽¹⁾
CFU103	CFU-103	479570.71	4933221.4	1	VERTICAL (1)	71.5	13.7	0.76 ⁽¹⁾	14.5 ⁽¹⁾	6.61	375 ⁽¹⁾
CFU104	CFU-104	479572.24	4933217.4	1	VERTICAL (1)	71.5	13.7	0.76 (1)	14.5 ⁽¹⁾	6.61	375 ⁽¹⁾
CFU105	CFU-105	479580.34	4933195.5	1	VERTICAL (1)	71.6	13.7	0.76 (1)	14.5 ⁽¹⁾	6.61	375 ⁽¹⁾
CFU106	CFU-106	479574.87	4933210.6	1	VERTICAL (1)	71.5	13.7	0.76 (1)	14.5 ⁽¹⁾	6.61	375 ⁽¹⁾
CFU107	CFU-107	479578.81	4933199.8	1	VERTICAL (1)	71.6	13.7	0.76 (1)	14.5 ⁽¹⁾	6.61	375 ⁽¹⁾
CFU108	CFU-108	479576.4	4933206.3	1	VERTICAL (1)	71.5	13.7	0.76 (1)	14.5 ⁽¹⁾	6.61	375 ⁽¹⁾
CFU109	CFU-109	479592.06	4933204.7	1	VERTICAL (1)	71.8	13.7	0.76 (1)	14.5 ⁽¹⁾	6.61	375 ⁽¹⁾
CFU110	CFU-110	479587.9	4933215.5	1	VERTICAL (1)	71.6	13.7	0.76 (1)	14.5 ⁽¹⁾	6.61	375 ⁽¹⁾
CFU111	CFU-111	479589.65	4933211.2	1	VERTICAL (1)	71.7	13.7	0.76 ⁽¹⁾	14.5 ⁽¹⁾	6.61	375 ⁽¹⁾
CFU112	CFU-112	479593.59	4933200.7	1	VERTICAL (1)	71.8	13.7	0.76 ⁽¹⁾	14.5 ⁽¹⁾	6.61	375 ⁽¹⁾
CFU113	CFU-113	479596.66	4933193.9	1	VERTICAL (1)	71.8	13.7	0.51 (1)	14.6 (1)	2.96	325 ⁽¹⁾
CFU114	CFU-114	479229.31	4933404.2	1	VERTICAL (1)	68.2	13.7	0.91 (1)	11.9 ⁽¹⁾	7.79	401 (1)
CFU115	CFU-115	479234.39	4933403.9	1	VERTICAL (1)	68.2	13.7	0.91 (1)	11.9 ⁽¹⁾	7.79	401 ⁽¹⁾
CFU116	CFU-116	479230.55	4933375.2	1	VERTICAL (1)	67.9	13.7	0.76 ⁽¹⁾	14.5 ⁽¹⁾	6.61	388 ⁽¹⁾
CFU117	CFU-117	479225.47	4933375.6	1	VERTICAL (1)	67.7	13.7	0.76 (1)	14.5 ⁽¹⁾	6.61	388 ⁽¹⁾
CFU118	CFU-118	479235.4	4933374.9	1	VERTICAL (1)	68.2	13.7	0.76 (1)	14.5 ⁽¹⁾	6.61	388 ⁽¹⁾
EGEN1	Line 1 Emergency Generator	479647.09	4933145.3	1	HORIZONTAL (1)	72.2	12.2	0.15 ⁽¹⁾	48.9 (1)	0.89	743 ⁽¹⁾
EGEN2	Line 2 Emergency Generator	479673.47	4933178.8	1	CAPPED (1)	71.9	2.13	0.20 (1)	27.5 ⁽¹⁾	0.89	705 ⁽¹⁾
CT1_2	Line 1 and 2 Cooling Tower	479637.76	4933182.7	1	VERTICAL (1)	71.9	7.01	1.83 ⁽¹⁾	17.5 ⁽¹⁾	46.0	Ambient (1)
CT3A	Line 3 Cooling Tower, Fan A	479649.82	4933182.9	1	VERTICAL (1)	71.8	8.53	1.52 ⁽¹⁾	11.0 (1)	20.1	Ambient (1)
CT3B	Line 3 Cooling Tower, Fan B	479648.35	4933183	1	VERTICAL (1)	71.8	8.53	1.52 ⁽¹⁾	11.0 ⁽¹⁾	20.1	Ambient (1)
CT4	Line 4 Cooling Tower	479262.18	4933379.9	1	VERTICAL (1)	67.8	8.53	3.32 (1)	3.29 ⁽¹⁾	28.5	Ambient (1)
BBBH	Raw Material Handling Area Baghouse	479686.37	4933169.9	1	HORIZONTAL (1)	71.9	9.75	0.54 (1)	2.03 (1)	0.47	Ambient (1)
Gas Combus	stion TEUs			-	-		-			.	-
CFU113NG	Forehearth NG Combustion (GP1)	479596.66	4933193.9	1	VERTICAL (1)	71.8	13.7	0.51 (1)	14.6 (1)	2.96	325 ⁽¹⁾
NG	Non-Production NG Combustion	479215.37	4933433.7	1	CAPPED (4)	68.2	32.0	0.20 (4)	2.50 (4)	0.081	Ambient (4)

Notes

CFU = ceramic filtration unit.

g = gram.

GP1 = Glass Plant 1

GP2 = Glass Plant 2

K = kelvin. m = meter.

m³ = cubic meters.

NG = natural gas.

s = second.

TEU = toxic emission unit.

UTM = universal transverse mercator.

⁽a) Exit flowrate (m³/s) = $(\pi/4) \times (\text{stack diameter [m]})^2 \times (\text{exit velocity [m/s]})$

⁽¹⁾ Value based on information provided by Hollingsworth & Vose Fiber Company.

⁽²⁾ Dispersion model was executed using unit-emission rates.

⁽³⁾ Base elevation derived from the US Geological Survey National Elevation Dataset downloaded and processed using AERMET.

⁽⁴⁾ Actual release parameters for the air handling units gas combustion exhaust are unknown. Conservative release parameters were used in place of actual.

Table 3-8
Model Source Parameters—Volume Sources
Hollingsworth & Vose Fiber Company—Corvallis, OR

			Volume	Sources						
Model ID	Model Source Description	UTM Coordinates ⁽¹⁾ (m)		Emission Rate ⁽²⁾	Base Elevation ⁽³⁾	Release Height	Length of Side	Dimension (a)	Initial Vertic	
		Easting	Northing	(g/s)	(m)	(m)	(,	(m)	(m)	
Significant TEL	Js									
SILO1	GP1 CFU Bulking Agent Storage Silo	479597.15	4933179.1	1	71.9	12.8 ⁽¹⁾	0.20 (5)	0.047	0.071	(b)
SILO2	GP2 CFU Bulking Agent Storage Silo	479241.49	4933427.5	1	67.7	12.8 ⁽¹⁾	0.20	0.017	0.071	(b)
BHBH	Waste and Off-spec RM Baghouse	479687.08	4933165.8	1	72.0	3.20 (1)	0.23 (5)	0.052	0.50	(b)
PAINT	Shipping and Recieving Spray Paint Usage	479676.85	4933186.2	1	71.9	1.00 (7)	1.00 (7)	0.23	0.23	(b)
SSF01	Super Sack Filter for CFU101	479590.96	4933224.2	1	71.6	2.13 ⁽¹⁾	0.13 (5)	0.030	0.50	(b)
SSF02	Super Sack Filter for CFU102	479590.19	4933227	1	71.6	2.13 (1)	0.13 (5)	0.030	0.50	(b)
SSF03	Super Sack Filter for CFU103	479556.58	4933216.1	1	71.4	2.13 (1)	0.13 (5)	0.030	0.50	(b)
SSF04	Super Sack Filter for CFU104	479557.64	4933213.2	1	71.4	2.13 (1)	0.13 (5)	0.030	0.50	(b)
SSF05	Super Sack Filter for CFU105	479565.42	4933192.3	1	71.6	2.13 (1)	0.13 (5)	0.030	0.50	(b)
SSF06	Super Sack Filter for CFU106	479560.53	4933205.6	1	71.4	2.13 (1)	0.13 (5)	0.030	0.50	(b)
SSF07	Super Sack Filter for CFU107	479564.39	4933195.1	1	71.5	2.13 (1)	0.13 (5)	0.030	0.50	(b)
SSF08	Super Sack Filter for CFU108	479561.69	4933202.7	1	71.5	2.13 (1)	0.13 (5)	0.030	0.50	(b)
SSF09	Super Sack Filter for CFU109	479597.82	4933205.9	1	72.0	2.13 (1)	0.13 (5)	0.030	0.50	(b)
SSF10	Super Sack Filter for CFU110	479594.07	4933216.4	1	71.6	2.13 (1)	0.13 (5)	0.030	0.50	(b)
SSF11	Super Sack Filter for CFU111	479595.08	4933213.6	1	71.7	2.13 (1)	0.13 (5)	0.030	0.50	(b)
SSF12	Super Sack Filter for CFU112	479598.84	4933202.9	1	72.0	2.13 (1)	0.13 (5)	0.030	0.50	(b)
SSF13	Super Sack Filter for CFU113	479601.54	4933195.3	1	71.9	2.13 (1)	0.13 (5)	0.030	0.50	(b)
SSF14	Super Sack Filter for CFU114	479231.06	4933410.3	1	68.3	2.13 (1)	0.13 (5)	0.030	0.50	(b)
SSF15	Super Sack Filter for CFU115	479234.24	4933410.1	1	68.4	2.13 ⁽¹⁾	0.13 (5)	0.030	0.50	(b)
SSF16	Super Sack Filter for CFU116	479234.48	4933381.1	1	68.0	2.13 ⁽¹⁾	0.13 (5)	0.030	0.50	(b)
SSF17	Super Sack Filter for CFU117	479229.21	4933389.1	1	68.0	2.13 (1)	0.13 (5)	0.030	0.50	(b)
SSF18	Super Sack Filter for CFU118	479231.98	4933388.9	1	68.1	2.13 ⁽¹⁾	0.13 (5)	0.030	0.50	(b)
GP1_A	GP1 Fugitives, North	479653.22	4933166.7	1	72.0	6.71 ⁽⁸⁾	7.62 (8)	1.77	6.24	(c)
GP1_B	GP1 Fugitives, South	479653.26	4933156.8	1	72.0	6.71 ⁽⁸⁾	7.62 (8)	1.77	6.24	(c)

Notes

UTM = universal transverse mercator.

- (1) Information provided by Hollingsworth & Vose Fiber Company.
- (2) Dispersion model was executed using unit-emission rates.
- (3) Base elevation derived from the US Geological Survey National Elevation Dataset downloaded and processed using AERMET.
- (4) See "User's Guide for the AMS/EPA Regulatory Model (AERMOD)," EPA-454/B-18-001 dated April 2018. See Table 3-2. Assumes elevated source on or adjacent to a building. Building and downwash structure heights presented in Table 4-7, Summary of Downwash Structure Heights.
- (5) Engineering judgement based on equipment size.
- (6) See "User's Guide for the AMS/EPA Regulatory Model (AERMOD)," EPA-454/B-18-001 dated April 2018. See Table 3-2. Elevated source not on or adjacent to a building.
- $\ensuremath{^{(7)}}$ Engineering judgement based on typical application methods.
- (8) Engineering judgement based on GP1 building dimensions.

⁽a) Initial lateral dimension (m) = (length of side [m]) / (4.3); see Reference (4).

 $^{^{(}b)}$ Initial vertical dimension (m) = (vertical dimension of source [m]) / (4.3); see Reference (6).

⁽c) Initial vertical dimension (m) = (building height [m]) / (2.15); see Reference (4).



Table 4-3

Assessment of Missing Meteorological Data Hollingsworth & Vose Fiber Company—Corvallis, OR

	Meteorologica	Meteorological Data Assessment for Modeling Period								
Quarter (1)	Total Hours	Missing Hours (1)	Available Hours ^(a) (%)							
Q1 (2017)	2,160 ⁽¹⁾	3	99.9%							
Q2 (2017)	2,184 ⁽¹⁾	24	98.9%							
Q3 (2017)	2,208 (1)	16	99.3%							
Q4 (2017)	2,208 (1)	0	100%							

Notes

Q1 = quarter 1.

Q2 = quarter 2.

Q3= quarter 3.

Q4 = quarter 4.

- (1) The number of missing hours was determined by generating a Surface QA Excel file generated by AERMET Version 23132.
- $^{(2)}$ Meteorological data obtained from the facility's on-site meteorological station.

 $^{^{(}a)}$ Available hours (%) = (1 - [{missing hours} / {total hours}]) x (100%)



Table 4-4 AERSURFACE Settings Hollingsworth & Vose Fiber Company—Corvallis, OR

Parameter	Setting
Study radius for surface roughness	1.0 kilometer
Are the surface data collected at an airport?	No
Should continuous snow cover be assumed?	No
Is this an arid region?	No
Number of sectors	12
Months assumed to constitute "winter"	December, January, and February
Months assumed to constitute "spring"	March, April, and May
Months assumed to constitute "summer"	June, July, and August
Months assumed to constitute "autumn"	September, October, and November
Period for land use calculations	Monthly



Table 4-5

Surface Soil Moisture Condition Assessment Hollingsworth & Vose Fiber Company—Corvallis, OR

30-Year Climate Precipitation Data (1)		Annual Precipitation (in)				
Average Annual Precipitation	(2)	42.5				
Lower: 30th Percentile Annual Precipitation	(3)	35.7				
Upper: 70th Percentile Annual Precipitation	(4)	47.8				
Total Measured Precipitation for the Modeling Period (2017)						
2017 Total Precipitation	(5)	53.6				
Climatic Significance	(6)	Above 70th Percentile				
Calendar Year Soil Moisture (in)	(7)	WET				

- (1) Climatological data obtained from the Western Regional Climate Center for the Corvallis, OR (ID: 351862). Data represent the 30-year period between January 1988 and December 2017.
- (2) Represents average annual precipitation during the 30-year climatological period.
- (3) Represents upper limit of the 30th percentile annual precipitation during 30-year climatological period.
- (4) Represents lower limit of the 70th percentile annual precipitation during 30-year climatological period.
- (5) Represents model period (January 1, 2017 December 31, 2017).
- (6) Climatic significance represents annual precipitation compared to 30-year climatological period.
- (7) Surface moisture conditions correspond to DRY, AVERAGE or WET soil content determined by comparing annual precipitation to 30-year climatological period. This method is consistent with the methodology set forth in the current version of the EPA AERSURFACE User's Guide dated February 2020.



Table 4-6 Summary of Downwash Structure Heights Hollingsworth & Vose Fiber Company—Corvallis, OR

(ft) 236.7 236.6 235.8 235.5 235.2 234.2 232.0 232.1 230.6 225.1 228.2 224.6 224.0 225.1 224.5	(m) 72.14 72.12 71.87 71.79 71.70 71.38 70.71 70.74 70.28 68.60 69.55 68.47	Building Tiers 1 3 1 1 1 1 1 1 1 1 1 1 1	(ft) 25.2 25.2 36.0 44.0 14.2 11.3 26.0 10.3 16.4 17.0 32.7 39.3 29.7 21.0	(m) 7.68 7.68 10.97 13.41 4.33 3.44 7.92 3.14 5.00 5.18 9.97 11.98
236.6 235.8 235.5 235.2 234.2 232.0 232.1 230.6 225.1 228.2 224.6 224.0 225.1	72.12 71.87 71.79 71.70 71.38 70.71 70.74 70.28 68.60 69.55	3	25.2 36.0 44.0 14.2 11.3 26.0 10.3 16.4 17.0 32.7 39.3 29.7	7.68 10.97 13.41 4.33 3.44 7.92 3.14 5.00 5.18 9.97
235.8 235.5 235.2 234.2 232.0 232.1 230.6 225.1 228.2 224.6 224.0 225.1	71.87 71.79 71.70 71.38 70.71 70.74 70.28 68.60 69.55	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	36.0 44.0 14.2 11.3 26.0 10.3 16.4 17.0 32.7 39.3 29.7	10.97 13.41 4.33 3.44 7.92 3.14 5.00 5.18 9.97
235.8 235.5 235.2 234.2 232.0 232.1 230.6 225.1 228.2 224.6 224.0 225.1	71.87 71.79 71.70 71.38 70.71 70.74 70.28 68.60 69.55	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	44.0 14.2 11.3 26.0 10.3 16.4 17.0 32.7 39.3 29.7	13.41 4.33 3.44 7.92 3.14 5.00 5.18 9.97 11.98
235.5 235.2 234.2 232.0 232.1 230.6 225.1 228.2 224.6 224.0 225.1	71.79 71.70 71.38 70.71 70.74 70.28 68.60 69.55	1 1 1 	14.2 11.3 26.0 10.3 16.4 17.0 32.7 39.3 29.7	4.33 3.44 7.92 3.14 5.00 5.18 9.97 11.98
235.5 235.2 234.2 232.0 232.1 230.6 225.1 228.2 224.6 224.0 225.1	71.79 71.70 71.38 70.71 70.74 70.28 68.60 69.55	1 1 1 	11.3 26.0 10.3 16.4 17.0 32.7 39.3 29.7	3.44 7.92 3.14 5.00 5.18 9.97
235.2 234.2 232.0 232.1 230.6 225.1 228.2 224.6 224.0 225.1	71.70 71.38 70.71 70.74 70.28 68.60 69.55	1 1 4 —————————————————————————————————	26.0 10.3 16.4 17.0 32.7 39.3 29.7	7.92 3.14 5.00 5.18 9.97 11.98
234.2 232.0 232.1 230.6 225.1 228.2 224.6 224.0 225.1	71.38 70.71 70.74 70.28 68.60 69.55	1 1 1	10.3 16.4 17.0 32.7 39.3 29.7	3.14 5.00 5.18 9.97 11.98
232.0 232.1 230.6 225.1 228.2 224.6 224.0 225.1	70.71 70.74 70.28 68.60 69.55	1 1	16.4 17.0 32.7 39.3 29.7	5.00 5.18 9.97 11.98
232.1 230.6 225.1 228.2 224.6 224.0 225.1	70.74 70.28 68.60 69.55	1 1	17.0 32.7 39.3 29.7	5.18 9.97 11.98
232.1 230.6 225.1 228.2 224.6 224.0 225.1	70.74 70.28 68.60 69.55	1 1	32.7 39.3 29.7	9.97 11.98
232.1 230.6 225.1 228.2 224.6 224.0 225.1	70.74 70.28 68.60 69.55	1 1	39.3 29.7	11.98
230.6 225.1 228.2 224.6 224.0 225.1	70.28 68.60 69.55	1	29.7	
230.6 225.1 228.2 224.6 224.0 225.1	70.28 68.60 69.55	1		9.05
225.1 228.2 224.6 224.0 225.1	68.60 69.55		21.0	
225.1 228.2 224.6 224.0 225.1	68.60 69.55			6.40
228.2 224.6 224.0 225.1	69.55		21.0	6.40
224.6 224.0 225.1		1	19.7	6.00
224.0 225.1		1	13.7	4.18
225.1	68.26	1	29.3	8.93
	68.60	1	22.1	6.74
	68.44	1	29.9	9.11
			14.4	4.39
223.5	68.11	2	25.3	7.71
220.7	67.27	1	10.0	3.05
	07.27		10.3	3.14
			20.8	6.34
223.1	68.01	1	30.8	9.39
	I		45.0	13.72
233.2	71 09	1		8.00
		_		11.58
				11.58
				11.58
				11.58
		_		11.58
				11.58
				11.58
				11.58
				11.58
				11.58
				11.58
				11.58
				8.53
				9.66
				8.53
				6.71
				8.47
				11.58
				11.58
				11.58
				11.58
				11.58
				11.58
				2.13
234.9				4.57
	71 /5	1	1 F O	
234.4 233.9	71.45	1	15.0 17.0	4.57 5.18
	233.2 234.2 234.9 234.9 234.7 234.5 234.4 235.1 235.3 236.1 223.4 222.3 221.9 222.5 223.4 223.7 223.8 223.4 223.8 223.4 223.8 223.4 223.8 223.4 223.8 223.4 223.8 223.4 223.8 223.4 223.8 223.4	234.2 71.38 234.9 71.61 234.9 71.59 234.3 71.40 234.9 71.60 234.7 71.53 234.5 71.48 234.4 71.46 235.1 71.67 235.3 71.72 236.1 71.97 236.1 71.95 223.4 68.09 222.3 67.77 221.9 67.62 222.5 67.82 223.4 68.09 223.7 68.18 223.8 68.21 223.8 68.20 223.3 68.06 235.5 71.79 236.3 72.01 234.9 71.60	234.2 71.38 1 234.9 71.61 1 234.9 71.59 1 234.3 71.40 1 234.9 71.60 1 234.7 71.53 1 234.5 71.48 1 235.1 71.67 1 235.3 71.72 1 236.1 71.97 1 236.1 71.95 1 223.4 68.09 1 222.3 67.77 1 221.9 67.62 1 222.5 67.82 1 223.7 68.18 1 223.8 68.21 1 223.8 68.21 1 223.8 68.20 1 223.3 68.06 1 235.5 71.79 1 236.3 72.01 1 234.9 71.60 1	233.2 71.09 1 26.2 234.2 71.38 1 38.0 234.9 71.61 1 38.0 234.9 71.59 1 38.0 234.3 71.40 1 38.0 234.9 71.60 1 38.0 234.7 71.53 1 38.0 234.5 71.48 1 38.0 234.4 71.46 1 38.0 235.1 71.67 1 38.0 235.3 71.72 1 38.0 236.1 71.97 1 38.0 236.1 71.97 1 38.0 223.4 68.09 1 28.0 222.3 67.77 1 31.7 221.9 67.62 1 28.0 222.5 67.82 1 22.0 223.4 68.09 1 38.0 223.8 68.21 1 38.0 223.8

Notes

ft = feet.

m = meter.

- (1) Base elevation derived from 1/3-arc second United States Geological Survey National Elevation Data processed using AERMAP.
- (2) Information provided by Hollingsworth & Vose Fiber Company or obtained from Google Earth. Value represents the height above base elevation.



Table 5-1 Summary Of Statewide Zoning And Exposure Type Categorization Hollingsworth & Vose Fiber Company—Corvallis, OR

Oregon Statewide Zoning Descriptions (1)	Corresponding Exposure Type Classification	Risk Assessments To Be Performed
Beaches and Dunes	Acute-only	Acute Noncancer
Coastal Estuarine	Acute-only	Acute Noncancer
Coastal Shorelands	Acute-only	Acute Noncancer
Combo equal emphasis	Acute-only	Acute Noncancer
Combo with priority emphasis	Acute-only	Acute Noncancer
Commercial - Central	Non-Residential Worker or Child (if applicable)	Cancer, Chronic and Acute Noncancer
Commercial - General	Non-Residential Worker or Child (if applicable)	Cancer, Chronic and Acute Noncancer
Commercial - Neighborhood	Non-Residential Worker or Child (if applicable)	Cancer, Chronic and Acute Noncancer
Commercial - Office	Non-Residential Worker or Child (if applicable)	Cancer, Chronic and Acute Noncancer
Exclusive Farm Use 160+	Residential for structure, Non-Residential Worker for property	Cancer, Chronic and Acute Noncancer
Exclusive Farm Use 20+	Residential for structure, Non-Residential Worker for property	Cancer, Chronic and Acute Noncancer
Exclusive Farm Use 40+	Residential for structure, Non-Residential Worker for property	Cancer, Chronic and Acute Noncancer
Exclusive Farm Use 80	Residential for structure, Non-Residential Worker for property	Cancer, Chronic and Acute Noncancer
Federal Forest	Acute-only	Acute Noncancer
Federal Range	Acute-only	Acute Noncancer
Forest	Acute-only	Acute Noncancer
Future Urban Development	Residential	Cancer, Chronic and Acute Noncancer
High-density Res.	Residential	Cancer, Chronic and Acute Noncancer
Indian reservation/tribal trust	Residential	Cancer, Chronic and Acute Noncancer
Industrial - Heavy	Non-Residential Worker	Cancer, Chronic and Acute Noncancer
Industrial - Light	Non-Residential Worker	Cancer, Chronic and Acute Noncancer
Industrial Campus	Non-Residential Worker	Cancer, Chronic and Acute Noncancer
Industrial Office	Non-Residential Worker	Cancer, Chronic and Acute Noncancer
Low-density Res.	Residential	Cancer, Chronic and Acute Noncancer
Marginal Farm Land 10+	Non-Residential Worker	Cancer, Chronic and Acute Noncancer
Medium High-density Res.	Residential	Cancer, Chronic and Acute Noncancer
Medium Low-density Res.	Residential	Cancer, Chronic and Acute Noncancer
Medium-density Res.	Residential	Cancer, Chronic and Acute Noncancer
Mineral and Aggregate	Non-Residential Worker	Cancer, Chronic and Acute Noncancer Cancer, Chronic and Acute Noncancer
Mixed Farm-Forest 160+	Residential for structure, Non-Residential Worker for property	Cancer, Chronic and Acute Noncancer Cancer, Chronic and Acute Noncancer
Mixed Farm-Forest 20	Residential for structure, Non-Residential Worker for property	
Mixed Farm-Forest 40	Residential for structure, Non-Residential Worker for property	Cancer, Chronic and Acute Noncancer Cancer, Chronic and Acute Noncancer
Mixed Farm-Forest 80	Residential for structure, Non-Residential Worker for property	Cancer, Chronic and Acute Noncancer Cancer, Chronic and Acute Noncancer
	Residential Worker for property	
Mixed-Use Com. & Res. Extremely High Mixed-Use Com. & Res. High		Cancer, Chronic and Acute Noncancer Cancer, Chronic and Acute Noncancer
Mixed-Use Com. & Res. Low	Residential	
	Residential	Cancer, Chronic and Acute Noncancer
Mixed-Use Com. & Res. Med-high	Residential	Cancer, Chronic and Acute Noncancer
Mixed-Use Com. & Res. Medium	Residential	Cancer, Chronic and Acute Noncancer
Mixed-Use Com. & Res. V.High	Residential	Cancer, Chronic and Acute Noncancer
No Data	Acute-only	Acute Noncancer
Open Space/Conservation	Acute-only	Acute Noncancer
Other	Acute-only	Acute Noncancer
Parks & Open Space	Acute-only	Acute Noncancer
Prime Forest 80	Acute-only	Acute Noncancer
Public & semi-public Uses	Non-Residential Worker or Child (if applicable)	Cancer, Chronic and Acute Noncancer
Public Facilities	Non-Residential Worker or Child (if applicable)	Cancer, Chronic and Acute Noncancer
Rural Commercial	Non-Residential Worker	Cancer, Chronic and Acute Noncancer
Rural Industrial	Non-Residential Worker	Cancer, Chronic and Acute Noncancer
Rural Residential 1 acre	Residential	Cancer, Chronic and Acute Noncancer
Rural Residential 10 acres	Residential	Cancer, Chronic and Acute Noncancer
Rural Residential 2-4 acres	Residential	Cancer, Chronic and Acute Noncancer
Rural Residential 5 acres	Residential	Cancer, Chronic and Acute Noncancer
Secondary Forest 80	Acute-only	Acute Noncancer
UC Rural Commercial	Non-Residential Worker	Cancer, Chronic and Acute Noncancer
UC Rural Industrial	Non-Residential Worker	Cancer, Chronic and Acute Noncancer
Very High-density Res.	Residential	Cancer, Chronic and Acute Noncancer
Very Low-density Res.	Residential	Cancer, Chronic and Acute Noncancer

⁽¹⁾ Oregon statewide zoning descriptions obtained from the Department of Land Conservation and Development statewide zoning dataset.



$^{\scriptsize @}$ 2025 Maul Foster & Alongi, Inc. All Rights Reserved.

Table 5-2

Applicable RBCs—Significant TEUs Hollingsworth & Vose Fiber Company—Corvallis, OR

			Noncancer			Risk-Based	Concentration	(ug/m ³)		
TAC	CAS/DEQ ID	RBC?	TBACT	Residenti	al Chronic		Nonresident	ial Chronic		Acute
, me	0/10/2212	(Yes/No)	RAL (1)	Cancer	Noncancer	Child Cancer	Child Noncancer	Worker Cancer	Worker Noncancer	Noncancer
METALS		•								
Aluminum	7429-90-5	Yes	HI5		5		22		22	
Antimony	7440-36-0	Yes	HI3		0.3		1.3		1.3	1
Arsenic	7440-38-2	Yes	HI3	0.000024	0.00017	0.0013	0.0024	0.00062	0.0024	0.2
Cadmium	7440-43-9	Yes	HI3	0.00056	0.005	0.014	0.037	0.0067	0.037	0.03
Chromium VI	18540-29-9	Yes	HI3	0.000031	0.083	0.00052	0.88	0.001	0.88	0.3
Cobalt	7440-48-4	Yes	HI3		0.1		0.44		0.44	
Copper	7440-50-8	Yes	HI3							100
Lead	7439-92-1	Yes	HI3		0.15		0.66		0.66	0.15
Manganese	7439-96-5	Yes	HI3		0.09		0.4		0.4	0.3
Mercury	7439-97-6	Yes	HI3		0.077		0.63		0.63	0.6
Nickel	7440-02-0	Yes	HI3	0.0038	0.014	0.1	0.062	0.046	0.062	0.2
Selenium	7782-49-2	Yes	HI3							2
Vanadium	7440-62-2	Yes	HI3		0.1		0.44		0.44	0.8
INORGANIC COMPOUNDS	7440 02 2	103	1113		0.1		0.44		0.44	0.0
Ammonia	7664-41-7	Yes	HI3		500		2,200		2,200	1,200
Carbon disulfide	75-15-0	Yes	HI3		800		3,500		3,500	6,200
Fluorides	239	Yes	HI3		2.3		20		20	240
	7664-39-3		HI3		2.3		19		19	16
Hydrogen Fluoride		Yes								
Hydrochloric Acid	7647-01-0	Yes	HI3		20		88		88	2,100
Phosphoric Acid	7664-38-2	Yes	HI3		10		44		44	
Silica, Crystalline	7631-86-9	Yes	HI5		3		13		13	
Sulfuric Acid	7664-93-9	Yes	HI5		1		4.4		4.4	120
ORGANIC COMPOUNDS	75.07.0	l v	1110	0.45	1.10	10	/ / / /		/ 00	470
Acetaldehyde	75-07-0	Yes	HI3	0.45	140	12	620	5.5	620	470
Acetone	67-64-1	Yes	HI3		31,000		140,000		140,000	62,000
Acrolein	107-02-8	Yes	HI5		0.35		1.5		1.5	6.9
Benzene	71-43-2	Yes	HI3	0.13	3	3.3	13	1.5	13	29
1,3-Butadiene	106-99-0	Yes	HI3	0.033	2	0.86	8.8	0.4	8.8	660
Cyclohexane	110-82-7	Yes	HI3		6,000		26,000		26,000	
Ethylbenzene	100-41-4	Yes	HI3	0.4	260	10	1,100	4.8	1,100	22,000
Chloroethane	75-00-3	Yes	HI3		30,000		130,000		130,000	40,000
Formaldehyde	50-00-0	Yes	HI3	0.17	9	4.3	40	2	40	49
Hexane	110-54-3	Yes	HI3		700		3,100		3,100	
Chloromethane	74-87-3	Yes	HI3		90		400		400	1,000
2-Butanone	78-93-3	Yes	HI3		5,000		22,000		22,000	5,000
Methyl isobutyl ketone	108-10-1	Yes	HI3		3,000		13,000		13,000	
1,2,4-Trimethylbenzene	95-63-6	Yes	HI3		60		260		260	
Toluene	108-88-3	Yes	HI3		5,000		22,000		22,000	7,500
Xylenes (mixed isomers)	1330-20-7	Yes	HI3		220		970		970	8,700
o-Xylene	95-47-6	Yes	HI3		220		970		970	8,700
POLYCYCLIC AROMATIC HYDRO	CARBONS (PAH)									
PAHs	401	Yes		0.000043		0.0016		0.003		
Benzo[a]pyrene	50-32-8	Yes	HI3	0.000043	0.002	0.0016	0.0088	0.003	0.0088	0.002
Naphthalene	91-20-3	Yes	HI3	0.029	3.7	0.76	16	0.35	16	200
DIESEL PARTICULATE MATTER (DPN					•				•	
DPM	200	Yes	HI3	0.1	5	2.6	22	1.2	22	

Notes

m³ = cubic feet.

RAL = risk action level.

RBC = risk-based concentration.

TBACT = toxics best available control technology.

TAC = toxic air contaminant.

ug = micrograms.

References

(1) See Oregon Administrative Rule 340-245-8010 Table 2.

Table 5-3
Applicable RBCs—Gas Combustion TEU
Hollingsworth & Vose Fiber Company—Corvallis, OR

			Noncancer		_	Risk-Based	Concentration	n ⁽¹⁾ (ug/m³)		
TAC	CAS/DEQ ID	RBC?	TBACT	Residenti	al Chronic		Nonresiden	tial Chronic		Acute
,,,,,	07.07.524.15	(Yes/No)	RAL (1)	Cancer	Noncancer	Child Cancer	Child Noncancer	Worker Cancer	Worker Noncancer	Noncance
METALS	•	•								
Arsenic	7440-38-2	Yes	HI3	0.000024	0.00017	0.0013	0.0024	0.00062	0.0024	0.2
Beryllium	7440-41-7	Yes	HI3	0.00042	0.007	0.011	0.031	0.005	0.031	0.02
Cadmium	7440-43-9	Yes	HI3	0.00056	0.005	0.014	0.037	0.0067	0.037	0.03
Chromium VI	18540-29-9	Yes	HI3	0.000031	0.083	0.00052	0.88	0.001	0.88	0.3
Cobalt	7440-48-4	Yes	HI3		0.1		0.44		0.44	
Copper	7440-50-8	Yes	HI3							100
Lead	7439-92-1	Yes	HI3		0.15		0.66		0.66	0.15
Manganese	7439-96-5	Yes	HI3		0.09		0.4		0.4	0.3
Mercury	7439-97-6	Yes	HI3		0.077		0.63		0.63	0.6
Nickel	7440-02-0	Yes	HI3	0.0038	0.014	0.1	0.062	0.046	0.062	0.2
Selenium	7782-49-2	Yes	HI3							2
Vanadium	7440-62-2	Yes	HI3		0.1		0.44		0.44	0.8
INORGANIC COMPOUNDS		-			-		-			
Ammonia	7664-41-7	Yes	HI3		500		2,200		2,200	1,200
ORGANIC COMPOUNDS										
Acetaldehyde	75-07-0	Yes	HI3	0.45	140	12	620	5.5	620	470
Acrolein	107-02-8	Yes	HI5		0.35		1.5		1.5	6.9
Benzene	71-43-2	Yes	HI3	0.13	3	3.3	13	1.5	13	29
Ethylbenzene	100-41-4	Yes	HI3	0.4	260	10	1,100	4.8	1,100	22,000
Formaldehyde	50-00-0	Yes	HI3	0.17	9	4.3	40	2	40	49
Hexane	110-54-3	Yes	HI3		700		3,100		3,100	
Toluene	108-88-3	Yes	HI3		5,000		22,000		22,000	7,500
Xylenes (mixed isomers)	1330-20-7	Yes	HI3		220		970		970	8,700
POLYCYCLIC AROMATIC HYDRO	CARBONS (PAH)									
PAHs	401	Yes		0.000043		0.0016		0.003		
Benzo[a]pyrene	50-32-8	Yes	HI3	0.000043	0.002	0.0016	0.0088	0.003	0.0088	0.002
Naphthalene	91-20-3	Yes	HI3	0.029	3.7	0.76	16	0.35	16	200

Notes

 m^3 = cubic feet.

RAL = risk action level.

RBC = risk-based concentration.

TBACT = toxics best available control technology.

TAC = toxic air contaminant.

ug = micrograms.

References

(1) See Oregon Administrative Rule 340-245-8010 Table 2.

Table 6-3
Production Scenario 1—Maximum Predicted Risk Exposure Location Per TEU
Hollingsworth & Vose Fiber Company—Corvallis, OR

	1		Cai	ncer			I		Chronic N	loncancer				
	Resid	lential		nild	Wo	rker	Resid	lential		nild	Wo	rker	Acute N	oncancer
Modeled TEU	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])
OPERATING SCE	NARIO 1—SIGN	IFICANT TEUs				-	•	•		•				•
CFU101	1,136	2.51	2	0.21	10,103	2.14	1,220	0.37	2	0.21	10,103	2.14	10,240	10.59
CFU102	1,136	2.40	2	0.21	10,103	2.0	1,220	0.32	2	0.21	10,103	2.0	10,240	7.61
CFU103	1,136	2.37	2	0.21	10,103	2.4	1,220	0.20	2	0.21	10,103	2.4	10,240	3.00
CFU104	1,136	2.49	2	0.21	10,103	2.4	1,220	0.23	2	0.21	10,103	2.4	10,240	3.45
CFU105	1,136	2.83	2	0.21	10,103	2.5	1,220	0.63	2	0.21	10,103	2.5	10,240	12.02
CFU106	1,136	2.67	2	0.21	10,103	2.5	1,220	0.31	2	0.21	10,103	2.5	10,240	3.74
CFU107	1,136	2.81	2	0.21	10,103	2.2	1,220	0.51	2	0.21	10,103	2.2	10,240	9.72
CFU108	1,136	2.75	2	0.21	10,103	2.4	1,220	0.37	2	0.21	10,103	2.4	10,240	8.02
CFU109	1,136	2.80	2	0.21	10,103	3.2	1,220	0.77	2	0.21	10,103	3.2	10,240	50.16
CFU110	1,136	2.66	2	0.21	10,103	2.4	1,220	0.50	2	0.21	10,103	2.4	10,240	9.59
CFU111	1,136	2.73	2	0.21	10,103	2.6	1,220	0.59	2	0.21	10,103	2.6	10,240	21.25
CFU112	1,136	2.83	2	0.20	10,103	3.2	1,220	0.89	2	0.20	10,103	3.2	10,240	41.14
CFU116	1,136	0.48	2	0.43	10,103	1.5	1,220	0.29	2	0.43	10,103	1.5	10,240	14.27
CFU117	1,136	0.51	2	0.43	10,103	1.5	1,220	0.30	2	0.43	10,103	1.5	10,240	16.09
CFU118	1,136	0.45	2	0.43	10,103	1.5	1,220	0.27	2	0.43	10,103	1.5	10,240	13.70
CFU114	1,136	0.22	2	0.38	10,103	1.0	1,220	0.15	2	0.38	10,103	1.0	10,240	12.75
CFU115	1,136	0.16	2	0.37	10,103	0.6	1,220	0.12	2	0.37	10,103	0.6	10,240	7.66
CFU113	1,136	6.80	2	0.45	10,103	12.9	1,220	3.05	2	0.45	10,103	12.9	10,240	29.53
SSF01	1,136	178.69	2	15.26	10,103	189.7	1,220	165.14	2	15.26	10,103	189.7	10,240	6044.54
SSF02	1,136	178.74	2	15.34	10,103	182.9	1,220	160.51	2	15.34	10,103	182.9	10,240	6689.65
SSF05	1,136	242.70	2	14.91	10,103	173.8	1,220	275.90	2	14.91	10,103	173.8	10,240	2332.44
SSF16	1,136	49.29	2	34.58	10,103	33.8	1,220	34.70	2	34.58	10,103	33.8	10,240	419.45
SSF17	1,136	46.88	2	35.37	10,103	32.5	1,220	33.35	2	35.37	10,103	32.5	10,240	406.23
SSF18	1,136	47.48	2	35.40	10,103	32.8	1,220	33.79	2	35.40	10,103	32.8	10,240	412.49
SSF03	1,136	263.70	2	15.65	10,103	169.2	1,220	202.55	2	15.65	10,103	169.2	10,240	1859.28
SSF04	1,136	263.45	2	15.58	10,103	171.4	1,220	208.65	2	15.58	10,103	171.4	10,240	2221.89
SSF06	1,136	259.10	2	15.35	10,103	175.0	1,220	227.85	2	15.35	10,103	175.0	10,240	2812.85
SSF07	1,136	247.22	2	15.02	10,103	174.9	1,220	264.77	2	15.02	10,103	174.9	10,240	2433.11
SSF08	1,136	255.27	2	15.24	10,103	175.2	1,220	234.87	2	15.24	10,103	175.2	10,240	2812.61
SSF09	1,136	166.83	2	14.48	10,103	227.3	1,220	193.34	2	14.48	10,103	227.3	10,240	3175.81
SSF10	1,136	175.85	2	15.00	10,103	209.2	1,220	179.28	2	15.00	10,103	209.2	10,240	4237.98
SSF11	1,136	173.59	2	14.87	10,103	214.7	1,220	182.84	2	14.87	10,103	214.7	10,240	3724.03

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 48 of 175

Table 6-3 Production Scenario 1—Maximum Predicted Risk Exposure Location Per TEU Hollingsworth & Vose Fiber Company—Corvallis, OR

			Cai	ncer					Chronic N	loncancer			A quita Na	naanaar
	Resid	ential	Cł	nild	Wo	rker	Resid	ential	Cł	nild	Wo	rker	Acute No	oncancer
Modeled TEU	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s]
PERATING SCE	NARIO 1—SIGN	IFICANT TEUs												
SSF12	1,136	166.28	2	14.44	10,103	233.1	1,220	201.67	2	14.44	10,103	233.1	10,240	3061.69
SSF14	1,136	43.50	2	37.39	10,103	30.0	1,220	31.70	2	37.39	10,103	30.0	10,240	362.13
SSF15	1,136	43.87	2	37.27	10,103	30.1	1,220	31.94	2	37.27	10,103	30.1	10,240	361.86
SSF13	1,136	164.15	2	14.32	10,103	243.5	1,220	221.53	2	14.32	10,103	243.5	10,240	2776.80
SILO1	1,136	22.89	2	1.94	10,103	26.5	1,220	29.90	2	1.94	10,103	26.5	10,240	192.84
SILO2	1,136	0.95	2	4.36	10,103	2.6	1,220	0.71	2	4.36	10,103	2.6	10,240	40.93
BBBH	1,136	21.23	2	5.18	10,103	118.4	1,220	31.15	2	5.18	10,103	118.4	10,240	454.16
GP1_A	1,136	48.80	2	9.62	10,103	205.6	1,220	72.38	2	9.62	10,103	205.6	10,240	583.99
GP1_B	1,136	48.25	2	9.53	10,103	177.6	1,220	74.03	2	9.53	10,103	177.6	10,240	543.11
BHBH	1,136	65.29	2	12.36	10,103	531.3	1,220	89.73	2	12.36	10,103	531.3	10,240	565.40
CT1_2	1,136	14.12	2	5.91	10,103	37.5	1,220	16.79	2	5.91	10,103	37.5	10,240	448.78
CT3A	1,136	12.35	2	4.09	10,103	38.5	1,220	14.54	2	4.09	10,103	38.5	10,240	315.71
CT3B	1,136	12.43	2	4.09	10,103	36.6	1,220	14.67	2	4.09	10,103	36.6	10,240	191.52
CT4	1,136	3.27	2	10.50	10,103	8.1	1,220	2.47	2	10.50	10,103	8.1	10,240	115.08
PAINT	1,136	127.63	2	13.85	10,103	1298.1	1,220	190.52	2	13.85	10,103	1298.1	10,240	2160.94
EGEN1	1,136	7.55	2	0.57	10,103	16.8	1,220	10.80	2	0.57	10,103	16.8	10,240	48.47
EGEN2	1,136	8.81	2	2.96	10,103	33.1	1,220	15.55	2	2.96	10,103	33.1	10,240	188.20
SAS COMBUSTION	ON TEUs													
CFU113NG	10,213	0.90	2	0.45	10,215	0.91	10,213	0.90	2	0.45	10,215	0.91	10,121	7.20
NG	10,213	10.58	2	1.31	10,215	11.0	10,213	10.58	2	1.31	10,215	11.0	10,121	88.41

g = gram; $m^3 = cubic meter$; m = meter; s = second; TEU = toxic emission unit; ug = micrograms; UTM = universal transverse mercator.

(1) Exposure location represents the highest predicted cumulative cancer or noncancer risk at following receptor ID and coordinates in the unit emission rate dispersion model:

Receptor ID	UTM X (m)	UTM Y (m)
2	479,156.75	4,934,053
1,136	479,462.91	4,933,191
1,220	479,512.91	4,933,141
10,103	479,714.19	4,933,169
10,121	479,129.48	4,933,472
10,213	479,111.28	4,933,474
10,215	479,077.58	4,933,430
10,240	479,591.38	4,933,252

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc				1136			2			10103	
Cumulative Facili	ity-Wide Risk			2.8			<0.1			0.3	
CFU101			1		,		I		·	I	1
Cumulative TEU Risk					0.10			3.6E-04			6.7E-03
Dispersion Factor (µg/m3/[g	~ .	T		2.51			0.21			2.14	1
Barium	7440-39-3	3.9E-07	9.8E-07		(4)	8.2E-08		(4)	8.4E-07		(4)
Chromium (total)	7440-47-3	1.4E-07	3.4E-07		(4)	2.9E-08		(4)	2.9E-07		(4)
Chromium VI	18540-29-9	1.4E-07	3.4E-07	3.1E-05	0.011	2.9E-08	5.2E-04	5.5E-05	2.9E-07	1.0E-03	2.9E-04
Copper	7440-50-8	3.3E-06	8.2E-06		(4)	6.9E-07		(4)	7.0E-06		(4)
Manganese	7439-96-5	6.5E-07	1.6E-06		(4)	1.4E-07		(4)	1.4E-06		(4)
Mercury	7439-97-6	3.4E-08	8.5E-08		(4)	7.1E-09		(4)	7.2E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.3E-06		(4)	2.8E-07		(4)	2.9E-06		(4)
Nickel	7440-02-0	2.9E-07	7.3E-07	3.8E-03	1.9E-04	6.1E-08	0.10	6.1E-07	6.2E-07	0.046	1.3E-05
Phosphorus	504	5.4E-06	1.4E-05		(4)	1.1E-06		(4)	1.2E-05		(4)
Vanadium	7440-62-2	1.9E-06	4.7E-06		(4)	3.9E-07		(4)	4.0E-06		(4)
Zinc	7440-66-6	8.1E-06	2.0E-05		(4)	1.7E-06		(4)	1.7E-05		(4)
Ammonia	7664-41-7	2.6E-03	6.5E-03		(4)	5.4E-04		(4)	5.5E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	6.1E-04		(4)	5.2E-05		(4)	5.2E-04		(4)
Glasswool Fibers	352	3.8E-05	9.6E-05		(4)	8.0E-06		(4)	8.2E-05		(4)
Silica, Crystalline	7631-86-9	3.8E-05	9.5E-05		(4)	8.0E-06		(4)	8.1E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	8.7E-06	0.45	1.9E-05	7.3E-07	12.0	6.1E-08	7.4E-06	5.50	1.4E-06
Acetone	67-64-1	3.7E-04	9.3E-04		(4)	7.8E-05		(4)	8.0E-04		(4)
Acrolein	107-02-8	2.2E-06	5.5E-06		(4)	4.6E-07		(4)	4.7E-06		(4)
Benzene	71-43-2	7.4E-05	1.9E-04	0.13	1.4E-03	1.6E-05	3.30	4.7E-06	1.6E-04	1.50	1.1E-04
Formaldehyde	50-00-0	5.8E-03	0.015	0.17	0.086	1.2E-03	4.30	2.9E-04	0.013	2.00	6.3E-03
Hexane	110-54-3	3.6E-04	9.1E-04		(4)	7.7E-05		(4)	7.8E-04		(4)
Chloromethane	74-87-3	2.9E-05	7.2E-05		(4)	6.0E-06		(4)	6.2E-05		(4)
2-Butanone	78-93-3	1.4E-05	3.5E-05		(4)	3.0E-06		(4)	3.0E-05		(4)
Toluene	108-88-3	1.8E-04	4.4E-04		(4)	3.7E-05		(4)	3.8E-04		(4)
PAHs	401	8.1E-08	2.0E-07	4.3E-05	4.7E-03	1.7E-08	1.6E-03	1.1E-05	1.7E-07	3.0E-03	5.8E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.4E-09	4.3E-05	5.6E-05	2.0E-10	1.6E-03	1.3E-07	2.1E-09	3.0E-03	6.9E-07
Naphthalene	91-20-3	2.4E-07	6.1E-07	0.029	2.1E-05	5.1E-08	0.76	6.7E-08	5.2E-07	0.35	1.5E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk (b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	cation ⁽³⁾			1136			2			10103	
Cumulative Facili	ity-Wide Risk			2.8			<0.1			0.3	
CFU102			•	T		Ī	T			1	
Cumulative TEU Risk					0.099			3.6E-04			6.2E-03
Dispersion Factor (μg/m3/[g				2.40			0.21			1.97	
Barium	7440-39-3	3.9E-07	9.3E-07		(4)	8.2E-08		(4)	7.7E-07		(4)
Chromium (total)	7440-47-3	1.4E-07	3.3E-07		(4)	2.9E-08		(4)	2.7E-07		(4)
Chromium VI	18540-29-9	1.4E-07	3.3E-07	3.1E-05	0.011	2.9E-08	5.2E-04	5.5E-05	2.7E-07	1.0E-03	2.7E-04
Copper	7440-50-8	3.3E-06	7.9E-06		(4)	6.9E-07		(4)	6.5E-06		(4)
Manganese	7439-96-5	6.5E-07	1.6E-06		(4)	1.4E-07		(4)	1.3E-06		(4)
Mercury	7439-97-6	3.4E-08	8.1E-08		(4)	7.1E-09		(4)	6.7E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.2E-06		(4)	2.8E-07		(4)	2.6E-06		(4)
Nickel	7440-02-0	2.9E-07	6.9E-07	3.8E-03	1.8E-04	6.1E-08	0.10	6.1E-07	5.7E-07	0.046	1.2E-05
Phosphorus	504	5.4E-06	1.3E-05		(4)	1.1E-06		(4)	1.1E-05		(4)
Vanadium	7440-62-2	1.9E-06	4.4E-06		(4)	3.9E-07		(4)	3.7E-06		(4)
Zinc	7440-66-6	8.1E-06	1.9E-05		(4)	1.7E-06		(4)	1.6E-05		(4)
Ammonia	7664-41-7	2.6E-03	6.2E-03		(4)	5.5E-04		(4)	5.1E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	5.9E-04		(4)	5.2E-05		(4)	4.8E-04		(4)
Glasswool Fibers	352	3.8E-05	9.1E-05		(4)	8.1E-06		(4)	7.5E-05		(4)
Silica, Crystalline	7631-86-9	3.8E-05	9.1E-05		(4)	8.0E-06		(4)	7.4E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	8.3E-06	0.45	1.8E-05	7.3E-07	12.0	6.1E-08	6.8E-06	5.50	1.2E-06
Acetone	67-64-1	3.7E-04	8.9E-04		(4)	7.9E-05		(4)	7.3E-04		(4)
Acrolein	107-02-8	2.2E-06	5.2E-06		(4)	4.6E-07		(4)	4.3E-06		(4)
Benzene	71-43-2	7.4E-05	1.8E-04	0.13	1.4E-03	1.6E-05	3.30	4.7E-06	1.5E-04	1.50	9.7E-05
Formaldehyde	50-00-0	5.8E-03	0.014	0.17	0.082	1.2E-03	4.30	2.9E-04	0.011	2.00	5.7E-03
Hexane	110-54-3	3.6E-04	8.7E-04		(4)	7.7E-05		(4)	7.2E-04		(4)
Chloromethane	74-87-3	2.9E-05	6.9E-05		(4)	6.1E-06		(4)	5.7E-05		(4)
2-Butanone	78-93-3	1.4E-05	3.4E-05		(4)	3.0E-06		(4)	2.8E-05		(4)
Toluene	108-88-3	1.8E-04	4.2E-04		(4)	3.7E-05		(4)	3.4E-04		(4)
PAHs	401	8.1E-08	1.9E-07	4.3E-05	4.5E-03	1.7E-08	1.6E-03	1.1E-05	1.6E-07	3.0E-03	5.3E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.3E-09	4.3E-05	5.4E-05	2.0E-10	1.6E-03	1.3E-07	1.9E-09	3.0E-03	6.3E-07
Naphthalene	91-20-3	2.4E-07	5.8E-07	0.029	2.0E-05	5.1E-08	0.76	6.7E-08	4.8E-07	0.35	1.4E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	cation ⁽³⁾			1136			2			10103	
Cumulative Facili	ity-Wide Risk			2.8			<0.1			0.3	
CFU103			1				1		1		
Cumulative TEU Risk					0.098			3.6E-04			7.4E-03
Dispersion Factor (µg/m3/[g		T		2.37			0.21			2.35	
Barium	7440-39-3	3.9E-07	9.2E-07		(4)	8.3E-08		(4)	9.2E-07		(4)
Chromium (total)	7440-47-3	1.4E-07	3.2E-07		(4)	2.9E-08		(4)	3.2E-07		(4)
Chromium VI	18540-29-9	1.4E-07	3.2E-07	3.1E-05	0.010	2.9E-08	5.2E-04	5.6E-05	3.2E-07	1.0E-03	3.2E-04
Copper	7440-50-8	3.3E-06	7.8E-06		(4)	7.0E-07		(4)	7.7E-06		(4)
Manganese	7439-96-5	6.5E-07	1.5E-06		(4)	1.4E-07		(4)	1.5E-06		(4)
Mercury	7439-97-6	3.4E-08	8.0E-08		(4)	7.2E-09		(4)	8.0E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.1E-06		(4)	2.8E-07		(4)	3.1E-06		(4)
Nickel	7440-02-0	2.9E-07	6.9E-07	3.8E-03	1.8E-04	6.2E-08	0.10	6.2E-07	6.8E-07	0.046	1.5E-05
Phosphorus	504	5.4E-06	1.3E-05		(4)	1.2E-06		(4)	1.3E-05		(4)
Vanadium	7440-62-2	1.9E-06	4.4E-06		(4)	3.9E-07		(4)	4.4E-06		(4)
Zinc	7440-66-6	8.1E-06	1.9E-05		(4)	1.7E-06		(4)	1.9E-05		(4)
Ammonia	7664-41-7	2.6E-03	6.1E-03		(4)	5.5E-04		(4)	6.1E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	5.8E-04		(4)	5.2E-05		(4)	5.8E-04		(4)
Glasswool Fibers	352	3.8E-05	9.0E-05		(4)	8.1E-06		(4)	9.0E-05		(4)
Silica, Crystalline	7631-86-9	3.8E-05	8.9E-05		(4)	8.0E-06		(4)	8.9E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	8.2E-06	0.45	1.8E-05	7.4E-07	12.0	6.1E-08	8.2E-06	5.50	1.5E-06
Acetone	67-64-1	3.7E-04	8.8E-04		(4)	7.9E-05		(4)	8.7E-04		(4)
Acrolein	107-02-8	2.2E-06	5.2E-06		(4)	4.6E-07		(4)	5.1E-06		(4)
Benzene	71-43-2	7.4E-05	1.7E-04	0.13	1.3E-03	1.6E-05	3.30	4.8E-06	1.7E-04	1.50	1.2E-04
Formaldehyde	50-00-0	5.8E-03	0.014	0.17	0.081	1.2E-03	4.30	2.9E-04	0.014	2.00	6.9E-03
Hexane	110-54-3	3.6E-04	8.6E-04		(4)	7.7E-05		(4)	8.6E-04		(4)
Chloromethane	74-87-3	2.9E-05	6.8E-05		(4)	6.1E-06		(4)	6.8E-05		(4)
2-Butanone	78-93-3	1.4E-05	3.3E-05		(4)	3.0E-06		(4)	3.3E-05		(4)
Toluene	108-88-3	1.8E-04	4.1E-04		(4)	3.7E-05		(4)	4.1E-04		(4)
PAHs	401	8.1E-08	1.9E-07	4.3E-05	4.4E-03	1.7E-08	1.6E-03	1.1E-05	1.9E-07	3.0E-03	6.3E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.3E-09	4.3E-05	5.3E-05	2.1E-10	1.6E-03	1.3E-07	2.3E-09	3.0E-03	7.6E-07
Naphthalene	91-20-3	2.4E-07	5.7E-07	0.029	2.0E-05	5.1E-08	0.76	6.8E-08	5.7E-07	0.35	1.6E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	sidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk (b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	cation ⁽³⁾			1136			2			10103	
Cumulative Facili	ity-Wide Risk			2.8			<0.1			0.3	
CFU104											
Cumulative TEU Risk					0.10			3.6E-04			7.6E-03
Dispersion Factor (μg/m3/[g				2.49			0.21			2.42	
Barium	7440-39-3	3.9E-07	9.7E-07		(4)	8.3E-08		(4)	9.4E-07		(4)
Chromium (total)	7440-47-3	1.4E-07	3.4E-07		(4)	2.9E-08		(4)	3.3E-07		(4)
Chromium VI	18540-29-9	1.4E-07	3.4E-07	3.1E-05	0.011	2.9E-08	5.2E-04	5.5E-05	3.3E-07	1.0E-03	3.3E-04
Copper	7440-50-8	3.3E-06	8.2E-06		(4)	7.0E-07		(4)	7.9E-06		(4)
Manganese	7439-96-5	6.5E-07	1.6E-06		(4)	1.4E-07		(4)	1.6E-06		(4)
Mercury	7439-97-6	3.4E-08	8.4E-08		(4)	7.2E-09		(4)	8.2E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.3E-06		(4)	2.8E-07		(4)	3.2E-06		(4)
Nickel	7440-02-0	2.9E-07	7.2E-07	3.8E-03	1.9E-04	6.1E-08	0.10	6.1E-07	7.0E-07	0.046	1.5E-05
Phosphorus	504	5.4E-06	1.4E-05		(4)	1.1E-06		(4)	1.3E-05		(4)
Vanadium	7440-62-2	1.9E-06	4.6E-06		(4)	3.9E-07		(4)	4.5E-06		(4)
Zinc	7440-66-6	8.1E-06	2.0E-05		(4)	1.7E-06		(4)	2.0E-05		(4)
Ammonia	7664-41-7	2.6E-03	6.4E-03		(4)	5.5E-04		(4)	6.2E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	6.1E-04		(4)	5.2E-05		(4)	5.9E-04		(4)
Glasswool Fibers	352	3.8E-05	9.5E-05		(4)	8.1E-06		(4)	9.2E-05		(4)
Silica, Crystalline	7631-86-9	3.8E-05	9.4E-05		(4)	8.0E-06		(4)	9.1E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	8.7E-06	0.45	1.9E-05	7.3E-07	12.0	6.1E-08	8.4E-06	5.50	1.5E-06
Acetone	67-64-1	3.7E-04	9.3E-04		(4)	7.9E-05		(4)	9.0E-04		(4)
Acrolein	107-02-8	2.2E-06	5.4E-06		(4)	4.6E-07		(4)	5.3E-06		(4)
Benzene	71-43-2	7.4E-05	1.8E-04	0.13	1.4E-03	1.6E-05	3.30	4.7E-06	1.8E-04	1.50	1.2E-04
Formaldehyde	50-00-0	5.8E-03	0.015	0.17	0.086	1.2E-03	4.30	2.9E-04	0.014	2.00	7.1E-03
Hexane	110-54-3	3.6E-04	9.1E-04		(4)	7.7E-05		(4)	8.8E-04		(4)
Chloromethane	74-87-3	2.9E-05	7.2E-05		(4)	6.1E-06		(4)	6.9E-05		(4)
2-Butanone	78-93-3	1.4E-05	3.5E-05		(4)	3.0E-06		(4)	3.4E-05		(4)
Toluene	108-88-3	1.8E-04	4.4E-04		(4)	3.7E-05		(4)	4.2E-04		(4)
PAHs	401	8.1E-08	2.0E-07	4.3E-05	4.7E-03	1.7E-08	1.6E-03	1.1E-05	2.0E-07	3.0E-03	6.5E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.4E-09	4.3E-05	5.6E-05	2.1E-10	1.6E-03	1.3E-07	2.3E-09	3.0E-03	7.8E-07
Naphthalene	91-20-3	2.4E-07	6.0E-07	0.029	2.1E-05	5.1E-08	0.76	6.7E-08	5.9E-07	0.35	1.7E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	ation (3)			1136			2			10103	
Cumulative Facilit				2.8			<0.1			0.3	
CFU105											
Cumulative TEU Risk					0.12			3.6E-04			7.9E-03
Dispersion Factor (µg/m3/[g	/s])			2.83			0.21			2.51	
Barium	7440-39-3	3.9E-07	1.1E-06		(4)	8.3E-08		(4)	9.8E-07		(4)
Chromium (total)	7440-47-3	1.4E-07	3.9E-07		(4)	2.9E-08		(4)	3.4E-07		(4)
Chromium VI	18540-29-9	1.4E-07	3.9E-07	3.1E-05	0.012	2.9E-08	5.2E-04	5.5E-05	3.4E-07	1.0E-03	3.4E-04
Copper	7440-50-8	3.3E-06	9.3E-06		(4)	7.0E-07		(4)	8.3E-06		(4)
Manganese	7439-96-5	6.5E-07	1.8E-06		(4)	1.4E-07		(4)	1.6E-06		(4)
Mercury	7439-97-6	3.4E-08	9.6E-08		(4)	7.2E-09		(4)	8.5E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.8E-06		(4)	2.8E-07		(4)	3.3E-06		(4)
Nickel	7440-02-0	2.9E-07	8.2E-07	3.8E-03	2.2E-04	6.1E-08	0.10	6.1E-07	7.3E-07	0.046	1.6E-05
Phosphorus	504	5.4E-06	1.5E-05		(4)	1.1E-06		(4)	1.4E-05		(4)
Vanadium	7440-62-2	1.9E-06	5.3E-06		(4)	3.9E-07		(4)	4.7E-06		(4)
Zinc	7440-66-6	8.1E-06	2.3E-05		(4)	1.7E-06		(4)	2.0E-05		(4)
Ammonia	7664-41-7	2.6E-03	7.3E-03		(4)	5.5E-04		(4)	6.5E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	6.9E-04		(4)	5.2E-05		(4)	6.2E-04		(4)
Glasswool Fibers	352	3.8E-05	1.1E-04		(4)	8.1E-06		(4)	9.6E-05		(4)
Silica, Crystalline	7631-86-9	3.8E-05	1.1E-04		(4)	8.0E-06		(4)	9.5E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	9.8E-06	0.45	2.2E-05	7.3E-07	12.0	6.1E-08	8.7E-06	5.50	1.6E-06
Acetone	67-64-1	3.7E-04	1.1E-03		(4)	7.9E-05		(4)	9.4E-04		(4)
Acrolein	107-02-8	2.2E-06	6.2E-06		(4)	4.6E-07		(4)	5.5E-06		(4)
Benzene	71-43-2	7.4E-05	2.1E-04	0.13	1.6E-03	1.6E-05	3.30	4.7E-06	1.9E-04	1.50	1.2E-04
Formaldehyde	50-00-0	5.8E-03	0.017	0.17	0.097	1.2E-03	4.30	2.9E-04	0.015	2.00	7.3E-03
Hexane	110-54-3	3.6E-04	1.0E-03		(4)	7.7E-05		(4)	9.1E-04		(4)
Chloromethane	74-87-3	2.9E-05	8.1E-05		(4)	6.1E-06		(4)	7.2E-05		(4)
2-Butanone	78-93-3	1.4E-05	4.0E-05		(4)	3.0E-06		(4)	3.5E-05		(4)
Toluene	108-88-3	1.8E-04	5.0E-04		(4)	3.7E-05		(4)	4.4E-04		(4)
PAHs	401	8.1E-08	2.3E-07	4.3E-05	5.3E-03	1.7E-08	1.6E-03	1.1E-05	2.0E-07	3.0E-03	6.8E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.7E-09	4.3E-05	6.4E-05	2.1E-10	1.6E-03	1.3E-07	2.4E-09	3.0E-03	8.1E-07
Naphthalene	91-20-3	2.4E-07	6.9E-07	0.029	2.4E-05	5.1E-08	0.76	6.7E-08	6.1E-07	0.35	1.7E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	cation (3)			1136			2			10103	
Cumulative Facil	ity-Wide Risk			2.8			<0.1			0.3	
CFU106			•								
Cumulative TEU Risk					0.11			3.6E-04			7.8E-03
Dispersion Factor (µg/m3/[g				2.67			0.21			2.50	
Barium	7440-39-3	3.9E-07	1.0E-06		(4)	8.2E-08		(4)	9.7E-07		(4)
Chromium (total)	7440-47-3	1.4E-07	3.6E-07		(4)	2.9E-08		(4)	3.4E-07		(4)
Chromium VI	18540-29-9	1.4E-07	3.6E-07	3.1E-05	0.012	2.9E-08	5.2E-04	5.5E-05	3.4E-07	1.0E-03	3.4E-04
Copper	7440-50-8	3.3E-06	8.8E-06		(4)	6.9E-07		(4)	8.2E-06		(4)
Manganese	7439-96-5	6.5E-07	1.7E-06		(4)	1.4E-07		(4)	1.6E-06		(4)
Mercury	7439-97-6	3.4E-08	9.0E-08		(4)	7.1E-09		(4)	8.4E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.6E-06		(4)	2.8E-07		(4)	3.3E-06		(4)
Nickel	7440-02-0	2.9E-07	7.7E-07	3.8E-03	2.0E-04	6.1E-08	0.10	6.1E-07	7.2E-07	0.046	1.6E-05
Phosphorus	504	5.4E-06	1.4E-05		(4)	1.1E-06		(4)	1.4E-05		(4)
Vanadium	7440-62-2	1.9E-06	5.0E-06		(4)	3.9E-07		(4)	4.6E-06		(4)
Zinc	7440-66-6	8.1E-06	2.2E-05		(4)	1.7E-06		(4)	2.0E-05		(4)
Ammonia	7664-41-7	2.6E-03	6.9E-03		(4)	5.4E-04		(4)	6.4E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	6.5E-04		(4)	5.1E-05		(4)	6.1E-04		(4)
Glasswool Fibers	352	3.8E-05	1.0E-04		(4)	8.0E-06		(4)	9.5E-05		(4)
Silica, Crystalline	7631-86-9	3.8E-05	1.0E-04		(4)	7.9E-06		(4)	9.4E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	9.3E-06	0.45	2.1E-05	7.3E-07	12.0	6.1E-08	8.7E-06	5.50	1.6E-06
Acetone	67-64-1	3.7E-04	9.9E-04		(4)	7.8E-05		(4)	9.3E-04		(4)
Acrolein	107-02-8	2.2E-06	5.8E-06		(4)	4.6E-07		(4)	5.4E-06		(4)
Benzene	71-43-2	7.4E-05	2.0E-04	0.13	1.5E-03	1.6E-05	3.30	4.7E-06	1.8E-04	1.50	1.2E-04
Formaldehyde	50-00-0	5.8E-03	0.016	0.17	0.092	1.2E-03	4.30	2.8E-04	0.015	2.00	7.3E-03
Hexane	110-54-3	3.6E-04	9.7E-04		(4)	7.6E-05		(4)	9.1E-04		(4)
Chloromethane	74-87-3	2.9E-05	7.7E-05		(4)	6.0E-06		(4)	7.2E-05		(4)
2-Butanone	78-93-3	1.4E-05	3.8E-05		(4)	3.0E-06		(4)	3.5E-05		(4)
Toluene	108-88-3	1.8E-04	4.7E-04		(4)	3.7E-05		(4)	4.4E-04		(4)
PAHs	401	8.1E-08	2.2E-07	4.3E-05	5.0E-03	1.7E-08	1.6E-03	1.1E-05	2.0E-07	3.0E-03	6.7E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.6E-09	4.3E-05	6.0E-05	2.0E-10	1.6E-03	1.3E-07	2.4E-09	3.0E-03	8.1E-07
Naphthalene	91-20-3	2.4E-07	6.5E-07	0.029	2.2E-05	5.1E-08	0.76	6.7E-08	6.0E-07	0.35	1.7E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

	1						Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	cation (3)			1136			2			10103	
Cumulative Facili	ty-Wide Risk			2.8			<0.1			0.3	
CFU107			•								
Cumulative TEU Risk					0.12			3.6E-04			6.9E-03
Dispersion Factor (µg/m3/[g				2.81			0.21			2.19	
Barium	7440-39-3	3.9E-07	1.1E-06		(4)	8.3E-08		(4)	8.5E-07		(4)
Chromium (total)	7440-47-3	1.4E-07	3.8E-07		(4)	2.9E-08		(4)	3.0E-07		(4)
Chromium VI	18540-29-9	1.4E-07	3.8E-07	3.1E-05	0.012	2.9E-08	5.2E-04	5.6E-05	3.0E-07	1.0E-03	3.0E-04
Copper	7440-50-8	3.3E-06	9.2E-06		(4)	7.0E-07		(4)	7.2E-06		(4)
Manganese	7439-96-5	6.5E-07	1.8E-06		(4)	1.4E-07		(4)	1.4E-06		(4)
Mercury	7439-97-6	3.4E-08	9.5E-08		(4)	7.2E-09		(4)	7.4E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.7E-06		(4)	2.8E-07		(4)	2.9E-06		(4)
Nickel	7440-02-0	2.9E-07	8.1E-07	3.8E-03	2.1E-04	6.1E-08	0.10	6.1E-07	6.3E-07	0.046	1.4E-05
Phosphorus	504	5.4E-06	1.5E-05		(4)	1.2E-06		(4)	1.2E-05		(4)
Vanadium	7440-62-2	1.9E-06	5.2E-06		(4)	3.9E-07		(4)	4.1E-06		(4)
Zinc	7440-66-6	8.1E-06	2.3E-05		(4)	1.7E-06		(4)	1.8E-05		(4)
Ammonia	7664-41-7	2.6E-03	7.3E-03		(4)	5.5E-04		(4)	5.6E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	6.9E-04		(4)	5.2E-05		(4)	5.4E-04		(4)
Glasswool Fibers	352	3.8E-05	1.1E-04		(4)	8.1E-06		(4)	8.3E-05		(4)
Silica, Crystalline	7631-86-9	3.8E-05	1.1E-04		(4)	8.0E-06		(4)	8.3E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	9.8E-06	0.45	2.2E-05	7.4E-07	12.0	6.1E-08	7.6E-06	5.50	1.4E-06
Acetone	67-64-1	3.7E-04	1.0E-03		(4)	7.9E-05		(4)	8.1E-04		(4)
Acrolein	107-02-8	2.2E-06	6.1E-06		(4)	4.6E-07		(4)	4.8E-06		(4)
Benzene	71-43-2	7.4E-05	2.1E-04	0.13	1.6E-03	1.6E-05	3.30	4.8E-06	1.6E-04	1.50	1.1E-04
Formaldehyde	50-00-0	5.8E-03	0.016	0.17	0.097	1.2E-03	4.30	2.9E-04	0.013	2.00	6.4E-03
Hexane	110-54-3	3.6E-04	1.0E-03		(4)	7.7E-05		(4)	7.9E-04		(4)
Chloromethane	74-87-3	2.9E-05	8.1E-05		(4)	6.1E-06		(4)	6.3E-05		(4)
2-Butanone	78-93-3	1.4E-05	4.0E-05		(4)	3.0E-06		(4)	3.1E-05		(4)
Toluene	108-88-3	1.8E-04	4.9E-04		(4)	3.7E-05		(4)	3.8E-04		(4)
PAHs	401	8.1E-08	2.3E-07	4.3E-05	5.3E-03	1.7E-08	1.6E-03	1.1E-05	1.8E-07	3.0E-03	5.9E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.7E-09	4.3E-05	6.3E-05	2.1E-10	1.6E-03	1.3E-07	2.1E-09	3.0E-03	7.1E-07
Naphthalene	91-20-3	2.4E-07	6.8E-07	0.029	2.3E-05	5.1E-08	0.76	6.8E-08	5.3E-07	0.35	1.5E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³) 10103 0.3 2.42 1.0E-03 0.046 5.50 1.50 2.00 3.0E-03 3.0E-03	Risk (b) (chances- in-10 ⁶)
Exposure Lo	cation (3)			1136	•		2			10103	
Cumulative Faci				2.8			<0.1			0.3	
CFU108						-					
Cumulative TEU Risk					0.11			3.6E-04			7.6E-03
Dispersion Factor (µg/m3/	[g/s])			2.75			0.21			2.42	
Barium	7440-39-3	3.9E-07	1.1E-06		(4)	8.3E-08		(4)	9.4E-07		(4)
Chromium (total)	7440-47-3	1.4E-07	3.7E-07		(4)	2.9E-08		(4)	3.3E-07		(4)
Chromium VI	18540-29-9	1.4E-07	3.7E-07	3.1E-05	0.012	2.9E-08	5.2E-04	5.6E-05	3.3E-07	1.0E-03	3.3E-04
Copper	7440-50-8	3.3E-06	9.0E-06		(4)	7.0E-07		(4)	7.9E-06		(4)
Manganese	7439-96-5	6.5E-07	1.8E-06		(4)	1.4E-07		(4)	1.6E-06		(4)
Mercury	7439-97-6	3.4E-08	9.3E-08		(4)	7.2E-09		(4)	8.2E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.7E-06		(4)	2.8E-07		(4)	3.2E-06		(4)
Nickel	7440-02-0	2.9E-07	8.0E-07	3.8E-03	2.1E-04	6.2E-08	0.10	6.2E-07	7.0E-07	0.046	1.5E-05
Phosphorus	504	5.4E-06	1.5E-05		(4)	1.2E-06		(4)	1.3E-05		(4)
Vanadium	7440-62-2	1.9E-06	5.1E-06		(4)	4.0E-07		(4)	4.5E-06		(4)
Zinc	7440-66-6	8.1E-06	2.2E-05		(4)	1.7E-06		(4)	2.0E-05		(4)
Ammonia	7664-41-7	2.6E-03	7.1E-03		(4)	5.5E-04		(4)	6.2E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	6.7E-04		(4)	5.2E-05		(4)	5.9E-04		(4)
Glasswool Fibers	352	3.8E-05	1.0E-04		(4)	8.1E-06		(4)	9.2E-05		(4)
Silica, Crystalline	7631-86-9	3.8E-05	1.0E-04		(4)	8.0E-06		(4)	9.1E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	9.5E-06	0.45	2.1E-05	7.4E-07	12.0	6.2E-08	8.4E-06	5.50	1.5E-06
Acetone	67-64-1	3.7E-04	1.0E-03		(4)	7.9E-05		(4)	9.0E-04		(4)
Acrolein	107-02-8	2.2E-06	6.0E-06		(4)	4.6E-07		(4)	5.3E-06		(4)
Benzene	71-43-2	7.4E-05	2.0E-04	0.13	1.6E-03	1.6E-05	3.30	4.8E-06	1.8E-04	1.50	1.2E-04
Formaldehyde	50-00-0	5.8E-03	0.016	0.17	0.094	1.2E-03	4.30	2.9E-04	0.014	2.00	7.1E-03
Hexane	110-54-3	3.6E-04	1.0E-03		(4)	7.7E-05		(4)	8.8E-04		(4)
Chloromethane	74-87-3	2.9E-05	7.9E-05		(4)	6.1E-06		(4)	6.9E-05		(4)
2-Butanone	78-93-3	1.4E-05	3.9E-05		(4)	3.0E-06		(4)	3.4E-05		(4)
Toluene	108-88-3	1.8E-04	4.8E-04		(4)	3.7E-05		(4)	4.2E-04		(4)
PAHs	401	8.1E-08	2.2E-07	4.3E-05	5.2E-03	1.7E-08	1.6E-03	1.1E-05	2.0E-07	3.0E-03	6.5E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.7E-09	4.3E-05	6.2E-05	2.1E-10	1.6E-03	1.3E-07	2.3E-09		7.8E-07
Naphthalene	91-20-3	2.4E-07	6.6E-07	0.029	2.3E-05	5.2E-08	0.76	6.8E-08	5.9E-07	0.35	1.7E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³) 10103 0.3 3.24 1.0E-03 0.046 5.50 1.50 2.00	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	ation (3)			1136			2			10103	
Cumulative Facili				2.8			<0.1			0.3	
CFU109											
Cumulative TEU Risk					0.12			3.5E-04			0.010
Dispersion Factor (µg/m3/[g	J/s])			2.80			0.21			3.24	
Barium	7440-39-3	3.9E-07	1.1E-06		(4)	8.0E-08		(4)	1.3E-06		(4)
Chromium (total)	7440-47-3	1.4E-07	3.8E-07		(4)	2.8E-08		(4)	4.4E-07		(4)
Chromium VI	18540-29-9	1.4E-07	3.8E-07	3.1E-05	0.012	2.8E-08	5.2E-04	5.4E-05	4.4E-07	1.0E-03	4.4E-04
Copper	7440-50-8	3.3E-06	9.2E-06		(4)	6.8E-07		(4)	1.1E-05		(4)
Manganese	7439-96-5	6.5E-07	1.8E-06		(4)	1.3E-07		(4)	2.1E-06		(4)
Mercury	7439-97-6	3.4E-08	9.5E-08		(4)	7.0E-09		(4)	1.1E-07		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.7E-06		(4)	2.7E-07		(4)	4.3E-06		(4)
Nickel	7440-02-0	2.9E-07	8.1E-07	3.8E-03	2.1E-04	6.0E-08	0.10	6.0E-07	9.4E-07	0.046	2.0E-05
Phosphorus	504	5.4E-06	1.5E-05		(4)	1.1E-06		(4)	1.8E-05		(4)
Vanadium	7440-62-2	1.9E-06	5.2E-06		(4)	3.8E-07		(4)	6.0E-06		(4)
Zinc	7440-66-6	8.1E-06	2.3E-05		(4)	1.7E-06		(4)	2.6E-05		(4)
Ammonia	7664-41-7	2.6E-03	7.2E-03		(4)	5.3E-04		(4)	8.4E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	6.9E-04		(4)	5.0E-05		(4)	7.9E-04		(4)
Glasswool Fibers	352	3.8E-05	1.1E-04		(4)	7.8E-06		(4)	1.2E-04		(4)
Silica, Crystalline	7631-86-9	3.8E-05	1.1E-04		(4)	7.8E-06		(4)	1.2E-04		(4)
Acetaldehyde	75-07-0	3.5E-06	9.7E-06	0.45	2.2E-05	7.1E-07	12.0	5.9E-08	1.1E-05	5.50	2.0E-06
Acetone	67-64-1	3.7E-04	1.0E-03		(4)	7.6E-05		(4)	1.2E-03		(4)
Acrolein	107-02-8	2.2E-06	6.1E-06		(4)	4.5E-07		(4)	7.1E-06		(4)
Benzene	71-43-2	7.4E-05	2.1E-04	0.13	1.6E-03	1.5E-05	3.30	4.6E-06	2.4E-04	1.50	1.6E-04
Formaldehyde	50-00-0	5.8E-03	0.016	0.17	0.096	1.2E-03	4.30	2.8E-04	0.019	2.00	9.4E-03
Hexane	110-54-3	3.6E-04	1.0E-03		(4)	7.5E-05		(4)	1.2E-03		(4)
Chloromethane	74-87-3	2.9E-05	8.0E-05		(4)	5.9E-06		(4)	9.3E-05		(4)
2-Butanone	78-93-3	1.4E-05	3.9E-05		(4)	2.9E-06		(4)	4.6E-05		(4)
Toluene	108-88-3	1.8E-04	4.9E-04		(4)	3.6E-05		(4)	5.7E-04		(4)
PAHs	401	8.1E-08	2.3E-07	4.3E-05	5.3E-03	1.7E-08	1.6E-03	1.0E-05	2.6E-07	3.0E-03	8.7E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.7E-09	4.3E-05	6.3E-05	2.0E-10	1.6E-03	1.2E-07	3.1E-09	3.0E-03	1.0E-06
Naphthalene	91-20-3	2.4E-07	6.8E-07	0.029	2.3E-05	5.0E-08	0.76	6.5E-08	7.8E-07	0.35	2.2E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³) 10103 0.3 2.42 1.0E-03 0.046 5.50 1.50 2.00 3.0E-03	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	ation (3)			1136			2			10103	_
Cumulative Facili				2.8			<0.1			0.3	
CFU110											
Cumulative TEU Risk					0.11			3.5E-04			7.6E-03
Dispersion Factor (µg/m3/[g				2.66			0.21			2.42	
Barium	7440-39-3	3.9E-07	1.0E-06		(4)	8.1E-08		(4)	9.4E-07		(4)
Chromium (total)	7440-47-3	1.4E-07	3.6E-07		(4)	2.8E-08		(4)	3.3E-07		(4)
Chromium VI	18540-29-9	1.4E-07	3.6E-07	3.1E-05	0.012	2.8E-08	5.2E-04	5.5E-05	3.3E-07	1.0E-03	3.3E-04
Copper	7440-50-8	3.3E-06	8.8E-06		(4)	6.8E-07		(4)	8.0E-06		(4)
Manganese	7439-96-5	6.5E-07	1.7E-06		(4)	1.4E-07		(4)	1.6E-06		(4)
Mercury	7439-97-6	3.4E-08	9.0E-08		(4)	7.1E-09		(4)	8.2E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.5E-06		(4)	2.8E-07		(4)	3.2E-06		(4)
Nickel	7440-02-0	2.9E-07	7.7E-07	3.8E-03	2.0E-04	6.0E-08	0.10	6.0E-07	7.0E-07	0.046	1.5E-05
Phosphorus	504	5.4E-06	1.4E-05		(4)	1.1E-06		(4)	1.3E-05		(4)
Vanadium	7440-62-2	1.9E-06	4.9E-06		(4)	3.9E-07		(4)	4.5E-06		(4)
Zinc	7440-66-6	8.1E-06	2.2E-05		(4)	1.7E-06		(4)	2.0E-05		(4)
Ammonia	7664-41-7	2.6E-03	6.9E-03		(4)	5.4E-04		(4)	6.3E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	6.5E-04		(4)	5.1E-05		(4)	5.9E-04		(4)
Glasswool Fibers	352	3.8E-05	1.0E-04		(4)	8.0E-06		(4)	9.2E-05		(4)
Silica, Crystalline	7631-86-9	3.8E-05	1.0E-04		(4)	7.9E-06		(4)	9.2E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	9.2E-06	0.45	2.1E-05	7.2E-07	12.0	6.0E-08	8.4E-06	5.50	1.5E-06
Acetone	67-64-1	3.7E-04	9.9E-04		(4)	7.8E-05		(4)	9.0E-04		(4)
Acrolein	107-02-8	2.2E-06	5.8E-06		(4)	4.5E-07		(4)	5.3E-06		(4)
Benzene	71-43-2	7.4E-05	2.0E-04	0.13	1.5E-03	1.5E-05	3.30	4.7E-06	1.8E-04	1.50	1.2E-04
Formaldehyde	50-00-0	5.8E-03	0.016	0.17	0.091	1.2E-03	4.30	2.8E-04	0.014	2.00	7.1E-03
Hexane	110-54-3	3.6E-04	9.7E-04		(4)	7.6E-05		(4)	8.8E-04		(4)
Chloromethane	74-87-3	2.9E-05	7.7E-05		(4)	6.0E-06		(4)	7.0E-05		(4)
2-Butanone	78-93-3	1.4E-05	3.7E-05		(4)	2.9E-06		(4)	3.4E-05		(4)
Toluene	108-88-3	1.8E-04	4.7E-04		(4)	3.6E-05		(4)	4.2E-04		(4)
PAHs	401	8.1E-08	2.1E-07	4.3E-05	5.0E-03	1.7E-08	1.6E-03	1.1E-05	2.0E-07	3.0E-03	6.5E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.6E-09	4.3E-05	6.0E-05	2.0E-10	1.6E-03	1.3E-07	2.3E-09	3.0E-03	7.8E-07
Naphthalene	91-20-3	2.4E-07	6.4E-07	0.029	2.2E-05	5.0E-08	0.76	6.6E-08	5.9E-07	0.35	1.7E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³) 10103 0.3 2.62 1.0E-03 0.046 5.50 1.50 2.00 3.0E-03	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	ation (3)			1136			2			10103	
Cumulative Facili				2.8			<0.1			0.3	
CFU111			•								
Cumulative TEU Risk					0.11			3.5E-04			8.2E-03
Dispersion Factor (µg/m3/[g	J/s])			2.73			0.21			2.62	
Barium	7440-39-3	3.9E-07	1.1E-06		(4)	8.1E-08		(4)	1.0E-06		(4)
Chromium (total)	7440-47-3	1.4E-07	3.7E-07		(4)	2.8E-08		(4)	3.6E-07		(4)
Chromium VI	18540-29-9	1.4E-07	3.7E-07	3.1E-05	0.012	2.8E-08	5.2E-04	5.4E-05	3.6E-07	1.0E-03	3.6E-04
Copper	7440-50-8	3.3E-06	9.0E-06		(4)	6.8E-07		(4)	8.6E-06		(4)
Manganese	7439-96-5	6.5E-07	1.8E-06		(4)	1.3E-07		(4)	1.7E-06		(4)
Mercury	7439-97-6	3.4E-08	9.2E-08		(4)	7.0E-09		(4)	8.9E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.6E-06		(4)	2.8E-07		(4)	3.5E-06		(4)
Nickel	7440-02-0	2.9E-07	7.9E-07	3.8E-03	2.1E-04	6.0E-08	0.10	6.0E-07	7.6E-07	0.046	1.6E-05
Phosphorus	504	5.4E-06	1.5E-05		(4)	1.1E-06		(4)	1.4E-05		(4)
Vanadium	7440-62-2	1.9E-06	5.1E-06		(4)	3.8E-07		(4)	4.9E-06		(4)
Zinc	7440-66-6	8.1E-06	2.2E-05		(4)	1.7E-06		(4)	2.1E-05		(4)
Ammonia	7664-41-7	2.6E-03	7.1E-03		(4)	5.4E-04		(4)	6.8E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	6.7E-04		(4)	5.1E-05		(4)	6.4E-04		(4)
Glasswool Fibers	352	3.8E-05	1.0E-04		(4)	7.9E-06		(4)	1.0E-04		(4)
Silica, Crystalline	7631-86-9	3.8E-05	1.0E-04		(4)	7.8E-06		(4)	9.9E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	9.5E-06	0.45	2.1E-05	7.2E-07	12.0	6.0E-08	9.1E-06	5.50	1.7E-06
Acetone	67-64-1	3.7E-04	1.0E-03		(4)	7.7E-05		(4)	9.7E-04		(4)
Acrolein	107-02-8	2.2E-06	6.0E-06		(4)	4.5E-07		(4)	5.7E-06		(4)
Benzene	71-43-2	7.4E-05	2.0E-04	0.13	1.6E-03	1.5E-05	3.30	4.6E-06	1.9E-04	1.50	1.3E-04
Formaldehyde	50-00-0	5.8E-03	0.016	0.17	0.094	1.2E-03	4.30	2.8E-04	0.015	2.00	7.6E-03
Hexane	110-54-3	3.6E-04	9.9E-04		(4)	7.5E-05		(4)	9.5E-04		(4)
Chloromethane	74-87-3	2.9E-05	7.9E-05		(4)	6.0E-06		(4)	7.5E-05		(4)
2-Butanone	78-93-3	1.4E-05	3.8E-05		(4)	2.9E-06		(4)	3.7E-05		(4)
Toluene	108-88-3	1.8E-04	4.8E-04		(4)	3.6E-05		(4)	4.6E-04		(4)
PAHs	401	8.1E-08	2.2E-07	4.3E-05	5.1E-03	1.7E-08	1.6E-03	1.0E-05	2.1E-07	3.0E-03	7.0E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.6E-09	4.3E-05	6.2E-05	2.0E-10	1.6E-03	1.3E-07	2.5E-09	3.0E-03	8.5E-07
Naphthalene	91-20-3	2.4E-07	6.6E-07	0.029	2.3E-05	5.0E-08	0.76	6.6E-08	6.3E-07	0.35	1.8E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³) 10103 0.3 3.20 1.0E-03 0.046 5.50 1.50 2.00 3.0E-03 3.0E-03	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	cation (3)			1136			2			10103	
Cumulative Facili	ity-Wide Risk			2.8			<0.1			0.3	
CFU112			•								
Cumulative TEU Risk					0.12			3.5E-04			0.010
Dispersion Factor (µg/m3/[g				2.83			0.20			3.20	
Barium	7440-39-3	3.9E-07	1.1E-06		(4)	8.0E-08		(4)	1.2E-06		(4)
Chromium (total)	7440-47-3	1.4E-07	3.9E-07		(4)	2.8E-08		(4)	4.4E-07		(4)
Chromium VI	18540-29-9	1.4E-07	3.9E-07	3.1E-05	0.012	2.8E-08	5.2E-04	5.4E-05	4.4E-07	1.0E-03	4.4E-04
Copper	7440-50-8	3.3E-06	9.3E-06		(4)	6.7E-07		(4)	1.1E-05		(4)
Manganese	7439-96-5	6.5E-07	1.8E-06		(4)	1.3E-07		(4)	2.1E-06		(4)
Mercury	7439-97-6	3.4E-08	9.6E-08		(4)	6.9E-09		(4)	1.1E-07		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.8E-06		(4)	2.7E-07		(4)	4.3E-06		(4)
Nickel	7440-02-0	2.9E-07	8.2E-07	3.8E-03	2.2E-04	5.9E-08	0.10	5.9E-07	9.3E-07	0.046	2.0E-05
Phosphorus	504	5.4E-06	1.5E-05		(4)	1.1E-06		(4)	1.7E-05		(4)
Vanadium	7440-62-2	1.9E-06	5.2E-06		(4)	3.8E-07		(4)	5.9E-06		(4)
Zinc	7440-66-6	8.1E-06	2.3E-05		(4)	1.7E-06		(4)	2.6E-05		(4)
Ammonia	7664-41-7	2.6E-03	7.3E-03		(4)	5.3E-04		(4)	8.3E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	6.9E-04		(4)	5.0E-05		(4)	7.8E-04		(4)
Glasswool Fibers	352	3.8E-05	1.1E-04		(4)	7.8E-06		(4)	1.2E-04		(4)
Silica, Crystalline	7631-86-9	3.8E-05	1.1E-04		(4)	7.7E-06		(4)	1.2E-04		(4)
Acetaldehyde	75-07-0	3.5E-06	9.8E-06	0.45	2.2E-05	7.1E-07	12.0	5.9E-08	1.1E-05	5.50	2.0E-06
Acetone	67-64-1	3.7E-04	1.1E-03		(4)	7.6E-05		(4)	1.2E-03		(4)
Acrolein	107-02-8	2.2E-06	6.2E-06		(4)	4.5E-07		(4)	7.0E-06		(4)
Benzene	71-43-2	7.4E-05	2.1E-04	0.13	1.6E-03	1.5E-05	3.30	4.6E-06	2.4E-04	1.50	1.6E-04
Formaldehyde	50-00-0	5.8E-03	0.017	0.17	0.097	1.2E-03	4.30	2.8E-04	0.019	2.00	9.3E-03
Hexane	110-54-3	3.6E-04	1.0E-03		(4)	7.4E-05		(4)	1.2E-03		(4)
Chloromethane	74-87-3	2.9E-05	8.1E-05		(4)	5.9E-06		(4)	9.2E-05		(4)
2-Butanone	78-93-3	1.4E-05	4.0E-05		(4)	2.9E-06		(4)	4.5E-05		(4)
Toluene	108-88-3	1.8E-04	5.0E-04		(4)	3.6E-05		(4)	5.6E-04		(4)
PAHs	401	8.1E-08	2.3E-07	4.3E-05	5.3E-03	1.7E-08	1.6E-03	1.0E-05	2.6E-07	3.0E-03	8.6E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.7E-09	4.3E-05	6.4E-05	2.0E-10	1.6E-03	1.2E-07	3.1E-09	3.0E-03	1.0E-06
Naphthalene	91-20-3	2.4E-07	6.8E-07	0.029	2.4E-05	5.0E-08	0.76	6.5E-08	7.7E-07	0.35	2.2E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³) 10103 0.3 1.53 1.0E-03 0.046 5.50 1.50 2.00 3.0E-03 3.0E-03	Risk (b) (chances- in-10 ⁶)
Exposure Lo	cation (3)			1136			2			10103	
Cumulative Faci				2.8			<0.1			0.3	
CFU116			-			•					
Cumulative TEU Risk					0.020			7.3E-04			4.8E-03
Dispersion Factor (µg/m3/	[g/s])			0.48			0.43			1.53	
Barium	7440-39-3	3.9E-07	1.9E-07		(4)	1.7E-07		(4)	6.0E-07		(4)
Chromium (total)	7440-47-3	1.4E-07	6.5E-08		(4)	5.9E-08		(4)	2.1E-07		(4)
Chromium VI	18540-29-9	1.4E-07	6.5E-08	3.1E-05	2.1E-03	5.9E-08	5.2E-04	1.1E-04	2.1E-07	1.0E-03	2.1E-04
Copper	7440-50-8	3.3E-06	1.6E-06		(4)	1.4E-06		(4)	5.0E-06		(4)
Manganese	7439-96-5	6.5E-07	3.1E-07		(4)	2.8E-07		(4)	9.9E-07		(4)
Mercury	7439-97-6	3.4E-08	1.6E-08		(4)	1.5E-08		(4)	5.2E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	6.4E-07		(4)	5.7E-07		(4)	2.0E-06		(4)
Nickel	7440-02-0	2.9E-07	1.4E-07	3.8E-03	3.7E-05	1.2E-07	0.10	1.2E-06	4.4E-07	0.046	9.6E-06
Phosphorus	504	5.4E-06	2.6E-06		(4)	2.3E-06		(4)	8.3E-06		(4)
Vanadium	7440-62-2	1.9E-06	8.9E-07		(4)	8.0E-07		(4)	2.8E-06		(4)
Zinc	7440-66-6	8.1E-06	3.9E-06		(4)	3.5E-06		(4)	1.2E-05		(4)
Ammonia	7664-41-7	2.6E-03	1.2E-03		(4)	1.1E-03		(4)	3.9E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	1.2E-04		(4)	1.1E-04		(4)	3.7E-04		(4)
Glasswool Fibers	352	3.8E-05	1.8E-05		(4)	1.6E-05		(4)	5.8E-05		(4)
Silica, Crystalline	7631-86-9	3.8E-05	1.8E-05		(4)	1.6E-05		(4)	5.8E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	1.7E-06	0.45	3.7E-06	1.5E-06	12.0	1.2E-07	5.3E-06	5.50	9.6E-07
Acetone	67-64-1	3.7E-04	1.8E-04		(4)	1.6E-04		(4)	5.7E-04		(4)
Acrolein	107-02-8	2.2E-06	1.0E-06		(4)	9.4E-07		(4)	3.3E-06		(4)
Benzene	71-43-2	7.4E-05	3.6E-05	0.13	2.7E-04	3.2E-05	3.30	9.6E-06	1.1E-04	1.50	7.5E-05
Formaldehyde	50-00-0	5.8E-03	2.8E-03	0.17	0.016	2.5E-03	4.30	5.8E-04	8.9E-03	2.00	4.5E-03
Hexane	110-54-3	3.6E-04	1.7E-04		(4)	1.6E-04		(4)	5.6E-04		(4)
Chloromethane	74-87-3	2.9E-05	1.4E-05		(4)	1.2E-05		(4)	4.4E-05		(4)
2-Butanone	78-93-3	1.4E-05	6.8E-06		(4)	6.0E-06		(4)	2.2E-05		(4)
Toluene	108-88-3	1.8E-04	8.4E-05		(4)	7.5E-05		(4)	2.7E-04		(4)
PAHs	401	8.1E-08	3.9E-08	4.3E-05	9.0E-04	3.5E-08	1.6E-03	2.2E-05	1.2E-07	3.0E-03	4.1E-05
Benzo[a]pyrene	50-32-8	9.7E-10	4.6E-10	4.3E-05	1.1E-05	4.2E-10	1.6E-03	2.6E-07	1.5E-09	3.0E-03	4.9E-07
Naphthalene	91-20-3	2.4E-07	1.2E-07	0.029	4.0E-06	1.0E-07	0.76	1.4E-07	3.7E-07	0.35	1.1E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk (b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³) 10103 0.3 1.55 1.0E-03 0.046 5.50 1.50 2.00 3.0E-03 3.0E-03	Risk ^(b) (chances- in-10 ⁶)
Exposure Lo	cation (3)			1136			2			10103	
Cumulative Faci				2.8			<0.1			0.3	
CFU117						•					
Cumulative TEU Risk					0.021			7.3E-04	-		4.9E-03
Dispersion Factor (µg/m3/	[g/s])			0.51			0.43			1.55	
Barium	7440-39-3	3.9E-07	2.0E-07		(4)	1.7E-07		(4)	6.0E-07		(4)
Chromium (total)	7440-47-3	1.4E-07	6.9E-08		(4)	5.9E-08		(4)	2.1E-07		(4)
Chromium VI	18540-29-9	1.4E-07	6.9E-08	3.1E-05	2.2E-03	5.9E-08	5.2E-04	1.1E-04	2.1E-07	1.0E-03	2.1E-04
Copper	7440-50-8	3.3E-06	1.7E-06		(4)	1.4E-06		(4)	5.1E-06		(4)
Manganese	7439-96-5	6.5E-07	3.3E-07		(4)	2.8E-07		(4)	1.0E-06		(4)
Mercury	7439-97-6	3.4E-08	1.7E-08		(4)	1.5E-08		(4)	5.2E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	6.7E-07		(4)	5.8E-07		(4)	2.1E-06		(4)
Nickel	7440-02-0	2.9E-07	1.5E-07	3.8E-03	3.9E-05	1.3E-07	0.10	1.3E-06	4.5E-07	0.046	9.8E-06
Phosphorus	504	5.4E-06	2.7E-06		(4)	2.4E-06		(4)	8.4E-06		(4)
Vanadium	7440-62-2	1.9E-06	9.4E-07		(4)	8.0E-07		(4)	2.9E-06		(4)
Zinc	7440-66-6	8.1E-06	4.1E-06		(4)	3.5E-06		(4)	1.3E-05		(4)
Ammonia	7664-41-7	2.6E-03	1.3E-03		(4)	1.1E-03		(4)	4.0E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	1.2E-04		(4)	1.1E-04		(4)	3.8E-04		(4)
Glasswool Fibers	352	3.8E-05	1.9E-05		(4)	1.7E-05		(4)	5.9E-05		(4)
Silica, Crystalline	7631-86-9	3.8E-05	1.9E-05		(4)	1.6E-05		(4)	5.9E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	1.8E-06	0.45	3.9E-06	1.5E-06	12.0	1.3E-07	5.4E-06	5.50	9.8E-07
Acetone	67-64-1	3.7E-04	1.9E-04		(4)	1.6E-04		(4)	5.8E-04		(4)
Acrolein	107-02-8	2.2E-06	1.1E-06		(4)	9.4E-07		(4)	3.4E-06		(4)
Benzene	71-43-2	7.4E-05	3.7E-05	0.13	2.9E-04	3.2E-05	3.30	9.7E-06	1.1E-04	1.50	7.6E-05
Formaldehyde	50-00-0	5.8E-03	2.9E-03	0.17	0.017	2.5E-03	4.30	5.9E-04	9.0E-03	2.00	4.5E-03
Hexane	110-54-3	3.6E-04	1.8E-04		(4)	1.6E-04		(4)	5.6E-04		(4)
Chloromethane	74-87-3	2.9E-05	1.5E-05		(4)	1.2E-05		(4)	4.5E-05		(4)
2-Butanone	78-93-3	1.4E-05	7.1E-06		(4)	6.1E-06		(4)	2.2E-05		(4)
Toluene	108-88-3	1.8E-04	8.8E-05		(4)	7.6E-05		(4)	2.7E-04		(4)
PAHs	401	8.1E-08	4.1E-08	4.3E-05	9.5E-04	3.5E-08	1.6E-03	2.2E-05	1.3E-07	3.0E-03	4.2E-05
Benzo[a]pyrene	50-32-8	9.7E-10	4.9E-10	4.3E-05	1.1E-05	4.2E-10	1.6E-03	2.6E-07	1.5E-09	3.0E-03	5.0E-07
Naphthalene	91-20-3	2.4E-07	1.2E-07	0.029	4.2E-06	1.0E-07	0.76	1.4E-07	3.8E-07	0.35	1.1E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	sidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC (2) (ug/m³) 10103 0.3 1.53 1.0E-03 0.046 5.50 1.50 2.00 3.0E-03 3.0E-03	Risk ^(b) (chances- in-10 ⁶)
Exposure Lo	cation (3)			1136			2			10103	
Cumulative Faci				2.8			<0.1			0.3	
CFU118			•								
Cumulative TEU Risk					0.019			7.2E-04			4.8E-03
Dispersion Factor (µg/m3/	[g/s])			0.45			0.43			1.53	
Barium	7440-39-3	3.9E-07	1.8E-07		(4)	1.7E-07		(4)	6.0E-07		(4)
Chromium (total)	7440-47-3	1.4E-07	6.2E-08		(4)	5.8E-08		(4)	2.1E-07		(4)
Chromium VI	18540-29-9	1.4E-07	6.2E-08	3.1E-05	2.0E-03	5.8E-08	5.2E-04	1.1E-04	2.1E-07	1.0E-03	2.1E-04
Copper	7440-50-8	3.3E-06	1.5E-06		(4)	1.4E-06		(4)	5.0E-06		(4)
Manganese	7439-96-5	6.5E-07	2.9E-07		(4)	2.8E-07		(4)	1.0E-06		(4)
Mercury	7439-97-6	3.4E-08	1.5E-08		(4)	1.4E-08		(4)	5.2E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	6.0E-07		(4)	5.7E-07		(4)	2.0E-06		(4)
Nickel	7440-02-0	2.9E-07	1.3E-07	3.8E-03	3.4E-05	1.2E-07	0.10	1.2E-06	4.4E-07	0.046	9.7E-06
Phosphorus	504	5.4E-06	2.5E-06		(4)	2.3E-06		(4)	8.3E-06		(4)
Vanadium	7440-62-2	1.9E-06	8.4E-07		(4)	7.9E-07		(4)	2.8E-06		(4)
Zinc	7440-66-6	8.1E-06	3.7E-06		(4)	3.4E-06		(4)	1.2E-05		(4)
Ammonia	7664-41-7	2.6E-03	1.2E-03		(4)	1.1E-03		(4)	4.0E-03		(4)
Hydrogen Fluoride	7664-39-3	2.5E-04	1.1E-04		(4)	1.0E-04		(4)	3.8E-04		(4)
Glasswool Fibers	352	3.8E-05	1.7E-05		(4)	1.6E-05		(4)	5.9E-05		(4)
Silica, Crystalline	7631-86-9	3.8E-05	1.7E-05		(4)	1.6E-05		(4)	5.8E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	1.6E-06	0.45	3.5E-06	1.5E-06	12.0	1.2E-07	5.3E-06	5.50	9.7E-07
Acetone	67-64-1	3.7E-04	1.7E-04		(4)	1.6E-04		(4)	5.7E-04		(4)
Acrolein	107-02-8	2.2E-06	9.8E-07		(4)	9.3E-07		(4)	3.3E-06		(4)
Benzene	71-43-2	7.4E-05	3.3E-05	0.13	2.6E-04	3.1E-05	3.30	9.5E-06	1.1E-04	1.50	7.6E-05
Formaldehyde	50-00-0	5.8E-03	2.6E-03	0.17	0.016	2.5E-03	4.30	5.8E-04	9.0E-03	2.00	4.5E-03
Hexane	110-54-3	3.6E-04	1.6E-04		(4)	1.5E-04		(4)	5.6E-04		(4)
Chloromethane	74-87-3	2.9E-05	1.3E-05		(4)	1.2E-05		(4)	4.4E-05		(4)
2-Butanone	78-93-3	1.4E-05	6.4E-06		(4)	6.0E-06		(4)	2.2E-05		(4)
Toluene	108-88-3	1.8E-04	7.9E-05		(4)	7.5E-05		(4)	2.7E-04		(4)
PAHs	401	8.1E-08	3.6E-08	4.3E-05	8.5E-04	3.4E-08	1.6E-03	2.1E-05	1.2E-07	3.0E-03	4.1E-05
Benzo[a]pyrene	50-32-8	9.7E-10	4.4E-10	4.3E-05	1.0E-05	4.1E-10	1.6E-03	2.6E-07	1.5E-09	3.0E-03	4.9E-07
Naphthalene	91-20-3	2.4E-07	1.1E-07	0.029	3.8E-06	1.0E-07	0.76	1.4E-07	3.7E-07	0.35	1.1E-06

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	residential Cl	hild	Nonre	sidential Wo	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	cation (3)			1136			2			10103	•
Cumulative Facili				2.8			<0.1			0.3	
CFU114											
Cumulative TEU Risk					7.9E-03			6.3E-04			2.2E-03
Dispersion Factor (µg/m3/[g	g/s])			0.22			0.38			0.99	
Antimony	7440-36-0	1.8E-06	4.0E-07		(4)	6.9E-07		(4)	1.8E-06		(4)
Barium	7440-39-3	1.2E-06	2.6E-07		(4)	4.6E-07		(4)	1.2E-06		(4)
Cadmium	7440-43-9	3.4E-07	7.3E-08	5.6E-04	1.3E-04	1.3E-07	0.014	9.1E-06	3.3E-07	6.7E-03	5.0E-05
Chromium (total)	7440-47-3	3.9E-07	8.5E-08		(4)	1.5E-07		(4)	3.9E-07		(4)
Chromium VI	18540-29-9	3.9E-07	8.5E-08	3.1E-05	2.8E-03	1.5E-07	5.2E-04	2.9E-04	3.9E-07	1.0E-03	3.9E-04
Copper	7440-50-8	5.6E-06	1.2E-06		(4)	2.1E-06		(4)	5.5E-06		(4)
Manganese	7439-96-5	1.3E-06	2.8E-07		(4)	4.8E-07		(4)	1.3E-06		(4)
Mercury	7439-97-6	6.4E-08	1.4E-08		(4)	2.4E-08		(4)	6.3E-08		(4)
Molybdenum trioxide	1313-27-5	1.7E-06	3.6E-07		(4)	6.3E-07		(4)	1.6E-06		(4)
Nickel	7440-02-0	2.1E-06	4.6E-07	3.8E-03	1.2E-04	8.0E-07	0.10	8.0E-06	2.1E-06	0.046	4.5E-05
Phosphorus	504	1.0E-05	2.3E-06		(4)	4.0E-06		(4)	1.0E-05		(4)
Vanadium	7440-62-2	2.3E-06	5.0E-07		(4)	8.8E-07		(4)	2.3E-06		(4)
Zinc	7440-66-6	3.4E-05	7.3E-06		(4)	1.3E-05		(4)	3.3E-05		(4)
Ammonia	7664-41-7	3.2E-03	7.0E-04		(4)	1.2E-03		(4)	3.2E-03		(4)
Fluorides	239	2.0E-05	4.4E-06		(4)	7.7E-06		(4)	2.0E-05		(4)
Hydrogen Fluoride	7664-39-3	2.7E-04	5.9E-05		(4)	1.0E-04		(4)	2.7E-04		(4)
Glasswool Fibers	352	5.9E-05	1.3E-05		(4)	2.2E-05		(4)	5.8E-05		(4)
Silica, Crystalline	7631-86-9	5.8E-05	1.3E-05		(4)	2.2E-05		(4)	5.8E-05		(4)
Acetaldehyde	75-07-0	4.3E-06	9.4E-07	0.45	2.1E-06	1.6E-06	12.0	1.4E-07	4.3E-06	5.50	7.8E-07
Acetone	67-64-1	2.4E-03	5.3E-04		(4)	9.2E-04		(4)	2.4E-03		(4)
Acrolein	107-02-8	2.7E-06	5.9E-07		(4)	1.0E-06		(4)	2.7E-06		(4)
Benzene	71-43-2	6.1E-04	1.3E-04	0.13	1.0E-03	2.3E-04	3.30	7.0E-05	6.0E-04	1.50	4.0E-04
Cyclohexane	110-82-7	3.8E-05	8.2E-06		(4)	1.4E-05		(4)	3.7E-05		(4)
Ethylbenzene	100-41-4	3.2E-05	6.9E-06	0.40	1.7E-05	1.2E-05	10.0	1.2E-06	3.2E-05	4.80	6.6E-06
Chloroethane	75-00-3	1.7E-05	3.7E-06		(4)	6.5E-06		(4)	1.7E-05		(4)
Formaldehyde	50-00-0	2.6E-03	5.7E-04	0.17	3.4E-03	9.9E-04	4.30	2.3E-04	2.6E-03	2.00	1.3E-03
Hexane	110-54-3	3.5E-03	7.7E-04		(4)	1.3E-03		(4)	3.5E-03		(4)
Chloromethane	74-87-3	2.3E-04	5.0E-05		(4)	8.7E-05		(4)	2.3E-04		(4)
2-Butanone	78-93-3	7.8E-05	1.7E-05		(4)	2.9E-05		(4)	7.7E-05		(4)
Methyl isobutyl ketone	108-10-1	2.8E-05	6.1E-06		(4)	1.1E-05		(4)	2.8E-05		(4)
Toluene	108-88-3	6.2E-04	1.3E-04		(4)	2.3E-04		(4)	6.1E-04		(4)
Xylenes (mixed isomers)	1330-20-7	6.6E-05	1.4E-05		(4)	2.5E-05		(4)	6.5E-05		(4)
PAHs	401	1.0E-07	2.2E-08	4.3E-05	5.1E-04	3.8E-08	1.6E-03	2.4E-05	9.9E-08	3.0E-03	3.3E-05
Benzo[a]pyrene	50-32-8	1.2E-09	2.6E-10	4.3E-05	6.1E-06	4.6E-10	1.6E-03	2.9E-07	1.2E-09	3.0E-03	4.0E-07
Naphthalene	91-20-3	3.0E-07	6.5E-08	0.029	2.3E-06	1.1E-07	0.76	1.5E-07	3.0E-07	0.35	8.5E-07

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³) 10103 0.3 0.63 6.7E-03 1.0E-03 5.50 1.50 4.80 2.00 3.0E-03 3.0E-03	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	ation (3)			1136			2			10103	
Cumulative Facili				2.8			<0.1			0.3	
CFU115											
Cumulative TEU Risk					6.0E-03			6.2E-04			1.4E-03
Dispersion Factor (µg/m3/[g	g/s])			0.16			0.37			0.63	
Antimony	7440-36-0	1.8E-06	3.0E-07		(4)	6.8E-07		(4)	1.2E-06		(4)
Barium	7440-39-3	1.2E-06	2.0E-07		(4)	4.6E-07		(4)	7.7E-07		(4)
Cadmium	7440-43-9	3.4E-07	5.6E-08	5.6E-04	1.0E-04	1.3E-07	0.014	9.0E-06	2.1E-07	6.7E-03	3.2E-05
Chromium (total)	7440-47-3	3.9E-07	6.5E-08		(4)	1.5E-07		(4)	2.5E-07	i	(4)
Chromium VI	18540-29-9	3.9E-07	6.5E-08	3.1E-05	2.1E-03	1.5E-07	5.2E-04	2.8E-04	2.5E-07	1.0E-03	2.5E-04
Copper	7440-50-8	5.6E-06	9.2E-07		(4)	2.1E-06		(4)	3.5E-06	1	(4)
Manganese	7439-96-5	1.3E-06	2.1E-07		(4)	4.8E-07		(4)	8.1E-07		(4)
Mercury	7439-97-6	6.4E-08	1.1E-08		(4)	2.4E-08		(4)	4.0E-08		(4)
Molybdenum trioxide	1313-27-5	1.7E-06	2.7E-07		(4)	6.2E-07		(4)	1.0E-06		(4)
Nickel	7440-02-0	2.1E-06	3.5E-07	3.8E-03	9.2E-05	7.9E-07	0.10	7.9E-06	1.3E-06	0.046	2.9E-05
Phosphorus	504	1.0E-05	1.7E-06		(4)	3.9E-06		(4)	6.6E-06		(4)
Vanadium	7440-62-2	2.3E-06	3.8E-07		(4)	8.6E-07		(4)	1.5E-06		(4)
Zinc	7440-66-6	3.4E-05	5.6E-06		(4)	1.3E-05		(4)	2.1E-05		(4)
Ammonia	7664-41-7	3.2E-03	5.3E-04		(4)	1.2E-03		(4)	2.0E-03		(4)
Fluorides	239	2.0E-05	3.4E-06		(4)	7.6E-06		(4)	1.3E-05		(4)
Hydrogen Fluoride	7664-39-3	2.7E-04	4.5E-05		(4)	1.0E-04		(4)	1.7E-04		(4)
Glasswool Fibers	352	5.9E-05	9.7E-06		(4)	2.2E-05		(4)	3.7E-05		(4)
Silica, Crystalline	7631-86-9	5.8E-05	9.6E-06		(4)	2.2E-05		(4)	3.7E-05		(4)
Acetaldehyde	75-07-0	4.3E-06	7.1E-07	0.45	1.6E-06	1.6E-06	12.0	1.3E-07	2.7E-06		5.0E-07
Acetone	67-64-1	2.4E-03	4.0E-04		(4)	9.1E-04		(4)	1.5E-03		(4)
Acrolein	107-02-8	2.7E-06	4.5E-07		(4)	1.0E-06		(4)	1.7E-06		(4)
Benzene	71-43-2	6.1E-04	1.0E-04	0.13	7.8E-04	2.3E-04	3.30	6.9E-05	3.9E-04		2.6E-04
Cyclohexane	110-82-7	3.8E-05	6.2E-06		(4)	1.4E-05	3.30	(4)	2.4E-05		(4)
Ethylbenzene	100-41-4	3.2E-05	5.3E-06	0.40	1.3E-05	1.2E-05	10.0	1.2E-06	2.0E-05		4.2E-06
Chloroethane	75-00-3	1.7E-05	2.8E-06		(4)	6.4E-06		(4)	1.1E-05		(4)
Formaldehyde	50-00-0	2.6E-03	4.3E-04	0.17	2.6E-03	9.8E-04	4.30	2.3E-04	1.7E-03		8.3E-04
Hexane	110-54-3	3.5E-03	5.8E-04		(4)	1.3E-03	4.50	(4)	2.2E-03		(4)
Chloromethane	74-87-3	2.3E-04	3.8E-05		(4)	8.6E-05		(4)	1.5E-04		(4)
2-Butanone	78-93-3	7.8E-05	1.3E-05		(4)	2.9E-05		(4)	4.9E-05		(4)
Methyl isobutyl ketone	108-10-1	2.8E-05	4.7E-06		(4)	1.1E-05		(4)	1.8E-05		(4)
Toluene	108-88-3	6.2E-04	1.0E-04		(4)	2.3E-04		(4)	3.9E-04		(4)
Xylenes (mixed isomers)	1330-20-7	6.6E-05	1.1E-05		(4)	2.5E-05		(4)	4.2E-05	-	(4)
PAHs	401	1.0E-07	1.7E-08	4.3E-05	3.9E-04	3.8E-08	1.6E-03	2.3E-05	6.3E-08		2.1E-05
Benzo[a]pyrene	50-32-8	1.0L-07 1.2E-09	2.0E-10	4.3E-05	4.6E-06	4.5E-10	1.6E-03	2.8E-07	7.6E-10		2.1L-03 2.5E-07
Naphthalene	91-20-3	3.0E-07	5.0E-08	0.029	1.7E-06	1.1E-07	0.76	1.5E-07	1.9E-07	0.35	5.4E-07
маришание	71-20-3	3.UE-U/	J.UE-U0	0.029	1./E-UU	1.1E-U/	0.70	1.5E-07	1.7E-U/	0.33	5.4E-U/

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer		Nonresidential Worker			
		TAC		Residential		Noni	esidential Ch	nild	Nonre	sidential Wo	rker	
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in-10 ⁶)	
Exposure Loc	ation (3)			1136			2			10103		
Cumulative Facili				2.8			<0.1			0.3		
CFU113			•									
Cumulative TEU Risk					0.21			6.7E-04			0.024	
Dispersion Factor (µg/m3/[g				6.80			0.45			12.9	·	
Antimony	7440-36-0	1.2E-06	8.2E-06		(4)	5.4E-07		(4)	1.6E-05		(4)	
Barium	7440-39-3	8.4E-07	5.7E-06		(4)	3.8E-07		(4)	1.1E-05		(4)	
Cadmium	7440-43-9	1.0E-06	6.8E-06	5.6E-04	0.012	4.5E-07	0.014	3.2E-05	1.3E-05	6.7E-03	1.9E-03	
Chromium (total)	7440-47-3	4.3E-07	2.9E-06		(4)	1.9E-07		(4)	5.6E-06		(4)	
Chromium VI	18540-29-9	4.3E-07	2.9E-06	3.1E-05	0.095	1.9E-07	5.2E-04	3.7E-04	5.6E-06	1.0E-03	5.6E-03	
Cobalt	7440-48-4	1.8E-07	1.2E-06		(4)	8.1E-08		(4)	2.4E-06		(4)	
Copper	7440-50-8	6.6E-06	4.5E-05		(4)	2.9E-06		(4)	8.5E-05		(4)	
Lead	7439-92-1	9.0E-06	6.1E-05		(4)	4.0E-06		(4)	1.2E-04		(4)	
Manganese	7439-96-5	2.4E-07	1.6E-06		(4)	1.1E-07		(4)	3.1E-06		(4)	
Mercury	7439-97-6	1.2E-04	8.3E-04		(4)	5.5E-05		(4)	1.6E-03		(4)	
Phosphorus	504	2.6E-05	1.8E-04		(4)	1.2E-05		(4)	3.4E-04		(4)	
Zinc	7440-66-6	1.4E-05	9.4E-05		(4)	6.2E-06		(4)	1.8E-04		(4)	
Carbon disulfide	75-15-0	1.3E-05	8.8E-05		(4)	5.8E-06		(4)	1.7E-04		(4)	
Fluorides	239	4.7E-05	3.2E-04		(4)	2.1E-05		(4)	6.1E-04		(4)	
Hydrogen Fluoride	7664-39-3	6.8E-06	4.6E-05		(4)	3.1E-06		(4)	8.8E-05		(4)	
Silica, Crystalline	7631-86-9	1.2E-05	8.0E-05		(4)	5.3E-06		(4)	1.5E-04		(4)	
Acetone	67-64-1	1.9E-03	0.013		(4)	8.3E-04		(4)	0.024		(4)	
Benzene	71-43-2	4.5E-04	3.0E-03	0.13	0.023	2.0E-04	3.30	6.0E-05	5.8E-03	1.50	3.8E-03	
1,3-Butadiene	106-99-0	2.0E-04	1.3E-03	0.033	0.041	8.8E-05	0.86	1.0E-04	2.5E-03	0.40	6.4E-03	
Formaldehyde	50-00-0	9.9E-04	6.7E-03	0.17	0.039	4.4E-04	4.30	1.0E-04	0.013	2.00	6.4E-03	
Hexane	110-54-3	2.7E-04	1.8E-03		(4)	1.2E-04		(4)	3.5E-03		(4)	
2-Butanone	78-93-3	2.5E-05	1.7E-04		(4)	1.1E-05		(4)	3.2E-04		(4)	
Toluene	108-88-3	1.1E-04	7.6E-04		(4)	5.0E-05		(4)	1.4E-03		(4)	
SSF01			•		•						•	
Cumulative TEU Risk					2.9E-03			1.4E-05			9.7E-05	
Dispersion Factor (µg/m3/[g	ŋ/s])			179	•		15.3			190	•	
Barium	7440-39-3	1.4E-09	2.5E-07		(4)	2.1E-08		(4)	2.7E-07		(4)	
Chromium (total)	7440-47-3	4.9E-10	8.7E-08		(4)	7.4E-09		(4)	9.3E-08		(4)	
Chromium VI	18540-29-9	4.9E-10	8.7E-08	3.1E-05	2.8E-03	7.4E-09	5.2E-04	1.4E-05	9.3E-08	1.0E-03	9.3E-05	
Copper	7440-50-8	1.2E-08	2.1E-06		(4)	1.8E-07		(4)	2.2E-06		(4)	
Manganese	7439-96-5	2.3E-09	4.2E-07		(4)	3.6E-08		(4)	4.4E-07		(4)	
Mercury	7439-97-6	1.2E-10	2.2E-08		(4)	1.8E-09		(4)	2.3E-08		(4)	
Nickel	7440-02-0	1.0E-09	1.9E-07	3.8E-03	4.9E-05	1.6E-08	0.10	1.6E-07	2.0E-07	0.046	4.3E-06	
Phosphorus	504	1.9E-08	3.5E-06		(4)	3.0E-07		(4)	3.7E-06		(4)	
Zinc	7440-66-6	2.9E-08	5.2E-06		(4)	4.4E-07		(4)	5.5E-06		(4)	
Silica, Crystalline	7631-86-9	3.8E-07	6.9E-05		(4)	5.9E-06		(4)	7.3E-05		(4)	

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

			I				Cancer				
		TAC		Residential		Nonr	residential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	esidential Wo RBC ⁽²⁾ (ug/m³) 10103 0.3 183 1.0E-03 174 1.0E-03 0.046 1.0E-03 0.046 0.046 0.046 0.046 0.046 0.046 0.046 0.046	Risk (b) (chances- in-10 ⁶)
Exposure Lo	cation (3)			1136	•		2			10103	
Cumulative Facil				2.8			<0.1			0.3	
SSF02											
Cumulative TEU Risk					2.9E-03			1.5E-05			9.3E-05
Dispersion Factor (µg/m3/[g/s])			179			15.3			183	
Barium	7440-39-3	1.4E-09	2.5E-07		(4)	2.1E-08		(4)	2.6E-07		(4)
Chromium (total)	7440-47-3	4.9E-10	8.7E-08		(4)	7.5E-09		(4)	8.9E-08		(4)
Chromium VI	18540-29-9	4.9E-10	8.7E-08	3.1E-05	2.8E-03	7.5E-09	5.2E-04	1.4E-05	8.9E-08	1.0E-03	8.9E-05
Copper	7440-50-8	1.2E-08	2.1E-06		(4)	1.8E-07		(4)	2.2E-06		(4)
Manganese	7439-96-5	2.3E-09	4.2E-07		(4)	3.6E-08		(4)	4.3E-07		(4)
Mercury	7439-97-6	1.2E-10	2.2E-08		(4)	1.9E-09		(4)	2.2E-08		(4)
Nickel	7440-02-0	1.0E-09	1.9E-07	3.8E-03	4.9E-05	1.6E-08	0.10	1.6E-07	1.9E-07	0.046	4.1E-06
Phosphorus	504	1.9E-08	3.5E-06		(4)	3.0E-07		(4)	3.6E-06		(4)
Zinc	7440-66-6	2.9E-08	5.2E-06		(4)	4.4E-07		(4)	5.3E-06		(4)
Silica, Crystalline	7631-86-9	3.8E-07	6.9E-05		(4)	5.9E-06		(4)	7.0E-05		(4)
SSF05											
Cumulative TEU Risk					3.9E-03			1.4E-05	1		8.9E-05
Dispersion Factor (µg/m3/[g/s])			243			14.9			174	
Barium	7440-39-3	1.4E-09	3.4E-07		(4)	2.1E-08		(4)	2.4E-07		(4)
Chromium (total)	7440-47-3	4.9E-10	1.2E-07		(4)	7.3E-09		(4)	8.5E-08		(4)
Chromium VI	18540-29-9	4.9E-10	1.2E-07	3.1E-05	3.8E-03	7.3E-09	5.2E-04	1.4E-05	8.5E-08	1.0E-03	8.5E-05
Copper	7440-50-8	1.2E-08	2.9E-06		(4)	1.8E-07		(4)	2.0E-06		(4)
Manganese	7439-96-5	2.3E-09	5.7E-07		(4)	3.5E-08		(4)	4.1E-07		(4)
Mercury	7439-97-6	1.2E-10	2.9E-08		(4)	1.8E-09		(4)	2.1E-08		(4)
Nickel	7440-02-0	1.0E-09	2.5E-07	3.8E-03	6.6E-05	1.5E-08	0.10	1.5E-07	1.8E-07	0.046	3.9E-06
Phosphorus	504	1.9E-08	4.7E-06		(4)	2.9E-07		(4)	3.4E-06		(4)
Zinc	7440-66-6	2.9E-08	7.0E-06		(4)	4.3E-07		(4)	5.0E-06		(4)
Silica, Crystalline	7631-86-9	3.8E-07	9.3E-05		(4)	5.7E-06		(4)	6.7E-05		(4)
SSF16											
Cumulative TEU Risk					7.9E-04			3.3E-05			1.7E-05
Dispersion Factor (µg/m3/[g/s])			49.3			34.6			33.8	
Barium	7440-39-3	1.4E-09	6.9E-08		(4)	4.8E-08		(4)	4.7E-08		(4)
Chromium (total)	7440-47-3	4.9E-10	2.4E-08		(4)	1.7E-08		(4)	1.7E-08		(4)
Chromium VI	18540-29-9	4.9E-10	2.4E-08	3.1E-05	7.8E-04	1.7E-08	5.2E-04	3.2E-05	1.7E-08	1.0E-03	1.7E-05
Copper	7440-50-8	1.2E-08	5.8E-07		(4)	4.1E-07		(4)	4.0E-07		(4)
Manganese	7439-96-5	2.3E-09	1.1E-07		(4)	8.1E-08		(4)	7.9E-08		(4)
Mercury	7439-97-6	1.2E-10	6.0E-09		(4)	4.2E-09		(4)	4.1E-09		(4)
Nickel	7440-02-0	1.0E-09	5.1E-08	3.8E-03	1.3E-05	3.6E-08	0.10	3.6E-07	3.5E-08	0.046	7.6E-07
Phosphorus	504	1.9E-08	9.6E-07		(4)	6.7E-07		(4)	6.6E-07		(4)
Zinc	7440-66-6	2.9E-08	1.4E-06		(4)	1.0E-06		(4)	9.8E-07		(4)
Silica, Crystalline	7631-86-9	3.8E-07	1.9E-05		(4)	1.3E-05		(4)	1.3E-05		(4)

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

	1		1				Cancer				
		TAC		Residential		Nonr	esidential Cl	nild	Nonre	esidential Wo	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Lo				1136			2			10103	
Cumulative Facil	lity-Wide Risk			2.8			<0.1			0.3	
SSF17			•	ı		ı	ı		ı	1	1
Cumulative TEU Risk				<u></u>	7.5E-04		<u> </u>	3.4E-05		<u> </u>	1.7E-05
Dispersion Factor (µg/m3/[46.9			35.4	I (1)		32.5	1 (1)
Barium	7440-39-3	1.4E-09	6.6E-08		(4)	4.9E-08		(4)	4.5E-08		(4)
Chromium (total)	7440-47-3	4.9E-10	2.3E-08		(4)	1.7E-08		(4)	1.6E-08		(4)
Chromium VI	18540-29-9	4.9E-10	2.3E-08	3.1E-05	7.4E-04	1.7E-08	5.2E-04	3.3E-05	1.6E-08	1.0E-03	1.6E-05
Copper	7440-50-8	1.2E-08	5.5E-07		(4)	4.2E-07		(4)	3.8E-07		(4)
Manganese	7439-96-5	2.3E-09	1.1E-07		(4)	8.2E-08		(4)	7.6E-08		(4)
Mercury	7439-97-6	1.2E-10	5.7E-09		(4)	4.3E-09		(4)	3.9E-09		(4)
Nickel	7440-02-0	1.0E-09	4.9E-08	3.8E-03	1.3E-05	3.7E-08	0.10	3.7E-07	3.4E-08	0.046	7.3E-07
Phosphorus	504	1.9E-08	9.1E-07		(4)	6.9E-07		(4)	6.3E-07		(4)
Zinc	7440-66-6	2.9E-08	1.4E-06		(4)	1.0E-06		(4)	9.4E-07		(4)
Silica, Crystalline	7631-86-9	3.8E-07	1.8E-05		(4)	1.4E-05		(4)	1.2E-05		(4)
SSF18			1						1		T
Cumulative TEU Risk				<u> </u>	7.6E-04		<u> </u>	3.4E-05		<u> </u>	1.7E-05
Dispersion Factor (µg/m3/[_	47.5	1		35.4			32.8	
Barium	7440-39-3	1.4E-09	6.6E-08		(4)	4.9E-08		(4)	4.6E-08		(4)
Chromium (total)	7440-47-3	4.9E-10	2.3E-08		(4)	1.7E-08		(4)	1.6E-08		(4)
Chromium VI	18540-29-9	4.9E-10	2.3E-08	3.1E-05	7.5E-04	1.7E-08	5.2E-04	3.3E-05	1.6E-08	1.0E-03	1.6E-05
Copper	7440-50-8	1.2E-08	5.6E-07		(4)	4.2E-07		(4)	3.9E-07		(4)
Manganese	7439-96-5	2.3E-09	1.1E-07		(4)	8.3E-08		(4)	7.6E-08		(4)
Mercury	7439-97-6	1.2E-10	5.8E-09		(4)	4.3E-09		(4)	4.0E-09		(4)
Nickel	7440-02-0	1.0E-09	4.9E-08	3.8E-03	1.3E-05	3.7E-08	0.10	3.7E-07	3.4E-08	0.046	7.4E-07
Phosphorus	504	1.9E-08	9.2E-07		(4)	6.9E-07		(4)	6.4E-07		(4)
Zinc	7440-66-6	2.9E-08	1.4E-06		(4)	1.0E-06		(4)	9.5E-07		(4)
Silica, Crystalline	7631-86-9	3.8E-07	1.8E-05		(4)	1.4E-05		(4)	1.3E-05		(4)
SSF03			_	,		1			1	1	
Cumulative TEU Risk					0.054			1.9E-04			1.2E-03
Dispersion Factor (µg/m3/[264	I (1)		15.7	I (1)		169	T (1)
Antimony	7440-36-0	9.8E-09	2.6E-06		(4)	1.5E-07		(4)	1.7E-06		(4)
Barium	7440-39-3	6.1E-09	1.6E-06		(4)	9.5E-08		(4)	1.0E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.7E-06	5.6E-04	3.0E-03	9.8E-08	0.014	7.0E-06	1.1E-06	6.7E-03	1.6E-04
Chromium (total)	7440-47-3	5.8E-09	1.5E-06		(4)	9.1E-08		(4)	9.9E-07		(4)
Chromium VI	18540-29-9	5.8E-09	1.5E-06	3.1E-05	0.050	9.1E-08	5.2E-04	1.8E-04	9.9E-07	1.0E-03	9.9E-04
Cobalt	7440-48-4	2.6E-10	6.7E-08		(4)	4.0E-09		(4)	4.3E-08		(4)
Copper	7440-50-8	3.5E-08	9.2E-06		(4)	5.4E-07		(4)	5.9E-06		(4)
Lead	7439-92-1	5.5E-08	1.5E-05		(4)	8.7E-07		(4)	9.4E-06		(4)
Manganese	7439-96-5	8.8E-09	2.3E-06		(4)	1.4E-07		(4)	1.5E-06		(4)
Mercury	7439-97-6	6.7E-10	1.8E-07		(4)	1.0E-08		(4)	1.1E-07		(4)
Nickel	7440-02-0	1.3E-08	3.5E-06	3.8E-03	9.2E-04	2.1E-07	0.10	2.1E-06	2.2E-06	0.046	4.9E-05
Phosphorus	504	1.6E-07	4.1E-05		(4)	2.5E-06		(4)	2.7E-05		(4)
Zinc	7440-66-6	9.8E-08	2.6E-05		(4)	1.5E-06		(4)	1.7E-05		(4)
Fluorides	239	1.1E-06	3.0E-04		(4)	1.8E-05		(4)	1.9E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	6.7E-05		(4)	4.0E-06		(4)	4.3E-05		(4)

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	sidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loca				1136			2			10103	
Cumulative Facility	y-Wide Risk			2.8			<0.1			0.3	
SSF04											
Cumulative TEU Risk					0.054			1.8E-04			1.2E-03
Dispersion Factor (µg/m3/[g.				263			15.6			171	
Antimony	7440-36-0	9.8E-09	2.6E-06		(4)	1.5E-07		(4)	1.7E-06		(4)
Barium	7440-39-3	6.1E-09	1.6E-06		(4)	9.4E-08		(4)	1.0E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.7E-06	5.6E-04	3.0E-03	9.8E-08	0.014	7.0E-06	1.1E-06	6.7E-03	1.6E-04
Chromium (total)	7440-47-3	5.8E-09	1.5E-06		(4)	9.1E-08		(4)	1.0E-06		(4)
Chromium VI	18540-29-9	5.8E-09	1.5E-06	3.1E-05	0.050	9.1E-08	5.2E-04	1.8E-04	1.0E-06	1.0E-03	1.0E-03
Cobalt	7440-48-4	2.6E-10	6.7E-08		(4)	4.0E-09		(4)	4.4E-08		(4)
Copper	7440-50-8	3.5E-08	9.1E-06		(4)	5.4E-07		(4)	5.9E-06		(4)
Lead	7439-92-1	5.5E-08	1.5E-05		(4)	8.6E-07		(4)	9.5E-06		(4)
Manganese	7439-96-5	8.8E-09	2.3E-06		(4)	1.4E-07		(4)	1.5E-06		(4)
Mercury	7439-97-6	6.7E-10	1.8E-07		(4)	1.0E-08		(4)	1.1E-07		(4)
Nickel	7440-02-0	1.3E-08	3.5E-06	3.8E-03	9.2E-04	2.1E-07	0.10	2.1E-06	2.3E-06	0.046	4.9E-05
Phosphorus	504	1.6E-07	4.1E-05		(4)	2.4E-06		(4)	2.7E-05		(4)
Zinc	7440-66-6	9.8E-08	2.6E-05		(4)	1.5E-06		(4)	1.7E-05		(4)
Fluorides	239	1.1E-06	3.0E-04		(4)	1.8E-05		(4)	1.9E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	6.7E-05		(4)	4.0E-06		(4)	4.4E-05		(4)
SSF06											
Cumulative TEU Risk					0.053			1.8E-04			1.2E-03
Dispersion Factor (µg/m3/[g.				259			15.4			175	
Antimony	7440-36-0	9.8E-09	2.6E-06		(4)	1.5E-07		(4)	1.7E-06		(4)
Barium	7440-39-3	6.1E-09	1.6E-06		(4)	9.3E-08		(4)	1.1E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.6E-06	5.6E-04	2.9E-03	9.6E-08	0.014	6.9E-06	1.1E-06	6.7E-03	1.6E-04
Chromium (total)	7440-47-3	5.8E-09	1.5E-06		(4)	9.0E-08		(4)	1.0E-06		(4)
Chromium VI	18540-29-9	5.8E-09	1.5E-06	3.1E-05	0.049	9.0E-08	5.2E-04	1.7E-04	1.0E-06	1.0E-03	1.0E-03
Cobalt	7440-48-4	2.6E-10	6.6E-08		(4)	3.9E-09		(4)	4.5E-08		(4)
Copper	7440-50-8	3.5E-08	9.0E-06		(4)	5.3E-07		(4)	6.1E-06		(4)
Lead	7439-92-1	5.5E-08	1.4E-05		(4)	8.5E-07		(4)	9.7E-06		(4)
Manganese	7439-96-5	8.8E-09	2.3E-06		(4)	1.3E-07		(4)	1.5E-06		(4)
Mercury	7439-97-6	6.7E-10	1.7E-07		(4)	1.0E-08		(4)	1.2E-07	-:-	(4)
Nickel	7440-02-0	1.3E-08	3.4E-06	3.8E-03	9.1E-04	2.0E-07	0.10	2.0E-06	2.3E-06	0.046	5.1E-05
Phosphorus	504	1.6E-07	4.1E-05		(4)	2.4E-06		(4)	2.8E-05		(4)
Zinc	7440-66-6	9.8E-08	2.6E-05		(4)	1.5E-06		(4)	1.7E-05	-:-	(4)
Fluorides	239	1.1E-06	2.9E-04		(4)	1.7E-05		(4)	2.0E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	6.6E-05		(4)	3.9E-06		(4)	4.5E-05		(4)

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	sidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loca				1136			2			10103	
Cumulative Facility	y-Wide Risk			2.8			<0.1			0.3	
SSF07											
Cumulative TEU Risk					0.050			1.8E-04			1.2E-03
Dispersion Factor (µg/m3/[g				247			15.0			175	
Antimony	7440-36-0	9.8E-09	2.4E-06		(4)	1.5E-07		(4)	1.7E-06		(4)
Barium	7440-39-3	6.1E-09	1.5E-06		(4)	9.1E-08		(4)	1.1E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.6E-06	5.6E-04	2.8E-03	9.4E-08	0.014	6.7E-06	1.1E-06	6.7E-03	1.6E-04
Chromium (total)	7440-47-3	5.8E-09	1.4E-06		(4)	8.8E-08		(4)	1.0E-06		(4)
Chromium VI	18540-29-9	5.8E-09	1.4E-06	3.1E-05	0.047	8.8E-08	5.2E-04	1.7E-04	1.0E-06	1.0E-03	1.0E-03
Cobalt	7440-48-4	2.6E-10	6.3E-08		(4)	3.8E-09		(4)	4.5E-08		(4)
Copper	7440-50-8	3.5E-08	8.6E-06		(4)	5.2E-07		(4)	6.1E-06		(4)
Lead	7439-92-1	5.5E-08	1.4E-05		(4)	8.3E-07		(4)	9.7E-06		(4)
Manganese	7439-96-5	8.8E-09	2.2E-06		(4)	1.3E-07		(4)	1.5E-06		(4)
Mercury	7439-97-6	6.7E-10	1.7E-07		(4)	1.0E-08		(4)	1.2E-07		(4)
Nickel	7440-02-0	1.3E-08	3.3E-06	3.8E-03	8.6E-04	2.0E-07	0.10	2.0E-06	2.3E-06	0.046	5.0E-05
Phosphorus	504	1.6E-07	3.9E-05		(4)	2.4E-06		(4)	2.8E-05		(4)
Zinc	7440-66-6	9.8E-08	2.4E-05		(4)	1.5E-06		(4)	1.7E-05		(4)
Fluorides	239	1.1E-06	2.8E-04		(4)	1.7E-05		(4)	2.0E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	6.3E-05		(4)	3.8E-06		(4)	4.5E-05		(4)
SSF08											
Cumulative TEU Risk					0.052			1.8E-04			1.2E-03
Dispersion Factor (µg/m3/[g.				255			15.2			175	
Antimony	7440-36-0	9.8E-09	2.5E-06		(4)	1.5E-07		(4)	1.7E-06		(4)
Barium	7440-39-3	6.1E-09	1.5E-06		(4)	9.2E-08		(4)	1.1E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.6E-06	5.6E-04	2.9E-03	9.6E-08	0.014	6.8E-06	1.1E-06	6.7E-03	1.6E-04
Chromium (total)	7440-47-3	5.8E-09	1.5E-06		(4)	8.9E-08		(4)	1.0E-06		(4)
Chromium VI	18540-29-9	5.8E-09	1.5E-06	3.1E-05	0.048	8.9E-08	5.2E-04	1.7E-04	1.0E-06	1.0E-03	1.0E-03
Cobalt	7440-48-4	2.6E-10	6.5E-08		(4)	3.9E-09		(4)	4.5E-08		(4)
Copper	7440-50-8	3.5E-08	8.9E-06		(4)	5.3E-07		(4)	6.1E-06		(4)
Lead	7439-92-1	5.5E-08	1.4E-05		(4)	8.4E-07		(4)	9.7E-06		(4)
Manganese	7439-96-5	8.8E-09	2.2E-06		(4)	1.3E-07		(4)	1.5E-06		(4)
Mercury	7439-97-6	6.7E-10	1.7E-07		(4)	1.0E-08		(4)	1.2E-07		(4)
Nickel	7440-02-0	1.3E-08	3.4E-06	3.8E-03	8.9E-04	2.0E-07	0.10	2.0E-06	2.3E-06	0.046	5.1E-05
Phosphorus	504	1.6E-07	4.0E-05		(4)	2.4E-06		(4)	2.8E-05		(4)
Zinc	7440-66-6	9.8E-08	2.5E-05		(4)	1.5E-06		(4)	1.7E-05		(4)
Fluorides	239	1.1E-06	2.9E-04		(4)	1.7E-05		(4)	2.0E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	6.5E-05		(4)	3.9E-06		(4)	4.5E-05		(4)

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	sidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loca				1136			2			10103	
Cumulative Facility	y-Wide Risk			2.8			<0.1			0.3	
SSF09											
Cumulative TEU Risk					0.034			1.7E-04			1.6E-03
Dispersion Factor (µg/m3/[g/				167			14.5			227	
Antimony	7440-36-0	9.8E-09	1.6E-06		(4)	1.4E-07		(4)	2.2E-06		(4)
Barium	7440-39-3	6.1E-09	1.0E-06		(4)	8.8E-08		(4)	1.4E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.0E-06	5.6E-04	1.9E-03	9.1E-08	0.014	6.5E-06	1.4E-06	6.7E-03	2.1E-04
Chromium (total)	7440-47-3	5.8E-09	9.8E-07		(4)	8.5E-08		(4)	1.3E-06		(4)
Chromium VI	18540-29-9	5.8E-09	9.8E-07	3.1E-05	0.031	8.5E-08	5.2E-04	1.6E-04	1.3E-06	1.0E-03	1.3E-03
Cobalt	7440-48-4	2.6E-10	4.3E-08		(4)	3.7E-09		(4)	5.8E-08		(4)
Copper	7440-50-8	3.5E-08	5.8E-06		(4)	5.0E-07		(4)	7.9E-06		(4)
Lead	7439-92-1	5.5E-08	9.2E-06		(4)	8.0E-07		(4)	1.3E-05		(4)
Manganese	7439-96-5	8.8E-09	1.5E-06		(4)	1.3E-07		(4)	2.0E-06		(4)
Mercury	7439-97-6	6.7E-10	1.1E-07		(4)	9.7E-09		(4)	1.5E-07	-1	(4)
Nickel	7440-02-0	1.3E-08	2.2E-06	3.8E-03	5.8E-04	1.9E-07	0.10	1.9E-06	3.0E-06	0.046	6.6E-05
Phosphorus	504	1.6E-07	2.6E-05		(4)	2.3E-06		(4)	3.6E-05		(4)
Zinc	7440-66-6	9.8E-08	1.6E-05		(4)	1.4E-06		(4)	2.2E-05		(4)
Fluorides	239	1.1E-06	1.9E-04		(4)	1.6E-05		(4)	2.6E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	4.3E-05		(4)	3.7E-06		(4)	5.8E-05		(4)
SSF10											
Cumulative TEU Risk					0.036			1.8E-04			1.5E-03
Dispersion Factor (µg/m3/[g/	/s])			176			15.0			209	
Antimony	7440-36-0	9.8E-09	1.7E-06		(4)	1.5E-07		(4)	2.1E-06		(4)
Barium	7440-39-3	6.1E-09	1.1E-06		(4)	9.1E-08		(4)	1.3E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.1E-06	5.6E-04	2.0E-03	9.4E-08	0.014	6.7E-06	1.3E-06	6.7E-03	2.0E-04
Chromium (total)	7440-47-3	5.8E-09	1.0E-06		(4)	8.8E-08		(4)	1.2E-06		(4)
Chromium VI	18540-29-9	5.8E-09	1.0E-06	3.1E-05	0.033	8.8E-08	5.2E-04	1.7E-04	1.2E-06	1.0E-03	1.2E-03
Cobalt	7440-48-4	2.6E-10	4.5E-08		(4)	3.8E-09		(4)	5.3E-08		(4)
Copper	7440-50-8	3.5E-08	6.1E-06		(4)	5.2E-07		(4)	7.3E-06		(4)
Lead	7439-92-1	5.5E-08	9.7E-06		(4)	8.3E-07		(4)	1.2E-05		(4)
Manganese	7439-96-5	8.8E-09	1.5E-06		(4)	1.3E-07		(4)	1.8E-06		(4)
Mercury	7439-97-6	6.7E-10	1.2E-07		(4)	1.0E-08		(4)	1.4E-07		(4)
Nickel	7440-02-0	1.3E-08	2.3E-06	3.8E-03	6.1E-04	2.0E-07	0.10	2.0E-06	2.8E-06	0.046	6.0E-05
Phosphorus	504	1.6E-07	2.8E-05		(4)	2.4E-06		(4)	3.3E-05		(4)
Zinc	7440-66-6	9.8E-08	1.7E-05		(4)	1.5E-06		(4)	2.1E-05		(4)
Fluorides	239	1.1E-06	2.0E-04		(4)	1.7E-05		(4)	2.4E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	4.5E-05		(4)	3.8E-06		(4)	5.3E-05		(4)

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	sidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loca				1136			2			10103	
Cumulative Facility	y-Wide Risk			2.8			<0.1			0.3	
SSF11											
Cumulative TEU Risk					0.035			1.8E-04			1.5E-03
Dispersion Factor (µg/m3/[g/				174			14.9			215	
Antimony	7440-36-0	9.8E-09	1.7E-06		(4)	1.5E-07		(4)	2.1E-06		(4)
Barium	7440-39-3	6.1E-09	1.1E-06		(4)	9.0E-08		(4)	1.3E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.1E-06	5.6E-04	1.9E-03	9.3E-08	0.014	6.7E-06	1.3E-06	6.7E-03	2.0E-04
Chromium (total)	7440-47-3	5.8E-09	1.0E-06		(4)	8.7E-08		(4)	1.3E-06		(4)
Chromium VI	18540-29-9	5.8E-09	1.0E-06	3.1E-05	0.033	8.7E-08	5.2E-04	1.7E-04	1.3E-06	1.0E-03	1.3E-03
Cobalt	7440-48-4	2.6E-10	4.4E-08		(4)	3.8E-09		(4)	5.5E-08		(4)
Copper	7440-50-8	3.5E-08	6.0E-06		(4)	5.2E-07		(4)	7.5E-06		(4)
Lead	7439-92-1	5.5E-08	9.6E-06		(4)	8.2E-07		(4)	1.2E-05		(4)
Manganese	7439-96-5	8.8E-09	1.5E-06		(4)	1.3E-07		(4)	1.9E-06		(4)
Mercury	7439-97-6	6.7E-10	1.2E-07		(4)	9.9E-09		(4)	1.4E-07	-	(4)
Nickel	7440-02-0	1.3E-08	2.3E-06	3.8E-03	6.1E-04	2.0E-07	0.10	2.0E-06	2.9E-06	0.046	6.2E-05
Phosphorus	504	1.6E-07	2.7E-05		(4)	2.3E-06		(4)	3.4E-05		(4)
Zinc	7440-66-6	9.8E-08	1.7E-05		(4)	1.5E-06		(4)	2.1E-05		(4)
Fluorides	239	1.1E-06	2.0E-04		(4)	1.7E-05		(4)	2.4E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	4.4E-05		(4)	3.8E-06		(4)	5.5E-05		(4)
SSF12											
Cumulative TEU Risk					0.034			1.7E-04			1.6E-03
Dispersion Factor (µg/m3/[g/				166			14.4			233	
Antimony	7440-36-0	9.8E-09	1.6E-06		(4)	1.4E-07		(4)	2.3E-06		(4)
Barium	7440-39-3	6.1E-09	1.0E-06		(4)	8.8E-08		(4)	1.4E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.0E-06	5.6E-04	1.9E-03	9.1E-08	0.014	6.5E-06	1.5E-06	6.7E-03	2.2E-04
Chromium (total)	7440-47-3	5.8E-09	9.7E-07		(4)	8.4E-08		(4)	1.4E-06		(4)
Chromium VI	18540-29-9	5.8E-09	9.7E-07	3.1E-05	0.031	8.4E-08	5.2E-04	1.6E-04	1.4E-06	1.0E-03	1.4E-03
Cobalt	7440-48-4	2.6E-10	4.3E-08		(4)	3.7E-09		(4)	6.0E-08		(4)
Copper	7440-50-8	3.5E-08	5.8E-06		(4)	5.0E-07		(4)	8.1E-06		(4)
Lead	7439-92-1	5.5E-08	9.2E-06		(4)	8.0E-07		(4)	1.3E-05		(4)
Manganese	7439-96-5	8.8E-09	1.5E-06		(4)	1.3E-07		(4)	2.0E-06		(4)
Mercury	7439-97-6	6.7E-10	1.1E-07		(4)	9.7E-09		(4)	1.6E-07		(4)
Nickel	7440-02-0	1.3E-08	2.2E-06	3.8E-03	5.8E-04	1.9E-07	0.10	1.9E-06	3.1E-06	0.046	6.7E-05
Phosphorus	504	1.6E-07	2.6E-05		(4)	2.3E-06		(4)	3.7E-05		(4)
Zinc	7440-66-6	9.8E-08	1.6E-05		(4)	1.4E-06		(4)	2.3E-05		(4)
Fluorides	239	1.1E-06	1.9E-04		(4)	1.6E-05		(4)	2.6E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	4.3E-05		(4)	3.7E-06		(4)	6.0E-05		(4)

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

	1						Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	sidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	cation (3)			1136			2			10103	•
Cumulative Facili				2.8			<0.1			0.3	
SSF14			-								
Cumulative TEU Risk					4.5E-03			2.2E-04		-	1.1E-04
Dispersion Factor (µg/m3/[g	g/s])			43.5			37.4			30.0	•
Antimony	7440-36-0	1.4E-08	5.9E-07		(4)	5.1E-07		(4)	4.1E-07		(4)
Barium	7440-39-3	9.1E-09	4.0E-07		(4)	3.4E-07		(4)	2.7E-07		(4)
Cadmium	7440-43-9	2.5E-09	1.1E-07	5.6E-04	2.0E-04	9.4E-08	0.014	6.7E-06	7.5E-08	6.7E-03	1.1E-05
Chromium (total)	7440-47-3	2.9E-09	1.3E-07		(4)	1.1E-07		(4)	8.8E-08		(4)
Chromium VI	18540-29-9	2.9E-09	1.3E-07	3.1E-05	4.1E-03	1.1E-07	5.2E-04	2.1E-04	8.8E-08	1.0E-03	8.8E-05
Copper	7440-50-8	4.2E-08	1.8E-06		(4)	1.6E-06		(4)	1.2E-06		(4)
Manganese	7439-96-5	9.5E-09	4.1E-07		(4)	3.6E-07		(4)	2.9E-07		(4)
Mercury	7439-97-6	4.8E-10	2.1E-08		(4)	1.8E-08		(4)	1.4E-08		(4)
Nickel	7440-02-0	1.6E-08	6.9E-07	3.8E-03	1.8E-04	5.9E-07	0.10	5.9E-06	4.7E-07	0.046	1.0E-05
Phosphorus	504	7.8E-08	3.4E-06		(4)	2.9E-06		(4)	2.3E-06		(4)
Zinc	7440-66-6	2.5E-07	1.1E-05		(4)	9.4E-06		(4)	7.5E-06		(4)
Fluorides	239	1.5E-07	6.6E-06		(4)	5.7E-06		(4)	4.5E-06		(4)
Silica, Crystalline	7631-86-9	1.2E-06	5.0E-05		(4)	4.3E-05		(4)	3.4E-05		(4)
SSF15											
Cumulative TEU Risk					4.5E-03			2.2E-04			1.1E-04
Dispersion Factor (μg/m3/[ς	g/s])			43.9			37.3			30.1	
Antimony	7440-36-0	1.4E-08	6.0E-07		(4)	5.1E-07		(4)	4.1E-07		(4)
Barium	7440-39-3	9.1E-09	4.0E-07		(4)	3.4E-07		(4)	2.7E-07		(4)
Cadmium	7440-43-9	2.5E-09	1.1E-07	5.6E-04	2.0E-04	9.4E-08	0.014	6.7E-06	7.6E-08	6.7E-03	1.1E-05
Chromium (total)	7440-47-3	2.9E-09	1.3E-07		(4)	1.1E-07		(4)	8.8E-08		(4)
Chromium VI	18540-29-9	2.9E-09	1.3E-07	3.1E-05	4.1E-03	1.1E-07	5.2E-04	2.1E-04	8.8E-08	1.0E-03	8.8E-05
Copper	7440-50-8	4.2E-08	1.8E-06		(4)	1.6E-06		(4)	1.3E-06		(4)
Manganese	7439-96-5	9.5E-09	4.2E-07		(4)	3.6E-07		(4)	2.9E-07		(4)
Mercury	7439-97-6	4.8E-10	2.1E-08		(4)	1.8E-08		(4)	1.4E-08		(4)
Nickel	7440-02-0	1.6E-08	6.9E-07	3.8E-03	1.8E-04	5.9E-07	0.10	5.9E-06	4.7E-07	0.046	1.0E-05
Phosphorus	504	7.8E-08	3.4E-06		(4)	2.9E-06		(4)	2.3E-06		(4)
Zinc	7440-66-6	2.5E-07	1.1E-05		(4)	9.4E-06		(4)	7.6E-06		(4)
Fluorides	239	1.5E-07	6.7E-06		(4)	5.7E-06		(4)	4.6E-06		(4)
Silica, Crystalline	7631-86-9	1.2E-06	5.0E-05		(4)	4.3E-05		(4)	3.5E-05		(4)

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	sidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	ation (3)			1136			2			10103	
Cumulative Facili				2.8			<0.1			0.3	
SSF13			•			-					
Cumulative TEU Risk					0.15			7.4E-04			8.1E-03
Dispersion Factor (µg/m3/[g	J/s])			164			14.3			243	
Antimony	7440-36-0	6.9E-08	1.1E-05		(4)	9.9E-07		(4)	1.7E-05		(4)
Barium	7440-39-3	4.8E-08	7.9E-06		(4)	6.9E-07		(4)	1.2E-05		(4)
Cadmium	7440-43-9	5.8E-08	9.5E-06	5.6E-04	0.017	8.3E-07	0.014	5.9E-05	1.4E-05	6.7E-03	2.1E-03
Chromium (total)	7440-47-3	2.5E-08	4.1E-06		(4)	3.5E-07		(4)	6.0E-06		(4)
Chromium VI	18540-29-9	2.5E-08	4.1E-06	3.1E-05	0.13	3.5E-07	5.2E-04	6.8E-04	6.0E-06	1.0E-03	6.0E-03
Cobalt	7440-48-4	1.0E-08	1.7E-06		(4)	1.5E-07		(4)	2.5E-06		(4)
Copper	7440-50-8	3.8E-07	6.2E-05		(4)	5.4E-06		(4)	9.2E-05		(4)
Lead	7439-92-1	5.1E-07	8.5E-05		(4)	7.4E-06		(4)	1.3E-04		(4)
Manganese	7439-96-5	1.4E-08	2.3E-06		(4)	2.0E-07		(4)	3.3E-06		(4)
Mercury	7439-97-6	7.0E-06	1.1E-03		(4)	1.0E-04		(4)	1.7E-03		(4)
Phosphorus	504	1.5E-06	2.5E-04		(4)	2.1E-05		(4)	3.7E-04		(4)
Zinc	7440-66-6	7.9E-07	1.3E-04		(4)	1.1E-05		(4)	1.9E-04		(4)
Fluorides	239	2.7E-06	4.4E-04		(4)	3.9E-05		(4)	6.5E-04		(4)
Silica, Crystalline	7631-86-9	2.3E-06	3.8E-04		(4)	3.3E-05		(4)	5.6E-04		(4)
SILO1											
Cumulative TEU Risk									-		
Dispersion Factor (µg/m3/[g				22.9			1.94			26.5	
Silica, Crystalline	7631-86-9	1.5E-07	3.4E-06		(4)	2.9E-07		(4)	3.9E-06		(4)
SILO2											
Cumulative TEU Risk											
Dispersion Factor (µg/m3/[g	J/s])			0.95			4.36			2.59	
Silica, Crystalline	7631-86-9	1.5E-07	1.4E-07		(4)	6.4E-07		(4)	3.8E-07		(4)
BBBH											
Cumulative TEU Risk					1.9E-03			1.8E-05	1	-	8.6E-04
Dispersion Factor (µg/m3/[g	J/s])			21.2			5.18			118	
Aluminum	7429-90-5	2.9E-03	0.062		(4)	0.015		(4)	0.34		(4)
Barium	7440-39-3	7.5E-04	0.016		(4)	3.9E-03		(4)	0.089		(4)
Cadmium	7440-43-9	4.9E-08	1.0E-06	5.6E-04	1.9E-03	2.5E-07	0.014	1.8E-05	5.8E-06	6.7E-03	8.6E-04
Lead	7439-92-1	4.9E-07	1.0E-05		(4)	2.5E-06		(4)	5.8E-05		(4)
Zinc Oxide	1314-13-2	4.8E-04	0.010		(4)	2.5E-03		(4)	0.056		(4)
Fluorides	239	2.1E-04	4.4E-03		(4)	1.1E-03		(4)	0.025		(4)
Silica, Crystalline	7631-86-9	7.3E-03	0.16		(4)	0.038		(4)	0.87		(4)

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

	1						Cancer				
		TAC		Residential		Nonr	residential Ch	nild	Nonre	esidential Wo	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	cation ⁽³⁾			1136			2			10103	
Cumulative Facili	ity-Wide Risk			2.8			<0.1			0.3	
GP1_A											
Cumulative TEU Risk					5.8E-05			4.5E-07			2.0E-05
Dispersion Factor (µg/m3/[g				48.8			9.62			206	
Aluminum	7429-90-5	3.9E-05	1.9E-03		(4)	3.8E-04		(4)	8.1E-03		(4)
Barium	7440-39-3	1.0E-05	5.0E-04		(4)	9.8E-05		(4)	2.1E-03		(4)
Cadmium	7440-43-9	6.6E-10	3.2E-08	5.6E-04	5.8E-05	6.4E-09	0.014	4.5E-07	1.4E-07	6.7E-03	2.0E-05
Lead	7439-92-1	6.6E-09	3.2E-07		(4)	6.4E-08		(4)	1.4E-06		(4)
Zinc Oxide	1314-13-2	6.4E-06	3.1E-04		(4)	6.2E-05		(4)	1.3E-03		(4)
Fluorides	239	2.8E-06	1.4E-04		(4)	2.7E-05		(4)	5.8E-04		(4)
Glasswool Fibers	352	5.6E-03	0.27		(4)	0.054		(4)	1.15		(4)
Silica, Crystalline	7631-86-9	9.9E-05	4.8E-03		(4)	9.5E-04		(4)	0.020		(4)
GP1_B											
Cumulative TEU Risk					5.7E-05			4.5E-07			1.8E-05
Dispersion Factor (µg/m3/[g				48.3			9.53			178	
Aluminum	7429-90-5	3.9E-05	1.9E-03		(4)	3.7E-04		(4)	7.0E-03		(4)
Barium	7440-39-3	1.0E-05	4.9E-04		(4)	9.7E-05		(4)	1.8E-03		(4)
Cadmium	7440-43-9	6.6E-10	3.2E-08	5.6E-04	5.7E-05	6.3E-09	0.014	4.5E-07	1.2E-07	6.7E-03	1.8E-05
Lead	7439-92-1	6.6E-09	3.2E-07		(4)	6.3E-08		(4)	1.2E-06		(4)
Zinc Oxide	1314-13-2	6.4E-06	3.1E-04		(4)	6.1E-05		(4)	1.1E-03		(4)
Fluorides	239	2.8E-06	1.4E-04		(4)	2.7E-05		(4)	5.0E-04		(4)
Glasswool Fibers	352	5.6E-03	0.27		(4)	0.053		(4)	0.99		(4)
Silica, Crystalline	7631-86-9	9.9E-05	4.8E-03		(4)	9.4E-04		(4)	0.018		(4)
ВНВН											
Cumulative TEU Risk					1.5E-07			1.2E-09			1.0E-07
Dispersion Factor (µg/m3/[g				65.3			12.4			531	
Aluminum	7429-90-5	7.9E-08	5.1E-06		(4)	9.7E-07		(4)	4.2E-05		(4)
Barium	7440-39-3	2.0E-08	1.3E-06		(4)	2.5E-07		(4)	1.1E-05		(4)
Cadmium	7440-43-9	1.3E-12	8.6E-11	5.6E-04	1.5E-07	1.6E-11	0.014	1.2E-09	7.0E-10	6.7E-03	1.0E-07
Lead	7439-92-1	1.3E-11	8.6E-10		(4)	1.6E-10		(4)	7.0E-09		(4)
Zinc Oxide	1314-13-2	1.3E-08	8.3E-07		(4)	1.6E-07		(4)	6.8E-06		(4)
Fluorides	239	5.6E-09	3.7E-07		(4)	6.9E-08		(4)	3.0E-06		(4)
Silica, Crystalline	7631-86-9	2.0E-07	1.3E-05		(4)	2.4E-06		(4)	1.1E-04		(4)
CT1_2											
Cumulative TEU Risk					0			0			0
Dispersion Factor (µg/m3/[g	_			14.1			5.91			37.5	
Phosphoric Acid	7664-38-2	2.0E-05	2.9E-04		(4)	1.2E-04		(4)	7.7E-04		(4)
Sulfuric Acid	7664-93-9	2.0E-05	2.9E-04		(4)	1.2E-04		(4)	7.7E-04		(4)
CT3A											
	Cumulative TEU Risk				0			0			0
Dispersion Factor (µg/m3/[g				12.4			4.09			38.5	
Phosphoric Acid	7664-38-2	1.1E-05	1.4E-04		(4)	4.6E-05		(4)	4.4E-04		(4)
Sulfuric Acid	7664-93-9	1.1E-05	1.4E-04		(4)	4.6E-05		(4)	4.4E-04		(4)

Table 6-4
Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

		74.0					Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	esidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chance in-10 ⁶)
Exposure Loc				1136			2			10103	
Cumulative Facili	ty-Wide Risk			2.8			<0.1			0.3	
CT3B											
Cumulative TEU Risk					0			0			0
Dispersion Factor (μg/m3/[g	_			12.4			4.09			36.6	
Phosphoric Acid	7664-38-2	1.1E-05	1.4E-04		(4)	4.6E-05		(4)	4.2E-04		(4)
Sulfuric Acid	7664-93-9	1.1E-05	1.4E-04		(4)	4.6E-05		(4)	4.2E-04		(4)
CT4											
Cumulative TEU Risk					0			0			0
Dispersion Factor (µg/m3/[g				3.27			10.5			8.15	
Phosphoric Acid	7664-38-2	1.8E-05	5.9E-05		(4)	1.9E-04		(4)	1.5E-04		(4)
Sulfuric Acid	7664-93-9	1.8E-05	5.9E-05		(4)	1.9E-04		(4)	1.5E-04		(4)
PAINT											
Cumulative TEU Risk					0.047			2.1E-04			0.040
Dispersion Factor (μg/m3/[g				128			13.9			1,298	
Barium	7440-39-3	2.1E-04	0.027		(4)	2.9E-03		(4)	0.28		(4)
Cobalt	7440-48-4	1.0E-05	1.3E-03		(4)	1.4E-04		(4)	0.013		(4)
Acetone	67-64-1	3.5E-03	0.45		(4)	0.049		(4)	4.58		(4)
Ethylbenzene	100-41-4	1.5E-04	0.019	0.40	0.047	2.1E-03	10.0	2.1E-04	0.19	4.80	0.040
1,2,4-Trimethylbenzene	95-63-6	1.9E-04	0.024		(4)	2.6E-03		(4)	0.24		(4)
Xylenes (mixed isomers)	1330-20-7	6.1E-04	0.077		(4)	8.4E-03		(4)	0.79		(4)
GEN1											
Cumulative TEU Risk					0.32			7.3E-04			0.025
Dispersion Factor (μg/m3/[g				7.55			0.57			16.8	
Arsenic	7440-38-2	5.4E-08	4.1E-07	2.4E-05	0.017	3.1E-08	1.3E-03	2.4E-05	9.1E-07	6.2E-04	1.5E-03
Codmium			3.8E-07	5.6E-04	6.8E-04		0.014	2.1E-06	8.5E-07	6.7E-03	1.3E-04
Cadmium	7440-43-9	5.0E-08				2.9E-08					
Chromium VI	18540-29-9	3.4E-09	2.5E-08	3.1E-05	8.2E-04	1.9E-09	5.2E-04	3.7E-06	5.7E-08	1.0E-03	-
Chromium VI Copper	18540-29-9 7440-50-8	3.4E-09 1.4E-07	2.5E-08 1.0E-06	3.1E-05 	(4)	1.9E-09 7.9E-08	5.2E-04 	3.7E-06 (4)	5.7E-08 2.3E-06	1.0E-03 	5.7E-05 (4)
Chromium VI Copper Lead	18540-29-9 7440-50-8 7439-92-1	3.4E-09 1.4E-07 2.8E-07	2.5E-08 1.0E-06 2.1E-06	3.1E-05 	(4) (4)	1.9E-09 7.9E-08 1.6E-07	5.2E-04	3.7E-06 (4) (4)	5.7E-08 2.3E-06 4.7E-06	1.0E-03 	(4) (4)
Chromium VI Copper Lead Manganese	18540-29-9 7440-50-8 7439-92-1 7439-96-5	3.4E-09 1.4E-07 2.8E-07 1.0E-07	2.5E-08 1.0E-06 2.1E-06 7.9E-07	3.1E-05 	(4) (4) (4)	1.9E-09 7.9E-08 1.6E-07 6.0E-08	5.2E-04 	3.7E-06 (4) (4) (4)	5.7E-08 2.3E-06 4.7E-06 1.8E-06	1.0E-03 	(4) (4) (4)
Chromium VI Copper Lead Manganese Mercury	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07	3.1E-05 	(4) (4) (4) (4)	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08	5.2E-04 	3.7E-06 (4) (4) (4) (4)	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06	1.0E-03 	(4) (4) (4) (4)
Chromium VI Copper Lead Manganese Mercury Nickel	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07	3.1E-05 3.8E-03	(4) (4) (4) (4) (2.6E-04	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08	5.2E-04 0.10	3.7E-06 (4) (4) (4) (4) (4) 7.5E-07	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06	1.0E-03 0.046	(4) (4) (4) (4) (4) 4.8E-0!
Chromium VI Copper Lead Manganese Mercury Nickel Selenium	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0 7782-49-2	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07 7.4E-08	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07 5.6E-07	3.1E-05 3.8E-03	(4) (4) (4) (4) 2.6E-04 (4)	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08 4.2E-08	5.2E-04 0.10	3.7E-06 (4) (4) (4) (4) (4) 7.5E-07 (4)	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06	1.0E-03 0.046	(4) (4) (4) (4) (4) 4.8E-09 (4)
Chromium VI Copper Lead Manganese Mercury Nickel Selenium Ammonia	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0 7782-49-2 7664-41-7	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07 7.4E-08 2.7E-05	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07 5.6E-07 2.0E-04	3.1E-05 3.8E-03 	(4) (4) (4) (4) 2.6E-04 (4) (4)	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08 4.2E-08 1.5E-05	5.2E-04 0.10	3.7E-06 (4) (4) (4) (4) 7.5E-07 (4) (4)	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06 1.2E-06 4.5E-04	1.0E-03 0.046	(4) (4) (4) (4) 4.8E-0! (4) (4)
Chromium VI Copper Lead Manganese Mercury Nickel Selenium Ammonia Hydrochloric Acid	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0 7782-49-2 7664-41-7 7647-01-0	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07 7.4E-08 2.7E-05 6.3E-06	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07 5.6E-07 2.0E-04 4.7E-05	3.1E-05 3.8E-03 	(4) (4) (4) (2.6E-04 (4) (4) (4)	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08 4.2E-08 1.5E-05 3.6E-06	5.2E-04 0.10	3.7E-06 (4) (4) (4) (4) 7.5E-07 (4) (4) (4)	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06 1.2E-06 4.5E-04 1.1E-04	1.0E-03 0.046	(4) (4) (4) (4) 4.8E-0! (4) (4) (4)
Chromium VI Copper Lead Manganese Mercury Nickel Selenium Ammonia Hydrochloric Acid Acetaldehyde	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0 7782-49-2 7664-41-7 7647-01-0 75-07-0	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07 7.4E-08 2.7E-05 6.3E-06 2.6E-05	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07 5.6E-07 2.0E-04 4.7E-05 2.0E-04	3.1E-05 3.8E-03 0.45	(4) (4) (4) (2.6E-04 (4) (4) (4) (4) 4.4E-04	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08 4.2E-08 1.5E-05 3.6E-06 1.5E-05	5.2E-04 0.10	3.7E-06 (4) (4) (4) (4) 7.5E-07 (4) (4) (4) 1.3E-06	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06 1.2E-06 4.5E-04 1.1E-04 4.4E-04	1.0E-03 0.046 5.50	(4) (4) (4) (4) 4.8E-0! (4) (4) (4) 8.1E-0!
Chromium VI Copper Lead Manganese Mercury Nickel Selenium Ammonia Hydrochloric Acid Acetaldehyde Acrolein	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0 7782-49-2 7664-41-7 7647-01-0 75-07-0 107-02-8	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07 7.4E-08 2.7E-05 6.3E-06 2.6E-05 1.1E-06	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07 5.6E-07 2.0E-04 4.7E-05 2.0E-04 8.6E-06	3.1E-05 3.8E-03 0.45	(4) (4) (4) (2.6E-04 (4) (4) (4) (4) 4.4E-04 (4)	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08 4.2E-08 1.5E-05 3.6E-06 1.5E-05 6.5E-07	5.2E-04 0.10 12.0	3.7E-06 (4) (4) (4) (4) 7.5E-07 (4) (4) (4) 1.3E-06 (4)	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06 1.2E-06 4.5E-04 1.1E-04 4.4E-04 1.9E-05	1.0E-03 0.046 5.50	(4) (4) (4) (4) 4.8E-0 (4) (4) (4) (8.1E-0 (4)
Chromium VI Copper Lead Manganese Mercury Nickel Selenium Ammonia Hydrochloric Acid Acetaldehyde Acrolein Benzene	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0 7782-49-2 7664-41-7 7647-01-0 75-07-0 107-02-8 71-43-2	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07 7.4E-08 2.7E-05 6.3E-06 2.6E-05 1.1E-06 6.3E-06	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07 5.6E-07 2.0E-04 4.7E-05 2.0E-04 8.6E-06 4.7E-05	3.1E-05 3.8E-03 0.45 0.13	(4) (4) (4) (2.6E-04 (4) (4) (4) (4) 4.4E-04 (4) 3.6E-04	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08 4.2E-08 1.5E-05 3.6E-06 1.5E-05 3.6E-06	5.2E-04 0.10 12.0 3.30	3.7E-06 (4) (4) (4) (4) 7.5E-07 (4) (4) (4) 1.3E-06 (4) 1.1E-06	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06 1.2E-06 4.5E-04 1.1E-04 4.4E-04 1.9E-05 1.1E-04	1.0E-03 0.046 5.50 1.50	(4) (4) (4) (4) (4) (4) (4) (4) (8.1E-0) (4) 7.0E-0
Chromium VI Copper Lead Manganese Mercury Nickel Selenium Ammonia Hydrochloric Acid Acetaldehyde Acrolein Benzene 1,3-Butadiene	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0 7782-49-2 7664-41-7 7647-01-0 75-07-0 107-02-8 71-43-2 106-99-0	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07 7.4E-08 2.7E-05 6.3E-06 2.6E-05 1.1E-06 6.3E-06 7.3E-06	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07 5.6E-07 2.0E-04 4.7E-05 2.0E-04 8.6E-06 4.7E-05 5.5E-05	3.1E-05 3.8E-03 0.45 0.13 0.033	(4) (4) (4) (2.6E-04 (4) (4) (4) 4.4E-04 (4) 3.6E-04 1.7E-03	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08 4.2E-08 1.5E-05 3.6E-06 1.5E-05 6.5E-07 3.6E-06 4.2E-06	5.2E-04 0.10 12.0 3.30 0.86	3.7E-06 (4) (4) (4) (4) 7.5E-07 (4) (4) (4) 1.3E-06 (4) 1.1E-06 4.9E-06	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06 1.2E-06 4.5E-04 1.1E-04 4.4E-04 1.9E-05 1.1E-04 1.2E-04	1.0E-03 0.046 5.50 1.50 0.40	(4) (4) (4) (4) 4.8E-0 (4) (4) (4) 8.1E-0 (4) 7.0E-0 3.1E-0
Chromium VI Copper Lead Manganese Mercury Nickel Selenium Ammonia Hydrochloric Acid Acetaldehyde Acrolein Benzene 1,3-Butadiene Ethylbenzene	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0 7782-49-2 7664-41-7 7647-01-0 75-07-0 107-02-8 71-43-2 106-99-0 100-41-4	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07 7.4E-08 2.7E-05 6.3E-06 2.6E-05 1.1E-06 6.3E-06 7.3E-06 3.7E-07	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07 5.6E-07 2.0E-04 4.7E-05 2.0E-04 8.6E-06 4.7E-05 5.5E-05 2.8E-06	3.1E-05 3.8E-03 0.45 0.13 0.033 0.40	(4) (4) (4) (2.6E-04 (4) (4) (4) 4.4E-04 (4) 3.6E-04 1.7E-03 6.9E-06	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08 4.2E-08 1.5E-05 3.6E-06 1.5E-07 3.6E-06 4.2E-06 2.1E-07	5.2E-04 0.10 12.0 3.30 0.86 10.0	3.7E-06 (4) (4) (4) (7.5E-07 (4) (4) (4) 1.3E-06 (4) 1.1E-06 4.9E-06 2.1E-08	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06 1.2E-06 4.5E-04 1.1E-04 4.4E-04 1.9E-05 1.1E-04 6.2E-06	1.0E-03 0.046 5.50 1.50 0.40 4.80	(4) (4) (4) (4) (4) (4) (4) (4) (8.1E-0! (4) 7.0E-0! 3.1E-0. 1.3E-0.
Chromium VI Copper Lead Manganese Mercury Nickel Selenium Ammonia Hydrochloric Acid Acetaldehyde Acrolein Benzene 1,3-Butadiene Ethylbenzene Formaldehyde	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0 7782-49-2 7664-41-7 7647-01-0 75-07-0 107-02-8 71-43-2 106-99-0 100-41-4 50-00-0	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07 7.4E-08 2.7E-05 6.3E-06 2.6E-05 1.1E-06 6.3E-06 7.3E-06 3.7E-07 5.8E-05	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07 5.6E-07 2.0E-04 4.7E-05 2.0E-04 8.6E-06 4.7E-05 5.5E-05 2.8E-06 4.4E-04	3.1E-05 3.8E-03 0.45 0.13 0.033 0.40 0.17	(4) (4) (4) (2.6E-04 (4) (4) (4) 4.4E-04 (4) 3.6E-04 1.7E-03 6.9E-06 2.6E-03	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08 4.2E-08 1.5E-05 3.6E-06 1.5E-07 3.6E-06 4.2E-06 2.1E-07 3.3E-05	5.2E-04 0.10 12.0 3.30 0.86	3.7E-06 (4) (4) (4) (7.5E-07 (4) (4) (4) 1.3E-06 (4) 1.1E-06 4.9E-06 2.1E-08 7.8E-06	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06 1.2E-06 4.5E-04 1.1E-04 4.4E-04 1.9E-05 1.1E-04 1.2E-04 6.2E-06 9.8E-04	1.0E-03 0.046 5.50 1.50 0.40 4.80 2.00	(4) (4) (4) (4) (4) (4) (4) (4) (8.1E-0 (4) 7.0E-0 3.1E-0 1.3E-0 4.9E-0
Chromium VI Copper Lead Manganese Mercury Nickel Selenium Ammonia Hydrochloric Acid Acetaldehyde Acrolein Benzene 1,3-Butadiene Ethylbenzene Formaldehyde Hexane	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0 7782-49-2 7664-41-7 7647-01-0 75-07-0 107-02-8 71-43-2 106-99-0 100-41-4 50-00-0 110-54-3	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07 7.4E-08 2.7E-05 6.3E-06 2.6E-05 1.1E-06 6.3E-06 7.3E-06 3.7E-07 5.8E-05 9.1E-07	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07 5.6E-07 2.0E-04 4.7E-05 2.0E-04 8.6E-06 4.7E-05 5.5E-05 2.8E-06 4.4E-04 6.8E-06	3.1E-05 3.8E-03 0.45 0.13 0.033 0.40 0.17	(4) (4) (4) (4) 2.6E-04 (4) (4) (4) 4.4E-04 (4) 3.6E-04 1.7E-03 6.9E-06 2.6E-03 (4)	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08 4.2E-08 1.5E-05 3.6E-06 1.5E-07 3.6E-06 4.2E-06 2.1E-07 3.3E-05 5.2E-07	5.2E-04 0.10 12.0 3.30 0.86 10.0	3.7E-06 (4) (4) (4) (4) 7.5E-07 (4) (4) (4) 1.3E-06 (4) 1.1E-06 4.9E-06 2.1E-08 7.8E-06 (4)	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06 1.2E-06 4.5E-04 1.1E-04 4.4E-04 1.9E-05 1.1E-04 6.2E-06 9.8E-04 1.5E-05	1.0E-03 0.046 5.50 1.50 0.40 4.80 2.00	(4) (4) (4) (4) (4) (4) (4) (4) (8.1E-0 (4) 7.0E-0 3.1E-0 1.3E-0 4.9E-0 (4)
Chromium VI Copper Lead Manganese Mercury Nickel Selenium Ammonia Hydrochloric Acid Acetaldehyde Acrolein Benzene 1,3-Butadiene Ethylbenzene Formaldehyde Hexane Toluene	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0 7782-49-2 7664-41-7 7647-01-0 75-07-0 107-02-8 71-43-2 106-99-0 100-41-4 50-00-0 110-54-3 108-88-3	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07 7.4E-08 2.7E-05 6.3E-06 2.6E-05 1.1E-06 6.3E-06 7.3E-06 3.7E-07 5.8E-05 9.1E-07	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07 5.6E-07 2.0E-04 4.7E-05 2.0E-04 8.6E-06 4.7E-05 5.5E-05 2.8E-06 4.4E-04 6.8E-06 2.7E-05	3.1E-05 3.8E-03 0.45 0.13 0.033 0.40 0.17	(4) (4) (4) (4) 2.6E-04 (4) (4) 4.4E-04 (4) 3.6E-04 1.7E-03 6.9E-06 2.6E-03 (4) (4)	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08 4.2E-08 1.5E-05 3.6E-06 1.5E-05 6.5E-07 3.6E-06 4.2E-06 2.1E-07 3.3E-05 5.2E-07 2.0E-06	5.2E-04 0.10 12.0 3.30 0.86 10.0 4.30	3.7E-06 (4) (4) (4) (4) 7.5E-07 (4) (4) (4) 1.3E-06 (4) 1.1E-06 4.9E-06 2.1E-08 7.8E-06 (4) (4)	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06 1.2E-06 4.5E-04 1.1E-04 4.4E-04 1.9E-05 1.1E-04 6.2E-06 9.8E-04 1.5E-05 6.0E-05	1.0E-03 0.046 5.50 1.50 0.40 4.80 2.00	(4) (4) (4) (4) (4) (4) (4) (4) (8.1E-0 (4) 7.0E-0 3.1E-0 4.9E-0 (4) (4)
Chromium VI Copper Lead Manganese Mercury Nickel Selenium Ammonia Hydrochloric Acid Acetaldehyde Acrolein Benzene 1,3-Butadiene Ethylbenzene Formaldehyde Hexane Toluene Xylenes (mixed isomers)	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0 7782-49-2 7664-41-7 7647-01-0 75-07-0 107-02-8 71-43-2 106-99-0 100-41-4 50-00-0 110-54-3 108-88-3 1330-20-7	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07 7.4E-08 2.7E-05 6.3E-06 2.6E-05 1.1E-06 6.3E-06 3.7E-07 5.8E-05 9.1E-07 3.5E-06 1.4E-06	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07 5.6E-07 2.0E-04 4.7E-05 2.0E-04 8.6E-06 4.7E-05 5.5E-05 2.8E-06 4.4E-04 6.8E-06 2.7E-05 1.1E-05	3.1E-05 3.8E-03 0.45 0.13 0.033 0.40 0.17	(4) (4) (4) (4) 2.6E-04 (4) (4) 4.4E-04 (4) 3.6E-04 1.7E-03 6.9E-06 2.6E-03 (4) (4)	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08 4.2E-08 1.5E-05 3.6E-06 1.5E-07 3.6E-06 4.2E-06 2.1E-07 3.3E-05 5.2E-07 2.0E-06 8.2E-07	5.2E-04 0.10 12.0 3.30 0.86 10.0 4.30	3.7E-06 (4) (4) (4) (4) 7.5E-07 (4) (4) (4) 1.3E-06 (4) 1.1E-06 4.9E-06 2.1E-08 7.8E-06 (4) (4) (4)	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06 1.2E-06 4.5E-04 1.1E-04 4.4E-04 1.9E-05 1.1E-04 6.2E-06 9.8E-04 1.5E-05 6.0E-05 2.4E-05	1.0E-03 0.046 5.50 1.50 0.40 4.80 2.00	(4) (4) (4) (4) (4) 4.8E-05 (4) (4) (4) 8.1E-05 (4) 7.0E-05 3.1E-04 1.3E-06 4.9E-04 (4) (4) (4)
Chromium VI Copper Lead Manganese Mercury Nickel Selenium Ammonia Hydrochloric Acid Acetaldehyde Acrolein Benzene 1,3-Butadiene Ethylbenzene Formaldehyde Hexane Toluene Xylenes (mixed isomers) PAHs	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0 7782-49-2 7664-41-7 7647-01-0 75-07-0 107-02-8 71-43-2 106-99-0 100-41-4 50-00-0 110-54-3 108-88-3 1330-20-7 401	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07 7.4E-08 2.7E-05 6.3E-06 2.6E-05 1.1E-06 6.3E-06 7.3E-06 3.7E-07 5.8E-05 9.1E-07 3.5E-06 1.4E-06	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07 5.6E-07 2.0E-04 4.7E-05 2.0E-04 8.6E-06 4.7E-05 5.5E-05 2.8E-06 4.4E-04 6.8E-06 2.7E-05 1.1E-05 9.2E-06	3.1E-05 3.8E-03 0.45 0.13 0.033 0.40 0.17 4.3E-05	(4) (4) (4) (4) (2.6E-04 (4) (4) (4) 4.4E-04 (4) 3.6E-04 1.7E-03 6.9E-06 2.6E-03 (4) (4) (4) 0.21	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08 4.2E-08 1.5E-05 3.6E-06 1.5E-07 3.6E-06 4.2E-06 2.1E-07 3.3E-05 5.2E-07 2.0E-06 8.2E-07	5.2E-04 0.10 12.0 3.30 0.86 10.0 4.30 1.6E-03	3.7E-06 (4) (4) (4) (4) (7.5E-07 (4) (4) (4) 1.3E-06 (4) 1.1E-06 4.9E-06 2.1E-08 7.8E-06 (4) (4) (4) (4)	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06 1.2E-06 4.5E-04 1.1E-04 4.4E-04 1.9E-05 1.1E-04 6.2E-06 9.8E-04 1.5E-05 6.0E-05 2.4E-05	1.0E-03 0.046 5.50 1.50 0.40 4.80 2.00 3.0E-03	(4) (4) (4) (4) (4) (4) (4) (4) (4) (4)
Chromium VI Copper Lead Manganese Mercury Nickel Selenium Ammonia Hydrochloric Acid Acetaldehyde Acrolein Benzene 1,3-Butadiene Ethylbenzene Formaldehyde Hexane Toluene Xylenes (mixed isomers)	18540-29-9 7440-50-8 7439-92-1 7439-96-5 7439-97-6 7440-02-0 7782-49-2 7664-41-7 7647-01-0 75-07-0 107-02-8 71-43-2 106-99-0 100-41-4 50-00-0 110-54-3 108-88-3 1330-20-7	3.4E-09 1.4E-07 2.8E-07 1.0E-07 6.7E-08 1.3E-07 7.4E-08 2.7E-05 6.3E-06 2.6E-05 1.1E-06 6.3E-06 3.7E-07 5.8E-05 9.1E-07 3.5E-06 1.4E-06	2.5E-08 1.0E-06 2.1E-06 7.9E-07 5.1E-07 9.9E-07 5.6E-07 2.0E-04 4.7E-05 2.0E-04 8.6E-06 4.7E-05 5.5E-05 2.8E-06 4.4E-04 6.8E-06 2.7E-05 1.1E-05	3.1E-05 3.8E-03 0.45 0.13 0.033 0.40 0.17	(4) (4) (4) (4) 2.6E-04 (4) (4) 4.4E-04 (4) 3.6E-04 1.7E-03 6.9E-06 2.6E-03 (4) (4)	1.9E-09 7.9E-08 1.6E-07 6.0E-08 3.9E-08 7.5E-08 4.2E-08 1.5E-05 3.6E-06 1.5E-07 3.6E-06 4.2E-06 2.1E-07 3.3E-05 5.2E-07 2.0E-06 8.2E-07	5.2E-04 0.10 12.0 3.30 0.86 10.0 4.30	3.7E-06 (4) (4) (4) (4) 7.5E-07 (4) (4) (4) 1.3E-06 (4) 1.1E-06 4.9E-06 2.1E-08 7.8E-06 (4) (4) (4)	5.7E-08 2.3E-06 4.7E-06 1.8E-06 1.1E-06 2.2E-06 1.2E-06 4.5E-04 1.1E-04 4.4E-04 1.9E-05 1.1E-04 6.2E-06 9.8E-04 1.5E-05 6.0E-05 2.4E-05	1.0E-03 0.046 5.50 1.50 0.40 4.80 2.00	(4) (4) (4) (4) (4) 4.8E-05 (4) (4) (4) 8.1E-05 (4) 7.0E-05 3.1E-04 1.3E-06 4.9E-04 (4) (4) (4)

Table 6-4 Production Scenario 1—L3RA Results for Significant TEUs-Cancer Assessment Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Nonr	esidential Ch	nild	Nonre	sidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances- in-10 ⁶)
Exposure Loc	cation (3)			1136			2			10103	
Cumulative Facil	ity-Wide Risk			2.8			<0.1			0.3	
EGEN2											_
Cumulative TEU Risk					0.27			2.7E-03			0.035
Dispersion Factor (µg/m3/[8.81			2.96			33.1	
Arsenic	7440-38-2	3.8E-08	3.3E-07	2.4E-05	0.014	1.1E-07	1.3E-03	8.6E-05	1.3E-06	6.2E-04	2.0E-03
Cadmium	7440-43-9	3.6E-08	3.1E-07	5.6E-04	5.6E-04	1.1E-07	0.014	7.5E-06	1.2E-06	6.7E-03	1.8E-04
Chromium VI	18540-29-9	2.4E-09	2.1E-08	3.1E-05	6.7E-04	7.0E-09	5.2E-04	1.4E-05	7.9E-08	1.0E-03	7.9E-05
Copper	7440-50-8	9.7E-08	8.6E-07		(4)	2.9E-07		(4)	3.2E-06		(4)
Lead	7439-92-1	2.0E-07	1.7E-06		(4)	5.8E-07		(4)	6.5E-06		(4)
Manganese	7439-96-5	7.4E-08	6.5E-07		(4)	2.2E-07		(4)	2.4E-06		(4)
Mercury	7439-97-6	4.7E-08	4.2E-07		(4)	1.4E-07		(4)	1.6E-06		(4)
Nickel	7440-02-0	9.3E-08	8.2E-07	3.8E-03	2.1E-04	2.7E-07	0.10	2.7E-06	3.1E-06	0.046	6.7E-05
Selenium	7782-49-2	5.2E-08	4.6E-07		(4)	1.5E-07		(4)	1.7E-06		(4)
Ammonia	7664-41-7	1.9E-05	1.7E-04		(4)	5.6E-05		(4)	6.3E-04		(4)
Hydrochloric Acid	7647-01-0	4.4E-06	3.9E-05		(4)	1.3E-05		(4)	1.5E-04		(4)
Acetaldehyde	75-07-0	1.9E-05	1.6E-04	0.45	3.6E-04	5.5E-05	12.0	4.6E-06	6.2E-04	5.50	1.1E-04
Acrolein	107-02-8	8.0E-07	7.1E-06		(4)	2.4E-06		(4)	2.7E-05		(4)
Benzene	71-43-2	4.4E-06	3.9E-05	0.13	3.0E-04	1.3E-05	3.30	4.0E-06	1.5E-04	1.50	9.8E-05
1,3-Butadiene	106-99-0	5.2E-06	4.5E-05	0.033	1.4E-03	1.5E-05	0.86	1.8E-05	1.7E-04	0.40	4.3E-04
Ethylbenzene	100-41-4	2.6E-07	2.3E-06	0.40	5.7E-06	7.7E-07	10.0	7.7E-08	8.6E-06	4.80	1.8E-06
Formaldehyde	50-00-0	4.1E-05	3.6E-04	0.17	2.1E-03	1.2E-04	4.30	2.8E-05	1.4E-03	2.00	6.8E-04
Hexane	110-54-3	6.4E-07	5.6E-06		(4)	1.9E-06		(4)	2.1E-05		(4)
Toluene	108-88-3	2.5E-06	2.2E-05		(4)	7.4E-06		(4)	8.3E-05		(4)
Xylenes (mixed isomers)	1330-20-7	1.0E-06	8.9E-06		(4)	3.0E-06		(4)	3.3E-05		(4)
PAHs	401	8.6E-07	7.6E-06	4.3E-05	0.18	2.5E-06	1.6E-03	1.6E-03	2.8E-05	3.0E-03	9.5E-03
Benzo[a]pyrene	50-32-8	8.5E-10	7.5E-09	4.3E-05	1.7E-04	2.5E-09	1.6E-03	1.6E-06	2.8E-08	3.0E-03	9.4E-06
Naphthalene	91-20-3	4.7E-07	4.1E-06	0.029	1.4E-04	1.4E-06	0.76	1.8E-06	1.5E-05	0.35	4.4E-05
DPM	200	8.0E-04	7.0E-03	0.10	0.070	2.4E-03	2.60	9.1E-04	0.026	1.20	0.022

References

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001 Page 78 of 175

g = gram; m³ = cubic meter; RBC = risk-based concentration; s = second; TEU = toxic emission unit; TAC - toxic air contaminant; ug = micrograms.

⁽a) Calculated concentration ($\mu g/m^3$) = (dispersion factor [$\mu g/m^3$]/(g/s]) x (TAC emission rate per TEU [g/s])

⁽b) Risk (chances-in-1,000,000) = (calculated concentration $[\mu g/m^3]$) / (risk-based concentration $[\mu g/m^3]$)

⁽¹⁾ See Table 3-1, Annual TAC Emission Rates—Significant TEUs.

⁽²⁾ Oregon Administrative Rule 340-245-8010, Table 2.

⁽³⁾ See Table 6-3, Production Scenario 1—Maximum Predicted Risk Exposure Location Per TEU.

⁽⁴⁾ TAC does not have an established RBC for this exposure category per Oregon Administrative Rule 340-245-8010 Table 2.

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Nonca	ncer				۸۵	uto Noncon	
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AC	ute Noncan	cer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
	ure Location ⁽⁴				1220			2			10103			10240	
	e Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU101						•			_						
Cumulative TEU Risk						3.2E-04			3.8E-05			3.9E-04			1.6E-03
Dispersion Factor (μg/m3/[g	, <u> </u>				0.37			0.21	_		2.14			10.6	
Barium	7440-39-3	3.9E-07	3.9E-07	1.5E-07		(5)	8.2E-08		(5)	8.4E-07		(5)	4.1E-06		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	5.1E-08		(5)	2.9E-08		(5)	2.9E-07		(5)	1.4E-06		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	5.1E-08	0.083	6.1E-07	2.9E-08	0.88	3.3E-08	2.9E-07	0.88	3.3E-07	1.4E-06	0.30	4.8E-06
Copper	7440-50-8	3.3E-06	3.3E-06	1.2E-06		(5)	6.9E-07		(5)	7.0E-06		(5)	3.5E-05	100.0	3.5E-07
Manganese	7439-96-5	6.5E-07	6.5E-07	2.4E-07	0.090	2.7E-06	1.4E-07	0.40	3.4E-07	1.4E-06	0.40	3.5E-06	6.9E-06	0.30	2.3E-05
Mercury	7439-97-6	3.4E-08	3.4E-08	1.3E-08	0.077	1.6E-07	7.1E-09	0.63	1.1E-08	7.2E-08	0.63	1.1E-07	3.6E-07	0.60	6.0E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	5.0E-07		(5)	2.8E-07		(5)	2.9E-06		(5)	1.4E-05		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	1.1E-07	0.014	7.7E-06	6.1E-08	0.062	9.8E-07	6.2E-07	0.062	1.0E-05	3.1E-06	0.20	1.5E-05
Phosphorus	504	5.4E-06	5.4E-06	2.0E-06		(5)	1.1E-06		(5)	1.2E-05		(5)	5.7E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	6.9E-07	0.10	6.9E-06	3.9E-07	0.44	8.9E-07	4.0E-06	0.44	9.0E-06	2.0E-05	0.80	2.5E-05
Zinc	7440-66-6	8.1E-06	8.1E-06	3.0E-06		(5)	1.7E-06		(5)	1.7E-05		(5)	8.6E-05		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	9.6E-04	500	1.9E-06	5.4E-04	2,200	2.5E-07	5.5E-03	2,200	2.5E-06	0.027	1,200	2.3E-05
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	9.2E-05	2.10	4.4E-05	5.2E-05	19.0	2.7E-06	5.2E-04	19.0	2.8E-05	2.6E-03	16.0	1.6E-04
Glasswool Fibers	352	3.8E-05	3.8E-05	1.4E-05		(5)	8.0E-06		(5)	8.2E-05		(5)	4.0E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	1.4E-05	3.00	4.7E-06	8.0E-06	13.0	6.1E-07	8.1E-05	13.0	6.2E-06	4.0E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.3E-06	140	9.3E-09	7.3E-07	620	1.2E-09	7.4E-06	620	1.2E-08	3.7E-05	470	7.8E-08
Acetone	67-64-1	3.7E-04	3.7E-04	1.4E-04	31,000	4.5E-09	7.8E-05	140,000	5.6E-10	8.0E-04	140,000	5.7E-09	3.9E-03	62,000	6.4E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	8.1E-07	0.35	2.3E-06	4.6E-07	1.50	3.1E-07	4.7E-06	1.50	3.1E-06	2.3E-05	6.90	3.3E-06
Benzene	71-43-2	7.4E-05	7.4E-05	2.8E-05	3.00	9.2E-06	1.6E-05	13.0	1.2E-06	1.6E-04	13.0	1.2E-05	7.8E-04	29.0	2.7E-05
Formaldehyde	50-00-0	5.8E-03	5.8E-03	2.2E-03	9.00	2.4E-04	1.2E-03	40.0	3.1E-05	0.013	40.0	3.1E-04	0.062	49.0	1.3E-03
Hexane	110-54-3	3.6E-04	3.6E-04	1.4E-04	700	1.9E-07	7.7E-05	3,100	2.5E-08	7.8E-04	3,100	2.5E-07	3.9E-03		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	1.1E-05	90.0	1.2E-07	6.0E-06	400	1.5E-08	6.2E-05	400	1.5E-07	3.0E-04	1,000	3.0E-07
2-Butanone	78-93-3	1.4E-05	1.4E-05	5.3E-06	5,000	1.1E-09	3.0E-06	22,000	1.3E-10	3.0E-05	22,000	1.4E-09	1.5E-04	5,000	3.0E-08
Toluene	108-88-3	1.8E-04	1.8E-04	6.5E-05	5,000	1.3E-08	3.7E-05	22,000	1.7E-09	3.8E-04	22,000	1.7E-08	1.9E-03	7,500	2.5E-07
PAHs	401	8.1E-08	8.1E-08	3.0E-08		(5)	1.7E-08		(5)	1.7E-07		(5)	8.5E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	3.6E-10	2.0E-03	1.8E-07	2.0E-10	8.8E-03	2.3E-08	2.1E-09	8.8E-03	2.4E-07	1.0E-08	2.0E-03	5.1E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	9.0E-08	3.70	2.4E-08	5.1E-08	16.0	3.2E-09	5.2E-07	16.0	3.2E-08	2.6E-06	200	1.3E-08

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Nonca	ncer				۸۵	cute Noncan	ocer.
		(g.	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AC	uie Noncan	icei
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m ³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m ³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposi	ure Location (4)	•		1220	•		2	•		10103	•		10240	•
	e Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU102						_			_			_			_
Cumulative TEU Risk						2.8E-04			3.8E-05			3.6E-04			1.1E-03
Dispersion Factor (µg/m3/[g		_			0.32			0.21	_		1.97			7.61	_
Barium	7440-39-3	3.9E-07	3.9E-07	1.3E-07		(5)	8.2E-08		(5)	7.7E-07		(5)	3.0E-06		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	4.4E-08		(5)	2.9E-08		(5)	2.7E-07		(5)	1.0E-06		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	4.4E-08	0.083	5.3E-07	2.9E-08	0.88	3.3E-08	2.7E-07	0.88	3.0E-07	1.0E-06	0.30	3.5E-06
Copper	7440-50-8	3.3E-06	3.3E-06	1.1E-06		(5)	6.9E-07		(5)	6.5E-06		(5)	2.5E-05	100	2.5E-07
Manganese	7439-96-5	6.5E-07	6.5E-07	2.1E-07	0.090	2.3E-06	1.4E-07	0.40	3.4E-07	1.3E-06	0.40	3.2E-06	5.0E-06	0.30	1.7E-05
Mercury	7439-97-6	3.4E-08	3.4E-08	1.1E-08	0.077	1.4E-07	7.1E-09	0.63	1.1E-08	6.7E-08	0.63	1.1E-07	2.6E-07	0.60	4.3E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	4.3E-07		(5)	2.8E-07		(5)	2.6E-06		(5)	1.0E-05		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	9.3E-08	0.014	6.7E-06	6.1E-08	0.062	9.9E-07	5.7E-07	0.062	9.2E-06	2.2E-06	0.20	1.1E-05
Phosphorus	504	5.4E-06	5.4E-06	1.8E-06		(5)	1.1E-06		(5)	1.1E-05		(5)	4.1E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	6.0E-07	0.10	6.0E-06	3.9E-07	0.44	8.9E-07	3.7E-06	0.44	8.3E-06	1.4E-05	0.80	1.8E-05
Zinc	7440-66-6	8.1E-06	8.1E-06	2.6E-06		(5)	1.7E-06		(5)	1.6E-05		(5)	6.2E-05		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	8.3E-04	500	1.7E-06	5.5E-04	2,200	2.5E-07	5.1E-03	2,200	2.3E-06	0.020	1,200	1.6E-05
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	7.9E-05	2.10	3.8E-05	5.2E-05	19.0	2.7E-06	4.8E-04	19.0	2.5E-05	1.9E-03	16.0	1.2E-04
Glasswool Fibers	352	3.8E-05	3.8E-05	1.2E-05		(5)	8.1E-06		(5)	7.5E-05		(5)	2.9E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	1.2E-05	3.00	4.1E-06	8.0E-06	13.0	6.1E-07	7.4E-05	13.0	5.7E-06	2.9E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.1E-06	140	8.0E-09	7.3E-07	620	1.2E-09	6.8E-06	620	1.1E-08	2.6E-05	470	5.6E-08
Acetone	67-64-1	3.7E-04	3.7E-04	1.2E-04	31,000	3.9E-09	7.9E-05	140,000	5.6E-10	7.3E-04	140,000	5.2E-09	2.8E-03	62,000	4.6E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	7.0E-07	0.35	2.0E-06	4.6E-07	1.50	3.1E-07	4.3E-06	1.50	2.9E-06	1.7E-05	6.90	2.4E-06
Benzene	71-43-2	7.4E-05	7.4E-05	2.4E-05	3.00	8.0E-06	1.6E-05	13.0	1.2E-06	1.5E-04	13.0	1.1E-05	5.6E-04	29.0	1.9E-05
Formaldehyde	50-00-0	5.8E-03	5.8E-03	1.9E-03	9.00	2.1E-04	1.2E-03	40.0	3.1E-05	0.011	40.0	2.9E-04	0.044	49.0	9.1E-04
Hexane	110-54-3	3.6E-04	3.6E-04	1.2E-04	700	1.7E-07	7.7E-05	3,100	2.5E-08	7.2E-04	3,100	2.3E-07	2.8E-03		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	9.3E-06	90.0	1.0E-07	6.1E-06	400	1.5E-08	5.7E-05	400	1.4E-07	2.2E-04	1,000	2.2E-07
2-Butanone	78-93-3	1.4E-05	1.4E-05	4.5E-06	5,000	9.1E-10	3.0E-06	22,000	1.4E-10	2.8E-05	22,000	1.3E-09	1.1E-04	5,000	2.1E-08
Toluene	108-88-3	1.8E-04	1.8E-04	5.7E-05	5,000	1.1E-08	3.7E-05	22,000	1.7E-09	3.4E-04	22,000	1.6E-08	1.3E-03	7,500	1.8E-07
PAHs	401	8.1E-08	8.1E-08	2.6E-08		(5)	1.7E-08		(5)	1.6E-07		(5)	6.1E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	3.1E-10	2.0E-03	1.6E-07	2.0E-10	8.8E-03	2.3E-08	1.9E-09	8.8E-03	2.2E-07	7.4E-09	2.0E-03	3.7E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	7.8E-08	3.70	2.1E-08	5.1E-08	16.0	3.2E-09	4.8E-07	16.0	3.0E-08	1.8E-06	200	9.2E-09

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

Toxic Air Contaminant	CAS	TAC Emission Rate (g/s)		Chronic Noncancer									0 No		
				Residential			Nonresidential Child			Nonresidential Worker			Acute Noncancer		
		Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposure Location (4)				1220			2			10103			10240		
Cumulative Facility-Wide Risk				0.2			<0.1			0.1			0.2		
CFU103															
Cumulative TEU Risk						1.7E-04			3.9E-05			4.3E-04			4.4E-04
Dispersion Factor (µg/m3/[g/s])				0.20			0.21	_		2.35	-		3.00		
Barium	7440-39-3	3.9E-07	3.9E-07	7.7E-08		(5)	8.3E-08		(5)	9.2E-07		(5)	1.2E-06		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	2.7E-08		(5)	2.9E-08		(5)	3.2E-07		(5)	4.1E-07		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	2.7E-08	0.083	3.3E-07	2.9E-08	0.88	3.3E-08	3.2E-07	0.88	3.6E-07	4.1E-07	0.30	1.4E-06
Copper	7440-50-8	3.3E-06	3.3E-06	6.5E-07		(5)	7.0E-07		(5)	7.7E-06		(5)	9.9E-06	100	9.9E-08
Manganese	7439-96-5	6.5E-07	6.5E-07	1.3E-07	0.090	1.4E-06	1.4E-07	0.40	3.5E-07	1.5E-06	0.40	3.8E-06	2.0E-06	0.30	6.5E-06
Mercury	7439-97-6	3.4E-08	3.4E-08	6.7E-09	0.077	8.7E-08	7.2E-09	0.63	1.1E-08	8.0E-08	0.63	1.3E-07	1.0E-07	0.60	1.7E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	2.6E-07		(5)	2.8E-07		(5)	3.1E-06		(5)	4.0E-06		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	5.7E-08	0.014	4.1E-06	6.2E-08	0.062	9.9E-07	6.8E-07	0.062	1.1E-05	8.7E-07	0.20	4.3E-06
Phosphorus	504	5.4E-06	5.4E-06	1.1E-06		(5)	1.2E-06		(5)	1.3E-05		(5)	1.6E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	3.7E-07	0.10	3.7E-06	3.9E-07	0.44	9.0E-07	4.4E-06	0.44	9.9E-06	5.6E-06	0.80	6.9E-06
Zinc	7440-66-6	8.1E-06	8.1E-06	1.6E-06		(5)	1.7E-06		(5)	1.9E-05		(5)	2.4E-05		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	5.1E-04	500	1.0E-06	5.5E-04	2,200	2.5E-07	6.1E-03	2,200	2.8E-06	7.7E-03	1,200	6.4E-06
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	4.9E-05	2.10	2.3E-05	5.2E-05	19.0	2.7E-06	5.8E-04	19.0	3.0E-05	7.4E-04	16.0	4.6E-05
Glasswool Fibers	352	3.8E-05	3.8E-05	7.6E-06		(5)	8.1E-06		(5)	9.0E-05		(5)	1.1E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	7.5E-06	3.00	2.5E-06	8.0E-06	13.0	6.2E-07	8.9E-05	13.0	6.8E-06	1.1E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	6.9E-07	140	4.9E-09	7.4E-07	620	1.2E-09	8.2E-06	620	1.3E-08	1.0E-05	470	2.2E-08
Acetone	67-64-1	3.7E-04	3.7E-04	7.4E-05	31,000	2.4E-09	7.9E-05	140,000	5.6E-10	8.7E-04	140,000	6.2E-09	1.1E-03	62,000	1.8E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	4.3E-07	0.35	1.2E-06	4.6E-07	1.50	3.1E-07	5.1E-06	1.50	3.4E-06	6.5E-06	6.90	9.5E-07
Benzene	71-43-2	7.4E-05	7.4E-05	1.5E-05	3.00	4.9E-06	1.6E-05	13.0	1.2E-06	1.7E-04	13.0	1.3E-05	2.2E-04	29.0	7.6E-06
Formaldehyde	50-00-0	5.8E-03	5.8E-03	1.2E-03	9.00	1.3E-04	1.2E-03	40.0	3.1E-05	0.014	40.0	3.4E-04	0.018	49.0	3.6E-04
Hexane	110-54-3	3.6E-04	3.6E-04	7.2E-05	700	1.0E-07	7.7E-05	3,100	2.5E-08	8.6E-04	3,100	2.8E-07	1.1E-03		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	5.7E-06	90.0	6.3E-08	6.1E-06	400	1.5E-08	6.8E-05	400	1.7E-07	8.6E-05	1,000	8.6E-08
2-Butanone	78-93-3	1.4E-05	1.4E-05	2.8E-06	5,000	5.6E-10	3.0E-06	22,000	1.4E-10	3.3E-05	22,000	1.5E-09	4.2E-05	5,000	8.4E-09
Toluene	108-88-3	1.8E-04	1.8E-04	3.5E-05	5,000	6.9E-09	3.7E-05	22,000	1.7E-09	4.1E-04	22,000	1.9E-08	5.3E-04	7,500	7.0E-08
PAHs	401	8.1E-08	8.1E-08	1.6E-08		(5)	1.7E-08		(5)	1.9E-07		(5)	2.4E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	1.9E-10	2.0E-03	9.6E-08	2.1E-10	8.8E-03	2.3E-08	2.3E-09	8.8E-03	2.6E-07	2.9E-09	2.0E-03	1.5E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	4.8E-08	3.70	1.3E-08	5.1E-08	16.0	3.2E-09	5.7E-07	16.0	3.6E-08	7.3E-07	200	3.6E-09

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Nonca	ncer				۸۵	uto Noncon	001
		(g.	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AC	ute Noncan	cer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Expos	ure Location ⁽⁴)			1220	•		2			10103			10240	•
	e Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU104															
Cumulative TEU Risk						2.0E-04			3.8E-05			4.4E-04			5.1E-04
Dispersion Factor (μg/m3/[α			_	_	0.23	_		0.21	_		2.42	-		3.45	_
Barium	7440-39-3	3.9E-07	3.9E-07	8.9E-08		(5)	8.3E-08		(5)	9.4E-07		(5)	1.3E-06		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	3.1E-08		(5)	2.9E-08		(5)	3.3E-07		(5)	4.7E-07		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	3.1E-08	0.083	3.8E-07	2.9E-08	0.88	3.3E-08	3.3E-07	0.88	3.7E-07	4.7E-07	0.30	1.6E-06
Copper	7440-50-8	3.3E-06	3.3E-06	7.5E-07		(5)	7.0E-07		(5)	7.9E-06		(5)	1.1E-05	100	1.1E-07
Manganese	7439-96-5	6.5E-07	6.5E-07	1.5E-07	0.090	1.7E-06	1.4E-07	0.40	3.4E-07	1.6E-06	0.40	3.9E-06	2.2E-06	0.30	7.5E-06
Mercury	7439-97-6	3.4E-08	3.4E-08	7.7E-09	0.077	1.0E-07	7.2E-09	0.63	1.1E-08	8.2E-08	0.63	1.3E-07	1.2E-07	0.60	1.9E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	3.0E-07		(5)	2.8E-07		(5)	3.2E-06		(5)	4.6E-06		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	6.6E-08	0.014	4.7E-06	6.1E-08	0.062	9.9E-07	7.0E-07	0.062	1.1E-05	1.0E-06	0.20	5.0E-06
Phosphorus	504	5.4E-06	5.4E-06	1.2E-06		(5)	1.1E-06		(5)	1.3E-05		(5)	1.9E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	4.3E-07	0.10	4.3E-06	3.9E-07	0.44	8.9E-07	4.5E-06	0.44	1.0E-05	6.4E-06	0.80	8.0E-06
Zinc	7440-66-6	8.1E-06	8.1E-06	1.9E-06		(5)	1.7E-06		(5)	2.0E-05		(5)	2.8E-05		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	5.9E-04	500	1.2E-06	5.5E-04	2,200	2.5E-07	6.2E-03	2,200	2.8E-06	8.9E-03	1,200	7.4E-06
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	5.6E-05	2.10	2.7E-05	5.2E-05	19.0	2.7E-06	5.9E-04	19.0	3.1E-05	8.5E-04	16.0	5.3E-05
Glasswool Fibers	352	3.8E-05	3.8E-05	8.7E-06		(5)	8.1E-06		(5)	9.2E-05		(5)	1.3E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	8.7E-06	3.00	2.9E-06	8.0E-06	13.0	6.2E-07	9.1E-05	13.0	7.0E-06	1.3E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	7.9E-07	140	5.7E-09	7.3E-07	620	1.2E-09	8.4E-06	620	1.4E-08	1.2E-05	470	2.5E-08
Acetone	67-64-1	3.7E-04	3.7E-04	8.5E-05	31,000	2.7E-09	7.9E-05	140,000	5.6E-10	9.0E-04	140,000	6.4E-09	1.3E-03	62,000	2.1E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	5.0E-07	0.35	1.4E-06	4.6E-07	1.50	3.1E-07	5.3E-06	1.50	3.5E-06	7.5E-06	6.90	1.1E-06
Benzene	71-43-2	7.4E-05	7.4E-05	1.7E-05	3.00	5.6E-06	1.6E-05	13.0	1.2E-06	1.8E-04	13.0	1.4E-05	2.6E-04	29.0	8.8E-06
Formaldehyde	50-00-0	5.8E-03	5.8E-03	1.3E-03	9.00	1.5E-04	1.2E-03	40.0	3.1E-05	0.014	40.0	3.5E-04	0.020	49.0	4.1E-04
Hexane	110-54-3	3.6E-04	3.6E-04	8.3E-05	700	1.2E-07	7.7E-05	3,100	2.5E-08	8.8E-04	3,100	2.8E-07	1.3E-03		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	6.6E-06	90.0	7.3E-08	6.1E-06	400	1.5E-08	6.9E-05	400	1.7E-07	9.9E-05	1,000	9.9E-08
2-Butanone	78-93-3	1.4E-05	1.4E-05	3.2E-06	5,000	6.4E-10	3.0E-06	22,000	1.4E-10	3.4E-05	22,000	1.5E-09	4.9E-05	5,000	9.7E-09
Toluene	108-88-3	1.8E-04	1.8E-04	4.0E-05	5,000	8.0E-09	3.7E-05	22,000	1.7E-09	4.2E-04	22,000	1.9E-08	6.0E-04	7,500	8.1E-08
PAHs	401	8.1E-08	8.1E-08	1.8E-08		(5)	1.7E-08		(5)	2.0E-07		(5)	2.8E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	2.2E-10	2.0E-03	1.1E-07	2.1E-10	8.8E-03	2.3E-08	2.3E-09	8.8E-03	2.7E-07	3.3E-09	2.0E-03	1.7E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	5.5E-08	3.70	1.5E-08	5.1E-08	16.0	3.2E-09	5.9E-07	16.0	3.7E-08	8.3E-07	200	4.2E-09

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncai	ncer				۸۵	uto Noncon	cor
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AC	ute Noncan	cei
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	ure Location (4))		·	1220			2	·		10103	•	,	10240	·
Cumulative	e Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU105															
Cumulative TEU Risk						5.4E-04			3.8E-05			4.6E-04			1.8E-03
Dispersion Factor (µg/m3/[g					0.63	_		0.21	_		2.51			12.0	_
Barium	7440-39-3	3.9E-07	3.9E-07	2.5E-07		(5)	8.3E-08		(5)	9.8E-07		(5)	4.7E-06		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	8.6E-08		(5)	2.9E-08		(5)	3.4E-07		(5)	1.6E-06		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	8.6E-08	0.083	1.0E-06	2.9E-08	0.88	3.3E-08	3.4E-07	0.88	3.9E-07	1.6E-06	0.30	5.5E-06
Copper	7440-50-8	3.3E-06	3.3E-06	2.1E-06		(5)	7.0E-07		(5)	8.3E-06		(5)	3.9E-05	100	3.9E-07
Manganese	7439-96-5	6.5E-07	6.5E-07	4.1E-07	0.090	4.5E-06	1.4E-07	0.40	3.4E-07	1.6E-06	0.40	4.1E-06	7.8E-06	0.30	2.6E-05
Mercury	7439-97-6	3.4E-08	3.4E-08	2.1E-08	0.077	2.8E-07	7.2E-09	0.63	1.1E-08	8.5E-08	0.63	1.4E-07	4.1E-07	0.60	6.8E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	8.4E-07		(5)	2.8E-07		(5)	3.3E-06		(5)	1.6E-05		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	1.8E-07	0.014	1.3E-05	6.1E-08	0.062	9.9E-07	7.3E-07	0.062	1.2E-05	3.5E-06	0.20	1.7E-05
Phosphorus	504	5.4E-06	5.4E-06	3.4E-06		(5)	1.1E-06		(5)	1.4E-05		(5)	6.5E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	1.2E-06	0.10	1.2E-05	3.9E-07	0.44	8.9E-07	4.7E-06	0.44	1.1E-05	2.2E-05	0.80	2.8E-05
Zinc	7440-66-6	8.1E-06	8.1E-06	5.1E-06		(5)	1.7E-06		(5)	2.0E-05		(5)	9.7E-05		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	1.6E-03	500	3.2E-06	5.5E-04	2,200	2.5E-07	6.5E-03	2,200	3.0E-06	0.031	1,200	2.6E-05
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	1.5E-04	2.10	7.3E-05	5.2E-05	19.0	2.7E-06	6.2E-04	19.0	3.2E-05	2.9E-03	16.0	1.8E-04
Glasswool Fibers	352	3.8E-05	3.8E-05	2.4E-05		(5)	8.1E-06		(5)	9.6E-05		(5)	4.6E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	2.4E-05	3.00	7.9E-06	8.0E-06	13.0	6.2E-07	9.5E-05	13.0	7.3E-06	4.5E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	2.2E-06	140	1.6E-08	7.3E-07	620	1.2E-09	8.7E-06	620	1.4E-08	4.2E-05	470	8.9E-08
Acetone	67-64-1	3.7E-04	3.7E-04	2.3E-04	31,000	7.5E-09	7.9E-05	140,000	5.6E-10	9.4E-04	140,000	6.7E-09	4.5E-03	62,000	7.2E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	1.4E-06	0.35	3.9E-06	4.6E-07	1.50	3.1E-07	5.5E-06	1.50	3.7E-06	2.6E-05	6.90	3.8E-06
Benzene	71-43-2	7.4E-05	7.4E-05	4.7E-05	3.00	1.6E-05	1.6E-05	13.0	1.2E-06	1.9E-04	13.0	1.4E-05	8.9E-04	29.0	3.1E-05
Formaldehyde	50-00-0	5.8E-03	5.8E-03	3.7E-03	9.00	4.1E-04	1.2E-03	40.0	3.1E-05	0.015	40.0	3.7E-04	0.070	49.0	1.4E-03
Hexane	110-54-3	3.6E-04	3.6E-04	2.3E-04	700	3.3E-07	7.7E-05	3,100	2.5E-08	9.1E-04	3,100	3.0E-07	4.4E-03		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	1.8E-05	90.0	2.0E-07	6.1E-06	400	1.5E-08	7.2E-05	400	1.8E-07	3.5E-04	1,000	3.5E-07
2-Butanone	78-93-3	1.4E-05	1.4E-05	8.9E-06	5,000	1.8E-09	3.0E-06	22,000	1.4E-10	3.5E-05	22,000	1.6E-09	1.7E-04	5,000	3.4E-08
Toluene	108-88-3	1.8E-04	1.8E-04	1.1E-04	5,000	2.2E-08	3.7E-05	22,000	1.7E-09	4.4E-04	22,000	2.0E-08	2.1E-03	7,500	2.8E-07
PAHs	401	8.1E-08	8.1E-08	5.1E-08		(5)	1.7E-08		(5)	2.0E-07		(5)	9.7E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	6.1E-10	2.0E-03	3.0E-07	2.1E-10	8.8E-03	2.3E-08	2.4E-09	8.8E-03	2.8E-07	1.2E-08	2.0E-03	5.8E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	1.5E-07	3.70	4.1E-08	5.1E-08	16.0	3.2E-09	6.1E-07	16.0	3.8E-08	2.9E-06	200	1.5E-08

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncai	ncer				Λ.	uta Nanaan	
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AC	cute Noncan	Jer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	ure Location (4))			1220			2	•		10103		·	10240	
Cumulative	e Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU106															
Cumulative TEU Risk						2.7E-04			3.8E-05			4.5E-04			5.5E-04
Dispersion Factor (µg/m3/[g	ı/s])				0.31	_		0.21			2.50			3.74	
Barium	7440-39-3	3.9E-07	3.9E-07	1.2E-07		(5)	8.2E-08		(5)	9.7E-07		(5)	1.5E-06		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	4.2E-08		(5)	2.9E-08		(5)	3.4E-07		(5)	5.1E-07		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	4.2E-08	0.083	5.1E-07	2.9E-08	0.88	3.2E-08	3.4E-07	0.88	3.9E-07	5.1E-07	0.30	1.7E-06
Copper	7440-50-8	3.3E-06	3.3E-06	1.0E-06		(5)	6.9E-07		(5)	8.2E-06		(5)	1.2E-05	100	1.2E-07
Manganese	7439-96-5	6.5E-07	6.5E-07	2.0E-07	0.090	2.2E-06	1.4E-07	0.40	3.4E-07	1.6E-06	0.40	4.1E-06	2.4E-06	0.30	8.1E-06
Mercury	7439-97-6	3.4E-08	3.4E-08	1.0E-08	0.077	1.4E-07	7.1E-09	0.63	1.1E-08	8.4E-08	0.63	1.3E-07	1.3E-07	0.60	2.1E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	4.1E-07		(5)	2.8E-07		(5)	3.3E-06		(5)	5.0E-06		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	8.9E-08	0.014	6.4E-06	6.1E-08	0.062	9.8E-07	7.2E-07	0.062	1.2E-05	1.1E-06	0.20	5.4E-06
Phosphorus	504	5.4E-06	5.4E-06	1.7E-06		(5)	1.1E-06		(5)	1.4E-05		(5)	2.0E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	5.7E-07	0.10	5.7E-06	3.9E-07	0.44	8.9E-07	4.6E-06	0.44	1.1E-05	6.9E-06	0.80	8.7E-06
Zinc	7440-66-6	8.1E-06	8.1E-06	2.5E-06		(5)	1.7E-06		(5)	2.0E-05		(5)	3.0E-05		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	8.0E-04	500	1.6E-06	5.4E-04	2,200	2.5E-07	6.4E-03	2,200	2.9E-06	9.6E-03	1,200	8.0E-06
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	7.5E-05	2.10	3.6E-05	5.1E-05	19.0	2.7E-06	6.1E-04	19.0	3.2E-05	9.2E-04	16.0	5.7E-05
Glasswool Fibers	352	3.8E-05	3.8E-05	1.2E-05		(5)	8.0E-06		(5)	9.5E-05		(5)	1.4E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	1.2E-05	3.00	3.9E-06	7.9E-06	13.0	6.1E-07	9.4E-05	13.0	7.3E-06	1.4E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.1E-06	140	7.6E-09	7.3E-07	620	1.2E-09	8.7E-06	620	1.4E-08	1.3E-05	470	2.8E-08
Acetone	67-64-1	3.7E-04	3.7E-04	1.1E-04	31,000	3.7E-09	7.8E-05	140,000	5.6E-10	9.3E-04	140,000	6.6E-09	1.4E-03	62,000	2.2E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	6.7E-07	0.35	1.9E-06	4.6E-07	1.50	3.0E-07	5.4E-06	1.50	3.6E-06	8.1E-06	6.90	1.2E-06
Benzene	71-43-2	7.4E-05	7.4E-05	2.3E-05	3.00	7.6E-06	1.6E-05	13.0	1.2E-06	1.8E-04	13.0	1.4E-05	2.8E-04	29.0	9.5E-06
Formaldehyde	50-00-0	5.8E-03	5.8E-03	1.8E-03	9.00	2.0E-04	1.2E-03	40.0	3.1E-05	0.015	40.0	3.6E-04	0.022	49.0	4.5E-04
Hexane	110-54-3	3.6E-04	3.6E-04	1.1E-04	700	1.6E-07	7.6E-05	3,100	2.5E-08	9.1E-04	3,100	2.9E-07	1.4E-03		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	8.9E-06	90.0	9.8E-08	6.0E-06	400	1.5E-08	7.2E-05	400	1.8E-07	1.1E-04	1,000	1.1E-07
2-Butanone	78-93-3	1.4E-05	1.4E-05	4.3E-06	5,000	8.7E-10	3.0E-06	22,000	1.3E-10	3.5E-05	22,000	1.6E-09	5.3E-05	5,000	1.1E-08
Toluene	108-88-3	1.8E-04	1.8E-04	5.4E-05	5,000	1.1E-08	3.7E-05	22,000	1.7E-09	4.4E-04	22,000	2.0E-08	6.5E-04	7,500	8.7E-08
PAHs	401	8.1E-08	8.1E-08	2.5E-08		(5)	1.7E-08		(5)	2.0E-07		(5)	3.0E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	3.0E-10	2.0E-03	1.5E-07	2.0E-10	8.8E-03	2.3E-08	2.4E-09	8.8E-03	2.7E-07	3.6E-09	2.0E-03	1.8E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	7.5E-08	3.70	2.0E-08	5.1E-08	16.0	3.2E-09	6.0E-07	16.0	3.8E-08	9.0E-07	200	4.5E-09

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Nonca	ncer					t - NI	
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	Ac	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposi	ure Location (4)	•		1220			2			10103			10240	
Cumulative	e Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU107				•											
Cumulative TEU Risk						4.4E-04			3.8E-05			4.0E-04			1.4E-03
Dispersion Factor (µg/m3/[g	J/s])				0.51			0.21			2.19			9.72	
Barium	7440-39-3	3.9E-07	3.9E-07	2.0E-07		(5)	8.3E-08		(5)	8.5E-07		(5)	3.8E-06		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	7.0E-08		(5)	2.9E-08		(5)	3.0E-07		(5)	1.3E-06		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	7.0E-08	0.083	8.4E-07	2.9E-08	0.88	3.3E-08	3.0E-07	0.88	3.4E-07	1.3E-06	0.30	4.4E-06
Copper	7440-50-8	3.3E-06	3.3E-06	1.7E-06		(5)	7.0E-07		(5)	7.2E-06		(5)	3.2E-05	100	3.2E-07
Manganese	7439-96-5	6.5E-07	6.5E-07	3.3E-07	0.090	3.7E-06	1.4E-07	0.40	3.5E-07	1.4E-06	0.40	3.6E-06	6.3E-06	0.30	2.1E-05
Mercury	7439-97-6	3.4E-08	3.4E-08	1.7E-08	0.077	2.3E-07	7.2E-09	0.63	1.1E-08	7.4E-08	0.63	1.2E-07	3.3E-07	0.60	5.5E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	6.8E-07		(5)	2.8E-07		(5)	2.9E-06		(5)	1.3E-05		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	1.5E-07	0.014	1.1E-05	6.1E-08	0.062	9.9E-07	6.3E-07	0.062	1.0E-05	2.8E-06	0.20	1.4E-05
Phosphorus	504	5.4E-06	5.4E-06	2.8E-06		(5)	1.2E-06		(5)	1.2E-05		(5)	5.3E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	9.5E-07	0.10	9.5E-06	3.9E-07	0.44	8.9E-07	4.1E-06	0.44	9.2E-06	1.8E-05	0.80	2.3E-05
Zinc	7440-66-6	8.1E-06	8.1E-06	4.1E-06		(5)	1.7E-06		(5)	1.8E-05		(5)	7.9E-05		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	1.3E-03	500	2.7E-06	5.5E-04	2,200	2.5E-07	5.6E-03	2,200	2.6E-06	0.025	1,200	2.1E-05
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	1.3E-04	2.10	6.0E-05	5.2E-05	19.0	2.7E-06	5.4E-04	19.0	2.8E-05	2.4E-03	16.0	1.5E-04
Glasswool Fibers	352	3.8E-05	3.8E-05	2.0E-05		(5)	8.1E-06		(5)	8.3E-05		(5)	3.7E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	1.9E-05	3.00	6.5E-06	8.0E-06	13.0	6.2E-07	8.3E-05	13.0	6.4E-06	3.7E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.8E-06	140	1.3E-08	7.4E-07	620	1.2E-09	7.6E-06	620	1.2E-08	3.4E-05	470	7.2E-08
Acetone	67-64-1	3.7E-04	3.7E-04	1.9E-04	31,000	6.2E-09	7.9E-05	140,000	5.6E-10	8.1E-04	140,000	5.8E-09	3.6E-03	62,000	5.8E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	1.1E-06	0.35	3.2E-06	4.6E-07	1.50	3.1E-07	4.8E-06	1.50	3.2E-06	2.1E-05	6.90	3.1E-06
Benzene	71-43-2	7.4E-05	7.4E-05	3.8E-05	3.00	1.3E-05	1.6E-05	13.0	1.2E-06	1.6E-04	13.0	1.2E-05	7.2E-04	29.0	2.5E-05
Formaldehyde	50-00-0	5.8E-03	5.8E-03	3.0E-03	9.00	3.3E-04	1.2E-03	40.0	3.1E-05	0.013	40.0	3.2E-04	0.057	49.0	1.2E-03
Hexane	110-54-3	3.6E-04	3.6E-04	1.9E-04	700	2.7E-07	7.7E-05	3,100	2.5E-08	7.9E-04	3,100	2.6E-07	3.5E-03		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	1.5E-05	90.0	1.6E-07	6.1E-06	400	1.5E-08	6.3E-05	400	1.6E-07	2.8E-04	1,000	2.8E-07
2-Butanone	78-93-3	1.4E-05	1.4E-05	7.2E-06	5,000	1.4E-09	3.0E-06	22,000	1.4E-10	3.1E-05	22,000	1.4E-09	1.4E-04	5,000	2.7E-08
Toluene	108-88-3	1.8E-04	1.8E-04	9.0E-05	5,000	1.8E-08	3.7E-05	22,000	1.7E-09	3.8E-04	22,000	1.7E-08	1.7E-03	7,500	2.3E-07
PAHs	401	8.1E-08	8.1E-08	4.1E-08		(5)	1.7E-08		(5)	1.8E-07		(5)	7.8E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	5.0E-10	2.0E-03	2.5E-07	2.1E-10	8.8E-03	2.3E-08	2.1E-09	8.8E-03	2.4E-07	9.4E-09	2.0E-03	4.7E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	1.2E-07	3.70	3.4E-08	5.1E-08	16.0	3.2E-09	5.3E-07	16.0	3.3E-08	2.3E-06	200	1.2E-08

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncai	ncer				Λ.	uto Noncon	
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AC	ute Noncan	Jer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposi	ure Location (4))	-		1220	·		2	•		10103		·	10240	
Cumulative	e Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU108															
Cumulative TEU Risk						3.2E-04			3.9E-05			4.4E-04			1.2E-03
Dispersion Factor (µg/m3/[g	J/s])				0.37	_		0.21			2.42			8.02	
Barium	7440-39-3	3.9E-07	3.9E-07	1.5E-07		(5)	8.3E-08		(5)	9.4E-07		(5)	3.1E-06		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	5.1E-08		(5)	2.9E-08		(5)	3.3E-07		(5)	1.1E-06		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	5.1E-08	0.083	6.1E-07	2.9E-08	0.88	3.3E-08	3.3E-07	0.88	3.7E-07	1.1E-06	0.30	3.6E-06
Copper	7440-50-8	3.3E-06	3.3E-06	1.2E-06		(5)	7.0E-07		(5)	7.9E-06		(5)	2.6E-05	100	2.6E-07
Manganese	7439-96-5	6.5E-07	6.5E-07	2.4E-07	0.090	2.7E-06	1.4E-07	0.40	3.5E-07	1.6E-06	0.40	3.9E-06	5.2E-06	0.30	1.7E-05
Mercury	7439-97-6	3.4E-08	3.4E-08	1.3E-08	0.077	1.6E-07	7.2E-09	0.63	1.1E-08	8.2E-08	0.63	1.3E-07	2.7E-07	0.60	4.5E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	5.0E-07		(5)	2.8E-07		(5)	3.2E-06		(5)	1.1E-05		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	1.1E-07	0.014	7.7E-06	6.2E-08	0.062	9.9E-07	7.0E-07	0.062	1.1E-05	2.3E-06	0.20	1.2E-05
Phosphorus	504	5.4E-06	5.4E-06	2.0E-06		(5)	1.2E-06		(5)	1.3E-05		(5)	4.4E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	6.9E-07	0.10	6.9E-06	4.0E-07	0.44	9.0E-07	4.5E-06	0.44	1.0E-05	1.5E-05	0.80	1.9E-05
Zinc	7440-66-6	8.1E-06	8.1E-06	3.0E-06		(5)	1.7E-06		(5)	2.0E-05		(5)	6.5E-05		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	9.7E-04	500	1.9E-06	5.5E-04	2,200	2.5E-07	6.2E-03	2,200	2.8E-06	0.021	1,200	1.7E-05
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	9.2E-05	2.10	4.4E-05	5.2E-05	19.0	2.7E-06	5.9E-04	19.0	3.1E-05	2.0E-03	16.0	1.2E-04
Glasswool Fibers	352	3.8E-05	3.8E-05	1.4E-05		(5)	8.1E-06		(5)	9.2E-05		(5)	3.1E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	1.4E-05	3.00	4.7E-06	8.0E-06	13.0	6.2E-07	9.1E-05	13.0	7.0E-06	3.0E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.3E-06	140	9.3E-09	7.4E-07	620	1.2E-09	8.4E-06	620	1.4E-08	2.8E-05	470	5.9E-08
Acetone	67-64-1	3.7E-04	3.7E-04	1.4E-04	31,000	4.5E-09	7.9E-05	140,000	5.7E-10	9.0E-04	140,000	6.4E-09	3.0E-03	62,000	4.8E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	8.2E-07	0.35	2.3E-06	4.6E-07	1.50	3.1E-07	5.3E-06	1.50	3.5E-06	1.7E-05	6.90	2.5E-06
Benzene	71-43-2	7.4E-05	7.4E-05	2.8E-05	3.00	9.2E-06	1.6E-05	13.0	1.2E-06	1.8E-04	13.0	1.4E-05	5.9E-04	29.0	2.0E-05
Formaldehyde	50-00-0	5.8E-03	5.8E-03	2.2E-03	9.00	2.4E-04	1.2E-03	40.0	3.1E-05	0.014	40.0	3.5E-04	0.047	49.0	9.6E-04
Hexane	110-54-3	3.6E-04	3.6E-04	1.4E-04	700	1.9E-07	7.7E-05	3,100	2.5E-08	8.8E-04	3,100	2.8E-07	2.9E-03		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	1.1E-05	90.0	1.2E-07	6.1E-06	400	1.5E-08	6.9E-05	400	1.7E-07	2.3E-04	1,000	2.3E-07
2-Butanone	78-93-3	1.4E-05	1.4E-05	5.3E-06	5,000	1.1E-09	3.0E-06	22,000	1.4E-10	3.4E-05	22,000	1.5E-09	1.1E-04	5,000	2.3E-08
Toluene	108-88-3	1.8E-04	1.8E-04	6.6E-05	5,000	1.3E-08	3.7E-05	22,000	1.7E-09	4.2E-04	22,000	1.9E-08	1.4E-03	7,500	1.9E-07
PAHs	401	8.1E-08	8.1E-08	3.0E-08		(5)	1.7E-08		(5)	2.0E-07		(5)	6.5E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	3.6E-10	2.0E-03	1.8E-07	2.1E-10	8.8E-03	2.3E-08	2.3E-09	8.8E-03	2.7E-07	7.8E-09	2.0E-03	3.9E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	9.1E-08	3.70	2.4E-08	5.2E-08	16.0	3.2E-09	5.9E-07	16.0	3.7E-08	1.9E-06	200	9.7E-09

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncai	ncer				Λ.	uto Noncon	
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AC	ute Noncan	Jer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposi	ure Location (4))	-		1220			2	•		10103		·	10240	
Cumulative	e Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU109															
Cumulative TEU Risk						6.6E-04			3.7E-05			5.9E-04			7.3E-03
Dispersion Factor (µg/m3/[g	J/s])				0.77	_		0.21			3.24			50.2	
Barium	7440-39-3	3.9E-07	3.9E-07	3.0E-07		(5)	8.0E-08		(5)	1.3E-06		(5)	2.0E-05		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	1.0E-07		(5)	2.8E-08		(5)	4.4E-07		(5)	6.8E-06		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	1.0E-07	0.083	1.3E-06	2.8E-08	0.88	3.2E-08	4.4E-07	0.88	5.0E-07	6.8E-06	0.30	2.3E-05
Copper	7440-50-8	3.3E-06	3.3E-06	2.5E-06		(5)	6.8E-07		(5)	1.1E-05		(5)	1.6E-04	100	1.6E-06
Manganese	7439-96-5	6.5E-07	6.5E-07	5.0E-07	0.090	5.5E-06	1.3E-07	0.40	3.3E-07	2.1E-06	0.40	5.3E-06	3.3E-05	0.30	1.1E-04
Mercury	7439-97-6	3.4E-08	3.4E-08	2.6E-08	0.077	3.4E-07	7.0E-09	0.63	1.1E-08	1.1E-07	0.63	1.7E-07	1.7E-06	0.60	2.8E-06
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	1.0E-06		(5)	2.7E-07		(5)	4.3E-06		(5)	6.7E-05		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	2.2E-07	0.014	1.6E-05	6.0E-08	0.062	9.6E-07	9.4E-07	0.062	1.5E-05	1.5E-05	0.20	7.3E-05
Phosphorus	504	5.4E-06	5.4E-06	4.2E-06		(5)	1.1E-06		(5)	1.8E-05		(5)	2.7E-04		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	1.4E-06	0.10	1.4E-05	3.8E-07	0.44	8.7E-07	6.0E-06	0.44	1.4E-05	9.3E-05	0.80	1.2E-04
Zinc	7440-66-6	8.1E-06	8.1E-06	6.2E-06		(5)	1.7E-06		(5)	2.6E-05		(5)	4.1E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	2.0E-03	500	4.0E-06	5.3E-04	2,200	2.4E-07	8.4E-03	2,200	3.8E-06	0.13	1,200	1.1E-04
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	1.9E-04	2.10	9.0E-05	5.0E-05	19.0	2.7E-06	7.9E-04	19.0	4.2E-05	0.012	16.0	7.7E-04
Glasswool Fibers	352	3.8E-05	3.8E-05	2.9E-05		(5)	7.8E-06		(5)	1.2E-04		(5)	1.9E-03		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	2.9E-05	3.00	9.7E-06	7.8E-06	13.0	6.0E-07	1.2E-04	13.0	9.4E-06	1.9E-03		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	2.7E-06	140	1.9E-08	7.1E-07	620	1.1E-09	1.1E-05	620	1.8E-08	1.7E-04	470	3.7E-07
Acetone	67-64-1	3.7E-04	3.7E-04	2.9E-04	31,000	9.2E-09	7.6E-05	140,000	5.5E-10	1.2E-03	140,000	8.6E-09	0.019	62,000	3.0E-07
Acrolein	107-02-8	2.2E-06	2.2E-06	1.7E-06	0.35	4.8E-06	4.5E-07	1.50	3.0E-07	7.1E-06	1.50	4.7E-06	1.1E-04	6.90	1.6E-05
Benzene	71-43-2	7.4E-05	7.4E-05	5.7E-05	3.00	1.9E-05	1.5E-05	13.0	1.2E-06	2.4E-04	13.0	1.8E-05	3.7E-03	29.0	1.3E-04
Formaldehyde	50-00-0	5.8E-03	5.8E-03	4.5E-03	9.00	5.0E-04	1.2E-03	40.0	3.0E-05	0.019	40.0	4.7E-04	0.29	49.0	6.0E-03
Hexane	110-54-3	3.6E-04	3.6E-04	2.8E-04	700	4.0E-07	7.5E-05	3,100	2.4E-08	1.2E-03	3,100	3.8E-07	0.018		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	2.2E-05	90.0	2.5E-07	5.9E-06	400	1.5E-08	9.3E-05	400	2.3E-07	1.4E-03	1,000	1.4E-06
2-Butanone	78-93-3	1.4E-05	1.4E-05	1.1E-05	5,000	2.2E-09	2.9E-06	22,000	1.3E-10	4.6E-05	22,000	2.1E-09	7.1E-04	5,000	1.4E-07
Toluene	108-88-3	1.8E-04	1.8E-04	1.3E-04	5,000	2.7E-08	3.6E-05	22,000	1.6E-09	5.7E-04	22,000	2.6E-08	8.8E-03	7,500	1.2E-06
PAHs	401	8.1E-08	8.1E-08	6.2E-08		(5)	1.7E-08		(5)	2.6E-07		(5)	4.0E-06		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	7.4E-10	2.0E-03	3.7E-07	2.0E-10	8.8E-03	2.3E-08	3.1E-09	8.8E-03	3.6E-07	4.8E-08	2.0E-03	2.4E-05
Naphthalene	91-20-3	2.4E-07	2.4E-07	1.9E-07	3.70	5.0E-08	5.0E-08	16.0	3.1E-09	7.8E-07	16.0	4.9E-08	1.2E-05	200	6.1E-08

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncai	ncer				Λ.	suto Noncon	cor
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AC	cute Noncan	cei
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposi	ure Location ⁽⁴⁾)			1220			2			10103			10240	
Cumulative	e Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU110															
Cumulative TEU Risk						4.3E-04			3.8E-05			4.4E-04			1.4E-03
Dispersion Factor (µg/m3/[g					0.50			0.21	_		2.42			9.59	į.
Barium	7440-39-3	3.9E-07	3.9E-07	1.9E-07		(5)	8.1E-08		(5)	9.4E-07		(5)	3.7E-06		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	6.8E-08		(5)	2.8E-08		(5)	3.3E-07		(5)	1.3E-06		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	6.8E-08	0.083	8.1E-07	2.8E-08	0.88	3.2E-08	3.3E-07	0.88	3.7E-07	1.3E-06	0.30	4.4E-06
Copper	7440-50-8	3.3E-06	3.3E-06	1.6E-06		(5)	6.8E-07		(5)	8.0E-06		(5)	3.2E-05	100	3.2E-07
Manganese	7439-96-5	6.5E-07	6.5E-07	3.2E-07	0.090	3.6E-06	1.4E-07	0.40	3.4E-07	1.6E-06	0.40	3.9E-06	6.2E-06	0.30	2.1E-05
Mercury	7439-97-6	3.4E-08	3.4E-08	1.7E-08	0.077	2.2E-07	7.1E-09	0.63	1.1E-08	8.2E-08	0.63	1.3E-07	3.2E-07	0.60	5.4E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	6.6E-07		(5)	2.8E-07		(5)	3.2E-06		(5)	1.3E-05		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	1.4E-07	0.014	1.0E-05	6.0E-08	0.062	9.7E-07	7.0E-07	0.062	1.1E-05	2.8E-06	0.20	1.4E-05
Phosphorus	504	5.4E-06	5.4E-06	2.7E-06		(5)	1.1E-06		(5)	1.3E-05		(5)	5.2E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	9.2E-07	0.10	9.2E-06	3.9E-07	0.44	8.8E-07	4.5E-06	0.44	1.0E-05	1.8E-05	0.80	2.2E-05
Zinc	7440-66-6	8.1E-06	8.1E-06	4.0E-06		(5)	1.7E-06		(5)	2.0E-05		(5)	7.8E-05		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	1.3E-03	500	2.6E-06	5.4E-04	2,200	2.4E-07	6.3E-03	2,200	2.8E-06	0.025	1,200	2.1E-05
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	1.2E-04	2.10	5.8E-05	5.1E-05	19.0	2.7E-06	5.9E-04	19.0	3.1E-05	2.4E-03	16.0	1.5E-04
Glasswool Fibers	352	3.8E-05	3.8E-05	1.9E-05		(5)	8.0E-06		(5)	9.2E-05		(5)	3.7E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	1.9E-05	3.00	6.3E-06	7.9E-06	13.0	6.1E-07	9.2E-05	13.0	7.0E-06	3.6E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.7E-06	140	1.2E-08	7.2E-07	620	1.2E-09	8.4E-06	620	1.4E-08	3.3E-05	470	7.1E-08
Acetone	67-64-1	3.7E-04	3.7E-04	1.8E-04	31,000	6.0E-09	7.8E-05	140,000	5.5E-10	9.0E-04	140,000	6.4E-09	3.6E-03	62,000	5.8E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	1.1E-06	0.35	3.1E-06	4.5E-07	1.50	3.0E-07	5.3E-06	1.50	3.5E-06	2.1E-05	6.90	3.0E-06
Benzene	71-43-2	7.4E-05	7.4E-05	3.7E-05	3.00	1.2E-05	1.5E-05	13.0	1.2E-06	1.8E-04	13.0	1.4E-05	7.1E-04	29.0	2.4E-05
Formaldehyde	50-00-0	5.8E-03	5.8E-03	2.9E-03	9.00	3.2E-04	1.2E-03	40.0	3.0E-05	0.014	40.0	3.5E-04	0.056	49.0	1.1E-03
Hexane	110-54-3	3.6E-04	3.6E-04	1.8E-04	700	2.6E-07	7.6E-05	3,100	2.4E-08	8.8E-04	3,100	2.8E-07	3.5E-03		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	1.4E-05	90.0	1.6E-07	6.0E-06	400	1.5E-08	7.0E-05	400	1.7E-07	2.8E-04	1,000	2.8E-07
2-Butanone	78-93-3	1.4E-05	1.4E-05	7.0E-06	5,000	1.4E-09	2.9E-06	22,000	1.3E-10	3.4E-05	22,000	1.5E-09	1.3E-04	5,000	2.7E-08
Toluene	108-88-3	1.8E-04	1.8E-04	8.7E-05	5,000	1.7E-08	3.6E-05	22,000	1.7E-09	4.2E-04	22,000	1.9E-08	1.7E-03	7,500	2.2E-07
PAHs	401	8.1E-08	8.1E-08	4.0E-08		(5)	1.7E-08		(5)	2.0E-07		(5)	7.7E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	4.8E-10	2.0E-03	2.4E-07	2.0E-10	8.8E-03	2.3E-08	2.3E-09	8.8E-03	2.7E-07	9.3E-09	2.0E-03	4.6E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	1.2E-07	3.70	3.2E-08	5.0E-08	16.0	3.2E-09	5.9E-07	16.0	3.7E-08	2.3E-06	200	1.2E-08

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncar	ncer				۸۵	uto Noncon	005
		(g	/s)		Residential		No	nresidential C	Child	Non	residential W	orker	AC	ute Noncan	cer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location ⁽⁴⁾)			1220			2			10103			10240	
	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU111															
Cumulative TEU Risk						5.1E-04			3.8E-05			4.7E-04			3.1E-03
Dispersion Factor (µg/m3/[g/	4/				0.59			0.21	_		2.62			21.3	
Barium	7440-39-3	3.9E-07	3.9E-07	2.3E-07		(5)	8.1E-08		(5)	1.0E-06		(5)	8.3E-06		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	8.0E-08		(5)	2.8E-08		(5)	3.6E-07		(5)	2.9E-06		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	8.0E-08	0.083	9.7E-07	2.8E-08	0.88	3.2E-08	3.6E-07	0.88	4.1E-07	2.9E-06	0.30	9.6E-06
Copper	7440-50-8	3.3E-06	3.3E-06	1.9E-06		(5)	6.8E-07		(5)	8.6E-06		(5)	7.0E-05	100	7.0E-07
Manganese	7439-96-5	6.5E-07	6.5E-07	3.8E-07	0.090	4.3E-06	1.3E-07	0.40	3.4E-07	1.7E-06	0.40	4.3E-06	1.4E-05	0.30	4.6E-05
Mercury	7439-97-6	3.4E-08	3.4E-08	2.0E-08	0.077	2.6E-07	7.0E-09	0.63	1.1E-08	8.9E-08	0.63	1.4E-07	7.2E-07	0.60	1.2E-06
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	7.8E-07		(5)	2.8E-07		(5)	3.5E-06		(5)	2.8E-05		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	1.7E-07	0.014	1.2E-05	6.0E-08	0.062	9.7E-07	7.6E-07	0.062	1.2E-05	6.2E-06	0.20	3.1E-05
Phosphorus	504	5.4E-06	5.4E-06	3.2E-06		(5)	1.1E-06		(5)	1.4E-05		(5)	1.2E-04		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	1.1E-06	0.10	1.1E-05	3.8E-07	0.44	8.7E-07	4.9E-06	0.44	1.1E-05	3.9E-05	0.80	4.9E-05
Zinc	7440-66-6	8.1E-06	8.1E-06	4.8E-06		(5)	1.7E-06		(5)	2.1E-05		(5)	1.7E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	1.5E-03	500	3.0E-06	5.4E-04	2,200	2.4E-07	6.8E-03	2,200	3.1E-06	0.055	1,200	4.6E-05
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	1.4E-04	2.10	6.9E-05	5.1E-05	19.0	2.7E-06	6.4E-04	19.0	3.4E-05	5.2E-03	16.0	3.3E-04
Glasswool Fibers	352	3.8E-05	3.8E-05	2.2E-05		(5)	7.9E-06		(5)	1.0E-04		(5)	8.1E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	2.2E-05	3.00	7.4E-06	7.8E-06	13.0	6.0E-07	9.9E-05	13.0	7.6E-06	8.0E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	2.0E-06	140	1.5E-08	7.2E-07	620	1.2E-09	9.1E-06	620	1.5E-08	7.4E-05	470	1.6E-07
Acetone	67-64-1	3.7E-04	3.7E-04	2.2E-04	31,000	7.1E-09	7.7E-05	140,000	5.5E-10	9.7E-04	140,000	7.0E-09	7.9E-03	62,000	1.3E-07
Acrolein	107-02-8	2.2E-06	2.2E-06	1.3E-06	0.35	3.7E-06	4.5E-07	1.50	3.0E-07	5.7E-06	1.50	3.8E-06	4.6E-05	6.90	6.7E-06
Benzene	71-43-2	7.4E-05	7.4E-05	4.4E-05	3.00	1.5E-05	1.5E-05	13.0	1.2E-06	1.9E-04	13.0	1.5E-05	1.6E-03	29.0	5.4E-05
Formaldehyde	50-00-0	5.8E-03	5.8E-03	3.4E-03	9.00	3.8E-04	1.2E-03	40.0	3.0E-05	0.015	40.0	3.8E-04	0.12	49.0	2.5E-03
Hexane	110-54-3	3.6E-04	3.6E-04	2.1E-04	700	3.1E-07	7.5E-05	3,100	2.4E-08	9.5E-04	3,100	3.1E-07	7.7E-03		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	1.7E-05	90.0	1.9E-07	6.0E-06	400	1.5E-08	7.5E-05	400	1.9E-07	6.1E-04	1,000	6.1E-07
2-Butanone	78-93-3	1.4E-05	1.4E-05	8.3E-06	5,000	1.7E-09	2.9E-06	22,000	1.3E-10	3.7E-05	22,000	1.7E-09	3.0E-04	5,000	6.0E-08
Toluene	108-88-3	1.8E-04	1.8E-04	1.0E-04	5,000	2.1E-08	3.6E-05	22,000	1.6E-09	4.6E-04	22,000	2.1E-08	3.7E-03	7,500	5.0E-07
PAHs	401	8.1E-08	8.1E-08	4.7E-08		(5)	1.7E-08		(5)	2.1E-07		(5)	1.7E-06		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	5.7E-10	2.0E-03	2.8E-07	2.0E-10	8.8E-03	2.3E-08	2.5E-09	8.8E-03	2.9E-07	2.1E-08	2.0E-03	1.0E-05
Naphthalene	91-20-3	2.4E-07	2.4E-07	1.4E-07	3.70	3.8E-08	5.0E-08	16.0	3.1E-09	6.3E-07	16.0	4.0E-08	5.1E-06	200	2.6E-08

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Nonca	ncer					ta Nanaan	
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	Ac	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposi	re Location (4		•		1220			2			10103			10240	
Cumulative	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU112				•											
Cumulative TEU Risk						7.7E-04			3.7E-05			5.8E-04			6.0E-03
Dispersion Factor (µg/m3/[g	/s])				0.89			0.20			3.20			41.1	
Barium	7440-39-3	3.9E-07	3.9E-07	3.5E-07		(5)	8.0E-08		(5)	1.2E-06		(5)	1.6E-05		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	1.2E-07		(5)	2.8E-08		(5)	4.4E-07		(5)	5.6E-06		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	1.2E-07	0.083	1.5E-06	2.8E-08	0.88	3.2E-08	4.4E-07	0.88	5.0E-07	5.6E-06	0.30	1.9E-05
Copper	7440-50-8	3.3E-06	3.3E-06	2.9E-06		(5)	6.7E-07		(5)	1.1E-05		(5)	1.4E-04	100	1.4E-06
Manganese	7439-96-5	6.5E-07	6.5E-07	5.8E-07	0.090	6.4E-06	1.3E-07	0.40	3.3E-07	2.1E-06	0.40	5.2E-06	2.7E-05	0.30	8.9E-05
Mercury	7439-97-6	3.4E-08	3.4E-08	3.0E-08	0.077	3.9E-07	6.9E-09	0.63	1.1E-08	1.1E-07	0.63	1.7E-07	1.4E-06	0.60	2.3E-06
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	1.2E-06		(5)	2.7E-07		(5)	4.3E-06		(5)	5.5E-05		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	2.6E-07	0.014	1.8E-05	5.9E-08	0.062	9.6E-07	9.3E-07	0.062	1.5E-05	1.2E-05	0.20	6.0E-05
Phosphorus	504	5.4E-06	5.4E-06	4.8E-06		(5)	1.1E-06		(5)	1.7E-05		(5)	2.2E-04		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	1.6E-06	0.10	1.6E-05	3.8E-07	0.44	8.6E-07	5.9E-06	0.44	1.3E-05	7.6E-05	0.80	9.5E-05
Zinc	7440-66-6	8.1E-06	8.1E-06	7.2E-06		(5)	1.7E-06		(5)	2.6E-05		(5)	3.3E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	2.3E-03	500	4.6E-06	5.3E-04	2,200	2.4E-07	8.3E-03	2,200	3.8E-06	0.11	1,200	8.8E-05
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	2.2E-04	2.10	1.0E-04	5.0E-05	19.0	2.6E-06	7.8E-04	19.0	4.1E-05	0.010	16.0	6.3E-04
Glasswool Fibers	352	3.8E-05	3.8E-05	3.4E-05		(5)	7.8E-06		(5)	1.2E-04		(5)	1.6E-03		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	3.3E-05	3.00	1.1E-05	7.7E-06	13.0	5.9E-07	1.2E-04	13.0	9.3E-06	1.6E-03		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	3.1E-06	140	2.2E-08	7.1E-07	620	1.1E-09	1.1E-05	620	1.8E-08	1.4E-04	470	3.0E-07
Acetone	67-64-1	3.7E-04	3.7E-04	3.3E-04	31,000	1.1E-08	7.6E-05	140,000	5.4E-10	1.2E-03	140,000	8.5E-09	0.015	62,000	2.5E-07
Acrolein	107-02-8	2.2E-06	2.2E-06	1.9E-06	0.35	5.5E-06	4.5E-07	1.50	3.0E-07	7.0E-06	1.50	4.6E-06	8.9E-05	6.90	1.3E-05
Benzene	71-43-2	7.4E-05	7.4E-05	6.6E-05	3.00	2.2E-05	1.5E-05	13.0	1.2E-06	2.4E-04	13.0	1.8E-05	3.0E-03	29.0	1.0E-04
Formaldehyde	50-00-0	5.8E-03	5.8E-03	5.2E-03	9.00	5.7E-04	1.2E-03	40.0	3.0E-05	0.019	40.0	4.7E-04	0.24	49.0	4.9E-03
Hexane	110-54-3	3.6E-04	3.6E-04	3.2E-04	700	4.6E-07	7.4E-05	3,100	2.4E-08	1.2E-03	3,100	3.8E-07	0.015		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	2.5E-05	90.0	2.8E-07	5.9E-06	400	1.5E-08	9.2E-05	400	2.3E-07	1.2E-03	1,000	1.2E-06
2-Butanone	78-93-3	1.4E-05	1.4E-05	1.2E-05	5,000	2.5E-09	2.9E-06	22,000	1.3E-10	4.5E-05	22,000	2.0E-09	5.8E-04	5,000	1.2E-07
Toluene	108-88-3	1.8E-04	1.8E-04	1.6E-04	5,000	3.1E-08	3.6E-05	22,000	1.6E-09	5.6E-04	22,000	2.5E-08	7.2E-03	7,500	9.6E-07
PAHs	401	8.1E-08	8.1E-08	7.1E-08		(5)	1.7E-08		(5)	2.6E-07		(5)	3.3E-06		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	8.6E-10	2.0E-03	4.3E-07	2.0E-10	8.8E-03	2.3E-08	3.1E-09	8.8E-03	3.5E-07	4.0E-08	2.0E-03	2.0E-05
Naphthalene	91-20-3	2.4E-07	2.4E-07	2.1E-07	3.70	5.8E-08	5.0E-08	16.0	3.1E-09	7.7E-07	16.0	4.8E-08	9.9E-06	200	5.0E-08

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncai	ncer				Λ.	uto Noncon	
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AC	ute Noncan	cer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposi	re Location (4		•		1220			2	•		10103			10240	
Cumulative	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU116															
Cumulative TEU Risk						2.5E-04			7.8E-05			2.8E-04			2.1E-03
Dispersion Factor (µg/m3/[g	ı/s])				0.29	•		0.43	•		1.53			14.3	
Barium	7440-39-3	3.9E-07	3.9E-07	1.1E-07		(5)	1.7E-07		(5)	6.0E-07		(5)	5.6E-06		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	4.0E-08		(5)	5.9E-08		(5)	2.1E-07		(5)	1.9E-06		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	4.0E-08	0.083	4.8E-07	5.9E-08	0.88	6.6E-08	2.1E-07	0.88	2.4E-07	1.9E-06	0.30	6.5E-06
Copper	7440-50-8	3.3E-06	3.3E-06	9.6E-07		(5)	1.4E-06		(5)	5.0E-06		(5)	4.7E-05	100	4.7E-07
Manganese	7439-96-5	6.5E-07	6.5E-07	1.9E-07	0.090	2.1E-06	2.8E-07	0.40	7.0E-07	9.9E-07	0.40	2.5E-06	9.3E-06	0.30	3.1E-05
Mercury	7439-97-6	3.4E-08	3.4E-08	9.9E-09	0.077	1.3E-07	1.5E-08	0.63	2.3E-08	5.2E-08	0.63	8.2E-08	4.8E-07	0.60	8.0E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	3.9E-07		(5)	5.7E-07		(5)	2.0E-06		(5)	1.9E-05		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	8.4E-08	0.014	6.0E-06	1.2E-07	0.062	2.0E-06	4.4E-07	0.062	7.1E-06	4.1E-06	0.20	2.1E-05
Phosphorus	504	5.4E-06	5.4E-06	1.6E-06		(5)	2.3E-06		(5)	8.3E-06		(5)	7.7E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	5.4E-07	0.10	5.4E-06	8.0E-07	0.44	1.8E-06	2.8E-06	0.44	6.4E-06	2.6E-05	0.80	3.3E-05
Zinc	7440-66-6	8.1E-06	8.1E-06	2.4E-06		(5)	3.5E-06		(5)	1.2E-05		(5)	1.2E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	7.5E-04	500	1.5E-06	1.1E-03	2,200	5.0E-07	3.9E-03	2,200	1.8E-06	0.037	1,200	3.1E-05
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	7.1E-05	2.10	3.4E-05	1.1E-04	19.0	5.5E-06	3.7E-04	19.0	2.0E-05	3.5E-03	16.0	2.2E-04
Glasswool Fibers	352	3.8E-05	3.8E-05	1.1E-05		(5)	1.6E-05		(5)	5.8E-05		(5)	5.4E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	1.1E-05	3.00	3.7E-06	1.6E-05	13.0	1.2E-06	5.8E-05	13.0	4.4E-06	5.4E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.0E-06	140	7.2E-09	1.5E-06	620	2.4E-09	5.3E-06	620	8.6E-09	4.9E-05	470	1.1E-07
Acetone	67-64-1	3.7E-04	3.7E-04	1.1E-04	31,000	3.5E-09	1.6E-04	140,000	1.1E-09	5.7E-04	140,000	4.1E-09	5.3E-03	62,000	8.6E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	6.3E-07	0.35	1.8E-06	9.4E-07	1.50	6.2E-07	3.3E-06	1.50	2.2E-06	3.1E-05	6.90	4.5E-06
Benzene	71-43-2	7.4E-05	7.4E-05	2.2E-05	3.00	7.2E-06	3.2E-05	13.0	2.4E-06	1.1E-04	13.0	8.7E-06	1.1E-03	29.0	3.6E-05
Formaldehyde	50-00-0	5.8E-03	5.8E-03	1.7E-03	9.00	1.9E-04	2.5E-03	40.0	6.3E-05	8.9E-03	40.0	2.2E-04	0.083	49.0	1.7E-03
Hexane	110-54-3	3.6E-04	3.6E-04	1.1E-04	700	1.5E-07	1.6E-04	3,100	5.0E-08	5.6E-04	3,100	1.8E-07	5.2E-03		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	8.4E-06	90.0	9.3E-08	1.2E-05	400	3.1E-08	4.4E-05	400	1.1E-07	4.1E-04	1,000	4.1E-07
2-Butanone	78-93-3	1.4E-05	1.4E-05	4.1E-06	5,000	8.2E-10	6.0E-06	22,000	2.7E-10	2.2E-05	22,000	9.8E-10	2.0E-04	5,000	4.0E-08
Toluene	108-88-3	1.8E-04	1.8E-04	5.1E-05	5,000	1.0E-08	7.5E-05	22,000	3.4E-09	2.7E-04	22,000	1.2E-08	2.5E-03	7,500	3.3E-07
PAHs	401	8.1E-08	8.1E-08	2.4E-08		(5)	3.5E-08		(5)	1.2E-07		(5)	1.1E-06		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	2.8E-10	2.0E-03	1.4E-07	4.2E-10	8.8E-03	4.7E-08	1.5E-09	8.8E-03	1.7E-07	1.4E-08	2.0E-03	6.9E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	7.1E-08	3.70	1.9E-08	1.0E-07	16.0	6.5E-09	3.7E-07	16.0	2.3E-08	3.4E-06	200	1.7E-08

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncai	ncer				Λ.	uta Nanaan	
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AC	cute Noncan	Jer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location (4)	-		1220	•		2	•		10103		·	10240	
	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU117															
Cumulative TEU Risk						2.6E-04			7.8E-05			2.8E-04			2.4E-03
Dispersion Factor (µg/m3/[g	/s])				0.30	_		0.43			1.55			16.1	
Barium	7440-39-3	3.9E-07	3.9E-07	1.2E-07		(5)	1.7E-07		(5)	6.0E-07		(5)	6.3E-06		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	4.1E-08		(5)	5.9E-08		(5)	2.1E-07		(5)	2.2E-06		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	4.1E-08	0.083	5.0E-07	5.9E-08	0.88	6.7E-08	2.1E-07	0.88	2.4E-07	2.2E-06	0.30	7.3E-06
Copper	7440-50-8	3.3E-06	3.3E-06	9.9E-07		(5)	1.4E-06		(5)	5.1E-06		(5)	5.3E-05	100	5.3E-07
Manganese	7439-96-5	6.5E-07	6.5E-07	2.0E-07	0.090	2.2E-06	2.8E-07	0.40	7.0E-07	1.0E-06	0.40	2.5E-06	1.0E-05	0.30	3.5E-05
Mercury	7439-97-6	3.4E-08	3.4E-08	1.0E-08	0.077	1.3E-07	1.5E-08	0.63	2.3E-08	5.2E-08	0.63	8.3E-08	5.4E-07	0.60	9.1E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	4.0E-07		(5)	5.8E-07		(5)	2.1E-06		(5)	2.1E-05		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	8.7E-08	0.014	6.2E-06	1.3E-07	0.062	2.0E-06	4.5E-07	0.062	7.2E-06	4.7E-06	0.20	2.3E-05
Phosphorus	504	5.4E-06	5.4E-06	1.6E-06		(5)	2.4E-06		(5)	8.4E-06		(5)	8.7E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	5.6E-07	0.10	5.6E-06	8.0E-07	0.44	1.8E-06	2.9E-06	0.44	6.5E-06	3.0E-05	0.80	3.7E-05
Zinc	7440-66-6	8.1E-06	8.1E-06	2.4E-06		(5)	3.5E-06		(5)	1.3E-05		(5)	1.3E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	7.8E-04	500	1.6E-06	1.1E-03	2,200	5.1E-07	4.0E-03	2,200	1.8E-06	0.041	1,200	3.5E-05
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	7.4E-05	2.10	3.5E-05	1.1E-04	19.0	5.6E-06	3.8E-04	19.0	2.0E-05	3.9E-03	16.0	2.5E-04
Glasswool Fibers	352	3.8E-05	3.8E-05	1.2E-05		(5)	1.7E-05		(5)	5.9E-05		(5)	6.1E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	1.1E-05	3.00	3.8E-06	1.6E-05	13.0	1.3E-06	5.9E-05	13.0	4.5E-06	6.1E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.0E-06	140	7.5E-09	1.5E-06	620	2.4E-09	5.4E-06	620	8.7E-09	5.6E-05	470	1.2E-07
Acetone	67-64-1	3.7E-04	3.7E-04	1.1E-04	31,000	3.6E-09	1.6E-04	140,000	1.2E-09	5.8E-04	140,000	4.1E-09	6.0E-03	62,000	9.7E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	6.6E-07	0.35	1.9E-06	9.4E-07	1.50	6.3E-07	3.4E-06	1.50	2.3E-06	3.5E-05	6.90	5.1E-06
Benzene	71-43-2	7.4E-05	7.4E-05	2.2E-05	3.00	7.4E-06	3.2E-05	13.0	2.5E-06	1.1E-04	13.0	8.8E-06	1.2E-03	29.0	4.1E-05
Formaldehyde	50-00-0	5.8E-03	5.8E-03	1.8E-03	9.00	2.0E-04	2.5E-03	40.0	6.3E-05	9.0E-03	40.0	2.3E-04	0.094	49.0	1.9E-03
Hexane	110-54-3	3.6E-04	3.6E-04	1.1E-04	700	1.6E-07	1.6E-04	3,100	5.1E-08	5.6E-04	3,100	1.8E-07	5.9E-03		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	8.7E-06	90.0	9.6E-08	1.2E-05	400	3.1E-08	4.5E-05	400	1.1E-07	4.6E-04	1,000	4.6E-07
2-Butanone	78-93-3	1.4E-05	1.4E-05	4.2E-06	5,000	8.5E-10	6.1E-06	22,000	2.8E-10	2.2E-05	22,000	9.9E-10	2.3E-04	5,000	4.5E-08
Toluene	108-88-3	1.8E-04	1.8E-04	5.3E-05	5,000	1.1E-08	7.6E-05	22,000	3.4E-09	2.7E-04	22,000	1.2E-08	2.8E-03	7,500	3.8E-07
PAHs	401	8.1E-08	8.1E-08	2.4E-08		(5)	3.5E-08		(5)	1.3E-07		(5)	1.3E-06		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	2.9E-10	2.0E-03	1.5E-07	4.2E-10	8.8E-03	4.8E-08	1.5E-09	8.8E-03	1.7E-07	1.6E-08	2.0E-03	7.8E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	7.3E-08	3.70	2.0E-08	1.0E-07	16.0	6.6E-09	3.8E-07	16.0	2.3E-08	3.9E-06	200	1.9E-08

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Nonca	ncer				Λ.	uto Noncon	
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	Ac	ute Noncan	Jei
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Expos	ure Location ⁽⁴)			1220			2			10103			10240	
	e Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU118															
Cumulative TEU Risk						2.4E-04			7.7E-05			2.8E-04			2.0E-03
Dispersion Factor (µg/m3/[g	 				0.27			0.43	_		1.53	_		13.7	
Barium	7440-39-3	3.9E-07	3.9E-07	1.1E-07		(5)	1.7E-07		(5)	6.0E-07		(5)	5.3E-06		(5)
Chromium (total)	7440-47-3	1.4E-07	1.4E-07	3.7E-08		(5)	5.8E-08		(5)	2.1E-07		(5)	1.9E-06		(5)
Chromium VI	18540-29-9	1.4E-07	1.4E-07	3.7E-08	0.083	4.5E-07	5.8E-08	0.88	6.6E-08	2.1E-07	0.88	2.4E-07	1.9E-06	0.30	6.2E-06
Copper	7440-50-8	3.3E-06	3.3E-06	9.0E-07		(5)	1.4E-06		(5)	5.0E-06		(5)	4.5E-05	100.0	4.5E-07
Manganese	7439-96-5	6.5E-07	6.5E-07	1.8E-07	0.090	2.0E-06	2.8E-07	0.40	6.9E-07	1.0E-06	0.40	2.5E-06	8.9E-06	0.30	3.0E-05
Mercury	7439-97-6	3.4E-08	3.4E-08	9.3E-09	0.077	1.2E-07	1.4E-08	0.63	2.3E-08	5.2E-08	0.63	8.2E-08	4.6E-07	0.60	7.7E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	3.7E-07		(5)	5.7E-07		(5)	2.0E-06		(5)	1.8E-05		(5)
Nickel	7440-02-0	2.9E-07	2.9E-07	7.9E-08	0.014	5.7E-06	1.2E-07	0.062	2.0E-06	4.4E-07	0.062	7.2E-06	4.0E-06	0.20	2.0E-05
Phosphorus	504	5.4E-06	5.4E-06	1.5E-06		(5)	2.3E-06		(5)	8.3E-06		(5)	7.4E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	5.1E-07	0.10	5.1E-06	7.9E-07	0.44	1.8E-06	2.8E-06	0.44	6.5E-06	2.5E-05	0.80	3.2E-05
Zinc	7440-66-6	8.1E-06	8.1E-06	2.2E-06		(5)	3.4E-06		(5)	1.2E-05		(5)	1.1E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	7.1E-04	500	1.4E-06	1.1E-03	2,200	5.0E-07	4.0E-03	2,200	1.8E-06	0.035	1,200	2.9E-05
Hydrogen Fluoride	7664-39-3	2.5E-04	2.5E-04	6.7E-05	2.10	3.2E-05	1.0E-04	19.0	5.5E-06	3.8E-04	19.0	2.0E-05	3.4E-03	16.0	2.1E-04
Glasswool Fibers	352	3.8E-05	3.8E-05	1.0E-05		(5)	1.6E-05		(5)	5.9E-05		(5)	5.2E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-05	3.8E-05	1.0E-05	3.00	3.5E-06	1.6E-05	13.0	1.2E-06	5.8E-05	13.0	4.5E-06	5.2E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	9.5E-07	140	6.8E-09	1.5E-06	620	2.4E-09	5.3E-06	620	8.6E-09	4.7E-05	470	1.0E-07
Acetone	67-64-1	3.7E-04	3.7E-04	1.0E-04	31,000	3.3E-09	1.6E-04	140,000	1.1E-09	5.7E-04	140,000	4.1E-09	5.1E-03	62,000	8.2E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	6.0E-07	0.35	1.7E-06	9.3E-07	1.50	6.2E-07	3.3E-06	1.50	2.2E-06	3.0E-05	6.90	4.3E-06
Benzene	71-43-2	7.4E-05	7.4E-05	2.0E-05	3.00	6.8E-06	3.1E-05	13.0	2.4E-06	1.1E-04	13.0	8.7E-06	1.0E-03	29.0	3.5E-05
Formaldehyde	50-00-0	5.8E-03	5.8E-03	1.6E-03	9.00	1.8E-04	2.5E-03	40.0	6.2E-05	9.0E-03	40.0	2.2E-04	0.080	49.0	1.6E-03
Hexane	110-54-3	3.6E-04	3.6E-04	1.0E-04	700	1.4E-07	1.5E-04	3,100	5.0E-08	5.6E-04	3,100	1.8E-07	5.0E-03		(5)
Chloromethane	74-87-3	2.9E-05	2.9E-05	7.9E-06	90.0	8.8E-08	1.2E-05	400	3.1E-08	4.4E-05	400	1.1E-07	3.9E-04	1,000	3.9E-07
2-Butanone	78-93-3	1.4E-05	1.4E-05	3.9E-06	5,000	7.7E-10	6.0E-06	22,000	2.7E-10	2.2E-05	22,000	9.8E-10	1.9E-04	5,000	3.9E-08
Toluene	108-88-3	1.8E-04	1.8E-04	4.8E-05	5,000	9.6E-09	7.5E-05	22,000	3.4E-09	2.7E-04	22,000	1.2E-08	2.4E-03	7,500	3.2E-07
PAHs	401	8.1E-08	8.1E-08	2.2E-08		(5)	3.4E-08		(5)	1.2E-07		(5)	1.1E-06		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	2.7E-10	2.0E-03	1.3E-07	4.1E-10	8.8E-03	4.7E-08	1.5E-09	8.8E-03	1.7E-07	1.3E-08	2.0E-03	6.6E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	6.6E-08	3.70	1.8E-08	1.0E-07	16.0	6.4E-09	3.7E-07	16.0	2.3E-08	3.3E-06	200	1.7E-08

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Nonca	ncer					t- NI	
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AG	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposi	ure Location ⁽⁴⁾)	•		1220			2	•		10103		,	10240	•
	e Facility-Wide				0.2			<0.1			0.1			0.2	
CFU114				,											
Cumulative TEU Risk					-	1.4E-04			7.2E-05		-	1.9E-04			1.6E-03
Dispersion Factor (µg/m3/[g	g/s])				0.15			0.38	•		0.99		,	12.7	•
Antimony	7440-36-0	1.8E-06	1.8E-06	2.7E-07	0.30	9.0E-07	6.9E-07	1.30	5.3E-07	1.8E-06	1.30	1.4E-06	2.3E-05	1.00	2.3E-05
Barium	7440-39-3	1.2E-06	1.2E-06	1.8E-07		(5)	4.6E-07		(5)	1.2E-06		(5)	1.6E-05		(5)
Cadmium	7440-43-9	3.4E-07	3.4E-07	5.0E-08	5.0E-03	9.9E-06	1.3E-07	0.037	3.5E-06	3.3E-07	0.037	9.0E-06	4.3E-06	0.030	1.4E-04
Chromium (total)	7440-47-3	3.9E-07	3.9E-07	5.8E-08		(5)	1.5E-07		(5)	3.9E-07		(5)	5.0E-06		(5)
Chromium VI	18540-29-9	3.9E-07	3.9E-07	5.8E-08	0.083	7.0E-07	1.5E-07	0.88	1.7E-07	3.9E-07	0.88	4.4E-07	5.0E-06	0.30	1.7E-05
Copper	7440-50-8	5.6E-06	5.6E-06	8.2E-07		(5)	2.1E-06		(5)	5.5E-06		(5)	7.2E-05	100	7.2E-07
Manganese	7439-96-5	1.3E-06	1.3E-06	1.9E-07	0.090	2.1E-06	4.8E-07	0.40	1.2E-06	1.3E-06	0.40	3.2E-06	1.6E-05	0.30	5.4E-05
Mercury	7439-97-6	6.4E-08	6.4E-08	9.4E-09	0.077	1.2E-07	2.4E-08	0.63	3.8E-08	6.3E-08	0.63	1.0E-07	8.2E-07	0.60	1.4E-06
Molybdenum trioxide	1313-27-5	1.7E-06	1.7E-06	2.4E-07		(5)	6.3E-07		(5)	1.6E-06		(5)	2.1E-05		(5)
Nickel	7440-02-0	2.1E-06	2.1E-06	3.1E-07	0.014	2.2E-05	8.0E-07	0.062	1.3E-05	2.1E-06	0.062	3.4E-05	2.7E-05	0.20	1.4E-04
Phosphorus	504	1.0E-05	1.0E-05	1.5E-06		(5)	4.0E-06		(5)	1.0E-05		(5)	1.3E-04		(5)
Vanadium	7440-62-2	2.3E-06	2.3E-06	3.4E-07	0.10	3.4E-06	8.8E-07	0.44	2.0E-06	2.3E-06	0.44	5.2E-06	3.0E-05	0.80	3.7E-05
Zinc	7440-66-6	3.4E-05	3.4E-05	5.0E-06		(5)	1.3E-05		(5)	3.3E-05		(5)	4.3E-04		(5)
Ammonia	7664-41-7	3.2E-03	3.2E-03	4.7E-04	500	9.5E-07	1.2E-03	2,200	5.5E-07	3.2E-03	2,200	1.4E-06	0.041	1,200	3.4E-05
Fluorides	239	2.0E-05	2.0E-05	3.0E-06	2.30	1.3E-06	7.7E-06	20.0	3.9E-07	2.0E-05	20.0	1.0E-06	2.6E-04	240	1.1E-06
Hydrogen Fluoride	7664-39-3	2.7E-04	2.7E-04	4.0E-05	2.10	1.9E-05	1.0E-04	19.0	5.4E-06	2.7E-04	19.0	1.4E-05	3.5E-03	16.0	2.2E-04
Glasswool Fibers	352	5.9E-05	5.9E-05	8.6E-06		(5)	2.2E-05		(5)	5.8E-05		(5)	7.5E-04		(5)
Silica, Crystalline	7631-86-9	5.8E-05	5.8E-05	8.6E-06	3.00	2.9E-06	2.2E-05	13.0	1.7E-06	5.8E-05	13.0	4.4E-06	7.4E-04		(5)
Acetaldehyde	75-07-0	4.3E-06	4.3E-06	6.4E-07	140	4.5E-09	1.6E-06	620	2.6E-09	4.3E-06	620	6.9E-09	5.5E-05	470	1.2E-07
Acetone	67-64-1	2.4E-03	2.4E-03	3.6E-04	31,000	1.2E-08	9.2E-04	140,000	6.6E-09	2.4E-03	140,000	1.7E-08	0.031	62,000	5.0E-07
Acrolein	107-02-8	2.7E-06	2.7E-06	4.0E-07	0.35	1.1E-06	1.0E-06	1.50	6.9E-07	2.7E-06	1.50	1.8E-06	3.5E-05	6.90	5.0E-06
Benzene	71-43-2	6.1E-04	6.1E-04	9.0E-05	3.00	3.0E-05	2.3E-04	13.0	1.8E-05	6.0E-04	13.0	4.6E-05	7.8E-03	29.0	2.7E-04
Cyclohexane	110-82-7	3.8E-05	3.8E-05	5.5E-06	6,000	9.2E-10	1.4E-05	26,000	5.5E-10	3.7E-05	26,000	1.4E-09	4.8E-04		(5)
Ethylbenzene	100-41-4	3.2E-05	3.2E-05	4.7E-06	260	1.8E-08	1.2E-05	1,100	1.1E-08	3.2E-05	1,100	2.9E-08	4.1E-04	22,000	1.9E-08
Chloroethane	75-00-3	1.7E-05	1.7E-05	2.5E-06	30,000	8.4E-11	6.5E-06	130,000	5.0E-11	1.7E-05	130,000	1.3E-10	2.2E-04	40,000	5.5E-09
Formaldehyde	50-00-0	2.6E-03	2.6E-03	3.9E-04	9.00	4.3E-05	9.9E-04	40.0	2.5E-05	2.6E-03	40.0	6.5E-05	0.034	49.0	6.9E-04
Hexane	110-54-3	3.5E-03	3.5E-03	5.2E-04	700	7.4E-07	1.3E-03	3,100	4.3E-07	3.5E-03	3,100	1.1E-06	0.045		(5)
Chloromethane	74-87-3	2.3E-04	2.3E-04	3.4E-05	90.0	3.8E-07	8.7E-05	400	2.2E-07	2.3E-04	400	5.7E-07	2.9E-03	1,000	2.9E-06
2-Butanone	78-93-3	7.8E-05	7.8E-05	1.1E-05	5,000	2.3E-09	2.9E-05	22,000	1.3E-09	7.7E-05	22,000	3.5E-09	9.9E-04	5,000	2.0E-07
Methyl isobutyl ketone	108-10-1	2.8E-05	2.8E-05	4.1E-06	3,000	1.4E-09	1.1E-05	13,000	8.2E-10	2.8E-05	13,000	2.1E-09	3.6E-04		(5)
Toluene	108-88-3	6.2E-04	6.2E-04	9.1E-05	5,000	1.8E-08	2.3E-04	22,000	1.1E-08	6.1E-04	22,000	2.8E-08	7.9E-03	7,500	1.1E-06
Xylenes (mixed isomers)	1330-20-7	6.6E-05	6.6E-05	9.7E-06	220	4.4E-08	2.5E-05	970	2.6E-08	6.5E-05	970	6.7E-08	8.5E-04	8,700	9.7E-08
PAHs	401	1.0E-07	1.0E-07	1.5E-08		(5)	3.8E-08		(5)	9.9E-08		(5)	1.3E-06		(5)
Benzo[a]pyrene	50-32-8	1.2E-09	1.2E-09	1.8E-10	2.0E-03	8.9E-08	4.6E-10	8.8E-03	5.2E-08	1.2E-09	8.8E-03	1.4E-07	1.5E-08	2.0E-03	7.7E-06
Naphthalene	91-20-3	3.0E-07	3.0E-07	4.4E-08	3.70	1.2E-08	1.1E-07	16.0	7.1E-09	3.0E-07	16.0	1.9E-08	3.9E-06	200	1.9E-08

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncar	ncer						
		(g.	/s)		Residential		No	nresidential C	Child	Non	residential W	orker	Ac	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location (4)				1220			2			10103			10240	•
	Facility-Wide				0.2			<0.1			0.1			0.2	
CFU115															
Cumulative TEU Risk					-	1.1E-04			7.2E-05		-	1.2E-04			9.9E-04
Dispersion Factor (µg/m3/[g	/s])				0.12			0.37	•		0.63			7.66	•
Antimony	7440-36-0	1.8E-06	1.8E-06	2.2E-07	0.30	7.4E-07	6.8E-07	1.30	5.3E-07	1.2E-06	1.30	8.9E-07	1.4E-05	1.00	1.4E-05
Barium	7440-39-3	1.2E-06	1.2E-06	1.5E-07		(5)	4.6E-07		(5)	7.7E-07		(5)	9.4E-06		(5)
Cadmium	7440-43-9	3.4E-07	3.4E-07	4.1E-08	5.0E-03	8.2E-06	1.3E-07	0.037	3.4E-06	2.1E-07	0.037	5.8E-06	2.6E-06	0.030	8.7E-05
Chromium (total)	7440-47-3	3.9E-07	3.9E-07	4.7E-08		(5)	1.5E-07		(5)	2.5E-07		(5)	3.0E-06		(5)
Chromium VI	18540-29-9	3.9E-07	3.9E-07	4.7E-08	0.083	5.7E-07	1.5E-07	0.88	1.7E-07	2.5E-07	0.88	2.8E-07	3.0E-06	0.30	1.0E-05
Copper	7440-50-8	5.6E-06	5.6E-06	6.8E-07		(5)	2.1E-06		(5)	3.5E-06		(5)	4.3E-05	100	4.3E-07
Manganese	7439-96-5	1.3E-06	1.3E-06	1.5E-07	0.090	1.7E-06	4.8E-07	0.40	1.2E-06	8.1E-07	0.40	2.0E-06	9.8E-06	0.30	3.3E-05
Mercury	7439-97-6	6.4E-08	6.4E-08	7.7E-09	0.077	1.0E-07	2.4E-08	0.63	3.8E-08	4.0E-08	0.63	6.4E-08	4.9E-07	0.60	8.2E-07
Molybdenum trioxide	1313-27-5	1.7E-06	1.7E-06	2.0E-07		(5)	6.2E-07		(5)	1.0E-06		(5)	1.3E-05		(5)
Nickel	7440-02-0	2.1E-06	2.1E-06	2.6E-07	0.014	1.8E-05	7.9E-07	0.062	1.3E-05	1.3E-06	0.062	2.2E-05	1.6E-05	0.20	8.1E-05
Phosphorus	504	1.0E-05	1.0E-05	1.3E-06		(5)	3.9E-06		(5)	6.6E-06		(5)	8.0E-05		(5)
Vanadium	7440-62-2	2.3E-06	2.3E-06	2.8E-07	0.10	2.8E-06	8.6E-07	0.44	2.0E-06	1.5E-06	0.44	3.3E-06	1.8E-05	0.80	2.2E-05
Zinc	7440-66-6	3.4E-05	3.4E-05	4.1E-06		(5)	1.3E-05		(5)	2.1E-05		(5)	2.6E-04		(5)
Ammonia	7664-41-7	3.2E-03	3.2E-03	3.9E-04	500	7.8E-07	1.2E-03	2,200	5.5E-07	2.0E-03	2,200	9.2E-07	0.025	1,200	2.1E-05
Fluorides	239	2.0E-05	2.0E-05	2.5E-06	2.30	1.1E-06	7.6E-06	20.0	3.8E-07	1.3E-05	20.0	6.4E-07	1.6E-04	240	6.5E-07
Hydrogen Fluoride	7664-39-3	2.7E-04	2.7E-04	3.3E-05	2.10	1.6E-05	1.0E-04	19.0	5.4E-06	1.7E-04	19.0	9.1E-06	2.1E-03	16.0	1.3E-04
Glasswool Fibers	352	5.9E-05	5.9E-05	7.1E-06		(5)	2.2E-05		(5)	3.7E-05		(5)	4.5E-04		(5)
Silica, Crystalline	7631-86-9	5.8E-05	5.8E-05	7.0E-06	3.00	2.3E-06	2.2E-05	13.0	1.7E-06	3.7E-05	13.0	2.8E-06	4.5E-04		(5)
Acetaldehyde	75-07-0	4.3E-06	4.3E-06	5.2E-07	140	3.7E-09	1.6E-06	620	2.6E-09	2.7E-06	620	4.4E-09	3.3E-05	470	7.1E-08
Acetone	67-64-1	2.4E-03	2.4E-03	2.9E-04	31,000	9.5E-09	9.1E-04	140,000	6.5E-09	1.5E-03	140,000	1.1E-08	0.019	62,000	3.0E-07
Acrolein	107-02-8	2.7E-06	2.7E-06	3.3E-07	0.35	9.4E-07	1.0E-06	1.50	6.8E-07	1.7E-06	1.50	1.1E-06	2.1E-05	6.90	3.0E-06
Benzene	71-43-2	6.1E-04	6.1E-04	7.4E-05	3.00	2.5E-05	2.3E-04	13.0	1.8E-05	3.9E-04	13.0	3.0E-05	4.7E-03	29.0	1.6E-04
Cyclohexane	110-82-7	3.8E-05	3.8E-05	4.5E-06	6,000	7.6E-10	1.4E-05	26,000	5.4E-10	2.4E-05	26,000	9.1E-10	2.9E-04		(5)
Ethylbenzene	100-41-4	3.2E-05	3.2E-05	3.9E-06	260	1.5E-08	1.2E-05	1,100	1.1E-08	2.0E-05	1,100	1.8E-08	2.5E-04	22,000	1.1E-08
Chloroethane	75-00-3	1.7E-05	1.7E-05	2.1E-06	30,000	6.9E-11	6.4E-06	130,000	5.0E-11	1.1E-05	130,000	8.4E-11	1.3E-04	40,000	3.3E-09
Formaldehyde	50-00-0	2.6E-03	2.6E-03	3.2E-04	9.00	3.5E-05	9.8E-04	40.0	2.5E-05	1.7E-03	40.0	4.1E-05	0.020	49.0	4.1E-04
Hexane	110-54-3	3.5E-03	3.5E-03	4.3E-04	700	6.1E-07	1.3E-03	3,100	4.3E-07	2.2E-03	3,100	7.2E-07	0.027		(5)
Chloromethane	74-87-3	2.3E-04	2.3E-04	2.8E-05	90.0	3.1E-07	8.6E-05	400	2.2E-07	1.5E-04	400	3.6E-07	1.8E-03	1,000	1.8E-06
2-Butanone	78-93-3	7.8E-05	7.8E-05	9.4E-06	5,000	1.9E-09	2.9E-05	22,000	1.3E-09	4.9E-05	22,000	2.2E-09	6.0E-04	5,000	1.2E-07
Methyl isobutyl ketone	108-10-1	2.8E-05	2.8E-05	3.4E-06	3,000	1.1E-09	1.1E-05	13,000	8.1E-10	1.8E-05	13,000	1.4E-09	2.2E-04		(5)
Toluene	108-88-3	6.2E-04	6.2E-04	7.4E-05	5,000	1.5E-08	2.3E-04	22,000	1.0E-08	3.9E-04	22,000	1.8E-08	4.7E-03	7,500	6.3E-07
Xylenes (mixed isomers)	1330-20-7	6.6E-05	6.6E-05	8.0E-06	220	3.6E-08	2.5E-05	970	2.5E-08	4.2E-05	970	4.3E-08	5.1E-04	8,700	5.8E-08
PAHs	401	1.0E-07	1.0E-07	1.2E-08		(5)	3.8E-08		(5)	6.3E-08		(5)	7.7E-07		(5)
Benzo[a]pyrene	50-32-8	1.2E-09	1.2E-09	1.5E-10	2.0E-03	7.3E-08	4.5E-10	8.8E-03	5.1E-08	7.6E-10	8.8E-03	8.7E-08	9.3E-09	2.0E-03	4.6E-06
Naphthalene	91-20-3	3.0E-07	3.0E-07	3.6E-08	3.70	9.9E-09	1.1E-07	16.0	7.0E-09	1.9E-07	16.0	1.2E-08	2.3E-06	200	1.2E-08

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Nonca	ncer						
		(g.	/s)		Residential			nresidential (Non	residential W	orker	Ac	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Expos	ure Location (4))			1220			2			10103		•	10240	
	e Facility-Wide				0.2			<0.1			0.1			0.2	
CFU113															
Cumulative TEU Risk						6.8E-03			1.4E-04			4.2E-03			1.0E-02
Dispersion Factor (µg/m3/[g	g/s])				3.05			0.45			12.9			29.5	
Antimony	7440-36-0	1.2E-06	1.2E-06	3.7E-06	0.30	1.2E-05	5.4E-07	1.30	4.2E-07	1.6E-05	1.30	1.2E-05	3.6E-05	1.00	3.6E-05
Barium	7440-39-3	8.4E-07	8.4E-07	2.6E-06		(5)	3.8E-07		(5)	1.1E-05		(5)	2.5E-05		(5)
Cadmium	7440-43-9	1.0E-06	1.0E-06	3.1E-06	5.0E-03	6.1E-04	4.5E-07	0.037	1.2E-05	1.3E-05	0.037	3.5E-04	3.0E-05	0.030	9.9E-04
Chromium (total)	7440-47-3	4.3E-07	4.3E-07	1.3E-06		(5)	1.9E-07		(5)	5.6E-06		(5)	1.3E-05		(5)
Chromium VI	18540-29-9	4.3E-07	4.3E-07	1.3E-06	0.083	1.6E-05	1.9E-07	0.88	2.2E-07	5.6E-06	0.88	6.3E-06	1.3E-05	0.30	4.3E-05
Cobalt	7440-48-4	1.8E-07	1.8E-07	5.5E-07	0.10	5.5E-06	8.1E-08	0.44	1.8E-07	2.4E-06	0.44	5.3E-06	5.4E-06		(5)
Copper	7440-50-8	6.6E-06	6.6E-06	2.0E-05		(5)	2.9E-06		(5)	8.5E-05		(5)	1.9E-04	100	1.9E-06
Lead	7439-92-1	9.0E-06	9.0E-06	2.7E-05	0.15	1.8E-04	4.0E-06	0.66	6.1E-06	1.2E-04	0.66	1.8E-04	2.7E-04	0.15	1.8E-03
Manganese	7439-96-5	2.4E-07	2.4E-07	7.3E-07	0.090	8.1E-06	1.1E-07	0.40	2.7E-07	3.1E-06	0.40	7.7E-06	7.1E-06	0.30	2.4E-05
Mercury	7439-97-6	1.2E-04	1.2E-04	3.7E-04	0.077	4.8E-03	5.5E-05	0.63	8.7E-05	1.6E-03	0.63	2.5E-03	3.6E-03	0.60	6.0E-03
Phosphorus	504	2.6E-05	2.6E-05	8.0E-05		(5)	1.2E-05		(5)	3.4E-04		(5)	7.7E-04		(5)
Zinc	7440-66-6	1.4E-05	1.4E-05	4.2E-05		(5)	6.2E-06		(5)	1.8E-04		(5)	4.1E-04		(5)
Carbon disulfide	75-15-0	1.3E-05	1.3E-05	4.0E-05	800	5.0E-08	5.8E-06	3,500	1.7E-09	1.7E-04	3,500	4.8E-08	3.8E-04	6,200	6.2E-08
Fluorides	239	4.7E-05	4.7E-05	1.4E-04	2.30	6.2E-05	2.1E-05	20.0	1.0E-06	6.1E-04	20.0	3.0E-05	1.4E-03	240	5.8E-06
Hydrogen Fluoride	7664-39-3	6.8E-06	6.8E-06	2.1E-05	2.10	9.9E-06	3.1E-06	19.0	1.6E-07	8.8E-05	19.0	4.7E-06	2.0E-04	16.0	1.3E-05
Silica, Crystalline	7631-86-9	1.2E-05	1.2E-05	3.6E-05	3.00	1.2E-05	5.3E-06	13.0	4.1E-07	1.5E-04	13.0	1.2E-05	3.5E-04		(5)
Acetone	67-64-1	1.9E-03	1.9E-03	5.7E-03	31,000	1.8E-07	8.3E-04	140,000	6.0E-09	0.024	140,000	1.7E-07	0.055	62,000	8.9E-07
Benzene	71-43-2	4.5E-04	4.5E-04	1.4E-03	3.00	4.5E-04	2.0E-04	13.0	1.5E-05	5.8E-03	13.0	4.4E-04	0.013	29.0	4.5E-04
1,3-Butadiene	106-99-0	2.0E-04	2.0E-04	6.0E-04	2.00	3.0E-04	8.8E-05	8.80	1.0E-05	2.5E-03	8.80	2.9E-04	5.8E-03	660	8.8E-06
Formaldehyde	50-00-0	9.9E-04	9.9E-04	3.0E-03	9.00	3.3E-04	4.4E-04	40.0	1.1E-05	0.013	40.0	3.2E-04	0.029	49.0	5.9E-04
Hexane	110-54-3	2.7E-04	2.7E-04	8.2E-04	700	1.2E-06	1.2E-04	3,100	3.9E-08	3.5E-03	3,100	1.1E-06	7.9E-03		(5)
2-Butanone	78-93-3	2.5E-05	2.5E-05	7.5E-05	5,000	1.5E-08	1.1E-05	22,000	5.0E-10	3.2E-04	22,000	1.4E-08	7.3E-04	5,000	1.5E-07
Toluene	108-88-3	1.1E-04	1.1E-04	3.4E-04	5,000	6.8E-08	5.0E-05	22,000	2.3E-09	1.4E-03	22,000	6.6E-08	3.3E-03	7,500	4.4E-07
SSF01															
Cumulative TEU Risk						3.9E-05	-		8.1E-07			1.0E-05			1.9E-04
Dispersion Factor (µg/m3/[g	g/s])				165			15.3			190			6,045	
Barium	7440-39-3	1.4E-09	3.0E-09	2.3E-07		(5)	2.1E-08		(5)	2.7E-07		(5)	1.8E-05		(5)
Chromium (total)	7440-47-3	4.9E-10	1.1E-09	8.1E-08		(5)	7.4E-09		(5)	9.3E-08		(5)	6.4E-06		(5)
Chromium VI	18540-29-9	4.9E-10	1.1E-09	8.1E-08	0.083	9.7E-07	7.4E-09	0.88	8.5E-09	9.3E-08	0.88	1.1E-07	6.4E-06	0.30	2.1E-05
Copper	7440-50-8	1.2E-08	2.5E-08	1.9E-06		(5)	1.8E-07		(5)	2.2E-06		(5)	1.5E-04	100	1.5E-06
Manganese	7439-96-5	2.3E-09	5.0E-09	3.8E-07	0.090	4.3E-06	3.6E-08	0.40	8.9E-08	4.4E-07	0.40	1.1E-06	3.0E-05	0.30	1.0E-04
Mercury	7439-97-6	1.2E-10	2.6E-10	2.0E-08	0.077	2.6E-07	1.8E-09	0.63	2.9E-09	2.3E-08	0.63	3.7E-08	1.6E-06	0.60	2.6E-06
Nickel	7440-02-0	1.0E-09	2.2E-09	1.7E-07	0.014	1.2E-05	1.6E-08	0.062	2.6E-07	2.0E-07	0.062	3.2E-06	1.4E-05	0.20	6.8E-05
Phosphorus	504	1.9E-08	4.2E-08	3.2E-06		(5)	3.0E-07		(5)	3.7E-06		(5)	2.5E-04		(5)
Zinc	7440-66-6	2.9E-08	6.3E-08	4.8E-06		(5)	4.4E-07		(5)	5.5E-06		(5)	3.8E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-07	8.3E-07	6.3E-05	3.00	2.1E-05	5.9E-06	13.0	4.5E-07	7.3E-05	13.0	5.6E-06	5.0E-03		(5)

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	nronic Nonca	ncer						
		(g	/s)		Residential			nresidential (Non	residential W	/orker	Ac	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m ³)	Hazard Index
Exposi	ure Location (4))	•		1220	•		2	•		10103	•		10240	•
	e Facility-Wide				0.2			<0.1			0.1			0.2	
SSF02															
Cumulative TEU Risk						3.8E-05			8.1E-07			9.7E-06			2.2E-04
Dispersion Factor (µg/m3/[g					161	_		15.3	_		183			6,690	_
Barium	7440-39-3	1.4E-09	3.0E-09	2.2E-07		(5)	2.1E-08		(5)	2.6E-07		(5)	2.0E-05		(5)
Chromium (total)	7440-47-3	4.9E-10	1.1E-09	7.8E-08		(5)	7.5E-09		(5)	8.9E-08		(5)	7.1E-06		(5)
Chromium VI	18540-29-9	4.9E-10	1.1E-09	7.8E-08	0.083	9.4E-07	7.5E-09	0.88	8.5E-09	8.9E-08	0.88	1.0E-07	7.1E-06	0.30	2.4E-05
Copper	7440-50-8	1.2E-08	2.5E-08	1.9E-06		(5)	1.8E-07		(5)	2.2E-06		(5)	1.7E-04	100	1.7E-06
Manganese	7439-96-5	2.3E-09	5.0E-09	3.7E-07	0.090	4.2E-06	3.6E-08	0.40	8.9E-08	4.3E-07	0.40	1.1E-06	3.4E-05	0.30	1.1E-04
Mercury	7439-97-6	1.2E-10	2.6E-10	1.9E-08	0.077	2.5E-07	1.9E-09	0.63	3.0E-09	2.2E-08	0.63	3.5E-08	1.8E-06	0.60	2.9E-06
Nickel	7440-02-0	1.0E-09	2.2E-09	1.7E-07	0.014	1.2E-05	1.6E-08	0.062	2.6E-07	1.9E-07	0.062	3.1E-06	1.5E-05	0.20	7.5E-05
Phosphorus	504	1.9E-08	4.2E-08	3.1E-06		(5)	3.0E-07		(5)	3.6E-06		(5)	2.8E-04		(5)
Zinc	7440-66-6	2.9E-08	6.3E-08	4.6E-06		(5)	4.4E-07		(5)	5.3E-06		(5)	4.2E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-07	8.3E-07	6.2E-05	3.00	2.1E-05	5.9E-06	13.0	4.5E-07	7.0E-05	13.0	5.4E-06	5.5E-03		(5)
SSF05															
Cumulative TEU Risk					-	6.5E-05			7.9E-07			9.2E-06			7.5E-05
Dispersion Factor (µg/m3/[g	g/s])				276	-		14.9			174			2,332	•
Barium	7440-39-3	1.4E-09	3.0E-09	3.9E-07		(5)	2.1E-08		(5)	2.4E-07		(5)	7.0E-06		(5)
Chromium (total)	7440-47-3	4.9E-10	1.1E-09	1.3E-07		(5)	7.3E-09		(5)	8.5E-08		(5)	2.5E-06		(5)
Chromium VI	18540-29-9	4.9E-10	1.1E-09	1.3E-07	0.083	1.6E-06	7.3E-09	0.88	8.3E-09	8.5E-08	0.88	9.6E-08	2.5E-06	0.30	8.2E-06
Copper	7440-50-8	1.2E-08	2.5E-08	3.2E-06		(5)	1.8E-07		(5)	2.0E-06		(5)	5.9E-05	100	5.9E-07
Manganese	7439-96-5	2.3E-09	5.0E-09	6.4E-07	0.090	7.1E-06	3.5E-08	0.40	8.7E-08	4.1E-07	0.40	1.0E-06	1.2E-05	0.30	3.9E-05
Mercury	7439-97-6	1.2E-10	2.6E-10	3.3E-08	0.077	4.3E-07	1.8E-09	0.63	2.9E-09	2.1E-08	0.63	3.3E-08	6.1E-07	0.60	1.0E-06
Nickel	7440-02-0	1.0E-09	2.2E-09	2.9E-07	0.014	2.0E-05	1.5E-08	0.062	2.5E-07	1.8E-07	0.062	2.9E-06	5.2E-06	0.20	2.6E-05
Phosphorus	504	1.9E-08	4.2E-08	5.4E-06		(5)	2.9E-07		(5)	3.4E-06		(5)	9.8E-05		(5)
Zinc	7440-66-6	2.9E-08	6.3E-08	8.0E-06		(5)	4.3E-07		(5)	5.0E-06		(5)	1.5E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-07	8.3E-07	1.1E-04	3.00	3.5E-05	5.7E-06	13.0	4.4E-07	6.7E-05	13.0	5.1E-06	1.9E-03		(5)
SSF16															
Cumulative TEU Risk					1	8.2E-06			1.8E-06	-		1.8E-06			1.4E-05
Dispersion Factor (µg/m3/[g	g/s])				34.7	-		34.6			33.8			419	
Barium	7440-39-3	1.4E-09	3.0E-09	4.8E-08		(5)	4.8E-08		(5)	4.7E-08		(5)	1.3E-06		(5)
Chromium (total)	7440-47-3	4.9E-10	1.1E-09	1.7E-08		(5)	1.7E-08		(5)	1.7E-08		(5)	4.4E-07		(5)
Chromium VI	18540-29-9	4.9E-10	1.1E-09	1.7E-08	0.083	2.0E-07	1.7E-08	0.88	1.9E-08	1.7E-08	0.88	1.9E-08	4.4E-07	0.30	1.5E-06
Copper	7440-50-8	1.2E-08	2.5E-08	4.1E-07		(5)	4.1E-07		(5)	4.0E-07		(5)	1.1E-05	100	1.1E-07
Manganese	7439-96-5	2.3E-09	5.0E-09	8.1E-08	0.090	9.0E-07	8.1E-08	0.40	2.0E-07	7.9E-08	0.40	2.0E-07	2.1E-06	0.30	7.0E-06
Mercury	7439-97-6	1.2E-10	2.6E-10	4.2E-09	0.077	5.5E-08	4.2E-09	0.63	6.7E-09	4.1E-09	0.63	6.5E-09	1.1E-07	0.60	1.8E-07
Nickel	7440-02-0	1.0E-09	2.2E-09	3.6E-08	0.014	2.6E-06	3.6E-08	0.062	5.8E-07	3.5E-08	0.062	5.7E-07	9.4E-07	0.20	4.7E-06
Phosphorus	504	1.9E-08	4.2E-08	6.7E-07		(5)	6.7E-07		(5)	6.6E-07		(5)	1.8E-05		(5)
Zinc	7440-66-6	2.9E-08	6.3E-08	1.0E-06		(5)	1.0E-06		(5)	9.8E-07		(5)	2.6E-05		(5)
Silica, Crystalline	7631-86-9	3.8E-07	8.3E-07	1.3E-05	3.00	4.4E-06	1.3E-05	13.0	1.0E-06	1.3E-05	13.0	1.0E-06	3.5E-04		(5)

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Nonca	ncer				0.0	ta Nanaan	
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	T AC	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposi	ure Location ⁽⁴)			1220	•		2			10103	•		10240	•
	e Facility-Wide				0.2			<0.1			0.1			0.2	
SSF17															
Cumulative TEU Risk						7.8E-06			1.9E-06			1.7E-06			1.3E-05
Dispersion Factor (µg/m3/[g	ı/s])				33.4			35.4			32.5			406	
Barium	7440-39-3	1.4E-09	3.0E-09	4.7E-08		(5)	4.9E-08		(5)	4.5E-08		(5)	1.2E-06		(5)
Chromium (total)	7440-47-3	4.9E-10	1.1E-09	1.6E-08		(5)	1.7E-08		(5)	1.6E-08		(5)	4.3E-07		(5)
Chromium VI	18540-29-9	4.9E-10	1.1E-09	1.6E-08	0.083	2.0E-07	1.7E-08	0.88	2.0E-08	1.6E-08	0.88	1.8E-08	4.3E-07	0.30	1.4E-06
Copper	7440-50-8	1.2E-08	2.5E-08	3.9E-07		(5)	4.2E-07		(5)	3.8E-07		(5)	1.0E-05	100	1.0E-07
Manganese	7439-96-5	2.3E-09	5.0E-09	7.8E-08	0.090	8.6E-07	8.2E-08	0.40	2.1E-07	7.6E-08	0.40	1.9E-07	2.0E-06	0.30	6.8E-06
Mercury	7439-97-6	1.2E-10	2.6E-10	4.0E-09	0.077	5.3E-08	4.3E-09	0.63	6.8E-09	3.9E-09	0.63	6.3E-09	1.1E-07	0.60	1.8E-07
Nickel	7440-02-0	1.0E-09	2.2E-09	3.5E-08	0.014	2.5E-06	3.7E-08	0.062	5.9E-07	3.4E-08	0.062	5.4E-07	9.1E-07	0.20	4.6E-06
Phosphorus	504	1.9E-08	4.2E-08	6.5E-07		(5)	6.9E-07		(5)	6.3E-07		(5)	1.7E-05		(5)
Zinc	7440-66-6	2.9E-08	6.3E-08	9.7E-07		(5)	1.0E-06		(5)	9.4E-07		(5)	2.5E-05		(5)
Silica, Crystalline	7631-86-9	3.8E-07	8.3E-07	1.3E-05	3.00	4.3E-06	1.4E-05	13.0	1.0E-06	1.2E-05	13.0	9.6E-07	3.4E-04		(5)
SSF18															
Cumulative TEU Risk						8.0E-06			1.9E-06			1.7E-06			1.3E-05
Dispersion Factor (µg/m3/[g					33.8			35.4			32.8			412	
Barium	7440-39-3	1.4E-09	3.0E-09	4.7E-08		(5)	4.9E-08		(5)	4.6E-08		(5)	1.2E-06		(5)
Chromium (total)	7440-47-3	4.9E-10	1.1E-09	1.6E-08		(5)	1.7E-08		(5)	1.6E-08		(5)	4.4E-07		(5)
Chromium VI	18540-29-9	4.9E-10	1.1E-09	1.6E-08	0.083	2.0E-07	1.7E-08	0.88	2.0E-08	1.6E-08	0.88	1.8E-08	4.4E-07	0.30	1.5E-06
Copper	7440-50-8	1.2E-08	2.5E-08	4.0E-07		(5)	4.2E-07		(5)	3.9E-07		(5)	1.0E-05	100	1.0E-07
Manganese	7439-96-5	2.3E-09	5.0E-09	7.9E-08	0.090	8.8E-07	8.3E-08	0.40	2.1E-07	7.6E-08	0.40	1.9E-07	2.1E-06	0.30	6.9E-06
Mercury	7439-97-6	1.2E-10	2.6E-10	4.1E-09	0.077	5.3E-08	4.3E-09	0.63	6.8E-09	4.0E-09	0.63	6.3E-09	1.1E-07	0.60	1.8E-07
Nickel	7440-02-0	1.0E-09	2.2E-09	3.5E-08	0.014	2.5E-06	3.7E-08	0.062	5.9E-07	3.4E-08	0.062	5.5E-07	9.3E-07	0.20	4.6E-06
Phosphorus	504	1.9E-08	4.2E-08	6.6E-07		(5)	6.9E-07		(5)	6.4E-07		(5)	1.7E-05		(5)
Zinc	7440-66-6	2.9E-08	6.3E-08	9.8E-07		(5)	1.0E-06		(5)	9.5E-07		(5)	2.6E-05		(5)
Silica, Crystalline	7631-86-9	3.8E-07	8.3E-07	1.3E-05	3.00	4.3E-06	1.4E-05	13.0	1.0E-06	1.3E-05	13.0	9.7E-07	3.4E-04		(5)

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Nonca	ncer				۸۵	cute Noncan	
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AC	tute Moncan	cei
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Expos	sure Location (4)			1220			2			10103			10240	
	e Facility-Wide				0.2			<0.1			0.1			0.2	
SSF03															
Cumulative TEU Risk						6.8E-04			9.1E-06			9.8E-05			2.9E-03
Dispersion Factor (µg/m3/[g/s])				203			15.7			169			1,859	
Antimony	7440-36-0	9.8E-09	2.1E-08	2.0E-06	0.30	6.6E-06	1.5E-07	1.30	1.2E-07	1.7E-06	1.30	1.3E-06	4.0E-05	1.00	4.0E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.2E-06		(5)	9.5E-08		(5)	1.0E-06		(5)	2.4E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.3E-06	5.0E-03	2.5E-04	9.8E-08	0.037	2.7E-06	1.1E-06	0.037	2.9E-05	2.5E-05	0.030	8.4E-04
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.2E-06		(5)	9.1E-08		(5)	9.9E-07		(5)	2.3E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.2E-06	0.083	1.4E-05	9.1E-08	0.88	1.0E-07	9.9E-07	0.88	1.1E-06	2.3E-05	0.30	7.8E-05
Cobalt	7440-48-4	2.6E-10	5.5E-10	5.2E-08	0.10	5.2E-07	4.0E-09	0.44	9.1E-09	4.3E-08	0.44	9.8E-08	1.0E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	7.0E-06		(5)	5.4E-07		(5)	5.9E-06		(5)	1.4E-04	100	1.4E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.1E-05	0.15	7.5E-05	8.7E-07	0.66	1.3E-06	9.4E-06	0.66	1.4E-05	2.2E-04	0.15	1.5E-03
Manganese	7439-96-5	8.8E-09	1.9E-08	1.8E-06	0.090	2.0E-05	1.4E-07	0.40	3.4E-07	1.5E-06	0.40	3.7E-06	3.5E-05	0.30	1.2E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.4E-07	0.077	1.8E-06	1.0E-08	0.63	1.7E-08	1.1E-07	0.63	1.8E-07	2.7E-06	0.60	4.5E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	2.7E-06	0.014	1.9E-04	2.1E-07	0.062	3.4E-06	2.2E-06	0.062	3.6E-05	5.3E-05	0.20	2.7E-04
Phosphorus	504	1.6E-07	3.4E-07	3.2E-05		(5)	2.5E-06		(5)	2.7E-05		(5)	6.3E-04		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	2.0E-05		(5)	1.5E-06		(5)	1.7E-05		(5)	4.0E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.3E-04	2.30	9.9E-05	1.8E-05	20.0	8.8E-07	1.9E-04	20.0	9.6E-06	4.5E-03	240	1.9E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	5.2E-05	3.00	1.7E-05	4.0E-06	13.0	3.1E-07	4.3E-05	13.0	3.3E-06	1.0E-03		(5)
SSF04						_						•	-		
Cumulative TEU Risk						7.0E-04			9.1E-06			1.0E-04			3.4E-03
Dispersion Factor (µg/m3/[209	_		15.6			171	_		2,222	
Antimony	7440-36-0	9.8E-09	2.1E-08	2.1E-06	0.30	6.8E-06	1.5E-07	1.30	1.2E-07	1.7E-06	1.30	1.3E-06	4.7E-05	1.00	4.7E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.3E-06		(5)	9.4E-08		(5)	1.0E-06		(5)	2.9E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.3E-06	5.0E-03	2.6E-04	9.8E-08	0.037	2.6E-06	1.1E-06	0.037	2.9E-05	3.0E-05	0.030	1.0E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.2E-06		(5)	9.1E-08		(5)	1.0E-06		(5)	2.8E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.2E-06	0.083	1.5E-05	9.1E-08	0.88	1.0E-07	1.0E-06	0.88	1.1E-06	2.8E-05	0.30	9.4E-05
Cobalt	7440-48-4	2.6E-10	5.5E-10	5.3E-08	0.10	5.3E-07	4.0E-09	0.44	9.1E-09	4.4E-08	0.44	1.0E-07	1.2E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	7.2E-06		(5)	5.4E-07		(5)	5.9E-06		(5)	1.7E-04	100	1.7E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.2E-05	0.15	7.7E-05	8.6E-07	0.66	1.3E-06	9.5E-06	0.66	1.4E-05	2.7E-04	0.15	1.8E-03
Manganese	7439-96-5		1.9E-08	1.8E-06	0.090	2.0E-05	1.4E-07	0.40	3.4E-07	1.5E-06	0.40	3.8E-06	4.2E-05	0.30	1.4E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.4E-07	0.077	1.8E-06	1.0E-08	0.63	1.7E-08	1.1E-07	0.63	1.8E-07	3.2E-06	0.60	5.3E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	2.8E-06	0.014	2.0E-04	2.1E-07	0.062	3.3E-06	2.3E-06	0.062	3.7E-05	6.4E-05	0.20	3.2E-04
Phosphorus	504	1.6E-07	3.4E-07	3.3E-05		(5)	2.4E-06		(5)	2.7E-05		(5)	7.6E-04		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	2.1E-05		(5)	1.5E-06		(5)	1.7E-05		(5)	4.7E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.4E-04	2.30	1.0E-04	1.8E-05	20.0	8.8E-07	1.9E-04	20.0	9.7E-06	5.4E-03	240	2.3E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	5.3E-05	3.00	1.8E-05	4.0E-06	13.0	3.1E-07	4.4E-05	13.0	3.4E-06	1.2E-03		(5)

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncai	ncer						
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	Ac	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location (4)			1220	•		2	,		10103	•		10240	
Cumulative	Facility-Wide				0.2			<0.1			0.1			0.2	
SSF06															
Cumulative TEU Risk						7.7E-04			8.9E-06			1.0E-04			4.3E-03
Dispersion Factor (µg/m3/[g.					228	•		15.4			175	_		2,813	
Antimony	7440-36-0	9.8E-09	2.1E-08	2.2E-06	0.30	7.5E-06	1.5E-07	1.30	1.2E-07	1.7E-06	1.30	1.3E-06	6.0E-05	1.00	6.0E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.4E-06		(5)	9.3E-08		(5)	1.1E-06		(5)	3.7E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.4E-06	5.0E-03	2.9E-04	9.6E-08	0.037	2.6E-06	1.1E-06	0.037	3.0E-05	3.8E-05	0.030	1.3E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.3E-06		(5)	9.0E-08		(5)	1.0E-06		(5)	3.6E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.3E-06	0.083	1.6E-05	9.0E-08	0.88	1.0E-07	1.0E-06	0.88	1.2E-06	3.6E-05	0.30	1.2E-04
Cobalt	7440-48-4	2.6E-10	5.5E-10	5.8E-08	0.10	5.8E-07	3.9E-09	0.44	8.9E-09	4.5E-08	0.44	1.0E-07	1.6E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	7.9E-06		(5)	5.3E-07		(5)	6.1E-06		(5)	2.1E-04	100	2.1E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.3E-05	0.15	8.4E-05	8.5E-07	0.66	1.3E-06	9.7E-06	0.66	1.5E-05	3.4E-04	0.15	2.2E-03
Manganese	7439-96-5	8.8E-09	1.9E-08	2.0E-06	0.090	2.2E-05	1.3E-07	0.40	3.4E-07	1.5E-06	0.40	3.8E-06	5.3E-05	0.30	1.8E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.5E-07	0.077	2.0E-06	1.0E-08	0.63	1.6E-08	1.2E-07	0.63	1.9E-07	4.1E-06	0.60	6.8E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	3.0E-06	0.014	2.2E-04	2.0E-07	0.062	3.3E-06	2.3E-06	0.062	3.7E-05	8.1E-05	0.20	4.0E-04
Phosphorus	504	1.6E-07	3.4E-07	3.6E-05		(5)	2.4E-06		(5)	2.8E-05		(5)	9.6E-04		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	2.2E-05		(5)	1.5E-06		(5)	1.7E-05		(5)	6.0E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.6E-04	2.30	1.1E-04	1.7E-05	20.0	8.7E-07	2.0E-04	20.0	9.9E-06	6.9E-03	240	2.9E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	5.8E-05	3.00	1.9E-05	3.9E-06	13.0	3.0E-07	4.5E-05	13.0	3.4E-06	1.6E-03		(5)
SSF07						1			T	1	1	1			
Cumulative TEU Risk						8.9E-04			8.7E-06			1.0E-04			3.7E-03
Dispersion Factor (µg/m3/[g.		1			265			15.0	1		175	T		2,433	
Antimony	7440-36-0	9.8E-09	2.1E-08	2.6E-06	0.30	8.7E-06	1.5E-07	1.30	1.1E-07	1.7E-06	1.30	1.3E-06	5.2E-05	1.00	5.2E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.6E-06		(5)	9.1E-08		(5)	1.1E-06		(5)	3.2E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.7E-06	5.0E-03	3.3E-04	9.4E-08	0.037	2.5E-06	1.1E-06	0.037	3.0E-05	3.3E-05	0.030	1.1E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.5E-06		(5)	8.8E-08		(5)	1.0E-06		(5)	3.1E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.5E-06	0.083	1.9E-05	8.8E-08	0.88	1.0E-07	1.0E-06	0.88	1.2E-06	3.1E-05	0.30	1.0E-04
Cobalt	7440-48-4	2.6E-10	5.5E-10	6.8E-08	0.10	6.8E-07	3.8E-09	0.44	8.7E-09	4.5E-08	0.44	1.0E-07	1.3E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	9.2E-06		(5)	5.2E-07		(5)	6.1E-06		(5)	1.8E-04	100	1.8E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.5E-05	0.15	9.8E-05	8.3E-07	0.66	1.3E-06	9.7E-06	0.66	1.5E-05	2.9E-04	0.15	1.9E-03
Manganese	7439-96-5	8.8E-09	1.9E-08	2.3E-06	0.090	2.6E-05	1.3E-07	0.40	3.3E-07	1.5E-06	0.40	3.8E-06	4.6E-05	0.30	1.5E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.8E-07	0.077	2.3E-06	1.0E-08	0.63	1.6E-08	1.2E-07	0.63	1.9E-07	3.5E-06	0.60	5.9E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	3.5E-06	0.014	2.5E-04	2.0E-07	0.062	3.2E-06	2.3E-06	0.062	3.7E-05	7.0E-05	0.20	3.5E-04
Phosphorus	504	1.6E-07	3.4E-07	4.2E-05		(5)	2.4E-06		(5)	2.8E-05		(5)	8.3E-04		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	2.6E-05	2.20	(5)	1.5E-06		(5)	1.7E-05		(5)	5.2E-04	240	(5)
Fluorides	239	1.1E-06	2.4E-06	3.0E-04	2.30	1.3E-04	1.7E-05	20.0	8.5E-07	2.0E-04	20.0	9.9E-06	5.9E-03	240	2.5E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	6.8E-05	3.00	2.3E-05	3.8E-06	13.0	3.0E-07	4.5E-05	13.0	3.4E-06	1.3E-03		(5)

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncai	ncer						
		(g.	/s)		Residential		No	nresidential (Child	Non	residential W	orker	Ac	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location (4)			1220			2	,		10103	•		10240	
Cumulative	Facility-Wide				0.2			<0.1			0.1			0.2	
SSF08															
Cumulative TEU Risk						7.9E-04			8.9E-06			1.0E-04			4.3E-03
Dispersion Factor (µg/m3/[g.					235	_		15.2			175	_		2,813	
Antimony	7440-36-0	9.8E-09	2.1E-08	2.3E-06	0.30	7.7E-06	1.5E-07	1.30	1.2E-07	1.7E-06	1.30	1.3E-06	6.0E-05	1.00	6.0E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.4E-06		(5)	9.2E-08		(5)	1.1E-06		(5)	3.7E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.5E-06	5.0E-03	3.0E-04	9.6E-08	0.037	2.6E-06	1.1E-06	0.037	3.0E-05	3.8E-05	0.030	1.3E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.4E-06		(5)	8.9E-08		(5)	1.0E-06		(5)	3.6E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.4E-06	0.083	1.7E-05	8.9E-08	0.88	1.0E-07	1.0E-06	0.88	1.2E-06	3.6E-05	0.30	1.2E-04
Cobalt	7440-48-4	2.6E-10	5.5E-10	6.0E-08	0.10	6.0E-07	3.9E-09	0.44	8.9E-09	4.5E-08	0.44	1.0E-07	1.6E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	8.2E-06		(5)	5.3E-07		(5)	6.1E-06		(5)	2.1E-04	100	2.1E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.3E-05	0.15	8.7E-05	8.4E-07	0.66	1.3E-06	9.7E-06	0.66	1.5E-05	3.4E-04	0.15	2.2E-03
Manganese	7439-96-5	8.8E-09	1.9E-08	2.1E-06	0.090	2.3E-05	1.3E-07	0.40	3.3E-07	1.5E-06	0.40	3.8E-06	5.3E-05	0.30	1.8E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.6E-07	0.077	2.0E-06	1.0E-08	0.63	1.6E-08	1.2E-07	0.63	1.9E-07	4.1E-06	0.60	6.8E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	3.1E-06	0.014	2.2E-04	2.0E-07	0.062	3.3E-06	2.3E-06	0.062	3.8E-05	8.1E-05	0.20	4.0E-04
Phosphorus	504	1.6E-07	3.4E-07	3.7E-05		(5)	2.4E-06		(5)	2.8E-05		(5)	9.6E-04		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	2.3E-05		(5)	1.5E-06		(5)	1.7E-05		(5)	6.0E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.7E-04	2.30	1.2E-04	1.7E-05	20.0	8.6E-07	2.0E-04	20.0	9.9E-06	6.9E-03	240	2.9E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	6.0E-05	3.00	2.0E-05	3.9E-06	13.0	3.0E-07	4.5E-05	13.0	3.4E-06	1.6E-03		(5)
SSF09												_			
Cumulative TEU Risk						6.5E-04			8.4E-06			1.3E-04			4.9E-03
Dispersion Factor (µg/m3/[g.					193	_		14.5			227			3,176	
Antimony	7440-36-0	9.8E-09	2.1E-08	1.9E-06	0.30	6.3E-06	1.4E-07	1.30	1.1E-07	2.2E-06	1.30	1.7E-06	6.8E-05	1.00	6.8E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.2E-06		(5)	8.8E-08		(5)	1.4E-06		(5)	4.2E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.2E-06	5.0E-03	2.4E-04	9.1E-08	0.037	2.5E-06	1.4E-06	0.037	3.9E-05	4.3E-05	0.030	1.4E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.1E-06		(5)	8.5E-08		(5)	1.3E-06		(5)	4.0E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.1E-06	0.083	1.4E-05	8.5E-08	0.88	9.6E-08	1.3E-06	0.88	1.5E-06	4.0E-05	0.30	1.3E-04
Cobalt	7440-48-4	2.6E-10	5.5E-10	4.9E-08	0.10	4.9E-07	3.7E-09	0.44	8.4E-09	5.8E-08	0.44	1.3E-07	1.8E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	6.7E-06		(5)	5.0E-07		(5)	7.9E-06		(5)	2.4E-04	100	2.4E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.1E-05	0.15	7.1E-05	8.0E-07	0.66	1.2E-06	1.3E-05	0.66	1.9E-05	3.8E-04	0.15	2.5E-03
Manganese	7439-96-5	8.8E-09	1.9E-08	1.7E-06	0.090	1.9E-05	1.3E-07	0.40	3.2E-07	2.0E-06	0.40	5.0E-06	6.0E-05	0.30	2.0E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.3E-07	0.077	1.7E-06	9.7E-09	0.63	1.5E-08	1.5E-07	0.63	2.4E-07	4.6E-06	0.60	7.6E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	2.6E-06	0.014	1.8E-04	1.9E-07	0.062	3.1E-06	3.0E-06	0.062	4.9E-05	9.1E-05	0.20	4.6E-04
Phosphorus	504	1.6E-07	3.4E-07	3.0E-05		(5)	2.3E-06		(5)	3.6E-05		(5)	1.1E-03		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	1.9E-05		(5)	1.4E-06		(5)	2.2E-05		(5)	6.8E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.2E-04	2.30	9.5E-05	1.6E-05	20.0	8.2E-07	2.6E-04	20.0	1.3E-05	7.7E-03	240	3.2E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	4.9E-05	3.00	1.6E-05	3.7E-06	13.0	2.8E-07	5.8E-05	13.0	4.5E-06	1.8E-03		(5)

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncai	ncer					t - NI	
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	Ac	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location (4)	•		1220	•		2	•		10103			10240	
Cumulative	Facility-Wide				0.2			<0.1			0.1			0.2	
SSF10															
Cumulative TEU Risk						6.0E-04			8.7E-06			1.2E-04			6.5E-03
Dispersion Factor (µg/m3/[g.					179	•		15.0			209	•		4,238	
Antimony	7440-36-0	9.8E-09	2.1E-08	1.8E-06	0.30	5.9E-06	1.5E-07	1.30	1.1E-07	2.1E-06	1.30	1.6E-06	9.0E-05	1.00	9.0E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.1E-06		(5)	9.1E-08		(5)	1.3E-06		(5)	5.6E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.1E-06	5.0E-03	2.3E-04	9.4E-08	0.037	2.5E-06	1.3E-06	0.037	3.6E-05	5.8E-05	0.030	1.9E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.0E-06		(5)	8.8E-08		(5)	1.2E-06		(5)	5.4E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.0E-06	0.083	1.3E-05	8.8E-08	0.88	1.0E-07	1.2E-06	0.88	1.4E-06	5.4E-05	0.30	1.8E-04
Cobalt	7440-48-4	2.6E-10	5.5E-10	4.6E-08	0.10	4.6E-07	3.8E-09	0.44	8.7E-09	5.3E-08	0.44	1.2E-07	2.3E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	6.2E-06		(5)	5.2E-07		(5)	7.3E-06		(5)	3.2E-04	100	3.2E-06
Lead	7439-92-1	5.5E-08	1.2E-07	9.9E-06	0.15	6.6E-05	8.3E-07	0.66	1.3E-06	1.2E-05	0.66	1.8E-05	5.1E-04	0.15	3.4E-03
Manganese	7439-96-5	8.8E-09	1.9E-08	1.6E-06	0.090	1.8E-05	1.3E-07	0.40	3.3E-07	1.8E-06	0.40	4.6E-06	8.0E-05	0.30	2.7E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.2E-07	0.077	1.6E-06	1.0E-08	0.63	1.6E-08	1.4E-07	0.63	2.2E-07	6.1E-06	0.60	1.0E-05
Nickel	7440-02-0	1.3E-08	2.9E-08	2.4E-06	0.014	1.7E-04	2.0E-07	0.062	3.2E-06	2.8E-06	0.062	4.5E-05	1.2E-04	0.20	6.1E-04
Phosphorus	504	1.6E-07	3.4E-07	2.8E-05		(5)	2.4E-06		(5)	3.3E-05		(5)	1.4E-03		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	1.8E-05		(5)	1.5E-06		(5)	2.1E-05		(5)	9.0E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.0E-04	2.30	8.8E-05	1.7E-05	20.0	8.5E-07	2.4E-04	20.0	1.2E-05	0.010	240	4.3E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	4.6E-05	3.00	1.5E-05	3.8E-06	13.0	3.0E-07	5.3E-05	13.0	4.1E-06	2.3E-03		(5)
SSF11						1			T	1		I			_
Cumulative TEU Risk						6.1E-04			8.6E-06			1.2E-04			5.7E-03
Dispersion Factor (µg/m3/[g.		1	ı		183			14.9	1		215			3,724	
Antimony	7440-36-0	9.8E-09	2.1E-08	1.8E-06	0.30	6.0E-06	1.5E-07	1.30	1.1E-07	2.1E-06	1.30	1.6E-06	7.9E-05	1.00	7.9E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.1E-06		(5)	9.0E-08		(5)	1.3E-06		(5)	4.9E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.1E-06	5.0E-03	2.3E-04	9.3E-08	0.037	2.5E-06	1.3E-06	0.037	3.6E-05	5.1E-05	0.030	1.7E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.1E-06		(5)	8.7E-08		(5)	1.3E-06		(5)	4.7E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.1E-06	0.083	1.3E-05	8.7E-08	0.88	9.9E-08	1.3E-06	0.88	1.4E-06	4.7E-05	0.30	1.6E-04
Cobalt	7440-48-4	2.6E-10	5.5E-10	4.7E-08	0.10	4.7E-07	3.8E-09	0.44	8.6E-09	5.5E-08	0.44	1.2E-07	2.1E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	6.3E-06		(5)	5.2E-07		(5)	7.5E-06		(5)	2.8E-04	100	2.8E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.0E-05	0.15	6.7E-05	8.2E-07	0.66	1.2E-06	1.2E-05	0.66	1.8E-05	4.5E-04	0.15	3.0E-03
Manganese	7439-96-5	8.8E-09	1.9E-08	1.6E-06	0.090	1.8E-05	1.3E-07	0.40	3.3E-07	1.9E-06	0.40	4.7E-06	7.1E-05	0.30	2.4E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.2E-07	0.077	1.6E-06	9.9E-09	0.63	1.6E-08	1.4E-07	0.63	2.3E-07	5.4E-06	0.60	9.0E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	2.4E-06	0.014	1.7E-04	2.0E-07	0.062	3.2E-06	2.9E-06	0.062	4.6E-05	1.1E-04	0.20	5.3E-04
Phosphorus 7'	504	1.6E-07	3.4E-07	2.9E-05		(5)	2.3E-06		(5)	3.4E-05		(5)	1.3E-03		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	1.8E-05		(5)	1.5E-06		(5)	2.1E-05		(5)	7.9E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.1E-04	2.30	9.0E-05	1.7E-05	20.0	8.4E-07	2.4E-04	20.0	1.2E-05	9.1E-03	240	3.8E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	4.7E-05	3.00	1.6E-05	3.8E-06	13.0	2.9E-07	5.5E-05	13.0	4.2E-06	2.1E-03		(5)

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Nonca	ncer				0.0	uto Noncon	
		(g.	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AC	ute Noncan	Jei
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location ⁽⁴⁾)			1220			2			10103	•		10240	
	Facility-Wide				0.2			<0.1			0.1			0.2	
SSF12															
Cumulative TEU Risk						6.8E-04			8.4E-06			1.4E-04			4.7E-03
Dispersion Factor (µg/m3/[g/					202			14.4			233			3,062	
Antimony	7440-36-0	9.8E-09	2.1E-08	2.0E-06	0.30	6.6E-06	1.4E-07	1.30	1.1E-07	2.3E-06	1.30	1.8E-06	6.5E-05	1.00	6.5E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.2E-06		(5)	8.8E-08		(5)	1.4E-06		(5)	4.0E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.3E-06	5.0E-03	2.5E-04	9.1E-08	0.037	2.5E-06	1.5E-06	0.037	4.0E-05	4.2E-05	0.030	1.4E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.2E-06		(5)	8.4E-08		(5)	1.4E-06		(5)	3.9E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.2E-06	0.083	1.4E-05	8.4E-08	0.88	9.6E-08	1.4E-06	0.88	1.5E-06	3.9E-05	0.30	1.3E-04
Cobalt	7440-48-4	2.6E-10	5.5E-10	5.2E-08	0.10	5.2E-07	3.7E-09	0.44	8.4E-09	6.0E-08	0.44	1.4E-07	1.7E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	7.0E-06		(5)	5.0E-07		(5)	8.1E-06		(5)	2.3E-04	100	2.3E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.1E-05	0.15	7.4E-05	8.0E-07	0.66	1.2E-06	1.3E-05	0.66	2.0E-05	3.7E-04	0.15	2.4E-03
Manganese	7439-96-5	8.8E-09	1.9E-08	1.8E-06	0.090	2.0E-05	1.3E-07	0.40	3.2E-07	2.0E-06	0.40	5.1E-06	5.8E-05	0.30	1.9E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.3E-07	0.077	1.8E-06	9.7E-09	0.63	1.5E-08	1.6E-07	0.63	2.5E-07	4.4E-06	0.60	7.4E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	2.7E-06	0.014	1.9E-04	1.9E-07	0.062	3.1E-06	3.1E-06	0.062	5.0E-05	8.8E-05	0.20	4.4E-04
Phosphorus	504	1.6E-07	3.4E-07	3.2E-05		(5)	2.3E-06		(5)	3.7E-05		(5)	1.0E-03		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	2.0E-05		(5)	1.4E-06		(5)	2.3E-05		(5)	6.5E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.3E-04	2.30	9.9E-05	1.6E-05	20.0	8.2E-07	2.6E-04	20.0	1.3E-05	7.5E-03	240	3.1E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	5.2E-05	3.00	1.7E-05	3.7E-06	13.0	2.8E-07	6.0E-05	13.0	4.6E-06	1.7E-03		(5)
SSF14															
Cumulative TEU Risk						7.2E-05			1.7E-05			1.4E-05			1.7E-04
Dispersion Factor (µg/m3/[g/	/s])				31.7			37.4			30.0			362	
Antimony	7440-36-0	1.4E-08	3.0E-08	4.3E-07	0.30	1.4E-06	5.1E-07	1.30	3.9E-07	4.1E-07	1.30	3.1E-07	1.1E-05	1.00	1.1E-05
Barium	7440-39-3	9.1E-09	2.0E-08	2.9E-07		(5)	3.4E-07		(5)	2.7E-07		(5)	7.1E-06		(5)
Cadmium	7440-43-9	2.5E-09	5.4E-09	8.0E-08	5.0E-03	1.6E-05	9.4E-08	0.037	2.5E-06	7.5E-08	0.037	2.0E-06	2.0E-06	0.030	6.6E-05
Chromium (total)	7440-47-3	2.9E-09	6.3E-09	9.3E-08		(5)	1.1E-07		(5)	8.8E-08		(5)	2.3E-06		(5)
Chromium VI	18540-29-9	2.9E-09	6.3E-09	9.3E-08	0.083	1.1E-06	1.1E-07	0.88	1.2E-07	8.8E-08	0.88	1.0E-07	2.3E-06	0.30	7.6E-06
Copper	7440-50-8	4.2E-08	9.0E-08	1.3E-06		(5)	1.6E-06		(5)	1.2E-06		(5)	3.3E-05	100	3.3E-07
Manganese	7439-96-5	9.5E-09	2.1E-08	3.0E-07	0.090	3.4E-06	3.6E-07	0.40	8.9E-07	2.9E-07	0.40	7.1E-07	7.5E-06	0.30	2.5E-05
Mercury	7439-97-6	4.8E-10	1.0E-09	1.5E-08	0.077	2.0E-07	1.8E-08	0.63	2.8E-08	1.4E-08	0.63	2.3E-08	3.7E-07	0.60	6.2E-07
Nickel	7440-02-0	1.6E-08	3.4E-08	5.0E-07	0.014	3.6E-05	5.9E-07	0.062	9.5E-06	4.7E-07	0.062	7.6E-06	1.2E-05	0.20	6.2E-05
Phosphorus	504	7.8E-08	1.7E-07	2.5E-06		(5)	2.9E-06		(5)	2.3E-06		(5)	6.1E-05		(5)
Zinc	7440-66-6	2.5E-07	5.4E-07	8.0E-06		(5)	9.4E-06		(5)	7.5E-06		(5)	2.0E-04		(5)
Fluorides	239	1.5E-07	3.3E-07	4.8E-06	2.30	2.1E-06	5.7E-06	20.0	2.8E-07	4.5E-06	20.0	2.3E-07	1.2E-04	240	4.9E-07
Silica, Crystalline	7631-86-9	1.2E-06	2.5E-06	3.6E-05	3.00	1.2E-05	4.3E-05	13.0	3.3E-06	3.4E-05	13.0	2.7E-06	9.0E-04		(5)

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emission Rate (g/s)					Ch	vania Nanaa							
					Residential			nronic Nonca nresidential (Non	residential W	lorkor .	Ac	cute Noncan	cer
Tavia Air Cantaminant	240	(9	73)		Residential	1		nresidentiai (I	Sniid T		iresidentiai w	orker			1
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index (b)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m ³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location (4)		•		1220	•		2	•		10103	•		10240	•
	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
SSF15						_						_			
Cumulative TEU Risk						7.3E-05			1.7E-05			1.4E-05			1.7E-04
Dispersion Factor (µg/m3/[g		T	.		31.9	•		37.3	1		30.1	1		362	1
Antimony	7440-36-0	1.4E-08	3.0E-08	4.4E-07	0.30	1.5E-06	5.1E-07	1.30	3.9E-07	4.1E-07	1.30	3.2E-07	1.1E-05	1.00	1.1E-05
Barium	7440-39-3	9.1E-09	2.0E-08	2.9E-07		(5)	3.4E-07		(5)	2.7E-07		(5)	7.1E-06		(5)
Cadmium	7440-43-9	2.5E-09	5.4E-09	8.1E-08	5.0E-03	1.6E-05	9.4E-08	0.037	2.5E-06	7.6E-08	0.037	2.0E-06	2.0E-06	0.030	6.6E-05
Chromium (total)	7440-47-3	2.9E-09	6.3E-09	9.4E-08		(5)	1.1E-07		(5)	8.8E-08		(5)	2.3E-06		(5)
Chromium VI	18540-29-9	2.9E-09	6.3E-09	9.4E-08	0.083	1.1E-06	1.1E-07	0.88	1.2E-07	8.8E-08	0.88	1.0E-07	2.3E-06	0.30	7.6E-06
Copper	7440-50-8	4.2E-08	9.0E-08	1.3E-06		(5)	1.6E-06		(5)	1.3E-06		(5)	3.3E-05	100	3.3E-07
Manganese	7439-96-5	9.5E-09	2.1E-08	3.0E-07	0.090	3.4E-06	3.6E-07	0.40	8.9E-07	2.9E-07	0.40	7.2E-07	7.4E-06	0.30	2.5E-05
Mercury	7439-97-6	4.8E-10	1.0E-09	1.5E-08	0.077	2.0E-07	1.8E-08	0.63	2.8E-08	1.4E-08	0.63	2.3E-08	3.7E-07	0.60	6.2E-07
Nickel	7440-02-0	1.6E-08	3.4E-08	5.0E-07	0.014	3.6E-05	5.9E-07	0.062	9.5E-06	4.7E-07	0.062	7.6E-06	1.2E-05	0.20	6.2E-05
Phosphorus	504	7.8E-08	1.7E-07	2.5E-06		(5)	2.9E-06		(5)	2.3E-06		(5)	6.1E-05		(5)
Zinc	7440-66-6	2.5E-07	5.4E-07	8.0E-06		(5)	9.4E-06		(5)	7.6E-06		(5)	2.0E-04		(5)
Fluorides	239	1.5E-07	3.3E-07	4.8E-06	2.30	2.1E-06	5.7E-06	20.0	2.8E-07	4.6E-06	20.0	2.3E-07	1.2E-04	240	4.9E-07
Silica, Crystalline	7631-86-9	1.2E-06	2.5E-06	3.7E-05	3.00	1.2E-05	4.3E-05	13.0	3.3E-06	3.5E-05	13.0	2.7E-06	9.0E-04		(5)
SSF13						1		ı	T	T	ı	T			T
Cumulative TEU Risk	/ 1\					0.024			2.0E-04			3.4E-03			0.10
Dispersion Factor (µg/m3/[g		/ OF OO	4 55 07	1 55 05	222	F 45 05	0.05.07	14.3	7 (5 07	1 75 05	243	1 05 05	4.05.04	2,777	4.05.04
Antimony	7440-36-0	6.9E-08	1.5E-07	1.5E-05	0.30	5.1E-05	9.9E-07	1.30	7.6E-07	1.7E-05	1.30	1.3E-05	4.2E-04	1.00	4.2E-04
Barium	7440-39-3	4.8E-08	1.0E-07	1.1E-05	 F 0F 02	(5)	6.9E-07		(5)	1.2E-05		(5)	2.9E-04		(5)
Cadmium	7440-43-9	5.8E-08	1.2E-07	1.3E-05	5.0E-03	2.6E-03	8.3E-07	0.037	2.2E-05	1.4E-05	0.037	3.8E-04	3.5E-04	0.030	0.012
Chromium (total)	7440-47-3	2.5E-08	5.4E-08	5.5E-06		(5)	3.5E-07 3.5E-07		(5)	6.0E-06		(5)	1.5E-04		(5)
Chromium VI	18540-29-9	2.5E-08	5.4E-08	5.5E-06	0.083	6.6E-05		0.88	4.0E-07	6.0E-06	0.88	6.9E-06	1.5E-04	0.30	5.0E-04
Cobalt	7440-48-4	1.0E-08	2.3E-08	2.3E-06 8.3E-05	0.10	2.3E-05	1.5E-07	0.44	3.4E-07	2.5E-06 9.2E-05	0.44	5.8E-06	6.3E-05	100	(5)
Copper	7440-50-8 7439-92-1	3.8E-07 5.1E-07	8.1E-07 1.1E-06	8.3E-05 1.1E-04	0.15	(5) 7.6E-04	5.4E-06 7.4E-06	0.66	(5) 1.1E-05	9.2E-05 1.3E-04	0.66	(5) 1.9E-04	2.3E-03 3.1E-03	100 0.15	2.3E-05 0.021
Lead Manganese	7439-92-1	1.4E-08	3.0E-08	3.0E-06	0.15	7.6E-04 3.4E-05	7.4E-06 2.0E-07	0.66	4.9E-07	3.3E-06	0.66	8.4E-06	3.1E-03 8.2E-05	0.15	2.7E-04
Mercury	7439-96-5	7.0E-06	1.5E-05	1.6E-03	0.090	0.020	1.0E-07	0.40	4.9E-07 1.6E-04	1.7E-03	0.40	2.7E-03	0.042	0.30	0.070
Phosphorus	504	1.5E-06	3.2E-06	3.3E-04	0.077	(5)	2.1E-05	0.03	(5)	3.7E-04		(5)	9.0E-03		(5)
Zinc	7440-66-6	7.9E-07	1.7E-06	1.7E-04		(5)	1.1E-05		(5)	1.9E-04		(5)	4.7E-03		(5)
Fluorides	239	2.7E-06	5.8E-06	6.0E-04	2.30	2.6E-04	3.9E-05	20.0	1.9E-06	6.5E-04	20.0	3.3E-05	0.016	240	6.7E-05
Silica, Crystalline	7631-86-9	2.7E-06 2.3E-06	5.0E-06	5.1E-04	3.00	1.7E-04	3.3E-05	13.0	2.5E-06	5.6E-04	13.0	4.3E-05	0.014		(5)
SILO1	7001007	2.02.00	0.02.00	0.1L UT	3.00	1.72 07	0.01 00	10.0	2.01 00	0.0L 0T	10.0	1.02 00	0.014		(0)
Cumulative TEU Risk						1.5E-06			2.2E-08			3.0E-07			
Dispersion Factor (µg/m3/[g	/sl)				29.9	1.02.00		1.94	2.22 00		26.5	0.0L 07		193	1
Silica, Crystalline	7631-86-9	1.5E-07	4.0E-07	4.4E-06	3.00	1.5E-06	2.9E-07	13.0	2.2E-08	3.9E-06	13.0	3.0E-07	7.7E-05		(5)
SILO2	. 551 56 7			12 00	3.55		2.72 07	10.0	2.22 00	5.72 50	10.0	5.52 07	, 2 55		(~/
Cumulative TEU Risk						3.5E-08			4.9E-08			2.9E-08			
Dispersion Factor (µg/m3/[g	/sl)				0.71			4.36			2.59			40.9	1
Silica, Crystalline	7631-86-9	1.5E-07	4.0E-07	1.0E-07	3.00	3.5E-08	6.4E-07	13.0	4.9E-08	3.8E-07	13.0	2.9E-08	1.6E-05		(5)

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncai	ncer						
			/s)		Residential			nresidential (Non	residential W	orker	Ac	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposur	e Location (4)	•		1220			2	•		10103			10240	
Cumulative	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
BBBH									_			-			
Cumulative TEU Risk						0.097			3.7E-03			0.084			3.1E-03
Dispersion Factor (µg/m3/[g/		_			31.1	_		5.18	_		118	_		454	_
Aluminum	7429-90-5	2.9E-03	3.5E-03	0.090	5.00	0.018	0.015	22.0	6.8E-04	0.34	22.0	0.016	1.58		(5)
Barium	7440-39-3	7.5E-04	9.0E-04	0.023		(5)	3.9E-03		(5)	0.089		(5)	0.41		(5)
Cadmium	7440-43-9	4.9E-08	5.9E-08	1.5E-06	5.0E-03	3.0E-04	2.5E-07	0.037	6.8E-06	5.8E-06	0.037	1.6E-04	2.7E-05	0.030	8.9E-04
Lead	7439-92-1	4.9E-07	5.9E-07	1.5E-05	0.15	1.0E-04	2.5E-06	0.66	3.8E-06	5.8E-05	0.66	8.8E-05	2.7E-04	0.15	1.8E-03
Zinc Oxide	1314-13-2	4.8E-04	5.7E-04	0.015		(5)	2.5E-03		(5)	0.056		(5)	0.26		(5)
Fluorides	239	2.1E-04	2.5E-04	6.5E-03	2.30	2.8E-03	1.1E-03	20.0	5.4E-05	0.025	20.0	1.2E-03	0.11	240	4.7E-04
Silica, Crystalline	7631-86-9	7.3E-03	8.8E-03	0.23	3.00	0.076	0.038	13.0	2.9E-03	0.87	13.0	0.067	3.99		(5)
GP1_A									1		1	1	_		
Cumulative TEU Risk						3.1E-03			9.2E-05			2.0E-03			5.5E-05
Dispersion Factor (μg/m3/[g/		· [1		72.4			9.62	1		206	1	_	584	_
Aluminum	7429-90-5	3.9E-05	4.7E-05	2.8E-03	5.00	5.7E-04	3.8E-04	22.0	1.7E-05	8.1E-03	22.0	3.7E-04	0.027		(5)
Barium	7440-39-3	1.0E-05	1.2E-05	7.4E-04		(5)	9.8E-05		(5)	2.1E-03		(5)	7.1E-03		(5)
Cadmium	7440-43-9	6.6E-10	7.9E-10	4.8E-08	5.0E-03	9.6E-06	6.4E-09	0.037	1.7E-07	1.4E-07	0.037	3.7E-06	4.6E-07	0.030	1.5E-05
Lead	7439-92-1	6.6E-09	7.9E-09	4.8E-07	0.15	3.2E-06	6.4E-08	0.66	9.6E-08	1.4E-06	0.66	2.1E-06	4.6E-06	0.15	3.1E-05
Zinc Oxide	1314-13-2	6.4E-06	7.7E-06	4.7E-04		(5)	6.2E-05		(5)	1.3E-03		(5)	4.5E-03		(5)
Fluorides	239	2.8E-06	3.4E-06	2.0E-04	2.30	8.8E-05	2.7E-05	20.0	1.4E-06	5.8E-04	20.0	2.9E-05	2.0E-03	240	8.2E-06
Glasswool Fibers	352	5.6E-03	5.6E-03	0.40		(5)	0.054		(5)	1.15		(5)	3.25		(5)
Silica, Crystalline	7631-86-9	9.9E-05	1.2E-04	7.2E-03	3.00	2.4E-03	9.5E-04	13.0	7.3E-05	0.020	13.0	1.6E-03	0.069		(5)
GP1_B									1		1	1			
Cumulative TEU Risk						3.1E-03			9.1E-05			1.7E-03			5.1E-05
Dispersion Factor (µg/m3/[g/			1		74.0			9.53	1		178	1		543	
Aluminum	7429-90-5	3.9E-05	4.7E-05	2.9E-03	5.00	5.8E-04	3.7E-04	22.0	1.7E-05	7.0E-03	22.0	3.2E-04	0.026		(5)
Barium	7440-39-3	1.0E-05	1.2E-05	7.5E-04		(5)	9.7E-05		(5)	1.8E-03		(5)	6.6E-03		(5)
Cadmium	7440-43-9	6.6E-10	7.9E-10	4.9E-08	5.0E-03	9.8E-06	6.3E-09	0.037	1.7E-07	1.2E-07	0.037	3.2E-06	4.3E-07	0.030	1.4E-05
Lead	7439-92-1	6.6E-09	7.9E-09	4.9E-07	0.15	3.3E-06	6.3E-08	0.66	9.5E-08	1.2E-06	0.66	1.8E-06	4.3E-06	0.15	2.9E-05
Zinc Oxide	1314-13-2	6.4E-06	7.7E-06	4.8E-04		(5)	6.1E-05		(5)	1.1E-03		(5)	4.2E-03		(5)
Fluorides	239	2.8E-06	3.4E-06	2.1E-04	2.30	9.0E-05	2.7E-05	20.0	1.3E-06	5.0E-04	20.0	2.5E-05	1.8E-03	240	7.6E-06
Glasswool Fibers	352	5.6E-03	5.6E-03	0.41		(5)	0.053		(5)	0.99		(5)	3.03		(5)
Silica, Crystalline	7631-86-9	9.9E-05	1.2E-04	7.3E-03	3.00	2.4E-03	9.4E-04	13.0	7.3E-05	0.018	13.0	1.4E-03	0.064		(5)
BHBH				<u> </u>		7 (5 0)	<u> </u>		0.45.05	1	Ī	4.05.05	<u> </u>		7 0 75 04
Cumulative TEU Risk	1					7.6E-06			2.4E-07			1.0E-05			2.7E-06
Dispersion Factor (µg/m3/[g/		7.05.00	0.45.07	7.45.07	89.7	4.504	0.75.07	12.4	4.45.00	4.05.05	531	1.05.07	4.45.00	565	(5)
Aluminum	7429-90-5	7.9E-08	2.4E-06	7.1E-06	5.00	1.4E-06	9.7E-07	22.0	4.4E-08	4.2E-05	22.0	1.9E-06	1.4E-03		(5)
Barium	7440-39-3	2.0E-08	6.2E-07	1.8E-06		(5)	2.5E-07		(5)	1.1E-05		(5)	3.5E-04		(5)
Cadmium	7440-43-9	1.3E-12	4.0E-11	1.2E-10	5.0E-03	2.4E-08	1.6E-11	0.037	4.4E-10	7.0E-10	0.037	1.9E-08	2.3E-08	0.030	7.5E-07
Lead	7439-92-1	1.3E-11	4.0E-10	1.2E-09	0.15	7.8E-09	1.6E-10	0.66	2.5E-10	7.0E-09	0.66	1.1E-08	2.3E-07	0.15	1.5E-06
Zinc Oxide	1314-13-2	1.3E-08	3.9E-07	1.1E-06	2.20	(5)	1.6E-07		(5)	6.8E-06		(5)	2.2E-04	240	(5)
Fluorides	239	5.6E-09	1.7E-07	5.0E-07	2.30	2.2E-07	6.9E-08	20.0	3.5E-09	3.0E-06	20.0	1.5E-07	9.7E-05	240	4.0E-07
Silica, Crystalline	7631-86-9	2.0E-07	6.0E-06	1.8E-05	3.00	5.9E-06	2.4E-06	13.0	1.9E-07	1.1E-04	13.0	8.1E-06	3.4E-03		(5)

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Nonca	ncer				۸۵	ute Noncan	205
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AC	ute Noncan	Sei
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location (4))	•		1220			2	·		10103	•		10240	-
	Facility-Wide				0.2			<0.1			0.1			0.2	
CT1_2															
Cumulative TEU Risk						3.8E-04			3.0E-05			1.9E-04			7.6E-05
Dispersion Factor (µg/m3/[g/	/s])				16.8	•		5.91	·		37.5	•		449	-
Phosphoric Acid	7664-38-2	2.0E-05	2.0E-05	3.4E-04	10.0	3.4E-05	1.2E-04	44.0	2.7E-06	7.7E-04	44.0	1.7E-05	9.2E-03		(5)
Sulfuric Acid	7664-93-9	2.0E-05	2.0E-05	3.4E-04	1.00	3.4E-04	1.2E-04	4.40	2.7E-05	7.7E-04	4.40	1.7E-04	9.2E-03	120	7.6E-05
CT3A	•	•	•						•			•			
Cumulative TEU Risk						1.8E-04			1.2E-05			1.1E-04			3.0E-05
Dispersion Factor (µg/m3/[g/					14.5			4.09			38.5			316	
Phosphoric Acid	7664-38-2	1.1E-05	1.1E-05	1.6E-04	10.0	1.6E-05	4.6E-05	44.0	1.1E-06	4.4E-04	44.0	9.9E-06	3.6E-03		(5)
Sulfuric Acid	7664-93-9	1.1E-05	1.1E-05	1.6E-04	1.00	1.6E-04	4.6E-05	4.40	1.1E-05	4.4E-04	4.40	9.9E-05	3.6E-03	120	3.0E-05
СТЗВ															
Cumulative TEU Risk						1.8E-04			1.2E-05			1.0E-04			1.8E-05
Dispersion Factor (µg/m3/[g/					14.7			4.09			36.6			192	
Phosphoric Acid	7664-38-2	1.1E-05	1.1E-05	1.7E-04	10.0	1.7E-05	4.6E-05	44.0	1.1E-06	4.2E-04	44.0	9.4E-06	2.2E-03		(5)
Sulfuric Acid	7664-93-9	1.1E-05	1.1E-05	1.7E-04	1.00	1.7E-04	4.6E-05	4.40	1.1E-05	4.2E-04	4.40	9.4E-05	2.2E-03	120	1.8E-05
CT4															
Cumulative TEU Risk						4.9E-05			4.8E-05			3.7E-05			1.7E-05
Dispersion Factor (µg/m3/[g/					2.47			10.5	_		8.15	_		115	
Phosphoric Acid	7664-38-2	1.8E-05	1.8E-05	4.5E-05	10.0	4.5E-06	1.9E-04	44.0	4.3E-06	1.5E-04	44.0	3.4E-06	2.1E-03		(5)
Sulfuric Acid	7664-93-9	1.8E-05	1.8E-05	4.5E-05	1.00	4.5E-05	1.9E-04	4.40	4.3E-05	1.5E-04	4.40	3.4E-05	2.1E-03	120	1.7E-05
PAINT									_			_			
Cumulative TEU Risk						0.020			3.4E-04			0.032			4.7E-04
Dispersion Factor (µg/m3/[g/	_,				191			13.9	_		1,298	_		2,161	
Barium	7440-39-3	2.1E-04	3.7E-04	0.040		(5)	2.9E-03		(5)	0.28		(5)	0.79		(5)
Cobalt	7440-48-4	1.0E-05	1.2E-05	1.9E-03	0.10	0.019	1.4E-04	0.44	3.2E-04	0.013	0.44	0.030	0.026		(5)
Acetone	67-64-1	3.5E-03	5.7E-03	0.67	31,000	2.2E-05	0.049	140,000	3.5E-07	4.58	140,000	3.3E-05	12.3	62,000	2.0E-04
Ethylbenzene	100-41-4	1.5E-04	2.8E-04	0.028	260	1.1E-04	2.1E-03	1,100	1.9E-06	0.19	1,100	1.7E-04	0.60	22,000	2.7E-05
1,2,4-Trimethylbenzene	95-63-6	1.9E-04	2.2E-04	0.036	60.0	6.0E-04	2.6E-03	260	1.0E-05	0.24	260	9.4E-04	0.48		(5)
Xylenes (mixed isomers)	1330-20-7	6.1E-04	9.8E-04	0.12	220	5.2E-04	8.4E-03	970	8.7E-06	0.79	970	8.1E-04	2.13	8,700	2.4E-04

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncar	ncer				Λ.	ta Nanaan	
		(g	/s)		Residential		No	nresidential C	Child	Nor	residential W	orker	AC	cute Noncan	ser
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location (4))			1220	,		2			10103			10240	
	Facility-Wide				0.2			<0.1			0.1			0.2	
EGEN1															
Cumulative TEU Risk						6.3E-03		-	4.7E-05		-	1.4E-03			2.6E-03
Dispersion Factor (µg/m3/[g	/s])			·	10.8			0.57	•		16.8	·		48.5	
Arsenic	7440-38-2	5.4E-08	3.9E-07	5.8E-07	1.7E-04	3.4E-03	3.1E-08	2.4E-03	1.3E-05	9.1E-07	2.4E-03	3.8E-04	1.9E-05	0.20	9.5E-05
Cadmium	7440-43-9	5.0E-08	3.7E-07	5.5E-07	5.0E-03	1.1E-04	2.9E-08	0.037	7.8E-07	8.5E-07	0.037	2.3E-05	1.8E-05	0.030	6.0E-04
Chromium VI	18540-29-9	3.4E-09	2.5E-08	3.6E-08	0.083	4.4E-07	1.9E-09	0.88	2.2E-09	5.7E-08	0.88	6.4E-08	1.2E-06	0.30	4.0E-06
Copper	7440-50-8	1.4E-07	1.0E-06	1.5E-06		(5)	7.9E-08		(5)	2.3E-06		(5)	4.9E-05	100	4.9E-07
Lead	7439-92-1	2.8E-07	2.0E-06	3.0E-06	0.15	2.0E-05	1.6E-07	0.66	2.4E-07	4.7E-06	0.66	7.1E-06	9.9E-05	0.15	6.6E-04
Manganese	7439-96-5	1.0E-07	7.6E-07	1.1E-06	0.090	1.3E-05	6.0E-08	0.40	1.5E-07	1.8E-06	0.40	4.4E-06	3.7E-05	0.30	1.2E-04
Mercury	7439-97-6	6.7E-08	4.9E-07	7.3E-07	0.077	9.4E-06	3.9E-08	0.63	6.1E-08	1.1E-06	0.63	1.8E-06	2.4E-05	0.60	4.0E-05
Nickel	7440-02-0	1.3E-07	9.6E-07	1.4E-06	0.014	1.0E-04	7.5E-08	0.062	1.2E-06	2.2E-06	0.062	3.6E-05	4.6E-05	0.20	2.3E-04
Selenium	7782-49-2	7.4E-08	5.4E-07	8.0E-07		(5)	4.2E-08		(5)	1.2E-06		(5)	2.6E-05	2.00	1.3E-05
Ammonia	7664-41-7	2.7E-05	2.0E-04	2.9E-04	500	5.8E-07	1.5E-05	2,200	7.0E-09	4.5E-04	2,200	2.1E-07	9.5E-03	1,200	7.9E-06
Hydrochloric Acid	7647-01-0	6.3E-06	4.6E-05	6.8E-05	20.0	3.4E-06	3.6E-06	88.0	4.1E-08	1.1E-04	88.0	1.2E-06	2.2E-03	2,100	1.1E-06
Acetaldehyde	75-07-0	2.6E-05	1.9E-04	2.8E-04	140	2.0E-06	1.5E-05	620	2.4E-08	4.4E-04	620	7.2E-07	9.3E-03	470	2.0E-05
Acrolein	107-02-8	1.1E-06	8.3E-06	1.2E-05	0.35	3.5E-05	6.5E-07	1.50	4.4E-07	1.9E-05	1.50	1.3E-05	4.0E-04	6.90	5.9E-05
Benzene	71-43-2	6.3E-06	4.6E-05	6.8E-05	3.00	2.3E-05	3.6E-06	13.0	2.8E-07	1.1E-04	13.0	8.1E-06	2.2E-03	29.0	7.7E-05
1,3-Butadiene	106-99-0	7.3E-06	5.3E-05	7.9E-05	2.00	4.0E-05	4.2E-06	8.80	4.8E-07	1.2E-04	8.80	1.4E-05	2.6E-03	660	3.9E-06
Ethylbenzene	100-41-4	3.7E-07	2.7E-06	4.0E-06	260	1.5E-08	2.1E-07	1,100	1.9E-10	6.2E-06	1,100	5.6E-09	1.3E-04	22,000	5.9E-09
Formaldehyde	50-00-0	5.8E-05	4.2E-04	6.3E-04	9.00	7.0E-05	3.3E-05	40.0	8.3E-07	9.8E-04	40.0	2.4E-05	0.021	49.0	4.2E-04
Hexane	110-54-3	9.1E-07	6.6E-06	9.8E-06	700	1.4E-08	5.2E-07	3,100	1.7E-10	1.5E-05	3,100	4.9E-09	3.2E-04		(5)
Toluene	108-88-3	3.5E-06	2.6E-05	3.8E-05	5,000	7.7E-09	2.0E-06	22,000	9.2E-11	6.0E-05	22,000	2.7E-09	1.3E-03	7,500	1.7E-07
Xylenes (mixed isomers)	1330-20-7	1.4E-06	1.0E-05	1.5E-05	220	7.0E-08	8.2E-07	970	8.4E-10	2.4E-05	970	2.5E-08	5.0E-04	8,700	5.8E-08
PAHs	401	1.2E-06	8.9E-06	1.3E-05		(5)	7.0E-07		(5)	2.1E-05		(5)	4.3E-04		(5)
Benzo[a]pyrene	50-32-8	1.2E-09	8.8E-09	1.3E-08	2.0E-03	6.5E-06	6.9E-10	8.8E-03	7.8E-08	2.0E-08	8.8E-03	2.3E-06	4.3E-07	2.0E-03	2.1E-04
Naphthalene	91-20-3	6.6E-07	4.8E-06	7.2E-06	3.70	1.9E-06	3.8E-07	16.0	2.4E-08	1.1E-05	16.0	7.0E-07	2.3E-04	200	1.2E-06
DPM	200	1.1E-03	8.2E-03	0.012	5.00	2.4E-03	6.5E-04	22.0	2.9E-05	0.019	22.0	8.6E-04	0.40		(5)

Table 6-5
Production Scenario 1—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncai	ncer				Λ.	ta Nanaan	
		(g	/s)		Residential		No	nresidential (Child	Non	residential W	orker	AC	cute Noncan	Ser
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location ⁽⁴)			1220			2			10103			10240	
	Facility-Wide				0.2			<0.1			0.1			0.2	
EGEN2															
Cumulative TEU Risk						6.4E-03			1.7E-04			1.9E-03			7.0E-03
Dispersion Factor (µg/m3/[g.					15.5			2.96			33.1			188	
Arsenic	7440-38-2	3.8E-08	2.8E-07	5.9E-07	1.7E-04	3.5E-03	1.1E-07	2.4E-03	4.7E-05	1.3E-06	2.4E-03	5.2E-04	5.2E-05	0.20	2.6E-04
Cadmium	7440-43-9	3.6E-08	2.6E-07	5.5E-07	5.0E-03	1.1E-04	1.1E-07	0.037	2.8E-06	1.2E-06	0.037	3.2E-05	4.9E-05	0.030	1.6E-03
Chromium VI	18540-29-9	2.4E-09	1.7E-08	3.7E-08	0.083	4.4E-07	7.0E-09	0.88	8.0E-09	7.9E-08	0.88	8.9E-08	3.3E-06	0.30	1.1E-05
Copper	7440-50-8	9.7E-08	7.1E-07	1.5E-06		(5)	2.9E-07		(5)	3.2E-06		(5)	1.3E-04	100	1.3E-06
Lead	7439-92-1	2.0E-07	1.4E-06	3.1E-06	0.15	2.0E-05	5.8E-07	0.66	8.8E-07	6.5E-06	0.66	9.9E-06	2.7E-04	0.15	1.8E-03
Manganese	7439-96-5	7.4E-08	5.4E-07	1.1E-06	0.090	1.3E-05	2.2E-07	0.40	5.4E-07	2.4E-06	0.40	6.1E-06	1.0E-04	0.30	3.4E-04
Mercury	7439-97-6	4.7E-08	3.5E-07	7.4E-07	0.077	9.6E-06	1.4E-07	0.63	2.2E-07	1.6E-06	0.63	2.5E-06	6.5E-05	0.60	1.1E-04
Nickel	7440-02-0	9.3E-08	6.8E-07	1.4E-06	0.014	1.0E-04	2.7E-07	0.062	4.4E-06	3.1E-06	0.062	4.9E-05	1.3E-04	0.20	6.4E-04
Selenium	7782-49-2	5.2E-08	3.8E-07	8.1E-07		(5)	1.5E-07		(5)	1.7E-06		(5)	7.2E-05	2.00	3.6E-05
Ammonia	7664-41-7	1.9E-05	1.4E-04	3.0E-04	500	5.9E-07	5.6E-05	2,200	2.6E-08	6.3E-04	2,200	2.9E-07	0.026	1,200	2.2E-05
Hydrochloric Acid	7647-01-0	4.4E-06	3.2E-05	6.9E-05	20.0	3.4E-06	1.3E-05	88.0	1.5E-07	1.5E-04	88.0	1.7E-06	6.1E-03	2,100	2.9E-06
Acetaldehyde	75-07-0	1.9E-05	1.4E-04	2.9E-04	140	2.1E-06	5.5E-05	620	8.9E-08	6.2E-04	620	9.9E-07	0.026	470	5.4E-05
Acrolein	107-02-8	8.0E-07	5.9E-06	1.3E-05	0.35	3.6E-05	2.4E-06	1.50	1.6E-06	2.7E-05	1.50	1.8E-05	1.1E-03	6.90	1.6E-04
Benzene	71-43-2	4.4E-06	3.2E-05	6.9E-05	3.00	2.3E-05	1.3E-05	13.0	1.0E-06	1.5E-04	13.0	1.1E-05	6.1E-03	29.0	2.1E-04
1,3-Butadiene	106-99-0	5.2E-06	3.8E-05	8.0E-05	2.00	4.0E-05	1.5E-05	8.80	1.7E-06	1.7E-04	8.80	1.9E-05	7.1E-03	660	1.1E-05
Ethylbenzene	100-41-4	2.6E-07	1.9E-06	4.0E-06	260	1.5E-08	7.7E-07	1,100	7.0E-10	8.6E-06	1,100	7.8E-09	3.6E-04	22,000	1.6E-08
Formaldehyde	50-00-0	4.1E-05	3.0E-04	6.4E-04	9.00	7.1E-05	1.2E-04	40.0	3.0E-06	1.4E-03	40.0	3.4E-05	0.056	49.0	1.1E-03
Hexane	110-54-3	6.4E-07	4.7E-06	9.9E-06	700	1.4E-08	1.9E-06	3,100	6.1E-10	2.1E-05	3,100	6.8E-09	8.8E-04		(5)
Toluene	108-88-3	2.5E-06	1.8E-05	3.9E-05	5,000	7.8E-09	7.4E-06	22,000	3.4E-10	8.3E-05	22,000	3.8E-09	3.4E-03	7,500	4.6E-07
Xylenes (mixed isomers)	1330-20-7	1.0E-06	7.3E-06	1.6E-05	220	7.1E-08	3.0E-06	970	3.1E-09	3.3E-05	970	3.4E-08	1.4E-03	8,700	1.6E-07
PAHs	401	8.6E-07	6.3E-06	1.3E-05		(5)	2.5E-06		(5)	2.8E-05		(5)	1.2E-03		(5)
Benzo[a]pyrene	50-32-8	8.5E-10	6.2E-09	1.3E-08	2.0E-03	6.6E-06	2.5E-09	8.8E-03	2.9E-07	2.8E-08	8.8E-03	3.2E-06	1.2E-06	2.0E-03	5.8E-04
Naphthalene	91-20-3	4.7E-07	3.4E-06	7.3E-06	3.70	2.0E-06	1.4E-06	16.0	8.7E-08	1.5E-05	16.0	9.7E-07	6.4E-04	200	3.2E-06
DPM	200	8.0E-04	5.8E-03	0.012	5.00	2.5E-03	2.4E-03	22.0	1.1E-04	0.026	22.0	1.2E-03	1.09		(5)

Notes

References

g = gram; m³ = cubic meter; RBC = risk-based concentration; s = second; TEU = toxic emission unit; TAC - toxic air contaminant; ug = micrograms.

 $^{^{(}a)} \ \ Calculated \ concentration \ (\mu g/m^3) = (dispersion \ factor \ [\{\mu g/m^3\}/\{g/s\}]) \ x \ (TAC \ emission \ rate \ per \ TEU \ [g/s])$

 $^{^{(}b)}$ Hazard Index = (calculated concentration [μ g/m 3]) / (risk-based concentration [μ g/m 3])

⁽¹⁾ See Table 3-1, Annual TAC Emission Rates—Significant TEUs.

⁽²⁾ See Table 3-3, Daily TAC Emission Rates—Significant TEUs.

⁽³⁾ Oregon Administrative Rule 340-245-8010, Table 2.

 $^{^{(4)}}$ See Table 6-3, Production Scenario 1—Maximum Predicted Risk Exposure Location Per TEU.

⁽⁵⁾ TAC does not have an established RBC for this exposure category per Oregon Administrative Rule 340-245-8010 Table 2.

Table 6-6
Results for Gas Combustion TEUs—Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Non	residential C	Child	Nonr	esidential W	/orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. (a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk (b) (chances-in- 10 ⁶)	Calculated Conc. (a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in 10 ⁶)
Exposure Loca	ation ⁽³⁾			10213			2			10215	
Cumulative Facility	y-Wide Risk			0.1			<0.1			<0.1	
CFU113NG			1		_						
Cumulative TEU Risk					1.2E-03			1.7E-05]		2.1E-05
Dispersion Factor (µg/m3/[g/s])				0.90	T		0.45	T		0.91	T
Molybdenum trioxide	1313-27-5	9.1E-07	8.2E-07		(4)	4.1E-07		(4)	8.3E-07		(4)
Vanadium	7440-62-2	1.3E-06	1.1E-06		(4)	5.7E-07		(4)	1.2E-06		(4)
Ammonia	7664-41-7	1.8E-03	1.6E-03		(4)	7.9E-04		(4)	1.6E-03		(4)
Acetaldehyde	75-07-0	2.4E-06	2.1E-06	0.45	4.8E-06	1.1E-06	12.0	8.8E-08	2.2E-06	5.50	3.9E-07
Acrolein	107-02-8	1.5E-06	1.3E-06		(4)	6.7E-07		(4)	1.4E-06		(4)
Benzene	71-43-2	4.4E-06	4.0E-06	0.13	3.1E-05	2.0E-06	3.30	6.0E-07	4.0E-06	1.50	2.7E-06
Ethylbenzene	100-41-4	5.2E-06	4.7E-06	0.40	1.2E-05	2.3E-06	10.0	2.3E-07	4.8E-06	4.80	9.9E-07
Hexane	110-54-3	3.5E-06	3.1E-06		(4)	1.6E-06		(4)	3.2E-06		(4)
Toluene	108-88-3	2.0E-05	1.8E-05		(4)	9.0E-06		(4)	1.8E-05		(4)
Xylenes (mixed isomers)	1330-20-7	1.5E-05	1.4E-05	-	(4)	6.7E-06		(4)	1.4E-05		(4)
PAHs	401	5.5E-08	5.0E-08	4.3E-05	1.2E-03	2.5E-08	1.6E-03	1.5E-05	5.0E-08	3.0E-03	1.7E-05
Benzo[a]pyrene	50-32-8	6.6E-10	6.0E-10	4.3E-05	1.4E-05	3.0E-10	1.6E-03	1.9E-07	6.0E-10	3.0E-03	2.0E-07
Naphthalene	91-20-3	1.7E-07	1.5E-07	0.029	5.2E-06	7.4E-08	0.76	9.7E-08	1.5E-07	0.35	4.3E-07
NG											
Cumulative TEU Risk					0.059			2.1E-04			2.6E-03
Dispersion Factor (µg/m3/[g/s])				10.6			1.31			11.0	
Arsenic	7440-38-2	7.3E-08	7.8E-07	2.4E-05	0.032	9.6E-08	1.3E-03	7.4E-05	8.1E-07	6.2E-04	1.3E-03
Barium	7440-39-3	1.6E-06	1.7E-05		(4)	2.1E-06		(4)	1.8E-05		(4)
Beryllium	7440-41-7	4.4E-09	4.7E-08	4.2E-04	1.1E-04	5.7E-09	0.011	5.2E-07	4.8E-08	5.0E-03	9.7E-06
Cadmium	7440-43-9	4.0E-07	4.3E-06	5.6E-04	7.6E-03	5.3E-07	0.014	3.8E-05	4.4E-06	6.7E-03	6.6E-04
Chromium (total)	7440-47-3	5.1E-07	5.4E-06		(4)	6.7E-07		(4)	5.7E-06		(4)
Chromium VI	18540-29-9	2.1E-08	2.2E-07	3.1E-05	7.0E-03	2.7E-08	5.2E-04	5.2E-05	2.3E-07	1.0E-03	2.3E-04
Cobalt	7440-48-4	3.1E-08	3.3E-07		(4)	4.0E-08		(4)	3.4E-07		(4)
Copper	7440-50-8	3.1E-07	3.3E-06		(4)	4.1E-07		(4)	3.4E-06		(4)
Lead	7439-92-1	1.8E-07	1.9E-06		(4)	2.4E-07		(4)	2.0E-06		(4)
Manganese	7439-96-5	1.4E-07	1.5E-06		(4)	1.8E-07		(4)	1.5E-06		(4)
Mercury	7439-97-6	9.5E-08	1.0E-06		(4)	1.2E-07		(4)	1.1E-06		(4)
Molybdenum trioxide	1313-27-5	6.0E-07	6.4E-06		(4)	7.9E-07		(4)	6.7E-06		(4)
Nickel	7440-02-0	7.7E-07	8.1E-06	3.8E-03	2.1E-03	1.0E-06	0.10	1.0E-05	8.5E-06	0.046	1.8E-04
Selenium	7782-49-2	8.8E-09	9.3E-08		(4)	1.1E-08		(4)	9.7E-08		(4)
Vanadium	7440-62-2	8.4E-07	8.9E-06		(4)	1.1E-06		(4)	9.3E-06		(4)
Zinc	7440-66-6	1.1E-05	1.1E-04		(4)	1.4E-05		(4)	1.2E-04		(4)
Ammonia	7664-41-7	1.2E-03	0.012		(4)	1.5E-03		(4)	0.013		(4)
Acetaldehyde	75-07-0	1.6E-06	1.7E-05	0.45	3.7E-05	2.1E-06	12.0	1.7E-07	1.7E-05	5.50	3.2E-06

Table 6-6 Results for Gas Combustion TEUs—Cancer Assessment Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC Emission		Residential		Non	residential (Child	Nonr	esidential W	orker (
Toxic Air Contaminant	CAS	Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. (a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. (a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in 10 ⁶)
Exposure Location	n ⁽³⁾			10213			2	•	,	10215	•
Cumulative Facility-W				0.1			<0.1			<0.1	
Acrolein	107-02-8	9.9E-07	1.0E-05		(4)	1.3E-06		(4)	1.1E-05		(4)
Benzene	71-43-2	2.9E-06	3.1E-05	0.13	2.4E-04	3.8E-06	3.30	1.2E-06	3.2E-05	1.50	2.2E-05
Ethylbenzene	100-41-4	3.5E-06	3.7E-05	0.40	9.2E-05	4.6E-06	10.0	4.6E-07	3.8E-05	4.80	8.0E-06
Formaldehyde	50-00-0	6.2E-06	6.6E-05	0.17	3.9E-04	8.1E-06	4.30	1.9E-06	6.9E-05	2.00	3.4E-05
Hexane	110-54-3	2.3E-06	2.4E-05		(4)	3.0E-06		(4)	2.5E-05		(4)
Toluene	108-88-3	1.3E-05	1.4E-04		(4)	1.8E-05		(4)	1.5E-04		(4)
Xylenes (mixed isomers)	1330-20-7	1.0E-05	1.1E-04		(4)	1.3E-05		(4)	1.1E-04		(4)
PAHs	401	3.7E-08	3.9E-07	4.3E-05	9.0E-03	4.8E-08	1.6E-03	3.0E-05	4.0E-07	3.0E-03	1.3E-04
Benzo[a]pyrene	50-32-8	4.4E-10	4.7E-09	4.3E-05	1.1E-04	5.7E-10	1.6E-03	3.6E-07	4.8E-09	3.0E-03	1.6E-06
Naphthalene	91-20-3	1.1E-07	1.2E-06	0.029	4.0E-05	1.4E-07	0.76	1.9E-07	1.2E-06	0.35	3.5E-06

Notes

References

- $^{\rm (1)}$ See Table 3-5, Annual TAC Emission Rates—Gas Combustion TEUs.
- ⁽²⁾ Oregon Administrative Rule 340-245-8010, Table 2.
- $^{(3)}$ See Table 6-3, Production Scenario 1—Maximum Predicted Risk Exposure Location Per TEU.

g = gram; m³ = cubic meter; RBC = risk-based concentration; s = second; TEU = toxic emission unit; TAC - toxic air contaminant; ug = micrograms.

⁽a) Calculated concentration (μ g/m³) = (dispersion factor [{ μ g/m³}/{g/s}]) x (TAC emission rate per TEU [g/s])

⁽b) Risk (chances-in-1,000,000) = (calculated concentration $[\mu g/m^3]$) / (risk-based concentration $[\mu g/m^3]$)

⁽⁴⁾ TAC does not have an established RBC for this exposure category per Oregon Administrative Rule 340-245-8010 Table 2.

Table 6-7
Results for Gas Combustion TEUs—Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Chi	ronic Noncar	ncer					outo Noncon	
		(g	/s)		Residential		Noi	nresidential C	Child	Non	residential W	orker	l Ac	cute Noncan	Ser
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
	Location (4)				10213			2	•		10215			10121	
	acility-Wide Risk	ζ			<0.1			<0.1			<0.1			<0.1	
CFU113NG						T 0.05.05			T 0.05.07			1 4 75 04			T 0.75.05
Cumulative TEU Risk						2.0E-05			2.3E-06			4.7E-06		7.00	2.7E-05
Dispersion Factor (µg/m3/[g/s])	1010 07 5	0.45.07	0.45.07	0.05.07	0.90	(5)	4.45.07	0.45	(5)	0.05.07	0.91	(5)	/ / 5 0 /	7.20	T (E)
Molybdenum trioxide	1313-27-5	9.1E-07	9.1E-07	8.2E-07		(5)	4.1E-07		(5)	8.3E-07		(5)	6.6E-06		(5)
Vanadium	7440-62-2	1.3E-06	1.3E-06	1.1E-06	0.10	1.1E-05	5.7E-07	0.44	1.3E-06	1.2E-06	0.44	2.6E-06	9.1E-06	0.80	1.1E-05
Ammonia	7664-41-7	1.8E-03	1.8E-03	1.6E-03	500	3.2E-06	7.9E-04	2,200	3.6E-07	1.6E-03	2,200	7.3E-07	0.013	1,200	1.1E-05
Acetaldehyde	75-07-0	2.4E-06	2.4E-06	2.1E-06	140	1.5E-08	1.1E-06	620	1.7E-09	2.2E-06	620	3.5E-09	1.7E-05	470	3.6E-08
Acrolein	107-02-8	1.5E-06	1.5E-06	1.3E-06	0.35	3.8E-06	6.7E-07	1.50	4.4E-07	1.4E-06	1.50	9.0E-07	1.1E-05	6.90	1.6E-06
Benzene	71-43-2 100-41-4	4.4E-06	4.4E-06	4.0E-06	3.00	1.3E-06	2.0E-06	13.0	1.5E-07	4.0E-06	13.0	3.1E-07	3.2E-05	29.0	1.1E-06
Ethylbenzene		5.2E-06 3.5E-06	5.2E-06 3.5E-06	4.7E-06	260 700	1.8E-08 4.5E-09	2.3E-06 1.6E-06	1,100	2.1E-09	4.8E-06 3.2E-06	1,100 3,100	4.3E-09 1.0E-09	3.8E-05 2.5E-05	22,000	1.7E-09
Hexane	110-54-3	1	2.0E-05	3.1E-06 1.8E-05	5,000	_		3,100	5.0E-10			8.3E-10		7.500	(5) 1.9E-08
Toluene	108-88-3	2.0E-05 1.5E-05	2.0E-05 1.5E-05	1.8E-05 1.4E-05	220	3.7E-09 6.2E-08	9.0E-06 6.7E-06	22,000 970	4.1E-10 6.9E-09	1.8E-05 1.4E-05	22,000 970	1.4E-08	1.5E-04 1.1E-04	7,500 8,700	1.9E-08 1.2E-08
Xylenes (mixed isomers) PAHs	1330-20-7 401	5.5E-08	5.5E-08	5.0E-08			2.5E-08			5.0E-08			4.0E-07	·	
	50-32-8	6.6E-10	6.6E-10		2.0E-03	(5) 3.0E-07	3.0E-10	 8.8E-03	(5) 3.4E-08	6.0E-08	8.8E-03	(5) 6.8E-08	4.0E-07 4.8E-09	2.0E-03	(5) 2.4E-06
Benzo[a]pyrene	91-20-3	1.7E-07	1.7E-07	6.0E-10 1.5E-07	3.70	4.0E-08	7.4E-08		3.4E-08 4.6E-09	1.5E-07	16.0	9.4E-09	4.8E-09 1.2E-06	2.0E-03 200	6.0E-09
Naphthalene NG	91-20-3	1.7E-U7	1.7E-U7	1.5E-07	3.70	4.UE-U8	7.4E-U8	16.0	4.0E-U9	1.5E-U7	16.0	9.4E-09	1.2E-00	200	0.UE-U9
Cumulative TEU Risk						6.2E-03			7.6E-05			6.4E-04			2.0E-03
Dispersion Factor (µg/m3/[g/s])					10.6	0.2E-03		1.31	7.0E-05		11.0	0.4E-04		88.4	2.0E-03
Arsenic (µg/m3/[g/3])	7440-38-2	7.3E-08	7.3E-08	7.8E-07	1.7E-04	4.6E-03	9.6E-08	2.4E-03	4.0E-05	8.1E-07	2.4E-03	3.4E-04	6.5E-06	0.20	3.2E-05
Barium	7440-30-2	1.6E-06	1.6E-06	1.7E-05	1.72-04	(5)	2.1E-06	2.4L-03	(5)	1.8E-05	2.4L-03 	(5)	1.4E-04		(5)
Beryllium	7440-41-7	4.4E-09	4.4E-09	4.7E-08	7.0E-03	6.6E-06	5.7E-09	0.031	1.9E-07	4.8E-08	0.031	1.6E-06	3.9E-07	0.020	1.9E-05
Cadmium	7440-43-9	4.0E-07	4.0E-07	4.7E 00	5.0E-03	8.5E-04	5.7E-07	0.037	1.4E-05	4.4E-06	0.037	1.2E-04	3.6E-05	0.030	1.2E-03
Chromium (total)	7440-43-7	5.1E-07	5.1E-07	5.4E-06	J.UL-UJ	(5)	6.7E-07		(5)	5.7E-06		(5)	4.5E-05		(5)
Chromium VI	18540-29-9	2.1E-08	2.0E-08	2.2E-07	0.083	2.6E-06	2.7E-08	0.88	3.0E-08	2.3E-07	0.88	2.6E-07	1.8E-06	0.30	6.0E-06
Cobalt	7440-48-4	3.1E-08	3.1E-08	3.3E-07	0.10	3.3E-06	4.0E-08	0.44	9.1E-08	3.4E-07	0.44	7.7E-07	2.7E-06		(5)
Copper	7440-50-8	3.1E-07	3.1E-07	3.3E-06		(5)	4.1E-07		(5)	3.4E-06		(5)	2.8E-05	100	2.8E-07
Lead	7439-92-1	1.8E-07	1.8E-07	1.9E-06	0.15	1.3E-05	2.4E-07	0.66	3.6E-07	2.0E-06	0.66	3.1E-06	1.6E-05	0.15	1.1E-04
Manganese	7439-96-5	1.4E-07	1.4E-07	1.5E-06	0.090	1.6E-05	1.8E-07	0.40	4.6E-07	1.5E-06	0.40	3.8E-06	1.2E-05	0.30	4.1E-05
Mercury	7439-97-6	9.5E-08	9.5E-08	1.0E-06	0.077	1.3E-05	1.2E-07	0.63	2.0E-07	1.1E-06	0.63	1.7E-06	8.4E-06	0.60	1.4E-05
Molybdenum trioxide	1313-27-5	6.0E-07	6.0E-07	6.4E-06		(5)	7.9E-07		(5)	6.7E-06		(5)	5.3E-05		(5)
Nickel	7440-02-0	7.7E-07	7.7E-07	8.1E-06	0.014	5.8E-04	1.0E-06	0.062	1.6E-05	8.5E-06	0.062	1.4E-04	6.8E-05	0.20	3.4E-04
Selenium	7782-49-2	8.8E-09	8.8E-09	9.3E-08		(5)	1.1E-08		(5)	9.7E-08		(5)	7.8E-07	2.00	3.9E-07
Vanadium	7440-62-2	8.4E-07	8.4E-07	8.9E-06	0.10	8.9E-05	1.1E-06	0.44	2.5E-06	9.3E-06	0.44	2.1E-05	7.4E-05	0.80	9.3E-05
Zinc	7440-66-6	1.1E-05	1.1E-05	1.1E-04		(5)	1.4E-05		(5)	1.2E-04		(5)	9.4E-04		(5)
Ammonia	7664-41-7	1.2E-03	1.2E-03	0.012	500	2.5E-05	1.5E-03	2,200	7.0E-07	0.013	2,200	5.9E-06	0.10	1,200	8.6E-05
Acetaldehyde	75-07-0	1.6E-06	1.6E-06	1.7E-05	140	1.2E-07	2.1E-06	620	3.3E-09	1.7E-05	620	2.8E-08	1.4E-04	470	3.0E-07

Table 6-7
Results for Gas Combustion TEUs—Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Chi	onic Noncar	ncer				٨	cute Noncand	or.
		(g	J/s)		Residential		Nor	nresidential C	hild	Noni	residential W	orker	AC	cute Noncand	Jei Jei
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposure Lo	ocation (4)		•		10213			2			10215	•		10121	•
Cumulative Fac	ility-Wide Risk	(<0.1			<0.1			<0.1			<0.1	
Acrolein	107-02-8	9.9E-07	9.9E-07	1.0E-05	0.35	3.0E-05	1.3E-06	1.50	8.6E-07	1.1E-05	1.50	7.3E-06	8.7E-05	6.90	1.3E-05
Benzene	71-43-2	2.9E-06	2.9E-06	3.1E-05	3.00	1.0E-05	3.8E-06	13.0	2.9E-07	3.2E-05	13.0	2.5E-06	2.6E-04	29.0	8.9E-06
Ethylbenzene	100-41-4	3.5E-06	3.5E-06	3.7E-05	260	1.4E-07	4.6E-06	1,100	4.1E-09	3.8E-05	1,100	3.5E-08	3.1E-04	22,000	1.4E-08
Formaldehyde	50-00-0	6.2E-06	6.2E-06	6.6E-05	9.00	7.3E-06	8.1E-06	40.0	2.0E-07	6.9E-05	40.0	1.7E-06	5.5E-04	49.0	1.1E-05
Hexane	110-54-3	2.3E-06	2.3E-06	2.4E-05	700	3.5E-08	3.0E-06	3,100	9.7E-10	2.5E-05	3,100	8.2E-09	2.0E-04		(5)
Toluene	108-88-3	1.3E-05	1.3E-05	1.4E-04	5,000	2.8E-08	1.8E-05	22,000	8.0E-10	1.5E-04	22,000	6.7E-09	1.2E-03	7,500	1.6E-07
Xylenes (mixed isomers)	1330-20-7	1.0E-05	1.0E-05	1.1E-04	220	4.8E-07	1.3E-05	970	1.3E-08	1.1E-04	970	1.1E-07	8.8E-04	8,700	1.0E-07
PAHs	401	3.7E-08	3.7E-08	3.9E-07		(5)	4.8E-08		(5)	4.0E-07		(5)	3.2E-06		(5)
Benzo[a]pyrene	50-32-8	4.4E-10	4.4E-10	4.7E-09	2.0E-03	2.3E-06	5.7E-10	8.8E-03	6.5E-08	4.8E-09	8.8E-03	5.5E-07	3.9E-08	2.0E-03	1.9E-05
Naphthalene	91-20-3	1.1E-07	1.1E-07	1.2E-06	3.70	3.1E-07	1.4E-07	16.0	9.0E-09	1.2E-06	16.0	7.6E-08	9.7E-06	200	4.9E-08

Notes

References

g = gram; m³ = cubic meter; RBC = risk-based concentration; s = second; TEU = toxic emission unit; TAC - toxic air contaminant; ug = micrograms.

⁽a) Calculated concentration ($\mu g/m^3$) = (dispersion factor [{ $\mu g/m^3$ }/{g/s}]) x (TAC emission rate per TEU [g/s])

⁽b) Hazard Index = (calculated concentration [μ g/m³]) / (risk-based concentration [μ g/m³])

⁽¹⁾ See Table 3-5, Annual TAC Emission Rates—Gas Combustion TEUs.

⁽²⁾ See Table 3-6, Daily TAC Emission Rates—Gas Combustion TEUs.

⁽³⁾ Oregon Administrative Rule 340-245-8010, Table 2.

⁽⁴⁾ See Table 6-3, Production Scenario 1—Maximum Predicted Risk Exposure Location Per TEU.

⁽⁵⁾ TAC does not have an established RBC for this exposure category per Oregon Administrative Rule 340-245-8010 Table 2.

Table 6-8
Production Scenario 2—Maximum Predicted Risk Exposure Location Per TEU
Hollingsworth & Vose Fiber Company—Corvallis, OR

			Cai	ncer					Chronic N	loncancer				
	Resid	lential		nild	Wo	rker	Resid	lential		nild	Wo	rker	Acute No	oncancer
Modeled TEU	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])
OPERATING SCE	NARIO 1—SIGN	IFICANT TEUs												
CFU101	1,136	2.51	1	0.29	10,103	2.14	1,220	0.37	2	0.21	10,103	2.14	10,240	10.59
CFU102	1,136	2.40	1	0.30	10,103	2.0	1,220	0.32	2	0.21	10,103	2.0	10,240	7.61
CFU103	1,136	2.37	1	0.30	10,103	2.4	1,220	0.20	2	0.21	10,103	2.4	10,240	3.00
CFU104	1,136	2.49	1	0.30	10,103	2.4	1,220	0.23	2	0.21	10,103	2.4	10,240	3.45
CFU105	1,136	2.83	1	0.29	10,103	2.5	1,220	0.63	2	0.21	10,103	2.5	10,240	12.02
CFU106	1,136	2.67	1	0.30	10,103	2.5	1,220	0.31	2	0.21	10,103	2.5	10,240	3.74
CFU107	1,136	2.81	1	0.29	10,103	2.2	1,220	0.51	2	0.21	10,103	2.2	10,240	9.72
CFU108	1,136	2.75	1	0.30	10,103	2.4	1,220	0.37	2	0.21	10,103	2.4	10,240	8.02
CFU109	1,136	2.80	1	0.29	10,103	3.2	1,220	0.77	2	0.21	10,103	3.2	10,240	50.16
CFU110	1,136	2.66	1	0.29	10,103	2.4	1,220	0.50	2	0.21	10,103	2.4	10,240	9.59
CFU111	1,136	2.73	1	0.29	10,103	2.6	1,220	0.59	2	0.21	10,103	2.6	10,240	21.25
CFU112	1,136	2.83	1	0.29	10,103	3.2	1,220	0.89	2	0.20	10,103	3.2	10,240	41.14
CFU116	1,136	0.48	1	0.56	10,103	1.5	1,220	0.29	2	0.43	10,103	1.5	10,240	14.27
CFU117	1,136	0.51	1	0.57	10,103	1.5	1,220	0.30	2	0.43	10,103	1.5	10,240	16.09
CFU118	1,136	0.45	1	0.56	10,103	1.5	1,220	0.27	2	0.43	10,103	1.5	10,240	13.70
CFU114	1,136	0.22	1	0.45	10,103	1.0	1,220	0.15	2	0.38	10,103	1.0	10,240	12.75
CFU115	1,136	0.16	1	0.45	10,103	0.6	1,220	0.12	2	0.37	10,103	0.6	10,240	7.66
CFU113	1,136	6.80	1	0.43	10,103	12.9	1,220	3.05	2	0.45	10,103	12.9	10,240	29.53
SSF01	1,136	178.69	1	11.04	10,103	189.7	1,220	165.14	2	15.26	10,103	189.7	10,240	6044.54
SSF02	1,136	178.74	1	11.06	10,103	182.9	1,220	160.51	2	15.34	10,103	182.9	10,240	6689.65
SSF05	1,136	242.70	1	11.29	10,103	173.8	1,220	275.90	2	14.91	10,103	173.8	10,240	2332.44
SSF16	1,136	49.29	1	20.09	10,103	33.8	1,220	34.70	2	34.58	10,103	33.8	10,240	419.45
SSF17	1,136	46.88	1	20.40	10,103	32.5	1,220	33.35	2	35.37	10,103	32.5	10,240	406.23
SSF18	1,136	47.48	1	20.33	10,103	32.8	1,220	33.79	2	35.40	10,103	32.8	10,240	412.49
SSF03	1,136	263.70	1	11.68	10,103	169.2	1,220	202.55	2	15.65	10,103	169.2	10,240	1859.28
SSF04	1,136	263.45	1	11.65	10,103	171.4	1,220	208.65	2	15.58	10,103	171.4	10,240	2221.89
SSF06	1,136	259.10	1	11.54	10,103	175.0	1,220	227.85	2	15.35	10,103	175.0	10,240	2812.85
SSF07	1,136	247.22	1	11.36	10,103	174.9	1,220	264.77	2	15.02	10,103	174.9	10,240	2433.11
SSF08	1,136	255.27	1	11.48	10,103	175.2	1,220	234.87	2	15.24	10,103	175.2	10,240	2812.61
SSF09	1,136	166.83	1	10.63	10,103	227.3	1,220	193.34	2	14.48	10,103	227.3	10,240	3175.81
SSF10	1,136	175.85	1	10.93	10,103	209.2	1,220	179.28	2	15.00	10,103	209.2	10,240	4237.98
SSF11	1,136	173.59	1	10.86	10,103	214.7	1,220	182.84	2	14.87	10,103	214.7	10,240	3724.03
SSF12	1,136	166.28	1	10.63	10,103	233.1	1,220	201.67	2	14.44	10,103	233.1	10,240	3061.69
SSF14	1,136	43.50	1	20.71	10,103	30.0	1,220	31.70	2	37.39	10,103	30.0	10,240	362.13
SSF15	1,136	43.87	1	20.57	10,103	30.1	1,220	31.94	2	37.27	10,103	30.1	10,240	361.86
SSF13	1,136	164.15	1	10.60	10,103	243.5	1,220	221.53	2	14.32	10,103	243.5	10,240	2776.80

Table 6-8
Production Scenario 2—Maximum Predicted Risk Exposure Location Per TEU
Hollingsworth & Vose Fiber Company—Corvallis, OR

			Ca	ncer					Chronic N	loncancer			A custo N	
	Resid	ential	CI	nild	Wo	rker	Resid	lential	Cł	nild	Wo	rker	Acute N	oncancer
Modeled TEU	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location ⁽¹⁾ (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])	Exposure Location (1) (Location of Maximum Risk)	Dispersion Factor (ug/m³/[g/s])
OPERATING SCE	NARIO 1—SIGN	IFICANT TEUs												
SILO1	1,136	22.89	1	1.06	10,103	26.5	1,220	29.90	2	1.94	10,103	26.5	10,240	192.84
SILO2	1,136	0.95	1	1.81	10,103	2.6	1,220	0.71	2	4.36	10,103	2.6	10,240	40.93
BBBH	1,136	21.23	1	2.10	10,103	118.4	1,220	31.15	2	5.18	10,103	118.4	10,240	454.16
GP1_A	1,136	48.80	1	5.78	10,103	205.6	1,220	72.38	2	9.62	10,103	205.6	10,240	583.99
GP1_B	1,136	48.25	1	5.76	10,103	177.6	1,220	74.03	2	9.53	10,103	177.6	10,240	543.11
ВНВН	1,136	65.29	1	8.77	10,103	531.3	1,220	89.73	2	12.36	10,103	531.3	10,240	565.40
CT1_2	1,136	14.12	1	3.61	10,103	37.5	1,220	16.79	2	5.91	10,103	37.5	10,240	448.78
CT3A	1,136	12.35	1	2.21	10,103	38.5	1,220	14.54	2	4.09	10,103	38.5	10,240	315.71
CT3B	1,136	12.43	1	2.21	10,103	36.6	1,220	14.67	2	4.09	10,103	36.6	10,240	191.52
CT4	1,136	3.27	1	3.40	10,103	8.1	1,220	2.47	2	10.50	10,103	8.1	10,240	115.08
PAINT	1,136	127.63	1	9.77	10,103	1298.1	1,220	190.52	2	13.85	10,103	1298.1	10,240	2160.94
EGEN1	1,136	7.55	1	0.48	10,103	16.8	1,220	10.80	2	0.57	10,103	16.8	10,240	48.47
EGEN2	1,136	8.81	1	0.87	10,103	33.1	1,220	15.55	2	2.96	10,103	33.1	10,240	188.20
GAS COMBUSTIC	ON TEUs													
CFU113NG	10,213	0.90	2	0.45	10,215	0.91	10,213	0.90	2	0.45	10,215	0.91	10,121	7.20
NG	10,213	10.58	2	1.31	10,215	11.0	10,213	10.58	2	1.31	10,215	11.0	10,121	88.41

Notes

References

(1) Exposure location represents the highest predicted cumulative cancer or noncancer risk at following receptor ID and coordinates in the unit emission rate dispersion model:

Receptor ID	UTM X (m)	UTM Y (m)
1	478,569.73	4,933,304
2	479,156.75	4,934,053
1,136	479,462.91	4,933,191
1,220	479,512.91	4,933,141
10,103	479,714.19	4,933,169
10,121	479,129.48	4,933,472
10,213	479,111.28	4,933,474
10,215	479,077.58	4,933,430
10,240	479,591.38	4,933,252

g = gram; $m^3 = cubic meter$; m = meter; s = second; TEU = toxic emission unit; ug = micrograms; ut = universal transverse mercator.

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		N	onresidential Ch	nild	No	nresidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. (a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fa	cility-Wide Risk			2.9			<0.1			0.2	
CFU101								_			•
Cumulative TEU Risk					0.11			6.7E-04			4.4E-03
Dispersion Factor (µg/m3/[g/s])		T		2.51			0.29	_		2.14	•
Barium	7440-39-3	9.2E-07	2.3E-06		(4)	2.7E-07		(4)	2.0E-06		(4)
Cadmium	7440-43-9	9.6E-07	2.4E-06	5.6E-04	4.3E-03	2.8E-07	0.014	2.0E-05	2.1E-06	6.7E-03	3.1E-04
Chromium (total)	7440-47-3	8.9E-07	2.2E-06		(4)	2.6E-07		(4)	1.9E-06		(4)
Chromium VI	18540-29-9	8.9E-07	2.2E-06	3.1E-05	0.072	2.6E-07	5.2E-04	5.1E-04	1.9E-06	1.0E-03	1.9E-03
Copper	7440-50-8	5.3E-06	1.3E-05		(4)	1.6E-06		(4)	1.1E-05		(4)
Lead	7439-92-1	8.4E-06	2.1E-05		(4)	2.5E-06		(4)	1.8E-05		(4)
Manganese	7439-96-5	8.1E-07	2.0E-06		(4)	2.4E-07		(4)	1.7E-06		(4)
Mercury	7439-97-6	5.3E-08	1.3E-07		(4)	1.6E-08		(4)	1.1E-07		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.3E-06	-	(4)	3.9E-07		(4)	2.9E-06		(4)
Nickel	7440-02-0	2.0E-06	5.1E-06	3.8E-03	1.3E-03	6.0E-07	0.10	6.0E-06	4.3E-06	0.046	9.4E-05
Phosphorus	504	2.4E-05	6.0E-05		(4)	7.1E-06		(4)	5.1E-05		(4)
Vanadium	7440-62-2	1.9E-06	4.7E-06		(4)	5.5E-07		(4)	4.0E-06		(4)
Zinc	7440-66-6	1.5E-05	3.8E-05		(4)	4.4E-06		(4)	3.2E-05		(4)
Ammonia	7664-41-7	2.6E-03	6.5E-03		(4)	7.6E-04		(4)	5.5E-03		(4)
Fluorides	239	1.7E-04	4.3E-04		(4)	5.1E-05		(4)	3.7E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	5.0E-05		(4)	5.9E-06		(4)	4.3E-05		(4)
Glasswool Fibers	352	5.0E-05	1.3E-04		(4)	1.5E-05		(4)	1.1E-04		(4)
Silica, Crystalline	7631-86-9	5.0E-05	1.2E-04		(4)	1.5E-05		(4)	1.1E-04		(4)
Acetaldehyde	75-07-0	3.5E-06	8.7E-06	0.45	1.9E-05	1.0E-06	12.0	8.5E-08	7.4E-06	5.50	1.4E-06
Acetone	67-64-1	3.5E-04	8.7E-04		(4)	1.0E-04		(4)	7.4E-04		(4)
Acrolein	107-02-8	2.2E-06	5.5E-06		(4)	6.4E-07		(4)	4.7E-06		(4)
Benzene	71-43-2	3.1E-05	7.7E-05	0.13	5.9E-04	9.0E-06	3.30	2.7E-06	6.6E-05	1.50	4.4E-05
Ethylbenzene	100-41-4	2.5E-05	6.2E-05	0.40	1.5E-04	7.3E-06	10.0	7.3E-07	5.3E-05	4.80	1.1E-05
Formaldehyde	50-00-0	1.8E-03	4.5E-03	0.17	0.027	5.3E-04	4.30	1.2E-04	3.9E-03	2.00	1.9E-03
Hexane	110-54-3	5.6E-05	1.4E-04		(4)	1.6E-05		(4)	1.2E-04		(4)
2-Butanone	78-93-3	1.6E-05	4.0E-05		(4)	4.7E-06		(4)	3.4E-05		(4)
Toluene	108-88-3	1.4E-04	3.6E-04		(4)	4.2E-05		(4)	3.1E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	1.5E-04		(4)	1.7E-05		(4)	1.3E-04		(4)
o-Xylene	95-47-6	2.8E-05	7.0E-05		(4)	8.2E-06		(4)	5.9E-05		(4)
PAHs	401	8.1E-08	2.0E-07	4.3E-05	4.7E-03	2.4E-08	1.6E-03	1.5E-05	1.7E-07	3.0E-03	5.8E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.4E-09	4.3E-05	5.6E-05	2.9E-10	1.6E-03	1.8E-07	2.1E-09	3.0E-03	6.9E-07
Naphthalene	91-20-3	2.4E-07	6.1E-07	0.029	2.1E-05	7.1E-08	0.76	9.4E-08	5.2E-07	0.35	1.5E-06

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001
Page 115 of 175

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

	1		1				Cancer				
		TAC		Residential		N	onresidential Ch	ild	No	nresidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac				2.9			<0.1			0.2	
CFU102											
Cumulative TEU Risk					0.11			6.7E-04			4.0E-03
Dispersion Factor (µg/m3/[g/s])				2.40			0.30			1.97	
Barium	7440-39-3	9.2E-07	2.2E-06		(4)	2.7E-07		(4)	1.8E-06	-	(4)
Cadmium	7440-43-9	9.6E-07	2.3E-06	5.6E-04	4.1E-03	2.8E-07	0.014	2.0E-05	1.9E-06	6.7E-03	2.8E-04
Chromium (total)	7440-47-3	8.9E-07	2.1E-06		(4)	2.6E-07		(4)	1.8E-06		(4)
Chromium VI	18540-29-9	8.9E-07	2.1E-06	3.1E-05	0.069	2.6E-07	5.2E-04	5.1E-04	1.8E-06	1.0E-03	1.8E-03
Copper	7440-50-8	5.3E-06	1.3E-05		(4)	1.6E-06		(4)	1.0E-05		(4)
Lead	7439-92-1	8.4E-06	2.0E-05		(4)	2.5E-06		(4)	1.7E-05		(4)
Manganese	7439-96-5	8.1E-07	1.9E-06		(4)	2.4E-07		(4)	1.6E-06		(4)
Mercury	7439-97-6	5.3E-08	1.3E-07		(4)	1.6E-08		(4)	1.0E-07		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.2E-06		(4)	3.9E-07		(4)	2.6E-06		(4)
Nickel	7440-02-0	2.0E-06	4.9E-06	3.8E-03	1.3E-03	6.0E-07	0.10	6.0E-06	4.0E-06	0.046	8.7E-05
Phosphorus	504	2.4E-05	5.7E-05		(4)	7.1E-06		(4)	4.7E-05		(4)
Vanadium	7440-62-2	1.9E-06	4.4E-06		(4)	5.5E-07		(4)	3.7E-06		(4)
Zinc	7440-66-6	1.5E-05	3.6E-05		(4)	4.4E-06		(4)	3.0E-05		(4)
Ammonia	7664-41-7	2.6E-03	6.2E-03		(4)	7.6E-04		(4)	5.1E-03		(4)
Fluorides	239	1.7E-04	4.1E-04		(4)	5.1E-05		(4)	3.4E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	4.8E-05		(4)	5.9E-06		(4)	3.9E-05		(4)
Glasswool Fibers	352	5.0E-05	1.2E-04		(4)	1.5E-05		(4)	9.9E-05		(4)
Silica, Crystalline	7631-86-9	5.0E-05	1.2E-04		(4)	1.5E-05		(4)	9.8E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	8.3E-06	0.45	1.8E-05	1.0E-06	12.0	8.5E-08	6.8E-06	5.50	1.2E-06
Acetone	67-64-1	3.5E-04	8.3E-04		(4)	1.0E-04		(4)	6.8E-04		(4)
Acrolein	107-02-8	2.2E-06	5.2E-06		(4)	6.4E-07		(4)	4.3E-06		(4)
Benzene	71-43-2	3.1E-05	7.3E-05	0.13	5.6E-04	9.0E-06	3.30	2.7E-06	6.0E-05	1.50	4.0E-05
Ethylbenzene	100-41-4	2.5E-05	5.9E-05	0.40	1.5E-04	7.3E-06	10.0	7.3E-07	4.8E-05	4.80	1.0E-05
Formaldehyde	50-00-0	1.8E-03	4.3E-03	0.17	0.026	5.3E-04	4.30	1.2E-04	3.6E-03	2.00	1.8E-03
Hexane	110-54-3	5.6E-05	1.3E-04		(4)	1.6E-05		(4)	1.1E-04		(4)
2-Butanone	78-93-3	1.6E-05	3.8E-05		(4)	4.7E-06		(4)	3.1E-05		(4)
Toluene	108-88-3	1.4E-04	3.4E-04		(4)	4.2E-05		(4)	2.8E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	1.4E-04		(4)	1.7E-05		(4)	1.2E-04		(4)
o-Xylene	95-47-6	2.8E-05	6.6E-05		(4)	8.2E-06		(4)	5.5E-05		(4)
PAHs	401	8.1E-08	1.9E-07	4.3E-05	4.5E-03	2.4E-08	1.6E-03	1.5E-05	1.6E-07	3.0E-03	5.3E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.3E-09	4.3E-05	5.4E-05	2.9E-10	1.6E-03	1.8E-07	1.9E-09	3.0E-03	6.3E-07
Naphthalene	91-20-3	2.4E-07	5.8E-07	0.029	2.0E-05	7.1E-08	0.76	9.4E-08	4.8E-07	0.35	1.4E-06

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

Toxic Air Contaminant	CAS	TAC Emission Rate ⁽¹⁾ (g/s)	Cancer								
			Residential			Nonresidential Child			Nonresidential Worker		
			Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)
Exposure Location (3)			1136			1			10103		
Cumulative Facility-Wide Risk			2.9			<0.1			0.2		
CFU103											_
Cumulative TEU Risk					0.10			6.8E-04			4.8E-03
Dispersion Factor (μg/m3/[g/s])			2.37			0.30			2.35		
Barium	7440-39-3	9.2E-07	2.2E-06		(4)	2.8E-07		(4)	2.2E-06		(4)
Cadmium	7440-43-9	9.6E-07	2.3E-06	5.6E-04	4.0E-03	2.9E-07	0.014	2.0E-05	2.3E-06	6.7E-03	3.4E-04
Chromium (total)	7440-47-3	8.9E-07	2.1E-06		(4)	2.7E-07		(4)	2.1E-06		(4)
Chromium VI	18540-29-9	8.9E-07	2.1E-06	3.1E-05	0.068	2.7E-07	5.2E-04	5.1E-04	2.1E-06	1.0E-03	2.1E-03
Copper	7440-50-8	5.3E-06	1.3E-05		(4)	1.6E-06		(4)	1.2E-05		(4)
Lead	7439-92-1	8.4E-06	2.0E-05		(4)	2.5E-06		(4)	2.0E-05		(4)
Manganese	7439-96-5	8.1E-07	1.9E-06		(4)	2.4E-07		(4)	1.9E-06		(4)
Mercury	7439-97-6	5.3E-08	1.3E-07		(4)	1.6E-08		(4)	1.3E-07		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.1E-06		(4)	4.0E-07		(4)	3.1E-06		(4)
Nickel	7440-02-0	2.0E-06	4.8E-06	3.8E-03	1.3E-03	6.1E-07	0.10	6.1E-06	4.8E-06	0.046	1.0E-04
Phosphorus	504	2.4E-05	5.7E-05		(4)	7.2E-06		(4)	5.6E-05		(4)
Vanadium	7440-62-2	1.9E-06	4.4E-06		(4)	5.6E-07		(4)	4.4E-06		(4)
Zinc	7440-66-6	1.5E-05	3.6E-05		(4)	4.5E-06		(4)	3.5E-05		(4)
Ammonia	7664-41-7	2.6E-03	6.1E-03		(4)	7.7E-04		(4)	6.1E-03		(4)
Fluorides	239	1.7E-04	4.1E-04		(4)	5.2E-05		(4)	4.0E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	4.7E-05		(4)	6.0E-06		(4)	4.7E-05		(4)
Glasswool Fibers	352	5.0E-05	1.2E-04		(4)	1.5E-05		(4)	1.2E-04		(4)
Silica, Crystalline	7631-86-9	5.0E-05	1.2E-04		(4)	1.5E-05		(4)	1.2E-04		(4)
Acetaldehyde	75-07-0	3.5E-06	8.2E-06	0.45	1.8E-05	1.0E-06	12.0	8.7E-08	8.2E-06	5.50	1.5E-06
Acetone	67-64-1	3.5E-04	8.2E-04		(4)	1.0E-04		(4)	8.1E-04		(4)
Acrolein	107-02-8	2.2E-06	5.2E-06		(4)	6.5E-07		(4)	5.1E-06		(4)
Benzene	71-43-2	3.1E-05	7.2E-05	0.13	5.6E-04	9.2E-06	3.30	2.8E-06	7.2E-05	1.50	4.8E-05
Ethylbenzene	100-41-4	2.5E-05	5.8E-05	0.40	1.5E-04	7.4E-06	10.0	7.4E-07	5.8E-05	4.80	1.2E-05
Formaldehyde	50-00-0	1.8E-03	4.3E-03	0.17	0.025	5.4E-04	4.30	1.3E-04	4.3E-03	2.00	2.1E-03
Hexane	110-54-3	5.6E-05	1.3E-04		(4)	1.7E-05		(4)	1.3E-04		(4)
2-Butanone	78-93-3	1.6E-05	3.8E-05		(4)	4.8E-06		(4)	3.7E-05		(4)
Toluene	108-88-3	1.4E-04	3.4E-04		(4)	4.3E-05		(4)	3.4E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	1.4E-04		(4)	1.8E-05		(4)	1.4E-04		(4)
o-Xylene	95-47-6	2.8E-05	6.6E-05		(4)	8.3E-06		(4)	6.5E-05		(4)
PAHs	401	8.1E-08	1.9E-07	4.3E-05	4.4E-03	2.4E-08	1.6E-03	1.5E-05	1.9E-07	3.0E-03	6.3E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.3E-09	4.3E-05	5.3E-05	2.9E-10	1.6E-03	1.8E-07	2.3E-09	3.0E-03	7.6E-07
Naphthalene	91-20-3	2.4E-07	5.7E-07	0.029	2.0E-05	7.3E-08	0.76	9.5E-08	5.7E-07	0.35	1.6E-06

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001
Page 117 of 175

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		N	onresidential Ch	nild	No	nresidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. (a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC (2) (ug/m³) 10103 0.2 2.42 6.7E-03 1.0E-03 5.50 1.50 4.80 2.00	Risk (b) (chances-in- 10 ⁶)
Exposure L	Location (3)			1136			1			10103	•
Cumulative Fa	cility-Wide Risk			2.9			<0.1			0.2	
CFU104											_
Cumulative TEU Risk					0.11			6.8E-04			4.9E-03
Dispersion Factor (μg/m3/[g/s])				2.49			0.30	_		2.42	_
Barium	7440-39-3	9.2E-07	2.3E-06		(4)	2.8E-07		(4)	2.2E-06		(4)
Cadmium	7440-43-9	9.6E-07	2.4E-06	5.6E-04	4.3E-03	2.9E-07	0.014	2.0E-05	2.3E-06	6.7E-03	3.5E-04
Chromium (total)	7440-47-3	8.9E-07	2.2E-06		(4)	2.7E-07		(4)	2.2E-06		(4)
Chromium VI	18540-29-9	8.9E-07	2.2E-06	3.1E-05	0.072	2.7E-07	5.2E-04	5.1E-04	2.2E-06	1.0E-03	2.2E-03
Copper	7440-50-8	5.3E-06	1.3E-05		(4)	1.6E-06		(4)	1.3E-05		(4)
Lead	7439-92-1	8.4E-06	2.1E-05		(4)	2.5E-06		(4)	2.0E-05		(4)
Manganese	7439-96-5	8.1E-07	2.0E-06		(4)	2.4E-07		(4)	2.0E-06		(4)
Mercury	7439-97-6	5.3E-08	1.3E-07		(4)	1.6E-08		(4)	1.3E-07		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.3E-06		(4)	4.0E-07		(4)	3.2E-06		(4)
Nickel	7440-02-0	2.0E-06	5.1E-06	3.8E-03	1.3E-03	6.0E-07	0.10	6.0E-06	4.9E-06	0.046	1.1E-04
Phosphorus	504	2.4E-05	6.0E-05		(4)	7.2E-06		(4)	5.8E-05		(4)
Vanadium	7440-62-2	1.9E-06	4.6E-06		(4)	5.5E-07		(4)	4.5E-06		(4)
Zinc	7440-66-6	1.5E-05	3.7E-05		(4)	4.5E-06		(4)	3.6E-05		(4)
Ammonia	7664-41-7	2.6E-03	6.4E-03		(4)	7.7E-04		(4)	6.2E-03		(4)
Fluorides	239	1.7E-04	4.3E-04		(4)	5.1E-05		(4)	4.2E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	5.0E-05		(4)	6.0E-06		(4)	4.8E-05		(4)
Glasswool Fibers	352	5.0E-05	1.3E-04		(4)	1.5E-05		(4)	1.2E-04		(4)
Silica, Crystalline	7631-86-9	5.0E-05	1.2E-04		(4)	1.5E-05		(4)	1.2E-04		(4)
Acetaldehyde	75-07-0	3.5E-06	8.7E-06	0.45	1.9E-05	1.0E-06	12.0	8.6E-08	8.4E-06	5.50	1.5E-06
Acetone	67-64-1	3.5E-04	8.6E-04		(4)	1.0E-04		(4)	8.3E-04		(4)
Acrolein	107-02-8	2.2E-06	5.4E-06		(4)	6.5E-07		(4)	5.3E-06		(4)
Benzene	71-43-2	3.1E-05	7.6E-05	0.13	5.9E-04	9.1E-06	3.30	2.8E-06	7.4E-05	1.50	4.9E-05
Ethylbenzene	100-41-4	2.5E-05	6.1E-05	0.40	1.5E-04	7.4E-06	10.0	7.4E-07	6.0E-05	4.80	1.2E-05
Formaldehyde	50-00-0	1.8E-03	4.5E-03	0.17	0.027	5.4E-04	4.30	1.3E-04	4.4E-03	2.00	2.2E-03
Hexane	110-54-3	5.6E-05	1.4E-04		(4)	1.7E-05		(4)	1.3E-04		(4)
2-Butanone	78-93-3	1.6E-05	4.0E-05		(4)	4.7E-06		(4)	3.8E-05		(4)
Toluene	108-88-3	1.4E-04	3.6E-04		(4)	4.3E-05		(4)	3.5E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	1.5E-04		(4)	1.7E-05		(4)	1.4E-04		(4)
o-Xylene	95-47-6	2.8E-05	6.9E-05		(4)	8.3E-06		(4)	6.7E-05		(4)
PAHs	401	8.1E-08	2.0E-07	4.3E-05	4.7E-03	2.4E-08	1.6E-03	1.5E-05	2.0E-07	3.0E-03	6.5E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.4E-09	4.3E-05	5.6E-05	2.9E-10	1.6E-03	1.8E-07	2.3E-09	3.0E-03	7.8E-07
Naphthalene	91-20-3	2.4E-07	6.0E-07	0.029	2.1E-05	7.2E-08	0.76	9.5E-08	5.9E-07	0.35	1.7E-06

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001
Page 118 of 175

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		N	onresidential Ch	nild	No	nresidential Wo	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC (2) (ug/m³) 10103 0.2 2.51 6.7E-03 1.0E-03 5.50 1.50 4.80 2.00	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac				2.9			<0.1			0.2	
CFU105											
Cumulative TEU Risk					0.12			6.7E-04			5.1E-03
Dispersion Factor (µg/m3/[g/s])				2.83	_		0.29			2.51	
Barium	7440-39-3	9.2E-07	2.6E-06		(4)	2.7E-07		(4)	2.3E-06		(4)
Cadmium	7440-43-9	9.6E-07	2.7E-06	5.6E-04	4.8E-03	2.8E-07	0.014	2.0E-05	2.4E-06	6.7E-03	3.6E-04
Chromium (total)	7440-47-3	8.9E-07	2.5E-06		(4)	2.6E-07		(4)	2.2E-06		(4)
Chromium VI	18540-29-9	8.9E-07	2.5E-06	3.1E-05	0.081	2.6E-07	5.2E-04	5.0E-04	2.2E-06	1.0E-03	2.2E-03
Copper	7440-50-8	5.3E-06	1.5E-05		(4)	1.6E-06		(4)	1.3E-05		(4)
Lead	7439-92-1	8.4E-06	2.4E-05		(4)	2.5E-06		(4)	2.1E-05		(4)
Manganese	7439-96-5	8.1E-07	2.3E-06		(4)	2.4E-07		(4)	2.0E-06		(4)
Mercury	7439-97-6	5.3E-08	1.5E-07		(4)	1.6E-08		(4)	1.3E-07		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.8E-06		(4)	3.9E-07		(4)	3.3E-06		(4)
Nickel	7440-02-0	2.0E-06	5.7E-06	3.8E-03	1.5E-03	5.9E-07	0.10	5.9E-06	5.1E-06	0.046	1.1E-04
Phosphorus	504	2.4E-05	6.8E-05		(4)	7.0E-06	-	(4)	6.0E-05		(4)
Vanadium	7440-62-2	1.9E-06	5.3E-06		(4)	5.4E-07		(4)	4.7E-06		(4)
Zinc	7440-66-6	1.5E-05	4.2E-05		(4)	4.4E-06		(4)	3.8E-05		(4)
Ammonia	7664-41-7	2.6E-03	7.3E-03		(4)	7.6E-04		(4)	6.5E-03		(4)
Fluorides	239	1.7E-04	4.9E-04		(4)	5.0E-05		(4)	4.3E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	5.7E-05		(4)	5.9E-06		(4)	5.0E-05		(4)
Glasswool Fibers	352	5.0E-05	1.4E-04		(4)	1.5E-05		(4)	1.3E-04		(4)
Silica, Crystalline	7631-86-9	5.0E-05	1.4E-04		(4)	1.5E-05		(4)	1.2E-04		(4)
Acetaldehyde	75-07-0	3.5E-06	9.8E-06	0.45	2.2E-05	1.0E-06	12.0	8.5E-08	8.7E-06	5.50	1.6E-06
Acetone	67-64-1	3.5E-04	9.8E-04		(4)	1.0E-04		(4)	8.7E-04		(4)
Acrolein	107-02-8	2.2E-06	6.2E-06		(4)	6.4E-07		(4)	5.5E-06		(4)
Benzene	71-43-2	3.1E-05	8.7E-05	0.13	6.7E-04	9.0E-06	3.30	2.7E-06	7.7E-05	1.50	5.1E-05
Ethylbenzene	100-41-4	2.5E-05	7.0E-05	0.40	1.7E-04	7.2E-06	10.0	7.2E-07	6.2E-05	4.80	1.3E-05
Formaldehyde	50-00-0	1.8E-03	5.1E-03	0.17	0.030	5.3E-04	4.30	1.2E-04	4.6E-03	2.00	2.3E-03
Hexane	110-54-3	5.6E-05	1.6E-04		(4)	1.6E-05		(4)	1.4E-04		(4)
2-Butanone	78-93-3	1.6E-05	4.5E-05	-	(4)	4.7E-06	-	(4)	4.0E-05		(4)
Toluene	108-88-3	1.4E-04	4.1E-04		(4)	4.2E-05		(4)	3.6E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	1.7E-04		(4)	1.7E-05		(4)	1.5E-04		(4)
o-Xylene	95-47-6	2.8E-05	7.9E-05		(4)	8.1E-06		(4)	7.0E-05		(4)
PAHs	401	8.1E-08	2.3E-07	4.3E-05	5.3E-03	2.4E-08	1.6E-03	1.5E-05	2.0E-07	3.0E-03	6.8E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.7E-09	4.3E-05	6.4E-05	2.8E-10	1.6E-03	1.8E-07	2.4E-09	3.0E-03	8.1E-07
Naphthalene	91-20-3	2.4E-07	6.9E-07	0.029	2.4E-05	7.1E-08	0.76	9.3E-08	6.1E-07	0.35	1.7E-06

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001
Page 119 of 175

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		N	onresidential Ch	nild	No	Onresidential Work RBC (2) (ug/m³) 10103 0.2 2.50 6.7E-03 1.0E-03 5.50 1.50 4.80 2.00	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)		Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)	•		1136			1	•		10103	•
Cumulative Fac				2.9			<0.1			0.2	
CFU106	•										
Cumulative TEU Risk					0.12			6.8E-04			5.1E-03
Dispersion Factor (µg/m3/[g/s])				2.67			0.30			2.50	
Barium	7440-39-3	9.2E-07	2.5E-06		(4)	2.7E-07		(4)	2.3E-06		(4)
Cadmium	7440-43-9	9.6E-07	2.6E-06	5.6E-04	4.6E-03	2.8E-07	0.014	2.0E-05	2.4E-06	6.7E-03	3.6E-04
Chromium (total)	7440-47-3	8.9E-07	2.4E-06		(4)	2.6E-07		(4)	2.2E-06		(4)
Chromium VI	18540-29-9	8.9E-07	2.4E-06	3.1E-05	0.077	2.6E-07	5.2E-04	5.1E-04	2.2E-06	1.0E-03	2.2E-03
Copper	7440-50-8	5.3E-06	1.4E-05		(4)	1.6E-06		(4)	1.3E-05		(4)
Lead	7439-92-1	8.4E-06	2.3E-05		(4)	2.5E-06		(4)	2.1E-05		(4)
Manganese	7439-96-5	8.1E-07	2.2E-06		(4)	2.4E-07		(4)	2.0E-06		(4)
Mercury	7439-97-6	5.3E-08	1.4E-07		(4)	1.6E-08		(4)	1.3E-07		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.6E-06		(4)	4.0E-07		(4)	3.3E-06		(4)
Nickel	7440-02-0	2.0E-06	5.4E-06	3.8E-03	1.4E-03	6.0E-07	0.10	6.0E-06	5.1E-06	0.046	1.1E-04
Phosphorus	504	2.4E-05	6.4E-05		(4)	7.1E-06		(4)	6.0E-05		(4)
Vanadium	7440-62-2	1.9E-06	5.0E-06		(4)	5.5E-07		(4)	4.6E-06		(4)
Zinc	7440-66-6	1.5E-05	4.0E-05		(4)	4.5E-06		(4)	3.7E-05		(4)
Ammonia	7664-41-7	2.6E-03	6.9E-03		(4)	7.7E-04		(4)	6.4E-03		(4)
Fluorides	239	1.7E-04	4.6E-04		(4)	5.1E-05		(4)	4.3E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	5.3E-05		(4)	5.9E-06		(4)	5.0E-05		(4)
Glasswool Fibers	352	5.0E-05	1.3E-04		(4)	1.5E-05		(4)	1.3E-04		(4)
Silica, Crystalline	7631-86-9	5.0E-05	1.3E-04		(4)	1.5E-05		(4)	1.2E-04		(4)
Acetaldehyde	75-07-0	3.5E-06	9.3E-06	0.45	2.1E-05	1.0E-06	12.0	8.6E-08	8.7E-06	5.50	1.6E-06
Acetone	67-64-1	3.5E-04	9.2E-04		(4)	1.0E-04		(4)	8.6E-04		(4)
Acrolein	107-02-8	2.2E-06	5.8E-06		(4)	6.5E-07		(4)	5.4E-06		(4)
Benzene	71-43-2	3.1E-05	8.2E-05	0.13	6.3E-04	9.1E-06	3.30	2.8E-06	7.7E-05	1.50	5.1E-05
Ethylbenzene	100-41-4	2.5E-05	6.6E-05	0.40	1.6E-04	7.3E-06	10.0	7.3E-07	6.2E-05	4.80	1.3E-05
Formaldehyde	50-00-0	1.8E-03	4.8E-03	0.17	0.028	5.4E-04	4.30	1.3E-04	4.5E-03	2.00	2.3E-03
Hexane	110-54-3	5.6E-05	1.5E-04		(4)	1.7E-05		(4)	1.4E-04		(4)
2-Butanone	78-93-3	1.6E-05	4.2E-05		(4)	4.7E-06		(4)	4.0E-05		(4)
Toluene	108-88-3	1.4E-04	3.8E-04		(4)	4.3E-05		(4)	3.6E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	1.6E-04		(4)	1.7E-05		(4)	1.5E-04		(4)
o-Xylene	95-47-6	2.8E-05	7.4E-05		(4)	8.2E-06		(4)	6.9E-05		(4)
PAHs	401	8.1E-08	2.2E-07	4.3E-05	5.0E-03	2.4E-08	1.6E-03	1.5E-05	2.0E-07	3.0E-03	6.7E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.6E-09	4.3E-05	6.0E-05	2.9E-10	1.6E-03	1.8E-07	2.4E-09	3.0E-03	8.1E-07
Naphthalene	91-20-3	2.4E-07	6.5E-07	0.029	2.2E-05	7.2E-08	0.76	9.5E-08	6.0E-07	0.35	1.7E-06

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		No	onresidential Ch	nild	Noi	nresidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. (a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	Properties of the second secon	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136		_	1			10103	
Cumulative Fac				2.9			<0.1			0.2	
CFU107											
Cumulative TEU Risk					0.12			6.7E-04			4.5E-03
Dispersion Factor (µg/m3/[g/s])				2.81			0.29			2.19	•
Barium	7440-39-3	9.2E-07	2.6E-06		(4)	2.7E-07		(4)	2.0E-06		(4)
Cadmium	7440-43-9	9.6E-07	2.7E-06	5.6E-04	4.8E-03	2.8E-07	0.014	2.0E-05	2.1E-06	6.7E-03	3.1E-04
Chromium (total)	7440-47-3	8.9E-07	2.5E-06		(4)	2.6E-07		(4)	1.9E-06		(4)
Chromium VI	18540-29-9	8.9E-07	2.5E-06	3.1E-05	0.081	2.6E-07	5.2E-04	5.0E-04	1.9E-06	1.0E-03	1.9E-03
Copper	7440-50-8	5.3E-06	1.5E-05		(4)	1.6E-06		(4)	1.2E-05		(4)
Lead	7439-92-1	8.4E-06	2.4E-05		(4)	2.5E-06		(4)	1.8E-05		(4)
Manganese	7439-96-5	8.1E-07	2.3E-06		(4)	2.4E-07		(4)	1.8E-06		(4)
Mercury	7439-97-6	5.3E-08	1.5E-07		(4)	1.6E-08		(4)	1.2E-07		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.7E-06		(4)	3.9E-07		(4)	2.9E-06		(4)
Nickel	7440-02-0	2.0E-06	5.7E-06	3.8E-03	1.5E-03	5.9E-07	0.10	5.9E-06	4.4E-06	0.046	9.6E-05
Phosphorus	504	2.4E-05	6.7E-05		(4)	7.0E-06		(4)	5.2E-05		(4)
Vanadium	7440-62-2	1.9E-06	5.2E-06		(4)	5.5E-07		(4)	4.1E-06		(4)
Zinc	7440-66-6	1.5E-05	4.2E-05		(4)	4.4E-06		(4)	3.3E-05		(4)
Ammonia	7664-41-7	2.6E-03	7.3E-03		(4)	7.6E-04		(4)	5.6E-03		(4)
Fluorides	239	1.7E-04	4.8E-04		(4)	5.1E-05		(4)	3.8E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	5.6E-05		(4)	5.9E-06		(4)	4.4E-05		(4)
Glasswool Fibers	352	5.0E-05	1.4E-04		(4)	1.5E-05		(4)	1.1E-04		(4)
Silica, Crystalline	7631-86-9	5.0E-05	1.4E-04		(4)	1.5E-05		(4)	1.1E-04		(4)
Acetaldehyde	75-07-0	3.5E-06	9.8E-06	0.45	2.2E-05	1.0E-06	12.0	8.5E-08	7.6E-06	5.50	1.4E-06
Acetone	67-64-1	3.5E-04	9.7E-04		(4)	1.0E-04		(4)	7.5E-04		(4)
Acrolein	107-02-8	2.2E-06	6.1E-06		(4)	6.4E-07		(4)	4.8E-06		(4)
Benzene	71-43-2	3.1E-05	8.6E-05	0.13	6.6E-04	9.0E-06	3.30	2.7E-06	6.7E-05	1.50	4.5E-05
Ethylbenzene	100-41-4	2.5E-05	6.9E-05	0.40	1.7E-04	7.2E-06	10.0	7.2E-07	5.4E-05	4.80	1.1E-05
Formaldehyde	50-00-0	1.8E-03	5.1E-03	0.17	0.030	5.3E-04	4.30	1.2E-04	4.0E-03	2.00	2.0E-03
Hexane	110-54-3	5.6E-05	1.6E-04		(4)	1.6E-05		(4)	1.2E-04		(4)
2-Butanone	78-93-3	1.6E-05	4.5E-05		(4)	4.7E-06		(4)	3.5E-05		(4)
Toluene	108-88-3	1.4E-04	4.0E-04		(4)	4.2E-05		(4)	3.1E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	1.6E-04		(4)	1.7E-05		(4)	1.3E-04		(4)
o-Xylene	95-47-6	2.8E-05	7.8E-05		(4)	8.2E-06		(4)	6.1E-05		(4)
PAHs	401	8.1E-08	2.3E-07	4.3E-05	5.3E-03	2.4E-08	1.6E-03	1.5E-05	1.8E-07	3.0E-03	5.9E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.7E-09	4.3E-05	6.3E-05	2.8E-10	1.6E-03	1.8E-07	2.1E-09	3.0E-03	7.1E-07
Naphthalene	91-20-3	2.4E-07	6.8E-07	0.029	2.3E-05	7.1E-08	0.76	9.4E-08	5.3E-07	0.35	1.5E-06

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001
Page 121 of 175

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		N	onresidential Ch	nild	No	nresidential Wo	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC (2) (ug/m³) 10103 0.2 2.42 6.7E-03 1.0E-03 5.50 1.50 4.80 2.00	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac				2.9			<0.1			0.2	
CFU108											
Cumulative TEU Risk					0.12			6.8E-04			4.9E-03
Dispersion Factor (µg/m3/[g/s])				2.75	_		0.30			2.42	
Barium	7440-39-3	9.2E-07	2.5E-06		(4)	2.7E-07		(4)	2.2E-06		(4)
Cadmium	7440-43-9	9.6E-07	2.6E-06	5.6E-04	4.7E-03	2.8E-07	0.014	2.0E-05	2.3E-06	6.7E-03	3.5E-04
Chromium (total)	7440-47-3	8.9E-07	2.4E-06		(4)	2.6E-07		(4)	2.2E-06		(4)
Chromium VI	18540-29-9	8.9E-07	2.4E-06	3.1E-05	0.079	2.6E-07	5.2E-04	5.1E-04	2.2E-06	1.0E-03	2.2E-03
Copper	7440-50-8	5.3E-06	1.5E-05		(4)	1.6E-06		(4)	1.3E-05		(4)
Lead	7439-92-1	8.4E-06	2.3E-05		(4)	2.5E-06		(4)	2.0E-05		(4)
Manganese	7439-96-5	8.1E-07	2.2E-06		(4)	2.4E-07		(4)	2.0E-06		(4)
Mercury	7439-97-6	5.3E-08	1.5E-07		(4)	1.6E-08		(4)	1.3E-07		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.7E-06		(4)	3.9E-07		(4)	3.2E-06		(4)
Nickel	7440-02-0	2.0E-06	5.6E-06	3.8E-03	1.5E-03	6.0E-07	0.10	6.0E-06	4.9E-06	0.046	1.1E-04
Phosphorus	504	2.4E-05	6.6E-05		(4)	7.1E-06	-	(4)	5.8E-05		(4)
Vanadium	7440-62-2	1.9E-06	5.1E-06		(4)	5.5E-07		(4)	4.5E-06		(4)
Zinc	7440-66-6	1.5E-05	4.1E-05		(4)	4.4E-06		(4)	3.6E-05		(4)
Ammonia	7664-41-7	2.6E-03	7.1E-03		(4)	7.6E-04		(4)	6.2E-03		(4)
Fluorides	239	1.7E-04	4.7E-04		(4)	5.1E-05		(4)	4.2E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	5.5E-05		(4)	5.9E-06		(4)	4.8E-05		(4)
Glasswool Fibers	352	5.0E-05	1.4E-04		(4)	1.5E-05		(4)	1.2E-04		(4)
Silica, Crystalline	7631-86-9	5.0E-05	1.4E-04		(4)	1.5E-05		(4)	1.2E-04		(4)
Acetaldehyde	75-07-0	3.5E-06	9.5E-06	0.45	2.1E-05	1.0E-06	12.0	8.6E-08	8.4E-06	5.50	1.5E-06
Acetone	67-64-1	3.5E-04	9.5E-04		(4)	1.0E-04	-	(4)	8.3E-04		(4)
Acrolein	107-02-8	2.2E-06	6.0E-06		(4)	6.5E-07		(4)	5.3E-06		(4)
Benzene	71-43-2	3.1E-05	8.4E-05	0.13	6.5E-04	9.1E-06	3.30	2.8E-06	7.4E-05	1.50	4.9E-05
Ethylbenzene	100-41-4	2.5E-05	6.8E-05	0.40	1.7E-04	7.3E-06	10.0	7.3E-07	6.0E-05	4.80	1.2E-05
Formaldehyde	50-00-0	1.8E-03	5.0E-03	0.17	0.029	5.4E-04	4.30	1.2E-04	4.4E-03	2.00	2.2E-03
Hexane	110-54-3	5.6E-05	1.5E-04		(4)	1.7E-05		(4)	1.3E-04		(4)
2-Butanone	78-93-3	1.6E-05	4.4E-05		(4)	4.7E-06		(4)	3.8E-05		(4)
Toluene	108-88-3	1.4E-04	3.9E-04		(4)	4.2E-05		(4)	3.5E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	1.6E-04		(4)	1.7E-05		(4)	1.4E-04		(4)
o-Xylene	95-47-6	2.8E-05	7.6E-05		(4)	8.2E-06		(4)	6.7E-05		(4)
PAHs	401	8.1E-08	2.2E-07	4.3E-05	5.2E-03	2.4E-08	1.6E-03	1.5E-05	2.0E-07	3.0E-03	6.5E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.7E-09	4.3E-05	6.2E-05	2.9E-10	1.6E-03	1.8E-07	2.3E-09	3.0E-03	7.8E-07
Naphthalene	91-20-3	2.4E-07	6.6E-07	0.029	2.3E-05	7.2E-08	0.76	9.4E-08	5.9E-07	0.35	1.7E-06

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		No	onresidential Ch	nild	No	nresidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³) 10103 0.2 3.24 6.7E-03 1.0E-03 0.046 5.50 1.50 4.80	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac				2.9			<0.1			0.2	
CFU109											
Cumulative TEU Risk					0.12			6.7E-04			6.6E-03
Dispersion Factor (µg/m3/[g/s])				2.80	_		0.29	_		3.24	
Barium	7440-39-3	9.2E-07	2.6E-06		(4)	2.7E-07		(4)	3.0E-06		(4)
Cadmium	7440-43-9	9.6E-07	2.7E-06	5.6E-04	4.8E-03	2.8E-07	0.014	2.0E-05	3.1E-06	6.7E-03	4.6E-04
Chromium (total)	7440-47-3	8.9E-07	2.5E-06		(4)	2.6E-07		(4)	2.9E-06		(4)
Chromium VI	18540-29-9	8.9E-07	2.5E-06	3.1E-05	0.081	2.6E-07	5.2E-04	5.0E-04	2.9E-06	1.0E-03	2.9E-03
Copper	7440-50-8	5.3E-06	1.5E-05		(4)	1.5E-06		(4)	1.7E-05		(4)
Lead	7439-92-1	8.4E-06	2.4E-05		(4)	2.5E-06		(4)	2.7E-05		(4)
Manganese	7439-96-5	8.1E-07	2.3E-06		(4)	2.4E-07		(4)	2.6E-06		(4)
Mercury	7439-97-6	5.3E-08	1.5E-07		(4)	1.6E-08		(4)	1.7E-07		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.7E-06		(4)	3.9E-07		(4)	4.3E-06		(4)
Nickel	7440-02-0	2.0E-06	5.7E-06	3.8E-03	1.5E-03	5.9E-07	0.10	5.9E-06	6.6E-06	0.046	1.4E-04
Phosphorus	504	2.4E-05	6.7E-05		(4)	7.0E-06		(4)	7.8E-05		(4)
Vanadium	7440-62-2	1.9E-06	5.2E-06		(4)	5.4E-07		(4)	6.0E-06		(4)
Zinc	7440-66-6	1.5E-05	4.2E-05		(4)	4.4E-06		(4)	4.9E-05		(4)
Ammonia	7664-41-7	2.6E-03	7.2E-03		(4)	7.5E-04		(4)	8.4E-03		(4)
Fluorides	239	1.7E-04	4.8E-04		(4)	5.0E-05		(4)	5.6E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	5.6E-05		(4)	5.8E-06		(4)	6.5E-05		(4)
Glasswool Fibers	352	5.0E-05	1.4E-04		(4)	1.5E-05		(4)	1.6E-04		(4)
Silica, Crystalline	7631-86-9	5.0E-05	1.4E-04		(4)	1.4E-05		(4)	1.6E-04		(4)
Acetaldehyde	75-07-0	3.5E-06	9.7E-06	0.45	2.2E-05	1.0E-06	12.0	8.4E-08	1.1E-05	5.50	2.0E-06
Acetone	67-64-1	3.5E-04	9.7E-04		(4)	1.0E-04		(4)	1.1E-03		(4)
Acrolein	107-02-8	2.2E-06	6.1E-06		(4)	6.4E-07		(4)	7.1E-06		(4)
Benzene	71-43-2	3.1E-05	8.6E-05	0.13	6.6E-04	8.9E-06	3.30	2.7E-06	9.9E-05	1.50	6.6E-05
Ethylbenzene	100-41-4	2.5E-05	6.9E-05	0.40	1.7E-04	7.2E-06	10.0	7.2E-07	8.0E-05	4.80	1.7E-05
Formaldehyde	50-00-0	1.8E-03	5.1E-03	0.17	0.030	5.3E-04	4.30	1.2E-04	5.9E-03	2.00	2.9E-03
Hexane	110-54-3	5.6E-05	1.6E-04		(4)	1.6E-05		(4)	1.8E-04		(4)
2-Butanone	78-93-3	1.6E-05	4.5E-05		(4)	4.6E-06		(4)	5.1E-05		(4)
Toluene	108-88-3	1.4E-04	4.0E-04		(4)	4.2E-05		(4)	4.6E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	1.6E-04		(4)	1.7E-05		(4)	1.9E-04		(4)
o-Xylene	95-47-6	2.8E-05	7.8E-05		(4)	8.1E-06		(4)	9.0E-05		(4)
PAHs	401	8.1E-08	2.3E-07	4.3E-05	5.3E-03	2.4E-08	1.6E-03	1.5E-05	2.6E-07	3.0E-03	8.7E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.7E-09	4.3E-05	6.3E-05	2.8E-10	1.6E-03	1.8E-07	3.1E-09	3.0E-03	1.0E-06
Naphthalene	91-20-3	2.4E-07	6.8E-07	0.029	2.3E-05	7.1E-08	0.76	9.3E-08	7.8E-07	0.35	2.2E-06

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001
Page 123 of 175

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		l N	onresidential Ch	nild	No	nresidential Wo	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³) 10103 0.2 2.42 6.7E-03 1.0E-03 5.50 1.50 4.80 2.00	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac				2.9			<0.1			0.2	
CFU110											
Cumulative TEU Risk					0.12			6.7E-04			4.9E-03
Dispersion Factor (µg/m3/[g/s])				2.66			0.29			2.42	
Barium	7440-39-3	9.2E-07	2.5E-06		(4)	2.7E-07		(4)	2.2E-06		(4)
Cadmium	7440-43-9	9.6E-07	2.6E-06	5.6E-04	4.6E-03	2.8E-07	0.014	2.0E-05	2.3E-06	6.7E-03	3.5E-04
Chromium (total)	7440-47-3	8.9E-07	2.4E-06		(4)	2.6E-07		(4)	2.2E-06		(4)
Chromium VI	18540-29-9	8.9E-07	2.4E-06	3.1E-05	0.077	2.6E-07	5.2E-04	5.0E-04	2.2E-06	1.0E-03	2.2E-03
Copper	7440-50-8	5.3E-06	1.4E-05		(4)	1.6E-06		(4)	1.3E-05		(4)
Lead	7439-92-1	8.4E-06	2.2E-05	-	(4)	2.5E-06		(4)	2.0E-05		(4)
Manganese	7439-96-5	8.1E-07	2.2E-06		(4)	2.4E-07		(4)	2.0E-06		(4)
Mercury	7439-97-6	5.3E-08	1.4E-07		(4)	1.6E-08		(4)	1.3E-07		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.5E-06		(4)	3.9E-07		(4)	3.2E-06		(4)
Nickel	7440-02-0	2.0E-06	5.4E-06	3.8E-03	1.4E-03	6.0E-07	0.10	6.0E-06	4.9E-06	0.046	1.1E-04
Phosphorus	504	2.4E-05	6.4E-05		(4)	7.0E-06		(4)	5.8E-05		(4)
Vanadium	7440-62-2	1.9E-06	4.9E-06		(4)	5.5E-07		(4)	4.5E-06		(4)
Zinc	7440-66-6	1.5E-05	4.0E-05		(4)	4.4E-06		(4)	3.6E-05		(4)
Ammonia	7664-41-7	2.6E-03	6.9E-03		(4)	7.6E-04		(4)	6.3E-03		(4)
Fluorides	239	1.7E-04	4.6E-04		(4)	5.1E-05		(4)	4.2E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	5.3E-05		(4)	5.9E-06		(4)	4.8E-05		(4)
Glasswool Fibers	352	5.0E-05	1.3E-04		(4)	1.5E-05		(4)	1.2E-04		(4)
Silica, Crystalline	7631-86-9	5.0E-05	1.3E-04		(4)	1.5E-05		(4)	1.2E-04		(4)
Acetaldehyde	75-07-0	3.5E-06	9.2E-06	0.45	2.1E-05	1.0E-06	12.0	8.5E-08	8.4E-06	5.50	1.5E-06
Acetone	67-64-1	3.5E-04	9.2E-04		(4)	1.0E-04		(4)	8.4E-04		(4)
Acrolein	107-02-8	2.2E-06	5.8E-06		(4)	6.4E-07		(4)	5.3E-06		(4)
Benzene	71-43-2	3.1E-05	8.2E-05	0.13	6.3E-04	9.0E-06	3.30	2.7E-06	7.4E-05	1.50	4.9E-05
Ethylbenzene	100-41-4	2.5E-05	6.6E-05	0.40	1.6E-04	7.2E-06	10.0	7.2E-07	6.0E-05	4.80	1.2E-05
Formaldehyde	50-00-0	1.8E-03	4.8E-03	0.17	0.028	5.3E-04	4.30	1.2E-04	4.4E-03	2.00	2.2E-03
Hexane	110-54-3	5.6E-05	1.5E-04		(4)	1.6E-05		(4)	1.3E-04		(4)
2-Butanone	78-93-3	1.6E-05	4.2E-05		(4)	4.7E-06		(4)	3.9E-05		(4)
Toluene	108-88-3	1.4E-04	3.8E-04		(4)	4.2E-05		(4)	3.5E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	1.6E-04		(4)	1.7E-05		(4)	1.4E-04		(4)
o-Xylene	95-47-6	2.8E-05	7.4E-05		(4)	8.2E-06		(4)	6.7E-05		(4)
PAHs	401	8.1E-08	2.1E-07	4.3E-05	5.0E-03	2.4E-08	1.6E-03	1.5E-05	2.0E-07	3.0E-03	6.5E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.6E-09	4.3E-05	6.0E-05	2.8E-10	1.6E-03	1.8E-07	2.3E-09	3.0E-03	7.8E-07
Naphthalene	91-20-3	2.4E-07	6.4E-07	0.029	2.2E-05	7.1E-08	0.76	9.4E-08	5.9E-07	0.35	1.7E-06

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		No	onresidential Ch	nild	Noi	nresidential Wo	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC (2) (ug/m³) 10103 0.2 2.62 6.7E-03 1.0E-03 5.50 1.50 4.80 2.00	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)	•		1136	•		1	•	•	10103	•
Cumulative Fac				2.9			<0.1			0.2	
CFU111	•										
Cumulative TEU Risk					0.12			6.7E-04			5.3E-03
Dispersion Factor (µg/m3/[g/s])				2.73			0.29			2.62	
Barium	7440-39-3	9.2E-07	2.5E-06		(4)	2.7E-07		(4)	2.4E-06		(4)
Cadmium	7440-43-9	9.6E-07	2.6E-06	5.6E-04	4.7E-03	2.8E-07	0.014	2.0E-05	2.5E-06	6.7E-03	3.7E-04
Chromium (total)	7440-47-3	8.9E-07	2.4E-06		(4)	2.6E-07		(4)	2.3E-06		(4)
Chromium VI	18540-29-9	8.9E-07	2.4E-06	3.1E-05	0.079	2.6E-07	5.2E-04	5.0E-04	2.3E-06	1.0E-03	2.3E-03
Copper	7440-50-8	5.3E-06	1.4E-05		(4)	1.5E-06		(4)	1.4E-05		(4)
Lead	7439-92-1	8.4E-06	2.3E-05		(4)	2.5E-06		(4)	2.2E-05		(4)
Manganese	7439-96-5	8.1E-07	2.2E-06		(4)	2.4E-07		(4)	2.1E-06		(4)
Mercury	7439-97-6	5.3E-08	1.5E-07		(4)	1.6E-08		(4)	1.4E-07		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.6E-06		(4)	3.9E-07		(4)	3.5E-06		(4)
Nickel	7440-02-0	2.0E-06	5.5E-06	3.8E-03	1.5E-03	5.9E-07	0.10	5.9E-06	5.3E-06	0.046	1.2E-04
Phosphorus	504	2.4E-05	6.5E-05		(4)	7.0E-06		(4)	6.3E-05		(4)
Vanadium	7440-62-2	1.9E-06	5.1E-06		(4)	5.4E-07		(4)	4.9E-06		(4)
Zinc	7440-66-6	1.5E-05	4.1E-05		(4)	4.4E-06		(4)	3.9E-05		(4)
Ammonia	7664-41-7	2.6E-03	7.1E-03		(4)	7.6E-04		(4)	6.8E-03		(4)
Fluorides	239	1.7E-04	4.7E-04		(4)	5.0E-05		(4)	4.5E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	5.5E-05		(4)	5.8E-06		(4)	5.2E-05		(4)
Glasswool Fibers	352	5.0E-05	1.4E-04		(4)	1.5E-05		(4)	1.3E-04		(4)
Silica, Crystalline	7631-86-9	5.0E-05	1.4E-04		(4)	1.5E-05		(4)	1.3E-04		(4)
Acetaldehyde	75-07-0	3.5E-06	9.5E-06	0.45	2.1E-05	1.0E-06	12.0	8.5E-08	9.1E-06	5.50	1.7E-06
Acetone	67-64-1	3.5E-04	9.4E-04		(4)	1.0E-04		(4)	9.0E-04		(4)
Acrolein	107-02-8	2.2E-06	6.0E-06		(4)	6.4E-07		(4)	5.7E-06		(4)
Benzene	71-43-2	3.1E-05	8.4E-05	0.13	6.4E-04	9.0E-06	3.30	2.7E-06	8.0E-05	1.50	5.3E-05
Ethylbenzene	100-41-4	2.5E-05	6.7E-05	0.40	1.7E-04	7.2E-06	10.0	7.2E-07	6.5E-05	4.80	1.3E-05
Formaldehyde	50-00-0	1.8E-03	4.9E-03	0.17	0.029	5.3E-04	4.30	1.2E-04	4.7E-03	2.00	2.4E-03
Hexane	110-54-3	5.6E-05	1.5E-04		(4)	1.6E-05		(4)	1.5E-04		(4)
2-Butanone	78-93-3	1.6E-05	4.3E-05		(4)	4.7E-06		(4)	4.2E-05		(4)
Toluene	108-88-3	1.4E-04	3.9E-04		(4)	4.2E-05		(4)	3.7E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	1.6E-04		(4)	1.7E-05		(4)	1.5E-04		(4)
o-Xylene	95-47-6	2.8E-05	7.6E-05		(4)	8.1E-06		(4)	7.3E-05		(4)
PAHs	401	8.1E-08	2.2E-07	4.3E-05	5.1E-03	2.4E-08	1.6E-03	1.5E-05	2.1E-07	3.0E-03	7.0E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.6E-09	4.3E-05	6.2E-05	2.8E-10	1.6E-03	1.8E-07	2.5E-09	3.0E-03	8.5E-07
Naphthalene	91-20-3	2.4E-07	6.6E-07	0.029	2.3E-05	7.1E-08	0.76	9.3E-08	6.3E-07	0.35	1.8E-06

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001
Page 125 of 175

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		No	onresidential Ch	nild	Noi	nresidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	Presidential Workship (ug/m³) 10103 0.2 3.20 6.7E-03 1.0E-03 5.50 1.50 4.80 2.00	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136		•	1			10103	•
Cumulative Fac				2.9			<0.1			0.2	
CFU112									-		
Cumulative TEU Risk					0.12			6.6E-04			6.5E-03
Dispersion Factor (µg/m3/[g/s])				2.83			0.29			3.20	
Barium	7440-39-3	9.2E-07	2.6E-06		(4)	2.7E-07		(4)	3.0E-06		(4)
Cadmium	7440-43-9	9.6E-07	2.7E-06	5.6E-04	4.8E-03	2.8E-07	0.014	2.0E-05	3.1E-06	6.7E-03	4.6E-04
Chromium (total)	7440-47-3	8.9E-07	2.5E-06		(4)	2.6E-07		(4)	2.9E-06		(4)
Chromium VI	18540-29-9	8.9E-07	2.5E-06	3.1E-05	0.081	2.6E-07	5.2E-04	5.0E-04	2.9E-06	1.0E-03	2.9E-03
Copper	7440-50-8	5.3E-06	1.5E-05		(4)	1.5E-06		(4)	1.7E-05		(4)
Lead	7439-92-1	8.4E-06	2.4E-05		(4)	2.4E-06		(4)	2.7E-05		(4)
Manganese	7439-96-5	8.1E-07	2.3E-06		(4)	2.3E-07		(4)	2.6E-06		(4)
Mercury	7439-97-6	5.3E-08	1.5E-07		(4)	1.5E-08		(4)	1.7E-07		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	3.8E-06		(4)	3.9E-07		(4)	4.3E-06		(4)
Nickel	7440-02-0	2.0E-06	5.7E-06	3.8E-03	1.5E-03	5.9E-07	0.10	5.9E-06	6.5E-06	0.046	1.4E-04
Phosphorus	504	2.4E-05	6.8E-05		(4)	7.0E-06		(4)	7.7E-05		(4)
Vanadium	7440-62-2	1.9E-06	5.2E-06		(4)	5.4E-07		(4)	5.9E-06		(4)
Zinc	7440-66-6	1.5E-05	4.2E-05		(4)	4.4E-06		(4)	4.8E-05		(4)
Ammonia	7664-41-7	2.6E-03	7.3E-03		(4)	7.5E-04		(4)	8.3E-03		(4)
Fluorides	239	1.7E-04	4.9E-04		(4)	5.0E-05		(4)	5.5E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	5.6E-05		(4)	5.8E-06		(4)	6.4E-05		(4)
Glasswool Fibers	352	5.0E-05	1.4E-04		(4)	1.5E-05		(4)	1.6E-04		(4)
Silica, Crystalline	7631-86-9	5.0E-05	1.4E-04		(4)	1.4E-05		(4)	1.6E-04		(4)
Acetaldehyde	75-07-0	3.5E-06	9.8E-06	0.45	2.2E-05	1.0E-06	12.0	8.4E-08	1.1E-05	5.50	2.0E-06
Acetone	67-64-1	3.5E-04	9.8E-04		(4)	1.0E-04		(4)	1.1E-03		(4)
Acrolein	107-02-8	2.2E-06	6.2E-06		(4)	6.3E-07		(4)	7.0E-06		(4)
Benzene	71-43-2	3.1E-05	8.7E-05	0.13	6.7E-04	8.9E-06	3.30	2.7E-06	9.8E-05	1.50	6.5E-05
Ethylbenzene	100-41-4	2.5E-05	7.0E-05	0.40	1.7E-04	7.1E-06	10.0	7.1E-07	7.9E-05	4.80	1.6E-05
Formaldehyde	50-00-0	1.8E-03	5.1E-03	0.17	0.030	5.2E-04	4.30	1.2E-04	5.8E-03	2.00	2.9E-03
Hexane	110-54-3	5.6E-05	1.6E-04		(4)	1.6E-05		(4)	1.8E-04		(4)
2-Butanone	78-93-3	1.6E-05	4.5E-05		(4)	4.6E-06		(4)	5.1E-05		(4)
Toluene	108-88-3	1.4E-04	4.0E-04		(4)	4.1E-05		(4)	4.6E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	1.7E-04		(4)	1.7E-05		(4)	1.9E-04		(4)
o-Xylene	95-47-6	2.8E-05	7.8E-05		(4)	8.0E-06		(4)	8.9E-05		(4)
PAHs	401	8.1E-08	2.3E-07	4.3E-05	5.3E-03	2.3E-08	1.6E-03	1.5E-05	2.6E-07	3.0E-03	8.6E-05
Benzo[a]pyrene	50-32-8	9.7E-10	2.7E-09	4.3E-05	6.4E-05	2.8E-10	1.6E-03	1.8E-07	3.1E-09	3.0E-03	1.0E-06
Naphthalene	91-20-3	2.4E-07	6.8E-07	0.029	2.4E-05	7.0E-08	0.76	9.2E-08	7.7E-07	0.35	2.2E-06

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		No	onresidential Ch	ild	No	nresidential Wo	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	Ionresidential W RBC (2) (ug/m³) 10103 0.2 1.53 6.7E-03 1.0E-03 0.046 5.50 1.50 4.80	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac				2.9			<0.1			0.2	
CFU116											
Cumulative TEU Risk					0.021			1.3E-03			3.1E-03
Dispersion Factor (µg/m3/[g/s])				0.48	_		0.56	_		1.53	
Barium	7440-39-3	9.2E-07	4.4E-07		(4)	5.2E-07		(4)	1.4E-06		(4)
Cadmium	7440-43-9	9.6E-07	4.6E-07	5.6E-04	8.2E-04	5.4E-07	0.014	3.8E-05	1.5E-06	6.7E-03	2.2E-04
Chromium (total)	7440-47-3	8.9E-07	4.3E-07		(4)	5.0E-07		(4)	1.4E-06		(4)
Chromium VI	18540-29-9	8.9E-07	4.3E-07	3.1E-05	0.014	5.0E-07	5.2E-04	9.6E-04	1.4E-06	1.0E-03	1.4E-03
Copper	7440-50-8	5.3E-06	2.5E-06		(4)	3.0E-06		(4)	8.1E-06		(4)
Lead	7439-92-1	8.4E-06	4.1E-06		(4)	4.7E-06		(4)	1.3E-05		(4)
Manganese	7439-96-5	8.1E-07	3.9E-07		(4)	4.5E-07		(4)	1.2E-06		(4)
Mercury	7439-97-6	5.3E-08	2.6E-08		(4)	3.0E-08		(4)	8.1E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	6.4E-07		(4)	7.5E-07		(4)	2.0E-06		(4)
Nickel	7440-02-0	2.0E-06	9.7E-07	3.8E-03	2.6E-04	1.1E-06	0.10	1.1E-05	3.1E-06	0.046	6.7E-05
Phosphorus	504	2.4E-05	1.2E-05		(4)	1.3E-05		(4)	3.7E-05		(4)
Vanadium	7440-62-2	1.9E-06	8.9E-07		(4)	1.0E-06		(4)	2.8E-06		(4)
Zinc	7440-66-6	1.5E-05	7.2E-06		(4)	8.4E-06		(4)	2.3E-05		(4)
Ammonia	7664-41-7	2.6E-03	1.2E-03		(4)	1.4E-03		(4)	3.9E-03		(4)
Fluorides	239	1.7E-04	8.3E-05		(4)	9.7E-05		(4)	2.6E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	9.6E-06		(4)	1.1E-05		(4)	3.1E-05		(4)
Glasswool Fibers	352	5.0E-05	2.4E-05		(4)	2.8E-05		(4)	7.7E-05		(4)
Silica, Crystalline	7631-86-9	5.0E-05	2.4E-05		(4)	2.8E-05		(4)	7.6E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	1.7E-06	0.45	3.7E-06	1.9E-06	12.0	1.6E-07	5.3E-06	5.50	9.6E-07
Acetone	67-64-1	3.5E-04	1.7E-04		(4)	1.9E-04		(4)	5.3E-04		(4)
Acrolein	107-02-8	2.2E-06	1.0E-06		(4)	1.2E-06		(4)	3.3E-06		(4)
Benzene	71-43-2	3.1E-05	1.5E-05	0.13	1.1E-04	1.7E-05	3.30	5.2E-06	4.7E-05	1.50	3.1E-05
Ethylbenzene	100-41-4	2.5E-05	1.2E-05	0.40	3.0E-05	1.4E-05	10.0	1.4E-06	3.8E-05	4.80	7.8E-06
Formaldehyde	50-00-0	1.8E-03	8.7E-04	0.17	5.1E-03	1.0E-03	4.30	2.4E-04	2.8E-03	2.00	1.4E-03
Hexane	110-54-3	5.6E-05	2.7E-05		(4)	3.1E-05		(4)	8.5E-05		(4)
2-Butanone	78-93-3	1.6E-05	7.6E-06		(4)	8.9E-06		(4)	2.4E-05		(4)
Toluene	108-88-3	1.4E-04	6.9E-05		(4)	8.0E-05		(4)	2.2E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	2.8E-05		(4)	3.3E-05		(4)	8.9E-05		(4)
o-Xylene	95-47-6	2.8E-05	1.3E-05		(4)	1.6E-05		(4)	4.2E-05		(4)
PAHs	401	8.1E-08	3.9E-08	4.3E-05	9.0E-04	4.5E-08	1.6E-03	2.8E-05	1.2E-07	3.0E-03	4.1E-05
Benzo[a]pyrene	50-32-8	9.7E-10	4.6E-10	4.3E-05	1.1E-05	5.4E-10	1.6E-03	3.4E-07	1.5E-09	3.0E-03	4.9E-07
Naphthalene	91-20-3	2.4E-07	1.2E-07	0.029	4.0E-06	1.4E-07	0.76	1.8E-07	3.7E-07	0.35	1.1E-06

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001
Page 127 of 175

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		No	onresidential Ch	nild	No	nresidential Wo	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC (2) (ug/m³) 10103 0.2 1.55 6.7E-03 1.0E-03 5.50 1.50 4.80	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac				2.9			<0.1			0.2	
CFU117											
Cumulative TEU Risk					0.022			1.3E-03			3.2E-03
Dispersion Factor (µg/m3/[g/s])				0.51	_		0.57			1.55	
Barium	7440-39-3	9.2E-07	4.7E-07		(4)	5.2E-07		(4)	1.4E-06		(4)
Cadmium	7440-43-9	9.6E-07	4.8E-07	5.6E-04	8.6E-04	5.4E-07	0.014	3.9E-05	1.5E-06	6.7E-03	2.2E-04
Chromium (total)	7440-47-3	8.9E-07	4.5E-07		(4)	5.0E-07		(4)	1.4E-06		(4)
Chromium VI	18540-29-9	8.9E-07	4.5E-07	3.1E-05	0.015	5.0E-07	5.2E-04	9.7E-04	1.4E-06	1.0E-03	1.4E-03
Copper	7440-50-8	5.3E-06	2.7E-06		(4)	3.0E-06		(4)	8.2E-06		(4)
Lead	7439-92-1	8.4E-06	4.3E-06		(4)	4.8E-06		(4)	1.3E-05		(4)
Manganese	7439-96-5	8.1E-07	4.1E-07		(4)	4.6E-07		(4)	1.3E-06		(4)
Mercury	7439-97-6	5.3E-08	2.7E-08		(4)	3.0E-08		(4)	8.2E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	6.7E-07		(4)	7.5E-07		(4)	2.1E-06		(4)
Nickel	7440-02-0	2.0E-06	1.0E-06	3.8E-03	2.7E-04	1.1E-06	0.10	1.1E-05	3.1E-06	0.046	6.8E-05
Phosphorus	504	2.4E-05	1.2E-05		(4)	1.4E-05		(4)	3.7E-05		(4)
Vanadium	7440-62-2	1.9E-06	9.4E-07		(4)	1.1E-06		(4)	2.9E-06		(4)
Zinc	7440-66-6	1.5E-05	7.6E-06		(4)	8.5E-06		(4)	2.3E-05		(4)
Ammonia	7664-41-7	2.6E-03	1.3E-03		(4)	1.5E-03		(4)	4.0E-03		(4)
Fluorides	239	1.7E-04	8.7E-05		(4)	9.7E-05		(4)	2.7E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	1.0E-05		(4)	1.1E-05		(4)	3.1E-05		(4)
Glasswool Fibers	352	5.0E-05	2.5E-05		(4)	2.8E-05	-	(4)	7.8E-05		(4)
Silica, Crystalline	7631-86-9	5.0E-05	2.5E-05		(4)	2.8E-05		(4)	7.7E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	1.8E-06	0.45	3.9E-06	2.0E-06	12.0	1.6E-07	5.4E-06	5.50	9.8E-07
Acetone	67-64-1	3.5E-04	1.7E-04		(4)	2.0E-04		(4)	5.4E-04		(4)
Acrolein	107-02-8	2.2E-06	1.1E-06		(4)	1.2E-06		(4)	3.4E-06		(4)
Benzene	71-43-2	3.1E-05	1.5E-05	0.13	1.2E-04	1.7E-05	3.30	5.3E-06	4.7E-05	1.50	3.2E-05
Ethylbenzene	100-41-4	2.5E-05	1.2E-05	0.40	3.1E-05	1.4E-05	10.0	1.4E-06	3.8E-05	4.80	8.0E-06
Formaldehyde	50-00-0	1.8E-03	9.1E-04	0.17	5.4E-03	1.0E-03	4.30	2.4E-04	2.8E-03	2.00	1.4E-03
Hexane	110-54-3	5.6E-05	2.8E-05		(4)	3.2E-05		(4)	8.6E-05		(4)
2-Butanone	78-93-3	1.6E-05	8.0E-06		(4)	9.0E-06		(4)	2.5E-05		(4)
Toluene	108-88-3	1.4E-04	7.2E-05		(4)	8.1E-05		(4)	2.2E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	3.0E-05		(4)	3.3E-05		(4)	9.1E-05		(4)
o-Xylene	95-47-6	2.8E-05	1.4E-05		(4)	1.6E-05		(4)	4.3E-05		(4)
PAHs	401	8.1E-08	4.1E-08	4.3E-05	9.5E-04	4.6E-08	1.6E-03	2.9E-05	1.3E-07	3.0E-03	4.2E-05
Benzo[a]pyrene	50-32-8	9.7E-10	4.9E-10	4.3E-05	1.1E-05	5.5E-10	1.6E-03	3.4E-07	1.5E-09	3.0E-03	5.0E-07
Naphthalene	91-20-3	2.4E-07	1.2E-07	0.029	4.2E-06	1.4E-07	0.76	1.8E-07	3.8E-07	0.35	1.1E-06

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001
Page 128 of 175

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		No	onresidential Ch	nild	Noi	nresidential Wo	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC (2) (ug/m³) 10103 0.2 1.53 6.7E-03 1.0E-03 5.50 1.50 4.80 2.00	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1		•	10103	
Cumulative Fac				2.9			<0.1			0.2	
CFU118											
Cumulative TEU Risk					0.020			1.3E-03			3.1E-03
Dispersion Factor (µg/m3/[g/s])				0.45	•		0.56			1.53	
Barium	7440-39-3	9.2E-07	4.2E-07		(4)	5.2E-07		(4)	1.4E-06		(4)
Cadmium	7440-43-9	9.6E-07	4.3E-07	5.6E-04	7.7E-04	5.3E-07	0.014	3.8E-05	1.5E-06	6.7E-03	2.2E-04
Chromium (total)	7440-47-3	8.9E-07	4.0E-07		(4)	5.0E-07		(4)	1.4E-06		(4)
Chromium VI	18540-29-9	8.9E-07	4.0E-07	3.1E-05	0.013	5.0E-07	5.2E-04	9.6E-04	1.4E-06	1.0E-03	1.4E-03
Copper	7440-50-8	5.3E-06	2.4E-06		(4)	3.0E-06		(4)	8.1E-06		(4)
Lead	7439-92-1	8.4E-06	3.8E-06		(4)	4.7E-06		(4)	1.3E-05		(4)
Manganese	7439-96-5	8.1E-07	3.7E-07		(4)	4.5E-07		(4)	1.2E-06		(4)
Mercury	7439-97-6	5.3E-08	2.4E-08		(4)	3.0E-08		(4)	8.2E-08		(4)
Molybdenum trioxide	1313-27-5	1.3E-06	6.0E-07		(4)	7.4E-07		(4)	2.0E-06		(4)
Nickel	7440-02-0	2.0E-06	9.1E-07	3.8E-03	2.4E-04	1.1E-06	0.10	1.1E-05	3.1E-06	0.046	6.7E-05
Phosphorus	504	2.4E-05	1.1E-05		(4)	1.3E-05		(4)	3.7E-05		(4)
Vanadium	7440-62-2	1.9E-06	8.4E-07		(4)	1.0E-06		(4)	2.8E-06		(4)
Zinc	7440-66-6	1.5E-05	6.8E-06		(4)	8.4E-06		(4)	2.3E-05		(4)
Ammonia	7664-41-7	2.6E-03	1.2E-03		(4)	1.4E-03		(4)	4.0E-03		(4)
Fluorides	239	1.7E-04	7.8E-05		(4)	9.6E-05		(4)	2.6E-04		(4)
Hydrogen Fluoride	7664-39-3	2.0E-05	9.0E-06		(4)	1.1E-05		(4)	3.1E-05		(4)
Glasswool Fibers	352	5.0E-05	2.3E-05		(4)	2.8E-05		(4)	7.7E-05		(4)
Silica, Crystalline	7631-86-9	5.0E-05	2.2E-05		(4)	2.8E-05		(4)	7.6E-05		(4)
Acetaldehyde	75-07-0	3.5E-06	1.6E-06	0.45	3.5E-06	1.9E-06	12.0	1.6E-07	5.3E-06	5.50	9.7E-07
Acetone	67-64-1	3.5E-04	1.6E-04		(4)	1.9E-04		(4)	5.3E-04		(4)
Acrolein	107-02-8	2.2E-06	9.8E-07		(4)	1.2E-06		(4)	3.3E-06		(4)
Benzene	71-43-2	3.1E-05	1.4E-05	0.13	1.1E-04	1.7E-05	3.30	5.2E-06	4.7E-05	1.50	3.1E-05
Ethylbenzene	100-41-4	2.5E-05	1.1E-05	0.40	2.8E-05	1.4E-05	10.0	1.4E-06	3.8E-05	4.80	7.9E-06
Formaldehyde	50-00-0	1.8E-03	8.2E-04	0.17	4.8E-03	1.0E-03	4.30	2.3E-04	2.8E-03	2.00	1.4E-03
Hexane	110-54-3	5.6E-05	2.5E-05		(4)	3.1E-05		(4)	8.5E-05		(4)
2-Butanone	78-93-3	1.6E-05	7.2E-06		(4)	8.9E-06		(4)	2.4E-05		(4)
Toluene	108-88-3	1.4E-04	6.5E-05		(4)	8.0E-05		(4)	2.2E-04		(4)
Xylenes (mixed isomers)	1330-20-7	5.8E-05	2.6E-05		(4)	3.3E-05		(4)	9.0E-05		(4)
o-Xylene	95-47-6	2.8E-05	1.3E-05		(4)	1.5E-05		(4)	4.3E-05		(4)
PAHs	401	8.1E-08	3.6E-08	4.3E-05	8.5E-04	4.5E-08	1.6E-03	2.8E-05	1.2E-07	3.0E-03	4.1E-05
Benzo[a]pyrene	50-32-8	9.7E-10	4.4E-10	4.3E-05	1.0E-05	5.4E-10	1.6E-03	3.4E-07	1.5E-09	3.0E-03	4.9E-07
Naphthalene	91-20-3	2.4E-07	1.1E-07	0.029	3.8E-06	1.3E-07	0.76	1.8E-07	3.7E-07	0.35	1.1E-06

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		No	onresidential Ch	ild	No	nresidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³) 10103 0.2 0.99 6.7E-03 1.0E-03 5.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50 1.50	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac	cility-Wide Risk			2.9			<0.1			0.2	
CFU114											
Cumulative TEU Risk					7.9E-03			7.5E-04			2.2E-03
Dispersion Factor (µg/m3/[g/s])				0.22			0.45		·	0.99	•
Antimony	7440-36-0	1.8E-06	4.0E-07		(4)	8.3E-07		(4)	1.8E-06		(4)
Barium	7440-39-3	1.2E-06	2.6E-07		(4)	5.5E-07		(4)	1.2E-06		(4)
Cadmium	7440-43-9	3.4E-07	7.3E-08	5.6E-04	1.3E-04	1.5E-07	0.014	1.1E-05	3.3E-07	6.7E-03	5.0E-05
Chromium (total)	7440-47-3	3.9E-07	8.5E-08		(4)	1.8E-07		(4)	3.9E-07		(4)
Chromium VI	18540-29-9	3.9E-07	8.5E-08	3.1E-05	2.8E-03	1.8E-07	5.2E-04	3.4E-04	3.9E-07	1.0E-03	3.9E-04
Copper	7440-50-8	5.6E-06	1.2E-06		(4)	2.5E-06		(4)	5.5E-06		(4)
Manganese	7439-96-5	1.3E-06	2.8E-07		(4)	5.8E-07		(4)	1.3E-06		(4)
Mercury	7439-97-6	6.4E-08	1.4E-08		(4)	2.9E-08		(4)	6.3E-08		(4)
Molybdenum trioxide	1313-27-5	1.7E-06	3.6E-07		(4)	7.5E-07		(4)	1.6E-06		(4)
Nickel	7440-02-0	2.1E-06	4.6E-07	3.8E-03	1.2E-04	9.5E-07	0.10	9.5E-06	2.1E-06	0.046	4.5E-05
Phosphorus	504	1.0E-05	2.3E-06		(4)	4.7E-06		(4)	1.0E-05		(4)
Vanadium	7440-62-2	2.3E-06	5.0E-07		(4)	1.0E-06		(4)	2.3E-06		(4)
Zinc	7440-66-6	3.4E-05	7.3E-06		(4)	1.5E-05		(4)	3.3E-05		(4)
Ammonia	7664-41-7	3.2E-03	7.0E-04		(4)	1.5E-03		(4)	3.2E-03		(4)
Fluorides	239	2.0E-05	4.4E-06		(4)	9.2E-06		(4)	2.0E-05		(4)
Hydrogen Fluoride	7664-39-3	2.7E-04	5.9E-05		(4)	1.2E-04		(4)	2.7E-04		(4)
Glasswool Fibers	352	5.9E-05	1.3E-05		(4)	2.7E-05		(4)	5.8E-05		(4)
Silica, Crystalline	7631-86-9	5.8E-05	1.3E-05		(4)	2.6E-05		(4)	5.8E-05		(4)
Acetaldehyde	75-07-0	4.3E-06	9.4E-07	0.45	2.1E-06	1.9E-06	12.0	1.6E-07	4.3E-06	5.50	7.8E-07
Acetone	67-64-1	2.4E-03	5.3E-04		(4)	1.1E-03		(4)	2.4E-03		(4)
Acrolein	107-02-8	2.7E-06	5.9E-07		(4)	1.2E-06		(4)	2.7E-06		(4)
Benzene	71-43-2	6.1E-04	1.3E-04	0.13	1.0E-03	2.8E-04	3.30	8.3E-05	6.0E-04	1.50	4.0E-04
Cyclohexane	110-82-7	3.8E-05	8.2E-06		(4)	1.7E-05		(4)	3.7E-05		(4)
Ethylbenzene	100-41-4	3.2E-05	6.9E-06	0.40	1.7E-05	1.4E-05	10.0	1.4E-06	3.2E-05	4.80	6.6E-06
Chloroethane	75-00-3	1.7E-05	3.7E-06		(4)	7.8E-06		(4)	1.7E-05		(4)
Formaldehyde	50-00-0	2.6E-03	5.7E-04	0.17	3.4E-03	1.2E-03	4.30	2.8E-04	2.6E-03	2.00	1.3E-03
Hexane	110-54-3	3.5E-03	7.7E-04		(4)	1.6E-03		(4)	3.5E-03		(4)
Chloromethane	74-87-3	2.3E-04	5.0E-05		(4)	1.0E-04		(4)	2.3E-04		(4)
2-Butanone	78-93-3	7.8E-05	1.7E-05		(4)	3.5E-05		(4)	7.7E-05		(4)
Methyl isobutyl ketone	108-10-1	2.8E-05	6.1E-06		(4)	1.3E-05		(4)	2.8E-05		(4)
Toluene	108-88-3	6.2E-04	1.3E-04		(4)	2.8E-04		(4)	6.1E-04		(4)
Xylenes (mixed isomers)	1330-20-7	6.6E-05	1.4E-05		(4)	3.0E-05		(4)	6.5E-05		(4)
PAHs	401	1.0E-07	2.2E-08	4.3E-05	5.1E-04	4.5E-08	1.6E-03	2.8E-05	9.9E-08	3.0E-03	3.3E-05
Benzo[a]pyrene	50-32-8	1.2E-09	2.6E-10	4.3E-05	6.1E-06	5.4E-10	1.6E-03	3.4E-07	1.2E-09		4.0E-07
Naphthalene	91-20-3	3.0E-07	6.5E-08	0.029	2.3E-06	1.4E-07	0.76	1.8E-07	3.0E-07	0.35	8.5E-07

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TA 0					Cancer				
		TAC		Residential		No	onresidential Ch	nild	No	Onresidential Work (ug/m³) 10103 0.2 0.63 6.7E-03 1.0E-03 0.046 5.50 1.50 4.80 2.00	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)		Risk ^(b) (chances-ir 10 ⁶)
Exposure	Location (3)			1136			1			10103	
	acility-Wide Risk			2.9			<0.1			0.2	
FU115											
Cumulative TEU Risk					6.0E-03			7.4E-04			1.4E-03
Dispersion Factor (µg/m3/[g/s])				0.16			0.45			0.63	-
Antimony	7440-36-0	1.8E-06	3.0E-07		(4)	8.2E-07		(4)	1.2E-06		(4)
Barium	7440-39-3	1.2E-06	2.0E-07		(4)	5.5E-07		(4)	7.7E-07		(4)
Cadmium	7440-43-9	3.4E-07	5.6E-08	5.6E-04	1.0E-04	1.5E-07	0.014	1.1E-05	2.1E-07	6.7E-03	3.2E-05
Chromium (total)	7440-47-3	3.9E-07	6.5E-08		(4)	1.8E-07		(4)	2.5E-07		(4)
Chromium VI	18540-29-9	3.9E-07	6.5E-08	3.1E-05	2.1E-03	1.8E-07	5.2E-04	3.4E-04	2.5E-07	1.0E-03	2.5E-04
Copper	7440-50-8	5.6E-06	9.2E-07		(4)	2.5E-06		(4)	3.5E-06		(4)
Manganese	7439-96-5	1.3E-06	2.1E-07		(4)	5.7E-07		(4)	8.1E-07		(4)
Mercury	7439-97-6	6.4E-08	1.1E-08		(4)	2.9E-08		(4)	4.0E-08		(4)
Molybdenum trioxide	1313-27-5	1.7E-06	2.7E-07		(4)	7.4E-07		(4)	1.0E-06		(4)
Nickel	7440-02-0	2.1E-06	3.5E-07	3.8E-03	9.2E-05	9.4E-07	0.10	9.4E-06	1.3E-06	0.046	2.9E-05
Phosphorus	504	1.0E-05	1.7E-06		(4)	4.7E-06		(4)	6.6E-06		(4)
Vanadium	7440-62-2	2.3E-06	3.8E-07		(4)	1.0E-06		(4)	1.5E-06		(4)
Zinc	7440-66-6	3.4E-05	5.6E-06		(4)	1.5E-05		(4)	2.1E-05		(4)
Ammonia	7664-41-7	3.2E-03	5.3E-04		(4)	1.4E-03		(4)	2.0E-03		(4)
Fluorides	239	2.0E-05	3.4E-06		(4)	9.1E-06		(4)	1.3E-05		(4)
Hydrogen Fluoride	7664-39-3	2.7E-04	4.5E-05		(4)	1.2E-04		(4)	1.7E-04		(4)
Glasswool Fibers	352	5.9E-05	9.7E-06		(4)	2.6E-05		(4)	3.7E-05		(4)
Silica, Crystalline	7631-86-9	5.8E-05	9.6E-06		(4)	2.6E-05		(4)	3.7E-05		(4)
Acetaldehyde	75-07-0	4.3E-06	7.1E-07	0.45	1.6E-06	1.9E-06	12.0	1.6E-07	2.7E-06	5.50	5.0E-07
Acetone	67-64-1	2.4E-03	4.0E-04		(4)	1.1E-03		(4)	1.5E-03		(4)
Acrolein	107-02-8	2.7E-06	4.5E-07		(4)	1.2E-06		(4)	1.7E-06		(4)
Benzene	71-43-2	6.1E-04	1.0E-04	0.13	7.8E-04	2.7E-04	3.30	8.3E-05	3.9E-04	1.50	2.6E-04
Cyclohexane	110-82-7	3.8E-05	6.2E-06		(4)	1.7E-05		(4)	2.4E-05		(4)
Ethylbenzene	100-41-4	3.2E-05	5.3E-06	0.40	1.3E-05	1.4E-05	10.0	1.4E-06	2.0E-05	4.80	4.2E-06
Chloroethane	75-00-3	1.7E-05	2.8E-06		(4)	7.7E-06		(4)	1.1E-05		(4)
Formaldehyde	50-00-0	2.6E-03	4.3E-04	0.17	2.6E-03	1.2E-03	4.30	2.7E-04	1.7E-03	2.00	8.3E-04
Hexane	110-54-3	3.5E-03	5.8E-04		(4)	1.6E-03		(4)	2.2E-03		(4)
Chloromethane	74-87-3	2.3E-04	3.8E-05		(4)	1.0E-04		(4)	1.5E-04		(4)
2-Butanone	78-93-3	7.8E-05	1.3E-05		(4)	3.5E-05		(4)	4.9E-05		(4)
Methyl isobutyl ketone	108-10-1	2.8E-05	4.7E-06		(4)	1.3E-05		(4)	1.8E-05		(4)
Toluene	108-88-3	6.2E-04	1.0E-04		(4)	2.8E-04		(4)	3.9E-04		(4)
Xylenes (mixed isomers)	1330-20-7	6.6E-05	1.1E-05		(4)	3.0E-05		(4)	4.2E-05		(4)
PAHs	401	1.0E-07	1.7E-08	4.3E-05	3.9E-04	4.5E-08	1.6E-03	2.8E-05	6.3E-08	3.0E-03	2.1E-05
Benzo[a]pyrene	50-32-8	1.2E-09	2.0E-10	4.3E-05	4.6E-06	5.4E-10	1.6E-03	3.4E-07	7.6E-10	3.0E-03	2.5E-07
Naphthalene	91-20-3	3.0E-07	5.0E-08	0.029	1.7E-06	1.3E-07	0.76	1.8E-07	1.9E-07	0.35	5.4E-07

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

			1				Cancer				
		TAC		Residential		No	onresidential Ch	nild	No	nresidential Wo	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	nresidential Work RBC (2) (ug/m³) 10103 0.2	Risk ^(b) (chances-in- 10 ⁶)
Exposure I	Location (3)			1136			1			10103	•
	cility-Wide Risk			2.9			<0.1			0.2	
CFU113											
Cumulative TEU Risk					0.21			6.4E-04			0.024
Dispersion Factor (µg/m3/[g/s])				6.80			0.43			12.9	
Antimony	7440-36-0	1.2E-06	8.2E-06		(4)	5.1E-07		(4)	1.6E-05		(4)
Barium	7440-39-3	8.4E-07	5.7E-06		(4)	3.6E-07		(4)	1.1E-05		(4)
Cadmium	7440-43-9	1.0E-06	6.8E-06	5.6E-04	0.012	4.3E-07	0.014	3.1E-05	1.3E-05	6.7E-03	1.9E-03
Chromium (total)	7440-47-3	4.3E-07	2.9E-06		(4)	1.8E-07		(4)	5.6E-06		(4)
Chromium VI	18540-29-9	4.3E-07	2.9E-06	3.1E-05	0.095	1.8E-07	5.2E-04	3.5E-04	5.6E-06	1.0E-03	5.6E-03
Cobalt	7440-48-4	1.8E-07	1.2E-06		(4)	7.8E-08		(4)	2.4E-06		(4)
Copper	7440-50-8	6.6E-06	4.5E-05		(4)	2.8E-06		(4)	8.5E-05		(4)
Lead	7439-92-1	9.0E-06	6.1E-05		(4)	3.8E-06		(4)	1.2E-04		(4)
Manganese	7439-96-5	2.4E-07	1.6E-06		(4)	1.0E-07		(4)	3.1E-06		(4)
Mercury	7439-97-6	1.2E-04	8.3E-04		(4)	5.2E-05		(4)	1.6E-03		(4)
Phosphorus	504	2.6E-05	1.8E-04		(4)	1.1E-05		(4)	3.4E-04		(4)
Zinc	7440-66-6	1.4E-05	9.4E-05		(4)	5.9E-06		(4)	1.8E-04		(4)
Carbon disulfide	75-15-0	1.3E-05	8.8E-05		(4)	5.5E-06		(4)	1.7E-04		(4)
Fluorides	239	4.7E-05	3.2E-04		(4)	2.0E-05		(4)	6.1E-04		(4)
Hydrogen Fluoride	7664-39-3	6.8E-06	4.6E-05		(4)	2.9E-06		(4)	8.8E-05		(4)
Silica, Crystalline	7631-86-9	1.2E-05	8.0E-05		(4)	5.0E-06		(4)	1.5E-04		(4)
Acetone	67-64-1	1.9E-03	0.013		(4)	7.9E-04		(4)	0.024		(4)
Benzene	71-43-2	4.5E-04	3.0E-03	0.13	0.023	1.9E-04	3.30	5.8E-05	5.8E-03	1.50	3.8E-03
1,3-Butadiene	106-99-0	2.0E-04	1.3E-03	0.033	0.041	8.4E-05	0.86	9.8E-05	2.5E-03	0.40	6.4E-03
Formaldehyde	50-00-0	9.9E-04	6.7E-03	0.17	0.039	4.2E-04	4.30	9.8E-05	0.013	2.00	6.4E-03
Hexane	110-54-3	2.7E-04	1.8E-03		(4)	1.1E-04		(4)	3.5E-03		(4)
2-Butanone	78-93-3	2.5E-05	1.7E-04		(4)	1.0E-05		(4)	3.2E-04		(4)
Toluene	108-88-3	1.1E-04	7.6E-04		(4)	4.8E-05		(4)	1.4E-03		(4)
SSF01											
Cumulative TEU Risk					2.9E-03			1.0E-05			9.7E-05
Dispersion Factor (µg/m3/[g/s])				179			11.0			190	
Barium	7440-39-3	1.4E-09	2.5E-07		(4)	1.5E-08		(4)	2.7E-07		(4)
Chromium (total)	7440-47-3	4.9E-10	8.7E-08		(4)	5.4E-09		(4)	9.3E-08		(4)
Chromium VI	18540-29-9	4.9E-10	8.7E-08	3.1E-05	2.8E-03	5.4E-09	5.2E-04	1.0E-05	9.3E-08	1.0E-03	9.3E-05
Copper	7440-50-8	1.2E-08	2.1E-06		(4)	1.3E-07		(4)	2.2E-06		(4)
Manganese	7439-96-5	2.3E-09	4.2E-07		(4)	2.6E-08		(4)	4.4E-07		(4)
Mercury	7439-97-6	1.2E-10	2.2E-08		(4)	1.3E-09		(4)	2.3E-08		(4)
Nickel	7440-02-0	1.0E-09	1.9E-07	3.8E-03	4.9E-05	1.1E-08	0.10	1.1E-07	2.0E-07	0.046	4.3E-06
Phosphorus	504	1.9E-08	3.5E-06		(4)	2.1E-07		(4)	3.7E-06		(4)
Zinc	7440-66-6	2.9E-08	5.2E-06		(4)	3.2E-07		(4)	5.5E-06		(4)
Silica, Crystalline	7631-86-9	3.8E-07	6.9E-05		(4)	4.2E-06		(4)	7.3E-05		(4)

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		No	onresidential Cl	nild	No	nresidential Wo	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	nresidential Work RBC (2) (ug/m³) 10103 0.2 183 1.0E-03 0.046 1.0E-03 33.8	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac	cility-Wide Risk			2.9			<0.1			0.2	
SSF02											
Cumulative TEU Risk					2.9E-03			1.1E-05			9.3E-05
Dispersion Factor (µg/m3/[g/s])				179			11.1			183	
Barium	7440-39-3	1.4E-09	2.5E-07		(4)	1.5E-08		(4)	2.6E-07		(4)
Chromium (total)	7440-47-3	4.9E-10	8.7E-08		(4)	5.4E-09		(4)	8.9E-08		(4)
Chromium VI	18540-29-9	4.9E-10	8.7E-08	3.1E-05	2.8E-03	5.4E-09	5.2E-04	1.0E-05	8.9E-08	1.0E-03	8.9E-05
Copper	7440-50-8	1.2E-08	2.1E-06		(4)	1.3E-07		(4)	2.2E-06		(4)
Manganese	7439-96-5	2.3E-09	4.2E-07		(4)	2.6E-08		(4)	4.3E-07		(4)
Mercury	7439-97-6	1.2E-10	2.2E-08		(4)	1.3E-09		(4)	2.2E-08		(4)
Nickel	7440-02-0	1.0E-09	1.9E-07	3.8E-03	4.9E-05	1.1E-08	0.10	1.1E-07	1.9E-07	0.046	4.1E-06
Phosphorus	504	1.9E-08	3.5E-06		(4)	2.2E-07		(4)	3.6E-06		(4)
Zinc	7440-66-6	2.9E-08	5.2E-06		(4)	3.2E-07		(4)	5.3E-06		(4)
Silica, Crystalline	7631-86-9	3.8E-07	6.9E-05		(4)	4.2E-06		(4)	7.0E-05		(4)
SSF05											•
Cumulative TEU Risk					3.9E-03			1.1E-05			8.9E-05
Dispersion Factor (µg/m3/[g/s])				243			11.3			174	
Barium	7440-39-3	1.4E-09	3.4E-07		(4)	1.6E-08		(4)	2.4E-07		(4)
Chromium (total)	7440-47-3	4.9E-10	1.2E-07		(4)	5.5E-09		(4)	8.5E-08		(4)
Chromium VI	18540-29-9	4.9E-10	1.2E-07	3.1E-05	3.8E-03	5.5E-09	5.2E-04	1.1E-05	8.5E-08	1.0E-03	8.5E-05
Copper	7440-50-8	1.2E-08	2.9E-06		(4)	1.3E-07		(4)	2.0E-06		(4)
Manganese	7439-96-5	2.3E-09	5.7E-07		(4)	2.6E-08		(4)	4.1E-07		(4)
Mercury	7439-97-6	1.2E-10	2.9E-08		(4)	1.4E-09		(4)	2.1E-08		(4)
Nickel	7440-02-0	1.0E-09	2.5E-07	3.8E-03	6.6E-05	1.2E-08	0.10	1.2E-07	1.8E-07	0.046	3.9E-06
Phosphorus	504	1.9E-08	4.7E-06		(4)	2.2E-07		(4)	3.4E-06		(4)
Zinc	7440-66-6	2.9E-08	7.0E-06		(4)	3.3E-07		(4)	5.0E-06		(4)
Silica, Crystalline	7631-86-9	3.8E-07	9.3E-05		(4)	4.3E-06		(4)	6.7E-05		(4)
SSF16											
Cumulative TEU Risk					7.9E-04			1.9E-05			1.7E-05
Dispersion Factor (µg/m3/[g/s])				49.3	-		20.1			33.8	•
Barium	7440-39-3	1.4E-09	6.9E-08		(4)	2.8E-08		(4)	4.7E-08		(4)
Chromium (total)	7440-47-3	4.9E-10	2.4E-08		(4)	9.8E-09		(4)	1.7E-08		(4)
Chromium VI	18540-29-9	4.9E-10	2.4E-08	3.1E-05	7.8E-04	9.8E-09	5.2E-04	1.9E-05	1.7E-08	1.0E-03	1.7E-05
Copper	7440-50-8	1.2E-08	5.8E-07		(4)	2.4E-07		(4)	4.0E-07		(4)
Manganese	7439-96-5	2.3E-09	1.1E-07		(4)	4.7E-08		(4)	7.9E-08		(4)
Mercury	7439-97-6	1.2E-10	6.0E-09		(4)	2.4E-09		(4)	4.1E-09		(4)
Nickel	7440-02-0	1.0E-09	5.1E-08	3.8E-03	1.3E-05	2.1E-08	0.10	2.1E-07	3.5E-08	0.046	7.6E-07
Phosphorus	504	1.9E-08	9.6E-07		(4)	3.9E-07		(4)	6.6E-07		(4)
Zinc	7440-66-6	2.9E-08	1.4E-06		(4)	5.8E-07		(4)	9.8E-07		(4)
Silica, Crystalline	7631-86-9	3.8E-07	1.9E-05		(4)	7.7E-06		(4)	1.3E-05		(4)

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		N	onresidential Ch	nild	No	nresidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac	cility-Wide Risk			2.9			<0.1			0.2	
SSF17											_
Cumulative TEU Risk					7.5E-04			1.9E-05			1.7E-05
Dispersion Factor (µg/m3/[g/s])				46.9	1 (3)		20.4	1 (1)		32.5	1 (1)
Barium	7440-39-3	1.4E-09	6.6E-08		(4)	2.9E-08		(4)	4.5E-08		(4)
Chromium (total)	7440-47-3	4.9E-10	2.3E-08		(4)	1.0E-08		(4)	1.6E-08		(4)
Chromium VI	18540-29-9	4.9E-10	2.3E-08	3.1E-05	7.4E-04	1.0E-08	5.2E-04	1.9E-05	1.6E-08	1.0E-03	1.6E-05
Copper	7440-50-8	1.2E-08	5.5E-07		(4)	2.4E-07		(4)	3.8E-07		(4)
Manganese	7439-96-5	2.3E-09	1.1E-07		(4)	4.8E-08		(4)	7.6E-08		(4)
Mercury Nickel	7439-97-6 7440-02-0	1.2E-10 1.0E-09	5.7E-09 4.9E-08	 2 0F 02	(4)	2.5E-09	0.10	(4)	3.9E-09		(4)
	504	1.0E-09 1.9E-08	4.9E-08 9.1E-07	3.8E-03	1.3E-05	2.1E-08 4.0E-07	0.10	2.1E-07	3.4E-08	0.046	7.3E-07
Phosphorus 7ino					(4)			(4)	6.3E-07		(4)
Zinc Silica, Crystalline	7440-66-6 7631-86-9	2.9E-08 3.8E-07	1.4E-06 1.8E-05		(4) (4)	5.9E-07 7.8E-06		(4) (4)	9.4E-07 1.2E-05		(4) (4)
SSF18	7031-00-9	3.0E-U/	1.0E-U3		(4)	7.0E-U0		(4)	1.2E-U0		(4)
Cumulative TEU Risk					7.6E-04			1.9E-05	I I		1.7E-05
Dispersion Factor (µg/m3/[g/s])				47.5	7.0L-04		20.3	1.71-03		32.8	1.71-03
Barium	7440-39-3	1.4E-09	6.6E-08	47.5	(4)	2.8E-08		(4)	4.6E-08	32.6	(4)
Chromium (total)	7440-47-3	4.9E-10	2.3E-08		(4)	9.9E-09		(4)	1.6E-08		(4)
Chromium VI	18540-29-9	4.9E-10	2.3E-08	3.1E-05	7.5E-04	9.9E-09	5.2E-04	1.9E-05	1.6E-08	1.0E-03	1.6E-05
Copper	7440-50-8	1.2E-08	5.6E-07		(4)	2.4E-07		(4)	3.9E-07		(4)
Manganese	7439-96-5	2.3E-09	1.1E-07		(4)	4.7E-08		(4)	7.6E-08		(4)
Mercury	7439-97-6	1.2E-10	5.8E-09		(4)	2.5E-09		(4)	4.0E-09		(4)
Nickel	7440-02-0	1.0E-09	4.9E-08	3.8E-03	1.3E-05	2.1E-08	0.10	2.1E-07	3.4E-08	0.046	7.4E-07
Phosphorus	504	1.9E-08	9.2E-07		(4)	4.0E-07		(4)	6.4E-07		(4)
Zinc	7440-66-6	2.9E-08	1.4E-06		(4)	5.9E-07		(4)	9.5E-07		(4)
Silica, Crystalline	7631-86-9	3.8E-07	1.8E-05		(4)	7.8E-06		(4)	1.3E-05		(4)
SSF03	•		•						•		
Cumulative TEU Risk					0.054			1.4E-04			1.2E-03
Dispersion Factor (μg/m3/[g/s])				264			11.7			169	
Antimony	7440-36-0	9.8E-09	2.6E-06		(4)	1.1E-07		(4)	1.7E-06		(4)
Barium	7440-39-3	6.1E-09	1.6E-06		(4)	7.1E-08		(4)	1.0E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.7E-06	5.6E-04	3.0E-03	7.3E-08	0.014	5.2E-06	1.1E-06	6.7E-03	1.6E-04
Chromium (total)	7440-47-3	5.8E-09	1.5E-06		(4)	6.8E-08		(4)	9.9E-07		(4)
Chromium VI	18540-29-9	5.8E-09	1.5E-06	3.1E-05	0.050	6.8E-08	5.2E-04	1.3E-04	9.9E-07	1.0E-03	9.9E-04
Cobalt	7440-48-4	2.6E-10	6.7E-08		(4)	3.0E-09		(4)	4.3E-08		(4)
Copper	7440-50-8	3.5E-08	9.2E-06		(4)	4.1E-07		(4)	5.9E-06		(4)
Lead	7439-92-1	5.5E-08	1.5E-05		(4)	6.5E-07		(4)	9.4E-06		(4)
Manganese	7439-96-5	8.8E-09	2.3E-06		(4)	1.0E-07		(4)	1.5E-06		(4)
Mercury	7439-97-6	6.7E-10	1.8E-07		(4)	7.8E-09		(4)	1.1E-07		(4)
Nickel	7440-02-0	1.3E-08	3.5E-06	3.8E-03	9.2E-04	1.6E-07	0.10	1.6E-06	2.2E-06	0.046	4.9E-05
Phosphorus	504	1.6E-07	4.1E-05		(4)	1.8E-06		(4)	2.7E-05		(4)
Zinc	7440-66-6	9.8E-08	2.6E-05		(4)	1.1E-06		(4)	1.7E-05		(4)
Fluorides	239	1.1E-06	3.0E-04		(4)	1.3E-05		(4)	1.9E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	6.7E-05		(4)	3.0E-06		(4)	4.3E-05		(4)

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		No	onresidential Ch	nild	No	Onresidential Work RBC (2) (ug/m³) 10103 0.2 171 6.7E-03 0.046 175 6.7E-03 1.0E-03 1.0E-03	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)		Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac				2.9			<0.1			0.2	
SSF04											
Cumulative TEU Risk					0.054			1.4E-04			1.2E-03
Dispersion Factor (µg/m3/[g/s])				263			11.6	_		171	
Antimony	7440-36-0	9.8E-09	2.6E-06		(4)	1.1E-07		(4)	1.7E-06		(4)
Barium	7440-39-3	6.1E-09	1.6E-06		(4)	7.1E-08		(4)	1.0E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.7E-06	5.6E-04	3.0E-03	7.3E-08	0.014	5.2E-06	1.1E-06	6.7E-03	1.6E-04
Chromium (total)	7440-47-3	5.8E-09	1.5E-06		(4)	6.8E-08		(4)	1.0E-06		(4)
Chromium VI	18540-29-9	5.8E-09	1.5E-06	3.1E-05	0.050	6.8E-08	5.2E-04	1.3E-04	1.0E-06	1.0E-03	1.0E-03
Cobalt	7440-48-4	2.6E-10	6.7E-08		(4)	3.0E-09		(4)	4.4E-08		(4)
Copper	7440-50-8	3.5E-08	9.1E-06		(4)	4.0E-07		(4)	5.9E-06		(4)
Lead	7439-92-1	5.5E-08	1.5E-05		(4)	6.4E-07		(4)	9.5E-06		(4)
Manganese	7439-96-5	8.8E-09	2.3E-06		(4)	1.0E-07		(4)	1.5E-06		(4)
Mercury	7439-97-6	6.7E-10	1.8E-07		(4)	7.8E-09		(4)	1.1E-07		(4)
Nickel	7440-02-0	1.3E-08	3.5E-06	3.8E-03	9.2E-04	1.5E-07	0.10	1.5E-06	2.3E-06	0.046	4.9E-05
Phosphorus	504	1.6E-07	4.1E-05		(4)	1.8E-06		(4)	2.7E-05		(4)
Zinc	7440-66-6	9.8E-08	2.6E-05		(4)	1.1E-06		(4)	1.7E-05		(4)
Fluorides	239	1.1E-06	3.0E-04		(4)	1.3E-05		(4)	1.9E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	6.7E-05		(4)	3.0E-06		(4)	4.4E-05		(4)
SSF06								_			
Cumulative TEU Risk					0.053			1.4E-04			1.2E-03
Dispersion Factor (µg/m3/[g/s])				259			11.5	_		175	
Antimony	7440-36-0	9.8E-09	2.6E-06		(4)	1.1E-07		(4)	1.7E-06		(4)
Barium	7440-39-3	6.1E-09	1.6E-06		(4)	7.0E-08		(4)	1.1E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.6E-06	5.6E-04	2.9E-03	7.3E-08	0.014	5.2E-06	1.1E-06	6.7E-03	1.6E-04
Chromium (total)	7440-47-3	5.8E-09	1.5E-06		(4)	6.7E-08		(4)	1.0E-06		(4)
Chromium VI	18540-29-9	5.8E-09	1.5E-06	3.1E-05	0.049	6.7E-08	5.2E-04	1.3E-04	1.0E-06	1.0E-03	1.0E-03
Cobalt	7440-48-4	2.6E-10	6.6E-08		(4)	3.0E-09		(4)	4.5E-08		(4)
Copper	7440-50-8	3.5E-08	9.0E-06		(4)	4.0E-07		(4)	6.1E-06		(4)
Lead	7439-92-1	5.5E-08	1.4E-05		(4)	6.4E-07		(4)	9.7E-06		(4)
Manganese	7439-96-5	8.8E-09	2.3E-06		(4)	1.0E-07		(4)	1.5E-06		(4)
Mercury	7439-97-6	6.7E-10	1.7E-07		(4)	7.7E-09		(4)	1.2E-07		(4)
Nickel	7440-02-0	1.3E-08	3.4E-06	3.8E-03	9.1E-04	1.5E-07	0.10	1.5E-06	2.3E-06	0.046	5.1E-05
Phosphorus	504	1.6E-07	4.1E-05		(4)	1.8E-06		(4)	2.8E-05		(4)
Zinc	7440-66-6	9.8E-08	2.6E-05		(4)	1.1E-06		(4)	1.7E-05		(4)
Fluorides	239	1.1E-06	2.9E-04		(4)	1.3E-05		(4)	2.0E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	6.6E-05		(4)	3.0E-06		(4)	4.5E-05		(4)

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		Ne	onresidential Ch	nild	No	nresidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	onresidential Work (ug/m³) 10103 0.2 175 6.7E-03 0.046 175 1.0E-03 1.0E-03 1.0E-03	Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac				2.9			<0.1			0.2	
SSF07											
Cumulative TEU Risk					0.050			1.3E-04			1.2E-03
Dispersion Factor (µg/m3/[g/s])				247			11.4			175	
Antimony	7440-36-0	9.8E-09	2.4E-06		(4)	1.1E-07		(4)	1.7E-06		(4)
Barium	7440-39-3	6.1E-09	1.5E-06		(4)	6.9E-08		(4)	1.1E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.6E-06	5.6E-04	2.8E-03	7.1E-08	0.014	5.1E-06	1.1E-06	6.7E-03	1.6E-04
Chromium (total)	7440-47-3	5.8E-09	1.4E-06		(4)	6.6E-08		(4)	1.0E-06		(4)
Chromium VI	18540-29-9	5.8E-09	1.4E-06	3.1E-05	0.047	6.6E-08	5.2E-04	1.3E-04	1.0E-06	1.0E-03	1.0E-03
Cobalt	7440-48-4	2.6E-10	6.3E-08		(4)	2.9E-09		(4)	4.5E-08		(4)
Copper	7440-50-8	3.5E-08	8.6E-06		(4)	3.9E-07		(4)	6.1E-06		(4)
Lead	7439-92-1	5.5E-08	1.4E-05		(4)	6.3E-07		(4)	9.7E-06		(4)
Manganese	7439-96-5	8.8E-09	2.2E-06		(4)	1.0E-07		(4)	1.5E-06		(4)
Mercury	7439-97-6	6.7E-10	1.7E-07		(4)	7.6E-09		(4)	1.2E-07		(4)
Nickel	7440-02-0	1.3E-08	3.3E-06	3.8E-03	8.6E-04	1.5E-07	0.10	1.5E-06	2.3E-06	0.046	5.0E-05
Phosphorus	504	1.6E-07	3.9E-05		(4)	1.8E-06		(4)	2.8E-05		(4)
Zinc	7440-66-6	9.8E-08	2.4E-05		(4)	1.1E-06		(4)	1.7E-05		(4)
Fluorides	239	1.1E-06	2.8E-04		(4)	1.3E-05		(4)	2.0E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	6.3E-05		(4)	2.9E-06		(4)	4.5E-05		(4)
SSF08											
Cumulative TEU Risk				-	0.052			1.4E-04		-	1.2E-03
Dispersion Factor (µg/m3/[g/s])				255			11.5			175	
Antimony	7440-36-0	9.8E-09	2.5E-06		(4)	1.1E-07		(4)	1.7E-06		(4)
Barium	7440-39-3	6.1E-09	1.5E-06		(4)	7.0E-08		(4)	1.1E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.6E-06	5.6E-04	2.9E-03	7.2E-08	0.014	5.2E-06	1.1E-06	6.7E-03	1.6E-04
Chromium (total)	7440-47-3	5.8E-09	1.5E-06		(4)	6.7E-08		(4)	1.0E-06		(4)
Chromium VI	18540-29-9	5.8E-09	1.5E-06	3.1E-05	0.048	6.7E-08	5.2E-04	1.3E-04	1.0E-06	1.0E-03	1.0E-03
Cobalt	7440-48-4	2.6E-10	6.5E-08		(4)	2.9E-09		(4)	4.5E-08		(4)
Copper	7440-50-8	3.5E-08	8.9E-06		(4)	4.0E-07		(4)	6.1E-06		(4)
Lead	7439-92-1	5.5E-08	1.4E-05		(4)	6.4E-07		(4)	9.7E-06		(4)
Manganese	7439-96-5	8.8E-09	2.2E-06		(4)	1.0E-07		(4)	1.5E-06		(4)
Mercury	7439-97-6	6.7E-10	1.7E-07		(4)	7.7E-09		(4)	1.2E-07		(4)
Nickel	7440-02-0	1.3E-08	3.4E-06	3.8E-03	8.9E-04	1.5E-07	0.10	1.5E-06	2.3E-06	0.046	5.1E-05
Phosphorus	504	1.6E-07	4.0E-05		(4)	1.8E-06		(4)	2.8E-05		(4)
Zinc	7440-66-6	9.8E-08	2.5E-05		(4)	1.1E-06		(4)	1.7E-05		(4)
Fluorides	239	1.1E-06	2.9E-04		(4)	1.3E-05		(4)	2.0E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	6.5E-05		(4)	2.9E-06		(4)	4.5E-05		(4)

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		No	onresidential Ch	nild	No	Onresidential Work RBC (2) (ug/m³) 10103 0.2 227 6.7E-03 1.0E-03 0.046 209 6.7E-03 1.0E-03 0.046	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)		Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac	cility-Wide Risk			2.9			<0.1			0.2	
SSF09											
Cumulative TEU Risk					0.034			1.3E-04			1.6E-03
Dispersion Factor (µg/m3/[g/s])				167			10.6			227	
Antimony	7440-36-0	9.8E-09	1.6E-06		(4)	1.0E-07		(4)	2.2E-06		(4)
Barium	7440-39-3	6.1E-09	1.0E-06		(4)	6.4E-08		(4)	1.4E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.0E-06	5.6E-04	1.9E-03	6.7E-08	0.014	4.8E-06	1.4E-06	6.7E-03	2.1E-04
Chromium (total)	7440-47-3	5.8E-09	9.8E-07		(4)	6.2E-08		(4)	1.3E-06		(4)
Chromium VI	18540-29-9	5.8E-09	9.8E-07	3.1E-05	0.031	6.2E-08	5.2E-04	1.2E-04	1.3E-06	1.0E-03	1.3E-03
Cobalt	7440-48-4	2.6E-10	4.3E-08		(4)	2.7E-09		(4)	5.8E-08		(4)
Copper	7440-50-8	3.5E-08	5.8E-06		(4)	3.7E-07		(4)	7.9E-06		(4)
Lead	7439-92-1	5.5E-08	9.2E-06		(4)	5.9E-07		(4)	1.3E-05		(4)
Manganese	7439-96-5	8.8E-09	1.5E-06		(4)	9.3E-08		(4)	2.0E-06		(4)
Mercury	7439-97-6	6.7E-10	1.1E-07		(4)	7.1E-09		(4)	1.5E-07		(4)
Nickel	7440-02-0	1.3E-08	2.2E-06	3.8E-03	5.8E-04	1.4E-07	0.10	1.4E-06	3.0E-06	0.046	6.6E-05
Phosphorus	504	1.6E-07	2.6E-05		(4)	1.7E-06		(4)	3.6E-05		(4)
Zinc	7440-66-6	9.8E-08	1.6E-05		(4)	1.0E-06		(4)	2.2E-05		(4)
Fluorides	239	1.1E-06	1.9E-04		(4)	1.2E-05		(4)	2.6E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	4.3E-05		(4)	2.7E-06		(4)	5.8E-05		(4)
SSF10											
Cumulative TEU Risk					0.036			1.3E-04			1.5E-03
Dispersion Factor (µg/m3/[g/s])				176			10.9			209	
Antimony	7440-36-0	9.8E-09	1.7E-06		(4)	1.1E-07		(4)	2.1E-06		(4)
Barium	7440-39-3	6.1E-09	1.1E-06		(4)	6.6E-08		(4)	1.3E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.1E-06	5.6E-04	2.0E-03	6.9E-08	0.014	4.9E-06	1.3E-06	6.7E-03	2.0E-04
Chromium (total)	7440-47-3	5.8E-09	1.0E-06		(4)	6.4E-08		(4)	1.2E-06		(4)
Chromium VI	18540-29-9	5.8E-09	1.0E-06	3.1E-05	0.033	6.4E-08	5.2E-04	1.2E-04	1.2E-06	1.0E-03	1.2E-03
Cobalt	7440-48-4	2.6E-10	4.5E-08		(4)	2.8E-09		(4)	5.3E-08		(4)
Copper	7440-50-8	3.5E-08	6.1E-06		(4)	3.8E-07		(4)	7.3E-06		(4)
Lead	7439-92-1	5.5E-08	9.7E-06		(4)	6.0E-07		(4)	1.2E-05		(4)
Manganese	7439-96-5	8.8E-09	1.5E-06		(4)	9.6E-08		(4)	1.8E-06		(4)
Mercury	7439-97-6	6.7E-10	1.2E-07		(4)	7.3E-09		(4)	1.4E-07		(4)
Nickel	7440-02-0	1.3E-08	2.3E-06	3.8E-03	6.1E-04	1.5E-07	0.10	1.5E-06	2.8E-06	0.046	6.0E-05
Phosphorus	504	1.6E-07	2.8E-05		(4)	1.7E-06		(4)	3.3E-05		(4)
Zinc	7440-66-6	9.8E-08	1.7E-05		(4)	1.1E-06		(4)	2.1E-05		(4)
Fluorides	239	1.1E-06	2.0E-04		(4)	1.2E-05		(4)	2.4E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	4.5E-05		(4)	2.8E-06		(4)	5.3E-05		(4)

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		No	onresidential Ch	nild	No	Onresidential Work RBC (2) (ug/m³) 10103 0.2 215 6.7E-03 0.046 233 6.7E-03 0.046 0.046	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)		Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac	cility-Wide Risk			2.9			<0.1			0.2	
SSF11											
Cumulative TEU Risk					0.035			1.3E-04			1.5E-03
Dispersion Factor (µg/m3/[g/s])				174			10.9			215	
Antimony	7440-36-0	9.8E-09	1.7E-06		(4)	1.1E-07		(4)	2.1E-06		(4)
Barium	7440-39-3	6.1E-09	1.1E-06		(4)	6.6E-08		(4)	1.3E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.1E-06	5.6E-04	1.9E-03	6.8E-08	0.014	4.9E-06	1.3E-06	6.7E-03	2.0E-04
Chromium (total)	7440-47-3	5.8E-09	1.0E-06		(4)	6.3E-08		(4)	1.3E-06		(4)
Chromium VI	18540-29-9	5.8E-09	1.0E-06	3.1E-05	0.033	6.3E-08	5.2E-04	1.2E-04	1.3E-06	1.0E-03	1.3E-03
Cobalt	7440-48-4	2.6E-10	4.4E-08		(4)	2.8E-09		(4)	5.5E-08		(4)
Copper	7440-50-8	3.5E-08	6.0E-06		(4)	3.8E-07		(4)	7.5E-06		(4)
Lead	7439-92-1	5.5E-08	9.6E-06		(4)	6.0E-07		(4)	1.2E-05		(4)
Manganese	7439-96-5	8.8E-09	1.5E-06		(4)	9.5E-08		(4)	1.9E-06		(4)
Mercury	7439-97-6	6.7E-10	1.2E-07		(4)	7.3E-09		(4)	1.4E-07		(4)
Nickel	7440-02-0	1.3E-08	2.3E-06	3.8E-03	6.1E-04	1.4E-07	0.10	1.4E-06	2.9E-06	0.046	6.2E-05
Phosphorus	504	1.6E-07	2.7E-05		(4)	1.7E-06		(4)	3.4E-05		(4)
Zinc	7440-66-6	9.8E-08	1.7E-05		(4)	1.1E-06		(4)	2.1E-05		(4)
Fluorides	239	1.1E-06	2.0E-04		(4)	1.2E-05		(4)	2.4E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	4.4E-05		(4)	2.8E-06		(4)	5.5E-05		(4)
SSF12											
Cumulative TEU Risk					0.034			1.3E-04			1.6E-03
Dispersion Factor (µg/m3/[g/s])				166			10.6			233	
Antimony	7440-36-0	9.8E-09	1.6E-06		(4)	1.0E-07		(4)	2.3E-06		(4)
Barium	7440-39-3	6.1E-09	1.0E-06		(4)	6.4E-08		(4)	1.4E-06		(4)
Cadmium	7440-43-9	6.3E-09	1.0E-06	5.6E-04	1.9E-03	6.7E-08	0.014	4.8E-06	1.5E-06	6.7E-03	2.2E-04
Chromium (total)	7440-47-3	5.8E-09	9.7E-07		(4)	6.2E-08		(4)	1.4E-06		(4)
Chromium VI	18540-29-9	5.8E-09	9.7E-07	3.1E-05	0.031	6.2E-08	5.2E-04	1.2E-04	1.4E-06	1.0E-03	1.4E-03
Cobalt	7440-48-4	2.6E-10	4.3E-08		(4)	2.7E-09		(4)	6.0E-08		(4)
Copper	7440-50-8	3.5E-08	5.8E-06		(4)	3.7E-07		(4)	8.1E-06		(4)
Lead	7439-92-1	5.5E-08	9.2E-06		(4)	5.9E-07		(4)	1.3E-05		(4)
Manganese	7439-96-5	8.8E-09	1.5E-06		(4)	9.3E-08		(4)	2.0E-06		(4)
Mercury	7439-97-6	6.7E-10	1.1E-07		(4)	7.1E-09		(4)	1.6E-07		(4)
Nickel	7440-02-0	1.3E-08	2.2E-06	3.8E-03	5.8E-04	1.4E-07	0.10	1.4E-06	3.1E-06	0.046	6.7E-05
Phosphorus	504	1.6E-07	2.6E-05		(4)	1.7E-06		(4)	3.7E-05		(4)
Zinc	7440-66-6	9.8E-08	1.6E-05		(4)	1.0E-06		(4)	2.3E-05		(4)
Fluorides	239	1.1E-06	1.9E-04		(4)	1.2E-05		(4)	2.6E-04		(4)
Silica, Crystalline	7631-86-9	2.6E-07	4.3E-05		(4)	2.7E-06		(4)	6.0E-05		(4)

M1421.01.001, 2/18/2025, Td_RA Report_H&V_M1421.01.001
Page 138 of 175

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		N ₀	onresidential Ch	nild	No	RBC (2) (ug/m³) 10103 0.2 30.0 6.7E-03 0.046 30.1 6.7E-03 0.046 0.046 0.046 0.046	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)		Risk ^(b) (chances-in- 10 ⁶)
Exposure L	ocation (3)			1136			1			10103	
Cumulative Fac				2.9			<0.1			0.2	
SSF14											
Cumulative TEU Risk					4.5E-03		-	1.2E-04			1.1E-04
Dispersion Factor (µg/m3/[g/s])				43.5			20.7			30.0	
Antimony	7440-36-0	1.4E-08	5.9E-07		(4)	2.8E-07		(4)	4.1E-07		(4)
Barium	7440-39-3	9.1E-09	4.0E-07		(4)	1.9E-07		(4)	2.7E-07		(4)
Cadmium	7440-43-9	2.5E-09	1.1E-07	5.6E-04	2.0E-04	5.2E-08	0.014	3.7E-06	7.5E-08	6.7E-03	1.1E-05
Chromium (total)	7440-47-3	2.9E-09	1.3E-07		(4)	6.1E-08		(4)	8.8E-08		(4)
Chromium VI	18540-29-9	2.9E-09	1.3E-07	3.1E-05	4.1E-03	6.1E-08	5.2E-04	1.2E-04	8.8E-08	1.0E-03	8.8E-05
Copper	7440-50-8	4.2E-08	1.8E-06		(4)	8.6E-07		(4)	1.2E-06		(4)
Manganese	7439-96-5	9.5E-09	4.1E-07		(4)	2.0E-07		(4)	2.9E-07		(4)
Mercury	7439-97-6	4.8E-10	2.1E-08		(4)	9.9E-09		(4)	1.4E-08		(4)
Nickel	7440-02-0	1.6E-08	6.9E-07	3.8E-03	1.8E-04	3.3E-07	0.10	3.3E-06	4.7E-07	0.046	1.0E-05
Phosphorus	504	7.8E-08	3.4E-06		(4)	1.6E-06		(4)	2.3E-06		(4)
Zinc	7440-66-6	2.5E-07	1.1E-05		(4)	5.2E-06		(4)	7.5E-06		(4)
Fluorides	239	1.5E-07	6.6E-06		(4)	3.1E-06		(4)	4.5E-06		(4)
Silica, Crystalline	7631-86-9	1.2E-06	5.0E-05		(4)	2.4E-05		(4)	3.4E-05		(4)
SSF15	•		•		•			•	•		•
Cumulative TEU Risk					4.5E-03			1.2E-04			1.1E-04
Dispersion Factor (µg/m3/[g/s])				43.9	•		20.6	•	•	30.1	
Antimony	7440-36-0	1.4E-08	6.0E-07		(4)	2.8E-07		(4)	4.1E-07		(4)
Barium	7440-39-3	9.1E-09	4.0E-07		(4)	1.9E-07		(4)	2.7E-07		(4)
Cadmium	7440-43-9	2.5E-09	1.1E-07	5.6E-04	2.0E-04	5.2E-08	0.014	3.7E-06	7.6E-08	6.7E-03	1.1E-05
Chromium (total)	7440-47-3	2.9E-09	1.3E-07		(4)	6.0E-08		(4)	8.8E-08		(4)
Chromium VI	18540-29-9	2.9E-09	1.3E-07	3.1E-05	4.1E-03	6.0E-08	5.2E-04	1.2E-04	8.8E-08	1.0E-03	8.8E-05
Copper	7440-50-8	4.2E-08	1.8E-06		(4)	8.6E-07		(4)	1.3E-06		(4)
Manganese	7439-96-5	9.5E-09	4.2E-07		(4)	2.0E-07		(4)	2.9E-07		(4)
Mercury	7439-97-6	4.8E-10	2.1E-08		(4)	9.8E-09		(4)	1.4E-08		(4)
Nickel	7440-02-0	1.6E-08	6.9E-07	3.8E-03	1.8E-04	3.2E-07	0.10	3.2E-06	4.7E-07	0.046	1.0E-05
Phosphorus	504	7.8E-08	3.4E-06		(4)	1.6E-06		(4)	2.3E-06		(4)
Zinc	7440-66-6	2.5E-07	1.1E-05		(4)	5.2E-06		(4)	7.6E-06		(4)
Fluorides	239	1.5E-07	6.7E-06		(4)	3.1E-06		(4)	4.6E-06		(4)
Silica, Crystalline	7631-86-9	1.2E-06	5.0E-05		(4)	2.4E-05		(4)	3.5E-05		(4)

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		No	onresidential Cl	nild	No	onresidential Wo	orker
Toxic Air Contaminant Exposure L	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³) 1136	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC (2) (ug/m³) 10103 0.2 243 6.7E-03	Risk ^(b) (chances-in- 10 ⁶)
Cumulative Fac				2.9			<0.1				
SSF13							-				
Cumulative TEU Risk					0.15			5.5E-04			8.1E-03
Dispersion Factor (µg/m3/[g/s])				164	•		10.6	•		243	•
Antimony	7440-36-0	6.9E-08	1.1E-05		(4)	7.3E-07		(4)	1.7E-05		(4)
Barium	7440-39-3	4.8E-08	7.9E-06		(4)	5.1E-07		(4)	1.2E-05		(4)
Cadmium	7440-43-9	5.8E-08	9.5E-06	5.6E-04	0.017	6.1E-07	0.014	4.4E-05	1.4E-05	6.7E-03	2.1E-03
Chromium (total)	7440-47-3	2.5E-08	4.1E-06		(4)	2.6E-07		(4)	6.0E-06		(4)
Chromium VI	18540-29-9	2.5E-08	4.1E-06	3.1E-05	0.13	2.6E-07	5.2E-04	5.0E-04	6.0E-06	1.0E-03	6.0E-03
Cobalt	7440-48-4	1.0E-08	1.7E-06		(4)	1.1E-07		(4)	2.5E-06		(4)
Copper	7440-50-8	3.8E-07	6.2E-05		(4)	4.0E-06		(4)	9.2E-05		(4)
Lead	7439-92-1	5.1E-07	8.5E-05		(4)	5.5E-06		(4)	1.3E-04		(4)
Manganese	7439-96-5	1.4E-08	2.3E-06		(4)	1.5E-07		(4)	3.3E-06		(4)
Mercury	7439-97-6	7.0E-06	1.1E-03		(4)	7.4E-05		(4)	1.7E-03		(4)
Phosphorus	504	1.5E-06	2.5E-04		(4)	1.6E-05		(4)	3.7E-04		(4)
Zinc	7440-66-6	7.9E-07	1.3E-04		(4)	8.4E-06		(4)	1.9E-04		(4)
Fluorides	239	2.7E-06	4.4E-04		(4)	2.8E-05		(4)	6.5E-04		(4)
Silica, Crystalline	7631-86-9	2.3E-06	3.8E-04		(4)	2.4E-05		(4)	5.6E-04		(4)
SILO1	7001 00 7	2.02.00	0.02 01		(1)	2.12.00		(' /	0.02 01		(1)
Cumulative TEU Risk								<u></u>			
Dispersion Factor (µg/m3/[g/s])				22.9	!		1.06	!			ļ
Silica, Crystalline	7631-86-9	1.5E-07	3.4E-06		(4)	1.6E-07		(4)	3.9E-06		(4)
SILO2	7001 00 7	1.02 07	0.12 00		(1)	1.02 07		(1)	0.72 00		(1)
Cumulative TEU Risk								I			
Dispersion Factor (µg/m3/[g/s])				0.95	•		1.81	1		2.59	
Silica, Crystalline	7631-86-9	1.5E-07	1.4E-07		(4)	2.7E-07		(4)	3.8E-07	I	(4)
ВВВН	7001007	1.02 07	1.12 07		(' /	2.72 07		(' /	0.02 07		(1)
Cumulative TEU Risk					1.9E-03			7.3E-06			8.6E-04
Dispersion Factor (µg/m3/[g/s])				21.2			2.10	7.02 00		118	0.02 0.
Aluminum	7429-90-5	2.9E-03	0.062		(4)	6.1E-03		(4)	0.34		(4)
Barium	7440-39-3	7.5E-04	0.016		(4)	1.6E-03		(4)	0.089		(4)
Cadmium	7440-43-9	4.9E-08	1.0E-06	5.6E-04	1.9E-03	1.0E-07	0.014	7.3E-06	5.8E-06	6.7F-03	8.6E-04
Lead	7439-92-1	4.9E-07	1.0E-05	5.0L 04 	(4)	1.0E-06		(4)	5.8E-05	0.7E 03	(4)
Zinc Oxide	1314-13-2	4.8E-04	0.010		(4)	1.0E-03		(4)	0.056		(4)
Fluorides	239	2.1E-04	4.4E-03		(4)	4.4E-04		(4)	0.025		(4)
Silica, Crystalline	7631-86-9	7.3E-03	0.16		(4)	0.015		(4)	0.87		(4)
GP1_A	7031-00-9	7.3L-03	0.10		(4)	0.015		(4)	0.67		(4)
Cumulative TEU Risk					5.8E-05			2.7E-07			2.0E-05
Dispersion Factor (µg/m3/[g/s])				48.8	J.0L-03		5.78	Z./L-0/		206	2.0L-03
Aluminum	7429-90-5	3.9E-05	1.9E-03	40.0	(4)	2.3E-04	5.76	(4)	8.1E-03		(4)
Barium	7440-39-3	1.0E-05	5.0E-04		(4)	5.9E-05		(4)	2.1E-03		(4)
Cadmium	7440-39-3	6.6E-10	3.2E-08	5.6E-04	5.8E-05	3.9E-09	0.014	2.7E-07	1.4E-07	6.7E-03	2.0E-05
Lead	7439-92-1	6.6E-09	3.2E-08 3.2E-07	5.0E-U4 	(4)	3.8E-09 3.8E-08	0.014	(4)	1.4E-07	0.7E-U3	(4)
Zinc Oxide	1314-13-2	6.4E-06	3.1E-04		(4)	3.7E-05		(4)	1.3E-03		(4)
Fluorides	239	2.8E-06	1.4E-04			1.6E-05		(4)	5.8E-04		
Glasswool Fibers	352	5.6E-03	0.27		(4)	0.032		(4)	1.15		(4)
Silica, Crystalline	7631-86-9	9.9E-05	4.8E-03		(4) (4)	5.7E-04		(4)	0.020		(4)

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

			1				Cancer				
		TAC		Residential		Ne	onresidential Ch	nild	No	nresidential Wo	orker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk (b) (chances-in- 10 ⁶)
Exposure Lo	ocation (3)			1136			1			10103	
Cumulative Fac				2.9			<0.1			0.2	
GP1_B								-			
Cumulative TEU Risk					5.7E-05			2.7E-07			1.8E-05
Dispersion Factor (μg/m3/[g/s])				48.3	_		5.76			178	
Aluminum	7429-90-5	3.9E-05	1.9E-03		(4)	2.3E-04		(4)	7.0E-03		(4)
Barium	7440-39-3	1.0E-05	4.9E-04		(4)	5.9E-05		(4)	1.8E-03		(4)
Cadmium	7440-43-9	6.6E-10	3.2E-08	5.6E-04	5.7E-05	3.8E-09	0.014	2.7E-07	1.2E-07	6.7E-03	1.8E-05
Lead	7439-92-1	6.6E-09	3.2E-07		(4)	3.8E-08		(4)	1.2E-06		(4)
Zinc Oxide	1314-13-2	6.4E-06	3.1E-04		(4)	3.7E-05		(4)	1.1E-03		(4)
Fluorides	239	2.8E-06	1.4E-04		(4)	1.6E-05		(4)	5.0E-04		(4)
Glasswool Fibers	352	5.6E-03	0.27		(4)	0.032		(4)	0.99		(4)
Silica, Crystalline	7631-86-9	9.9E-05	4.8E-03		(4)	5.7E-04		(4)	0.018		(4)
ВНВН											
Cumulative TEU Risk					1.5E-07			8.2E-10			1.0E-07
Dispersion Factor (µg/m3/[g/s])				65.3			8.77			531	
Aluminum	7429-90-5	7.9E-08	5.1E-06		(4)	6.9E-07		(4)	4.2E-05		(4)
Barium	7440-39-3	2.0E-08	1.3E-06		(4)	1.8E-07		(4)	1.1E-05		(4)
Cadmium	7440-43-9	1.3E-12	8.6E-11	5.6E-04	1.5E-07	1.2E-11	0.014	8.2E-10	7.0E-10	6.7E-03	1.0E-07
Lead	7439-92-1	1.3E-11	8.6E-10		(4)	1.2E-10		(4)	7.0E-09		(4)
Zinc Oxide	1314-13-2	1.3E-08	8.3E-07		(4)	1.1E-07		(4)	6.8E-06		(4)
Fluorides	239	5.6E-09	3.7E-07		(4)	4.9E-08		(4)	3.0E-06		(4)
Silica, Crystalline	7631-86-9	2.0E-07	1.3E-05		(4)	1.7E-06		(4)	1.1E-04		(4)
CT1_2											
Cumulative TEU Risk					0			0			0
Dispersion Factor (µg/m3/[g/s])				14.1			3.61			37.5	
Phosphoric Acid	7664-38-2	2.0E-05	2.9E-04		(4)	7.4E-05		(4)	7.7E-04		(4)
Sulfuric Acid	7664-93-9	2.0E-05	2.9E-04		(4)	7.4E-05		(4)	7.7E-04		(4)
CT3A											
Cumulative TEU Risk					0			0			0
Dispersion Factor (µg/m3/[g/s])				12.4			2.21			38.5	
Phosphoric Acid	7664-38-2	1.1E-05	1.4E-04		(4)	2.5E-05		(4)	4.4E-04		(4)
Sulfuric Acid	7664-93-9	1.1E-05	1.4E-04		(4)	2.5E-05		(4)	4.4E-04		(4)
CT3B											
Cumulative TEU Risk					0			0			0
Dispersion Factor (µg/m3/[g/s])				12.4			2.21			36.6	
Phosphoric Acid	7664-38-2	1.1E-05	1.4E-04		(4)	2.5E-05		(4)	4.2E-04		(4)
Sulfuric Acid	7664-93-9	1.1E-05	1.4E-04		(4)	2.5E-05		(4)	4.2E-04		(4)
CT4											
Cumulative TEU Risk				0			0			0	
Dispersion Factor (µg/m3/[g/s])				3.27			3.40			8.15	
Phosphoric Acid	7664-38-2	1.8E-05	5.9E-05		(4)	6.2E-05		(4)	1.5E-04		(4)
Sulfuric Acid	7664-93-9	1.8E-05	5.9E-05		(4)	6.2E-05		(4)	1.5E-04		(4)

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

							Cancer				
		TAC		Residential		No	onresidential Ch	ild	No	nresidential Wo	rker
Toxic Air Contaminant	CAS	Emission Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)
Exposure Lo	ocation (3)			1136			1			10103	
Cumulative Fac				2.9			<0.1			0.2	
PAINT											
Cumulative TEU Risk					0.047			1.4E-04			0.040
Dispersion Factor (µg/m3/[g/s])				128			9.77			1,298	
Barium	7440-39-3	2.1E-04	0.027		(4)	2.1E-03		(4)	0.28		(4)
Cobalt	7440-48-4	1.0E-05	1.3E-03		(4)	9.9E-05		(4)	0.013		(4)
Acetone	67-64-1	3.5E-03	0.45		(4)	0.034		(4)	4.58		(4)
Ethylbenzene	100-41-4	1.5E-04	0.019	0.40	0.047	1.4E-03	10.0	1.4E-04	0.19	4.80	0.040
1,2,4-Trimethylbenzene	95-63-6	1.9E-04	0.024		(4)	1.8E-03		(4)	0.24		(4)
Xylenes (mixed isomers)	1330-20-7	6.1E-04	0.077		(4)	5.9E-03		(4)	0.79		(4)
EGEN1											
Cumulative TEU Risk					0.32			6.1E-04			0.025
Dispersion Factor (µg/m3/[g/s])				7.55			0.48			16.8	
Arsenic	7440-38-2	5.4E-08	4.1E-07	2.4E-05	0.017	2.6E-08	1.3E-03	2.0E-05	9.1E-07	6.2E-04	1.5E-03
Cadmium	7440-43-9	5.0E-08	3.8E-07	5.6E-04	6.8E-04	2.4E-08	0.014	1.7E-06	8.5E-07	6.7E-03	1.3E-04
Chromium VI	18540-29-9	3.4E-09	2.5E-08	3.1E-05	8.2E-04	1.6E-09	5.2E-04	3.1E-06	5.7E-08	1.0E-03	5.7E-05
Copper	7440-50-8	1.4E-07	1.0E-06		(4)	6.6E-08		(4)	2.3E-06		(4)
Lead	7439-92-1	2.8E-07	2.1E-06		(4)	1.3E-07		(4)	4.7E-06		(4)
Manganese	7439-96-5	1.0E-07	7.9E-07		(4)	5.0E-08		(4)	1.8E-06		(4)
Mercury	7439-97-6	6.7E-08	5.1E-07		(4)	3.2E-08		(4)	1.1E-06		(4)
Nickel	7440-02-0	1.3E-07	9.9E-07	3.8E-03	2.6E-04	6.3E-08	0.10	6.3E-07	2.2E-06	0.046	4.8E-05
Selenium	7782-49-2	7.4E-08	5.6E-07		(4)	3.6E-08		(4)	1.2E-06		(4)
Ammonia	7664-41-7	2.7E-05	2.0E-04		(4)	1.3E-05		(4)	4.5E-04		(4)
Hydrochloric Acid	7647-01-0	6.3E-06	4.7E-05		(4)	3.0E-06		(4)	1.1E-04		(4)
Acetaldehyde	75-07-0	2.6E-05	2.0E-04	0.45	4.4E-04	1.3E-05	12.0	1.1E-06	4.4E-04	5.50	8.1E-05
Acrolein	107-02-8	1.1E-06	8.6E-06		(4)	5.5E-07		(4)	1.9E-05		(4)
Benzene	71-43-2	6.3E-06	4.7E-05	0.13	3.6E-04	3.0E-06	3.30	9.1E-07	1.1E-04	1.50	7.0E-05
1,3-Butadiene	106-99-0	7.3E-06	5.5E-05	0.033	1.7E-03	3.5E-06	0.86	4.1E-06	1.2E-04	0.40	3.1E-04
Ethylbenzene	100-41-4	3.7E-07	2.8E-06	0.40	6.9E-06	1.8E-07	10.0	1.8E-08	6.2E-06	4.80	1.3E-06
Formaldehyde	50-00-0	5.8E-05	4.4E-04	0.17	2.6E-03	2.8E-05	4.30	6.5E-06	9.8E-04	2.00	4.9E-04
Hexane	110-54-3	9.1E-07	6.8E-06		(4)	4.4E-07		(4)	1.5E-05		(4)
Toluene	108-88-3	3.5E-06	2.7E-05		(4)	1.7E-06		(4)	6.0E-05		(4)
Xylenes (mixed isomers)	1330-20-7	1.4E-06	1.1E-05		(4)	6.9E-07		(4)	2.4E-05		(4)
PAHs	401	1.2E-06	9.2E-06	4.3E-05	0.21	5.9E-07	1.6E-03	3.7E-04	2.1E-05	3.0E-03	6.8E-03
Benzo[a]pyrene	50-32-8	1.2E-09	9.1E-09	4.3E-05	2.1E-04	5.8E-10	1.6E-03	3.6E-07	2.0E-08	3.0E-03	6.7E-06
Naphthalene	91-20-3	6.6E-07	5.0E-06	0.029	1.7E-04	3.2E-07	0.76	4.2E-07	1.1E-05	0.35	3.2E-05
DPM	200	1.1E-03	8.5E-03	0.10	0.085	5.4E-04	2.60	2.1E-04	0.019	1.20	0.016

Table 6-9
Production Scenario 2—L3RA Results for Significant TEUs-Cancer Assessment
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TA 0					Cancer				
		TAC Emission		Residential		N ₀	onresidential Ch	ild	No	nresidential Wo	orker
Toxic Air Contaminant	CAS	Rate ⁽¹⁾ (g/s)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-in- 10 ⁶)	Calculated Conc. ^(a) (ug/m³)	RBC ⁽²⁾ (ug/m³)	Risk ^(b) (chances-ir 10 ⁶)
Exposure L	ocation (3)			1136			1		_	10103	
Cumulative Fac				2.9			<0.1			0.2	
GEN2											
Cumulative TEU Risk					0.27			7.8E-04			0.035
Dispersion Factor (µg/m3/[g/s])				8.81			0.87			33.1	
Arsenic	7440-38-2	3.8E-08	3.3E-07	2.4E-05	0.014	3.3E-08	1.3E-03	2.5E-05	1.3E-06	6.2E-04	2.0E-03
Cadmium	7440-43-9	3.6E-08	3.1E-07	5.6E-04	5.6E-04	3.1E-08	0.014	2.2E-06	1.2E-06	6.7E-03	1.8E-04
Chromium VI	18540-29-9	2.4E-09	2.1E-08	3.1E-05	6.7E-04	2.1E-09	5.2E-04	3.9E-06	7.9E-08	1.0E-03	7.9E-05
Copper	7440-50-8	9.7E-08	8.6E-07		(4)	8.4E-08		(4)	3.2E-06		(4)
Lead	7439-92-1	2.0E-07	1.7E-06		(4)	1.7E-07		(4)	6.5E-06		(4)
Manganese	7439-96-5	7.4E-08	6.5E-07		(4)	6.4E-08		(4)	2.4E-06		(4)
Mercury	7439-97-6	4.7E-08	4.2E-07		(4)	4.1E-08		(4)	1.6E-06		(4)
Nickel	7440-02-0	9.3E-08	8.2E-07	3.8E-03	2.1E-04	8.0E-08	0.10	8.0E-07	3.1E-06	0.046	6.7E-05
Selenium	7782-49-2	5.2E-08	4.6E-07		(4)	4.5E-08		(4)	1.7E-06		(4)
Ammonia	7664-41-7	1.9E-05	1.7E-04		(4)	1.6E-05		(4)	6.3E-04		(4)
Hydrochloric Acid	7647-01-0	4.4E-06	3.9E-05		(4)	3.8E-06		(4)	1.5E-04		(4)
Acetaldehyde	75-07-0	1.9E-05	1.6E-04	0.45	3.6E-04	1.6E-05	12.0	1.3E-06	6.2E-04	5.50	1.1E-04
Acrolein	107-02-8	8.0E-07	7.1E-06		(4)	7.0E-07		(4)	2.7E-05		(4)
Benzene	71-43-2	4.4E-06	3.9E-05	0.13	3.0E-04	3.8E-06	3.30	1.2E-06	1.5E-04	1.50	9.8E-05
1,3-Butadiene	106-99-0	5.2E-06	4.5E-05	0.033	1.4E-03	4.5E-06	0.86	5.2E-06	1.7E-04	0.40	4.3E-04
Ethylbenzene	100-41-4	2.6E-07	2.3E-06	0.40	5.7E-06	2.2E-07	10.0	2.2E-08	8.6E-06	4.80	1.8E-06
Formaldehyde	50-00-0	4.1E-05	3.6E-04	0.17	2.1E-03	3.5E-05	4.30	8.2E-06	1.4E-03	2.00	6.8E-04
Hexane	110-54-3	6.4E-07	5.6E-06		(4)	5.5E-07		(4)	2.1E-05		(4)
Toluene	108-88-3	2.5E-06	2.2E-05		(4)	2.2E-06		(4)	8.3E-05		(4)
Xylenes (mixed isomers)	1330-20-7	1.0E-06	8.9E-06		(4)	8.7E-07		(4)	3.3E-05		(4)
PAHs	401	8.6E-07	7.6E-06	4.3E-05	0.18	7.4E-07	1.6E-03	4.6E-04	2.8E-05	3.0E-03	9.5E-03
Benzo[a]pyrene	50-32-8	8.5E-10	7.5E-09	4.3E-05	1.7E-04	7.3E-10	1.6E-03	4.6E-07	2.8E-08	3.0E-03	9.4E-06
Naphthalene	91-20-3	4.7E-07	4.1E-06	0.029	1.4E-04	4.0E-07	0.76	5.3E-07	1.5E-05	0.35	4.4E-05
DPM	200	8.0E-04	7.0E-03	0.10	0.070	6.9E-04	2.60	2.6E-04	0.026	1.20	0.022

Notes

References

g = gram; m³ = cubic meter; RBC = risk-based concentration; s = second; TEU = toxic emission unit; TAC - toxic air contaminant; ug = micrograms.

⁽a) Calculated concentration ($\mu g/m^3$) = (dispersion factor [$\{\mu g/m^3\}/\{g/s\}$]) x (TAC emission rate per TEU [g/s])

⁽b) Risk (chances-in-1,000,000) = (calculated concentration [$\mu g/m^3$]) / (risk-based concentration [$\mu g/m^3$])

⁽¹⁾ See Table 3-2, Annual TAC Emission Rates—Significant TEUs.

⁽²⁾ Oregon Administrative Rule 340-245-8010, Table 2.

⁽³⁾ See Table 6-8, Production Scenario 2—Maximum Predicted Risk Exposure Location Per TEU.

⁽⁴⁾ TAC does not have an established RBC for this exposure category per Oregon Administrative Rule 340-245-8010 Table 2.

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Nonca	ncer						
		(g	/s)		Residential			nresidential (Non	residential W	orker	A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location ⁽⁴⁾				1220			2			10103			10240	
	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU101						•		T	1						_
Cumulative TEU Risk						2.8E-04			3.0E-05			3.1E-04			1.6E-03
Dispersion Factor (µg/m3/[g/		•	1		0.37	•		0.21	1		2.14			10.6	1
Barium	7440-39-3	9.2E-07	9.2E-07	3.5E-07		(5)	1.9E-07		(5)	2.0E-06		(5)	9.8E-06		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	3.6E-07	5.0E-03	7.2E-05	2.0E-07	0.037	5.4E-06	2.1E-06	0.037	5.5E-05	1.0E-05	0.030	3.4E-04
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	3.3E-07		(5)	1.9E-07		(5)	1.9E-06		(5)	9.4E-06		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	3.3E-07	0.083	4.0E-06	1.9E-07	0.88	2.1E-07	1.9E-06	0.88	2.2E-06	9.4E-06	0.30	3.1E-05
Copper	7440-50-8	5.3E-06	5.3E-06	2.0E-06		(5)	1.1E-06		(5)	1.1E-05		(5)	5.6E-05	100	5.6E-07
Lead	7439-92-1	8.4E-06	8.4E-06	3.2E-06	0.15	2.1E-05	1.8E-06	0.66	2.7E-06	1.8E-05	0.66	2.7E-05	8.9E-05	0.15	6.0E-04
Manganese	7439-96-5	8.1E-07	8.1E-07	3.0E-07	0.090	3.4E-06	1.7E-07	0.40	4.3E-07	1.7E-06	0.40	4.3E-06	8.6E-06	0.30	2.9E-05
Mercury	7439-97-6	5.3E-08	5.3E-08	2.0E-08	0.077	2.6E-07	1.1E-08	0.63	1.8E-08	1.1E-07	0.63	1.8E-07	5.6E-07	0.60	9.4E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	5.0E-07		(5)	2.8E-07		(5)	2.9E-06		(5)	1.4E-05		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	7.6E-07	0.014	5.4E-05	4.3E-07	0.062	6.9E-06	4.3E-06	0.062	7.0E-05	2.1E-05	0.20	1.1E-04
Phosphorus	504	2.4E-05	2.4E-05	9.0E-06		(5)	5.0E-06		(5)	5.1E-05		(5)	2.5E-04		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	6.9E-07	0.10	6.9E-06	3.9E-07	0.44	8.9E-07	4.0E-06	0.44	9.0E-06	2.0E-05	0.80	2.5E-05
Zinc	7440-66-6	1.5E-05	1.5E-05	5.6E-06		(5)	3.2E-06		(5)	3.2E-05		(5)	1.6E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	9.6E-04	500	1.9E-06	5.4E-04	2,200	2.5E-07	5.5E-03	2,200	2.5E-06	0.027	1,200	2.3E-05
Fluorides	239	1.7E-04	1.7E-04	6.4E-05	2.30	2.8E-05	3.6E-05	20.0	1.8E-06	3.7E-04	20.0	1.8E-05	1.8E-03	240	7.6E-06
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	7.5E-06	2.10	3.6E-06	4.2E-06	19.0	2.2E-07	4.3E-05	19.0	2.3E-06	2.1E-04	16.0	1.3E-05
Glasswool Fibers	352	5.0E-05	5.0E-05	1.9E-05		(5)	1.1E-05		(5)	1.1E-04		(5)	5.3E-04		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	1.9E-05	3.00	6.2E-06	1.0E-05	13.0	8.0E-07	1.1E-04	13.0	8.2E-06	5.3E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.3E-06	140	9.3E-09	7.3E-07	620	1.2E-09	7.4E-06	620	1.2E-08	3.7E-05	470	7.8E-08
Acetone	67-64-1	3.5E-04	3.5E-04	1.3E-04	31,000	4.2E-09	7.3E-05	140,000	5.2E-10	7.4E-04	140,000	5.3E-09	3.7E-03	62,000	5.9E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	8.1E-07	0.35	2.3E-06	4.6E-07	1.50	3.1E-07	4.7E-06	1.50	3.1E-06	2.3E-05	6.90	3.3E-06
Benzene	71-43-2	3.1E-05	3.1E-05	1.1E-05	3.00	3.8E-06	6.4E-06	13.0	5.0E-07	6.6E-05	13.0	5.0E-06	3.2E-04	29.0	1.1E-05
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	9.2E-06	260	3.5E-08	5.2E-06	1,100	4.7E-09	5.3E-05	1,100	4.8E-08	2.6E-04	22,000	1.2E-08
Formaldehyde	50-00-0	1.8E-03	1.8E-03	6.8E-04	9.00	7.5E-05	3.8E-04	40.0	9.5E-06	3.9E-03	40.0	9.7E-05	0.019	49.0	3.9E-04
Hexane	110-54-3	5.6E-05	5.6E-05	2.1E-05	700	3.0E-08	1.2E-05	3,100	3.8E-09	1.2E-04	3,100	3.8E-08	5.9E-04		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	5.9E-06	5,000	1.2E-09	3.3E-06	22,000	1.5E-10	3.4E-05	22,000	1.5E-09	1.7E-04	5,000	3.4E-08
Toluene	108-88-3	1.4E-04	1.4E-04	5.3E-05	5,000	1.1E-08	3.0E-05	22,000	1.4E-09	3.1E-04	22,000	1.4E-08	1.5E-03	7,500	2.0E-07
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	2.2E-05	220	9.9E-08	1.2E-05	970	1.3E-08	1.3E-04	970	1.3E-07	6.2E-04	8,700	7.1E-08
o-Xylene	95-47-6	2.8E-05	2.8E-05	1.0E-05	220	4.7E-08	5.8E-06	970	6.0E-09	5.9E-05	970	6.1E-08	2.9E-04	8,700	3.4E-08
PAHs	401	8.1E-08	8.1E-08	3.0E-08		(5)	1.7E-08		(5)	1.7E-07		(5)	8.5E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	3.6E-10	2.0E-03	1.8E-07	2.0E-10	8.8E-03	2.3E-08	2.1E-09	8.8E-03	2.4E-07	1.0E-08	2.0E-03	5.1E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	9.0E-08	3.70	2.4E-08	5.1E-08	16.0	3.2E-09	5.2E-07	16.0	3.2E-08	2.6E-06	200	1.3E-08

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncai	ncer						
		(g	J/s)		Residential		No	nresidential C	Child	Non	residential W	orker	l A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location (4)				1220	•		2	•		10103	,		10240	•
	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU102						•	·					•			T
Cumulative TEU Risk						2.4E-04			3.0E-05			2.8E-04			1.1E-03
Dispersion Factor (µg/m3/[g/		•			0.32	_		0.21			1.97	_		7.61	
Barium	7440-39-3	9.2E-07	9.2E-07	3.0E-07		(5)	2.0E-07		(5)	1.8E-06		(5)	7.0E-06		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	3.1E-07	5.0E-03	6.2E-05	2.0E-07	0.037	5.5E-06	1.9E-06	0.037	5.1E-05	7.3E-06	0.030	2.4E-04
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	2.9E-07		(5)	1.9E-07		(5)	1.8E-06		(5)	6.8E-06		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	2.9E-07	0.083	3.5E-06	1.9E-07	0.88	2.1E-07	1.8E-06	0.88	2.0E-06	6.8E-06	0.30	2.3E-05
Copper	7440-50-8	5.3E-06	5.3E-06	1.7E-06		(5)	1.1E-06		(5)	1.0E-05		(5)	4.0E-05	100	4.0E-07
Lead	7439-92-1	8.4E-06	8.4E-06	2.7E-06	0.15	1.8E-05	1.8E-06	0.66	2.7E-06	1.7E-05	0.66	2.5E-05	6.4E-05	0.15	4.3E-04
Manganese	7439-96-5	8.1E-07	8.1E-07	2.6E-07	0.090	2.9E-06	1.7E-07	0.40	4.3E-07	1.6E-06	0.40	4.0E-06	6.2E-06	0.30	2.1E-05
Mercury	7439-97-6	5.3E-08	5.3E-08	1.7E-08	0.077	2.2E-07	1.1E-08	0.63	1.8E-08	1.0E-07	0.63	1.7E-07	4.1E-07	0.60	6.8E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	4.3E-07		(5)	2.8E-07		(5)	2.6E-06		(5)	1.0E-05		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	6.5E-07	0.014	4.7E-05	4.3E-07	0.062	6.9E-06	4.0E-06	0.062	6.4E-05	1.5E-05	0.20	7.7E-05
Phosphorus	504	2.4E-05	2.4E-05	7.7E-06		(5)	5.1E-06		(5)	4.7E-05		(5)	1.8E-04		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	6.0E-07	0.10	6.0E-06	3.9E-07	0.44	8.9E-07	3.7E-06	0.44	8.3E-06	1.4E-05	0.80	1.8E-05
Zinc	7440-66-6	1.5E-05	1.5E-05	4.8E-06		(5)	3.2E-06		(5)	3.0E-05		(5)	1.1E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	8.3E-04	500	1.7E-06	5.5E-04	2,200	2.5E-07	5.1E-03	2,200	2.3E-06	0.020	1,200	1.6E-05
Fluorides	239	1.7E-04	1.7E-04	5.6E-05	2.30	2.4E-05	3.6E-05	20.0	1.8E-06	3.4E-04	20.0	1.7E-05	1.3E-03	240	5.5E-06
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	6.4E-06	2.10	3.1E-06	4.2E-06	19.0	2.2E-07	3.9E-05	19.0	2.1E-06	1.5E-04	16.0	9.5E-06
Glasswool Fibers	352	5.0E-05	5.0E-05	1.6E-05		(5)	1.1E-05		(5)	9.9E-05		(5)	3.8E-04		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	1.6E-05	3.00	5.3E-06	1.0E-05	13.0	8.1E-07	9.8E-05	13.0	7.5E-06	3.8E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.1E-06	140	8.0E-09	7.3E-07	620	1.2E-09	6.8E-06	620	1.1E-08	2.6E-05	470	5.6E-08
Acetone	67-64-1	3.5E-04	3.5E-04	1.1E-04	31,000	3.6E-09	7.3E-05	140,000	5.2E-10	6.8E-04	140,000	4.9E-09	2.6E-03	62,000	4.2E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	7.0E-07	0.35	2.0E-06	4.6E-07	1.50	3.1E-07	4.3E-06	1.50	2.9E-06	1.7E-05	6.90	2.4E-06
Benzene	71-43-2	3.1E-05	3.1E-05	9.9E-06	3.00	3.3E-06	6.5E-06	13.0	5.0E-07	6.0E-05	13.0	4.6E-06	2.3E-04	29.0	8.0E-06
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	8.0E-06	260	3.1E-08	5.2E-06	1,100	4.7E-09	4.8E-05	1,100	4.4E-08	1.9E-04	22,000	8.5E-09
Formaldehyde	50-00-0	1.8E-03	1.8E-03	5.8E-04	9.00	6.5E-05	3.8E-04	40.0	9.6E-06	3.6E-03	40.0	8.9E-05	0.014	49.0	2.8E-04
Hexane	110-54-3	5.6E-05	5.6E-05	1.8E-05	700	2.6E-08	1.2E-05	3,100	3.8E-09	1.1E-04	3,100	3.5E-08	4.2E-04		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	5.1E-06	5,000	1.0E-09	3.4E-06	22,000	1.5E-10	3.1E-05	22,000	1.4E-09	1.2E-04	5,000	2.4E-08
Toluene	108-88-3	1.4E-04	1.4E-04	4.6E-05	5,000	9.2E-09	3.0E-05	22,000	1.4E-09	2.8E-04	22,000	1.3E-08	1.1E-03	7,500	1.5E-07
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	1.9E-05	220	8.6E-08	1.2E-05	970	1.3E-08	1.2E-04	970	1.2E-07	4.5E-04	8,700	5.1E-08
o-Xylene	95-47-6	2.8E-05	2.8E-05	9.0E-06	220	4.1E-08	5.9E-06	970	6.0E-09	5.5E-05	970	5.6E-08	2.1E-04	8,700	2.4E-08
PAHs	401	8.1E-08	8.1E-08	2.6E-08		(5)	1.7E-08		(5)	1.6E-07		(5)	6.1E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	3.1E-10	2.0E-03	1.6E-07	2.0E-10	8.8E-03	2.3E-08	1.9E-09	8.8E-03	2.2E-07	7.4E-09	2.0E-03	3.7E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	7.8E-08	3.70	2.1E-08	5.1E-08	16.0	3.2E-09	4.8E-07	16.0	3.0E-08	1.8E-06	200	9.2E-09

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncai	ncer						
		(g	ı/s)		Residential		No	nresidential C	Child	Non	residential W	orker	l A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location (4)				1220			2	•		10103	•		10240	•
	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU103						1	·	1		1		_			1
Cumulative TEU Risk						1.5E-04			3.0E-05			3.4E-04			4.5E-04
Dispersion Factor (µg/m3/[g/		_	•		0.20	1		0.21	1		2.35			3.00	1
Barium	7440-39-3	9.2E-07	9.2E-07	1.8E-07		(5)	2.0E-07		(5)	2.2E-06		(5)	2.8E-06		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	1.9E-07	5.0E-03	3.8E-05	2.0E-07	0.037	5.5E-06	2.3E-06	0.037	6.1E-05	2.9E-06	0.030	9.6E-05
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	1.8E-07		(5)	1.9E-07		(5)	2.1E-06		(5)	2.7E-06		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	1.8E-07	0.083	2.1E-06	1.9E-07	0.88	2.2E-07	2.1E-06	0.88	2.4E-06	2.7E-06	0.30	8.9E-06
Copper	7440-50-8	5.3E-06	5.3E-06	1.0E-06		(5)	1.1E-06		(5)	1.2E-05		(5)	1.6E-05	100	1.6E-07
Lead	7439-92-1	8.4E-06	8.4E-06	1.7E-06	0.15	1.1E-05	1.8E-06	0.66	2.7E-06	2.0E-05	0.66	3.0E-05	2.5E-05	0.15	1.7E-04
Manganese	7439-96-5	8.1E-07	8.1E-07	1.6E-07	0.090	1.8E-06	1.7E-07	0.40	4.3E-07	1.9E-06	0.40	4.8E-06	2.4E-06	0.30	8.1E-06
Mercury	7439-97-6	5.3E-08	5.3E-08	1.1E-08	0.077	1.4E-07	1.1E-08	0.63	1.8E-08	1.3E-07	0.63	2.0E-07	1.6E-07	0.60	2.7E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	2.6E-07		(5)	2.8E-07		(5)	3.1E-06		(5)	4.0E-06		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	4.0E-07	0.014	2.9E-05	4.3E-07	0.062	6.9E-06	4.8E-06	0.062	7.7E-05	6.1E-06	0.20	3.0E-05
Phosphorus	504	2.4E-05	2.4E-05	4.7E-06		(5)	5.1E-06		(5)	5.6E-05		(5)	7.2E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	3.7E-07	0.10	3.7E-06	3.9E-07	0.44	9.0E-07	4.4E-06	0.44	9.9E-06	5.6E-06	0.80	6.9E-06
Zinc	7440-66-6	1.5E-05	1.5E-05	3.0E-06		(5)	3.2E-06		(5)	3.5E-05		(5)	4.5E-05		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	5.1E-04	500	1.0E-06	5.5E-04	2,200	2.5E-07	6.1E-03	2,200	2.8E-06	7.7E-03	1,200	6.4E-06
Fluorides	239	1.7E-04	1.7E-04	3.4E-05	2.30	1.5E-05	3.7E-05	20.0	1.8E-06	4.0E-04	20.0	2.0E-05	5.2E-04	240	2.2E-06
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	4.0E-06	2.10	1.9E-06	4.2E-06	19.0	2.2E-07	4.7E-05	19.0	2.5E-06	6.0E-05	16.0	3.7E-06
Glasswool Fibers	352	5.0E-05	5.0E-05	9.9E-06		(5)	1.1E-05		(5)	1.2E-04		(5)	1.5E-04		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	9.8E-06	3.00	3.3E-06	1.1E-05	13.0	8.1E-07	1.2E-04	13.0	9.0E-06	1.5E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	6.9E-07	140	4.9E-09	7.4E-07	620	1.2E-09	8.2E-06	620	1.3E-08	1.0E-05	470	2.2E-08
Acetone	67-64-1	3.5E-04	3.5E-04	6.8E-05	31,000	2.2E-09	7.3E-05	140,000	5.2E-10	8.1E-04	140,000	5.8E-09	1.0E-03	62,000	1.7E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	4.3E-07	0.35	1.2E-06	4.6E-07	1.50	3.1E-07	5.1E-06	1.50	3.4E-06	6.5E-06	6.90	9.5E-07
Benzene	71-43-2	3.1E-05	3.1E-05	6.1E-06	3.00	2.0E-06	6.5E-06	13.0	5.0E-07	7.2E-05	13.0	5.5E-06	9.2E-05	29.0	3.2E-06
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	4.9E-06	260	1.9E-08	5.2E-06	1,100	4.8E-09	5.8E-05	1,100	5.3E-08	7.4E-05	22,000	3.4E-09
Formaldehyde	50-00-0	1.8E-03	1.8E-03	3.6E-04	9.00	4.0E-05	3.8E-04	40.0	9.6E-06	4.3E-03	40.0	1.1E-04	5.4E-03	49.0	1.1E-04
Hexane	110-54-3	5.6E-05	5.6E-05	1.1E-05	700	1.6E-08	1.2E-05	3,100	3.8E-09	1.3E-04	3,100	4.2E-08	1.7E-04		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	3.1E-06	5,000	6.3E-10	3.4E-06	22,000	1.5E-10	3.7E-05	22,000	1.7E-09	4.8E-05	5,000	9.5E-09
Toluene	108-88-3	1.4E-04	1.4E-04	2.8E-05	5,000	5.7E-09	3.0E-05	22,000	1.4E-09	3.4E-04	22,000	1.5E-08	4.3E-04	7,500	5.7E-08
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	1.2E-05	220	5.3E-08	1.2E-05	970	1.3E-08	1.4E-04	970	1.4E-07	1.8E-04	8,700	2.0E-08
o-Xylene	95-47-6	2.8E-05	2.8E-05	5.5E-06	220	2.5E-08	5.9E-06	970	6.1E-09	6.5E-05	970	6.7E-08	8.3E-05	8,700	9.6E-09
PAHs	401	8.1E-08	8.1E-08	1.6E-08		(5)	1.7E-08		(5)	1.9E-07		(5)	2.4E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	1.9E-10	2.0E-03	9.6E-08	2.1E-10	8.8E-03	2.3E-08	2.3E-09	8.8E-03	2.6E-07	2.9E-09	2.0E-03	1.5E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	4.8E-08	3.70	1.3E-08	5.1E-08	16.0	3.2E-09	5.7E-07	16.0	3.6E-08	7.3E-07	200	3.6E-09

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Cł	ronic Noncar	ncer						
		(g	/s)		Residential			nresidential C		Non	residential W	orker	A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximovino	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
	re Location (4)				1220	·		2	•		10103	•		10240	
	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU104						•			•						
Cumulative TEU Risk						1.7E-04			3.0E-05			3.4E-04			5.2E-04
Dispersion Factor (µg/m3/[g/	_	T	T		0.23			0.21	1		2.42	<u> </u>		3.45	_
Barium	7440-39-3	9.2E-07	9.2E-07	2.1E-07		(5)	2.0E-07		(5)	2.2E-06		(5)	3.2E-06		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	2.2E-07	5.0E-03	4.4E-05	2.0E-07	0.037	5.5E-06	2.3E-06	0.037	6.3E-05	3.3E-06	0.030	1.1E-04
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	2.0E-07		(5)	1.9E-07		(5)	2.2E-06		(5)	3.1E-06		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	2.0E-07	0.083	2.5E-06	1.9E-07	0.88	2.1E-07	2.2E-06	0.88	2.4E-06	3.1E-06	0.30	1.0E-05
Copper	7440-50-8	5.3E-06	5.3E-06	1.2E-06		(5)	1.1E-06		(5)	1.3E-05		(5)	1.8E-05	100	1.8E-07
Lead	7439-92-1	8.4E-06	8.4E-06	1.9E-06	0.15	1.3E-05	1.8E-06	0.66	2.7E-06	2.0E-05	0.66	3.1E-05	2.9E-05	0.15	1.9E-04
Manganese	7439-96-5	8.1E-07	8.1E-07	1.9E-07	0.090	2.1E-06	1.7E-07	0.40	4.3E-07	2.0E-06	0.40	4.9E-06	2.8E-06	0.30	9.3E-06
Mercury	7439-97-6	5.3E-08	5.3E-08	1.2E-08	0.077	1.6E-07	1.1E-08	0.63	1.8E-08	1.3E-07	0.63	2.0E-07	1.8E-07	0.60	3.1E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	3.0E-07		(5)	2.8E-07		(5)	3.2E-06		(5)	4.6E-06		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	4.6E-07	0.014	3.3E-05	4.3E-07	0.062	6.9E-06	4.9E-06	0.062	7.9E-05	7.0E-06	0.20	3.5E-05
Phosphorus	504	2.4E-05	2.4E-05	5.5E-06		(5)	5.1E-06		(5)	5.8E-05		(5)	8.3E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	4.3E-07	0.10	4.3E-06	3.9E-07	0.44	8.9E-07	4.5E-06	0.44	1.0E-05	6.4E-06	0.80	8.0E-06
Zinc	7440-66-6	1.5E-05	1.5E-05	3.4E-06		(5)	3.2E-06		(5)	3.6E-05		(5)	5.2E-05		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	5.9E-04	500	1.2E-06	5.5E-04	2,200	2.5E-07	6.2E-03	2,200	2.8E-06	8.9E-03	1,200	7.4E-06
Fluorides	239	1.7E-04	1.7E-04	3.9E-05	2.30	1.7E-05	3.6E-05	20.0	1.8E-06	4.2E-04	20.0	2.1E-05	6.0E-04	240	2.5E-06
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	4.6E-06	2.10	2.2E-06	4.2E-06	19.0	2.2E-07	4.8E-05	19.0	2.5E-06	6.9E-05	16.0	4.3E-06
Glasswool Fibers	352	5.0E-05	5.0E-05	1.1E-05		(5)	1.1E-05		(5)	1.2E-04		(5)	1.7E-04		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	1.1E-05	3.00	3.8E-06	1.1E-05	13.0	8.1E-07	1.2E-04	13.0	9.2E-06	1.7E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	7.9E-07	140	5.7E-09	7.3E-07	620	1.2E-09	8.4E-06	620	1.4E-08	1.2E-05	470	2.5E-08
Acetone	67-64-1	3.5E-04	3.5E-04	7.9E-05	31,000	2.6E-09	7.3E-05	140,000	5.2E-10	8.3E-04	140,000	6.0E-09	1.2E-03	62,000	1.9E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	5.0E-07	0.35	1.4E-06	4.6E-07	1.50	3.1E-07	5.3E-06	1.50	3.5E-06	7.5E-06	6.90	1.1E-06
Benzene	71-43-2	3.1E-05	3.1E-05	7.0E-06	3.00	2.3E-06	6.5E-06	13.0	5.0E-07	7.4E-05	13.0	5.7E-06	1.1E-04	29.0	3.7E-06
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	5.6E-06	260	2.2E-08	5.2E-06	1,100	4.7E-09	6.0E-05	1,100	5.4E-08	8.5E-05	22,000	3.9E-09
Formaldehyde	50-00-0	1.8E-03	1.8E-03	4.1E-04	9.00	4.6E-05	3.8E-04	40.0	9.6E-06	4.4E-03	40.0	1.1E-04	6.3E-03	49.0	1.3E-04
Hexane	110-54-3	5.6E-05	5.6E-05	1.3E-05	700	1.8E-08	1.2E-05	3,100	3.8E-09	1.3E-04	3,100	4.3E-08	1.9E-04		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	3.6E-06	5,000	7.3E-10	3.4E-06	22,000	1.5E-10	3.8E-05	22,000	1.7E-09	5.5E-05	5,000	1.1E-08
Toluene	108-88-3	1.4E-04	1.4E-04	3.3E-05	5,000	6.6E-09	3.0E-05	22,000	1.4E-09	3.5E-04	22,000	1.6E-08	4.9E-04	7,500	6.6E-08
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	1.3E-05	220	6.1E-08	1.2E-05	970	1.3E-08	1.4E-04	970	1.5E-07	2.0E-04	8,700	2.3E-08
o-Xylene	95-47-6	2.8E-05	2.8E-05	6.4E-06	220	2.9E-08	5.9E-06	970	6.1E-09	6.7E-05	970	6.9E-08	9.6E-05	8,700	1.1E-08
PAHs	401	8.1E-08	8.1E-08	1.8E-08		(5)	1.7E-08		(5)	2.0E-07		(5)	2.8E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	2.2E-10	2.0E-03	1.1E-07	2.1E-10	8.8E-03	2.3E-08	2.3E-09	8.8E-03	2.7E-07	3.3E-09	2.0E-03	1.7E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	5.5E-08	3.70	1.5E-08	5.1E-08	16.0	3.2E-09	5.9E-07	16.0	3.7E-08	8.3E-07	200	4.2E-09

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncar	ncer				0.	outo Nencon	
		(g	/s)		Residential		No	nresidential C	Child	Nor	residential W	orker	A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposur	e Location (4)				1220			2	·		10103		,	10240	•
Cumulative	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU105															
Cumulative TEU Risk						4.8E-04			3.0E-05			3.6E-04			1.8E-03
Dispersion Factor (µg/m3/[g/s		_			0.63	_		0.21			2.51	_		12.0	
Barium	7440-39-3	9.2E-07	9.2E-07	5.8E-07		(5)	2.0E-07		(5)	2.3E-06		(5)	1.1E-05		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	6.0E-07	5.0E-03	1.2E-04	2.0E-07	0.037	5.5E-06	2.4E-06	0.037	6.5E-05	1.2E-05	0.030	3.8E-04
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	5.6E-07		(5)	1.9E-07		(5)	2.2E-06		(5)	1.1E-05		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	5.6E-07	0.083	6.8E-06	1.9E-07	0.88	2.1E-07	2.2E-06	0.88	2.5E-06	1.1E-05	0.30	3.6E-05
Copper	7440-50-8	5.3E-06	5.3E-06	3.3E-06		(5)	1.1E-06		(5)	1.3E-05		(5)	6.4E-05	100	6.4E-07
Lead	7439-92-1	8.4E-06	8.4E-06	5.3E-06	0.15	3.5E-05	1.8E-06	0.66	2.7E-06	2.1E-05	0.66	3.2E-05	1.0E-04	0.15	6.8E-04
Manganese	7439-96-5	8.1E-07	8.1E-07	5.1E-07	0.090	5.7E-06	1.7E-07	0.40	4.3E-07	2.0E-06	0.40	5.1E-06	9.7E-06	0.30	3.2E-05
Mercury	7439-97-6	5.3E-08	5.3E-08	3.3E-08	0.077	4.3E-07	1.1E-08	0.63	1.8E-08	1.3E-07	0.63	2.1E-07	6.4E-07	0.60	1.1E-06
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	8.4E-07		(5)	2.8E-07		(5)	3.3E-06		(5)	1.6E-05		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	1.3E-06	0.014	9.1E-05	4.3E-07	0.062	6.9E-06	5.1E-06	0.062	8.2E-05	2.4E-05	0.20	1.2E-04
Phosphorus	504	2.4E-05	2.4E-05	1.5E-05		(5)	5.1E-06		(5)	6.0E-05		(5)	2.9E-04		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	1.2E-06	0.10	1.2E-05	3.9E-07	0.44	8.9E-07	4.7E-06	0.44	1.1E-05	2.2E-05	0.80	2.8E-05
Zinc	7440-66-6	1.5E-05	1.5E-05	9.4E-06		(5)	3.2E-06		(5)	3.8E-05		(5)	1.8E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	1.6E-03	500	3.2E-06	5.5E-04	2,200	2.5E-07	6.5E-03	2,200	3.0E-06	0.031	1,200	2.6E-05
Fluorides	239	1.7E-04	1.7E-04	1.1E-04	2.30	4.7E-05	3.6E-05	20.0	1.8E-06	4.3E-04	20.0	2.2E-05	2.1E-03	240	8.6E-06
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	1.3E-05	2.10	6.0E-06	4.2E-06	19.0	2.2E-07	5.0E-05	19.0	2.6E-06	2.4E-04	16.0	1.5E-05
Glasswool Fibers	352	5.0E-05	5.0E-05	3.2E-05		(5)	1.1E-05		(5)	1.3E-04		(5)	6.0E-04		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	3.1E-05	3.00	1.0E-05	1.1E-05	13.0	8.1E-07	1.2E-04	13.0	9.6E-06	6.0E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	2.2E-06	140	1.6E-08	7.3E-07	620	1.2E-09	8.7E-06	620	1.4E-08	4.2E-05	470	8.9E-08
Acetone	67-64-1	3.5E-04	3.5E-04	2.2E-04	31,000	7.0E-09	7.3E-05	140,000	5.2E-10	8.7E-04	140,000	6.2E-09	4.2E-03	62,000	6.7E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	1.4E-06	0.35	3.9E-06	4.6E-07	1.50	3.1E-07	5.5E-06	1.50	3.7E-06	2.6E-05	6.90	3.8E-06
Benzene	71-43-2	3.1E-05	3.1E-05	1.9E-05	3.00	6.4E-06	6.5E-06	13.0	5.0E-07	7.7E-05	13.0	5.9E-06	3.7E-04	29.0	1.3E-05
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	1.6E-05	260	6.0E-08	5.2E-06	1,100	4.7E-09	6.2E-05	1,100	5.6E-08	3.0E-04	22,000	1.3E-08
Formaldehyde	50-00-0	1.8E-03	1.8E-03	1.1E-03	9.00	1.3E-04	3.8E-04	40.0	9.6E-06	4.6E-03	40.0	1.1E-04	0.022	49.0	4.4E-04
Hexane	110-54-3	5.6E-05	5.6E-05	3.5E-05	700	5.0E-08	1.2E-05	3,100	3.8E-09	1.4E-04	3,100	4.5E-08	6.7E-04		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	1.0E-05	5,000	2.0E-09	3.4E-06	22,000	1.5E-10	4.0E-05	22,000	1.8E-09	1.9E-04	5,000	3.8E-08
Toluene	108-88-3	1.4E-04	1.4E-04	9.0E-05	5,000	1.8E-08	3.0E-05	22,000	1.4E-09	3.6E-04	22,000	1.6E-08	1.7E-03	7,500	2.3E-07
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	3.7E-05	220	1.7E-07	1.2E-05	970	1.3E-08	1.5E-04	970	1.5E-07	7.0E-04	8,700	8.1E-08
o-Xylene	95-47-6	2.8E-05	2.8E-05	1.7E-05	220	7.9E-08	5.9E-06	970	6.1E-09	7.0E-05	970	7.2E-08	3.3E-04	8,700	3.8E-08
PAHs	401	8.1E-08	8.1E-08	5.1E-08		(5)	1.7E-08		(5)	2.0E-07		(5)	9.7E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	6.1E-10	2.0E-03	3.0E-07	2.1E-10	8.8E-03	2.3E-08	2.4E-09	8.8E-03	2.8E-07	1.2E-08	2.0E-03	5.8E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	1.5E-07	3.70	4.1E-08	5.1E-08	16.0	3.2E-09	6.1E-07	16.0	3.8E-08	2.9E-06	200	1.5E-08

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncan	ncer				Δ.	outo Nencon	
		(g	/s)		Residential		No	nresidential C	hild	Non	residential W	orker	A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposure	e Location (4)		•	,	1220			2	•		10103			10240	•
Cumulative I	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU106															_
Cumulative TEU Risk						2.3E-04			3.0E-05			3.6E-04			5.6E-04
Dispersion Factor (µg/m3/[g/s	=/				0.31			0.21			2.50			3.74	
Barium	7440-39-3	9.2E-07	9.2E-07	2.8E-07		(5)	1.9E-07		(5)	2.3E-06		(5)	3.5E-06		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	2.9E-07	5.0E-03	5.9E-05	2.0E-07	0.037	5.4E-06	2.4E-06	0.037	6.5E-05	3.6E-06	0.030	1.2E-04
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	2.7E-07		(5)	1.9E-07		(5)	2.2E-06		(5)	3.3E-06		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	2.7E-07	0.083	3.3E-06	1.9E-07	0.88	2.1E-07	2.2E-06	0.88	2.5E-06	3.3E-06	0.30	1.1E-05
Copper	7440-50-8	5.3E-06	5.3E-06	1.6E-06		(5)	1.1E-06		(5)	1.3E-05		(5)	2.0E-05	100	2.0E-07
Lead	7439-92-1	8.4E-06	8.4E-06	2.6E-06	0.15	1.7E-05	1.8E-06	0.66	2.7E-06	2.1E-05	0.66	3.2E-05	3.2E-05	0.15	2.1E-04
Manganese	7439-96-5	8.1E-07	8.1E-07	2.5E-07	0.090	2.8E-06	1.7E-07	0.40	4.3E-07	2.0E-06	0.40	5.1E-06	3.0E-06	0.30	1.0E-05
Mercury	7439-97-6	5.3E-08	5.3E-08	1.6E-08	0.077	2.1E-07	1.1E-08	0.63	1.8E-08	1.3E-07	0.63	2.1E-07	2.0E-07	0.60	3.3E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	4.1E-07		(5)	2.8E-07		(5)	3.3E-06		(5)	5.0E-06		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	6.2E-07	0.014	4.5E-05	4.2E-07	0.062	6.9E-06	5.1E-06	0.062	8.2E-05	7.6E-06	0.20	3.8E-05
Phosphorus	504	2.4E-05	2.4E-05	7.4E-06		(5)	5.0E-06		(5)	6.0E-05		(5)	9.0E-05		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	5.7E-07	0.10	5.7E-06	3.9E-07	0.44	8.9E-07	4.6E-06	0.44	1.1E-05	6.9E-06	0.80	8.7E-06
Zinc	7440-66-6	1.5E-05	1.5E-05	4.6E-06		(5)	3.1E-06		(5)	3.7E-05		(5)	5.6E-05		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	8.0E-04	500	1.6E-06	5.4E-04	2,200	2.5E-07	6.4E-03	2,200	2.9E-06	9.6E-03	1,200	8.0E-06
Fluorides	239	1.7E-04	1.7E-04	5.3E-05	2.30	2.3E-05	3.6E-05	20.0	1.8E-06	4.3E-04	20.0	2.2E-05	6.4E-04	240	2.7E-06
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	6.1E-06	2.10	2.9E-06	4.2E-06	19.0	2.2E-07	5.0E-05	19.0	2.6E-06	7.5E-05	16.0	4.7E-06
Glasswool Fibers	352	5.0E-05	5.0E-05	1.5E-05		(5)	1.1E-05		(5)	1.3E-04		(5)	1.9E-04		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	1.5E-05	3.00	5.1E-06	1.0E-05	13.0	8.0E-07	1.2E-04	13.0	9.5E-06	1.9E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.1E-06	140	7.6E-09	7.3E-07	620	1.2E-09	8.7E-06	620	1.4E-08	1.3E-05	470	2.8E-08
Acetone	67-64-1	3.5E-04	3.5E-04	1.1E-04	31,000	3.4E-09	7.2E-05	140,000	5.2E-10	8.6E-04	140,000	6.2E-09	1.3E-03	62,000	2.1E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	6.7E-07	0.35	1.9E-06	4.6E-07	1.50	3.0E-07	5.4E-06	1.50	3.6E-06	8.1E-06	6.90	1.2E-06
Benzene	71-43-2	3.1E-05	3.1E-05	9.4E-06	3.00	3.1E-06	6.4E-06	13.0	4.9E-07	7.7E-05	13.0	5.9E-06	1.1E-04	29.0	3.9E-06
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	7.6E-06	260	2.9E-08	5.2E-06	1,100	4.7E-09	6.2E-05	1,100	5.6E-08	9.2E-05	22,000	4.2E-09
Formaldehyde	50-00-0	1.8E-03	1.8E-03	5.6E-04	9.00	6.2E-05	3.8E-04	40.0	9.5E-06	4.5E-03	40.0	1.1E-04	6.8E-03	49.0	1.4E-04
Hexane	110-54-3	5.6E-05	5.6E-05	1.7E-05	700	2.5E-08	1.2E-05	3,100	3.8E-09	1.4E-04	3,100	4.5E-08	2.1E-04		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	4.9E-06	5,000	9.8E-10	3.3E-06	22,000	1.5E-10	4.0E-05	22,000	1.8E-09	5.9E-05	5,000	1.2E-08
Toluene	108-88-3	1.4E-04	1.4E-04	4.4E-05	5,000	8.8E-09	3.0E-05	22,000	1.4E-09	3.6E-04	22,000	1.6E-08	5.4E-04	7,500	7.1E-08
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	1.8E-05	220	8.2E-08	1.2E-05	970	1.3E-08	1.5E-04	970	1.5E-07	2.2E-04	8,700	2.5E-08
o-Xylene	95-47-6	2.8E-05	2.8E-05	8.5E-06	220	3.9E-08	5.8E-06	970	6.0E-09	6.9E-05	970	7.1E-08	1.0E-04	8,700	1.2E-08
PAHs	401	8.1E-08	8.1E-08	2.5E-08		(5)	1.7E-08		(5)	2.0E-07		(5)	3.0E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	3.0E-10	2.0E-03	1.5E-07	2.0E-10	8.8E-03	2.3E-08	2.4E-09	8.8E-03	2.7E-07	3.6E-09	2.0E-03	1.8E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	7.5E-08	3.70	2.0E-08	5.1E-08	16.0	3.2E-09	6.0E-07	16.0	3.8E-08	9.0E-07	200	4.5E-09

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncar	ncer				Λ.	outo Noncon	oor
		(g	/s)		Residential		No	nresidential C	hild	Nor	residential W	orker	A	cute Noncan	cei
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposure	e Location (4)				1220			2			10103	Ť		10240	
Cumulative I	acility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU107															
Cumulative TEU Risk						3.9E-04			3.0E-05			3.1E-04			1.5E-03
Dispersion Factor (µg/m3/[g/s	-				0.51			0.21			2.19	_		9.72	
Barium	7440-39-3	9.2E-07	9.2E-07	4.7E-07		(5)	2.0E-07		(5)	2.0E-06		(5)	9.0E-06		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	4.9E-07	5.0E-03	9.8E-05	2.0E-07	0.037	5.5E-06	2.1E-06	0.037	5.7E-05	9.3E-06	0.030	3.1E-04
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	4.6E-07		(5)	1.9E-07		(5)	1.9E-06		(5)	8.7E-06		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	4.6E-07	0.083	5.5E-06	1.9E-07	0.88	2.1E-07	1.9E-06	0.88	2.2E-06	8.7E-06	0.30	2.9E-05
Copper	7440-50-8	5.3E-06	5.3E-06	2.7E-06		(5)	1.1E-06		(5)	1.2E-05		(5)	5.1E-05	100	5.1E-07
Lead	7439-92-1	8.4E-06	8.4E-06	4.3E-06	0.15	2.9E-05	1.8E-06	0.66	2.7E-06	1.8E-05	0.66	2.8E-05	8.2E-05	0.15	5.5E-04
Manganese	7439-96-5	8.1E-07	8.1E-07	4.2E-07	0.090	4.6E-06	1.7E-07	0.40	4.3E-07	1.8E-06	0.40	4.4E-06	7.9E-06	0.30	2.6E-05
Mercury	7439-97-6	5.3E-08	5.3E-08	2.7E-08	0.077	3.5E-07	1.1E-08	0.63	1.8E-08	1.2E-07	0.63	1.8E-07	5.2E-07	0.60	8.6E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	6.8E-07		(5)	2.8E-07		(5)	2.9E-06		(5)	1.3E-05		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	1.0E-06	0.014	7.4E-05	4.3E-07	0.062	6.9E-06	4.4E-06	0.062	7.1E-05	2.0E-05	0.20	9.8E-05
Phosphorus	504	2.4E-05	2.4E-05	1.2E-05		(5)	5.1E-06		(5)	5.2E-05		(5)	2.3E-04		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	9.5E-07	0.10	9.5E-06	3.9E-07	0.44	8.9E-07	4.1E-06	0.44	9.2E-06	1.8E-05	0.80	2.3E-05
Zinc	7440-66-6	1.5E-05	1.5E-05	7.7E-06		(5)	3.2E-06		(5)	3.3E-05		(5)	1.5E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	1.3E-03	500	2.7E-06	5.5E-04	2,200	2.5E-07	5.6E-03	2,200	2.6E-06	0.025	1,200	2.1E-05
Fluorides	239	1.7E-04	1.7E-04	8.8E-05	2.30	3.8E-05	3.7E-05	20.0	1.8E-06	3.8E-04	20.0	1.9E-05	1.7E-03	240	7.0E-06
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	1.0E-05	2.10	4.9E-06	4.2E-06	19.0	2.2E-07	4.4E-05	19.0	2.3E-06	1.9E-04	16.0	1.2E-05
Glasswool Fibers	352	5.0E-05	5.0E-05	2.6E-05		(5)	1.1E-05		(5)	1.1E-04		(5)	4.9E-04		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	2.5E-05	3.00	8.5E-06	1.1E-05	13.0	8.1E-07	1.1E-04	13.0	8.3E-06	4.8E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.8E-06	140	1.3E-08	7.4E-07	620	1.2E-09	7.6E-06	620	1.2E-08	3.4E-05	470	7.2E-08
Acetone	67-64-1	3.5E-04	3.5E-04	1.8E-04	31,000	5.7E-09	7.3E-05	140,000	5.2E-10	7.5E-04	140,000	5.4E-09	3.4E-03	62,000	5.4E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	1.1E-06	0.35	3.2E-06	4.6E-07	1.50	3.1E-07	4.8E-06	1.50	3.2E-06	2.1E-05	6.90	3.1E-06
Benzene	71-43-2	3.1E-05	3.1E-05	1.6E-05	3.00	5.2E-06	6.5E-06	13.0	5.0E-07	6.7E-05	13.0	5.1E-06	3.0E-04	29.0	1.0E-05
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	1.3E-05	260	4.9E-08	5.2E-06	1,100	4.8E-09	5.4E-05	1,100	4.9E-08	2.4E-04	22,000	1.1E-08
Formaldehyde	50-00-0	1.8E-03	1.8E-03	9.3E-04	9.00	1.0E-04	3.8E-04	40.0	9.6E-06	4.0E-03	40.0	9.9E-05	0.018	49.0	3.6E-04
Hexane	110-54-3	5.6E-05	5.6E-05	2.9E-05	700	4.1E-08	1.2E-05	3,100	3.8E-09	1.2E-04	3,100	3.9E-08	5.4E-04		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	8.2E-06	5,000	1.6E-09	3.4E-06	22,000	1.5E-10	3.5E-05	22,000	1.6E-09	1.5E-04	5,000	3.1E-08
Toluene	108-88-3	1.4E-04	1.4E-04	7.3E-05	5,000	1.5E-08	3.0E-05	22,000	1.4E-09	3.1E-04	22,000	1.4E-08	1.4E-03	7,500	1.9E-07
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	3.0E-05	220	1.4E-07	1.2E-05	970	1.3E-08	1.3E-04	970	1.3E-07	5.7E-04	8,700	6.5E-08
o-Xylene	95-47-6	2.8E-05	2.8E-05	1.4E-05	220	6.5E-08	5.9E-06	970	6.1E-09	6.1E-05	970	6.2E-08	2.7E-04	8,700	3.1E-08
PAHs	401	8.1E-08	8.1E-08	4.1E-08		(5)	1.7E-08		(5)	1.8E-07		(5)	7.8E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	5.0E-10	2.0E-03	2.5E-07	2.1E-10	8.8E-03	2.3E-08	2.1E-09	8.8E-03	2.4E-07	9.4E-09	2.0E-03	4.7E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	1.2E-07	3.70	3.4E-08	5.1E-08	16.0	3.2E-09	5.3E-07	16.0	3.3E-08	2.3E-06	200	1.2E-08

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncar	ncer				Δ.	auta Nanaan	
		(g	/s)		Residential		No	nresidential C	Child	Nor	residential W	orker	A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposur	e Location (4)	•			1220			2			10103	•		10240	•
Cumulative	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU108															
Cumulative TEU Risk						2.8E-04			3.0E-05			3.4E-04			1.2E-03
Dispersion Factor (µg/m3/[g/s					0.37			0.21			2.42	_		8.02	
Barium	7440-39-3	9.2E-07	9.2E-07	3.5E-07		(5)	2.0E-07		(5)	2.2E-06		(5)	7.4E-06		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	3.6E-07	5.0E-03	7.2E-05	2.0E-07	0.037	5.5E-06	2.3E-06	0.037	6.3E-05	7.7E-06	0.030	2.6E-04
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	3.3E-07		(5)	1.9E-07		(5)	2.2E-06		(5)	7.1E-06		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	3.3E-07	0.083	4.0E-06	1.9E-07	0.88	2.2E-07	2.2E-06	0.88	2.4E-06	7.1E-06	0.30	2.4E-05
Copper	7440-50-8	5.3E-06	5.3E-06	2.0E-06		(5)	1.1E-06		(5)	1.3E-05		(5)	4.2E-05	100	4.2E-07
Lead	7439-92-1	8.4E-06	8.4E-06	3.2E-06	0.15	2.1E-05	1.8E-06	0.66	2.7E-06	2.0E-05	0.66	3.1E-05	6.8E-05	0.15	4.5E-04
Manganese	7439-96-5	8.1E-07	8.1E-07	3.0E-07	0.090	3.4E-06	1.7E-07	0.40	4.3E-07	2.0E-06	0.40	4.9E-06	6.5E-06	0.30	2.2E-05
Mercury	7439-97-6	5.3E-08	5.3E-08	2.0E-08	0.077	2.6E-07	1.1E-08	0.63	1.8E-08	1.3E-07	0.63	2.0E-07	4.3E-07	0.60	7.1E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	5.0E-07		(5)	2.8E-07		(5)	3.2E-06		(5)	1.1E-05		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	7.6E-07	0.014	5.4E-05	4.3E-07	0.062	7.0E-06	4.9E-06	0.062	7.9E-05	1.6E-05	0.20	8.1E-05
Phosphorus	504	2.4E-05	2.4E-05	9.0E-06		(5)	5.1E-06		(5)	5.8E-05		(5)	1.9E-04		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	6.9E-07	0.10	6.9E-06	4.0E-07	0.44	9.0E-07	4.5E-06	0.44	1.0E-05	1.5E-05	0.80	1.9E-05
Zinc	7440-66-6	1.5E-05	1.5E-05	5.6E-06		(5)	3.2E-06		(5)	3.6E-05		(5)	1.2E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	9.7E-04	500	1.9E-06	5.5E-04	2,200	2.5E-07	6.2E-03	2,200	2.8E-06	0.021	1,200	1.7E-05
Fluorides	239	1.7E-04	1.7E-04	6.4E-05	2.30	2.8E-05	3.7E-05	20.0	1.8E-06	4.2E-04	20.0	2.1E-05	1.4E-03	240	5.8E-06
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	7.5E-06	2.10	3.6E-06	4.3E-06	19.0	2.2E-07	4.8E-05	19.0	2.5E-06	1.6E-04	16.0	1.0E-05
Glasswool Fibers	352	5.0E-05	5.0E-05	1.9E-05		(5)	1.1E-05		(5)	1.2E-04		(5)	4.0E-04		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	1.9E-05	3.00	6.2E-06	1.1E-05	13.0	8.1E-07	1.2E-04	13.0	9.2E-06	4.0E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.3E-06	140	9.3E-09	7.4E-07	620	1.2E-09	8.4E-06	620	1.4E-08	2.8E-05	470	5.9E-08
Acetone	67-64-1	3.5E-04	3.5E-04	1.3E-04	31,000	4.2E-09	7.4E-05	140,000	5.3E-10	8.3E-04	140,000	6.0E-09	2.8E-03	62,000	4.5E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	8.2E-07	0.35	2.3E-06	4.6E-07	1.50	3.1E-07	5.3E-06	1.50	3.5E-06	1.7E-05	6.90	2.5E-06
Benzene	71-43-2	3.1E-05	3.1E-05	1.1E-05	3.00	3.8E-06	6.5E-06	13.0	5.0E-07	7.4E-05	13.0	5.7E-06	2.5E-04	29.0	8.5E-06
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	9.2E-06	260	3.5E-08	5.2E-06	1,100	4.8E-09	6.0E-05	1,100	5.4E-08	2.0E-04	22,000	9.0E-09
Formaldehyde	50-00-0	1.8E-03	1.8E-03	6.8E-04	9.00	7.5E-05	3.9E-04	40.0	9.6E-06	4.4E-03	40.0	1.1E-04	0.015	49.0	3.0E-04
Hexane	110-54-3	5.6E-05	5.6E-05	2.1E-05	700	3.0E-08	1.2E-05	3,100	3.8E-09	1.3E-04	3,100	4.3E-08	4.5E-04		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	5.9E-06	5,000	1.2E-09	3.4E-06	22,000	1.5E-10	3.8E-05	22,000	1.7E-09	1.3E-04	5,000	2.6E-08
Toluene	108-88-3	1.4E-04	1.4E-04	5.4E-05	5,000	1.1E-08	3.0E-05	22,000	1.4E-09	3.5E-04	22,000	1.6E-08	1.1E-03	7,500	1.5E-07
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	2.2E-05	220	9.9E-08	1.2E-05	970	1.3E-08	1.4E-04	970	1.5E-07	4.7E-04	8,700	5.4E-08
o-Xylene	95-47-6	2.8E-05	2.8E-05	1.0E-05	220	4.7E-08	5.9E-06	970	6.1E-09	6.7E-05	970	6.9E-08	2.2E-04	8,700	2.6E-08
PAHs	401	8.1E-08	8.1E-08	3.0E-08		(5)	1.7E-08		(5)	2.0E-07		(5)	6.5E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	3.6E-10	2.0E-03	1.8E-07	2.1E-10	8.8E-03	2.3E-08	2.3E-09	8.8E-03	2.7E-07	7.8E-09	2.0E-03	3.9E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	9.1E-08	3.70	2.4E-08	5.2E-08	16.0	3.2E-09	5.9E-07	16.0	3.7E-08	1.9E-06	200	9.7E-09

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncan	ncer				Λ.	outo Noncon	oor
		(g	/s)		Residential		No	nresidential C	hild	Non	residential W	orker	A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposure	e Location (4)				1220			2			10103			10240	
Cumulative F	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU109															
Cumulative TEU Risk						5.8E-04			2.9E-05			4.6E-04			7.5E-03
Dispersion Factor (µg/m3/[g/s	-				0.77			0.21			3.24	_		50.2	
Barium	7440-39-3	9.2E-07	9.2E-07	7.1E-07		(5)	1.9E-07		(5)	3.0E-06		(5)	4.6E-05		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	7.4E-07	5.0E-03	1.5E-04	2.0E-07	0.037	5.3E-06	3.1E-06	0.037	8.4E-05	4.8E-05	0.030	1.6E-03
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	6.8E-07		(5)	1.8E-07		(5)	2.9E-06		(5)	4.5E-05		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	6.8E-07	0.083	8.2E-06	1.8E-07	0.88	2.1E-07	2.9E-06	0.88	3.3E-06	4.5E-05	0.30	1.5E-04
Copper	7440-50-8	5.3E-06	5.3E-06	4.1E-06		(5)	1.1E-06		(5)	1.7E-05		(5)	2.7E-04	100	2.7E-06
Lead	7439-92-1	8.4E-06	8.4E-06	6.5E-06	0.15	4.3E-05	1.7E-06	0.66	2.6E-06	2.7E-05	0.66	4.1E-05	4.2E-04	0.15	2.8E-03
Manganese	7439-96-5	8.1E-07	8.1E-07	6.2E-07	0.090	6.9E-06	1.7E-07	0.40	4.2E-07	2.6E-06	0.40	6.6E-06	4.1E-05	0.30	1.4E-04
Mercury	7439-97-6	5.3E-08	5.3E-08	4.1E-08	0.077	5.3E-07	1.1E-08	0.63	1.7E-08	1.7E-07	0.63	2.7E-07	2.7E-06	0.60	4.4E-06
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	1.0E-06		(5)	2.7E-07		(5)	4.3E-06		(5)	6.7E-05		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	1.6E-06	0.014	1.1E-04	4.2E-07	0.062	6.7E-06	6.6E-06	0.062	1.1E-04	1.0E-04	0.20	5.1E-04
Phosphorus	504	2.4E-05	2.4E-05	1.8E-05		(5)	4.9E-06		(5)	7.8E-05		(5)	1.2E-03		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	1.4E-06	0.10	1.4E-05	3.8E-07	0.44	8.7E-07	6.0E-06	0.44	1.4E-05	9.3E-05	0.80	1.2E-04
Zinc	7440-66-6	1.5E-05	1.5E-05	1.2E-05		(5)	3.1E-06		(5)	4.9E-05		(5)	7.5E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	2.0E-03	500	4.0E-06	5.3E-04	2,200	2.4E-07	8.4E-03	2,200	3.8E-06	0.13	1,200	1.1E-04
Fluorides	239	1.7E-04	1.7E-04	1.3E-04	2.30	5.7E-05	3.5E-05	20.0	1.8E-06	5.6E-04	20.0	2.8E-05	8.6E-03	240	3.6E-05
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	1.5E-05	2.10	7.3E-06	4.1E-06	19.0	2.2E-07	6.5E-05	19.0	3.4E-06	1.0E-03	16.0	6.3E-05
Glasswool Fibers	352	5.0E-05	5.0E-05	3.8E-05		(5)	1.0E-05		(5)	1.6E-04		(5)	2.5E-03		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	3.8E-05	3.00	1.3E-05	1.0E-05	13.0	7.8E-07	1.6E-04	13.0	1.2E-05	2.5E-03		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	2.7E-06	140	1.9E-08	7.1E-07	620	1.1E-09	1.1E-05	620	1.8E-08	1.7E-04	470	3.7E-07
Acetone	67-64-1	3.5E-04	3.5E-04	2.7E-04	31,000	8.6E-09	7.1E-05	140,000	5.1E-10	1.1E-03	140,000	8.0E-09	0.017	62,000	2.8E-07
Acrolein	107-02-8	2.2E-06	2.2E-06	1.7E-06	0.35	4.8E-06	4.5E-07	1.50	3.0E-07	7.1E-06	1.50	4.7E-06	1.1E-04	6.90	1.6E-05
Benzene	71-43-2	3.1E-05	3.1E-05	2.4E-05	3.00	7.8E-06	6.3E-06	13.0	4.8E-07	9.9E-05	13.0	7.6E-06	1.5E-03	29.0	5.3E-05
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	1.9E-05	260	7.3E-08	5.1E-06	1,100	4.6E-09	8.0E-05	1,100	7.3E-08	1.2E-03	22,000	5.6E-08
Formaldehyde	50-00-0	1.8E-03	1.8E-03	1.4E-03	9.00	1.5E-04	3.7E-04	40.0	9.3E-06	5.9E-03	40.0	1.5E-04	0.091	49.0	1.9E-03
Hexane	110-54-3	5.6E-05	5.6E-05	4.3E-05	700	6.1E-08	1.1E-05	3,100	3.7E-09	1.8E-04	3,100	5.8E-08	2.8E-03		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	1.2E-05	5,000	2.4E-09	3.3E-06	22,000	1.5E-10	5.1E-05	22,000	2.3E-09	8.0E-04	5,000	1.6E-07
Toluene	108-88-3	1.4E-04	1.4E-04	1.1E-04	5,000	2.2E-08	2.9E-05	22,000	1.3E-09	4.6E-04	22,000	2.1E-08	7.2E-03	7,500	9.6E-07
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	4.5E-05	220	2.0E-07	1.2E-05	970	1.2E-08	1.9E-04	970	2.0E-07	2.9E-03	8,700	3.4E-07
o-Xylene	95-47-6	2.8E-05	2.8E-05	2.1E-05	220	9.7E-08	5.7E-06	970	5.9E-09	9.0E-05	970	9.3E-08	1.4E-03	8,700	1.6E-07
PAHs	401	8.1E-08	8.1E-08	6.2E-08		(5)	1.7E-08		(5)	2.6E-07		(5)	4.0E-06		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	7.4E-10	2.0E-03	3.7E-07	2.0E-10	8.8E-03	2.3E-08	3.1E-09	8.8E-03	3.6E-07	4.8E-08	2.0E-03	2.4E-05
Naphthalene	91-20-3	2.4E-07	2.4E-07	1.9E-07	3.70	5.0E-08	5.0E-08	16.0	3.1E-09	7.8E-07	16.0	4.9E-08	1.2E-05	200	6.1E-08

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncar	ncer					auta Nanaan	
		(g	/s)		Residential		No	nresidential C	Child	Nor	residential W	orker	A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposur	e Location (4)	•			1220			2	·		10103	•		10240	•
Cumulative	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU110				·											
Cumulative TEU Risk						3.8E-04			3.0E-05			3.5E-04			1.4E-03
Dispersion Factor (µg/m3/[g/s					0.50			0.21			2.42	_		9.59	
Barium	7440-39-3	9.2E-07	9.2E-07	4.6E-07		(5)	1.9E-07		(5)	2.2E-06		(5)	8.9E-06		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	4.8E-07	5.0E-03	9.5E-05	2.0E-07	0.037	5.4E-06	2.3E-06	0.037	6.3E-05	9.2E-06	0.030	3.1E-04
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	4.4E-07		(5)	1.9E-07		(5)	2.2E-06		(5)	8.6E-06		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	4.4E-07	0.083	5.3E-06	1.9E-07	0.88	2.1E-07	2.2E-06	0.88	2.5E-06	8.6E-06	0.30	2.9E-05
Copper	7440-50-8	5.3E-06	5.3E-06	2.6E-06		(5)	1.1E-06		(5)	1.3E-05		(5)	5.1E-05	100	5.1E-07
Lead	7439-92-1	8.4E-06	8.4E-06	4.2E-06	0.15	2.8E-05	1.8E-06	0.66	2.7E-06	2.0E-05	0.66	3.1E-05	8.1E-05	0.15	5.4E-04
Manganese	7439-96-5	8.1E-07	8.1E-07	4.0E-07	0.090	4.5E-06	1.7E-07	0.40	4.2E-07	2.0E-06	0.40	4.9E-06	7.8E-06	0.30	2.6E-05
Mercury	7439-97-6	5.3E-08	5.3E-08	2.6E-08	0.077	3.4E-07	1.1E-08	0.63	1.8E-08	1.3E-07	0.63	2.0E-07	5.1E-07	0.60	8.5E-07
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	6.6E-07		(5)	2.8E-07		(5)	3.2E-06		(5)	1.3E-05		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	1.0E-06	0.014	7.2E-05	4.2E-07	0.062	6.8E-06	4.9E-06	0.062	7.9E-05	1.9E-05	0.20	9.7E-05
Phosphorus	504	2.4E-05	2.4E-05	1.2E-05		(5)	5.0E-06		(5)	5.8E-05		(5)	2.3E-04		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	9.2E-07	0.10	9.2E-06	3.9E-07	0.44	8.8E-07	4.5E-06	0.44	1.0E-05	1.8E-05	0.80	2.2E-05
Zinc	7440-66-6	1.5E-05	1.5E-05	7.4E-06		(5)	3.1E-06		(5)	3.6E-05		(5)	1.4E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	1.3E-03	500	2.6E-06	5.4E-04	2,200	2.4E-07	6.3E-03	2,200	2.8E-06	0.025	1,200	2.1E-05
Fluorides	239	1.7E-04	1.7E-04	8.5E-05	2.30	3.7E-05	3.6E-05	20.0	1.8E-06	4.2E-04	20.0	2.1E-05	1.7E-03	240	6.9E-06
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	9.9E-06	2.10	4.7E-06	4.2E-06	19.0	2.2E-07	4.8E-05	19.0	2.5E-06	1.9E-04	16.0	1.2E-05
Glasswool Fibers	352	5.0E-05	5.0E-05	2.5E-05		(5)	1.0E-05		(5)	1.2E-04		(5)	4.8E-04		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	2.5E-05	3.00	8.2E-06	1.0E-05	13.0	8.0E-07	1.2E-04	13.0	9.2E-06	4.8E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.7E-06	140	1.2E-08	7.2E-07	620	1.2E-09	8.4E-06	620	1.4E-08	3.3E-05	470	7.1E-08
Acetone	67-64-1	3.5E-04	3.5E-04	1.7E-04	31,000	5.5E-09	7.2E-05	140,000	5.1E-10	8.4E-04	140,000	6.0E-09	3.3E-03	62,000	5.3E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	1.1E-06	0.35	3.1E-06	4.5E-07	1.50	3.0E-07	5.3E-06	1.50	3.5E-06	2.1E-05	6.90	3.0E-06
Benzene	71-43-2	3.1E-05	3.1E-05	1.5E-05	3.00	5.1E-06	6.4E-06	13.0	4.9E-07	7.4E-05	13.0	5.7E-06	2.9E-04	29.0	1.0E-05
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	1.2E-05	260	4.7E-08	5.1E-06	1,100	4.7E-09	6.0E-05	1,100	5.4E-08	2.4E-04	22,000	1.1E-08
Formaldehyde	50-00-0	1.8E-03	1.8E-03	9.0E-04	9.00	1.0E-04	3.8E-04	40.0	9.4E-06	4.4E-03	40.0	1.1E-04	0.017	49.0	3.5E-04
Hexane	110-54-3	5.6E-05	5.6E-05	2.8E-05	700	3.9E-08	1.2E-05	3,100	3.7E-09	1.3E-04	3,100	4.4E-08	5.3E-04		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	7.9E-06	5,000	1.6E-09	3.3E-06	22,000	1.5E-10	3.9E-05	22,000	1.8E-09	1.5E-04	5,000	3.1E-08
Toluene	108-88-3	1.4E-04	1.4E-04	7.1E-05	5,000	1.4E-08	3.0E-05	22,000	1.4E-09	3.5E-04	22,000	1.6E-08	1.4E-03	7,500	1.8E-07
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	2.9E-05	220	1.3E-07	1.2E-05	970	1.3E-08	1.4E-04	970	1.5E-07	5.6E-04	8,700	6.5E-08
o-Xylene	95-47-6	2.8E-05	2.8E-05	1.4E-05	220	6.3E-08	5.8E-06	970	6.0E-09	6.7E-05	970	6.9E-08	2.7E-04	8,700	3.1E-08
PAHs	401	8.1E-08	8.1E-08	4.0E-08		(5)	1.7E-08		(5)	2.0E-07		(5)	7.7E-07		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	4.8E-10	2.0E-03	2.4E-07	2.0E-10	8.8E-03	2.3E-08	2.3E-09	8.8E-03	2.7E-07	9.3E-09	2.0E-03	4.6E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	1.2E-07	3.70	3.2E-08	5.0E-08	16.0	3.2E-09	5.9E-07	16.0	3.7E-08	2.3E-06	200	1.2E-08

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncan	ncer				Λ.	auta Nanaan	
		(g	/s)		Residential		No	nresidential C	hild	Non	residential W	orker	A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposure	e Location (4)		•		1220			2			10103		,	10240	,
Cumulative I	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU111															
Cumulative TEU Risk						4.5E-04			3.0E-05			3.7E-04			3.2E-03
Dispersion Factor (µg/m3/[g/s	=/				0.59			0.21			2.62			21.3	
Barium	7440-39-3	9.2E-07	9.2E-07	5.4E-07		(5)	1.9E-07		(5)	2.4E-06		(5)	2.0E-05		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	5.6E-07	5.0E-03	1.1E-04	2.0E-07	0.037	5.4E-06	2.5E-06	0.037	6.8E-05	2.0E-05	0.030	6.8E-04
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	5.2E-07		(5)	1.8E-07		(5)	2.3E-06		(5)	1.9E-05		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	5.2E-07	0.083	6.3E-06	1.8E-07	0.88	2.1E-07	2.3E-06	0.88	2.7E-06	1.9E-05	0.30	6.3E-05
Copper	7440-50-8	5.3E-06	5.3E-06	3.1E-06		(5)	1.1E-06		(5)	1.4E-05		(5)	1.1E-04	100	1.1E-06
Lead	7439-92-1	8.4E-06	8.4E-06	5.0E-06	0.15	3.3E-05	1.7E-06	0.66	2.6E-06	2.2E-05	0.66	3.3E-05	1.8E-04	0.15	1.2E-03
Manganese	7439-96-5	8.1E-07	8.1E-07	4.8E-07	0.090	5.3E-06	1.7E-07	0.40	4.2E-07	2.1E-06	0.40	5.3E-06	1.7E-05	0.30	5.7E-05
Mercury	7439-97-6	5.3E-08	5.3E-08	3.1E-08	0.077	4.1E-07	1.1E-08	0.63	1.7E-08	1.4E-07	0.63	2.2E-07	1.1E-06	0.60	1.9E-06
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	7.8E-07		(5)	2.8E-07		(5)	3.5E-06		(5)	2.8E-05		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	1.2E-06	0.014	8.5E-05	4.2E-07	0.062	6.8E-06	5.3E-06	0.062	8.6E-05	4.3E-05	0.20	2.2E-04
Phosphorus	504	2.4E-05	2.4E-05	1.4E-05		(5)	5.0E-06		(5)	6.3E-05		(5)	5.1E-04		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	1.1E-06	0.10	1.1E-05	3.8E-07	0.44	8.7E-07	4.9E-06	0.44	1.1E-05	3.9E-05	0.80	4.9E-05
Zinc	7440-66-6	1.5E-05	1.5E-05	8.8E-06		(5)	3.1E-06		(5)	3.9E-05		(5)	3.2E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	1.5E-03	500	3.0E-06	5.4E-04	2,200	2.4E-07	6.8E-03	2,200	3.1E-06	0.055	1,200	4.6E-05
Fluorides	239	1.7E-04	1.7E-04	1.0E-04	2.30	4.4E-05	3.6E-05	20.0	1.8E-06	4.5E-04	20.0	2.3E-05	3.7E-03	240	1.5E-05
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	1.2E-05	2.10	5.6E-06	4.1E-06	19.0	2.2E-07	5.2E-05	19.0	2.8E-06	4.2E-04	16.0	2.7E-05
Glasswool Fibers	352	5.0E-05	5.0E-05	2.9E-05		(5)	1.0E-05		(5)	1.3E-04		(5)	1.1E-03		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	2.9E-05	3.00	9.7E-06	1.0E-05	13.0	7.9E-07	1.3E-04	13.0	1.0E-05	1.1E-03		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	2.0E-06	140	1.5E-08	7.2E-07	620	1.2E-09	9.1E-06	620	1.5E-08	7.4E-05	470	1.6E-07
Acetone	67-64-1	3.5E-04	3.5E-04	2.0E-04	31,000	6.6E-09	7.2E-05	140,000	5.1E-10	9.0E-04	140,000	6.5E-09	7.3E-03	62,000	1.2E-07
Acrolein	107-02-8	2.2E-06	2.2E-06	1.3E-06	0.35	3.7E-06	4.5E-07	1.50	3.0E-07	5.7E-06	1.50	3.8E-06	4.6E-05	6.90	6.7E-06
Benzene	71-43-2	3.1E-05	3.1E-05	1.8E-05	3.00	6.0E-06	6.3E-06	13.0	4.9E-07	8.0E-05	13.0	6.2E-06	6.5E-04	29.0	2.2E-05
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	1.5E-05	260	5.6E-08	5.1E-06	1,100	4.6E-09	6.5E-05	1,100	5.9E-08	5.2E-04	22,000	2.4E-08
Formaldehyde	50-00-0	1.8E-03	1.8E-03	1.1E-03	9.00	1.2E-04	3.8E-04	40.0	9.4E-06	4.7E-03	40.0	1.2E-04	0.038	49.0	7.9E-04
Hexane	110-54-3	5.6E-05	5.6E-05	3.3E-05	700	4.7E-08	1.2E-05	3,100	3.7E-09	1.5E-04	3,100	4.7E-08	1.2E-03		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	9.4E-06	5,000	1.9E-09	3.3E-06	22,000	1.5E-10	4.2E-05	22,000	1.9E-09	3.4E-04	5,000	6.8E-08
Toluene	108-88-3	1.4E-04	1.4E-04	8.4E-05	5,000	1.7E-08	3.0E-05	22,000	1.3E-09	3.7E-04	22,000	1.7E-08	3.0E-03	7,500	4.1E-07
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	3.4E-05	220	1.6E-07	1.2E-05	970	1.2E-08	1.5E-04	970	1.6E-07	1.2E-03	8,700	1.4E-07
o-Xylene	95-47-6	2.8E-05	2.8E-05	1.6E-05	220	7.4E-08	5.7E-06	970	5.9E-09	7.3E-05	970	7.5E-08	5.9E-04	8,700	6.8E-08
PAHs	401	8.1E-08	8.1E-08	4.7E-08		(5)	1.7E-08		(5)	2.1E-07		(5)	1.7E-06		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	5.7E-10	2.0E-03	2.8E-07	2.0E-10	8.8E-03	2.3E-08	2.5E-09	8.8E-03	2.9E-07	2.1E-08	2.0E-03	1.0E-05
Naphthalene	91-20-3	2.4E-07	2.4E-07	1.4E-07	3.70	3.8E-08	5.0E-08	16.0	3.1E-09	6.3E-07	16.0	4.0E-08	5.1E-06	200	2.6E-08

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncan	ncer				Λ.	auta Namaan	
		(g	/s)		Residential		No	nresidential C	hild	Non	residential W	orker	A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposure	e Location (4)				1220			2			10103	·		10240	
Cumulative F	acility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU112				·											
Cumulative TEU Risk						6.7E-04			2.9E-05			4.6E-04			6.1E-03
Dispersion Factor (µg/m3/[g/s	-	_			0.89			0.20			3.20	_		41.1	
Barium	7440-39-3	9.2E-07	9.2E-07	8.2E-07		(5)	1.9E-07		(5)	3.0E-06		(5)	3.8E-05		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	8.5E-07	5.0E-03	1.7E-04	2.0E-07	0.037	5.3E-06	3.1E-06	0.037	8.3E-05	3.9E-05	0.030	1.3E-03
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	7.9E-07		(5)	1.8E-07		(5)	2.9E-06		(5)	3.7E-05		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	7.9E-07	0.083	9.5E-06	1.8E-07	0.88	2.1E-07	2.9E-06	0.88	3.2E-06	3.7E-05	0.30	1.2E-04
Copper	7440-50-8	5.3E-06	5.3E-06	4.7E-06		(5)	1.1E-06		(5)	1.7E-05		(5)	2.2E-04	100	2.2E-06
Lead	7439-92-1	8.4E-06	8.4E-06	7.5E-06	0.15	5.0E-05	1.7E-06	0.66	2.6E-06	2.7E-05	0.66	4.1E-05	3.5E-04	0.15	2.3E-03
Manganese	7439-96-5	8.1E-07	8.1E-07	7.2E-07	0.090	8.0E-06	1.7E-07	0.40	4.1E-07	2.6E-06	0.40	6.5E-06	3.3E-05	0.30	1.1E-04
Mercury	7439-97-6	5.3E-08	5.3E-08	4.7E-08	0.077	6.1E-07	1.1E-08	0.63	1.7E-08	1.7E-07	0.63	2.7E-07	2.2E-06	0.60	3.6E-06
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	1.2E-06		(5)	2.7E-07		(5)	4.3E-06		(5)	5.5E-05		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	1.8E-06	0.014	1.3E-04	4.1E-07	0.062	6.7E-06	6.5E-06	0.062	1.0E-04	8.3E-05	0.20	4.2E-04
Phosphorus	504	2.4E-05	2.4E-05	2.1E-05		(5)	4.9E-06		(5)	7.7E-05		(5)	9.9E-04		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	1.6E-06	0.10	1.6E-05	3.8E-07	0.44	8.6E-07	5.9E-06	0.44	1.3E-05	7.6E-05	0.80	9.5E-05
Zinc	7440-66-6	1.5E-05	1.5E-05	1.3E-05		(5)	3.1E-06		(5)	4.8E-05		(5)	6.2E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	2.3E-03	500	4.6E-06	5.3E-04	2,200	2.4E-07	8.3E-03	2,200	3.8E-06	0.11	1,200	8.8E-05
Fluorides	239	1.7E-04	1.7E-04	1.5E-04	2.30	6.6E-05	3.5E-05	20.0	1.8E-06	5.5E-04	20.0	2.8E-05	7.1E-03	240	3.0E-05
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	1.8E-05	2.10	8.4E-06	4.1E-06	19.0	2.1E-07	6.4E-05	19.0	3.4E-06	8.2E-04	16.0	5.1E-05
Glasswool Fibers	352	5.0E-05	5.0E-05	4.4E-05		(5)	1.0E-05		(5)	1.6E-04		(5)	2.1E-03		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	4.4E-05	3.00	1.5E-05	1.0E-05	13.0	7.8E-07	1.6E-04	13.0	1.2E-05	2.0E-03		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	3.1E-06	140	2.2E-08	7.1E-07	620	1.1E-09	1.1E-05	620	1.8E-08	1.4E-04	470	3.0E-07
Acetone	67-64-1	3.5E-04	3.5E-04	3.1E-04	31,000	9.9E-09	7.1E-05	140,000	5.0E-10	1.1E-03	140,000	7.9E-09	0.014	62,000	2.3E-07
Acrolein	107-02-8	2.2E-06	2.2E-06	1.9E-06	0.35	5.5E-06	4.5E-07	1.50	3.0E-07	7.0E-06	1.50	4.6E-06	8.9E-05	6.90	1.3E-05
Benzene	71-43-2	3.1E-05	3.1E-05	2.7E-05	3.00	9.0E-06	6.3E-06	13.0	4.8E-07	9.8E-05	13.0	7.5E-06	1.3E-03	29.0	4.3E-05
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	2.2E-05	260	8.4E-08	5.0E-06	1,100	4.6E-09	7.9E-05	1,100	7.2E-08	1.0E-03	22,000	4.6E-08
Formaldehyde	50-00-0	1.8E-03	1.8E-03	1.6E-03	9.00	1.8E-04	3.7E-04	40.0	9.3E-06	5.8E-03	40.0	1.4E-04	0.074	49.0	1.5E-03
Hexane	110-54-3	5.6E-05	5.6E-05	4.9E-05	700	7.0E-08	1.1E-05	3,100	3.7E-09	1.8E-04	3,100	5.7E-08	2.3E-03		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	1.4E-05	5,000	2.8E-09	3.3E-06	22,000	1.5E-10	5.1E-05	22,000	2.3E-09	6.5E-04	5,000	1.3E-07
Toluene	108-88-3	1.4E-04	1.4E-04	1.3E-04	5,000	2.5E-08	2.9E-05	22,000	1.3E-09	4.6E-04	22,000	2.1E-08	5.9E-03	7,500	7.9E-07
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	5.2E-05	220	2.4E-07	1.2E-05	970	1.2E-08	1.9E-04	970	1.9E-07	2.4E-03	8,700	2.8E-07
o-Xylene	95-47-6	2.8E-05	2.8E-05	2.5E-05	220	1.1E-07	5.7E-06	970	5.8E-09	8.9E-05	970	9.1E-08	1.1E-03	8,700	1.3E-07
PAHs	401	8.1E-08	8.1E-08	7.1E-08		(5)	1.7E-08		(5)	2.6E-07		(5)	3.3E-06		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	8.6E-10	2.0E-03	4.3E-07	2.0E-10	8.8E-03	2.3E-08	3.1E-09	8.8E-03	3.5E-07	4.0E-08	2.0E-03	2.0E-05
Naphthalene	91-20-3	2.4E-07	2.4E-07	2.1E-07	3.70	5.8E-08	5.0E-08	16.0	3.1E-09	7.7E-07	16.0	4.8E-08	9.9E-06	200	5.0E-08

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncan	ncer				Δ.	auta Nanaan	
		(g	/s)		Residential		No	nresidential C	hild	Non	residential W	orker	A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposure	e Location (4)		•	,	1220			2	•		10103			10240	·
Cumulative I	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU116															
Cumulative TEU Risk						2.2E-04			6.1E-05			2.2E-04			2.1E-03
Dispersion Factor (µg/m3/[g/s	=/				0.29			0.43			1.53			14.3	_
Barium	7440-39-3	9.2E-07	9.2E-07	2.7E-07		(5)	4.0E-07		(5)	1.4E-06		(5)	1.3E-05		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	2.8E-07	5.0E-03	5.6E-05	4.1E-07	0.037	1.1E-05	1.5E-06	0.037	4.0E-05	1.4E-05	0.030	4.6E-04
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	2.6E-07		(5)	3.8E-07		(5)	1.4E-06		(5)	1.3E-05		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	2.6E-07	0.083	3.1E-06	3.8E-07	0.88	4.3E-07	1.4E-06	0.88	1.5E-06	1.3E-05	0.30	4.2E-05
Copper	7440-50-8	5.3E-06	5.3E-06	1.5E-06		(5)	2.3E-06		(5)	8.1E-06		(5)	7.6E-05	100	7.6E-07
Lead	7439-92-1	8.4E-06	8.4E-06	2.5E-06	0.15	1.6E-05	3.6E-06	0.66	5.5E-06	1.3E-05	0.66	2.0E-05	1.2E-04	0.15	8.0E-04
Manganese	7439-96-5	8.1E-07	8.1E-07	2.4E-07	0.090	2.6E-06	3.5E-07	0.40	8.7E-07	1.2E-06	0.40	3.1E-06	1.2E-05	0.30	3.9E-05
Mercury	7439-97-6	5.3E-08	5.3E-08	1.5E-08	0.077	2.0E-07	2.3E-08	0.63	3.6E-08	8.1E-08	0.63	1.3E-07	7.6E-07	0.60	1.3E-06
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	3.9E-07		(5)	5.7E-07		(5)	2.0E-06		(5)	1.9E-05		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	5.9E-07	0.014	4.2E-05	8.7E-07	0.062	1.4E-05	3.1E-06	0.062	5.0E-05	2.9E-05	0.20	1.4E-04
Phosphorus	504	2.4E-05	2.4E-05	7.0E-06		(5)	1.0E-05		(5)	3.7E-05		(5)	3.4E-04		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	5.4E-07	0.10	5.4E-06	8.0E-07	0.44	1.8E-06	2.8E-06	0.44	6.4E-06	2.6E-05	0.80	3.3E-05
Zinc	7440-66-6	1.5E-05	1.5E-05	4.4E-06		(5)	6.4E-06		(5)	2.3E-05		(5)	2.1E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	7.5E-04	500	1.5E-06	1.1E-03	2,200	5.0E-07	3.9E-03	2,200	1.8E-06	0.037	1,200	3.1E-05
Fluorides	239	1.7E-04	1.7E-04	5.0E-05	2.30	2.2E-05	7.4E-05	20.0	3.7E-06	2.6E-04	20.0	1.3E-05	2.5E-03	240	1.0E-05
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	5.8E-06	2.10	2.8E-06	8.6E-06	19.0	4.5E-07	3.1E-05	19.0	1.6E-06	2.8E-04	16.0	1.8E-05
Glasswool Fibers	352	5.0E-05	5.0E-05	1.5E-05		(5)	2.2E-05		(5)	7.7E-05		(5)	7.2E-04		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	1.4E-05	3.00	4.8E-06	2.1E-05	13.0	1.6E-06	7.6E-05	13.0	5.8E-06	7.1E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.0E-06	140	7.2E-09	1.5E-06	620	2.4E-09	5.3E-06	620	8.6E-09	4.9E-05	470	1.1E-07
Acetone	67-64-1	3.5E-04	3.5E-04	1.0E-04	31,000	3.2E-09	1.5E-04	140,000	1.1E-09	5.3E-04	140,000	3.8E-09	4.9E-03	62,000	7.9E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	6.3E-07	0.35	1.8E-06	9.4E-07	1.50	6.2E-07	3.3E-06	1.50	2.2E-06	3.1E-05	6.90	4.5E-06
Benzene	71-43-2	3.1E-05	3.1E-05	8.9E-06	3.00	3.0E-06	1.3E-05	13.0	1.0E-06	4.7E-05	13.0	3.6E-06	4.4E-04	29.0	1.5E-05
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	7.2E-06	260	2.8E-08	1.1E-05	1,100	9.6E-09	3.8E-05	1,100	3.4E-08	3.5E-04	22,000	1.6E-08
Formaldehyde	50-00-0	1.8E-03	1.8E-03	5.3E-04	9.00	5.9E-05	7.8E-04	40.0	1.9E-05	2.8E-03	40.0	6.9E-05	0.026	49.0	5.3E-04
Hexane	110-54-3	5.6E-05	5.6E-05	1.6E-05	700	2.3E-08	2.4E-05	3,100	7.7E-09	8.5E-05	3,100	2.7E-08	7.9E-04		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	4.6E-06	5,000	9.3E-10	6.8E-06	22,000	3.1E-10	2.4E-05	22,000	1.1E-09	2.3E-04	5,000	4.5E-08
Toluene	108-88-3	1.4E-04	1.4E-04	4.2E-05	5,000	8.3E-09	6.1E-05	22,000	2.8E-09	2.2E-04	22,000	9.9E-09	2.0E-03	7,500	2.7E-07
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	1.7E-05	220	7.7E-08	2.5E-05	970	2.6E-08	8.9E-05	970	9.2E-08	8.3E-04	8,700	9.6E-08
o-Xylene	95-47-6	2.8E-05	2.8E-05	8.1E-06	220	3.7E-08	1.2E-05	970	1.2E-08	4.2E-05	970	4.4E-08	4.0E-04	8,700	4.5E-08
PAHs	401	8.1E-08	8.1E-08	2.4E-08		(5)	3.5E-08		(5)	1.2E-07		(5)	1.1E-06		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	2.8E-10	2.0E-03	1.4E-07	4.2E-10	8.8E-03	4.7E-08	1.5E-09	8.8E-03	1.7E-07	1.4E-08	2.0E-03	6.9E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	7.1E-08	3.70	1.9E-08	1.0E-07	16.0	6.5E-09	3.7E-07	16.0	2.3E-08	3.4E-06	200	1.7E-08

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncan	ncer				Δ.	auta Nanaan	
		(g	/s)		Residential		No	nresidential C	hild	Non	residential W	orker	A	cute Noncan	cei
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposure	e Location (4)	•	•		1220			2			10103			10240	•
Cumulative I	acility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU117															
Cumulative TEU Risk						2.3E-04			6.2E-05			2.2E-04			2.4E-03
Dispersion Factor (µg/m3/[g/s					0.30			0.43	_		1.55			16.1	
Barium	7440-39-3	9.2E-07	9.2E-07	2.8E-07		(5)	4.0E-07		(5)	1.4E-06		(5)	1.5E-05		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	2.9E-07	5.0E-03	5.8E-05	4.1E-07	0.037	1.1E-05	1.5E-06	0.037	4.0E-05	1.5E-05	0.030	5.1E-04
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	2.7E-07		(5)	3.9E-07		(5)	1.4E-06		(5)	1.4E-05		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	2.7E-07	0.083	3.2E-06	3.9E-07	0.88	4.4E-07	1.4E-06	0.88	1.6E-06	1.4E-05	0.30	4.8E-05
Copper	7440-50-8	5.3E-06	5.3E-06	1.6E-06		(5)	2.3E-06		(5)	8.2E-06		(5)	8.5E-05	100	8.5E-07
Lead	7439-92-1	8.4E-06	8.4E-06	2.5E-06	0.15	1.7E-05	3.7E-06	0.66	5.5E-06	1.3E-05	0.66	2.0E-05	1.4E-04	0.15	9.1E-04
Manganese	7439-96-5	8.1E-07	8.1E-07	2.4E-07	0.090	2.7E-06	3.5E-07	0.40	8.8E-07	1.3E-06	0.40	3.1E-06	1.3E-05	0.30	4.3E-05
Mercury	7439-97-6	5.3E-08	5.3E-08	1.6E-08	0.077	2.1E-07	2.3E-08	0.63	3.7E-08	8.2E-08	0.63	1.3E-07	8.6E-07	0.60	1.4E-06
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	4.0E-07		(5)	5.8E-07		(5)	2.1E-06		(5)	2.1E-05		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	6.1E-07	0.014	4.4E-05	8.8E-07	0.062	1.4E-05	3.1E-06	0.062	5.1E-05	3.3E-05	0.20	1.6E-04
Phosphorus	504	2.4E-05	2.4E-05	7.2E-06		(5)	1.0E-05		(5)	3.7E-05		(5)	3.9E-04		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	5.6E-07	0.10	5.6E-06	8.0E-07	0.44	1.8E-06	2.9E-06	0.44	6.5E-06	3.0E-05	0.80	3.7E-05
Zinc	7440-66-6	1.5E-05	1.5E-05	4.5E-06		(5)	6.5E-06		(5)	2.3E-05		(5)	2.4E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	7.8E-04	500	1.6E-06	1.1E-03	2,200	5.1E-07	4.0E-03	2,200	1.8E-06	0.041	1,200	3.5E-05
Fluorides	239	1.7E-04	1.7E-04	5.2E-05	2.30	2.3E-05	7.5E-05	20.0	3.7E-06	2.7E-04	20.0	1.3E-05	2.8E-03	240	1.2E-05
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	6.0E-06	2.10	2.9E-06	8.6E-06	19.0	4.6E-07	3.1E-05	19.0	1.6E-06	3.2E-04	16.0	2.0E-05
Glasswool Fibers	352	5.0E-05	5.0E-05	1.5E-05		(5)	2.2E-05		(5)	7.8E-05		(5)	8.1E-04		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	1.5E-05	3.00	5.0E-06	2.1E-05	13.0	1.7E-06	7.7E-05	13.0	5.9E-06	8.0E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	1.0E-06	140	7.5E-09	1.5E-06	620	2.4E-09	5.4E-06	620	8.7E-09	5.6E-05	470	1.2E-07
Acetone	67-64-1	3.5E-04	3.5E-04	1.0E-04	31,000	3.4E-09	1.5E-04	140,000	1.1E-09	5.4E-04	140,000	3.8E-09	5.6E-03	62,000	9.0E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	6.6E-07	0.35	1.9E-06	9.4E-07	1.50	6.3E-07	3.4E-06	1.50	2.3E-06	3.5E-05	6.90	5.1E-06
Benzene	71-43-2	3.1E-05	3.1E-05	9.2E-06	3.00	3.1E-06	1.3E-05	13.0	1.0E-06	4.7E-05	13.0	3.7E-06	4.9E-04	29.0	1.7E-05
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	7.4E-06	260	2.9E-08	1.1E-05	1,100	9.7E-09	3.8E-05	1,100	3.5E-08	4.0E-04	22,000	1.8E-08
Formaldehyde	50-00-0	1.8E-03	1.8E-03	5.5E-04	9.00	6.1E-05	7.8E-04	40.0	2.0E-05	2.8E-03	40.0	7.0E-05	0.029	49.0	5.9E-04
Hexane	110-54-3	5.6E-05	5.6E-05	1.7E-05	700	2.4E-08	2.4E-05	3,100	7.8E-09	8.6E-05	3,100	2.8E-08	9.0E-04		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	4.8E-06	5,000	9.6E-10	6.9E-06	22,000	3.1E-10	2.5E-05	22,000	1.1E-09	2.6E-04	5,000	5.1E-08
Toluene	108-88-3	1.4E-04	1.4E-04	4.3E-05	5,000	8.6E-09	6.2E-05	22,000	2.8E-09	2.2E-04	22,000	1.0E-08	2.3E-03	7,500	3.1E-07
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	1.8E-05	220	8.0E-08	2.5E-05	970	2.6E-08	9.1E-05	970	9.3E-08	9.4E-04	8,700	1.1E-07
o-Xylene	95-47-6	2.8E-05	2.8E-05	8.4E-06	220	3.8E-08	1.2E-05	970	1.2E-08	4.3E-05	970	4.4E-08	4.5E-04	8,700	5.1E-08
PAHs	401	8.1E-08	8.1E-08	2.4E-08		(5)	3.5E-08		(5)	1.3E-07		(5)	1.3E-06		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	2.9E-10	2.0E-03	1.5E-07	4.2E-10	8.8E-03	4.8E-08	1.5E-09	8.8E-03	1.7E-07	1.6E-08	2.0E-03	7.8E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	7.3E-08	3.70	2.0E-08	1.0E-07	16.0	6.6E-09	3.8E-07	16.0	2.3E-08	3.9E-06	200	1.9E-08

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncar	ncer				Λ.	outo Nencon	
		(g	/s)		Residential		No	nresidential C	hild	Non	residential W	orker	A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposure	e Location (4)		•		1220			2	•		10103		,	10240	•
Cumulative I	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
CFU118															
Cumulative TEU Risk						2.1E-04			6.1E-05			2.2E-04			2.0E-03
Dispersion Factor (µg/m3/[g/s	=/				0.27			0.43			1.53	_		13.7	
Barium	7440-39-3	9.2E-07	9.2E-07	2.5E-07		(5)	3.9E-07		(5)	1.4E-06		(5)	1.3E-05		(5)
Cadmium	7440-43-9	9.6E-07	9.6E-07	2.6E-07	5.0E-03	5.3E-05	4.1E-07	0.037	1.1E-05	1.5E-06	0.037	4.0E-05	1.3E-05	0.030	4.4E-04
Chromium (total)	7440-47-3	8.9E-07	8.9E-07	2.4E-07		(5)	3.8E-07		(5)	1.4E-06		(5)	1.2E-05		(5)
Chromium VI	18540-29-9	8.9E-07	8.9E-07	2.4E-07	0.083	2.9E-06	3.8E-07	0.88	4.3E-07	1.4E-06	0.88	1.6E-06	1.2E-05	0.30	4.1E-05
Copper	7440-50-8	5.3E-06	5.3E-06	1.5E-06		(5)	2.3E-06		(5)	8.1E-06		(5)	7.3E-05	100	7.3E-07
Lead	7439-92-1	8.4E-06	8.4E-06	2.3E-06	0.15	1.5E-05	3.6E-06	0.66	5.4E-06	1.3E-05	0.66	2.0E-05	1.2E-04	0.15	7.7E-04
Manganese	7439-96-5	8.1E-07	8.1E-07	2.2E-07	0.090	2.5E-06	3.5E-07	0.40	8.6E-07	1.2E-06	0.40	3.1E-06	1.1E-05	0.30	3.7E-05
Mercury	7439-97-6	5.3E-08	5.3E-08	1.5E-08	0.077	1.9E-07	2.3E-08	0.63	3.6E-08	8.2E-08	0.63	1.3E-07	7.3E-07	0.60	1.2E-06
Molybdenum trioxide	1313-27-5	1.3E-06	1.3E-06	3.7E-07		(5)	5.7E-07		(5)	2.0E-06		(5)	1.8E-05		(5)
Nickel	7440-02-0	2.0E-06	2.0E-06	5.6E-07	0.014	4.0E-05	8.6E-07	0.062	1.4E-05	3.1E-06	0.062	5.0E-05	2.8E-05	0.20	1.4E-04
Phosphorus	504	2.4E-05	2.4E-05	6.6E-06		(5)	1.0E-05		(5)	3.7E-05		(5)	3.3E-04		(5)
Vanadium	7440-62-2	1.9E-06	1.9E-06	5.1E-07	0.10	5.1E-06	7.9E-07	0.44	1.8E-06	2.8E-06	0.44	6.5E-06	2.5E-05	0.80	3.2E-05
Zinc	7440-66-6	1.5E-05	1.5E-05	4.1E-06		(5)	6.4E-06		(5)	2.3E-05		(5)	2.1E-04		(5)
Ammonia	7664-41-7	2.6E-03	2.6E-03	7.1E-04	500	1.4E-06	1.1E-03	2,200	5.0E-07	4.0E-03	2,200	1.8E-06	0.035	1,200	2.9E-05
Fluorides	239	1.7E-04	1.7E-04	4.7E-05	2.30	2.1E-05	7.3E-05	20.0	3.7E-06	2.6E-04	20.0	1.3E-05	2.4E-03	240	9.8E-06
Hydrogen Fluoride	7664-39-3	2.0E-05	2.0E-05	5.5E-06	2.10	2.6E-06	8.5E-06	19.0	4.5E-07	3.1E-05	19.0	1.6E-06	2.7E-04	16.0	1.7E-05
Glasswool Fibers	352	5.0E-05	5.0E-05	1.4E-05		(5)	2.1E-05		(5)	7.7E-05		(5)	6.9E-04		(5)
Silica, Crystalline	7631-86-9	5.0E-05	5.0E-05	1.4E-05	3.00	4.5E-06	2.1E-05	13.0	1.6E-06	7.6E-05	13.0	5.9E-06	6.8E-04		(5)
Acetaldehyde	75-07-0	3.5E-06	3.5E-06	9.5E-07	140	6.8E-09	1.5E-06	620	2.4E-09	5.3E-06	620	8.6E-09	4.7E-05	470	1.0E-07
Acetone	67-64-1	3.5E-04	3.5E-04	9.5E-05	31,000	3.1E-09	1.5E-04	140,000	1.1E-09	5.3E-04	140,000	3.8E-09	4.7E-03	62,000	7.6E-08
Acrolein	107-02-8	2.2E-06	2.2E-06	6.0E-07	0.35	1.7E-06	9.3E-07	1.50	6.2E-07	3.3E-06	1.50	2.2E-06	3.0E-05	6.90	4.3E-06
Benzene	71-43-2	3.1E-05	3.1E-05	8.4E-06	3.00	2.8E-06	1.3E-05	13.0	1.0E-06	4.7E-05	13.0	3.6E-06	4.2E-04	29.0	1.4E-05
Ethylbenzene	100-41-4	2.5E-05	2.5E-05	6.8E-06	260	2.6E-08	1.0E-05	1,100	9.5E-09	3.8E-05	1,100	3.4E-08	3.4E-04	22,000	1.5E-08
Formaldehyde	50-00-0	1.8E-03	1.8E-03	5.0E-04	9.00	5.5E-05	7.7E-04	40.0	1.9E-05	2.8E-03	40.0	6.9E-05	0.025	49.0	5.1E-04
Hexane	110-54-3	5.6E-05	5.6E-05	1.5E-05	700	2.2E-08	2.4E-05	3,100	7.7E-09	8.5E-05	3,100	2.8E-08	7.6E-04		(5)
2-Butanone	78-93-3	1.6E-05	1.6E-05	4.4E-06	5,000	8.7E-10	6.8E-06	22,000	3.1E-10	2.4E-05	22,000	1.1E-09	2.2E-04	5,000	4.4E-08
Toluene	108-88-3	1.4E-04	1.4E-04	3.9E-05	5,000	7.9E-09	6.1E-05	22,000	2.8E-09	2.2E-04	22,000	1.0E-08	2.0E-03	7,500	2.6E-07
Xylenes (mixed isomers)	1330-20-7	5.8E-05	5.9E-05	1.6E-05	220	7.3E-08	2.5E-05	970	2.6E-08	9.0E-05	970	9.2E-08	8.0E-04	8,700	9.2E-08
o-Xylene	95-47-6	2.8E-05	2.8E-05	7.6E-06	220	3.5E-08	1.2E-05	970	1.2E-08	4.3E-05	970	4.4E-08	3.8E-04	8,700	4.4E-08
PAHs	401	8.1E-08	8.1E-08	2.2E-08		(5)	3.4E-08		(5)	1.2E-07		(5)	1.1E-06		(5)
Benzo[a]pyrene	50-32-8	9.7E-10	9.7E-10	2.7E-10	2.0E-03	1.3E-07	4.1E-10	8.8E-03	4.7E-08	1.5E-09	8.8E-03	1.7E-07	1.3E-08	2.0E-03	6.6E-06
Naphthalene	91-20-3	2.4E-07	2.4E-07	6.6E-08	3.70	1.8E-08	1.0E-07	16.0	6.4E-09	3.7E-07	16.0	2.3E-08	3.3E-06	200	1.7E-08

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncar	ncer						
		(g	/s)		Residential		No	nresidential C	Child	Non	residential W	orker	A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location (4)				1220	•		2	•		10103			10240	•
	Facility-Wide				0.2			<0.1			0.1			0.2	
CFU114	_														
Cumulative TEU Risk						1.4E-04			7.2E-05			1.9E-04			1.6E-03
Dispersion Factor (µg/m3/[g/	's])				0.15	,		0.38		,	0.99		,	12.7	
Antimony	7440-36-0	1.8E-06	1.8E-06	2.7E-07	0.30	9.0E-07	6.9E-07	1.30	5.3E-07	1.8E-06	1.30	1.4E-06	2.3E-05	1.00	2.3E-05
Barium	7440-39-3	1.2E-06	1.2E-06	1.8E-07		(5)	4.6E-07		(5)	1.2E-06		(5)	1.6E-05		(5)
Cadmium	7440-43-9	3.4E-07	3.4E-07	5.0E-08	5.0E-03	9.9E-06	1.3E-07	0.037	3.5E-06	3.3E-07	0.037	9.0E-06	4.3E-06	0.030	1.4E-04
Chromium (total)	7440-47-3	3.9E-07	3.9E-07	5.8E-08		(5)	1.5E-07		(5)	3.9E-07		(5)	5.0E-06		(5)
Chromium VI	18540-29-9	3.9E-07	3.9E-07	5.8E-08	0.083	7.0E-07	1.5E-07	0.88	1.7E-07	3.9E-07	0.88	4.4E-07	5.0E-06	0.30	1.7E-05
Copper	7440-50-8	5.6E-06	5.6E-06	8.2E-07		(5)	2.1E-06		(5)	5.5E-06		(5)	7.2E-05	100	7.2E-07
Manganese	7439-96-5	1.3E-06	1.3E-06	1.9E-07	0.090	2.1E-06	4.8E-07	0.40	1.2E-06	1.3E-06	0.40	3.2E-06	1.6E-05	0.30	5.4E-05
Mercury	7439-97-6	6.4E-08	6.4E-08	9.4E-09	0.077	1.2E-07	2.4E-08	0.63	3.8E-08	6.3E-08	0.63	1.0E-07	8.2E-07	0.60	1.4E-06
Molybdenum trioxide	1313-27-5	1.7E-06	1.7E-06	2.4E-07		(5)	6.3E-07		(5)	1.6E-06		(5)	2.1E-05		(5)
Nickel	7440-02-0	2.1E-06	2.1E-06	3.1E-07	0.014	2.2E-05	8.0E-07	0.062	1.3E-05	2.1E-06	0.062	3.4E-05	2.7E-05	0.20	1.4E-04
Phosphorus	504	1.0E-05	1.0E-05	1.5E-06		(5)	4.0E-06		(5)	1.0E-05		(5)	1.3E-04		(5)
Vanadium	7440-62-2	2.3E-06	2.3E-06	3.4E-07	0.10	3.4E-06	8.8E-07	0.44	2.0E-06	2.3E-06	0.44	5.2E-06	3.0E-05	0.80	3.7E-05
Zinc	7440-66-6	3.4E-05	3.4E-05	5.0E-06		(5)	1.3E-05		(5)	3.3E-05		(5)	4.3E-04		(5)
Ammonia	7664-41-7	3.2E-03	3.2E-03	4.7E-04	500	9.5E-07	1.2E-03	2,200	5.5E-07	3.2E-03	2,200	1.4E-06	0.041	1,200	3.4E-05
Fluorides	239	2.0E-05	2.0E-05	3.0E-06	2.30	1.3E-06	7.7E-06	20.0	3.9E-07	2.0E-05	20.0	1.0E-06	2.6E-04	240	1.1E-06
Hydrogen Fluoride	7664-39-3	2.7E-04	2.7E-04	4.0E-05	2.10	1.9E-05	1.0E-04	19.0	5.4E-06	2.7E-04	19.0	1.4E-05	3.5E-03	16.0	2.2E-04
Glasswool Fibers	352	5.9E-05	5.9E-05	8.6E-06		(5)	2.2E-05		(5)	5.8E-05		(5)	7.5E-04		(5)
Silica, Crystalline	7631-86-9	5.8E-05	5.8E-05	8.6E-06	3.00	2.9E-06	2.2E-05	13.0	1.7E-06	5.8E-05	13.0	4.4E-06	7.4E-04		(5)
Acetaldehyde	75-07-0	4.3E-06	4.3E-06	6.4E-07	140	4.5E-09	1.6E-06	620	2.6E-09	4.3E-06	620	6.9E-09	5.5E-05	470	1.2E-07
Acetone	67-64-1	2.4E-03	2.4E-03	3.6E-04	31,000	1.2E-08	9.2E-04	140,000	6.6E-09	2.4E-03	140,000	1.7E-08	0.031	62,000	5.0E-07
Acrolein	107-02-8	2.7E-06	2.7E-06	4.0E-07	0.35	1.1E-06	1.0E-06	1.50	6.9E-07	2.7E-06	1.50	1.8E-06	3.5E-05	6.90	5.0E-06
Benzene	71-43-2	6.1E-04	6.1E-04	9.0E-05	3.00	3.0E-05	2.3E-04	13.0	1.8E-05	6.0E-04	13.0	4.6E-05	7.8E-03	29.0	2.7E-04
Cyclohexane	110-82-7	3.8E-05	3.8E-05	5.5E-06	6,000	9.2E-10	1.4E-05	26,000	5.5E-10	3.7E-05	26,000	1.4E-09	4.8E-04		(5)
Ethylbenzene	100-41-4	3.2E-05	3.2E-05	4.7E-06	260	1.8E-08	1.2E-05	1,100	1.1E-08	3.2E-05	1,100	2.9E-08	4.1E-04	22,000	1.9E-08
Chloroethane	75-00-3	1.7E-05	1.7E-05	2.5E-06	30,000	8.4E-11	6.5E-06	130,000	5.0E-11	1.7E-05	130,000	1.3E-10	2.2E-04	40,000	5.5E-09
Formaldehyde	50-00-0	2.6E-03	2.6E-03	3.9E-04	9.00	4.3E-05	9.9E-04	40.0	2.5E-05	2.6E-03	40.0	6.5E-05	0.034	49.0	6.9E-04
Hexane	110-54-3	3.5E-03	3.5E-03	5.2E-04	700	7.4E-07	1.3E-03	3,100	4.3E-07	3.5E-03	3,100	1.1E-06	0.045		(5)
Chloromethane	74-87-3	2.3E-04	2.3E-04	3.4E-05	90.0	3.8E-07	8.7E-05	400	2.2E-07	2.3E-04	400	5.7E-07	2.9E-03	1,000	2.9E-06
2-Butanone	78-93-3	7.8E-05	7.8E-05	1.1E-05	5,000	2.3E-09	2.9E-05	22,000	1.3E-09	7.7E-05	22,000	3.5E-09	9.9E-04	5,000	2.0E-07
Methyl isobutyl ketone	108-10-1	2.8E-05	2.8E-05	4.1E-06	3,000	1.4E-09	1.1E-05	13,000	8.2E-10	2.8E-05	13,000	2.1E-09	3.6E-04		(5)
Toluene	108-88-3	6.2E-04	6.2E-04	9.1E-05	5,000	1.8E-08	2.3E-04	22,000	1.1E-08	6.1E-04	22,000	2.8E-08	7.9E-03	7,500	1.1E-06
Xylenes (mixed isomers)	1330-20-7	6.6E-05	6.6E-05	9.7E-06	220	4.4E-08	2.5E-05	970	2.6E-08	6.5E-05	970	6.7E-08	8.5E-04	8,700	9.7E-08
PAHs	401	1.0E-07	1.0E-07	1.5E-08		(5)	3.8E-08		(5)	9.9E-08		(5)	1.3E-06		(5)
Benzo[a]pyrene	50-32-8	1.2E-09	1.2E-09	1.8E-10	2.0E-03	8.9E-08	4.6E-10	8.8E-03	5.2E-08	1.2E-09	8.8E-03	1.4E-07	1.5E-08	2.0E-03	7.7E-06
Naphthalene	91-20-3	3.0E-07	3.0E-07	4.4E-08	3.70	1.2E-08	1.1E-07	16.0	7.1E-09	3.0E-07	16.0	1.9E-08	3.9E-06	200	1.9E-08

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncar	ncer				0.	t- NI	
		(g	/s)		Residential		No	nresidential C	hild	Non	residential W	orker	Ad	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposui	re Location (4)				1220	·		2			10103			10240	
	Facility-Wide				0.2			<0.1			0.1			0.2	
CFU115	•														
Cumulative TEU Risk						1.1E-04			7.2E-05			1.2E-04			9.9E-04
Dispersion Factor (µg/m3/[g/s	s])				0.12			0.37			0.63	•		7.66	
Antimony	7440-36-0	1.8E-06	1.8E-06	2.2E-07	0.30	7.4E-07	6.8E-07	1.30	5.3E-07	1.2E-06	1.30	8.9E-07	1.4E-05	1.00	1.4E-05
Barium	7440-39-3	1.2E-06	1.2E-06	1.5E-07		(5)	4.6E-07		(5)	7.7E-07		(5)	9.4E-06		(5)
Cadmium	7440-43-9	3.4E-07	3.4E-07	4.1E-08	5.0E-03	8.2E-06	1.3E-07	0.037	3.4E-06	2.1E-07	0.037	5.8E-06	2.6E-06	0.030	8.7E-05
Chromium (total)	7440-47-3	3.9E-07	3.9E-07	4.7E-08		(5)	1.5E-07		(5)	2.5E-07		(5)	3.0E-06		(5)
Chromium VI	18540-29-9	3.9E-07	3.9E-07	4.7E-08	0.083	5.7E-07	1.5E-07	0.88	1.7E-07	2.5E-07	0.88	2.8E-07	3.0E-06	0.30	1.0E-05
Copper	7440-50-8	5.6E-06	5.6E-06	6.8E-07		(5)	2.1E-06		(5)	3.5E-06		(5)	4.3E-05	100	4.3E-07
Manganese	7439-96-5	1.3E-06	1.3E-06	1.5E-07	0.090	1.7E-06	4.8E-07	0.40	1.2E-06	8.1E-07	0.40	2.0E-06	9.8E-06	0.30	3.3E-05
Mercury	7439-97-6	6.4E-08	6.4E-08	7.7E-09	0.077	1.0E-07	2.4E-08	0.63	3.8E-08	4.0E-08	0.63	6.4E-08	4.9E-07	0.60	8.2E-07
Molybdenum trioxide	1313-27-5	1.7E-06	1.7E-06	2.0E-07		(5)	6.2E-07		(5)	1.0E-06		(5)	1.3E-05		(5)
Nickel	7440-02-0	2.1E-06	2.1E-06	2.6E-07	0.014	1.8E-05	7.9E-07	0.062	1.3E-05	1.3E-06	0.062	2.2E-05	1.6E-05	0.20	8.1E-05
Phosphorus	504	1.0E-05	1.0E-05	1.3E-06		(5)	3.9E-06		(5)	6.6E-06		(5)	8.0E-05		(5)
Vanadium	7440-62-2	2.3E-06	2.3E-06	2.8E-07	0.10	2.8E-06	8.6E-07	0.44	2.0E-06	1.5E-06	0.44	3.3E-06	1.8E-05	0.80	2.2E-05
Zinc	7440-66-6	3.4E-05	3.4E-05	4.1E-06		(5)	1.3E-05		(5)	2.1E-05		(5)	2.6E-04		(5)
Ammonia	7664-41-7	3.2E-03	3.2E-03	3.9E-04	500	7.8E-07	1.2E-03	2,200	5.5E-07	2.0E-03	2,200	9.2E-07	0.025	1,200	2.1E-05
Fluorides	239	2.0E-05	2.0E-05	2.5E-06	2.30	1.1E-06	7.6E-06	20.0	3.8E-07	1.3E-05	20.0	6.4E-07	1.6E-04	240	6.5E-07
Hydrogen Fluoride	7664-39-3	2.7E-04	2.7E-04	3.3E-05	2.10	1.6E-05	1.0E-04	19.0	5.4E-06	1.7E-04	19.0	9.1E-06	2.1E-03	16.0	1.3E-04
Glasswool Fibers	352	5.9E-05	5.9E-05	7.1E-06		(5)	2.2E-05		(5)	3.7E-05		(5)	4.5E-04		(5)
Silica, Crystalline	7631-86-9	5.8E-05	5.8E-05	7.0E-06	3.00	2.3E-06	2.2E-05	13.0	1.7E-06	3.7E-05	13.0	2.8E-06	4.5E-04		(5)
Acetaldehyde	75-07-0	4.3E-06	4.3E-06	5.2E-07	140	3.7E-09	1.6E-06	620	2.6E-09	2.7E-06	620	4.4E-09	3.3E-05	470	7.1E-08
Acetone	67-64-1	2.4E-03	2.4E-03	2.9E-04	31,000	9.5E-09	9.1E-04	140,000	6.5E-09	1.5E-03	140,000	1.1E-08	0.019	62,000	3.0E-07
Acrolein	107-02-8	2.7E-06	2.7E-06	3.3E-07	0.35	9.4E-07	1.0E-06	1.50	6.8E-07	1.7E-06	1.50	1.1E-06	2.1E-05	6.90	3.0E-06
Benzene	71-43-2	6.1E-04	6.1E-04	7.4E-05	3.00	2.5E-05	2.3E-04	13.0	1.8E-05	3.9E-04	13.0	3.0E-05	4.7E-03	29.0	1.6E-04
Cyclohexane	110-82-7	3.8E-05	3.8E-05	4.5E-06	6,000	7.6E-10	1.4E-05	26,000	5.4E-10	2.4E-05	26,000	9.1E-10	2.9E-04		(5)
Ethylbenzene	100-41-4	3.2E-05	3.2E-05	3.9E-06	260	1.5E-08	1.2E-05	1,100	1.1E-08	2.0E-05	1,100	1.8E-08	2.5E-04	22,000	1.1E-08
Chloroethane	75-00-3	1.7E-05	1.7E-05	2.1E-06	30,000	6.9E-11	6.4E-06	130,000	5.0E-11	1.1E-05	130,000	8.4E-11	1.3E-04	40,000	3.3E-09
Formaldehyde	50-00-0	2.6E-03	2.6E-03	3.2E-04	9.00	3.5E-05	9.8E-04	40.0	2.5E-05	1.7E-03	40.0	4.1E-05	0.020	49.0	4.1E-04
Hexane	110-54-3	3.5E-03	3.5E-03	4.3E-04	700	6.1E-07	1.3E-03	3,100	4.3E-07	2.2E-03	3,100	7.2E-07	0.027		(5)
Chloromethane	74-87-3	2.3E-04	2.3E-04	2.8E-05	90.0	3.1E-07	8.6E-05	400	2.2E-07	1.5E-04	400	3.6E-07	1.8E-03	1,000	1.8E-06
2-Butanone	78-93-3	7.8E-05	7.8E-05	9.4E-06	5,000	1.9E-09	2.9E-05	22,000	1.3E-09	4.9E-05	22,000	2.2E-09	6.0E-04	5,000	1.2E-07
Methyl isobutyl ketone	108-10-1	2.8E-05	2.8E-05	3.4E-06	3,000	1.1E-09	1.1E-05	13,000	8.1E-10	1.8E-05	13,000	1.4E-09	2.2E-04		(5)
Toluene	108-88-3	6.2E-04	6.2E-04	7.4E-05	5,000	1.5E-08	2.3E-04	22,000	1.0E-08	3.9E-04	22,000	1.8E-08	4.7E-03	7,500	6.3E-07
Xylenes (mixed isomers)	1330-20-7	6.6E-05	6.6E-05	8.0E-06	220	3.6E-08	2.5E-05	970	2.5E-08	4.2E-05	970	4.3E-08	5.1E-04	8,700	5.8E-08
PAHs	401	1.0E-07	1.0E-07	1.2E-08		(5)	3.8E-08		(5)	6.3E-08		(5)	7.7E-07		(5)
Benzo[a]pyrene	50-32-8	1.2E-09	1.2E-09	1.5E-10	2.0E-03	7.3E-08	4.5E-10	8.8E-03	5.1E-08	7.6E-10	8.8E-03	8.7E-08	9.3E-09	2.0E-03	4.6E-06
Naphthalene	91-20-3	3.0E-07	3.0E-07	3.6E-08	3.70	9.9E-09	1.1E-07	16.0	7.0E-09	1.9E-07	16.0	1.2E-08	2.3E-06	200	1.2E-08

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Nonca	ncer				_		
		(g	J/s)		Residential		No	nresidential (Child	Non	residential W	orker	Ac	cute Noncan	icer
Toxic Air Contaminant	CAS	Annual (1)	Maxima	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposi	ure Location (4)	•	•		1220	•		2			10103	•		10240	•
	e Facility-Wide				0.2			<0.1			0.1			0.2	
CFU113															
Cumulative TEU Risk						6.8E-03			1.4E-04			4.2E-03			1.0E-02
Dispersion Factor (µg/m3/[g	/s])				3.05			0.45			12.9			29.5	
Antimony	7440-36-0	1.2E-06	1.2E-06	3.7E-06	0.30	1.2E-05	5.4E-07	1.30	4.2E-07	1.6E-05	1.30	1.2E-05	3.6E-05	1.00	3.6E-05
Barium	7440-39-3	8.4E-07	8.4E-07	2.6E-06		(5)	3.8E-07		(5)	1.1E-05		(5)	2.5E-05		(5)
Cadmium	7440-43-9	1.0E-06	1.0E-06	3.1E-06	5.0E-03	6.1E-04	4.5E-07	0.037	1.2E-05	1.3E-05	0.037	3.5E-04	3.0E-05	0.030	9.9E-04
Chromium (total)	7440-47-3	4.3E-07	4.3E-07	1.3E-06		(5)	1.9E-07		(5)	5.6E-06		(5)	1.3E-05		(5)
Chromium VI	18540-29-9	4.3E-07	4.3E-07	1.3E-06	0.083	1.6E-05	1.9E-07	0.88	2.2E-07	5.6E-06	0.88	6.3E-06	1.3E-05	0.30	4.3E-05
Cobalt	7440-48-4	1.8E-07	1.8E-07	5.5E-07	0.10	5.5E-06	8.1E-08	0.44	1.8E-07	2.4E-06	0.44	5.3E-06	5.4E-06		(5)
Copper	7440-50-8	6.6E-06	6.6E-06	2.0E-05		(5)	2.9E-06		(5)	8.5E-05		(5)	1.9E-04	100	1.9E-06
Lead	7439-92-1	9.0E-06	9.0E-06	2.7E-05	0.15	1.8E-04	4.0E-06	0.66	6.1E-06	1.2E-04	0.66	1.8E-04	2.7E-04	0.15	1.8E-03
Manganese	7439-96-5	2.4E-07	2.4E-07	7.3E-07	0.090	8.1E-06	1.1E-07	0.40	2.7E-07	3.1E-06	0.40	7.7E-06	7.1E-06	0.30	2.4E-05
Mercury	7439-97-6	1.2E-04	1.2E-04	3.7E-04	0.077	4.8E-03	5.5E-05	0.63	8.7E-05	1.6E-03	0.63	2.5E-03	3.6E-03	0.60	6.0E-03
Phosphorus	504	2.6E-05	2.6E-05	8.0E-05		(5)	1.2E-05		(5)	3.4E-04		(5)	7.7E-04		(5)
Zinc	7440-66-6	1.4E-05	1.4E-05	4.2E-05		(5)	6.2E-06		(5)	1.8E-04		(5)	4.1E-04		(5)
Carbon disulfide	75-15-0	1.3E-05	1.3E-05	4.0E-05	800	5.0E-08	5.8E-06	3,500	1.7E-09	1.7E-04	3,500	4.8E-08	3.8E-04	6,200	6.2E-08
Fluorides	239	4.7E-05	4.7E-05	1.4E-04	2.30	6.2E-05	2.1E-05	20.0	1.0E-06	6.1E-04	20.0	3.0E-05	1.4E-03	240	5.8E-06
Hydrogen Fluoride	7664-39-3	6.8E-06	6.8E-06	2.1E-05	2.10	9.9E-06	3.1E-06	19.0	1.6E-07	8.8E-05	19.0	4.7E-06	2.0E-04	16.0	1.3E-05
Silica, Crystalline	7631-86-9	1.2E-05	1.2E-05	3.6E-05	3.00	1.2E-05	5.3E-06	13.0	4.1E-07	1.5E-04	13.0	1.2E-05	3.5E-04		(5)
Acetone	67-64-1	1.9E-03	1.9E-03	5.7E-03	31,000	1.8E-07	8.3E-04	140,000	6.0E-09	0.024	140,000	1.7E-07	0.055	62,000	8.9E-07
Benzene	71-43-2	4.5E-04	4.5E-04	1.4E-03	3.00	4.5E-04	2.0E-04	13.0	1.5E-05	5.8E-03	13.0	4.4E-04	0.013	29.0	4.5E-04
1,3-Butadiene	106-99-0	2.0E-04	2.0E-04	6.0E-04	2.00	3.0E-04	8.8E-05	8.80	1.0E-05	2.5E-03	8.80	2.9E-04	5.8E-03	660	8.8E-06
Formaldehyde	50-00-0	9.9E-04	9.9E-04	3.0E-03	9.00	3.3E-04	4.4E-04	40.0	1.1E-05	0.013	40.0	3.2E-04	0.029	49.0	5.9E-04
Hexane	110-54-3	2.7E-04	2.7E-04	8.2E-04	700	1.2E-06	1.2E-04	3,100	3.9E-08	3.5E-03	3,100	1.1E-06	7.9E-03		(5)
2-Butanone	78-93-3	2.5E-05	2.5E-05	7.5E-05	5,000	1.5E-08	1.1E-05	22,000	5.0E-10	3.2E-04	22,000	1.4E-08	7.3E-04	5,000	1.5E-07
Toluene	108-88-3	1.1E-04	1.1E-04	3.4E-04	5,000	6.8E-08	5.0E-05	22,000	2.3E-09	1.4E-03	22,000	6.6E-08	3.3E-03	7,500	4.4E-07
SSF01				1		1	ı	1		ı		1	ļ .		
Cumulative TEU Risk						3.9E-05			8.1E-07			1.0E-05			1.9E-04
Dispersion Factor (µg/m3/[g		1			165	1		15.3	(-)		190	T (-)		6,045	
Barium	7440-39-3		3.0E-09	2.3E-07		(5)	2.1E-08		(5)	2.7E-07		(5)	1.8E-05		(5)
Chromium (total)	7440-47-3	+	1.1E-09	8.1E-08		(5)	7.4E-09		(5)	9.3E-08		(5)	6.4E-06		(5)
Chromium VI	18540-29-9		1.1E-09	8.1E-08	0.083	9.7E-07	7.4E-09	0.88	8.5E-09	9.3E-08	0.88	1.1E-07	6.4E-06	0.30	2.1E-05
Copper	7440-50-8	1.2E-08	2.5E-08	1.9E-06		(5)	1.8E-07		(5)	2.2E-06		(5)	1.5E-04	100	1.5E-06
Manganese	7439-96-5	2.3E-09	5.0E-09	3.8E-07	0.090	4.3E-06	3.6E-08	0.40	8.9E-08	4.4E-07	0.40	1.1E-06	3.0E-05	0.30	1.0E-04
Mercury	7439-97-6	1.2E-10	2.6E-10	2.0E-08	0.077	2.6E-07	1.8E-09	0.63	2.9E-09	2.3E-08	0.63	3.7E-08	1.6E-06	0.60	2.6E-06
Nickel	7440-02-0	1.0E-09	2.2E-09	1.7E-07	0.014	1.2E-05	1.6E-08	0.062	2.6E-07	2.0E-07	0.062	3.2E-06	1.4E-05	0.20	6.8E-05
Phosphorus	504	1.9E-08	4.2E-08	3.2E-06		(5)	3.0E-07		(5)	3.7E-06		(5)	2.5E-04		(5)
Zinc	7440-66-6	2.9E-08	6.3E-08	4.8E-06		(5)	4.4E-07		(5)	5.5E-06		(5)	3.8E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-07	8.3E-07	6.3E-05	3.00	2.1E-05	5.9E-06	13.0	4.5E-07	7.3E-05	13.0	5.6E-06	5.0E-03		(5)

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

	Τ	TAC Emis	sion Rate				Ch	ronic Noncai	ncer						
		(g	/s)		Residential		No	nresidential C	Child	Nor	nresidential W	orker	Ac	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposur	re Location (4)			,	1220			2			10103	•		10240	
Cumulative	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
SSF02															
Cumulative TEU Risk						3.8E-05			8.1E-07			9.7E-06			2.2E-04
Dispersion Factor (µg/m3/[g/s		_			161			15.3	_		183	_		6,690	
Barium	7440-39-3	1.4E-09	3.0E-09	2.2E-07		(5)	2.1E-08		(5)	2.6E-07		(5)	2.0E-05		(5)
Chromium (total)	7440-47-3	4.9E-10	1.1E-09	7.8E-08		(5)	7.5E-09		(5)	8.9E-08		(5)	7.1E-06		(5)
Chromium VI	18540-29-9	4.9E-10	1.1E-09	7.8E-08	0.083	9.4E-07	7.5E-09	0.88	8.5E-09	8.9E-08	0.88	1.0E-07	7.1E-06	0.30	2.4E-05
Copper	7440-50-8	1.2E-08	2.5E-08	1.9E-06		(5)	1.8E-07		(5)	2.2E-06		(5)	1.7E-04	100	1.7E-06
Manganese	7439-96-5	2.3E-09	5.0E-09	3.7E-07	0.090	4.2E-06	3.6E-08	0.40	8.9E-08	4.3E-07	0.40	1.1E-06	3.4E-05	0.30	1.1E-04
Mercury	7439-97-6	1.2E-10	2.6E-10	1.9E-08	0.077	2.5E-07	1.9E-09	0.63	3.0E-09	2.2E-08	0.63	3.5E-08	1.8E-06	0.60	2.9E-06
Nickel	7440-02-0	1.0E-09	2.2E-09	1.7E-07	0.014	1.2E-05	1.6E-08	0.062	2.6E-07	1.9E-07	0.062	3.1E-06	1.5E-05	0.20	7.5E-05
Phosphorus	504	1.9E-08	4.2E-08	3.1E-06		(5)	3.0E-07		(5)	3.6E-06		(5)	2.8E-04		(5)
Zinc	7440-66-6	2.9E-08	6.3E-08	4.6E-06		(5)	4.4E-07		(5)	5.3E-06		(5)	4.2E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-07	8.3E-07	6.2E-05	3.00	2.1E-05	5.9E-06	13.0	4.5E-07	7.0E-05	13.0	5.4E-06	5.5E-03		(5)
SSF05						_			-		1	•			
Cumulative TEU Risk						6.5E-05			7.9E-07			9.2E-06			7.5E-05
Dispersion Factor (µg/m3/[g/s		,	1		276	1		14.9			174	•		2,332	_
Barium	7440-39-3	1.4E-09	3.0E-09	3.9E-07		(5)	2.1E-08		(5)	2.4E-07		(5)	7.0E-06		(5)
Chromium (total)	7440-47-3	4.9E-10	1.1E-09	1.3E-07		(5)	7.3E-09		(5)	8.5E-08		(5)	2.5E-06		(5)
Chromium VI	18540-29-9		1.1E-09	1.3E-07	0.083	1.6E-06	7.3E-09	0.88	8.3E-09	8.5E-08	0.88	9.6E-08	2.5E-06	0.30	8.2E-06
Copper	7440-50-8	1.2E-08	2.5E-08	3.2E-06		(5)	1.8E-07		(5)	2.0E-06		(5)	5.9E-05	100	5.9E-07
Manganese	7439-96-5	2.3E-09	5.0E-09	6.4E-07	0.090	7.1E-06	3.5E-08	0.40	8.7E-08	4.1E-07	0.40	1.0E-06	1.2E-05	0.30	3.9E-05
Mercury	7439-97-6	1.2E-10	2.6E-10	3.3E-08	0.077	4.3E-07	1.8E-09	0.63	2.9E-09	2.1E-08	0.63	3.3E-08	6.1E-07	0.60	1.0E-06
Nickel	7440-02-0	1.0E-09	2.2E-09	2.9E-07	0.014	2.0E-05	1.5E-08	0.062	2.5E-07	1.8E-07	0.062	2.9E-06	5.2E-06	0.20	2.6E-05
Phosphorus	504	1.9E-08	4.2E-08	5.4E-06		(5)	2.9E-07		(5)	3.4E-06		(5)	9.8E-05		(5)
Zinc	7440-66-6	2.9E-08	6.3E-08	8.0E-06		(5)	4.3E-07		(5)	5.0E-06		(5)	1.5E-04		(5)
Silica, Crystalline	7631-86-9	3.8E-07	8.3E-07	1.1E-04	3.00	3.5E-05	5.7E-06	13.0	4.4E-07	6.7E-05	13.0	5.1E-06	1.9E-03		(5)
SSF16						1			1		<u> </u>	1			1
Cumulative TEU Risk	75					8.2E-06			1.8E-06			1.8E-06			1.4E-05
Dispersion Factor (µg/m3/[g/s	- i	1 45 00	0.05.00	4.05.00	34.7	(5)	4.05.00	34.6	(5)	4.75.00	33.8	(5)	4.05.07	419	(5)
Barium	7440-39-3		3.0E-09	4.8E-08		(5)	4.8E-08		(5)	4.7E-08		(5)	1.3E-06		(5)
Chromium (total)	7440-47-3		1.1E-09	1.7E-08		(5)	1.7E-08		(5)	1.7E-08		(5)	4.4E-07		(5)
Chromium VI	18540-29-9		1.1E-09	1.7E-08	0.083	2.0E-07	1.7E-08	0.88	1.9E-08	1.7E-08	0.88	1.9E-08	4.4E-07	0.30	1.5E-06
Copper	7440-50-8	1.2E-08	2.5E-08	4.1E-07		(5)	4.1E-07		(5)	4.0E-07		(5)	1.1E-05	100	1.1E-07
Manganese	7439-96-5	1	5.0E-09	8.1E-08	0.090	9.0E-07	8.1E-08	0.40	2.0E-07	7.9E-08	0.40	2.0E-07	2.1E-06	0.30	7.0E-06
Mercury	7439-97-6		2.6E-10	4.2E-09	0.077	5.5E-08	4.2E-09	0.63	6.7E-09	4.1E-09	0.63	6.5E-09	1.1E-07	0.60	1.8E-07
Nickel	7440-02-0		2.2E-09	3.6E-08	0.014	2.6E-06	3.6E-08	0.062	5.8E-07	3.5E-08	0.062	5.7E-07	9.4E-07	0.20	4.7E-06
Phosphorus	504	1.9E-08	4.2E-08	6.7E-07		(5)	6.7E-07		(5)	6.6E-07		(5)	1.8E-05		(5)
Zinc	7440-66-6		6.3E-08	1.0E-06		(5)	1.0E-06		(5)	9.8E-07		(5)	2.6E-05		(5)
Silica, Crystalline	7631-86-9	3.8E-07	8.3E-07	1.3E-05	3.00	4.4E-06	1.3E-05	13.0	1.0E-06	1.3E-05	13.0	1.0E-06	3.5E-04		(5)

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncar	ncer				Λ.	cute Noncan	201
		(g	/s)		Residential		No	nresidential C	Child	Non	residential W	orker	AC	cute Noncan	Jei
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposur	e Location (4)				1220	•		2	•		10103	•		10240	-
Cumulative	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
SSF17															
Cumulative TEU Risk						7.8E-06			1.9E-06		1	1.7E-06			1.3E-05
Dispersion Factor (µg/m3/[g/s					33.4	_		35.4			32.5			406	
Barium	7440-39-3	1.4E-09	3.0E-09	4.7E-08		(5)	4.9E-08		(5)	4.5E-08		(5)	1.2E-06		(5)
Chromium (total)	7440-47-3	4.9E-10	1.1E-09	1.6E-08		(5)	1.7E-08		(5)	1.6E-08		(5)	4.3E-07		(5)
Chromium VI	18540-29-9	4.9E-10	1.1E-09	1.6E-08	0.083	2.0E-07	1.7E-08	0.88	2.0E-08	1.6E-08	0.88	1.8E-08	4.3E-07	0.30	1.4E-06
Copper	7440-50-8	1.2E-08	2.5E-08	3.9E-07		(5)	4.2E-07		(5)	3.8E-07		(5)	1.0E-05	100	1.0E-07
Manganese	7439-96-5	2.3E-09	5.0E-09	7.8E-08	0.090	8.6E-07	8.2E-08	0.40	2.1E-07	7.6E-08	0.40	1.9E-07	2.0E-06	0.30	6.8E-06
Mercury	7439-97-6	1.2E-10	2.6E-10	4.0E-09	0.077	5.3E-08	4.3E-09	0.63	6.8E-09	3.9E-09	0.63	6.3E-09	1.1E-07	0.60	1.8E-07
Nickel	7440-02-0	1.0E-09	2.2E-09	3.5E-08	0.014	2.5E-06	3.7E-08	0.062	5.9E-07	3.4E-08	0.062	5.4E-07	9.1E-07	0.20	4.6E-06
Phosphorus	504	1.9E-08	4.2E-08	6.5E-07		(5)	6.9E-07		(5)	6.3E-07		(5)	1.7E-05		(5)
Zinc	7440-66-6	2.9E-08	6.3E-08	9.7E-07		(5)	1.0E-06		(5)	9.4E-07		(5)	2.5E-05		(5)
Silica, Crystalline	7631-86-9	3.8E-07	8.3E-07	1.3E-05	3.00	4.3E-06	1.4E-05	13.0	1.0E-06	1.2E-05	13.0	9.6E-07	3.4E-04		(5)
SSF18															
Cumulative TEU Risk						8.0E-06			1.9E-06			1.7E-06			1.3E-05
Dispersion Factor (µg/m3/[g/s					33.8	_		35.4			32.8			412	
Barium	7440-39-3	1.4E-09	3.0E-09	4.7E-08		(5)	4.9E-08		(5)	4.6E-08		(5)	1.2E-06		(5)
Chromium (total)	7440-47-3	4.9E-10	1.1E-09	1.6E-08		(5)	1.7E-08		(5)	1.6E-08		(5)	4.4E-07		(5)
Chromium VI	18540-29-9	4.9E-10	1.1E-09	1.6E-08	0.083	2.0E-07	1.7E-08	0.88	2.0E-08	1.6E-08	0.88	1.8E-08	4.4E-07	0.30	1.5E-06
Copper	7440-50-8	1.2E-08	2.5E-08	4.0E-07		(5)	4.2E-07		(5)	3.9E-07		(5)	1.0E-05	100	1.0E-07
Manganese	7439-96-5	2.3E-09	5.0E-09	7.9E-08	0.090	8.8E-07	8.3E-08	0.40	2.1E-07	7.6E-08	0.40	1.9E-07	2.1E-06	0.30	6.9E-06
Mercury	7439-97-6	1.2E-10	2.6E-10	4.1E-09	0.077	5.3E-08	4.3E-09	0.63	6.8E-09	4.0E-09	0.63	6.3E-09	1.1E-07	0.60	1.8E-07
Nickel	7440-02-0	1.0E-09	2.2E-09	3.5E-08	0.014	2.5E-06	3.7E-08	0.062	5.9E-07	3.4E-08	0.062	5.5E-07	9.3E-07	0.20	4.6E-06
Phosphorus	504	1.9E-08	4.2E-08	6.6E-07		(5)	6.9E-07		(5)	6.4E-07		(5)	1.7E-05		(5)
Zinc	7440-66-6	2.9E-08	6.3E-08	9.8E-07		(5)	1.0E-06		(5)	9.5E-07		(5)	2.6E-05		(5)
Silica, Crystalline	7631-86-9	3.8E-07	8.3E-07	1.3E-05	3.00	4.3E-06	1.4E-05	13.0	1.0E-06	1.3E-05	13.0	9.7E-07	3.4E-04		(5)

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncan	icer						
		(g	/s)		Residential		No	nresidential C	hild	Non	residential W	orker	A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maxima	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposur	e Location (4)				1220			2			10103		,	10240	
Cumulative	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
SSF03															
Cumulative TEU Risk					-	6.8E-04			9.1E-06			9.8E-05		-	2.9E-03
Dispersion Factor (µg/m3/[g/s	<u>s])</u>				203			15.7			169			1,859	
Antimony	7440-36-0	9.8E-09	2.1E-08	2.0E-06	0.30	6.6E-06	1.5E-07	1.30	1.2E-07	1.7E-06	1.30	1.3E-06	4.0E-05	1.00	4.0E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.2E-06		(5)	9.5E-08		(5)	1.0E-06		(5)	2.4E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.3E-06	5.0E-03	2.5E-04	9.8E-08	0.037	2.7E-06	1.1E-06	0.037	2.9E-05	2.5E-05	0.030	8.4E-04
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.2E-06		(5)	9.1E-08		(5)	9.9E-07		(5)	2.3E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.2E-06	0.083	1.4E-05	9.1E-08	0.88	1.0E-07	9.9E-07	0.88	1.1E-06	2.3E-05	0.30	7.8E-05
Cobalt	7440-48-4	2.6E-10	5.5E-10	5.2E-08	0.10	5.2E-07	4.0E-09	0.44	9.1E-09	4.3E-08	0.44	9.8E-08	1.0E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	7.0E-06		(5)	5.4E-07		(5)	5.9E-06		(5)	1.4E-04	100	1.4E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.1E-05	0.15	7.5E-05	8.7E-07	0.66	1.3E-06	9.4E-06	0.66	1.4E-05	2.2E-04	0.15	1.5E-03
Manganese	7439-96-5	8.8E-09	1.9E-08	1.8E-06	0.090	2.0E-05	1.4E-07	0.40	3.4E-07	1.5E-06	0.40	3.7E-06	3.5E-05	0.30	1.2E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.4E-07	0.077	1.8E-06	1.0E-08	0.63	1.7E-08	1.1E-07	0.63	1.8E-07	2.7E-06	0.60	4.5E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	2.7E-06	0.014	1.9E-04	2.1E-07	0.062	3.4E-06	2.2E-06	0.062	3.6E-05	5.3E-05	0.20	2.7E-04
Phosphorus	504	1.6E-07	3.4E-07	3.2E-05		(5)	2.5E-06		(5)	2.7E-05		(5)	6.3E-04		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	2.0E-05		(5)	1.5E-06		(5)	1.7E-05		(5)	4.0E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.3E-04	2.30	9.9E-05	1.8E-05	20.0	8.8E-07	1.9E-04	20.0	9.6E-06	4.5E-03	240	1.9E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	5.2E-05	3.00	1.7E-05	4.0E-06	13.0	3.1E-07	4.3E-05	13.0	3.3E-06	1.0E-03		(5)
SSF04															
Cumulative TEU Risk						7.0E-04			9.1E-06			1.0E-04			3.4E-03
Dispersion Factor (µg/m3/[g/s	7				209			15.6			171			2,222	
Antimony	7440-36-0	9.8E-09	2.1E-08	2.1E-06	0.30	6.8E-06	1.5E-07	1.30	1.2E-07	1.7E-06	1.30	1.3E-06	4.7E-05	1.00	4.7E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.3E-06		(5)	9.4E-08		(5)	1.0E-06		(5)	2.9E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.3E-06	5.0E-03	2.6E-04	9.8E-08	0.037	2.6E-06	1.1E-06	0.037	2.9E-05	3.0E-05	0.030	1.0E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.2E-06		(5)	9.1E-08		(5)	1.0E-06		(5)	2.8E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.2E-06	0.083	1.5E-05	9.1E-08	0.88	1.0E-07	1.0E-06	0.88	1.1E-06	2.8E-05	0.30	9.4E-05
Cobalt	7440-48-4	2.6E-10	5.5E-10	5.3E-08	0.10	5.3E-07	4.0E-09	0.44	9.1E-09	4.4E-08	0.44	1.0E-07	1.2E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	7.2E-06		(5)	5.4E-07		(5)	5.9E-06		(5)	1.7E-04	100	1.7E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.2E-05	0.15	7.7E-05	8.6E-07	0.66	1.3E-06	9.5E-06	0.66	1.4E-05	2.7E-04	0.15	1.8E-03
Manganese	7439-96-5		1.9E-08	1.8E-06	0.090	2.0E-05	1.4E-07	0.40	3.4E-07	1.5E-06	0.40	3.8E-06	4.2E-05	0.30	1.4E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.4E-07	0.077	1.8E-06	1.0E-08	0.63	1.7E-08	1.1E-07	0.63	1.8E-07	3.2E-06	0.60	5.3E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	2.8E-06	0.014	2.0E-04	2.1E-07	0.062	3.3E-06	2.3E-06	0.062	3.7E-05	6.4E-05	0.20	3.2E-04
Phosphorus	504	1.6E-07	3.4E-07	3.3E-05		(5)	2.4E-06		(5)	2.7E-05		(5)	7.6E-04		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	2.1E-05		(5)	1.5E-06		(5)	1.7E-05		(5)	4.7E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.4E-04	2.30	1.0E-04	1.8E-05	20.0	8.8E-07	1.9E-04	20.0	9.7E-06	5.4E-03	240	2.3E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	5.3E-05	3.00	1.8E-05	4.0E-06	13.0	3.1E-07	4.4E-05	13.0	3.4E-06	1.2E-03		(5)

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncar	ncer				Λ.	cute Noncan	cor
		(g	/s)		Residential		No	nresidential C	Child	Non	residential W	orker orker	A	cute Noncan	cei
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposu	re Location (4)				1220	,		2		,	10103		,	10240	
	Facility-Wide				0.2			<0.1			0.1			0.2	
SSF06															
Cumulative TEU Risk						7.7E-04			8.9E-06			1.0E-04			4.3E-03
Dispersion Factor (µg/m3/[g/	's])				228			15.4			175			2,813	
Antimony	7440-36-0	9.8E-09	2.1E-08	2.2E-06	0.30	7.5E-06	1.5E-07	1.30	1.2E-07	1.7E-06	1.30	1.3E-06	6.0E-05	1.00	6.0E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.4E-06		(5)	9.3E-08		(5)	1.1E-06		(5)	3.7E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.4E-06	5.0E-03	2.9E-04	9.6E-08	0.037	2.6E-06	1.1E-06	0.037	3.0E-05	3.8E-05	0.030	1.3E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.3E-06		(5)	9.0E-08		(5)	1.0E-06		(5)	3.6E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.3E-06	0.083	1.6E-05	9.0E-08	0.88	1.0E-07	1.0E-06	0.88	1.2E-06	3.6E-05	0.30	1.2E-04
Cobalt	7440-48-4	2.6E-10	5.5E-10	5.8E-08	0.10	5.8E-07	3.9E-09	0.44	8.9E-09	4.5E-08	0.44	1.0E-07	1.6E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	7.9E-06		(5)	5.3E-07		(5)	6.1E-06		(5)	2.1E-04	100	2.1E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.3E-05	0.15	8.4E-05	8.5E-07	0.66	1.3E-06	9.7E-06	0.66	1.5E-05	3.4E-04	0.15	2.2E-03
Manganese	7439-96-5	8.8E-09	1.9E-08	2.0E-06	0.090	2.2E-05	1.3E-07	0.40	3.4E-07	1.5E-06	0.40	3.8E-06	5.3E-05	0.30	1.8E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.5E-07	0.077	2.0E-06	1.0E-08	0.63	1.6E-08	1.2E-07	0.63	1.9E-07	4.1E-06	0.60	6.8E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	3.0E-06	0.014	2.2E-04	2.0E-07	0.062	3.3E-06	2.3E-06	0.062	3.7E-05	8.1E-05	0.20	4.0E-04
Phosphorus	504	1.6E-07	3.4E-07	3.6E-05		(5)	2.4E-06		(5)	2.8E-05		(5)	9.6E-04		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	2.2E-05		(5)	1.5E-06		(5)	1.7E-05		(5)	6.0E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.6E-04	2.30	1.1E-04	1.7E-05	20.0	8.7E-07	2.0E-04	20.0	9.9E-06	6.9E-03	240	2.9E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	5.8E-05	3.00	1.9E-05	3.9E-06	13.0	3.0E-07	4.5E-05	13.0	3.4E-06	1.6E-03		(5)
SSF07															
Cumulative TEU Risk						8.9E-04			8.7E-06			1.0E-04			3.7E-03
Dispersion Factor (µg/m3/[g/	's])				265			15.0			175			2,433	
Antimony	7440-36-0	9.8E-09	2.1E-08	2.6E-06	0.30	8.7E-06	1.5E-07	1.30	1.1E-07	1.7E-06	1.30	1.3E-06	5.2E-05	1.00	5.2E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.6E-06		(5)	9.1E-08		(5)	1.1E-06		(5)	3.2E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.7E-06	5.0E-03	3.3E-04	9.4E-08	0.037	2.5E-06	1.1E-06	0.037	3.0E-05	3.3E-05	0.030	1.1E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.5E-06		(5)	8.8E-08		(5)	1.0E-06		(5)	3.1E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.5E-06	0.083	1.9E-05	8.8E-08	0.88	1.0E-07	1.0E-06	0.88	1.2E-06	3.1E-05	0.30	1.0E-04
Cobalt	7440-48-4	2.6E-10	5.5E-10	6.8E-08	0.10	6.8E-07	3.8E-09	0.44	8.7E-09	4.5E-08	0.44	1.0E-07	1.3E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	9.2E-06		(5)	5.2E-07		(5)	6.1E-06		(5)	1.8E-04	100	1.8E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.5E-05	0.15	9.8E-05	8.3E-07	0.66	1.3E-06	9.7E-06	0.66	1.5E-05	2.9E-04	0.15	1.9E-03
Manganese	7439-96-5	8.8E-09	1.9E-08	2.3E-06	0.090	2.6E-05	1.3E-07	0.40	3.3E-07	1.5E-06	0.40	3.8E-06	4.6E-05	0.30	1.5E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.8E-07	0.077	2.3E-06	1.0E-08	0.63	1.6E-08	1.2E-07	0.63	1.9E-07	3.5E-06	0.60	5.9E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	3.5E-06	0.014	2.5E-04	2.0E-07	0.062	3.2E-06	2.3E-06	0.062	3.7E-05	7.0E-05	0.20	3.5E-04
Phosphorus	504	1.6E-07	3.4E-07	4.2E-05		(5)	2.4E-06		(5)	2.8E-05		(5)	8.3E-04		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	2.6E-05		(5)	1.5E-06		(5)	1.7E-05		(5)	5.2E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	3.0E-04	2.30	1.3E-04	1.7E-05	20.0	8.5E-07	2.0E-04	20.0	9.9E-06	5.9E-03	240	2.5E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	6.8E-05	3.00	2.3E-05	3.8E-06	13.0	3.0E-07	4.5E-05	13.0	3.4E-06	1.3E-03		(5)

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncar	ncer					t - NI	
		(g	/s)		Residential		No	nresidential C	Child	Non	residential W	orker	Ac	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposure	e Location (4)	•			1220	•		2	•		10103	·		10240	
Cumulative F	acility-Wide	Risk			0.2			<0.1			0.1			0.2	
SSF08															
Cumulative TEU Risk						7.9E-04			8.9E-06			1.0E-04			4.3E-03
Dispersion Factor (µg/m3/[g/s]	-	-			235			15.2			175	_		2,813	
Antimony	7440-36-0	9.8E-09	2.1E-08	2.3E-06	0.30	7.7E-06	1.5E-07	1.30	1.2E-07	1.7E-06	1.30	1.3E-06	6.0E-05	1.00	6.0E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.4E-06		(5)	9.2E-08		(5)	1.1E-06		(5)	3.7E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.5E-06	5.0E-03	3.0E-04	9.6E-08	0.037	2.6E-06	1.1E-06	0.037	3.0E-05	3.8E-05	0.030	1.3E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.4E-06		(5)	8.9E-08		(5)	1.0E-06		(5)	3.6E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.4E-06	0.083	1.7E-05	8.9E-08	0.88	1.0E-07	1.0E-06	0.88	1.2E-06	3.6E-05	0.30	1.2E-04
Cobalt	7440-48-4	2.6E-10	5.5E-10	6.0E-08	0.10	6.0E-07	3.9E-09	0.44	8.9E-09	4.5E-08	0.44	1.0E-07	1.6E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	8.2E-06		(5)	5.3E-07		(5)	6.1E-06		(5)	2.1E-04	100	2.1E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.3E-05	0.15	8.7E-05	8.4E-07	0.66	1.3E-06	9.7E-06	0.66	1.5E-05	3.4E-04	0.15	2.2E-03
Manganese	7439-96-5	8.8E-09	1.9E-08	2.1E-06	0.090	2.3E-05	1.3E-07	0.40	3.3E-07	1.5E-06	0.40	3.8E-06	5.3E-05	0.30	1.8E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.6E-07	0.077	2.0E-06	1.0E-08	0.63	1.6E-08	1.2E-07	0.63	1.9E-07	4.1E-06	0.60	6.8E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	3.1E-06	0.014	2.2E-04	2.0E-07	0.062	3.3E-06	2.3E-06	0.062	3.8E-05	8.1E-05	0.20	4.0E-04
Phosphorus	504	1.6E-07	3.4E-07	3.7E-05		(5)	2.4E-06		(5)	2.8E-05		(5)	9.6E-04		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	2.3E-05		(5)	1.5E-06		(5)	1.7E-05		(5)	6.0E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.7E-04	2.30	1.2E-04	1.7E-05	20.0	8.6E-07	2.0E-04	20.0	9.9E-06	6.9E-03	240	2.9E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	6.0E-05	3.00	2.0E-05	3.9E-06	13.0	3.0E-07	4.5E-05	13.0	3.4E-06	1.6E-03		(5)
SSF09									_			•			
Cumulative TEU Risk						6.5E-04			8.4E-06			1.3E-04			4.9E-03
Dispersion Factor (µg/m3/[g/s]					193			14.5	_		227			3,176	
Antimony	7440-36-0	9.8E-09	2.1E-08	1.9E-06	0.30	6.3E-06	1.4E-07	1.30	1.1E-07	2.2E-06	1.30	1.7E-06	6.8E-05	1.00	6.8E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.2E-06		(5)	8.8E-08		(5)	1.4E-06		(5)	4.2E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.2E-06	5.0E-03	2.4E-04	9.1E-08	0.037	2.5E-06	1.4E-06	0.037	3.9E-05	4.3E-05	0.030	1.4E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.1E-06		(5)	8.5E-08		(5)	1.3E-06		(5)	4.0E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.1E-06	0.083	1.4E-05	8.5E-08	0.88	9.6E-08	1.3E-06	0.88	1.5E-06	4.0E-05	0.30	1.3E-04
Cobalt	7440-48-4	2.6E-10	5.5E-10	4.9E-08	0.10	4.9E-07	3.7E-09	0.44	8.4E-09	5.8E-08	0.44	1.3E-07	1.8E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	6.7E-06		(5)	5.0E-07		(5)	7.9E-06		(5)	2.4E-04	100	2.4E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.1E-05	0.15	7.1E-05	8.0E-07	0.66	1.2E-06	1.3E-05	0.66	1.9E-05	3.8E-04	0.15	2.5E-03
Manganese	7439-96-5		1.9E-08	1.7E-06	0.090	1.9E-05	1.3E-07	0.40	3.2E-07	2.0E-06	0.40	5.0E-06	6.0E-05	0.30	2.0E-04
Mercury	7439-97-6		1.4E-09	1.3E-07	0.077	1.7E-06	9.7E-09	0.63	1.5E-08	1.5E-07	0.63	2.4E-07	4.6E-06	0.60	7.6E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	2.6E-06	0.014	1.8E-04	1.9E-07	0.062	3.1E-06	3.0E-06	0.062	4.9E-05	9.1E-05	0.20	4.6E-04
Phosphorus	504	1.6E-07	3.4E-07	3.0E-05		(5)	2.3E-06		(5)	3.6E-05		(5)	1.1E-03		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	1.9E-05		(5)	1.4E-06		(5)	2.2E-05		(5)	6.8E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.2E-04	2.30	9.5E-05	1.6E-05	20.0	8.2E-07	2.6E-04	20.0	1.3E-05	7.7E-03	240	3.2E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	4.9E-05	3.00	1.6E-05	3.7E-06	13.0	2.8E-07	5.8E-05	13.0	4.5E-06	1.8E-03		(5)

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncan	icer						
		(g	/s)		Residential		No	nresidential C	hild	Non	residential W	orker	A	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposure	e Location (4)	•			1220	•		2	•		10103		,	10240	,
Cumulative I	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
SSF10															
Cumulative TEU Risk					-	6.0E-04			8.7E-06		1	1.2E-04		-	6.5E-03
Dispersion Factor (µg/m3/[g/s	<u>s])</u>				179	_		15.0			209			4,238	
Antimony	7440-36-0	9.8E-09	2.1E-08	1.8E-06	0.30	5.9E-06	1.5E-07	1.30	1.1E-07	2.1E-06	1.30	1.6E-06	9.0E-05	1.00	9.0E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.1E-06		(5)	9.1E-08		(5)	1.3E-06		(5)	5.6E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.1E-06	5.0E-03	2.3E-04	9.4E-08	0.037	2.5E-06	1.3E-06	0.037	3.6E-05	5.8E-05	0.030	1.9E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.0E-06		(5)	8.8E-08		(5)	1.2E-06		(5)	5.4E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.0E-06	0.083	1.3E-05	8.8E-08	0.88	1.0E-07	1.2E-06	0.88	1.4E-06	5.4E-05	0.30	1.8E-04
Cobalt	7440-48-4	2.6E-10	5.5E-10	4.6E-08	0.10	4.6E-07	3.8E-09	0.44	8.7E-09	5.3E-08	0.44	1.2E-07	2.3E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	6.2E-06		(5)	5.2E-07		(5)	7.3E-06		(5)	3.2E-04	100	3.2E-06
Lead	7439-92-1	5.5E-08	1.2E-07	9.9E-06	0.15	6.6E-05	8.3E-07	0.66	1.3E-06	1.2E-05	0.66	1.8E-05	5.1E-04	0.15	3.4E-03
Manganese	7439-96-5	8.8E-09	1.9E-08	1.6E-06	0.090	1.8E-05	1.3E-07	0.40	3.3E-07	1.8E-06	0.40	4.6E-06	8.0E-05	0.30	2.7E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.2E-07	0.077	1.6E-06	1.0E-08	0.63	1.6E-08	1.4E-07	0.63	2.2E-07	6.1E-06	0.60	1.0E-05
Nickel	7440-02-0	1.3E-08	2.9E-08	2.4E-06	0.014	1.7E-04	2.0E-07	0.062	3.2E-06	2.8E-06	0.062	4.5E-05	1.2E-04	0.20	6.1E-04
Phosphorus	504	1.6E-07	3.4E-07	2.8E-05		(5)	2.4E-06		(5)	3.3E-05		(5)	1.4E-03		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	1.8E-05		(5)	1.5E-06		(5)	2.1E-05		(5)	9.0E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.0E-04	2.30	8.8E-05	1.7E-05	20.0	8.5E-07	2.4E-04	20.0	1.2E-05	0.010	240	4.3E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	4.6E-05	3.00	1.5E-05	3.8E-06	13.0	3.0E-07	5.3E-05	13.0	4.1E-06	2.3E-03		(5)
SSF11															_
Cumulative TEU Risk						6.1E-04			8.6E-06			1.2E-04			5.7E-03
Dispersion Factor (µg/m3/[g/s	7				183			14.9			215	_		3,724	
Antimony	7440-36-0	9.8E-09	2.1E-08	1.8E-06	0.30	6.0E-06	1.5E-07	1.30	1.1E-07	2.1E-06	1.30	1.6E-06	7.9E-05	1.00	7.9E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.1E-06		(5)	9.0E-08		(5)	1.3E-06		(5)	4.9E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.1E-06	5.0E-03	2.3E-04	9.3E-08	0.037	2.5E-06	1.3E-06	0.037	3.6E-05	5.1E-05	0.030	1.7E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.1E-06		(5)	8.7E-08		(5)	1.3E-06		(5)	4.7E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.1E-06	0.083	1.3E-05	8.7E-08	0.88	9.9E-08	1.3E-06	0.88	1.4E-06	4.7E-05	0.30	1.6E-04
Cobalt	7440-48-4	2.6E-10	5.5E-10	4.7E-08	0.10	4.7E-07	3.8E-09	0.44	8.6E-09	5.5E-08	0.44	1.2E-07	2.1E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	6.3E-06		(5)	5.2E-07		(5)	7.5E-06		(5)	2.8E-04	100	2.8E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.0E-05	0.15	6.7E-05	8.2E-07	0.66	1.2E-06	1.2E-05	0.66	1.8E-05	4.5E-04	0.15	3.0E-03
Manganese	7439-96-5		1.9E-08	1.6E-06	0.090	1.8E-05	1.3E-07	0.40	3.3E-07	1.9E-06	0.40	4.7E-06	7.1E-05	0.30	2.4E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.2E-07	0.077	1.6E-06	9.9E-09	0.63	1.6E-08	1.4E-07	0.63	2.3E-07	5.4E-06	0.60	9.0E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	2.4E-06	0.014	1.7E-04	2.0E-07	0.062	3.2E-06	2.9E-06	0.062	4.6E-05	1.1E-04	0.20	5.3E-04
Phosphorus	504	1.6E-07	3.4E-07	2.9E-05		(5)	2.3E-06		(5)	3.4E-05		(5)	1.3E-03		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	1.8E-05		(5)	1.5E-06		(5)	2.1E-05		(5)	7.9E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.1E-04	2.30	9.0E-05	1.7E-05	20.0	8.4E-07	2.4E-04	20.0	1.2E-05	9.1E-03	240	3.8E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	4.7E-05	3.00	1.6E-05	3.8E-06	13.0	2.9E-07	5.5E-05	13.0	4.2E-06	2.1E-03		(5)

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Chi	ronic Noncar	ncer						
		(g	/s)		Residential		Noi	nresidential C	hild	Noni	residential W	orker	Ac	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposur	e Location (4)				1220			2			10103			10240	
	Facility-Wide				0.2			<0.1			0.1			0.2	
SSF12															
Cumulative TEU Risk						6.8E-04			8.4E-06			1.4E-04			4.7E-03
Dispersion Factor (µg/m3/[g/s	s])				202			14.4			233			3,062	
Antimony	7440-36-0	9.8E-09	2.1E-08	2.0E-06	0.30	6.6E-06	1.4E-07	1.30	1.1E-07	2.3E-06	1.30	1.8E-06	6.5E-05	1.00	6.5E-05
Barium	7440-39-3	6.1E-09	1.3E-08	1.2E-06		(5)	8.8E-08		(5)	1.4E-06		(5)	4.0E-05		(5)
Cadmium	7440-43-9	6.3E-09	1.4E-08	1.3E-06	5.0E-03	2.5E-04	9.1E-08	0.037	2.5E-06	1.5E-06	0.037	4.0E-05	4.2E-05	0.030	1.4E-03
Chromium (total)	7440-47-3	5.8E-09	1.3E-08	1.2E-06		(5)	8.4E-08		(5)	1.4E-06		(5)	3.9E-05		(5)
Chromium VI	18540-29-9	5.8E-09	1.3E-08	1.2E-06	0.083	1.4E-05	8.4E-08	0.88	9.6E-08	1.4E-06	0.88	1.5E-06	3.9E-05	0.30	1.3E-04
Cobalt	7440-48-4	2.6E-10	5.5E-10	5.2E-08	0.10	5.2E-07	3.7E-09	0.44	8.4E-09	6.0E-08	0.44	1.4E-07	1.7E-06		(5)
Copper	7440-50-8	3.5E-08	7.5E-08	7.0E-06		(5)	5.0E-07		(5)	8.1E-06		(5)	2.3E-04	100	2.3E-06
Lead	7439-92-1	5.5E-08	1.2E-07	1.1E-05	0.15	7.4E-05	8.0E-07	0.66	1.2E-06	1.3E-05	0.66	2.0E-05	3.7E-04	0.15	2.4E-03
Manganese	7439-96-5	8.8E-09	1.9E-08	1.8E-06	0.090	2.0E-05	1.3E-07	0.40	3.2E-07	2.0E-06	0.40	5.1E-06	5.8E-05	0.30	1.9E-04
Mercury	7439-97-6	6.7E-10	1.4E-09	1.3E-07	0.077	1.8E-06	9.7E-09	0.63	1.5E-08	1.6E-07	0.63	2.5E-07	4.4E-06	0.60	7.4E-06
Nickel	7440-02-0	1.3E-08	2.9E-08	2.7E-06	0.014	1.9E-04	1.9E-07	0.062	3.1E-06	3.1E-06	0.062	5.0E-05	8.8E-05	0.20	4.4E-04
Phosphorus	504	1.6E-07	3.4E-07	3.2E-05		(5)	2.3E-06		(5)	3.7E-05		(5)	1.0E-03		(5)
Zinc	7440-66-6	9.8E-08	2.1E-07	2.0E-05		(5)	1.4E-06		(5)	2.3E-05		(5)	6.5E-04		(5)
Fluorides	239	1.1E-06	2.4E-06	2.3E-04	2.30	9.9E-05	1.6E-05	20.0	8.2E-07	2.6E-04	20.0	1.3E-05	7.5E-03	240	3.1E-05
Silica, Crystalline	7631-86-9	2.6E-07	5.5E-07	5.2E-05	3.00	1.7E-05	3.7E-06	13.0	2.8E-07	6.0E-05	13.0	4.6E-06	1.7E-03		(5)
SSF14															
Cumulative TEU Risk						7.2E-05			1.7E-05			1.4E-05			1.7E-04
Dispersion Factor (µg/m3/[g/s					31.7			37.4	_		30.0			362	
Antimony	7440-36-0	1.4E-08	3.0E-08	4.3E-07	0.30	1.4E-06	5.1E-07	1.30	3.9E-07	4.1E-07	1.30	3.1E-07	1.1E-05	1.00	1.1E-05
Barium	7440-39-3	9.1E-09	2.0E-08	2.9E-07		(5)	3.4E-07		(5)	2.7E-07		(5)	7.1E-06		(5)
Cadmium	7440-43-9	2.5E-09	5.4E-09	8.0E-08	5.0E-03	1.6E-05	9.4E-08	0.037	2.5E-06	7.5E-08	0.037	2.0E-06	2.0E-06	0.030	6.6E-05
Chromium (total)	7440-47-3	2.9E-09	6.3E-09	9.3E-08		(5)	1.1E-07		(5)	8.8E-08		(5)	2.3E-06		(5)
Chromium VI	18540-29-9	2.9E-09	6.3E-09	9.3E-08	0.083	1.1E-06	1.1E-07	0.88	1.2E-07	8.8E-08	0.88	1.0E-07	2.3E-06	0.30	7.6E-06
Copper	7440-50-8	4.2E-08	9.0E-08	1.3E-06		(5)	1.6E-06		(5)	1.2E-06		(5)	3.3E-05	100	3.3E-07
Manganese	7439-96-5	9.5E-09	2.1E-08	3.0E-07	0.090	3.4E-06	3.6E-07	0.40	8.9E-07	2.9E-07	0.40	7.1E-07	7.5E-06	0.30	2.5E-05
Mercury	7439-97-6	4.8E-10	1.0E-09	1.5E-08	0.077	2.0E-07	1.8E-08	0.63	2.8E-08	1.4E-08	0.63	2.3E-08	3.7E-07	0.60	6.2E-07
Nickel	7440-02-0	1.6E-08	3.4E-08	5.0E-07	0.014	3.6E-05	5.9E-07	0.062	9.5E-06	4.7E-07	0.062	7.6E-06	1.2E-05	0.20	6.2E-05
Phosphorus	504	7.8E-08	1.7E-07	2.5E-06		(5)	2.9E-06		(5)	2.3E-06		(5)	6.1E-05		(5)
Zinc	7440-66-6	2.5E-07	5.4E-07	8.0E-06		(5)	9.4E-06		(5)	7.5E-06		(5)	2.0E-04		(5)
Fluorides	239	1.5E-07	3.3E-07	4.8E-06	2.30	2.1E-06	5.7E-06	20.0	2.8E-07	4.5E-06	20.0	2.3E-07	1.2E-04	240	4.9E-07
Silica, Crystalline	7631-86-9	1.2E-06	2.5E-06	3.6E-05	3.00	1.2E-05	4.3E-05	13.0	3.3E-06	3.4E-05	13.0	2.7E-06	9.0E-04		(5)

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	sion Rate				Ch	ronic Noncar	ncer						
			/s)		Residential			nresidential C		Non	residential W	orker	Ac	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual ⁽¹⁾	Maximum Daily (2)	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. (a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposur	e Location (4)		•		1220			2			10103			10240	
	Facility-Wide	Risk			0.2			<0.1			0.1			0.2	
SSF15												_			
Cumulative TEU Risk						7.3E-05			1.7E-05			1.4E-05			1.7E-04
Dispersion Factor (µg/m3/[g/s		Ţ	ī		31.9			37.3	ı		30.1		Ī	362	T
Antimony	7440-36-0	1.4E-08	3.0E-08	4.4E-07	0.30	1.5E-06	5.1E-07	1.30	3.9E-07	4.1E-07	1.30	3.2E-07	1.1E-05	1.00	1.1E-05
Barium	7440-39-3	9.1E-09	2.0E-08	2.9E-07		(5)	3.4E-07		(5)	2.7E-07		(5)	7.1E-06		(5)
Cadmium	7440-43-9	2.5E-09	5.4E-09	8.1E-08	5.0E-03	1.6E-05	9.4E-08	0.037	2.5E-06	7.6E-08	0.037	2.0E-06	2.0E-06	0.030	6.6E-05
Chromium (total)	7440-47-3	2.9E-09	6.3E-09	9.4E-08		(5)	1.1E-07		(5)	8.8E-08		(5)	2.3E-06		(5)
Chromium VI	18540-29-9	2.9E-09	6.3E-09	9.4E-08	0.083	1.1E-06	1.1E-07	0.88	1.2E-07	8.8E-08	0.88	1.0E-07	2.3E-06	0.30	7.6E-06
Copper	7440-50-8	4.2E-08	9.0E-08	1.3E-06		(5)	1.6E-06		(5)	1.3E-06		(5)	3.3E-05	100	3.3E-07
Manganese	7439-96-5	9.5E-09	2.1E-08	3.0E-07	0.090	3.4E-06	3.6E-07	0.40	8.9E-07	2.9E-07	0.40	7.2E-07	7.4E-06	0.30	2.5E-05
Mercury	7439-97-6	4.8E-10	1.0E-09	1.5E-08	0.077	2.0E-07	1.8E-08	0.63	2.8E-08	1.4E-08	0.63	2.3E-08	3.7E-07	0.60	6.2E-07
Nickel	7440-02-0	1.6E-08	3.4E-08	5.0E-07	0.014	3.6E-05	5.9E-07	0.062	9.5E-06	4.7E-07	0.062	7.6E-06	1.2E-05	0.20	6.2E-05
Phosphorus	504	7.8E-08	1.7E-07	2.5E-06		(5)	2.9E-06		(5)	2.3E-06		(5)	6.1E-05		(5)
Zinc	7440-66-6	2.5E-07	5.4E-07	8.0E-06		(5)	9.4E-06		(5)	7.6E-06		(5)	2.0E-04		(5)
Fluorides	239	1.5E-07	3.3E-07	4.8E-06	2.30	2.1E-06	5.7E-06	20.0	2.8E-07	4.6E-06	20.0	2.3E-07	1.2E-04	240	4.9E-07
Silica, Crystalline	7631-86-9	1.2E-06	2.5E-06	3.7E-05	3.00	1.2E-05	4.3E-05	13.0	3.3E-06	3.5E-05	13.0	2.7E-06	9.0E-04		(5)
SSF13						0.004			2.05.04			2.45.02			0.10
Cumulative TEU Risk	-1\					0.024			2.0E-04			3.4E-03			0.10
Dispersion Factor (μg/m3/[g/s	7	/ OF 00	1 55 07	1 55 05	222	F 1F 0F	0.05.07	14.3	7./5.07	1 75 05	243	1 25 05	4.05.04	2,777	1.05.04
Antimony	7440-36-0 7440-39-3	6.9E-08 4.8E-08	1.5E-07 1.0E-07	1.5E-05	0.30	5.1E-05	9.9E-07 6.9E-07	1.30	7.6E-07	1.7E-05 1.2E-05	1.30	1.3E-05	4.2E-04 2.9E-04	1.00	4.2E-04
Barium	-	4.8E-08 5.8E-08		1.1E-05	5.0E-03	(5)	8.3E-07	0.037	(5) 2.2E-05	1.4E-05	0.037	(5) 3.8E-04	2.9E-04 3.5E-04	0.030	(5) 0.012
Cadmium Chromium (total)	7440-43-9 7440-47-3	2.5E-08	1.2E-07	1.3E-05 5.5E-06		2.6E-03	3.5E-07			6.0E-06			3.5E-04 1.5E-04		(5)
Chromium (total)	18540-29-9	2.5E-08 2.5E-08	5.4E-08 5.4E-08	5.5E-06 5.5E-06	0.083	(5) 6.6E-05	3.5E-07 3.5E-07	0.88	(5) 4.0E-07	6.0E-06	0.88	(5) 6.9E-06	1.5E-04 1.5E-04	0.30	5.0E-04
Cobalt	7440-48-4	1.0E-08	2.3E-08	2.3E-06	0.063	2.3E-05	1.5E-07	0.88	3.4E-07	2.5E-06	0.66	5.8E-06	6.3E-05	0.30	(5)
	7440-46-4	3.8E-07	8.1E-07	8.3E-05		(5)	5.4E-06		(5)	9.2E-05		(5)	2.3E-03	100	2.3E-05
Copper Lead	7440-50-8	5.1E-07	1.1E-06	1.1E-04	0.15	7.6E-04	7.4E-06	0.66	1.1E-05	9.2E-05 1.3E-04	0.66	1.9E-04	3.1E-03	0.15	0.021
Manganese	7439-92-1	1.4E-08	3.0E-08	3.0E-06	0.13	3.4E-05	2.0E-07	0.40	4.9E-07	3.3E-06	0.40	8.4E-06	8.2E-05	0.13	2.7E-04
Mercury	7439-90-5	7.0E-06	1.5E-05	1.6E-03	0.077	0.020	1.0E-04	0.40	1.6E-04	1.7E-03	0.40	2.7E-03	0.042	0.60	0.070
Phosphorus	504	1.5E-06	3.2E-06	3.3E-04		(5)	2.1E-05		(5)	3.7E-04		(5)	9.0E-03		(5)
Zinc	7440-66-6	7.9E-07	1.7E-06	1.7E-04		(5)	1.1E-05		(5)	1.9E-04		(5)	4.7E-03		(5)
Fluorides	239	2.7E-06	5.8E-06	6.0E-04	2.30	2.6E-04	3.9E-05	20.0	1.9E-06	6.5E-04	20.0	3.3E-05	0.016	240	6.7E-05
Silica, Crystalline	7631-86-9	2.7E-06 2.3E-06	5.0E-06	5.1E-04	3.00	1.7E-04	3.3E-05	13.0	2.5E-06	5.6E-04	13.0	4.3E-05	0.014		(5)
SILO1	7001007	2.02.00	0.02.00	J. 1 L UT	5.00	1.7 L OT	0.01 00	10.0	2.01.00	0.0L 0T	10.0	1.02 00	0.014		(0)
Cumulative TEU Risk						1.5E-06			2.2E-08			3.0E-07			
Dispersion Factor (µg/m3/[g/s	sl)				29.9			1.94			26.5			193	-
Silica, Crystalline	7631-86-9	1.5E-07	4.0E-07	4.4E-06	3.00	1.5E-06	2.9E-07	13.0	2.2E-08	3.9E-06	13.0	3.0E-07	7.7E-05		(5)
SILO2				00	2.00								00		. (5)
Cumulative TEU Risk						3.5E-08			4.9E-08			2.9E-08			
Dispersion Factor (µg/m3/[g/s	s])				0.71			4.36			2.59			40.9	
Silica, Crystalline	7631-86-9	1.5E-07	4.0E-07	1.0E-07	3.00	3.5E-08	6.4E-07	13.0	4.9E-08	3.8E-07	13.0	2.9E-08	1.6E-05		(5)

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncar	ncor.				<u> </u>		
		1	/s)		Residential			nresidential C		Non	residential W	orker	Ad	cute Noncan	cer
Toxic Air Contaminant	CAS	(9	, s, 	Calculated			Calculated		7 ma	Calculated		T T	Calculated		
TOXIC AII CONTAITHIUM		Annual (1)	Maximum	Conc. (a)	RBC (3)	Hazard Index	Conc. (a)	RBC (3)	Hazard Index	Conc. (a)	RBC (3)	Hazard Index	Conc. (a)	RBC (3)	Hazard Index
		Ailiuai	Daily (2)	(ug/m³)	(ug/m³)	(b)	(ug/m³)	(ug/m³)	(b)	(ug/m³)	(ug/m³)	(b)	(ug/m³)	(ug/m³)	(b)
Evnocur	L e Location ⁽⁴⁾	<u> </u>	<u>. </u>	(ug/iii)	1220		(ug/III)	2	<u> </u>	(ug/iii)	10103		(ug/iii)	10240	
Cumulative					0.2			<0.1			0.1			0.2	
BBBH	raciity-wide	KISK			0.2			νο. 1			0.1			0.2	
Cumulative TEU Risk						0.097			3.7E-03			0.084			3.1E-03
Dispersion Factor (µg/m3/[g/s	.1)				31.1	0.077		5.18	0.72 00		118	1 0.00	<u> </u>	454	0.12 00
Aluminum	7429-90-5	2.9E-03	3.5E-03	0.090	5.00	0.018	0.015	22.0	6.8E-04	0.34	22.0	0.016	1.58		(5)
Barium	7440-39-3	7.5E-04	9.0E-04	0.023		(5)	3.9E-03		(5)	0.089		(5)	0.41		(5)
Cadmium	7440-43-9	4.9E-08	5.9E-08	1.5E-06	5.0E-03	3.0E-04	2.5E-07	0.037	6.8E-06	5.8E-06	0.037	1.6E-04	2.7E-05	0.030	8.9E-04
Lead	7439-92-1	4.9E-07	5.9E-07	1.5E-05	0.15	1.0E-04	2.5E-06	0.66	3.8E-06	5.8E-05	0.66	8.8E-05	2.7E-04	0.15	1.8E-03
Zinc Oxide	1314-13-2	4.8E-04	5.7E-04	0.015		(5)	2.5E-03		(5)	0.056		(5)	0.26		(5)
Fluorides	239	2.1E-04	2.5E-04	6.5E-03	2.30	2.8E-03	1.1E-03	20.0	5.4E-05	0.025	20.0	1.2E-03	0.11	240	4.7E-04
Silica, Crystalline	7631-86-9	7.3E-03	8.8E-03	0.23	3.00	0.076	0.038	13.0	2.9E-03	0.87	13.0	0.067	3.99		(5)
GP1_A	•	•	•	•					•			•			
Cumulative TEU Risk						3.1E-03			9.2E-05			2.0E-03			5.5E-05
Dispersion Factor (µg/m3/[g/s])				72.4			9.62	•		206	•		584	
Aluminum	7429-90-5	3.9E-05	4.7E-05	2.8E-03	5.00	5.7E-04	3.8E-04	22.0	1.7E-05	8.1E-03	22.0	3.7E-04	0.027		(5)
Barium	7440-39-3	1.0E-05	1.2E-05	7.4E-04		(5)	9.8E-05		(5)	2.1E-03		(5)	7.1E-03		(5)
Cadmium	7440-43-9	6.6E-10	7.9E-10	4.8E-08	5.0E-03	9.6E-06	6.4E-09	0.037	1.7E-07	1.4E-07	0.037	3.7E-06	4.6E-07	0.030	1.5E-05
Lead	7439-92-1	6.6E-09	7.9E-09	4.8E-07	0.15	3.2E-06	6.4E-08	0.66	9.6E-08	1.4E-06	0.66	2.1E-06	4.6E-06	0.15	3.1E-05
Zinc Oxide	1314-13-2	6.4E-06	7.7E-06	4.7E-04		(5)	6.2E-05		(5)	1.3E-03		(5)	4.5E-03		(5)
Fluorides	239	2.8E-06	3.4E-06	2.0E-04	2.30	8.8E-05	2.7E-05	20.0	1.4E-06	5.8E-04	20.0	2.9E-05	2.0E-03	240	8.2E-06
Glasswool Fibers	352	5.6E-03	5.6E-03	0.40		(5)	0.054		(5)	1.15		(5)	3.25		(5)
Silica, Crystalline	7631-86-9	9.9E-05	1.2E-04	7.2E-03	3.00	2.4E-03	9.5E-04	13.0	7.3E-05	0.020	13.0	1.6E-03	0.069		(5)
GP1_B															
Cumulative TEU Risk						3.1E-03	-		9.1E-05		-	1.7E-03			5.1E-05
Dispersion Factor (µg/m3/[g/s])				74.0			9.53			178			543	
Aluminum	7429-90-5	3.9E-05	4.7E-05	2.9E-03	5.00	5.8E-04	3.7E-04	22.0	1.7E-05	7.0E-03	22.0	3.2E-04	0.026		(5)
Barium	7440-39-3	1.0E-05	1.2E-05	7.5E-04		(5)	9.7E-05		(5)	1.8E-03		(5)	6.6E-03		(5)
Cadmium	7440-43-9	6.6E-10	7.9E-10	4.9E-08	5.0E-03	9.8E-06	6.3E-09	0.037	1.7E-07	1.2E-07	0.037	3.2E-06	4.3E-07	0.030	1.4E-05
Lead	7439-92-1	6.6E-09	7.9E-09	4.9E-07	0.15	3.3E-06	6.3E-08	0.66	9.5E-08	1.2E-06	0.66	1.8E-06	4.3E-06	0.15	2.9E-05
Zinc Oxide	1314-13-2	6.4E-06	7.7E-06	4.8E-04		(5)	6.1E-05		(5)	1.1E-03		(5)	4.2E-03		(5)
Fluorides	239	2.8E-06	3.4E-06	2.1E-04	2.30	9.0E-05	2.7E-05	20.0	1.3E-06	5.0E-04	20.0	2.5E-05	1.8E-03	240	7.6E-06
Glasswool Fibers	352	5.6E-03	5.6E-03	0.41		(5)	0.053		(5)	0.99		(5)	3.03		(5)
Silica, Crystalline	7631-86-9	9.9E-05	1.2E-04	7.3E-03	3.00	2.4E-03	9.4E-04	13.0	7.3E-05	0.018	13.0	1.4E-03	0.064		(5)
ВНВН												_			
Cumulative TEU Risk						7.6E-06			2.4E-07			1.0E-05			2.7E-06
Dispersion Factor (µg/m3/[g/s])				89.7			12.4			531			565	
Aluminum	7429-90-5	7.9E-08	2.4E-06	7.1E-06	5.00	1.4E-06	9.7E-07	22.0	4.4E-08	4.2E-05	22.0	1.9E-06	1.4E-03		(5)
Barium	7440-39-3	2.0E-08	6.2E-07	1.8E-06		(5)	2.5E-07		(5)	1.1E-05		(5)	3.5E-04		(5)
Cadmium	7440-43-9	1.3E-12	4.0E-11	1.2E-10	5.0E-03	2.4E-08	1.6E-11	0.037	4.4E-10	7.0E-10	0.037	1.9E-08	2.3E-08	0.030	7.5E-07
Lead	7439-92-1	1.3E-11	4.0E-10	1.2E-09	0.15	7.8E-09	1.6E-10	0.66	2.5E-10	7.0E-09	0.66	1.1E-08	2.3E-07	0.15	1.5E-06
Zinc Oxide	1314-13-2	1.3E-08	3.9E-07	1.1E-06		(5)	1.6E-07		(5)	6.8E-06		(5)	2.2E-04		(5)
Fluorides	239	5.6E-09	1.7E-07	5.0E-07	2.30	2.2E-07	6.9E-08	20.0	3.5E-09	3.0E-06	20.0	1.5E-07	9.7E-05	240	4.0E-07
Silica, Crystalline	7631-86-9	2.0E-07	6.0E-06	1.8E-05	3.00	5.9E-06	2.4E-06	13.0	1.9E-07	1.1E-04	13.0	8.1E-06	3.4E-03		(5)

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncar	ncer				Λ.	cute Noncan	005
		(g	ı/s)		Residential		No	nresidential C	Child	Non	residential W	/orker	AC	cute Moncani	cei
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposur	e Location (4)				1220	•		2			10103	•		10240	·
Cumulative					0.2			<0.1			0.1			0.2	
CT1_2															
Cumulative TEU Risk						3.8E-04			3.0E-05			1.9E-04			7.6E-05
Dispersion Factor (µg/m3/[g/s])				16.8	•	-	5.91	•		37.5			449	
Phosphoric Acid	7664-38-2	2.0E-05	2.0E-05	3.4E-04	10.0	3.4E-05	1.2E-04	44.0	2.7E-06	7.7E-04	44.0	1.7E-05	9.2E-03		(5)
Sulfuric Acid	7664-93-9	2.0E-05	2.0E-05	3.4E-04	1.00	3.4E-04	1.2E-04	4.40	2.7E-05	7.7E-04	4.40	1.7E-04	9.2E-03	120	7.6E-05
CT3A		•													
Cumulative TEU Risk						1.8E-04			1.2E-05			1.1E-04			3.0E-05
Dispersion Factor (µg/m3/[g/s					14.5			4.09			38.5			316	
Phosphoric Acid	7664-38-2	1.1E-05	1.1E-05	1.6E-04	10.0	1.6E-05	4.6E-05	44.0	1.1E-06	4.4E-04	44.0	9.9E-06	3.6E-03		(5)
Sulfuric Acid	7664-93-9	1.1E-05	1.1E-05	1.6E-04	1.00	1.6E-04	4.6E-05	4.40	1.1E-05	4.4E-04	4.40	9.9E-05	3.6E-03	120	3.0E-05
СТЗВ															
Cumulative TEU Risk						1.8E-04			1.2E-05			1.0E-04			1.8E-05
Dispersion Factor (µg/m3/[g/s])				14.7	_		4.09			36.6			192	
Phosphoric Acid	7664-38-2	1.1E-05	1.1E-05	1.7E-04	10.0	1.7E-05	4.6E-05	44.0	1.1E-06	4.2E-04	44.0	9.4E-06	2.2E-03		(5)
Sulfuric Acid	7664-93-9	1.1E-05	1.1E-05	1.7E-04	1.00	1.7E-04	4.6E-05	4.40	1.1E-05	4.2E-04	4.40	9.4E-05	2.2E-03	120	1.8E-05
CT4															
Cumulative TEU Risk						4.9E-05			4.8E-05			3.7E-05			1.7E-05
Dispersion Factor (µg/m3/[g/s		•			2.47			10.5	•		8.15		_	115	
Phosphoric Acid	7664-38-2	1.8E-05	1.8E-05	4.5E-05	10.0	4.5E-06	1.9E-04	44.0	4.3E-06	1.5E-04	44.0	3.4E-06	2.1E-03		(5)
Sulfuric Acid	7664-93-9	1.8E-05	1.8E-05	4.5E-05	1.00	4.5E-05	1.9E-04	4.40	4.3E-05	1.5E-04	4.40	3.4E-05	2.1E-03	120	1.7E-05
PAINT															
Cumulative TEU Risk						0.020			3.4E-04			0.032			4.7E-04
Dispersion Factor (µg/m3/[g/s	-,				191			13.9			1,298			2,161	
Barium	7440-39-3	2.1E-04	3.7E-04	0.040		(5)	2.9E-03		(5)	0.28		(5)	0.79		(5)
Cobalt	7440-48-4	1.0E-05	1.2E-05	1.9E-03	0.10	0.019	1.4E-04	0.44	3.2E-04	0.013	0.44	0.030	0.026		(5)
Acetone	67-64-1	3.5E-03	5.7E-03	0.67	31,000	2.2E-05	0.049	140,000	3.5E-07	4.58	140,000	3.3E-05	12.3	62,000	2.0E-04
Ethylbenzene	100-41-4	1.5E-04	2.8E-04	0.028	260	1.1E-04	2.1E-03	1,100	1.9E-06	0.19	1,100	1.7E-04	0.60	22,000	2.7E-05
1,2,4-Trimethylbenzene	95-63-6	1.9E-04	2.2E-04	0.036	60.0	6.0E-04	2.6E-03	260	1.0E-05	0.24	260	9.4E-04	0.48		(5)
Xylenes (mixed isomers)	1330-20-7	6.1E-04	9.8E-04	0.12	220	5.2E-04	8.4E-03	970	8.7E-06	0.79	970	8.1E-04	2.13	8,700	2.4E-04

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncar	ncer				Λ.	outo Nanconi	
		(g	ı/s)		Residential		No	nresidential C	Child	Non	residential W	orker	Ac	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposure	e Location (4)				1220			2	•		10103			10240	
Cumulative I					0.2			<0.1			0.1			0.2	
EGEN1															
Cumulative TEU Risk						6.3E-03			4.7E-05			1.4E-03			2.6E-03
Dispersion Factor (µg/m3/[g/s])				10.8			0.57			16.8			48.5	
Arsenic	7440-38-2	5.4E-08	3.9E-07	5.8E-07	1.7E-04	3.4E-03	3.1E-08	2.4E-03	1.3E-05	9.1E-07	2.4E-03	3.8E-04	1.9E-05	0.20	9.5E-05
Cadmium	7440-43-9	5.0E-08	3.7E-07	5.5E-07	5.0E-03	1.1E-04	2.9E-08	0.037	7.8E-07	8.5E-07	0.037	2.3E-05	1.8E-05	0.030	6.0E-04
Chromium VI	18540-29-9	3.4E-09	2.5E-08	3.6E-08	0.083	4.4E-07	1.9E-09	0.88	2.2E-09	5.7E-08	0.88	6.4E-08	1.2E-06	0.30	4.0E-06
Copper	7440-50-8	1.4E-07	1.0E-06	1.5E-06		(5)	7.9E-08		(5)	2.3E-06		(5)	4.9E-05	100	4.9E-07
Lead	7439-92-1	2.8E-07	2.0E-06	3.0E-06	0.15	2.0E-05	1.6E-07	0.66	2.4E-07	4.7E-06	0.66	7.1E-06	9.9E-05	0.15	6.6E-04
Manganese	7439-96-5	1.0E-07	7.6E-07	1.1E-06	0.090	1.3E-05	6.0E-08	0.40	1.5E-07	1.8E-06	0.40	4.4E-06	3.7E-05	0.30	1.2E-04
Mercury	7439-97-6	6.7E-08	4.9E-07	7.3E-07	0.077	9.4E-06	3.9E-08	0.63	6.1E-08	1.1E-06	0.63	1.8E-06	2.4E-05	0.60	4.0E-05
Nickel	7440-02-0	1.3E-07	9.6E-07	1.4E-06	0.014	1.0E-04	7.5E-08	0.062	1.2E-06	2.2E-06	0.062	3.6E-05	4.6E-05	0.20	2.3E-04
Selenium	7782-49-2	7.4E-08	5.4E-07	8.0E-07		(5)	4.2E-08		(5)	1.2E-06		(5)	2.6E-05	2.00	1.3E-05
Ammonia	7664-41-7	2.7E-05	2.0E-04	2.9E-04	500	5.8E-07	1.5E-05	2,200	7.0E-09	4.5E-04	2,200	2.1E-07	9.5E-03	1,200	7.9E-06
Hydrochloric Acid	7647-01-0	6.3E-06	4.6E-05	6.8E-05	20.0	3.4E-06	3.6E-06	88.0	4.1E-08	1.1E-04	88.0	1.2E-06	2.2E-03	2,100	1.1E-06
Acetaldehyde	75-07-0	2.6E-05	1.9E-04	2.8E-04	140	2.0E-06	1.5E-05	620	2.4E-08	4.4E-04	620	7.2E-07	9.3E-03	470	2.0E-05
Acrolein	107-02-8	1.1E-06	8.3E-06	1.2E-05	0.35	3.5E-05	6.5E-07	1.50	4.4E-07	1.9E-05	1.50	1.3E-05	4.0E-04	6.90	5.9E-05
Benzene	71-43-2	6.3E-06	4.6E-05	6.8E-05	3.00	2.3E-05	3.6E-06	13.0	2.8E-07	1.1E-04	13.0	8.1E-06	2.2E-03	29.0	7.7E-05
1,3-Butadiene	106-99-0	7.3E-06	5.3E-05	7.9E-05	2.00	4.0E-05	4.2E-06	8.80	4.8E-07	1.2E-04	8.80	1.4E-05	2.6E-03	660	3.9E-06
Ethylbenzene	100-41-4	3.7E-07	2.7E-06	4.0E-06	260	1.5E-08	2.1E-07	1,100	1.9E-10	6.2E-06	1,100	5.6E-09	1.3E-04	22,000	5.9E-09
Formaldehyde	50-00-0	5.8E-05	4.2E-04	6.3E-04	9.00	7.0E-05	3.3E-05	40.0	8.3E-07	9.8E-04	40.0	2.4E-05	0.021	49.0	4.2E-04
Hexane	110-54-3	9.1E-07	6.6E-06	9.8E-06	700	1.4E-08	5.2E-07	3,100	1.7E-10	1.5E-05	3,100	4.9E-09	3.2E-04		(5)
Toluene	108-88-3	3.5E-06	2.6E-05	3.8E-05	5,000	7.7E-09	2.0E-06	22,000	9.2E-11	6.0E-05	22,000	2.7E-09	1.3E-03	7,500	1.7E-07
Xylenes (mixed isomers)	1330-20-7	1.4E-06	1.0E-05	1.5E-05	220	7.0E-08	8.2E-07	970	8.4E-10	2.4E-05	970	2.5E-08	5.0E-04	8,700	5.8E-08
PAHs	401	1.2E-06	8.9E-06	1.3E-05		(5)	7.0E-07		(5)	2.1E-05		(5)	4.3E-04		(5)
Benzo[a]pyrene	50-32-8	1.2E-09	8.8E-09	1.3E-08	2.0E-03	6.5E-06	6.9E-10	8.8E-03	7.8E-08	2.0E-08	8.8E-03	2.3E-06	4.3E-07	2.0E-03	2.1E-04
Naphthalene	91-20-3	6.6E-07	4.8E-06	7.2E-06	3.70	1.9E-06	3.8E-07	16.0	2.4E-08	1.1E-05	16.0	7.0E-07	2.3E-04	200	1.2E-06
DPM	200	1.1E-03	8.2E-03	0.012	5.00	2.4E-03	6.5E-04	22.0	2.9E-05	0.019	22.0	8.6E-04	0.40		(5)

Table 6-10
Production Scenario 2—L3RA Results for Significant TEUs-Chronic and Acute Noncancer Assessments
Hollingsworth & Vose Fiber Company—Corvallis, OR

		TAC Emis	ssion Rate				Ch	ronic Noncar	ncer				Λ.	outo Noncon	005
		(g	J/s)		Residential		No	nresidential C	hild	Non	residential W	orker	AC	cute Noncan	cer
Toxic Air Contaminant	CAS	Annual (1)	Maximum Daily ⁽²⁾	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index	Calculated Conc. ^(a) (ug/m³)	RBC ⁽³⁾ (ug/m³)	Hazard Index
Exposur	re Location (4)		•		1220	·		2			10103	•		10240	•
	Facility-Wide				0.2			<0.1			0.1			0.2	
EGEN2															
Cumulative TEU Risk						6.4E-03			1.7E-04			1.9E-03			7.0E-03
Dispersion Factor (µg/m3/[g/s	s])				15.5			2.96			33.1			188	
Arsenic	7440-38-2	3.8E-08	2.8E-07	5.9E-07	1.7E-04	3.5E-03	1.1E-07	2.4E-03	4.7E-05	1.3E-06	2.4E-03	5.2E-04	5.2E-05	0.20	2.6E-04
Cadmium	7440-43-9	3.6E-08	2.6E-07	5.5E-07	5.0E-03	1.1E-04	1.1E-07	0.037	2.8E-06	1.2E-06	0.037	3.2E-05	4.9E-05	0.030	1.6E-03
Chromium VI	18540-29-9	2.4E-09	1.7E-08	3.7E-08	0.083	4.4E-07	7.0E-09	0.88	8.0E-09	7.9E-08	0.88	8.9E-08	3.3E-06	0.30	1.1E-05
Copper	7440-50-8	9.7E-08	7.1E-07	1.5E-06		(5)	2.9E-07		(5)	3.2E-06		(5)	1.3E-04	100	1.3E-06
Lead	7439-92-1	2.0E-07	1.4E-06	3.1E-06	0.15	2.0E-05	5.8E-07	0.66	8.8E-07	6.5E-06	0.66	9.9E-06	2.7E-04	0.15	1.8E-03
Manganese	7439-96-5	7.4E-08	5.4E-07	1.1E-06	0.090	1.3E-05	2.2E-07	0.40	5.4E-07	2.4E-06	0.40	6.1E-06	1.0E-04	0.30	3.4E-04
Mercury	7439-97-6	4.7E-08	3.5E-07	7.4E-07	0.077	9.6E-06	1.4E-07	0.63	2.2E-07	1.6E-06	0.63	2.5E-06	6.5E-05	0.60	1.1E-04
Nickel	7440-02-0	9.3E-08	6.8E-07	1.4E-06	0.014	1.0E-04	2.7E-07	0.062	4.4E-06	3.1E-06	0.062	4.9E-05	1.3E-04	0.20	6.4E-04
Selenium	7782-49-2	5.2E-08	3.8E-07	8.1E-07		(5)	1.5E-07		(5)	1.7E-06		(5)	7.2E-05	2.00	3.6E-05
Ammonia	7664-41-7	1.9E-05	1.4E-04	3.0E-04	500	5.9E-07	5.6E-05	2,200	2.6E-08	6.3E-04	2,200	2.9E-07	0.026	1,200	2.2E-05
Hydrochloric Acid	7647-01-0	4.4E-06	3.2E-05	6.9E-05	20.0	3.4E-06	1.3E-05	88.0	1.5E-07	1.5E-04	88.0	1.7E-06	6.1E-03	2,100	2.9E-06
Acetaldehyde	75-07-0	1.9E-05	1.4E-04	2.9E-04	140	2.1E-06	5.5E-05	620	8.9E-08	6.2E-04	620	9.9E-07	0.026	470	5.4E-05
Acrolein	107-02-8	8.0E-07	5.9E-06	1.3E-05	0.35	3.6E-05	2.4E-06	1.50	1.6E-06	2.7E-05	1.50	1.8E-05	1.1E-03	6.90	1.6E-04
Benzene	71-43-2	4.4E-06	3.2E-05	6.9E-05	3.00	2.3E-05	1.3E-05	13.0	1.0E-06	1.5E-04	13.0	1.1E-05	6.1E-03	29.0	2.1E-04
1,3-Butadiene	106-99-0	5.2E-06	3.8E-05	8.0E-05	2.00	4.0E-05	1.5E-05	8.80	1.7E-06	1.7E-04	8.80	1.9E-05	7.1E-03	660	1.1E-05
Ethylbenzene	100-41-4	2.6E-07	1.9E-06	4.0E-06	260	1.5E-08	7.7E-07	1,100	7.0E-10	8.6E-06	1,100	7.8E-09	3.6E-04	22,000	1.6E-08
Formaldehyde	50-00-0	4.1E-05	3.0E-04	6.4E-04	9.00	7.1E-05	1.2E-04	40.0	3.0E-06	1.4E-03	40.0	3.4E-05	0.056	49.0	1.1E-03
Hexane	110-54-3	6.4E-07	4.7E-06	9.9E-06	700	1.4E-08	1.9E-06	3,100	6.1E-10	2.1E-05	3,100	6.8E-09	8.8E-04		(5)
Toluene	108-88-3	2.5E-06	1.8E-05	3.9E-05	5,000	7.8E-09	7.4E-06	22,000	3.4E-10	8.3E-05	22,000	3.8E-09	3.4E-03	7,500	4.6E-07
Xylenes (mixed isomers)	1330-20-7	1.0E-06	7.3E-06	1.6E-05	220	7.1E-08	3.0E-06	970	3.1E-09	3.3E-05	970	3.4E-08	1.4E-03	8,700	1.6E-07
PAHs	401	8.6E-07	6.3E-06	1.3E-05		(5)	2.5E-06		(5)	2.8E-05		(5)	1.2E-03		(5)
Benzo[a]pyrene	50-32-8	8.5E-10	6.2E-09	1.3E-08	2.0E-03	6.6E-06	2.5E-09	8.8E-03	2.9E-07	2.8E-08	8.8E-03	3.2E-06	1.2E-06	2.0E-03	5.8E-04
Naphthalene	91-20-3	4.7E-07	3.4E-06	7.3E-06	3.70	2.0E-06	1.4E-06	16.0	8.7E-08	1.5E-05	16.0	9.7E-07	6.4E-04	200	3.2E-06
DPM	200	8.0E-04	5.8E-03	0.012	5.00	2.5E-03	2.4E-03	22.0	1.1E-04	0.026	22.0	1.2E-03	1.09		(5)

Notes

References

g = gram; m³ = cubic meter; RBC = risk-based concentration; s = second; TEU = toxic emission unit; TAC - toxic air contaminant; ug = micrograms.

 $^{^{(}a)} \ \ Calculated \ concentration \ (\mu g/m^3) = (dispersion \ factor \ [\{\mu g/m^3\}/\{g/s\}]) \ x \ (TAC \ emission \ rate \ per \ TEU \ [g/s])$

⁽b) Risk (chances-in-1,000,000) = (calculated concentration $[\mu g/m^3]$) / (risk-based concentration $[\mu g/m^3]$)

⁽¹⁾ See Table 3-2, Annual TAC Emission Rates—Significant TEUs.

⁽²⁾ See Table 3-4, Daily TAC Emission Rates—Significant TEUs.

⁽³⁾ Oregon Administrative Rule 340-245-8010, Table 2.

 $^{^{(4)}}$ See Table 6-8, Production Scenario 2—Maximum Predicted Risk Exposure Location Per TEU.

⁽⁵⁾ TAC does not have an established RBC for this exposure category per Oregon Administrative Rule 340-245-8010 Table 2.



Table 6-11 List of TACs With No Published RBCs—Significant TEUs Hollingsworth & Vose Fiber Company—Corvallis, OR

TAC	CAS/DEQ ID	RBC? ⁽¹⁾ (Yes/No)
Barium	7440-39-3	No
Glasswool Fibers	352	No
Molybdenum trioxide	1313-27-5	No
Phosphorus	504	No
Zinc	7440-66-6	No
Zinc Oxide	1314-13-2	No

Notes

RBC = risk-based concentration.

TAC = toxic air contaminant.

References

(1) Oregon Administrative Rule 340-245-8010 Table 2.



Table 6-12 List of TACs With No Published RBCs—Gas Combustion TEUs Hollingsworth & Vose Fiber Company—Corvallis, OR

TAC	CAS/DEQ ID	RBC? ⁽¹⁾ (Yes/No)
Barium	7440-39-3	No
Molybdenum trioxide	1313-27-5	No
Zinc	7440-66-6	No

Notes

RBC = risk-based concentration.

TAC = toxic air contaminant.

References


⁽¹⁾ Oregon Administrative Rule 340-245-8010 Table 2.


Appendix B


Figures













BULKING AGENT

MAIN FIBER MANUFACTURING
ROUTE

CULLET ROUTE

GLASS PATTIES ROUTE

JRING (

GLASS FIBER

EMISSIONS TO ATMOSPHERE
(VENT OR STACK)

CFU DISCHARGE (THROUGH
FABRIC FILTER ON SUPER SACK)

FLAMEBLOWN FIBER PRODUCTION

ROTARY FIBERIZER

Figure 2-4 Process Flow Diagram - Glass Plant 2

Hollingsworth & Vose Fiber Company Corvallis, OR




Figure 4-1 Wind Rose for Corvallis, OR

Hollingsworth & Vose Fiber Company Corvallis, OR

Key Map



Wind rose graphics depict the direction the wind is blowing from, the percentage of hours, and the wind speed.

Meteorological data obtained from the DEQ-approved onsite monitoring tower that recorded data from January 1, 2017 through January 1, 2018. The 1-year onsite meteorological dataset was processed using the AERMET meteorological data preprocessor.

mph = miles per hour.





This product is for informational purposes and may not have been prepared for, or be suitable for legal, engineering, or surveying purposes. Users of this information should review or consult the primary data and information sources to ascertain the usability of the information. \mathbb{C} 2024 Maul Foster & Alongi, Inc.







