

From: [DEGAGNE Julia * DEQ](#)
To: [Nipp,Steve](#); [Jesse Gonzalez](#); [Hahn,Jeffrey](#); [Terry D. Coble](#)
Cc: [Walsh,Joseph](#); [GISKA JR * DEQ](#); [EISELE Michael * DEQ](#); [LOBOY Zach * DEQ](#); [Baker,Christopher](#); [Bobe,Elizabeth](#)
Subject: RE: Reworld (Previously Covanta) - DEQ comments on Modeling Protocol and Risk Assessment Workplan
Date: Thursday, May 1, 2025 4:14:00 PM
Attachments: [image001.png](#)
[image002.png](#)
[image003.png](#)

Hello Steve,

Based on your April 22, 2025, letter to Mike Eisele we understand that Reworld has formally requested to begin the process of terminating its Title V permit. As we discussed on April 18, at this time DEQ will not require Reworld to submit a response to CAO's March 6, 2025, letter, in anticipation of the facility's decommission and permit termination. If for any reason, Reworld withdraws its request to terminate its Title V operating permit, a response to the CAO program will be required.

Please let me know if you have any questions.

Sincerely,



Julia DeGagné, P.E. (she/her)
Cleaner Air Oregon Project Engineer
Oregon Department of Environmental Quality
700 NE Multnomah St. Ste 600
Portland, OR 97232
Cell: 503-866-9643
