

From: [SCHATZ Jeff * DEQ](#)
To: ["Bialobok, Thomas"; DIGIUSTINO Rebecca * DEQ](#)
Cc: [Doug Hall](#); [Brian Hoyman](#); [Burmeister, Loren D](#); [Wheeler, Christina](#); [Dolan, Cristin](#)
Subject: RE: Response to comments letter and revised PCB report
Date: Sunday, October 5, 2025 10:36:00 AM

Tom-

The Department of Environmental Quality (DEQ) has reviewed the Response to Comment and the revised PCB Assessment Report for the SMP Terminal. The responses to DEQ's comments and the revised PCB Assessment Report are acceptable and approved.

Please let me know if you have questions.

Regards,

Jeffrey K. Schatz, R.G.
Project Manager/Hydrogeologist
Northwest Region Cleanup Program
Department of Environmental Quality
700 NE Mulnomah Street, Suite 600
Portland, OR 97232
jeff.schatz@deq.oregon.gov
503-863-0810

From: Bialobok, Thomas <Thomas.Bialobok@aecom.com>
Sent: Friday, October 3, 2025 10:23 AM
To: SCHATZ Jeff * DEQ <jeff.schatz@deq.oregon.gov>; DIGIUSTINO Rebecca * DEQ <rebecca.digiustino@deq.oregon.gov>
Cc: Doug Hall <dhall@transmontaigne.com>; Brian Hoyman <bhoyman@transmontaigne.com>; Burmeister, Loren D <loren.burmeister@bp.com>; Wheeler, Christina <Christina.Wheeler@aecom.com>; Dolan, Cristin <Cristin.Dolan@aecom.com>
Subject: Response to comments letter and revised PCB report

Good afternoon, Jeff and Rebecca,

Please find attached the Response to Comments Letter to you letter dated August 27, 2025. Also attached is a revised copy of the PCB Assessment Report for the Seaport

Marine Partners terminal located at 9930 St Helens Road in Portland Oregon. Please let us know if you have any questions or comments.

Have a great weekend,

Thomas J. Bialobok
Program Manager / Geologist
AECOM

C 713.213.6355
thomas.bialobok@aecom.com