

## CHAIN OF CUSTODY

		3051 Fujita St., Torrance, CA 90505 Tel #: 310-618-8889 FAX#: 310-618-0818 Email: info@emaxlabs.com			PO NUMBER:			EMAX CONTROL NO.					
		SAMPLE STORAGE:			PROJECT CODE:								
CLIENT				MATRIX CODE		PRESERVATIVE CODE		ANALYSIS REQUIRED			TAT		
PROJECT <i>Northwest Pipe Company</i>				DW=Drinking Water		IC=Ice		<div style="display: flex; justify-content: space-around;"> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">8260 SIM LL</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">RSK 175</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">SIM 5310B</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">EPA 300.0</div> <div style="writing-mode: vertical-rl; transform: rotate(180deg);">E353.2</div> </div>			<input type="checkbox"/> Rush _24_hrs. <input type="checkbox"/> Rush _48_hrs <input type="checkbox"/> Rush _72_hrs <input type="checkbox"/> 7 days <input type="checkbox"/> 14 days <input type="checkbox"/> 21 days		
COORDINATOR <i>Brandon Jones Stanley</i>				GW=Ground Water		HC=HCl							
TEL <i>541-760-7130</i>				WW=Waste Water		HN=HNO3							
SEND REPORT TO <i>Brandon.Jones-Stanley@jacobs.com</i>				SD=Solid Waste SL=Sludge		SH=NaOH							
COMPANY <i>Jacobs Engineering</i>				SS=Soil/Sediment		ST=Na2S2O3							
ADDRESS <i>2020 SW 4th Ave, Portland OR 97201</i>				WP=Wipes PP=Pure Products		ZA=Zinc Acetate							
EMAX PM:				AR=Air		HS=H2SO4							
				O=									
SAMPLE ID			SAMPLING			CONTAINER		MATRIX CODE		PRESERVATIVE CODE		COMMENTS	
LAB	CLIENT	LOCATION	DATE	TIME	NO.	SIZE	TYPE	QC					
1	<i>TB01-051424</i>		<i>5/14/24</i>	<i>0800</i>	<i>3</i>				<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>
2	<i>TYS MW09-051424-0</i>		<i>5/14/24</i>	<i>1005</i>	<i>8</i>			<i>GW</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>
3	<i>TYS MW03-051424-0</i>		<i>5/14/24</i>	<i>1140</i>	<i>8</i>			<i>GW</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>
4	<i>MW10-051424-0</i>		<i>5/14/24</i>	<i>1400</i>	<i>8</i>			<i>GW</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>
5	<i>MW11-051424-0</i>		<i>5/14/24</i>	<i>1535</i>	<i>8</i>			<i>GW</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>	<i>X</i>
6													
7													
8													
9													
10													
Instructions										Cooler #	Temp. (°C)	Sample #s	
SAMPLER					COURIER/AIRBILL								
RELINQUISHED BY			Date	Time	RECEIVED BY								
<i>Calob Torgerson</i>			<i>5/14/24</i>	<i>1700</i>									
NOTICE: Turn-around-time (TAT) for samples shall not begin until all discrepancies have been resolved. For samples received and discrepancies resolved after 1500 hrs, TAT shall start at 0800 hrs the next business day. The client is responsible for all cost associated with sample disposal. Samples shall be disposed of as soon as practical (but not prior to fifteen (15) calendar days) after issuance of analytical report unless a different sample disposal schedule is pre-arranged with EMAX. Disposal fee for samples defined by CA Title 22 as non-hazardous shall be \$5.00 per sample. EMAX will return hazardous samples to the client at the client's expense unless directed in writing otherwise.													