

# Analytical Report for Northwest Pipe

ASL Report #: R2499


Project ID: 682722.GW.05

**Attn: Gretchen Gee**

cc:

Jamie.beckett@ch2m.com

Authorized and Released By:



Laboratory Project Manager

Kathy McKinley

541.243.0974

August 08, 2017

All analyses performed by TestAmerica ASL are clearly indicated. Any subcontracted analyses are included as appended reports as received from the subcontracted laboratory. The results included in this report only relate to the samples listed on the following Sample Cross-Reference page. This report shall not be reproduced except in full, without the written approval of the laboratory.

Any unusual difficulties encountered during the analysis of your samples are discussed in the attached case narratives.



Accredited in accordance with NELAP:  
Oregon (100022)

**Sample Receipt Comments**

We certify that the test results meet all NELAP requirements.

**Sample Cross-Reference**

<b>Sample ID</b>	<b>Client Sample ID</b>	<b>Date/Time Collected</b>	<b>Date Received</b>
R249901	TRIPBLANK-072617-02	07/26/17 08:00	07/27/17
R249902	MW-04-072617-0	07/26/17 08:10	07/27/17
R249903	TS41MW-23-072617-0	07/26/17 10:00	07/27/17
R249904	TS41MW-22-072617-0	07/26/17 11:15	07/27/17
R249905	MW-01-072617-0	07/26/17 12:40	07/27/17

**CASE NARRATIVE  
GC/MS VOLATILES ANALYSIS**

**Project:** Northwest Pipe

**ASL SDG#:** R2499

---

With the exceptions noted as flags, footnotes, or detailed in the section below; standard operating procedures were followed in the analysis of the samples and no problems were encountered or anomalies observed.

All laboratory quality control samples were within established control limits, with any exceptions noted below, or in the associated QC summary forms.

Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. For diluted samples, the reporting limits are adjusted for the dilution required.

Calculations are performed before rounding to minimize errors in calculated values.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the section below, or in the sample receipt documentation.

**Method(s):**  
SW8260C: SW5030

# TestAmerica ASL

Client Information				Lab Information			
<b>Client Sample ID: MW-04-072617-0</b>				<b>Lab Sample ID: R249902</b>			
Project Name: Northwest Pipe				Date Received: 07/27/2017			
Sample Date: 07/26/2017				Dilution Factor: 10			
Sample Time: 08:10				Report Revision No.: 0			
Type: Grab							
Matrix: Water							

Analyte	CAS#	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC/MS Volatiles</b>								
Vinyl Chloride	75-01-4	1.50	5.00	9.43		ug/L	SW8260C	07/28/2017
cis-1,2-Dichloroethene	156-59-2	1.50	5.00	137		ug/L	SW8260C	07/28/2017
Trichloroethene (TCE)	79-01-6	1.50	5.00	35.4		ug/L	SW8260C	07/28/2017
Tetrachloroethene (PCE)	127-18-4	1.50	5.00	18.5		ug/L	SW8260C	07/28/2017

Surrogate	% Recovery	Control Limits	Qualifier
Dibromofluoromethane	102	70-130	
1,2-Dichloroethane-d4	109	70-130	
Toluene-d8	100	70-130	
4-Bromofluorobenzene	96	70-130	

U=Not detected and reported as less than detection limit  
 J=Estimated value below reporting limit  
 E=Estimated value above calibration range  
 \*=See case narrative  
 B=Analyte detected in blank

# TestAmerica ASL

Client Information				Lab Information			
Client Sample ID: MW-01-072617-0				Lab Sample ID: R249905			
Project Name: Northwest Pipe				Date Received: 07/27/2017			
Sample Date: 07/26/2017				Dilution Factor: 10			
Sample Time: 12:40				Report Revision No.: 0			
Type: Grab							
Matrix: Water							

Analyte	CAS#	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC/MS Volatiles</b>								
Vinyl Chloride	75-01-4	1.50	5.00	8.51		ug/L	SW8260C	07/28/2017
cis-1,2-Dichloroethene	156-59-2	1.50	5.00	174		ug/L	SW8260C	07/28/2017
Trichloroethene (TCE)	79-01-6	1.50	5.00	26.7		ug/L	SW8260C	07/28/2017
Tetrachloroethene (PCE)	127-18-4	1.50	5.00	197		ug/L	SW8260C	07/28/2017

Surrogate	% Recovery	Control Limits	Qualifier
Dibromofluoromethane	101	70-130	
1,2-Dichloroethane-d4	108	70-130	
Toluene-d8	99	70-130	
4-Bromofluorobenzene	95	70-130	

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information				Lab Information			
Client Sample ID: WB1-0728				Lab Sample ID: WB1-0728			
Project Name: Northwest Pipe				Date Received: N/A			
Sample Date: N/A				Dilution Factor: 1			
Sample Time: N/A				Report Revision No.: 0			
Type: QC							
Matrix: Water							

Analyte	CAS#	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC/MS Volatiles</b>								
Vinyl Chloride	75-01-4	0.15	0.50	0.15	U	ug/L	SW8260C	07/28/2017
cis-1,2-Dichloroethene	156-59-2	0.15	0.50	0.15	U	ug/L	SW8260C	07/28/2017
Trichloroethene (TCE)	79-01-6	0.15	0.50	0.15	U	ug/L	SW8260C	07/28/2017
Tetrachloroethene (PCE)	127-18-4	0.15	0.50	0.15	U	ug/L	SW8260C	07/28/2017

Surrogate	% Recovery	Control Limits	Qualifier
Dibromofluoromethane	105	70-130	
1,2-Dichloroethane-d4	112	70-130	
Toluene-d8	105	70-130	
4-Bromofluorobenzene	97	70-130	

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information		Lab Information	
Project Name: Northwest Pipe		LCS ID: BS1W0728	
Type: QC		Report Revision No.: 0	
Matrix: Water		Dilution Factor: 1	

Analyte	CAS#	Spike Amount	Sample Result	Units	%Recovery	Analysis Method	Date Analyzed
<b>GC/MS Volatiles</b>							
Vinyl Chloride	75-01-4	20.0	19.8	ug/L	99	SW8260C	07/28/2017
cis-1,2-Dichloroethene	156-59-2	20.0	19.5	ug/L	98	SW8260C	07/28/2017
Trichloroethene (TCE)	79-01-6	20.0	18.2	ug/L	91	SW8260C	07/28/2017
Tetrachloroethene (PCE)	127-18-4	20.0	18.3	ug/L	92	SW8260C	07/28/2017

Surrogate	% Recovery	Control Limits	Qualifier
Dibromofluoromethane	99	70-130	
1,2-Dichloroethane-d4	102	70-130	
Toluene-d8	101	70-130	
4-Bromofluorobenzene	98	70-130	

U=Not detected and reported as less than detection limit  
 J=Estimated value below reporting limit  
 E=Estimated value above calibration range  
 \*=See case narrative

**CASE NARRATIVE  
GC/MS VOLATILES ANALYSIS**

**Project:** Northwest Pipe

**ASL SDG#:** R2499

---

With the exceptions noted as flags, footnotes, or detailed in the section below; standard operating procedures were followed in the analysis of the samples and no problems were encountered or anomalies observed.

All laboratory quality control samples were within established control limits, with any exceptions noted below, or in the associated QC summary forms.

Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. For diluted samples, the reporting limits are adjusted for the dilution required.

Calculations are performed before rounding to minimize errors in calculated values.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the section below, or in the sample receipt documentation.

**Method(s):**

SW8260C-SIM: SW5030

# TestAmerica ASL

Client Information				Lab Information			
<b>Client Sample ID: TRIPBLANK-072617-02</b>				<b>Lab Sample ID: R249901</b>			
Project Name: Northwest Pipe				Date Received: 07/27/17			
Sample Date: 07/26/17				Dilution Factor: 1			
Sample Time: 08:00				Report Revision No.: 0			
Type: Grab							
Matrix: Water							

Analyte	CAS#	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC/MS Volatiles</b>								
Vinyl Chloride	75-01-4	8.00	20.0	8.00	U	ng/L	SW8260C-SI	07/31/17
Tetrachloroethene (PCE)	127-18-4	5.00	20.0	5.00	U	ng/L	SW8260C-SI	07/31/17

Surrogate	% Recovery	Control Limits	Qualifier
Dibromofluoromethane	114	70-130	
1,2-Dichloroethane-d4	111	70-130	
Toluene-d8	91	70-130	
4-Bromofluorobenzene	123	70-130	

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information				Lab Information			
Client Sample ID: TS41MW-23-072617-0				Lab Sample ID: R249903			
Project Name: Northwest Pipe				Date Received: 07/27/17			
Sample Date: 07/26/17				Dilution Factor: 1			
Sample Time: 10:00				Report Revision No.: 0			
Type: Grab							
Matrix: Water							

Analyte	CAS#	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC/MS Volatiles</b>								
Vinyl Chloride	75-01-4	8.00	20.0	8.00	U	ng/L	SW8260C-SI	07/31/17
Tetrachloroethene (PCE)	127-18-4	5.00	20.0	1210		ng/L	SW8260C-SI	07/31/17

Surrogate	% Recovery	Control Limits	Qualifier
Dibromofluoromethane	126	70-130	
1,2-Dichloroethane-d4	123	70-130	
Toluene-d8	94	70-130	
4-Bromofluorobenzene	127	70-130	

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information				Lab Information			
Client Sample ID: TS41MW-22-072617-0				Lab Sample ID: R249904			
Project Name: Northwest Pipe				Date Received: 07/27/17			
Sample Date: 07/26/17				Dilution Factor: 1			
Sample Time: 11:15				Report Revision No.: 0			
Type: Grab							
Matrix: Water							

Analyte	CAS#	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC/MS Volatiles</b>								
Vinyl Chloride	75-01-4	8.00	20.0	63.8		ng/L	SW8260C-SI	07/31/17
Tetrachloroethene (PCE)	127-18-4	5.00	20.0	1710		ng/L	SW8260C-SI	07/31/17

Surrogate	% Recovery	Control Limits	Qualifier
Dibromofluoromethane	120	70-130	
1,2-Dichloroethane-d4	119	70-130	
Toluene-d8	90	70-130	
4-Bromofluorobenzene	122	70-130	

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information				Lab Information			
<b>Client Sample ID: WB1-0731</b>				<b>Lab Sample ID: WB1-0731</b>			
Project Name: Northwest Pipe				Date Received: N/A			
Sample Date: N/A				Dilution Factor: 1			
Sample Time: N/A				Report Revision No.: 0			
Type: QC							
Matrix: Water							

Analyte	CAS#	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC/MS Volatiles</b>								
Vinyl Chloride	75-01-4	8.00	20.0	8.00	U	ng/L	SW8260C-SI	07/31/17
Tetrachloroethene (PCE)	127-18-4	5.00	20.0	5.00	U	ng/L	SW8260C-SI	07/31/17

Surrogate	% Recovery	Control Limits	Qualifier
Dibromofluoromethane	112	70-130	
1,2-Dichloroethane-d4	109	70-130	
Toluene-d8	89	70-130	
4-Bromofluorobenzene	122	70-130	

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information		Lab Information	
Project Name: Northwest Pipe		LCS ID: BS1W0731	
Type: QC		Report Revision No.: 0	
Matrix: Water		Dilution Factor: 1	

Analyte	CAS#	Spike Amount	Sample Result	Units	%Recovery	Analysis Method	Date Analyzed
<b>GC/MS Volatiles</b>							
Vinyl Chloride	75-01-4	250	213	ng/L	85	SW8260C-SIM	07/31/17
Tetrachloroethene (PCE)	127-18-4	250	223	ng/L	89	SW8260C-SIM	07/31/17

Surrogate	% Recovery	Control Limits	Qualifier
Dibromofluoromethane	110	70-130	
1,2-Dichloroethane-d4	109	70-130	
Toluene-d8	93	70-130	
4-Bromofluorobenzene	125	70-130	

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

**CASE NARRATIVE  
GC/MS VOLATILES ANALYSIS**

**Project:** Northwest Pipe

**ASL SDG#:** R2499

---

With the exceptions noted as flags, footnotes, or detailed in the section below; standard operating procedures were followed in the analysis of the samples and no problems were encountered or anomalies observed.

All laboratory quality control samples were within established control limits, with any exceptions noted below, or in the associated QC summary forms.

Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. For diluted samples, the reporting limits are adjusted for the dilution required.

Calculations are performed before rounding to minimize errors in calculated values.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the section below, or in the sample receipt documentation.

**Method(s):**  
SW8260C: SW5030

# TestAmerica ASL

Client Information				Lab Information			
<b>Client Sample ID: TRIPBLANK-072617-02</b>				<b>Lab Sample ID: R249901</b>			
Project Name: Northwest Pipe				Date Received: 07/27/17			
Sample Date: 07/26/17				Dilution Factor: 1			
Sample Time: 08:00				Report Revision No.: 0			
Type: Grab							
Matrix: Water							

Analyte	CAS#	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC/MS Volatiles</b>								
cis-1,2-Dichloroethene	156-59-2	0.15	0.50	0.15	U	ug/L	SW8260C	07/28/17
Trichloroethene (TCE)	79-01-6	0.15	0.50	0.15	U	ug/L	SW8260C	07/28/17

Surrogate	% Recovery	Control Limits	Qualifier
Dibromofluoromethane	100	70-130	
1,2-Dichloroethane-d4	106	70-130	
Toluene-d8	98	70-130	
4-Bromofluorobenzene	90	70-130	

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information	Lab Information
Client Sample ID: TS41MW-23-072617-0	Lab Sample ID: R249903
Project Name: Northwest Pipe	Date Received: 07/27/17
Sample Date: 07/26/17	Dilution Factor: 1
Sample Time: 10:00	Report Revision No.: 0
Type: Grab	
Matrix: Water	

Analyte	CAS#	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC/MS Volatiles</b>								
cis-1,2-Dichloroethene	156-59-2	0.15	0.50	0.15	U	ug/L	SW8260C	07/28/17
Trichloroethene (TCE)	79-01-6	0.15	0.50	0.29	J	ug/L	SW8260C	07/28/17

Surrogate	% Recovery	Control Limits	Qualifier
Dibromofluoromethane	89	70-130	
1,2-Dichloroethane-d4	96	70-130	
Toluene-d8	98	70-130	
4-Bromofluorobenzene	100	70-130	

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information				Lab Information			
<b>Client Sample ID: TS41MW-22-072617-0</b>				<b>Lab Sample ID: R249904</b>			
Project Name: Northwest Pipe				Date Received: 07/27/17			
Sample Date: 07/26/17				Dilution Factor: 1			
Sample Time: 11:15				Report Revision No.: 0			
Type: Grab							
Matrix: Water							

Analyte	CAS#	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC/MS Volatiles</b>								
cis-1,2-Dichloroethene	156-59-2	0.15	0.50	3.78		ug/L	SW8260C	07/28/17
Trichloroethene (TCE)	79-01-6	0.15	0.50	3.00		ug/L	SW8260C	07/28/17

Surrogate	% Recovery	Control Limits	Qualifier
Dibromofluoromethane	97	70-130	
1,2-Dichloroethane-d4	104	70-130	
Toluene-d8	98	70-130	
4-Bromofluorobenzene	93	70-130	

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information				Lab Information			
<b>Client Sample ID: WB1-0728</b>				<b>Lab Sample ID: WB1-0728</b>			
Project Name: Northwest Pipe				Date Received: N/A			
Sample Date: N/A				Dilution Factor: 1			
Sample Time: N/A				Report Revision No.: 0			
Type: QC							
Matrix: Water							

Analyte	CAS#	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC/MS Volatiles</b>								
cis-1,2-Dichloroethene	156-59-2	0.15	0.50	0.15	U	ug/L	SW8260C	07/28/17
Trichloroethene (TCE)	79-01-6	0.15	0.50	0.15	U	ug/L	SW8260C	07/28/17

Surrogate	% Recovery	Control Limits	Qualifier
Dibromofluoromethane	105	70-130	
1,2-Dichloroethane-d4	112	70-130	
Toluene-d8	105	70-130	
4-Bromofluorobenzene	97	70-130	

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information		Lab Information	
Project Name: Northwest Pipe		LCS ID: BS1W0728	
Type: QC		Report Revision No.: 0	
Matrix: Water		Dilution Factor: 1	

Analyte	CAS#	Spike Amount	Sample Result	Units	%Recovery	Analysis Method	Date Analyzed
<b>GC/MS Volatiles</b>							
cis-1,2-Dichloroethene	156-59-2	20.0	19.5	ug/L	98	SW8260C	07/28/17
Trichloroethene (TCE)	79-01-6	20.0	18.2	ug/L	91	SW8260C	07/28/17

Surrogate	% Recovery	Control Limits	Qualifier
Dibromofluoromethane	99	70-130	
1,2-Dichloroethane-d4	102	70-130	
Toluene-d8	101	70-130	
4-Bromofluorobenzene	98	70-130	

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

**CASE NARRATIVE  
HEADSPACE ANALYSIS**

**Project:** Northwest Pipe

**ASL SDG#:** R2499

---

With the exceptions noted as flags, footnotes, or detailed in the section below; standard operating procedures were followed in the analysis of the samples and no problems were encountered or anomalies observed.

All laboratory quality control samples were within established control limits, with any exceptions noted below, or in the associated QC summary forms.

Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. For diluted samples, the reporting limits are adjusted for the dilution required.

Calculations are performed before rounding to minimize errors in calculated values.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the section below, or in the sample receipt documentation.

**Method(s):**  
RSK-175

# TestAmerica ASL

Client Information					Lab Information				
Client Sample ID: MW-04-072617-0					Lab Sample ID: R249902				
Project Name: Northwest Pipe					Date Received: 07/27/17				
Sample Date: 07/26/17					Report Revision No: 0				
Sample Time: 08:10									
Type: Grab									
Matrix: Water									

Analyte	CAS#	Dilution Factor	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC Volatiles</b>									
Methane	74-82-8	1	5.49	44.0	1780		ug/L	RSK-175	07/28/17
Carbon dioxide	124-38-9	1	37.6	227	82900		ug/L	RSK-175	07/28/17

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information	Lab Information
Client Sample ID: TS41MW-23-072617-0	Lab Sample ID: R249903
Project Name: Northwest Pipe	Date Received: 07/27/17
Sample Date: 07/26/17	Report Revision No: 0
Sample Time: 10:00	
Type: Grab	
Matrix: Water	

Analyte	CAS#	Dilution Factor	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC Volatiles</b>									
Methane	74-82-8	1	5.98	48.0	19.6	J	ug/L	RSK-175	07/28/17
Carbon dioxide	124-38-9	1	38.7	234	27500		ug/L	RSK-175	07/28/17

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information					Lab Information				
Client Sample ID: TS41MW-22-072617-0					Lab Sample ID: R249904				
Project Name: Northwest Pipe					Date Received: 07/27/17				
Sample Date: 07/26/17					Report Revision No: 0				
Sample Time: 11:15									
Type: Grab									
Matrix: Water									

Analyte	CAS#	Dilution Factor	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC Volatiles</b>									
Methane	74-82-8	1	5.26	42.2	15.4	J	ug/L	RSK-175	07/28/17
Carbon dioxide	124-38-9	1	37.1	224	60000		ug/L	RSK-175	07/28/17

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information	Lab Information
Client Sample ID: MW-01-072617-0	Lab Sample ID: R249905
Project Name: Northwest Pipe	Date Received: 07/27/17
Sample Date: 07/26/17	Report Revision No: 0
Sample Time: 12:40	
Type: Grab	
Matrix: Water	

Analyte	CAS#	Dilution Factor	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC Volatiles</b>									
Methane	74-82-8	1	5.08	40.7	177		ug/L	RSK-175	07/28/17
Carbon dioxide	124-38-9	1	36.7	222	103000		ug/L	RSK-175	07/28/17

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information					Lab Information				
Project Name: Northwest Pipe					Method Blank ID: XB1-0728				
Sample Date: N/A					Date Received: N/A				
Sample Time: N/A					Report Revision No: 0				
Type: QC									
Matrix: Water									

Analyte	CAS#	Dilution Factor	DL	RL	Sample Result	Qualifier	Units	Analysis Method	Date Analyzed
<b>GC Volatiles</b>									
Methane	74-82-8	1	14.3	114	14.3	U	ug/L	RSK-175	07/28/17
Carbon dioxide	124-38-9	1	56.6	342	56.6	U	ug/L	RSK-175	07/28/17

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information	Lab Information
Project Name: Northwest Pipe Type: QC Matrix: Water	LCS ID: BS1X0728 Report Revision No.: 0 Dilution Factor: 1

Analyte	CAS#	Spike Amount	Sample Result	Units	%Recovery	Analysis Method	Date Analyzed
<b>GC Volatiles</b>							
Methane	74-82-8	593	605	ug/L	102	RSK-175	07/28/17
Carbon dioxide	124-38-9	3180	3210	ug/L	101	RSK-175	07/28/17

U=Not detected and reported as less than detection limit  
J=Estimated value below reporting limit  
E=Estimated value above calibration range  
\*=See case narrative

**CASE NARRATIVE  
METALS ANALYSIS**

**Project:** Northwest Pipe

**ASL SDG#:** R2499

---

With the exceptions noted as flags, footnotes, or detailed in the section below; standard operating procedures were followed in the analysis of the samples and no problems were encountered or anomalies observed.

All laboratory quality control samples were within established control limits, with any exceptions noted below, or in the associated QC summary forms.

Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. For diluted samples, the reporting limits are adjusted for the dilution required.

Calculations are performed before rounding to minimize errors in calculated values.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the section below, or in the sample receipt documentation.

**Method(s):**

E200.7: FLDFLT

# TestAmerica ASL

Client Information				Lab Information			
Project Name: Northwest Pipe				Lab Batch ID: R2499			
Date Received: 07/27/17				Report Revision No.: 0			
Type: See C.O.C.							
Matrix: Water							

Client Sample ID	Lab Sample ID	Dilution Factor	DL	RL	Result	Qual	Units	Date Analyzed
<b>Iron: E200.7</b>								
<b>Dissolved Metals</b>								
MW-04-072617-0	R249902F	1	10.0	100	10000		ug/L	08/02/17
TS41MW-23-072617-0	R249903F	1	10.0	100	110		ug/L	08/02/17
TS41MW-22-072617-0	R249904F	1	10.0	100	10.0	U	ug/L	08/02/17
MW-01-072617-0	R249905F	1	10.0	100	10.0	U	ug/L	08/02/17
<b>Total Metals</b>								
WB10-0802	WB10-0802	1	10.0	100	10.0	U	ug/L	08/02/17

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information	Lab Information
Project Name: Northwest Pipe Type: QC Matrix: Water	Blank Spike ID: BS10W0802 Report Revision No: 0 Dilution Factor: 1

Analyte	Spike Amount	Result	Units	%Recovery	Analysis Method	Prep Method	Date Analyzed
<b>Metals</b>							
Iron	50000	51300	ug/L	103	E200.7	E200.2	08/02/17

U=Not detected and report as less than detection limit  
J=Estimated value below reporting limit  
E=Estimated value above calibration range  
\*=See case narrative

**CASE NARRATIVE  
GENERAL CHEMISTRY ANALYSIS**

**Project:** Northwest Pipe

**ASL SDG#:** R2499

---

With the exceptions noted as flags, footnotes, or detailed in the section below; standard operating procedures were followed in the analysis of the samples and no problems were encountered or anomalies observed.

All laboratory quality control samples were within established control limits, with any exceptions noted below, or in the associated QC summary forms.

Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. For diluted samples, the reporting limits are adjusted for the dilution required.

Calculations are performed before rounding to minimize errors in calculated values.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the section below, or in the sample receipt documentation.

**Method(s):**  
E300.0A

# TestAmerica ASL

Client Information		Lab Information	
<b>Project Name: Northwest Pipe</b>		<b>Lab Batch ID: R2499</b>	
Date Received: 07/27/17		Analysis Method: E300.0A	
Type: See C.O.C.		Units: mg/L	
Matrix: Water		Report Revision No.: 0	

Client Sample ID	Lab Sample ID	Dilution Factor	DL	Chloride RL	Result	Qualifier	Date Analyzed
<b>General Chemistry</b>							
MW-04-072617-0	R249902	1	0.020	0.20	4.10		08/03/17
TS41MW-23-072617-0	R249903	1	0.020	0.20	4.07		08/03/17
TS41MW-22-072617-0	R249904	1	0.020	0.20	4.78		08/03/17
MW-01-072617-0	R249905	5	0.10	1.00	5.29		08/03/17
WB1-0803	WB1-0803	1	0.020	0.20	0.096	J	08/03/17

U=Not detected and reported as less than detection limit  
 J=Estimated value below reporting limit  
 E=Estimated value above calibration range  
 \*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information		Lab Information	
<b>Project Name:</b> Northwest Pipe		<b>Lab Batch ID:</b> R2499	
Date Received: 07/27/17		Analysis Method: E300.0A	
Type: See C.O.C.		Units: mg/L	
Matrix: Water		Report Revision No.: 0	

Client Sample ID	Lab Sample ID	Dilution Factor	DL	RL	Sulfate Result	Qualifier	Date Analyzed
<b>General Chemistry</b>							
MW-04-072617-0	R249902	1	0.040	0.20	2.55		08/03/17
TS41MW-23-072617-0	R249903	1	0.040	0.20	4.83		08/03/17
TS41MW-22-072617-0	R249904	1	0.040	0.20	7.90		08/03/17
MW-01-072617-0	R249905	5	0.20	1.00	29.3		08/03/17
WB1-0803	WB1-0803	1	0.040	0.20	0.040	U	08/03/17

U=Not detected and reported as less than detection limit  
 J=Estimated value below reporting limit  
 E=Estimated value above calibration range  
 \*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information				Lab Information			
Project Name: Northwest Pipe Type: QC Matrix: Water				Lab Batch ID: R2499 Report Revision No.: 0			

LCS ID	Analyte	Spike Amount	Sample Result	Units	% Recovery	Analysis Method	Date Analyzed
<b>General Chemistry</b>							
BS1W0803	Chloride	5.00	5.11	mg/L	102	E300.0A	08/03/17
BS1W0803	Sulfate	5.00	4.87	mg/L	97	E300.0A	08/03/17

U=Not detected and reported as less than detection limit  
J=Estimated value below reporting limit  
E=Estimated value above calibration range  
\*=See case narrative

**CASE NARRATIVE  
GENERAL CHEMISTRY ANALYSIS**

**Project:** Northwest Pipe

**ASL SDG#:** R2499

---

With the exceptions noted as flags, footnotes, or detailed in the section below; standard operating procedures were followed in the analysis of the samples and no problems were encountered or anomalies observed.

All laboratory quality control samples were within established control limits, with any exceptions noted below, or in the associated QC summary forms.

Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. For diluted samples, the reporting limits are adjusted for the dilution required.

Calculations are performed before rounding to minimize errors in calculated values.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the section below, or in the sample receipt documentation.

**Method(s):**

E353.2

**Matrix Spike/Matrix Spike Duplicate(s):**

E353.2: The matrix spike/matrix spike duplicate recoveries for Nitrate/Nitrite-N were outside acceptance criteria because the analyte concentration in sample MW-01-072617-0 was significantly higher than the added spike concentrations.

# TestAmerica ASL

Client Information		Lab Information	
<b>Project Name:</b> Northwest Pipe		<b>Lab Batch ID:</b> R2499	
Date Received: 07/27/17		Analysis Method: E353.2	
Type: See C.O.C.		Units: mg/L	
Matrix: Water		Report Revision No.: 0	

Client Sample ID	Lab Sample ID	Dilution Factor	DL	Nitrate-N RL	Result	Qualifier	Date Analyzed
<b>General Chemistry</b>							
MW-04-072617-0	R249902	1	0.0028	0.010	0.023		07/27/17 16:35
TS41MW-23-072617-0	R249903	1	0.0028	0.010	0.36		07/27/17 16:37
TS41MW-22-072617-0	R249904	1	0.0028	0.010	0.36		07/27/17 16:38
MW-01-072617-0	R249905	31	0.085	0.31	4.22		07/27/17 17:09
WB1-072717	WB1-072717	1	0.0028	0.010	0.0028	U	07/27/17

U=Not detected and reported as less than detection limit  
 J=Estimated value below reporting limit  
 E=Estimated value above calibration range  
 \*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information				Lab Information			
Project Name: Northwest Pipe				Lab Batch ID: R2499			
Date Received: 07/27/17				Analysis Method: E353.2			
Type: See C.O.C.				Units: mg/L			
Matrix: Water				Report Revision No.: 0			

Client Sample ID	Lab Sample ID	Dilution Factor	DL	Nitrite-N RL	Result	Qualifier	Date Analyzed
<b>General Chemistry</b>							
MW-04-072617-0	R249902	1	0.0030	0.010	0.0087	J	07/27/17 16:12
TS41MW-23-072617-0	R249903	1	0.0030	0.010	0.0030	U	07/27/17 16:13
TS41MW-22-072617-0	R249904	1	0.0030	0.010	0.0030	U	07/27/17 16:13
MW-01-072617-0	R249905	1	0.0030	0.010	0.0030	U	07/27/17 16:14
WB1-072717	WB1-072717	1	0.0030	0.010	0.0030	U	07/27/17

U=Not detected and reported as less than detection limit  
 J=Estimated value below reporting limit  
 E=Estimated value above calibration range  
 \*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information				Lab Information			
Project Name: Northwest Pipe Type: QC Matrix: Water				Lab Batch ID: R2499 Report Revision No.: 0			

LCS ID	Analyte	Spike Amount	Sample Result	Units	% Recovery	Analysis Method	Date Analyzed
<b>General Chemistry</b>							
BS1W0727	Nitrite-N	0.76	0.81	mg/L	106	E353.2	07/27/17

U=Not detected and reported as less than detection limit  
J=Estimated value below reporting limit  
E=Estimated value above calibration range  
\*=See case narrative

# TestAmerica ASL

Client Information				Lab Information			
Client Sample ID: MW-01-072617-0				Report Revision No.: 0			
Project Name: Northwest Pipe							
Type: QC							
Matrix: Water							

Analyte	CAS#	MS %Recovery	MSD %Recovery	RPD	QC Limits	RPD Limits	Analysis Method
<b>General Chemistry</b>							
Nitrite-N	14797-65-0	102	100	2	90-110	15	E353.2

U=Not detected and reported as less than detection limit  
 J=Estimated value below reporting limit  
 E=Estimated value above calibration range  
 \*=See case narrative

**CASE NARRATIVE  
GENERAL CHEMISTRY ANALYSIS**

**Project:** Northwest Pipe

**ASL SDG#:** R2499

---

With the exceptions noted as flags, footnotes, or detailed in the section below; standard operating procedures were followed in the analysis of the samples and no problems were encountered or anomalies observed.

All laboratory quality control samples were within established control limits, with any exceptions noted below, or in the associated QC summary forms.

Each sample was analyzed to achieve the lowest possible reporting limit within the constraints of the method. For diluted samples, the reporting limits are adjusted for the dilution required.

Calculations are performed before rounding to minimize errors in calculated values.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the section below, or in the sample receipt documentation.

**Method(s):**  
SM5310B

**Matrix Spike/Matrix Spike Duplicate(s):**  
SM5310B: R2499-04: Matrix spike recovery (98%) was within the acceptance limits (80-120%).

# TestAmerica ASL

Client Information		Lab Information	
<b>Project Name:</b> Northwest Pipe		<b>Lab Batch ID:</b> R2499	
Date Received: 07/27/17		Analysis Method: SM5310B	
Type: See C.O.C.		Units: mg/L	
Matrix: Water		Report Revision No.: 0	

Client Sample ID	Lab Sample ID	Dilution Factor	DL	Total Organic Carbon RL	Result	Qualifier	Date Analyzed
<b>General Chemistry</b>							
MW-04-072617-0	R249902	1	0.20	0.50	0.72		08/03/17
TS41MW-23-072617-0	R249903	1	0.20	0.50	1.18		08/03/17
TS41MW-22-072617-0	R249904	1	0.20	0.50	1.15		08/03/17
MW-01-072617-0	R249905	1	0.20	0.50	1.28		08/03/17
WB2-0802	WB2-0802	1	0.20	0.50	0.20	U	08/02/17

U=Not detected and reported as less than detection limit

J=Estimated value below reporting limit

E=Estimated value above calibration range

\*=See case narrative

B=Analyte detected in blank

# TestAmerica ASL

Client Information				Lab Information			
Project Name: Northwest Pipe Type: QC Matrix: Water				Lab Batch ID: R2499 Report Revision No.: 0			

LCS ID	Analyte	Spike Amount	Sample Result	Units	% Recovery	Analysis Method	Date Analyzed
<b>General Chemistry</b>							
BS2W0802	Total Organic Carbon	5.00	4.76	mg/L	95	SM5310B	08/03/17

U=Not detected and reported as less than detection limit  
J=Estimated value below reporting limit  
E=Estimated value above calibration range  
\*=See case narrative

# Chain of Custody Record

Client Contact		Analysis Turnaround Time		Preservation Used					For Lab Use Only:		
Project Name: <b>NWP</b>		TAT is Calendar days		2	3	4	1	1	SDG: <b>2499</b>	Custody Seals intact? <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No	
Project # or PO #: <b>682722-GW.05</b>		TAT if different from below		Analysis Requested					Hand delivered? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Cooler Temp <b>0.1°C</b>	
Company Name: <b>CH2M Hill</b>		<input checked="" type="checkbox"/> 21 days (STD)	<input type="checkbox"/> 14 days *	SW260C (WOC) SW2605M (WOC SIM) SW2605 (Gen Chem His) SW2605 (Disc Metals) SW2605 (GM Analytic) PK 175					Therm ID No.: <b>123</b> Therm Exp. <b>10/11/17</b>		
Address: <b>2020 SW 4th Ave Ste 300</b>		<input type="checkbox"/> 7 days *	<input type="checkbox"/> 3 day *						Sample Specific Notes:		Lab ID:
City/State/Zip: <b>Portland, OR 97201</b>		<input type="checkbox"/> 5 days *	<input type="checkbox"/> 2 days *	Sample Date	Sample Time	Sample Type (G=Comp, G=Grb)	Matrix (W=Water, S=Soil, A=Air)	Total # of Cont.	Packing Material: Circle Below (Ice Blue Ice Box Bubble Wrap)	Radiological Screen? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
Project Manager: <b>Gretchen Gee</b>		* (Surcharges will apply)		Preservation Used: 1=Ice, 2=HCl; 3=H2SO4; 4=HNO3; 5=NaOH; 6=Other Possible Hazard Identification: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Are samples hazardous? <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No If YES, select hazard(s): <input type="checkbox"/> Listed <input type="checkbox"/> Ignitable <input type="checkbox"/> Corrosive <input type="checkbox"/> Reactive <input type="checkbox"/> Toxic If YES or NO is not checked above, samples will be assumed hazardous and hazardous disposal fees will be applied.							
Phone #: _____		Report to email: <b>gretchen.gee@ch2m.com</b>		Sampled By: <b>Jennifer Ulrich</b> Date/Time: <b>7/26/17 1240</b> Relinquished by: <b>Jennifer Ulrich</b> Date/Time: <b>7/27/17 1445</b> Relinquished by: _____ Date/Time: _____ Shipped Via: <input type="checkbox"/> UPS <input checked="" type="checkbox"/> Fed-Ex <input type="checkbox"/> USPS <input type="checkbox"/> Other Tracking #: _____ Special Instructions/QC Requirements: _____							
TRIPBLANK-072617-02				7/26/17	0900	G	W	4	2	2	1
MW-04-072617-0				7/26/17	0910	G	W	12	3	3	2
TS41MW-23-072617-0				7/26/17	1000	G	W	12	3	3	3
TS41MW-22-072617-0				7/26/17	1115	G	W	12	3	3	4
MW-01-072617-0				7/26/17	1240	G	W	12	3	3	5

SDG ID: R2499

Date Received: 7/27/2017

Client/Project: Northwest Pipe

Received by: PC

Were custody seals intact and on the outside of the cooler?  Yes  No  N/A

Shipping Record:  Hand Delivered  On File  COC

Radiological Screening for DoD  Yes  No  N/A

Packing Material:  Hand Delivered  Ice  Blue Ice  Box

Temp OK? (<6C) Therm ID: TH173 Exp. 10/14/17 0.1 °C  Yes  No  N/A

Was a Chain of Custody (CoC) Provided?  Yes  No  N/A

Was the CoC correctly filled out (If No, document below)  Yes  No  N/A

Did sample labels agree with COC? (If No, document below)  Yes  No  N/A

Did the CoC list a correct bottle count and the preservative types (No=Correct on CoC)  Yes  No  N/A

Were the sample containers in good condition (not broken or leaking)?  Yes  No  N/A

Was enough sample volume provided for analysis? (If No, document below)  Yes  No  N/A

Containers supplied by ASL?  Yes  No  N/A

Any sample with < 1/2 holding time remaining? If so contact LPM and document below.  Yes  No  N/A

Samples have multi-phase? If yes, document on SRER  Yes  No  N/A

All water VOCs free of air bubbles? No, document on SRER  Yes  No  N/A

pH of all samples met criteria on receipt? If "No", preserve and document below.  Yes  No  N/A

Dissolved/Soluble metals filtered in the field?  Yes  No  N/A

Dissolved/Soluble metals have sediment in bottom of container? If so document below.  Yes  No  N/A

**Preservation Adjustment**

Sample ID	Reagent	Reagent Lot Number	Volume Added	Initials/Date-Time	24 hour pH check Initials/Time

Did pH of all metals samples preserved upon receipt meet criteria 24 hours after preservation?  Yes  No

**Sample Exception Report** (The following exceptions were noted)

1. MW-04-072617-0 (R249902) received with less than half holding time remaining for nitrate analysis.

Client was notified on: Client contact:

Resolution to Exception: