

May 13, 2024

Cascade Corporation- Fairview, OR

Sample Delivery Group: L1732634
Samples Received: 05/03/2024
Project Number: PNG0564S24
Description: PNG0564S24

Report To: Cindy Bartlett
2201 NE 201st Avenue
Fairview, OR 97024-9718

Entire Report Reviewed By:



Kelly Mercer
Project Manager

Results relate only to the items tested or calibrated and are reported as rounded values. This test report shall not be reproduced, except in full, without written approval of the laboratory. Where applicable, sampling conducted by Pace Analytical National is performed per guidance provided in laboratory standard operating procedures ENV-SOP-MTJL-0067 and ENV-SOP-MTJL-0068. Where sampling conducted by the customer, results relate to the accuracy of the information provided, and as the samples are received.

Pace Analytical National

12065 Lebanon Rd Mount Juliet, TN 37122 615-758-5858 800-767-5859 mydata.pacelabs.com

TABLE OF CONTENTS

Cp: Cover Page	1
Tc: Table of Contents	2
Ss: Sample Summary	3
Cn: Case Narrative	5
Sr: Sample Results	6
VMWA-050224 L1732634-01	6
VMWB-050224 L1732634-02	8
VMWC-050224 L1732634-03	10
VMWD-050224 L1732634-04	12
VMWE-050224 L1732634-05	14
VMWF-050224 L1732634-06	16
VMWG-050224 L1732634-07	18
VMWH-050224 L1732634-08	20
VMWI-050224 L1732634-09	22
VMWJ2-050224 L1732634-10	24
VMWK-050224 L1732634-11	26
VMWK-050224-DUP L1732634-12	28
VMWL-050224 L1732634-13	30
VMWM-050224 L1732634-14	32
VMWN-050224 L1732634-15	34
TRIP-050224-2 L1732634-16	36
Qc: Quality Control Summary	38
Volatile Organic Compounds (GC/MS) by Method 8260D	38
Gl: Glossary of Terms	46
Al: Accreditations & Locations	47
Sc: Sample Chain of Custody	48

¹ Cp
² Tc
³ Ss
⁴ Cn
⁵ Sr
⁶ Qc
⁷ Gl
⁸ Al
⁹ Sc

SAMPLE SUMMARY

VMWA-050224 L1732634-01 GW

				Collected by Pat Yadon	Collected date/time 05/02/24 12:34	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2281626	1	05/08/24 12:25	05/08/24 12:25	TJJ	Mt. Juliet, TN

VMWB-050224 L1732634-02 GW

				Collected by Pat Yadon	Collected date/time 05/02/24 14:45	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2281626	1	05/08/24 12:46	05/08/24 12:46	TJJ	Mt. Juliet, TN

VMWC-050224 L1732634-03 GW

				Collected by Pat Yadon	Collected date/time 05/02/24 12:50	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2281626	1	05/08/24 13:06	05/08/24 13:06	TJJ	Mt. Juliet, TN

VMWD-050224 L1732634-04 GW

				Collected by Pat Yadon	Collected date/time 05/02/24 14:30	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2281626	1	05/08/24 13:26	05/08/24 13:26	TJJ	Mt. Juliet, TN

VMWE-050224 L1732634-05 GW

				Collected by Pat Yadon	Collected date/time 05/02/24 14:00	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2281626	1	05/08/24 13:46	05/08/24 13:46	TJJ	Mt. Juliet, TN

VMWF-050224 L1732634-06 GW


				Collected by Pat Yadon	Collected date/time 05/02/24 14:11	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2281626	1	05/08/24 14:07	05/08/24 14:07	TJJ	Mt. Juliet, TN

VMWG-050224 L1732634-07 GW

				Collected by Pat Yadon	Collected date/time 05/02/24 14:22	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2282098	1	05/07/24 21:53	05/07/24 21:53	JBE	Mt. Juliet, TN

VMWH-050224 L1732634-08 GW

				Collected by Pat Yadon	Collected date/time 05/02/24 13:05	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2282098	1	05/07/24 22:13	05/07/24 22:13	JBE	Mt. Juliet, TN



SAMPLE SUMMARY

VMWI-050224 L1732634-09 GW

				Collected by Pat Yadon	Collected date/time 05/02/24 13:52	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2282098	1	05/07/24 22:33	05/07/24 22:33	JBE	Mt. Juliet, TN

VMWJ2-050224 L1732634-10 GW

				Collected by Pat Yadon	Collected date/time 05/02/24 13:40	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2282098	1	05/07/24 22:52	05/07/24 22:52	JBE	Mt. Juliet, TN

VMWK-050224 L1732634-11 GW

				Collected by Pat Yadon	Collected date/time 05/02/24 13:25	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2282098	1	05/07/24 23:12	05/07/24 23:12	JBE	Mt. Juliet, TN

VMWK-050224-DUP L1732634-12 GW

				Collected by Pat Yadon	Collected date/time 05/02/24 13:26	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2282098	1	05/07/24 23:32	05/07/24 23:32	JBE	Mt. Juliet, TN

VMWL-050224 L1732634-13 GW

				Collected by Pat Yadon	Collected date/time 05/02/24 13:14	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2282098	1	05/07/24 23:52	05/07/24 23:52	JBE	Mt. Juliet, TN

VMWM-050224 L1732634-14 GW


				Collected by Pat Yadon	Collected date/time 05/02/24 15:08	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2282098	1	05/08/24 00:12	05/08/24 00:12	JBE	Mt. Juliet, TN

VMWN-050224 L1732634-15 GW

				Collected by Pat Yadon	Collected date/time 05/02/24 14:56	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2282098	1	05/08/24 00:31	05/08/24 00:31	JBE	Mt. Juliet, TN

TRIP-050224-2 L1732634-16 GW

				Collected by Pat Yadon	Collected date/time 05/02/24 07:00	Received date/time 05/03/24 09:00
Method	Batch	Dilution	Preparation date/time	Analysis date/time	Analyst	Location
Volatile Organic Compounds (GC/MS) by Method 8260D	WG2282098	1	05/07/24 20:34	05/07/24 20:34	JBE	Mt. Juliet, TN




CASE NARRATIVE

All sample aliquots were received at the correct temperature, in the proper containers, with the appropriate preservatives, and within method specified holding times, unless qualified or notated within the report. Where applicable, all MDL (LOD) and RDL (LOQ) values reported for environmental samples have been corrected for the dilution factor used in the analysis. All Method and Batch Quality Control are within established criteria except where addressed in this case narrative, a non-conformance form or properly qualified within the sample results. By my digital signature below, I affirm to the best of my knowledge, all problems/anomalies observed by the laboratory as having the potential to affect the quality of the data have been identified by the laboratory, and no information or data have been knowingly withheld that would affect the quality of the data.



Kelly Mercer
Project Manager



Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	434	C5	11.3	25.0	1	05/08/2024 12:25	WG2281626
Acrolein	U		2.54	50.0	1	05/08/2024 12:25	WG2281626
Acrylonitrile	U		0.671	5.00	1	05/08/2024 12:25	WG2281626
Benzene	U		0.0941	0.500	1	05/08/2024 12:25	WG2281626
Bromobenzene	U		0.118	0.500	1	05/08/2024 12:25	WG2281626
Bromodichloromethane	U		0.136	0.500	1	05/08/2024 12:25	WG2281626
Bromoform	U		0.129	0.500	1	05/08/2024 12:25	WG2281626
Bromomethane	U		0.605	2.50	1	05/08/2024 12:25	WG2281626
n-Butylbenzene	U		0.157	0.500	1	05/08/2024 12:25	WG2281626
sec-Butylbenzene	U		0.125	0.500	1	05/08/2024 12:25	WG2281626
tert-Butylbenzene	U		0.127	0.500	1	05/08/2024 12:25	WG2281626
Carbon disulfide	U		0.0962	0.500	1	05/08/2024 12:25	WG2281626
Carbon tetrachloride	U		0.128	0.500	1	05/08/2024 12:25	WG2281626
Chlorobenzene	U		0.117	0.500	1	05/08/2024 12:25	WG2281626
Chlorodibromomethane	U		0.140	0.500	1	05/08/2024 12:25	WG2281626
Chloroethane	U		0.192	2.50	1	05/08/2024 12:25	WG2281626
Chloroform	U		0.111	0.500	1	05/08/2024 12:25	WG2281626
Chloromethane	U		0.960	1.25	1	05/08/2024 12:25	WG2281626
2-Chlorotoluene	U		0.106	0.500	1	05/08/2024 12:25	WG2281626
4-Chlorotoluene	U		0.114	0.500	1	05/08/2024 12:25	WG2281626
1,2-Dibromo-3-Chloropropane	U		0.276	2.50	1	05/08/2024 12:25	WG2281626
1,2-Dibromoethane	U		0.126	0.500	1	05/08/2024 12:25	WG2281626
Dibromomethane	U		0.122	0.500	1	05/08/2024 12:25	WG2281626
1,2-Dichlorobenzene	U		0.107	0.500	1	05/08/2024 12:25	WG2281626
1,3-Dichlorobenzene	U		0.299	0.500	1	05/08/2024 12:25	WG2281626
1,4-Dichlorobenzene	U		0.120	0.500	1	05/08/2024 12:25	WG2281626
Dichlorodifluoromethane	U		0.374	2.50	1	05/08/2024 12:25	WG2281626
1,1-Dichloroethane	U		0.100	0.500	1	05/08/2024 12:25	WG2281626
1,2-Dichloroethane	U		0.0819	0.500	1	05/08/2024 12:25	WG2281626
1,1-Dichloroethene	U		0.188	0.500	1	05/08/2024 12:25	WG2281626
cis-1,2-Dichloroethene	U		0.126	0.500	1	05/08/2024 12:25	WG2281626
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/08/2024 12:25	WG2281626
1,2-Dichloropropane	U		0.149	0.500	1	05/08/2024 12:25	WG2281626
1,1-Dichloropropene	U		0.142	0.500	1	05/08/2024 12:25	WG2281626
1,3-Dichloropropane	U		0.109	1.00	1	05/08/2024 12:25	WG2281626
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/08/2024 12:25	WG2281626
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/08/2024 12:25	WG2281626
2,2-Dichloropropane	U		0.161	0.500	1	05/08/2024 12:25	WG2281626
Di-isopropyl ether	U		0.105	0.500	1	05/08/2024 12:25	WG2281626
Ethylbenzene	U		0.137	0.500	1	05/08/2024 12:25	WG2281626
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/08/2024 12:25	WG2281626
Isopropylbenzene	U		0.105	0.500	1	05/08/2024 12:25	WG2281626
p-Isopropyltoluene	U		0.120	0.500	1	05/08/2024 12:25	WG2281626
2-Butanone (MEK)	4.33	J	1.19	5.00	1	05/08/2024 12:25	WG2281626
Methylene Chloride	U		0.430	2.50	1	05/08/2024 12:25	WG2281626
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/08/2024 12:25	WG2281626
Methyl tert-butyl ether	U		0.101	0.500	1	05/08/2024 12:25	WG2281626
Naphthalene	U		0.174	2.50	1	05/08/2024 12:25	WG2281626
n-Propylbenzene	U		0.0993	0.500	1	05/08/2024 12:25	WG2281626
Styrene	U		0.118	0.500	1	05/08/2024 12:25	WG2281626
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/08/2024 12:25	WG2281626
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/08/2024 12:25	WG2281626
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/08/2024 12:25	WG2281626
Tetrachloroethene	U		0.300	0.500	1	05/08/2024 12:25	WG2281626
Toluene	U		0.278	0.500	1	05/08/2024 12:25	WG2281626
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/08/2024 12:25	WG2281626

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/08/2024 12:25	WG2281626
1,1,1-Trichloroethane	U		0.149	0.500	1	05/08/2024 12:25	WG2281626
1,1,2-Trichloroethane	U		0.158	0.500	1	05/08/2024 12:25	WG2281626
Trichloroethene	1.22		0.190	0.500	1	05/08/2024 12:25	WG2281626
Trichlorofluoromethane	U		0.160	2.50	1	05/08/2024 12:25	WG2281626
1,2,3-Trichloropropane	U		0.237	2.50	1	05/08/2024 12:25	WG2281626
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/08/2024 12:25	WG2281626
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 12:25	WG2281626
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 12:25	WG2281626
Vinyl chloride	U		0.234	0.500	1	05/08/2024 12:25	WG2281626
Xylenes, Total	U		0.174	1.50	1	05/08/2024 12:25	WG2281626
(S) Toluene-d8	101			80.0-120		05/08/2024 12:25	WG2281626
(S) 4-Bromofluorobenzene	97.6			77.0-126		05/08/2024 12:25	WG2281626
(S) 1,2-Dichloroethane-d4	101			70.0-130		05/08/2024 12:25	WG2281626

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	31.2	C5	11.3	25.0	1	05/08/2024 12:46	WG2281626
Acrolein	U		2.54	50.0	1	05/08/2024 12:46	WG2281626
Acrylonitrile	U		0.671	5.00	1	05/08/2024 12:46	WG2281626
Benzene	U		0.0941	0.500	1	05/08/2024 12:46	WG2281626
Bromobenzene	U		0.118	0.500	1	05/08/2024 12:46	WG2281626
Bromodichloromethane	U		0.136	0.500	1	05/08/2024 12:46	WG2281626
Bromoform	U		0.129	0.500	1	05/08/2024 12:46	WG2281626
Bromomethane	U		0.605	2.50	1	05/08/2024 12:46	WG2281626
n-Butylbenzene	U		0.157	0.500	1	05/08/2024 12:46	WG2281626
sec-Butylbenzene	U		0.125	0.500	1	05/08/2024 12:46	WG2281626
tert-Butylbenzene	U		0.127	0.500	1	05/08/2024 12:46	WG2281626
Carbon disulfide	U		0.0962	0.500	1	05/08/2024 12:46	WG2281626
Carbon tetrachloride	U		0.128	0.500	1	05/08/2024 12:46	WG2281626
Chlorobenzene	U		0.117	0.500	1	05/08/2024 12:46	WG2281626
Chlorodibromomethane	U		0.140	0.500	1	05/08/2024 12:46	WG2281626
Chloroethane	U		0.192	2.50	1	05/08/2024 12:46	WG2281626
Chloroform	0.689		0.111	0.500	1	05/08/2024 12:46	WG2281626
Chloromethane	U		0.960	1.25	1	05/08/2024 12:46	WG2281626
2-Chlorotoluene	U		0.106	0.500	1	05/08/2024 12:46	WG2281626
4-Chlorotoluene	U		0.114	0.500	1	05/08/2024 12:46	WG2281626
1,2-Dibromo-3-Chloropropane	U		0.276	2.50	1	05/08/2024 12:46	WG2281626
1,2-Dibromoethane	U		0.126	0.500	1	05/08/2024 12:46	WG2281626
Dibromomethane	U		0.122	0.500	1	05/08/2024 12:46	WG2281626
1,2-Dichlorobenzene	U		0.107	0.500	1	05/08/2024 12:46	WG2281626
1,3-Dichlorobenzene	U		0.299	0.500	1	05/08/2024 12:46	WG2281626
1,4-Dichlorobenzene	U		0.120	0.500	1	05/08/2024 12:46	WG2281626
Dichlorodifluoromethane	U		0.374	2.50	1	05/08/2024 12:46	WG2281626
1,1-Dichloroethane	U		0.100	0.500	1	05/08/2024 12:46	WG2281626
1,2-Dichloroethane	U		0.0819	0.500	1	05/08/2024 12:46	WG2281626
1,1-Dichloroethene	U		0.188	0.500	1	05/08/2024 12:46	WG2281626
cis-1,2-Dichloroethene	1.88		0.126	0.500	1	05/08/2024 12:46	WG2281626
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/08/2024 12:46	WG2281626
1,2-Dichloropropane	U		0.149	0.500	1	05/08/2024 12:46	WG2281626
1,1-Dichloropropene	U		0.142	0.500	1	05/08/2024 12:46	WG2281626
1,3-Dichloropropane	U		0.109	1.00	1	05/08/2024 12:46	WG2281626
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/08/2024 12:46	WG2281626
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/08/2024 12:46	WG2281626
2,2-Dichloropropane	U		0.161	0.500	1	05/08/2024 12:46	WG2281626
Di-isopropyl ether	U		0.105	0.500	1	05/08/2024 12:46	WG2281626
Ethylbenzene	U		0.137	0.500	1	05/08/2024 12:46	WG2281626
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/08/2024 12:46	WG2281626
Isopropylbenzene	U		0.105	0.500	1	05/08/2024 12:46	WG2281626
p-Isopropyltoluene	U		0.120	0.500	1	05/08/2024 12:46	WG2281626
2-Butanone (MEK)	2.46	J	1.19	5.00	1	05/08/2024 12:46	WG2281626
Methylene Chloride	U		0.430	2.50	1	05/08/2024 12:46	WG2281626
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/08/2024 12:46	WG2281626
Methyl tert-butyl ether	U		0.101	0.500	1	05/08/2024 12:46	WG2281626
Naphthalene	U		0.174	2.50	1	05/08/2024 12:46	WG2281626
n-Propylbenzene	U		0.0993	0.500	1	05/08/2024 12:46	WG2281626
Styrene	U		0.118	0.500	1	05/08/2024 12:46	WG2281626
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/08/2024 12:46	WG2281626
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/08/2024 12:46	WG2281626
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/08/2024 12:46	WG2281626
Tetrachloroethene	0.583		0.300	0.500	1	05/08/2024 12:46	WG2281626
Toluene	U		0.278	0.500	1	05/08/2024 12:46	WG2281626
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/08/2024 12:46	WG2281626

1

Cp

2

Tc

3

Ss

4

Cn

5

Sr

6

Qc

7

Gl

8

Al

9

Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/08/2024 12:46	WG2281626
1,1,1-Trichloroethane	U		0.149	0.500	1	05/08/2024 12:46	WG2281626
1,1,2-Trichloroethane	U		0.158	0.500	1	05/08/2024 12:46	WG2281626
Trichloroethene	12.1		0.190	0.500	1	05/08/2024 12:46	WG2281626
Trichlorofluoromethane	U		0.160	2.50	1	05/08/2024 12:46	WG2281626
1,2,3-Trichloropropane	U		0.237	2.50	1	05/08/2024 12:46	WG2281626
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/08/2024 12:46	WG2281626
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 12:46	WG2281626
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 12:46	WG2281626
Vinyl chloride	U		0.234	0.500	1	05/08/2024 12:46	WG2281626
Xylenes, Total	U		0.174	1.50	1	05/08/2024 12:46	WG2281626
(S) Toluene-d8	97.9			80.0-120		05/08/2024 12:46	WG2281626
(S) 4-Bromofluorobenzene	93.5			77.0-126		05/08/2024 12:46	WG2281626
(S) 1,2-Dichloroethane-d4	103			70.0-130		05/08/2024 12:46	WG2281626

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	422	C5	11.3	25.0	1	05/08/2024 13:06	WG2281626
Acrolein	U		2.54	50.0	1	05/08/2024 13:06	WG2281626
Acrylonitrile	U		0.671	5.00	1	05/08/2024 13:06	WG2281626
Benzene	U		0.0941	0.500	1	05/08/2024 13:06	WG2281626
Bromobenzene	U		0.118	0.500	1	05/08/2024 13:06	WG2281626
Bromodichloromethane	U		0.136	0.500	1	05/08/2024 13:06	WG2281626
Bromoform	U		0.129	0.500	1	05/08/2024 13:06	WG2281626
Bromomethane	U		0.605	2.50	1	05/08/2024 13:06	WG2281626
n-Butylbenzene	U		0.157	0.500	1	05/08/2024 13:06	WG2281626
sec-Butylbenzene	U		0.125	0.500	1	05/08/2024 13:06	WG2281626
tert-Butylbenzene	U		0.127	0.500	1	05/08/2024 13:06	WG2281626
Carbon disulfide	U		0.0962	0.500	1	05/08/2024 13:06	WG2281626
Carbon tetrachloride	U		0.128	0.500	1	05/08/2024 13:06	WG2281626
Chlorobenzene	U		0.117	0.500	1	05/08/2024 13:06	WG2281626
Chlorodibromomethane	U		0.140	0.500	1	05/08/2024 13:06	WG2281626
Chloroethane	U		0.192	2.50	1	05/08/2024 13:06	WG2281626
Chloroform	U		0.111	0.500	1	05/08/2024 13:06	WG2281626
Chloromethane	U		0.960	1.25	1	05/08/2024 13:06	WG2281626
2-Chlorotoluene	U		0.106	0.500	1	05/08/2024 13:06	WG2281626
4-Chlorotoluene	U		0.114	0.500	1	05/08/2024 13:06	WG2281626
1,2-Dibromo-3-Chloropropane	U		0.276	2.50	1	05/08/2024 13:06	WG2281626
1,2-Dibromoethane	U		0.126	0.500	1	05/08/2024 13:06	WG2281626
Dibromomethane	U		0.122	0.500	1	05/08/2024 13:06	WG2281626
1,2-Dichlorobenzene	U		0.107	0.500	1	05/08/2024 13:06	WG2281626
1,3-Dichlorobenzene	U		0.299	0.500	1	05/08/2024 13:06	WG2281626
1,4-Dichlorobenzene	U		0.120	0.500	1	05/08/2024 13:06	WG2281626
Dichlorodifluoromethane	U		0.374	2.50	1	05/08/2024 13:06	WG2281626
1,1-Dichloroethane	U		0.100	0.500	1	05/08/2024 13:06	WG2281626
1,2-Dichloroethane	U		0.0819	0.500	1	05/08/2024 13:06	WG2281626
1,1-Dichloroethene	U		0.188	0.500	1	05/08/2024 13:06	WG2281626
cis-1,2-Dichloroethene	U		0.126	0.500	1	05/08/2024 13:06	WG2281626
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/08/2024 13:06	WG2281626
1,2-Dichloropropane	U		0.149	0.500	1	05/08/2024 13:06	WG2281626
1,1-Dichloropropene	U		0.142	0.500	1	05/08/2024 13:06	WG2281626
1,3-Dichloropropane	U		0.109	1.00	1	05/08/2024 13:06	WG2281626
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/08/2024 13:06	WG2281626
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/08/2024 13:06	WG2281626
2,2-Dichloropropane	U		0.161	0.500	1	05/08/2024 13:06	WG2281626
Di-isopropyl ether	U		0.105	0.500	1	05/08/2024 13:06	WG2281626
Ethylbenzene	U		0.137	0.500	1	05/08/2024 13:06	WG2281626
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/08/2024 13:06	WG2281626
Isopropylbenzene	U		0.105	0.500	1	05/08/2024 13:06	WG2281626
p-Isopropyltoluene	U		0.120	0.500	1	05/08/2024 13:06	WG2281626
2-Butanone (MEK)	3.10	J	1.19	5.00	1	05/08/2024 13:06	WG2281626
Methylene Chloride	U		0.430	2.50	1	05/08/2024 13:06	WG2281626
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/08/2024 13:06	WG2281626
Methyl tert-butyl ether	U		0.101	0.500	1	05/08/2024 13:06	WG2281626
Naphthalene	U		0.174	2.50	1	05/08/2024 13:06	WG2281626
n-Propylbenzene	U		0.0993	0.500	1	05/08/2024 13:06	WG2281626
Styrene	U		0.118	0.500	1	05/08/2024 13:06	WG2281626
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/08/2024 13:06	WG2281626
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/08/2024 13:06	WG2281626
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/08/2024 13:06	WG2281626
Tetrachloroethene	U		0.300	0.500	1	05/08/2024 13:06	WG2281626
Toluene	U		0.278	0.500	1	05/08/2024 13:06	WG2281626
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/08/2024 13:06	WG2281626

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/08/2024 13:06	WG2281626
1,1,1-Trichloroethane	U		0.149	0.500	1	05/08/2024 13:06	WG2281626
1,1,2-Trichloroethane	U		0.158	0.500	1	05/08/2024 13:06	WG2281626
Trichloroethene	1.56		0.190	0.500	1	05/08/2024 13:06	WG2281626
Trichlorofluoromethane	U		0.160	2.50	1	05/08/2024 13:06	WG2281626
1,2,3-Trichloropropane	U		0.237	2.50	1	05/08/2024 13:06	WG2281626
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/08/2024 13:06	WG2281626
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 13:06	WG2281626
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 13:06	WG2281626
Vinyl chloride	U		0.234	0.500	1	05/08/2024 13:06	WG2281626
Xylenes, Total	U		0.174	1.50	1	05/08/2024 13:06	WG2281626
(S) Toluene-d8	98.8			80.0-120		05/08/2024 13:06	WG2281626
(S) 4-Bromofluorobenzene	93.3			77.0-126		05/08/2024 13:06	WG2281626
(S) 1,2-Dichloroethane-d4	103			70.0-130		05/08/2024 13:06	WG2281626

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Acetone	51.0	C5	11.3	25.0	1	05/08/2024 13:26	WG2281626
Acrolein	U		2.54	50.0	1	05/08/2024 13:26	WG2281626
Acrylonitrile	U		0.671	5.00	1	05/08/2024 13:26	WG2281626
Benzene	U		0.0941	0.500	1	05/08/2024 13:26	WG2281626
Bromobenzene	U		0.118	0.500	1	05/08/2024 13:26	WG2281626
Bromodichloromethane	U		0.136	0.500	1	05/08/2024 13:26	WG2281626
Bromoform	U		0.129	0.500	1	05/08/2024 13:26	WG2281626
Bromomethane	U		0.605	2.50	1	05/08/2024 13:26	WG2281626
n-Butylbenzene	U		0.157	0.500	1	05/08/2024 13:26	WG2281626
sec-Butylbenzene	U		0.125	0.500	1	05/08/2024 13:26	WG2281626
tert-Butylbenzene	U		0.127	0.500	1	05/08/2024 13:26	WG2281626
Carbon disulfide	U		0.0962	0.500	1	05/08/2024 13:26	WG2281626
Carbon tetrachloride	U		0.128	0.500	1	05/08/2024 13:26	WG2281626
Chlorobenzene	U		0.117	0.500	1	05/08/2024 13:26	WG2281626
Chlorodibromomethane	U		0.140	0.500	1	05/08/2024 13:26	WG2281626
Chloroethane	U		0.192	2.50	1	05/08/2024 13:26	WG2281626
Chloroform	U		0.111	0.500	1	05/08/2024 13:26	WG2281626
Chloromethane	U		0.960	1.25	1	05/08/2024 13:26	WG2281626
2-Chlorotoluene	U		0.106	0.500	1	05/08/2024 13:26	WG2281626
4-Chlorotoluene	U		0.114	0.500	1	05/08/2024 13:26	WG2281626
1,2-Dibromo-3-Chloropropane	U		0.276	2.50	1	05/08/2024 13:26	WG2281626
1,2-Dibromoethane	U		0.126	0.500	1	05/08/2024 13:26	WG2281626
Dibromomethane	U		0.122	0.500	1	05/08/2024 13:26	WG2281626
1,2-Dichlorobenzene	U		0.107	0.500	1	05/08/2024 13:26	WG2281626
1,3-Dichlorobenzene	U		0.299	0.500	1	05/08/2024 13:26	WG2281626
1,4-Dichlorobenzene	U		0.120	0.500	1	05/08/2024 13:26	WG2281626
Dichlorodifluoromethane	U		0.374	2.50	1	05/08/2024 13:26	WG2281626
1,1-Dichloroethane	U		0.100	0.500	1	05/08/2024 13:26	WG2281626
1,2-Dichloroethane	U		0.0819	0.500	1	05/08/2024 13:26	WG2281626
1,1-Dichloroethene	U		0.188	0.500	1	05/08/2024 13:26	WG2281626
cis-1,2-Dichloroethene	U		0.126	0.500	1	05/08/2024 13:26	WG2281626
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/08/2024 13:26	WG2281626
1,2-Dichloropropane	U		0.149	0.500	1	05/08/2024 13:26	WG2281626
1,1-Dichloropropene	U		0.142	0.500	1	05/08/2024 13:26	WG2281626
1,3-Dichloropropane	U		0.109	1.00	1	05/08/2024 13:26	WG2281626
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/08/2024 13:26	WG2281626
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/08/2024 13:26	WG2281626
2,2-Dichloropropane	U		0.161	0.500	1	05/08/2024 13:26	WG2281626
Di-isopropyl ether	U		0.105	0.500	1	05/08/2024 13:26	WG2281626
Ethylbenzene	U		0.137	0.500	1	05/08/2024 13:26	WG2281626
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/08/2024 13:26	WG2281626
Isopropylbenzene	U		0.105	0.500	1	05/08/2024 13:26	WG2281626
p-Isopropyltoluene	U		0.120	0.500	1	05/08/2024 13:26	WG2281626
2-Butanone (MEK)	2.97	J	1.19	5.00	1	05/08/2024 13:26	WG2281626
Methylene Chloride	U		0.430	2.50	1	05/08/2024 13:26	WG2281626
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/08/2024 13:26	WG2281626
Methyl tert-butyl ether	U		0.101	0.500	1	05/08/2024 13:26	WG2281626
Naphthalene	U		0.174	2.50	1	05/08/2024 13:26	WG2281626
n-Propylbenzene	U		0.0993	0.500	1	05/08/2024 13:26	WG2281626
Styrene	U		0.118	0.500	1	05/08/2024 13:26	WG2281626
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/08/2024 13:26	WG2281626
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/08/2024 13:26	WG2281626
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/08/2024 13:26	WG2281626
Tetrachloroethene	U		0.300	0.500	1	05/08/2024 13:26	WG2281626
Toluene	U		0.278	0.500	1	05/08/2024 13:26	WG2281626
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/08/2024 13:26	WG2281626

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/08/2024 13:26	WG2281626
1,1,1-Trichloroethane	U		0.149	0.500	1	05/08/2024 13:26	WG2281626
1,1,2-Trichloroethane	U		0.158	0.500	1	05/08/2024 13:26	WG2281626
Trichloroethene	1.06		0.190	0.500	1	05/08/2024 13:26	WG2281626
Trichlorofluoromethane	U		0.160	2.50	1	05/08/2024 13:26	WG2281626
1,2,3-Trichloropropane	U		0.237	2.50	1	05/08/2024 13:26	WG2281626
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/08/2024 13:26	WG2281626
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 13:26	WG2281626
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 13:26	WG2281626
Vinyl chloride	U		0.234	0.500	1	05/08/2024 13:26	WG2281626
Xylenes, Total	U		0.174	1.50	1	05/08/2024 13:26	WG2281626
(S) Toluene-d8	96.3			80.0-120		05/08/2024 13:26	WG2281626
(S) 4-Bromofluorobenzene	95.8			77.0-126		05/08/2024 13:26	WG2281626
(S) 1,2-Dichloroethane-d4	106			70.0-130		05/08/2024 13:26	WG2281626

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	U		11.3	25.0	1	05/08/2024 13:46	WG2281626
Acrolein	U		2.54	50.0	1	05/08/2024 13:46	WG2281626
Acrylonitrile	U		0.671	5.00	1	05/08/2024 13:46	WG2281626
Benzene	U		0.0941	0.500	1	05/08/2024 13:46	WG2281626
Bromobenzene	U		0.118	0.500	1	05/08/2024 13:46	WG2281626
Bromodichloromethane	U		0.136	0.500	1	05/08/2024 13:46	WG2281626
Bromoform	U		0.129	0.500	1	05/08/2024 13:46	WG2281626
Bromomethane	U		0.605	2.50	1	05/08/2024 13:46	WG2281626
n-Butylbenzene	U		0.157	0.500	1	05/08/2024 13:46	WG2281626
sec-Butylbenzene	U		0.125	0.500	1	05/08/2024 13:46	WG2281626
tert-Butylbenzene	U		0.127	0.500	1	05/08/2024 13:46	WG2281626
Carbon disulfide	U		0.0962	0.500	1	05/08/2024 13:46	WG2281626
Carbon tetrachloride	U		0.128	0.500	1	05/08/2024 13:46	WG2281626
Chlorobenzene	U		0.117	0.500	1	05/08/2024 13:46	WG2281626
Chlorodibromomethane	U		0.140	0.500	1	05/08/2024 13:46	WG2281626
Chloroethane	U		0.192	2.50	1	05/08/2024 13:46	WG2281626
Chloroform	0.405	J	0.111	0.500	1	05/08/2024 13:46	WG2281626
Chloromethane	U		0.960	1.25	1	05/08/2024 13:46	WG2281626
2-Chlorotoluene	U		0.106	0.500	1	05/08/2024 13:46	WG2281626
4-Chlorotoluene	U		0.114	0.500	1	05/08/2024 13:46	WG2281626
1,2-Dibromo-3-Chloropropane	U		0.276	2.50	1	05/08/2024 13:46	WG2281626
1,2-Dibromoethane	U		0.126	0.500	1	05/08/2024 13:46	WG2281626
Dibromomethane	U		0.122	0.500	1	05/08/2024 13:46	WG2281626
1,2-Dichlorobenzene	U		0.107	0.500	1	05/08/2024 13:46	WG2281626
1,3-Dichlorobenzene	U		0.299	0.500	1	05/08/2024 13:46	WG2281626
1,4-Dichlorobenzene	U		0.120	0.500	1	05/08/2024 13:46	WG2281626
Dichlorodifluoromethane	U		0.374	2.50	1	05/08/2024 13:46	WG2281626
1,1-Dichloroethane	U		0.100	0.500	1	05/08/2024 13:46	WG2281626
1,2-Dichloroethane	U		0.0819	0.500	1	05/08/2024 13:46	WG2281626
1,1-Dichloroethene	U		0.188	0.500	1	05/08/2024 13:46	WG2281626
cis-1,2-Dichloroethene	2.45		0.126	0.500	1	05/08/2024 13:46	WG2281626
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/08/2024 13:46	WG2281626
1,2-Dichloropropane	U		0.149	0.500	1	05/08/2024 13:46	WG2281626
1,1-Dichloropropene	U		0.142	0.500	1	05/08/2024 13:46	WG2281626
1,3-Dichloropropane	U		0.109	1.00	1	05/08/2024 13:46	WG2281626
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/08/2024 13:46	WG2281626
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/08/2024 13:46	WG2281626
2,2-Dichloropropane	U		0.161	0.500	1	05/08/2024 13:46	WG2281626
Di-isopropyl ether	U		0.105	0.500	1	05/08/2024 13:46	WG2281626
Ethylbenzene	U		0.137	0.500	1	05/08/2024 13:46	WG2281626
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/08/2024 13:46	WG2281626
Isopropylbenzene	U		0.105	0.500	1	05/08/2024 13:46	WG2281626
p-Isopropyltoluene	U		0.120	0.500	1	05/08/2024 13:46	WG2281626
2-Butanone (MEK)	U		1.19	5.00	1	05/08/2024 13:46	WG2281626
Methylene Chloride	U		0.430	2.50	1	05/08/2024 13:46	WG2281626
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/08/2024 13:46	WG2281626
Methyl tert-butyl ether	U		0.101	0.500	1	05/08/2024 13:46	WG2281626
Naphthalene	U		0.174	2.50	1	05/08/2024 13:46	WG2281626
n-Propylbenzene	U		0.0993	0.500	1	05/08/2024 13:46	WG2281626
Styrene	U		0.118	0.500	1	05/08/2024 13:46	WG2281626
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/08/2024 13:46	WG2281626
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/08/2024 13:46	WG2281626
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/08/2024 13:46	WG2281626
Tetrachloroethene	1.38		0.300	0.500	1	05/08/2024 13:46	WG2281626
Toluene	U		0.278	0.500	1	05/08/2024 13:46	WG2281626
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/08/2024 13:46	WG2281626

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/08/2024 13:46	WG2281626
1,1,1-Trichloroethane	U		0.149	0.500	1	05/08/2024 13:46	WG2281626
1,1,2-Trichloroethane	U		0.158	0.500	1	05/08/2024 13:46	WG2281626
Trichloroethene	18.9		0.190	0.500	1	05/08/2024 13:46	WG2281626
Trichlorofluoromethane	U		0.160	2.50	1	05/08/2024 13:46	WG2281626
1,2,3-Trichloropropane	U		0.237	2.50	1	05/08/2024 13:46	WG2281626
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/08/2024 13:46	WG2281626
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 13:46	WG2281626
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 13:46	WG2281626
Vinyl chloride	U		0.234	0.500	1	05/08/2024 13:46	WG2281626
Xylenes, Total	U		0.174	1.50	1	05/08/2024 13:46	WG2281626
(S) Toluene-d8	97.4			80.0-120		05/08/2024 13:46	WG2281626
(S) 4-Bromofluorobenzene	94.5			77.0-126		05/08/2024 13:46	WG2281626
(S) 1,2-Dichloroethane-d4	102			70.0-130		05/08/2024 13:46	WG2281626

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	11.6	J	11.3	25.0	1	05/08/2024 14:07	WG2281626
Acrolein	U		2.54	50.0	1	05/08/2024 14:07	WG2281626
Acrylonitrile	U		0.671	5.00	1	05/08/2024 14:07	WG2281626
Benzene	U		0.0941	0.500	1	05/08/2024 14:07	WG2281626
Bromobenzene	U		0.118	0.500	1	05/08/2024 14:07	WG2281626
Bromodichloromethane	U		0.136	0.500	1	05/08/2024 14:07	WG2281626
Bromoform	U		0.129	0.500	1	05/08/2024 14:07	WG2281626
Bromomethane	U		0.605	2.50	1	05/08/2024 14:07	WG2281626
n-Butylbenzene	U		0.157	0.500	1	05/08/2024 14:07	WG2281626
sec-Butylbenzene	U		0.125	0.500	1	05/08/2024 14:07	WG2281626
tert-Butylbenzene	U		0.127	0.500	1	05/08/2024 14:07	WG2281626
Carbon disulfide	U		0.0962	0.500	1	05/08/2024 14:07	WG2281626
Carbon tetrachloride	U		0.128	0.500	1	05/08/2024 14:07	WG2281626
Chlorobenzene	U		0.117	0.500	1	05/08/2024 14:07	WG2281626
Chlorodibromomethane	U		0.140	0.500	1	05/08/2024 14:07	WG2281626
Chloroethane	U		0.192	2.50	1	05/08/2024 14:07	WG2281626
Chloroform	U		0.111	0.500	1	05/08/2024 14:07	WG2281626
Chloromethane	U		0.960	1.25	1	05/08/2024 14:07	WG2281626
2-Chlorotoluene	U		0.106	0.500	1	05/08/2024 14:07	WG2281626
4-Chlorotoluene	U		0.114	0.500	1	05/08/2024 14:07	WG2281626
1,2-Dibromo-3-Chloropropane	U		0.276	2.50	1	05/08/2024 14:07	WG2281626
1,2-Dibromoethane	U		0.126	0.500	1	05/08/2024 14:07	WG2281626
Dibromomethane	U		0.122	0.500	1	05/08/2024 14:07	WG2281626
1,2-Dichlorobenzene	U		0.107	0.500	1	05/08/2024 14:07	WG2281626
1,3-Dichlorobenzene	U		0.299	0.500	1	05/08/2024 14:07	WG2281626
1,4-Dichlorobenzene	U		0.120	0.500	1	05/08/2024 14:07	WG2281626
Dichlorodifluoromethane	U		0.374	2.50	1	05/08/2024 14:07	WG2281626
1,1-Dichloroethane	U		0.100	0.500	1	05/08/2024 14:07	WG2281626
1,2-Dichloroethane	U		0.0819	0.500	1	05/08/2024 14:07	WG2281626
1,1-Dichloroethene	U		0.188	0.500	1	05/08/2024 14:07	WG2281626
cis-1,2-Dichloroethene	U		0.126	0.500	1	05/08/2024 14:07	WG2281626
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/08/2024 14:07	WG2281626
1,2-Dichloropropane	U		0.149	0.500	1	05/08/2024 14:07	WG2281626
1,1-Dichloropropene	U		0.142	0.500	1	05/08/2024 14:07	WG2281626
1,3-Dichloropropane	U		0.109	1.00	1	05/08/2024 14:07	WG2281626
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/08/2024 14:07	WG2281626
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/08/2024 14:07	WG2281626
2,2-Dichloropropane	U		0.161	0.500	1	05/08/2024 14:07	WG2281626
Di-isopropyl ether	U		0.105	0.500	1	05/08/2024 14:07	WG2281626
Ethylbenzene	U		0.137	0.500	1	05/08/2024 14:07	WG2281626
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/08/2024 14:07	WG2281626
Isopropylbenzene	U		0.105	0.500	1	05/08/2024 14:07	WG2281626
p-Isopropyltoluene	U		0.120	0.500	1	05/08/2024 14:07	WG2281626
2-Butanone (MEK)	U		1.19	5.00	1	05/08/2024 14:07	WG2281626
Methylene Chloride	U		0.430	2.50	1	05/08/2024 14:07	WG2281626
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/08/2024 14:07	WG2281626
Methyl tert-butyl ether	U		0.101	0.500	1	05/08/2024 14:07	WG2281626
Naphthalene	U		0.174	2.50	1	05/08/2024 14:07	WG2281626
n-Propylbenzene	U		0.0993	0.500	1	05/08/2024 14:07	WG2281626
Styrene	U		0.118	0.500	1	05/08/2024 14:07	WG2281626
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/08/2024 14:07	WG2281626
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/08/2024 14:07	WG2281626
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/08/2024 14:07	WG2281626
Tetrachloroethene	U		0.300	0.500	1	05/08/2024 14:07	WG2281626
Toluene	U		0.278	0.500	1	05/08/2024 14:07	WG2281626
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/08/2024 14:07	WG2281626

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/08/2024 14:07	WG2281626
1,1,1-Trichloroethane	U		0.149	0.500	1	05/08/2024 14:07	WG2281626
1,1,2-Trichloroethane	U		0.158	0.500	1	05/08/2024 14:07	WG2281626
Trichloroethene	0.988		0.190	0.500	1	05/08/2024 14:07	WG2281626
Trichlorofluoromethane	U		0.160	2.50	1	05/08/2024 14:07	WG2281626
1,2,3-Trichloropropane	U		0.237	2.50	1	05/08/2024 14:07	WG2281626
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/08/2024 14:07	WG2281626
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 14:07	WG2281626
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 14:07	WG2281626
Vinyl chloride	U		0.234	0.500	1	05/08/2024 14:07	WG2281626
Xylenes, Total	U		0.174	1.50	1	05/08/2024 14:07	WG2281626
(S) Toluene-d8	97.4			80.0-120		05/08/2024 14:07	WG2281626
(S) 4-Bromofluorobenzene	93.1			77.0-126		05/08/2024 14:07	WG2281626
(S) 1,2-Dichloroethane-d4	100			70.0-130		05/08/2024 14:07	WG2281626

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Acetone	U	J3	11.3	25.0	1	05/07/2024 21:53	WG2282098
Acrolein	U	C3	2.54	50.0	1	05/07/2024 21:53	WG2282098
Acrylonitrile	U	J3	0.671	5.00	1	05/07/2024 21:53	WG2282098
Benzene	U		0.0941	0.500	1	05/07/2024 21:53	WG2282098
Bromobenzene	U		0.118	0.500	1	05/07/2024 21:53	WG2282098
Bromodichloromethane	U		0.136	0.500	1	05/07/2024 21:53	WG2282098
Bromoform	U		0.129	0.500	1	05/07/2024 21:53	WG2282098
Bromomethane	U	C3	0.605	2.50	1	05/07/2024 21:53	WG2282098
n-Butylbenzene	U		0.157	0.500	1	05/07/2024 21:53	WG2282098
sec-Butylbenzene	U		0.125	0.500	1	05/07/2024 21:53	WG2282098
tert-Butylbenzene	U		0.127	0.500	1	05/07/2024 21:53	WG2282098
Carbon disulfide	U		0.0962	0.500	1	05/07/2024 21:53	WG2282098
Carbon tetrachloride	U		0.128	0.500	1	05/07/2024 21:53	WG2282098
Chlorobenzene	U		0.117	0.500	1	05/07/2024 21:53	WG2282098
Chlorodibromomethane	U		0.140	0.500	1	05/07/2024 21:53	WG2282098
Chloroethane	U		0.192	2.50	1	05/07/2024 21:53	WG2282098
Chloroform	U		0.111	0.500	1	05/07/2024 21:53	WG2282098
Chloromethane	U	J4	0.960	1.25	1	05/07/2024 21:53	WG2282098
2-Chlorotoluene	U		0.106	0.500	1	05/07/2024 21:53	WG2282098
4-Chlorotoluene	U		0.114	0.500	1	05/07/2024 21:53	WG2282098
1,2-Dibromo-3-Chloropropane	U	C3	0.276	2.50	1	05/07/2024 21:53	WG2282098
1,2-Dibromoethane	U		0.126	0.500	1	05/07/2024 21:53	WG2282098
Dibromomethane	U		0.122	0.500	1	05/07/2024 21:53	WG2282098
1,2-Dichlorobenzene	U		0.107	0.500	1	05/07/2024 21:53	WG2282098
1,3-Dichlorobenzene	U		0.299	0.500	1	05/07/2024 21:53	WG2282098
1,4-Dichlorobenzene	U		0.120	0.500	1	05/07/2024 21:53	WG2282098
Dichlorodifluoromethane	U		0.374	2.50	1	05/07/2024 21:53	WG2282098
1,1-Dichloroethane	U		0.100	0.500	1	05/07/2024 21:53	WG2282098
1,2-Dichloroethane	U		0.0819	0.500	1	05/07/2024 21:53	WG2282098
1,1-Dichloroethene	U		0.188	0.500	1	05/07/2024 21:53	WG2282098
cis-1,2-Dichloroethene	0.173	J	0.126	0.500	1	05/07/2024 21:53	WG2282098
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/07/2024 21:53	WG2282098
1,2-Dichloropropane	U		0.149	0.500	1	05/07/2024 21:53	WG2282098
1,1-Dichloropropene	U		0.142	0.500	1	05/07/2024 21:53	WG2282098
1,3-Dichloropropane	U		0.109	1.00	1	05/07/2024 21:53	WG2282098
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/07/2024 21:53	WG2282098
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/07/2024 21:53	WG2282098
2,2-Dichloropropane	U		0.161	0.500	1	05/07/2024 21:53	WG2282098
Di-isopropyl ether	U		0.105	0.500	1	05/07/2024 21:53	WG2282098
Ethylbenzene	U		0.137	0.500	1	05/07/2024 21:53	WG2282098
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/07/2024 21:53	WG2282098
Isopropylbenzene	U		0.105	0.500	1	05/07/2024 21:53	WG2282098
p-Isopropyltoluene	U		0.120	0.500	1	05/07/2024 21:53	WG2282098
2-Butanone (MEK)	U		1.19	5.00	1	05/07/2024 21:53	WG2282098
Methylene Chloride	U		0.430	2.50	1	05/07/2024 21:53	WG2282098
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/07/2024 21:53	WG2282098
Methyl tert-butyl ether	U		0.101	0.500	1	05/07/2024 21:53	WG2282098
Naphthalene	U	C3	0.174	2.50	1	05/07/2024 21:53	WG2282098
n-Propylbenzene	U		0.0993	0.500	1	05/07/2024 21:53	WG2282098
Styrene	U		0.118	0.500	1	05/07/2024 21:53	WG2282098
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/07/2024 21:53	WG2282098
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/07/2024 21:53	WG2282098
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/07/2024 21:53	WG2282098
Tetrachloroethene	U		0.300	0.500	1	05/07/2024 21:53	WG2282098
Toluene	U		0.278	0.500	1	05/07/2024 21:53	WG2282098
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/07/2024 21:53	WG2282098

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/07/2024 21:53	WG2282098
1,1,1-Trichloroethane	U		0.149	0.500	1	05/07/2024 21:53	WG2282098
1,1,2-Trichloroethane	U		0.158	0.500	1	05/07/2024 21:53	WG2282098
Trichloroethene	0.931		0.190	0.500	1	05/07/2024 21:53	WG2282098
Trichlorofluoromethane	U		0.160	2.50	1	05/07/2024 21:53	WG2282098
1,2,3-Trichloropropane	U		0.237	2.50	1	05/07/2024 21:53	WG2282098
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/07/2024 21:53	WG2282098
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 21:53	WG2282098
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 21:53	WG2282098
Vinyl chloride	U		0.234	0.500	1	05/07/2024 21:53	WG2282098
Xylenes, Total	U		0.174	1.50	1	05/07/2024 21:53	WG2282098
(S) Toluene-d8	102			80.0-120		05/07/2024 21:53	WG2282098
(S) 4-Bromofluorobenzene	97.0			77.0-126		05/07/2024 21:53	WG2282098
(S) 1,2-Dichloroethane-d4	97.2			70.0-130		05/07/2024 21:53	WG2282098

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	385	J3	11.3	25.0	1	05/07/2024 22:13	WG2282098
Acrolein	U	C3	2.54	50.0	1	05/07/2024 22:13	WG2282098
Acrylonitrile	U	J3	0.671	5.00	1	05/07/2024 22:13	WG2282098
Benzene	U		0.0941	0.500	1	05/07/2024 22:13	WG2282098
Bromobenzene	U		0.118	0.500	1	05/07/2024 22:13	WG2282098
Bromodichloromethane	U		0.136	0.500	1	05/07/2024 22:13	WG2282098
Bromoform	U		0.129	0.500	1	05/07/2024 22:13	WG2282098
Bromomethane	U	C3	0.605	2.50	1	05/07/2024 22:13	WG2282098
n-Butylbenzene	U		0.157	0.500	1	05/07/2024 22:13	WG2282098
sec-Butylbenzene	U		0.125	0.500	1	05/07/2024 22:13	WG2282098
tert-Butylbenzene	U		0.127	0.500	1	05/07/2024 22:13	WG2282098
Carbon disulfide	U		0.0962	0.500	1	05/07/2024 22:13	WG2282098
Carbon tetrachloride	U		0.128	0.500	1	05/07/2024 22:13	WG2282098
Chlorobenzene	U		0.117	0.500	1	05/07/2024 22:13	WG2282098
Chlorodibromomethane	U		0.140	0.500	1	05/07/2024 22:13	WG2282098
Chloroethane	U		0.192	2.50	1	05/07/2024 22:13	WG2282098
Chloroform	U		0.111	0.500	1	05/07/2024 22:13	WG2282098
Chloromethane	U	J4	0.960	1.25	1	05/07/2024 22:13	WG2282098
2-Chlorotoluene	U		0.106	0.500	1	05/07/2024 22:13	WG2282098
4-Chlorotoluene	U		0.114	0.500	1	05/07/2024 22:13	WG2282098
1,2-Dibromo-3-Chloropropane	U	C3	0.276	2.50	1	05/07/2024 22:13	WG2282098
1,2-Dibromoethane	U		0.126	0.500	1	05/07/2024 22:13	WG2282098
Dibromomethane	U		0.122	0.500	1	05/07/2024 22:13	WG2282098
1,2-Dichlorobenzene	U		0.107	0.500	1	05/07/2024 22:13	WG2282098
1,3-Dichlorobenzene	U		0.299	0.500	1	05/07/2024 22:13	WG2282098
1,4-Dichlorobenzene	U		0.120	0.500	1	05/07/2024 22:13	WG2282098
Dichlorodifluoromethane	U		0.374	2.50	1	05/07/2024 22:13	WG2282098
1,1-Dichloroethane	U		0.100	0.500	1	05/07/2024 22:13	WG2282098
1,2-Dichloroethane	U		0.0819	0.500	1	05/07/2024 22:13	WG2282098
1,1-Dichloroethene	U		0.188	0.500	1	05/07/2024 22:13	WG2282098
cis-1,2-Dichloroethene	U		0.126	0.500	1	05/07/2024 22:13	WG2282098
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/07/2024 22:13	WG2282098
1,2-Dichloropropane	U		0.149	0.500	1	05/07/2024 22:13	WG2282098
1,1-Dichloropropene	U		0.142	0.500	1	05/07/2024 22:13	WG2282098
1,3-Dichloropropane	U		0.109	1.00	1	05/07/2024 22:13	WG2282098
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/07/2024 22:13	WG2282098
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/07/2024 22:13	WG2282098
2,2-Dichloropropane	U		0.161	0.500	1	05/07/2024 22:13	WG2282098
Di-isopropyl ether	U		0.105	0.500	1	05/07/2024 22:13	WG2282098
Ethylbenzene	U		0.137	0.500	1	05/07/2024 22:13	WG2282098
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/07/2024 22:13	WG2282098
Isopropylbenzene	U		0.105	0.500	1	05/07/2024 22:13	WG2282098
p-Isopropyltoluene	U		0.120	0.500	1	05/07/2024 22:13	WG2282098
2-Butanone (MEK)	4.63	J	1.19	5.00	1	05/07/2024 22:13	WG2282098
Methylene Chloride	U		0.430	2.50	1	05/07/2024 22:13	WG2282098
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/07/2024 22:13	WG2282098
Methyl tert-butyl ether	U		0.101	0.500	1	05/07/2024 22:13	WG2282098
Naphthalene	U	C3	0.174	2.50	1	05/07/2024 22:13	WG2282098
n-Propylbenzene	U		0.0993	0.500	1	05/07/2024 22:13	WG2282098
Styrene	U		0.118	0.500	1	05/07/2024 22:13	WG2282098
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/07/2024 22:13	WG2282098
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/07/2024 22:13	WG2282098
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/07/2024 22:13	WG2282098
Tetrachloroethene	U		0.300	0.500	1	05/07/2024 22:13	WG2282098
Toluene	U		0.278	0.500	1	05/07/2024 22:13	WG2282098
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/07/2024 22:13	WG2282098

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/07/2024 22:13	WG2282098
1,1,1-Trichloroethane	U		0.149	0.500	1	05/07/2024 22:13	WG2282098
1,1,2-Trichloroethane	U		0.158	0.500	1	05/07/2024 22:13	WG2282098
Trichloroethene	U		0.190	0.500	1	05/07/2024 22:13	WG2282098
Trichlorofluoromethane	U		0.160	2.50	1	05/07/2024 22:13	WG2282098
1,2,3-Trichloropropane	U		0.237	2.50	1	05/07/2024 22:13	WG2282098
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/07/2024 22:13	WG2282098
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 22:13	WG2282098
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 22:13	WG2282098
Vinyl chloride	U		0.234	0.500	1	05/07/2024 22:13	WG2282098
Xylenes, Total	U		0.174	1.50	1	05/07/2024 22:13	WG2282098
(S) Toluene-d8	104			80.0-120		05/07/2024 22:13	WG2282098
(S) 4-Bromofluorobenzene	96.7			77.0-126		05/07/2024 22:13	WG2282098
(S) 1,2-Dichloroethane-d4	94.4			70.0-130		05/07/2024 22:13	WG2282098

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Acetone	154	J3	11.3	25.0	1	05/07/2024 22:33	WG2282098
Acrolein	U	C3	2.54	50.0	1	05/07/2024 22:33	WG2282098
Acrylonitrile	U	J3	0.671	5.00	1	05/07/2024 22:33	WG2282098
Benzene	U		0.0941	0.500	1	05/07/2024 22:33	WG2282098
Bromobenzene	U		0.118	0.500	1	05/07/2024 22:33	WG2282098
Bromodichloromethane	U		0.136	0.500	1	05/07/2024 22:33	WG2282098
Bromoform	U		0.129	0.500	1	05/07/2024 22:33	WG2282098
Bromomethane	U	C3	0.605	2.50	1	05/07/2024 22:33	WG2282098
n-Butylbenzene	U		0.157	0.500	1	05/07/2024 22:33	WG2282098
sec-Butylbenzene	U		0.125	0.500	1	05/07/2024 22:33	WG2282098
tert-Butylbenzene	U		0.127	0.500	1	05/07/2024 22:33	WG2282098
Carbon disulfide	U		0.0962	0.500	1	05/07/2024 22:33	WG2282098
Carbon tetrachloride	U		0.128	0.500	1	05/07/2024 22:33	WG2282098
Chlorobenzene	U		0.117	0.500	1	05/07/2024 22:33	WG2282098
Chlorodibromomethane	U		0.140	0.500	1	05/07/2024 22:33	WG2282098
Chloroethane	U		0.192	2.50	1	05/07/2024 22:33	WG2282098
Chloroform	U		0.111	0.500	1	05/07/2024 22:33	WG2282098
Chloromethane	U	J4	0.960	1.25	1	05/07/2024 22:33	WG2282098
2-Chlorotoluene	U		0.106	0.500	1	05/07/2024 22:33	WG2282098
4-Chlorotoluene	U		0.114	0.500	1	05/07/2024 22:33	WG2282098
1,2-Dibromo-3-Chloropropane	U	C3	0.276	2.50	1	05/07/2024 22:33	WG2282098
1,2-Dibromoethane	U		0.126	0.500	1	05/07/2024 22:33	WG2282098
Dibromomethane	U		0.122	0.500	1	05/07/2024 22:33	WG2282098
1,2-Dichlorobenzene	U		0.107	0.500	1	05/07/2024 22:33	WG2282098
1,3-Dichlorobenzene	U		0.299	0.500	1	05/07/2024 22:33	WG2282098
1,4-Dichlorobenzene	U		0.120	0.500	1	05/07/2024 22:33	WG2282098
Dichlorodifluoromethane	U		0.374	2.50	1	05/07/2024 22:33	WG2282098
1,1-Dichloroethane	U		0.100	0.500	1	05/07/2024 22:33	WG2282098
1,2-Dichloroethane	U		0.0819	0.500	1	05/07/2024 22:33	WG2282098
1,1-Dichloroethene	U		0.188	0.500	1	05/07/2024 22:33	WG2282098
cis-1,2-Dichloroethene	3.12		0.126	0.500	1	05/07/2024 22:33	WG2282098
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/07/2024 22:33	WG2282098
1,2-Dichloropropane	U		0.149	0.500	1	05/07/2024 22:33	WG2282098
1,1-Dichloropropene	U		0.142	0.500	1	05/07/2024 22:33	WG2282098
1,3-Dichloropropane	U		0.109	1.00	1	05/07/2024 22:33	WG2282098
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/07/2024 22:33	WG2282098
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/07/2024 22:33	WG2282098
2,2-Dichloropropane	U		0.161	0.500	1	05/07/2024 22:33	WG2282098
Di-isopropyl ether	U		0.105	0.500	1	05/07/2024 22:33	WG2282098
Ethylbenzene	U		0.137	0.500	1	05/07/2024 22:33	WG2282098
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/07/2024 22:33	WG2282098
Isopropylbenzene	U		0.105	0.500	1	05/07/2024 22:33	WG2282098
p-Isopropyltoluene	U		0.120	0.500	1	05/07/2024 22:33	WG2282098
2-Butanone (MEK)	3.10	J	1.19	5.00	1	05/07/2024 22:33	WG2282098
Methylene Chloride	U		0.430	2.50	1	05/07/2024 22:33	WG2282098
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/07/2024 22:33	WG2282098
Methyl tert-butyl ether	U		0.101	0.500	1	05/07/2024 22:33	WG2282098
Naphthalene	U	C3	0.174	2.50	1	05/07/2024 22:33	WG2282098
n-Propylbenzene	U		0.0993	0.500	1	05/07/2024 22:33	WG2282098
Styrene	U		0.118	0.500	1	05/07/2024 22:33	WG2282098
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/07/2024 22:33	WG2282098
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/07/2024 22:33	WG2282098
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/07/2024 22:33	WG2282098
Tetrachloroethene	1.83		0.300	0.500	1	05/07/2024 22:33	WG2282098
Toluene	U		0.278	0.500	1	05/07/2024 22:33	WG2282098
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/07/2024 22:33	WG2282098

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/07/2024 22:33	WG2282098
1,1,1-Trichloroethane	U		0.149	0.500	1	05/07/2024 22:33	WG2282098
1,1,2-Trichloroethane	U		0.158	0.500	1	05/07/2024 22:33	WG2282098
Trichloroethene	43.0		0.190	0.500	1	05/07/2024 22:33	WG2282098
Trichlorofluoromethane	U		0.160	2.50	1	05/07/2024 22:33	WG2282098
1,2,3-Trichloropropane	U		0.237	2.50	1	05/07/2024 22:33	WG2282098
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/07/2024 22:33	WG2282098
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 22:33	WG2282098
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 22:33	WG2282098
Vinyl chloride	U		0.234	0.500	1	05/07/2024 22:33	WG2282098
Xylenes, Total	U		0.174	1.50	1	05/07/2024 22:33	WG2282098
(S) Toluene-d8	101			80.0-120		05/07/2024 22:33	WG2282098
(S) 4-Bromofluorobenzene	90.8			77.0-126		05/07/2024 22:33	WG2282098
(S) 1,2-Dichloroethane-d4	93.4			70.0-130		05/07/2024 22:33	WG2282098

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc


7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	307	J3	11.3	25.0	1	05/07/2024 22:52	WG2282098
Acrolein	U	C3	2.54	50.0	1	05/07/2024 22:52	WG2282098
Acrylonitrile	U	J3	0.671	5.00	1	05/07/2024 22:52	WG2282098
Benzene	U		0.0941	0.500	1	05/07/2024 22:52	WG2282098
Bromobenzene	U		0.118	0.500	1	05/07/2024 22:52	WG2282098
Bromodichloromethane	U		0.136	0.500	1	05/07/2024 22:52	WG2282098
Bromoform	U		0.129	0.500	1	05/07/2024 22:52	WG2282098
Bromomethane	U	C3	0.605	2.50	1	05/07/2024 22:52	WG2282098
n-Butylbenzene	U		0.157	0.500	1	05/07/2024 22:52	WG2282098
sec-Butylbenzene	U		0.125	0.500	1	05/07/2024 22:52	WG2282098
tert-Butylbenzene	U		0.127	0.500	1	05/07/2024 22:52	WG2282098
Carbon disulfide	U		0.0962	0.500	1	05/07/2024 22:52	WG2282098
Carbon tetrachloride	U		0.128	0.500	1	05/07/2024 22:52	WG2282098
Chlorobenzene	U		0.117	0.500	1	05/07/2024 22:52	WG2282098
Chlorodibromomethane	U		0.140	0.500	1	05/07/2024 22:52	WG2282098
Chloroethane	U		0.192	2.50	1	05/07/2024 22:52	WG2282098
Chloroform	0.739		0.111	0.500	1	05/07/2024 22:52	WG2282098
Chloromethane	U	J4	0.960	1.25	1	05/07/2024 22:52	WG2282098
2-Chlorotoluene	U		0.106	0.500	1	05/07/2024 22:52	WG2282098
4-Chlorotoluene	U		0.114	0.500	1	05/07/2024 22:52	WG2282098
1,2-Dibromo-3-Chloropropane	U	C3	0.276	2.50	1	05/07/2024 22:52	WG2282098
1,2-Dibromoethane	U		0.126	0.500	1	05/07/2024 22:52	WG2282098
Dibromomethane	U		0.122	0.500	1	05/07/2024 22:52	WG2282098
1,2-Dichlorobenzene	U		0.107	0.500	1	05/07/2024 22:52	WG2282098
1,3-Dichlorobenzene	U		0.299	0.500	1	05/07/2024 22:52	WG2282098
1,4-Dichlorobenzene	U		0.120	0.500	1	05/07/2024 22:52	WG2282098
Dichlorodifluoromethane	U		0.374	2.50	1	05/07/2024 22:52	WG2282098
1,1-Dichloroethane	U		0.100	0.500	1	05/07/2024 22:52	WG2282098
1,2-Dichloroethane	U		0.0819	0.500	1	05/07/2024 22:52	WG2282098
1,1-Dichloroethene	U		0.188	0.500	1	05/07/2024 22:52	WG2282098
cis-1,2-Dichloroethene	0.369	J	0.126	0.500	1	05/07/2024 22:52	WG2282098
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/07/2024 22:52	WG2282098
1,2-Dichloropropane	U		0.149	0.500	1	05/07/2024 22:52	WG2282098
1,1-Dichloropropene	U		0.142	0.500	1	05/07/2024 22:52	WG2282098
1,3-Dichloropropane	U		0.109	1.00	1	05/07/2024 22:52	WG2282098
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/07/2024 22:52	WG2282098
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/07/2024 22:52	WG2282098
2,2-Dichloropropane	U		0.161	0.500	1	05/07/2024 22:52	WG2282098
Di-isopropyl ether	U		0.105	0.500	1	05/07/2024 22:52	WG2282098
Ethylbenzene	U		0.137	0.500	1	05/07/2024 22:52	WG2282098
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/07/2024 22:52	WG2282098
Isopropylbenzene	U		0.105	0.500	1	05/07/2024 22:52	WG2282098
p-Isopropyltoluene	U		0.120	0.500	1	05/07/2024 22:52	WG2282098
2-Butanone (MEK)	5.05		1.19	5.00	1	05/07/2024 22:52	WG2282098
Methylene Chloride	U		0.430	2.50	1	05/07/2024 22:52	WG2282098
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/07/2024 22:52	WG2282098
Methyl tert-butyl ether	U		0.101	0.500	1	05/07/2024 22:52	WG2282098
Naphthalene	U	C3	0.174	2.50	1	05/07/2024 22:52	WG2282098
n-Propylbenzene	U		0.0993	0.500	1	05/07/2024 22:52	WG2282098
Styrene	U		0.118	0.500	1	05/07/2024 22:52	WG2282098
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/07/2024 22:52	WG2282098
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/07/2024 22:52	WG2282098
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/07/2024 22:52	WG2282098
Tetrachloroethene	U		0.300	0.500	1	05/07/2024 22:52	WG2282098
Toluene	U		0.278	0.500	1	05/07/2024 22:52	WG2282098
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/07/2024 22:52	WG2282098



Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/07/2024 22:52	WG2282098
1,1,1-Trichloroethane	U		0.149	0.500	1	05/07/2024 22:52	WG2282098
1,1,2-Trichloroethane	U		0.158	0.500	1	05/07/2024 22:52	WG2282098
Trichloroethene	3.32		0.190	0.500	1	05/07/2024 22:52	WG2282098
Trichlorofluoromethane	U		0.160	2.50	1	05/07/2024 22:52	WG2282098
1,2,3-Trichloropropane	U		0.237	2.50	1	05/07/2024 22:52	WG2282098
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/07/2024 22:52	WG2282098
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 22:52	WG2282098
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 22:52	WG2282098
Vinyl chloride	U		0.234	0.500	1	05/07/2024 22:52	WG2282098
Xylenes, Total	U		0.174	1.50	1	05/07/2024 22:52	WG2282098
(S) Toluene-d8	102			80.0-120		05/07/2024 22:52	WG2282098
(S) 4-Bromofluorobenzene	97.7			77.0-126		05/07/2024 22:52	WG2282098
(S) 1,2-Dichloroethane-d4	101			70.0-130		05/07/2024 22:52	WG2282098

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	421	J3	11.3	25.0	1	05/07/2024 23:12	WG2282098
Acrolein	U	C3	2.54	50.0	1	05/07/2024 23:12	WG2282098
Acrylonitrile	U	J3	0.671	5.00	1	05/07/2024 23:12	WG2282098
Benzene	U		0.0941	0.500	1	05/07/2024 23:12	WG2282098
Bromobenzene	U		0.118	0.500	1	05/07/2024 23:12	WG2282098
Bromodichloromethane	U		0.136	0.500	1	05/07/2024 23:12	WG2282098
Bromoform	U		0.129	0.500	1	05/07/2024 23:12	WG2282098
Bromomethane	U	C3	0.605	2.50	1	05/07/2024 23:12	WG2282098
n-Butylbenzene	U		0.157	0.500	1	05/07/2024 23:12	WG2282098
sec-Butylbenzene	U		0.125	0.500	1	05/07/2024 23:12	WG2282098
tert-Butylbenzene	U		0.127	0.500	1	05/07/2024 23:12	WG2282098
Carbon disulfide	U		0.0962	0.500	1	05/07/2024 23:12	WG2282098
Carbon tetrachloride	U		0.128	0.500	1	05/07/2024 23:12	WG2282098
Chlorobenzene	U		0.117	0.500	1	05/07/2024 23:12	WG2282098
Chlorodibromomethane	U		0.140	0.500	1	05/07/2024 23:12	WG2282098
Chloroethane	U		0.192	2.50	1	05/07/2024 23:12	WG2282098
Chloroform	U		0.111	0.500	1	05/07/2024 23:12	WG2282098
Chloromethane	U	J4	0.960	1.25	1	05/07/2024 23:12	WG2282098
2-Chlorotoluene	U		0.106	0.500	1	05/07/2024 23:12	WG2282098
4-Chlorotoluene	U		0.114	0.500	1	05/07/2024 23:12	WG2282098
1,2-Dibromo-3-Chloropropane	U	C3	0.276	2.50	1	05/07/2024 23:12	WG2282098
1,2-Dibromoethane	U		0.126	0.500	1	05/07/2024 23:12	WG2282098
Dibromomethane	U		0.122	0.500	1	05/07/2024 23:12	WG2282098
1,2-Dichlorobenzene	U		0.107	0.500	1	05/07/2024 23:12	WG2282098
1,3-Dichlorobenzene	U		0.299	0.500	1	05/07/2024 23:12	WG2282098
1,4-Dichlorobenzene	U		0.120	0.500	1	05/07/2024 23:12	WG2282098
Dichlorodifluoromethane	U		0.374	2.50	1	05/07/2024 23:12	WG2282098
1,1-Dichloroethane	U		0.100	0.500	1	05/07/2024 23:12	WG2282098
1,2-Dichloroethane	U		0.0819	0.500	1	05/07/2024 23:12	WG2282098
1,1-Dichloroethene	U		0.188	0.500	1	05/07/2024 23:12	WG2282098
cis-1,2-Dichloroethene	2.35		0.126	0.500	1	05/07/2024 23:12	WG2282098
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/07/2024 23:12	WG2282098
1,2-Dichloropropane	U		0.149	0.500	1	05/07/2024 23:12	WG2282098
1,1-Dichloropropene	U		0.142	0.500	1	05/07/2024 23:12	WG2282098
1,3-Dichloropropane	U		0.109	1.00	1	05/07/2024 23:12	WG2282098
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/07/2024 23:12	WG2282098
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/07/2024 23:12	WG2282098
2,2-Dichloropropane	U		0.161	0.500	1	05/07/2024 23:12	WG2282098
Di-isopropyl ether	U		0.105	0.500	1	05/07/2024 23:12	WG2282098
Ethylbenzene	U		0.137	0.500	1	05/07/2024 23:12	WG2282098
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/07/2024 23:12	WG2282098
Isopropylbenzene	U		0.105	0.500	1	05/07/2024 23:12	WG2282098
p-Isopropyltoluene	U		0.120	0.500	1	05/07/2024 23:12	WG2282098
2-Butanone (MEK)	4.15	J	1.19	5.00	1	05/07/2024 23:12	WG2282098
Methylene Chloride	U		0.430	2.50	1	05/07/2024 23:12	WG2282098
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/07/2024 23:12	WG2282098
Methyl tert-butyl ether	U		0.101	0.500	1	05/07/2024 23:12	WG2282098
Naphthalene	U	C3	0.174	2.50	1	05/07/2024 23:12	WG2282098
n-Propylbenzene	U		0.0993	0.500	1	05/07/2024 23:12	WG2282098
Styrene	U		0.118	0.500	1	05/07/2024 23:12	WG2282098
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/07/2024 23:12	WG2282098
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/07/2024 23:12	WG2282098
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/07/2024 23:12	WG2282098
Tetrachloroethene	0.359	J	0.300	0.500	1	05/07/2024 23:12	WG2282098
Toluene	U		0.278	0.500	1	05/07/2024 23:12	WG2282098
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/07/2024 23:12	WG2282098

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/07/2024 23:12	WG2282098
1,1,1-Trichloroethane	U		0.149	0.500	1	05/07/2024 23:12	WG2282098
1,1,2-Trichloroethane	U		0.158	0.500	1	05/07/2024 23:12	WG2282098
Trichloroethene	10.0		0.190	0.500	1	05/07/2024 23:12	WG2282098
Trichlorofluoromethane	U		0.160	2.50	1	05/07/2024 23:12	WG2282098
1,2,3-Trichloropropane	U		0.237	2.50	1	05/07/2024 23:12	WG2282098
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/07/2024 23:12	WG2282098
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 23:12	WG2282098
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 23:12	WG2282098
Vinyl chloride	U		0.234	0.500	1	05/07/2024 23:12	WG2282098
Xylenes, Total	U		0.174	1.50	1	05/07/2024 23:12	WG2282098
(S) Toluene-d8	105			80.0-120		05/07/2024 23:12	WG2282098
(S) 4-Bromofluorobenzene	97.6			77.0-126		05/07/2024 23:12	WG2282098
(S) 1,2-Dichloroethane-d4	92.4			70.0-130		05/07/2024 23:12	WG2282098

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	437	J3	11.3	25.0	1	05/07/2024 23:32	WG2282098
Acrolein	U	C3	2.54	50.0	1	05/07/2024 23:32	WG2282098
Acrylonitrile	U	J3	0.671	5.00	1	05/07/2024 23:32	WG2282098
Benzene	U		0.0941	0.500	1	05/07/2024 23:32	WG2282098
Bromobenzene	U		0.118	0.500	1	05/07/2024 23:32	WG2282098
Bromodichloromethane	U		0.136	0.500	1	05/07/2024 23:32	WG2282098
Bromoform	U		0.129	0.500	1	05/07/2024 23:32	WG2282098
Bromomethane	U	C3	0.605	2.50	1	05/07/2024 23:32	WG2282098
n-Butylbenzene	U		0.157	0.500	1	05/07/2024 23:32	WG2282098
sec-Butylbenzene	U		0.125	0.500	1	05/07/2024 23:32	WG2282098
tert-Butylbenzene	U		0.127	0.500	1	05/07/2024 23:32	WG2282098
Carbon disulfide	U		0.0962	0.500	1	05/07/2024 23:32	WG2282098
Carbon tetrachloride	U		0.128	0.500	1	05/07/2024 23:32	WG2282098
Chlorobenzene	U		0.117	0.500	1	05/07/2024 23:32	WG2282098
Chlorodibromomethane	U		0.140	0.500	1	05/07/2024 23:32	WG2282098
Chloroethane	U		0.192	2.50	1	05/07/2024 23:32	WG2282098
Chloroform	U		0.111	0.500	1	05/07/2024 23:32	WG2282098
Chloromethane	U	J4	0.960	1.25	1	05/07/2024 23:32	WG2282098
2-Chlorotoluene	U		0.106	0.500	1	05/07/2024 23:32	WG2282098
4-Chlorotoluene	U		0.114	0.500	1	05/07/2024 23:32	WG2282098
1,2-Dibromo-3-Chloropropane	U	C3	0.276	2.50	1	05/07/2024 23:32	WG2282098
1,2-Dibromoethane	U		0.126	0.500	1	05/07/2024 23:32	WG2282098
Dibromomethane	U		0.122	0.500	1	05/07/2024 23:32	WG2282098
1,2-Dichlorobenzene	U		0.107	0.500	1	05/07/2024 23:32	WG2282098
1,3-Dichlorobenzene	U		0.299	0.500	1	05/07/2024 23:32	WG2282098
1,4-Dichlorobenzene	U		0.120	0.500	1	05/07/2024 23:32	WG2282098
Dichlorodifluoromethane	U		0.374	2.50	1	05/07/2024 23:32	WG2282098
1,1-Dichloroethane	U		0.100	0.500	1	05/07/2024 23:32	WG2282098
1,2-Dichloroethane	U		0.0819	0.500	1	05/07/2024 23:32	WG2282098
1,1-Dichloroethene	U		0.188	0.500	1	05/07/2024 23:32	WG2282098
cis-1,2-Dichloroethene	2.34		0.126	0.500	1	05/07/2024 23:32	WG2282098
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/07/2024 23:32	WG2282098
1,2-Dichloropropane	U		0.149	0.500	1	05/07/2024 23:32	WG2282098
1,1-Dichloropropene	U		0.142	0.500	1	05/07/2024 23:32	WG2282098
1,3-Dichloropropane	U		0.109	1.00	1	05/07/2024 23:32	WG2282098
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/07/2024 23:32	WG2282098
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/07/2024 23:32	WG2282098
2,2-Dichloropropane	U		0.161	0.500	1	05/07/2024 23:32	WG2282098
Di-isopropyl ether	U		0.105	0.500	1	05/07/2024 23:32	WG2282098
Ethylbenzene	U		0.137	0.500	1	05/07/2024 23:32	WG2282098
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/07/2024 23:32	WG2282098
Isopropylbenzene	U		0.105	0.500	1	05/07/2024 23:32	WG2282098
p-Isopropyltoluene	U		0.120	0.500	1	05/07/2024 23:32	WG2282098
2-Butanone (MEK)	4.46	J	1.19	5.00	1	05/07/2024 23:32	WG2282098
Methylene Chloride	U		0.430	2.50	1	05/07/2024 23:32	WG2282098
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/07/2024 23:32	WG2282098
Methyl tert-butyl ether	U		0.101	0.500	1	05/07/2024 23:32	WG2282098
Naphthalene	U	C3	0.174	2.50	1	05/07/2024 23:32	WG2282098
n-Propylbenzene	U		0.0993	0.500	1	05/07/2024 23:32	WG2282098
Styrene	U		0.118	0.500	1	05/07/2024 23:32	WG2282098
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/07/2024 23:32	WG2282098
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/07/2024 23:32	WG2282098
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/07/2024 23:32	WG2282098
Tetrachloroethene	U		0.300	0.500	1	05/07/2024 23:32	WG2282098
Toluene	U		0.278	0.500	1	05/07/2024 23:32	WG2282098
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/07/2024 23:32	WG2282098

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/07/2024 23:32	WG2282098
1,1,1-Trichloroethane	U		0.149	0.500	1	05/07/2024 23:32	WG2282098
1,1,2-Trichloroethane	U		0.158	0.500	1	05/07/2024 23:32	WG2282098
Trichloroethene	10.3		0.190	0.500	1	05/07/2024 23:32	WG2282098
Trichlorofluoromethane	U		0.160	2.50	1	05/07/2024 23:32	WG2282098
1,2,3-Trichloropropane	U		0.237	2.50	1	05/07/2024 23:32	WG2282098
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/07/2024 23:32	WG2282098
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 23:32	WG2282098
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 23:32	WG2282098
Vinyl chloride	U		0.234	0.500	1	05/07/2024 23:32	WG2282098
Xylenes, Total	U		0.174	1.50	1	05/07/2024 23:32	WG2282098
(S) Toluene-d8	104			80.0-120		05/07/2024 23:32	WG2282098
(S) 4-Bromofluorobenzene	96.9			77.0-126		05/07/2024 23:32	WG2282098
(S) 1,2-Dichloroethane-d4	96.3			70.0-130		05/07/2024 23:32	WG2282098

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	64.9	J3	11.3	25.0	1	05/07/2024 23:52	WG2282098
Acrolein	U	C3	2.54	50.0	1	05/07/2024 23:52	WG2282098
Acrylonitrile	U	J3	0.671	5.00	1	05/07/2024 23:52	WG2282098
Benzene	U		0.0941	0.500	1	05/07/2024 23:52	WG2282098
Bromobenzene	U		0.118	0.500	1	05/07/2024 23:52	WG2282098
Bromodichloromethane	U		0.136	0.500	1	05/07/2024 23:52	WG2282098
Bromoform	U		0.129	0.500	1	05/07/2024 23:52	WG2282098
Bromomethane	U	C3	0.605	2.50	1	05/07/2024 23:52	WG2282098
n-Butylbenzene	U		0.157	0.500	1	05/07/2024 23:52	WG2282098
sec-Butylbenzene	U		0.125	0.500	1	05/07/2024 23:52	WG2282098
tert-Butylbenzene	U		0.127	0.500	1	05/07/2024 23:52	WG2282098
Carbon disulfide	U		0.0962	0.500	1	05/07/2024 23:52	WG2282098
Carbon tetrachloride	U		0.128	0.500	1	05/07/2024 23:52	WG2282098
Chlorobenzene	U		0.117	0.500	1	05/07/2024 23:52	WG2282098
Chlorodibromomethane	U		0.140	0.500	1	05/07/2024 23:52	WG2282098
Chloroethane	U		0.192	2.50	1	05/07/2024 23:52	WG2282098
Chloroform	0.330	J	0.111	0.500	1	05/07/2024 23:52	WG2282098
Chloromethane	U	J4	0.960	1.25	1	05/07/2024 23:52	WG2282098
2-Chlorotoluene	U		0.106	0.500	1	05/07/2024 23:52	WG2282098
4-Chlorotoluene	U		0.114	0.500	1	05/07/2024 23:52	WG2282098
1,2-Dibromo-3-Chloropropane	U	C3	0.276	2.50	1	05/07/2024 23:52	WG2282098
1,2-Dibromoethane	U		0.126	0.500	1	05/07/2024 23:52	WG2282098
Dibromomethane	U		0.122	0.500	1	05/07/2024 23:52	WG2282098
1,2-Dichlorobenzene	U		0.107	0.500	1	05/07/2024 23:52	WG2282098
1,3-Dichlorobenzene	U		0.299	0.500	1	05/07/2024 23:52	WG2282098
1,4-Dichlorobenzene	U		0.120	0.500	1	05/07/2024 23:52	WG2282098
Dichlorodifluoromethane	U		0.374	2.50	1	05/07/2024 23:52	WG2282098
1,1-Dichloroethane	U		0.100	0.500	1	05/07/2024 23:52	WG2282098
1,2-Dichloroethane	U		0.0819	0.500	1	05/07/2024 23:52	WG2282098
1,1-Dichloroethene	U		0.188	0.500	1	05/07/2024 23:52	WG2282098
cis-1,2-Dichloroethene	U		0.126	0.500	1	05/07/2024 23:52	WG2282098
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/07/2024 23:52	WG2282098
1,2-Dichloropropane	U		0.149	0.500	1	05/07/2024 23:52	WG2282098
1,1-Dichloropropene	U		0.142	0.500	1	05/07/2024 23:52	WG2282098
1,3-Dichloropropane	U		0.109	1.00	1	05/07/2024 23:52	WG2282098
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/07/2024 23:52	WG2282098
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/07/2024 23:52	WG2282098
2,2-Dichloropropane	U		0.161	0.500	1	05/07/2024 23:52	WG2282098
Di-isopropyl ether	U		0.105	0.500	1	05/07/2024 23:52	WG2282098
Ethylbenzene	U		0.137	0.500	1	05/07/2024 23:52	WG2282098
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/07/2024 23:52	WG2282098
Isopropylbenzene	U		0.105	0.500	1	05/07/2024 23:52	WG2282098
p-Isopropyltoluene	U		0.120	0.500	1	05/07/2024 23:52	WG2282098
2-Butanone (MEK)	1.97	J	1.19	5.00	1	05/07/2024 23:52	WG2282098
Methylene Chloride	U		0.430	2.50	1	05/07/2024 23:52	WG2282098
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/07/2024 23:52	WG2282098
Methyl tert-butyl ether	U		0.101	0.500	1	05/07/2024 23:52	WG2282098
Naphthalene	U	C3	0.174	2.50	1	05/07/2024 23:52	WG2282098
n-Propylbenzene	U		0.0993	0.500	1	05/07/2024 23:52	WG2282098
Styrene	U		0.118	0.500	1	05/07/2024 23:52	WG2282098
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/07/2024 23:52	WG2282098
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/07/2024 23:52	WG2282098
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/07/2024 23:52	WG2282098
Tetrachloroethene	U		0.300	0.500	1	05/07/2024 23:52	WG2282098
Toluene	U		0.278	0.500	1	05/07/2024 23:52	WG2282098
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/07/2024 23:52	WG2282098

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/07/2024 23:52	WG2282098
1,1,1-Trichloroethane	U		0.149	0.500	1	05/07/2024 23:52	WG2282098
1,1,2-Trichloroethane	U		0.158	0.500	1	05/07/2024 23:52	WG2282098
Trichloroethene	U		0.190	0.500	1	05/07/2024 23:52	WG2282098
Trichlorofluoromethane	U		0.160	2.50	1	05/07/2024 23:52	WG2282098
1,2,3-Trichloropropane	U		0.237	2.50	1	05/07/2024 23:52	WG2282098
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/07/2024 23:52	WG2282098
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 23:52	WG2282098
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 23:52	WG2282098
Vinyl chloride	U		0.234	0.500	1	05/07/2024 23:52	WG2282098
Xylenes, Total	U		0.174	1.50	1	05/07/2024 23:52	WG2282098
(S) Toluene-d8	104			80.0-120		05/07/2024 23:52	WG2282098
(S) 4-Bromofluorobenzene	94.7			77.0-126		05/07/2024 23:52	WG2282098
(S) 1,2-Dichloroethane-d4	97.4			70.0-130		05/07/2024 23:52	WG2282098

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	364	J3	11.3	25.0	1	05/08/2024 00:12	WG2282098
Acrolein	U	C3	2.54	50.0	1	05/08/2024 00:12	WG2282098
Acrylonitrile	U	J3	0.671	5.00	1	05/08/2024 00:12	WG2282098
Benzene	U		0.0941	0.500	1	05/08/2024 00:12	WG2282098
Bromobenzene	U		0.118	0.500	1	05/08/2024 00:12	WG2282098
Bromodichloromethane	U		0.136	0.500	1	05/08/2024 00:12	WG2282098
Bromoform	U		0.129	0.500	1	05/08/2024 00:12	WG2282098
Bromomethane	U	C3	0.605	2.50	1	05/08/2024 00:12	WG2282098
n-Butylbenzene	U		0.157	0.500	1	05/08/2024 00:12	WG2282098
sec-Butylbenzene	U		0.125	0.500	1	05/08/2024 00:12	WG2282098
tert-Butylbenzene	U		0.127	0.500	1	05/08/2024 00:12	WG2282098
Carbon disulfide	U		0.0962	0.500	1	05/08/2024 00:12	WG2282098
Carbon tetrachloride	U		0.128	0.500	1	05/08/2024 00:12	WG2282098
Chlorobenzene	U		0.117	0.500	1	05/08/2024 00:12	WG2282098
Chlorodibromomethane	U		0.140	0.500	1	05/08/2024 00:12	WG2282098
Chloroethane	U		0.192	2.50	1	05/08/2024 00:12	WG2282098
Chloroform	0.400	J	0.111	0.500	1	05/08/2024 00:12	WG2282098
Chloromethane	U	J4	0.960	1.25	1	05/08/2024 00:12	WG2282098
2-Chlorotoluene	U		0.106	0.500	1	05/08/2024 00:12	WG2282098
4-Chlorotoluene	U		0.114	0.500	1	05/08/2024 00:12	WG2282098
1,2-Dibromo-3-Chloropropane	U	C3	0.276	2.50	1	05/08/2024 00:12	WG2282098
1,2-Dibromoethane	U		0.126	0.500	1	05/08/2024 00:12	WG2282098
Dibromomethane	U		0.122	0.500	1	05/08/2024 00:12	WG2282098
1,2-Dichlorobenzene	U		0.107	0.500	1	05/08/2024 00:12	WG2282098
1,3-Dichlorobenzene	U		0.299	0.500	1	05/08/2024 00:12	WG2282098
1,4-Dichlorobenzene	U		0.120	0.500	1	05/08/2024 00:12	WG2282098
Dichlorodifluoromethane	U		0.374	2.50	1	05/08/2024 00:12	WG2282098
1,1-Dichloroethane	U		0.100	0.500	1	05/08/2024 00:12	WG2282098
1,2-Dichloroethane	U		0.0819	0.500	1	05/08/2024 00:12	WG2282098
1,1-Dichloroethene	U		0.188	0.500	1	05/08/2024 00:12	WG2282098
cis-1,2-Dichloroethene	0.688		0.126	0.500	1	05/08/2024 00:12	WG2282098
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/08/2024 00:12	WG2282098
1,2-Dichloropropane	U		0.149	0.500	1	05/08/2024 00:12	WG2282098
1,1-Dichloropropene	U		0.142	0.500	1	05/08/2024 00:12	WG2282098
1,3-Dichloropropane	U		0.109	1.00	1	05/08/2024 00:12	WG2282098
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/08/2024 00:12	WG2282098
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/08/2024 00:12	WG2282098
2,2-Dichloropropane	U		0.161	0.500	1	05/08/2024 00:12	WG2282098
Di-isopropyl ether	U		0.105	0.500	1	05/08/2024 00:12	WG2282098
Ethylbenzene	U		0.137	0.500	1	05/08/2024 00:12	WG2282098
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/08/2024 00:12	WG2282098
Isopropylbenzene	U		0.105	0.500	1	05/08/2024 00:12	WG2282098
p-Isopropyltoluene	U		0.120	0.500	1	05/08/2024 00:12	WG2282098
2-Butanone (MEK)	3.33	J	1.19	5.00	1	05/08/2024 00:12	WG2282098
Methylene Chloride	U		0.430	2.50	1	05/08/2024 00:12	WG2282098
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/08/2024 00:12	WG2282098
Methyl tert-butyl ether	U		0.101	0.500	1	05/08/2024 00:12	WG2282098
Naphthalene	U	C3	0.174	2.50	1	05/08/2024 00:12	WG2282098
n-Propylbenzene	U		0.0993	0.500	1	05/08/2024 00:12	WG2282098
Styrene	U		0.118	0.500	1	05/08/2024 00:12	WG2282098
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/08/2024 00:12	WG2282098
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/08/2024 00:12	WG2282098
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/08/2024 00:12	WG2282098
Tetrachloroethene	U		0.300	0.500	1	05/08/2024 00:12	WG2282098
Toluene	U		0.278	0.500	1	05/08/2024 00:12	WG2282098
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/08/2024 00:12	WG2282098

1 Cp

2 Tc

3 Ss

4 Cn

5 Sr

6 Qc

7 Gl

8 Al

9 Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/08/2024 00:12	WG2282098
1,1,1-Trichloroethane	U		0.149	0.500	1	05/08/2024 00:12	WG2282098
1,1,2-Trichloroethane	U		0.158	0.500	1	05/08/2024 00:12	WG2282098
Trichloroethene	4.66		0.190	0.500	1	05/08/2024 00:12	WG2282098
Trichlorofluoromethane	U		0.160	2.50	1	05/08/2024 00:12	WG2282098
1,2,3-Trichloropropane	U		0.237	2.50	1	05/08/2024 00:12	WG2282098
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/08/2024 00:12	WG2282098
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 00:12	WG2282098
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 00:12	WG2282098
Vinyl chloride	U		0.234	0.500	1	05/08/2024 00:12	WG2282098
Xylenes, Total	U		0.174	1.50	1	05/08/2024 00:12	WG2282098
(S) Toluene-d8	103			80.0-120		05/08/2024 00:12	WG2282098
(S) 4-Bromofluorobenzene	97.8			77.0-126		05/08/2024 00:12	WG2282098
(S) 1,2-Dichloroethane-d4	98.2			70.0-130		05/08/2024 00:12	WG2282098

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc


7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
Acetone	U	J3	11.3	25.0	1	05/08/2024 00:31	WG2282098
Acrolein	U	C3	2.54	50.0	1	05/08/2024 00:31	WG2282098
Acrylonitrile	U	J3	0.671	5.00	1	05/08/2024 00:31	WG2282098
Benzene	U		0.0941	0.500	1	05/08/2024 00:31	WG2282098
Bromobenzene	U		0.118	0.500	1	05/08/2024 00:31	WG2282098
Bromodichloromethane	U		0.136	0.500	1	05/08/2024 00:31	WG2282098
Bromoform	U		0.129	0.500	1	05/08/2024 00:31	WG2282098
Bromomethane	U	C3	0.605	2.50	1	05/08/2024 00:31	WG2282098
n-Butylbenzene	U		0.157	0.500	1	05/08/2024 00:31	WG2282098
sec-Butylbenzene	U		0.125	0.500	1	05/08/2024 00:31	WG2282098
tert-Butylbenzene	U		0.127	0.500	1	05/08/2024 00:31	WG2282098
Carbon disulfide	U		0.0962	0.500	1	05/08/2024 00:31	WG2282098
Carbon tetrachloride	U		0.128	0.500	1	05/08/2024 00:31	WG2282098
Chlorobenzene	U		0.117	0.500	1	05/08/2024 00:31	WG2282098
Chlorodibromomethane	U		0.140	0.500	1	05/08/2024 00:31	WG2282098
Chloroethane	U		0.192	2.50	1	05/08/2024 00:31	WG2282098
Chloroform	0.666		0.111	0.500	1	05/08/2024 00:31	WG2282098
Chloromethane	U	J4	0.960	1.25	1	05/08/2024 00:31	WG2282098
2-Chlorotoluene	U		0.106	0.500	1	05/08/2024 00:31	WG2282098
4-Chlorotoluene	U		0.114	0.500	1	05/08/2024 00:31	WG2282098
1,2-Dibromo-3-Chloropropane	U	C3	0.276	2.50	1	05/08/2024 00:31	WG2282098
1,2-Dibromoethane	U		0.126	0.500	1	05/08/2024 00:31	WG2282098
Dibromomethane	U		0.122	0.500	1	05/08/2024 00:31	WG2282098
1,2-Dichlorobenzene	U		0.107	0.500	1	05/08/2024 00:31	WG2282098
1,3-Dichlorobenzene	U		0.299	0.500	1	05/08/2024 00:31	WG2282098
1,4-Dichlorobenzene	U		0.120	0.500	1	05/08/2024 00:31	WG2282098
Dichlorodifluoromethane	U		0.374	2.50	1	05/08/2024 00:31	WG2282098
1,1-Dichloroethane	U		0.100	0.500	1	05/08/2024 00:31	WG2282098
1,2-Dichloroethane	U		0.0819	0.500	1	05/08/2024 00:31	WG2282098
1,1-Dichloroethene	U		0.188	0.500	1	05/08/2024 00:31	WG2282098
cis-1,2-Dichloroethene	U		0.126	0.500	1	05/08/2024 00:31	WG2282098
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/08/2024 00:31	WG2282098
1,2-Dichloropropane	U		0.149	0.500	1	05/08/2024 00:31	WG2282098
1,1-Dichloropropene	U		0.142	0.500	1	05/08/2024 00:31	WG2282098
1,3-Dichloropropane	U		0.109	1.00	1	05/08/2024 00:31	WG2282098
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/08/2024 00:31	WG2282098
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/08/2024 00:31	WG2282098
2,2-Dichloropropane	U		0.161	0.500	1	05/08/2024 00:31	WG2282098
Di-isopropyl ether	U		0.105	0.500	1	05/08/2024 00:31	WG2282098
Ethylbenzene	U		0.137	0.500	1	05/08/2024 00:31	WG2282098
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/08/2024 00:31	WG2282098
Isopropylbenzene	U		0.105	0.500	1	05/08/2024 00:31	WG2282098
p-Isopropyltoluene	U		0.120	0.500	1	05/08/2024 00:31	WG2282098
2-Butanone (MEK)	U		1.19	5.00	1	05/08/2024 00:31	WG2282098
Methylene Chloride	U		0.430	2.50	1	05/08/2024 00:31	WG2282098
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/08/2024 00:31	WG2282098
Methyl tert-butyl ether	U		0.101	0.500	1	05/08/2024 00:31	WG2282098
Naphthalene	U	C3	0.174	2.50	1	05/08/2024 00:31	WG2282098
n-Propylbenzene	U		0.0993	0.500	1	05/08/2024 00:31	WG2282098
Styrene	U		0.118	0.500	1	05/08/2024 00:31	WG2282098
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/08/2024 00:31	WG2282098
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/08/2024 00:31	WG2282098
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/08/2024 00:31	WG2282098
Tetrachloroethene	U		0.300	0.500	1	05/08/2024 00:31	WG2282098
Toluene	U		0.278	0.500	1	05/08/2024 00:31	WG2282098
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/08/2024 00:31	WG2282098



Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/08/2024 00:31	WG2282098
1,1,1-Trichloroethane	U		0.149	0.500	1	05/08/2024 00:31	WG2282098
1,1,2-Trichloroethane	U		0.158	0.500	1	05/08/2024 00:31	WG2282098
Trichloroethene	0.698		0.190	0.500	1	05/08/2024 00:31	WG2282098
Trichlorofluoromethane	U		0.160	2.50	1	05/08/2024 00:31	WG2282098
1,2,3-Trichloropropane	U		0.237	2.50	1	05/08/2024 00:31	WG2282098
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/08/2024 00:31	WG2282098
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 00:31	WG2282098
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/08/2024 00:31	WG2282098
Vinyl chloride	U		0.234	0.500	1	05/08/2024 00:31	WG2282098
Xylenes, Total	U		0.174	1.50	1	05/08/2024 00:31	WG2282098
(S) Toluene-d8	101			80.0-120		05/08/2024 00:31	WG2282098
(S) 4-Bromofluorobenzene	96.4			77.0-126		05/08/2024 00:31	WG2282098
(S) 1,2-Dichloroethane-d4	97.7			70.0-130		05/08/2024 00:31	WG2282098

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result	Qualifier	MDL	RDL	Dilution	Analysis	Batch
	ug/l		ug/l	ug/l		date / time	
Acetone	U	J3	11.3	25.0	1	05/07/2024 20:34	WG2282098
Acrolein	U	C3	2.54	50.0	1	05/07/2024 20:34	WG2282098
Acrylonitrile	U	J3	0.671	5.00	1	05/07/2024 20:34	WG2282098
Benzene	U		0.0941	0.500	1	05/07/2024 20:34	WG2282098
Bromobenzene	U		0.118	0.500	1	05/07/2024 20:34	WG2282098
Bromodichloromethane	U		0.136	0.500	1	05/07/2024 20:34	WG2282098
Bromoform	U		0.129	0.500	1	05/07/2024 20:34	WG2282098
Bromomethane	U	C3	0.605	2.50	1	05/07/2024 20:34	WG2282098
n-Butylbenzene	U		0.157	0.500	1	05/07/2024 20:34	WG2282098
sec-Butylbenzene	U		0.125	0.500	1	05/07/2024 20:34	WG2282098
tert-Butylbenzene	U		0.127	0.500	1	05/07/2024 20:34	WG2282098
Carbon disulfide	U		0.0962	0.500	1	05/07/2024 20:34	WG2282098
Carbon tetrachloride	U		0.128	0.500	1	05/07/2024 20:34	WG2282098
Chlorobenzene	U		0.117	0.500	1	05/07/2024 20:34	WG2282098
Chlorodibromomethane	U		0.140	0.500	1	05/07/2024 20:34	WG2282098
Chloroethane	U		0.192	2.50	1	05/07/2024 20:34	WG2282098
Chloroform	U		0.111	0.500	1	05/07/2024 20:34	WG2282098
Chloromethane	U	J4	0.960	1.25	1	05/07/2024 20:34	WG2282098
2-Chlorotoluene	U		0.106	0.500	1	05/07/2024 20:34	WG2282098
4-Chlorotoluene	U		0.114	0.500	1	05/07/2024 20:34	WG2282098
1,2-Dibromo-3-Chloropropane	U	C3	0.276	2.50	1	05/07/2024 20:34	WG2282098
1,2-Dibromoethane	U		0.126	0.500	1	05/07/2024 20:34	WG2282098
Dibromomethane	U		0.122	0.500	1	05/07/2024 20:34	WG2282098
1,2-Dichlorobenzene	U		0.107	0.500	1	05/07/2024 20:34	WG2282098
1,3-Dichlorobenzene	U		0.299	0.500	1	05/07/2024 20:34	WG2282098
1,4-Dichlorobenzene	U		0.120	0.500	1	05/07/2024 20:34	WG2282098
Dichlorodifluoromethane	U		0.374	2.50	1	05/07/2024 20:34	WG2282098
1,1-Dichloroethane	U		0.100	0.500	1	05/07/2024 20:34	WG2282098
1,2-Dichloroethane	U		0.0819	0.500	1	05/07/2024 20:34	WG2282098
1,1-Dichloroethene	U		0.188	0.500	1	05/07/2024 20:34	WG2282098
cis-1,2-Dichloroethene	U		0.126	0.500	1	05/07/2024 20:34	WG2282098
trans-1,2-Dichloroethene	U		0.149	0.500	1	05/07/2024 20:34	WG2282098
1,2-Dichloropropane	U		0.149	0.500	1	05/07/2024 20:34	WG2282098
1,1-Dichloropropene	U		0.142	0.500	1	05/07/2024 20:34	WG2282098
1,3-Dichloropropane	U		0.109	1.00	1	05/07/2024 20:34	WG2282098
cis-1,3-Dichloropropene	U		0.111	0.500	1	05/07/2024 20:34	WG2282098
trans-1,3-Dichloropropene	U		0.118	0.500	1	05/07/2024 20:34	WG2282098
2,2-Dichloropropane	U		0.161	0.500	1	05/07/2024 20:34	WG2282098
Di-isopropyl ether	U		0.105	0.500	1	05/07/2024 20:34	WG2282098
Ethylbenzene	U		0.137	0.500	1	05/07/2024 20:34	WG2282098
Hexachloro-1,3-butadiene	U		0.337	1.00	1	05/07/2024 20:34	WG2282098
Isopropylbenzene	U		0.105	0.500	1	05/07/2024 20:34	WG2282098
p-Isopropyltoluene	U		0.120	0.500	1	05/07/2024 20:34	WG2282098
2-Butanone (MEK)	U		1.19	5.00	1	05/07/2024 20:34	WG2282098
Methylene Chloride	U		0.430	2.50	1	05/07/2024 20:34	WG2282098
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00	1	05/07/2024 20:34	WG2282098
Methyl tert-butyl ether	U		0.101	0.500	1	05/07/2024 20:34	WG2282098
Naphthalene	U	C3	0.174	2.50	1	05/07/2024 20:34	WG2282098
n-Propylbenzene	U		0.0993	0.500	1	05/07/2024 20:34	WG2282098
Styrene	U		0.118	0.500	1	05/07/2024 20:34	WG2282098
1,1,1,2-Tetrachloroethane	U		0.147	0.500	1	05/07/2024 20:34	WG2282098
1,1,2,2-Tetrachloroethane	U		0.133	0.500	1	05/07/2024 20:34	WG2282098
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500	1	05/07/2024 20:34	WG2282098
Tetrachloroethene	U		0.300	0.500	1	05/07/2024 20:34	WG2282098
Toluene	U		0.278	0.500	1	05/07/2024 20:34	WG2282098
1,2,3-Trichlorobenzene	U		0.164	0.500	1	05/07/2024 20:34	WG2282098

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Volatile Organic Compounds (GC/MS) by Method 8260D

Analyte	Result ug/l	Qualifier	MDL ug/l	RDL ug/l	Dilution	Analysis date / time	Batch
1,2,4-Trichlorobenzene	U		0.481	1.00	1	05/07/2024 20:34	WG2282098
1,1,1-Trichloroethane	U		0.149	0.500	1	05/07/2024 20:34	WG2282098
1,1,2-Trichloroethane	U		0.158	0.500	1	05/07/2024 20:34	WG2282098
Trichloroethene	U		0.190	0.500	1	05/07/2024 20:34	WG2282098
Trichlorofluoromethane	U		0.160	2.50	1	05/07/2024 20:34	WG2282098
1,2,3-Trichloropropane	U		0.237	2.50	1	05/07/2024 20:34	WG2282098
1,2,4-Trimethylbenzene	U		0.322	0.500	1	05/07/2024 20:34	WG2282098
1,2,3-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 20:34	WG2282098
1,3,5-Trimethylbenzene	U		0.104	0.500	1	05/07/2024 20:34	WG2282098
Vinyl chloride	U		0.234	0.500	1	05/07/2024 20:34	WG2282098
Xylenes, Total	U		0.174	1.50	1	05/07/2024 20:34	WG2282098
(S) Toluene-d8	102			80.0-120		05/07/2024 20:34	WG2282098
(S) 4-Bromofluorobenzene	96.6			77.0-126		05/07/2024 20:34	WG2282098
(S) 1,2-Dichloroethane-d4	92.1			70.0-130		05/07/2024 20:34	WG2282098

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Method Blank (MB)

(MB) R4067690-2 05/08/24 06:24

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Acetone	U		11.3	25.0
Acrolein	U		2.54	50.0
Acrylonitrile	U		0.671	5.00
Benzene	U		0.0941	0.500
Bromobenzene	U		0.118	0.500
Bromodichloromethane	U		0.136	0.500
Bromoform	U		0.129	0.500
Bromomethane	U		0.605	2.50
n-Butylbenzene	U		0.157	0.500
sec-Butylbenzene	U		0.125	0.500
tert-Butylbenzene	U		0.127	0.500
Carbon disulfide	U		0.0962	0.500
Carbon tetrachloride	U		0.128	0.500
Chlorobenzene	U		0.117	0.500
Chlorodibromomethane	U		0.140	0.500
Chloroethane	U		0.192	2.50
Chloroform	U		0.111	0.500
Chloromethane	U		0.960	1.25
2-Chlorotoluene	U		0.106	0.500
4-Chlorotoluene	U		0.114	0.500
1,2-Dibromo-3-Chloropropane	U		0.276	2.50
1,2-Dibromoethane	U		0.126	0.500
Dibromomethane	U		0.122	0.500
1,2-Dichlorobenzene	U		0.107	0.500
1,3-Dichlorobenzene	U		0.299	0.500
1,4-Dichlorobenzene	U		0.120	0.500
Dichlorodifluoromethane	U		0.374	2.50
1,1-Dichloroethane	U		0.100	0.500
1,2-Dichloroethane	U		0.0819	0.500
1,1-Dichloroethene	U		0.188	0.500
cis-1,2-Dichloroethene	U		0.126	0.500
trans-1,2-Dichloroethene	U		0.149	0.500
1,2-Dichloropropane	U		0.149	0.500
1,1-Dichloropropene	U		0.142	0.500
1,3-Dichloropropane	U		0.109	1.00
cis-1,3-Dichloropropene	U		0.111	0.500
trans-1,3-Dichloropropene	U		0.118	0.500
2,2-Dichloropropane	U		0.161	0.500
Di-isopropyl ether	U		0.105	0.500
Ethylbenzene	U		0.137	0.500

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4067690-2 05/08/24 06:24

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Hexachloro-1,3-butadiene	U		0.337	1.00
Isopropylbenzene	U		0.105	0.500
p-Isopropyltoluene	U		0.120	0.500
2-Butanone (MEK)	U		1.19	5.00
Methylene Chloride	U		0.430	2.50
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00
Methyl tert-butyl ether	U		0.101	0.500
Naphthalene	U		0.174	2.50
n-Propylbenzene	U		0.0993	0.500
Styrene	U		0.118	0.500
1,1,1,2-Tetrachloroethane	U		0.147	0.500
1,1,2,2-Tetrachloroethane	U		0.133	0.500
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500
Tetrachloroethene	U		0.300	0.500
Toluene	U		0.278	0.500
1,2,3-Trichlorobenzene	U		0.164	0.500
1,2,4-Trichlorobenzene	U		0.481	1.00
1,1,1-Trichloroethane	U		0.149	0.500
1,1,2-Trichloroethane	U		0.158	0.500
Trichloroethene	U		0.190	0.500
Trichlorofluoromethane	U		0.160	2.50
1,2,3-Trichloropropane	U		0.237	2.50
1,2,4-Trimethylbenzene	U		0.322	0.500
1,2,3-Trimethylbenzene	U		0.104	0.500
1,3,5-Trimethylbenzene	U		0.104	0.500
Vinyl chloride	U		0.234	0.500
Xylenes, Total	U		0.174	1.50
(S) Toluene-d8	99.3			80.0-120
(S) 4-Bromofluorobenzene	95.2			77.0-126
(S) 1,2-Dichloroethane-d4	102			70.0-130

Laboratory Control Sample (LCS)

(LCS) R4067690-1 05/08/24 05:43

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	LCS Qualifier
Acetone	25.0	32.0	128	19.0-160	
Acrolein	25.0	29.3	117	10.0-160	
Acrylonitrile	25.0	30.4	122	55.0-149	

1
Cp

2
Tc

3
Ss

4
Cn

5
Sr

6
Qc

7
Gl

8
Al

9
Sc

Laboratory Control Sample (LCS)

(LCS) R4067690-1 05/08/24 05:43

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
Benzene	5.00	5.45	109	70.0-123	
Bromobenzene	5.00	4.84	96.8	73.0-121	
Bromodichloromethane	5.00	5.15	103	75.0-120	
Bromoform	5.00	5.04	101	68.0-132	
Bromomethane	5.00	4.45	89.0	10.0-160	
n-Butylbenzene	5.00	4.91	98.2	73.0-125	
sec-Butylbenzene	5.00	5.30	106	75.0-125	
tert-Butylbenzene	5.00	5.17	103	76.0-124	
Carbon disulfide	5.00	5.24	105	61.0-128	
Carbon tetrachloride	5.00	5.69	114	68.0-126	
Chlorobenzene	5.00	5.51	110	80.0-121	
Chlorodibromomethane	5.00	5.29	106	77.0-125	
Chloroethane	5.00	6.07	121	47.0-150	
Chloroform	5.00	5.59	112	73.0-120	
Chloromethane	5.00	6.07	121	41.0-142	
2-Chlorotoluene	5.00	5.09	102	76.0-123	
4-Chlorotoluene	5.00	4.93	98.6	75.0-122	
1,2-Dibromo-3-Chloropropane	5.00	4.53	90.6	58.0-134	
1,2-Dibromoethane	5.00	5.52	110	80.0-122	
Dibromomethane	5.00	5.38	108	80.0-120	
1,2-Dichlorobenzene	5.00	5.14	103	79.0-121	
1,3-Dichlorobenzene	5.00	5.26	105	79.0-120	
1,4-Dichlorobenzene	5.00	5.35	107	79.0-120	
Dichlorodifluoromethane	5.00	5.15	103	51.0-149	
1,1-Dichloroethane	5.00	5.69	114	70.0-126	
1,2-Dichloroethane	5.00	5.97	119	70.0-128	
1,1-Dichloroethene	5.00	5.34	107	71.0-124	
cis-1,2-Dichloroethene	5.00	5.44	109	73.0-120	
trans-1,2-Dichloroethene	5.00	5.30	106	73.0-120	
1,2-Dichloropropane	5.00	6.03	121	77.0-125	
1,1-Dichloropropene	5.00	5.59	112	74.0-126	
1,3-Dichloropropane	5.00	5.48	110	80.0-120	
cis-1,3-Dichloropropene	5.00	5.36	107	80.0-123	
trans-1,3-Dichloropropene	5.00	5.68	114	78.0-124	
2,2-Dichloropropane	5.00	5.10	102	58.0-130	
Di-isopropyl ether	5.00	6.41	128	58.0-138	
Ethylbenzene	5.00	5.42	108	79.0-123	
Hexachloro-1,3-butadiene	5.00	5.53	111	54.0-138	
Isopropylbenzene	5.00	5.28	106	76.0-127	
p-Isopropyltoluene	5.00	5.19	104	76.0-125	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Laboratory Control Sample (LCS)

(LCS) R4067690-1 05/08/24 05:43

Analyte	Spike Amount ug/l	LCS Result ug/l	LCS Rec. %	Rec. Limits %	<u>LCS Qualifier</u>
2-Butanone (MEK)	25.0	30.4	122	44.0-160	
Methylene Chloride	5.00	5.57	111	67.0-120	
4-Methyl-2-pentanone (MIBK)	25.0	31.0	124	68.0-142	
Methyl tert-butyl ether	5.00	5.37	107	68.0-125	
Naphthalene	5.00	4.62	92.4	54.0-135	
n-Propylbenzene	5.00	5.08	102	77.0-124	
Styrene	5.00	5.21	104	73.0-130	
1,1,1,2-Tetrachloroethane	5.00	5.39	108	75.0-125	
1,1,2,2-Tetrachloroethane	5.00	5.28	106	65.0-130	
1,1,2-Trichlorotrifluoroethane	5.00	5.39	108	69.0-132	
Tetrachloroethene	5.00	5.79	116	72.0-132	
Toluene	5.00	5.37	107	79.0-120	
1,2,3-Trichlorobenzene	5.00	5.24	105	50.0-138	
1,2,4-Trichlorobenzene	5.00	5.15	103	57.0-137	
1,1,1-Trichloroethane	5.00	5.67	113	73.0-124	
1,1,2-Trichloroethane	5.00	5.01	100	80.0-120	
Trichloroethene	5.00	5.69	114	78.0-124	
Trichlorofluoromethane	5.00	6.09	122	59.0-147	
1,2,3-Trichloropropane	5.00	5.48	110	73.0-130	
1,2,4-Trimethylbenzene	5.00	5.04	101	76.0-121	
1,2,3-Trimethylbenzene	5.00	4.95	99.0	77.0-120	
1,3,5-Trimethylbenzene	5.00	5.06	101	76.0-122	
Vinyl chloride	5.00	6.47	129	67.0-131	
Xylenes, Total	15.0	15.9	106	79.0-123	
(S) Toluene-d8			94.7	80.0-120	
(S) 4-Bromofluorobenzene			92.6	77.0-126	
(S) 1,2-Dichloroethane-d4			104	70.0-130	

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4067719-3 05/07/24 18:55

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Acetone	U		11.3	25.0
Acrolein	U		2.54	50.0
Acrylonitrile	U		0.671	5.00
Benzene	U		0.0941	0.500
Bromobenzene	U		0.118	0.500
Bromodichloromethane	U		0.136	0.500
Bromoform	U		0.129	0.500
Bromomethane	U		0.605	2.50
n-Butylbenzene	U		0.157	0.500
sec-Butylbenzene	U		0.125	0.500
tert-Butylbenzene	U		0.127	0.500
Carbon disulfide	U		0.0962	0.500
Carbon tetrachloride	U		0.128	0.500
Chlorobenzene	U		0.117	0.500
Chlorodibromomethane	U		0.140	0.500
Chloroethane	U		0.192	2.50
Chloroform	U		0.111	0.500
Chloromethane	U		0.960	1.25
2-Chlorotoluene	U		0.106	0.500
4-Chlorotoluene	U		0.114	0.500
1,2-Dibromo-3-Chloropropane	U		0.276	2.50
1,2-Dibromoethane	U		0.126	0.500
Dibromomethane	U		0.122	0.500
1,2-Dichlorobenzene	U		0.107	0.500
1,3-Dichlorobenzene	U		0.299	0.500
1,4-Dichlorobenzene	U		0.120	0.500
Dichlorodifluoromethane	U		0.374	2.50
1,1-Dichloroethane	U		0.100	0.500
1,2-Dichloroethane	U		0.0819	0.500
1,1-Dichloroethene	U		0.188	0.500
cis-1,2-Dichloroethene	U		0.126	0.500
trans-1,2-Dichloroethene	U		0.149	0.500
1,2-Dichloropropane	U		0.149	0.500
1,1-Dichloropropene	U		0.142	0.500
1,3-Dichloropropane	U		0.109	1.00
cis-1,3-Dichloropropene	U		0.111	0.500
trans-1,3-Dichloropropene	U		0.118	0.500
2,2-Dichloropropane	U		0.161	0.500
Di-isopropyl ether	U		0.105	0.500
Ethylbenzene	U		0.137	0.500

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

Method Blank (MB)

(MB) R4067719-3 05/07/24 18:55

Analyte	MB Result ug/l	MB Qualifier	MB MDL ug/l	MB RDL ug/l
Hexachloro-1,3-butadiene	U		0.337	1.00
Isopropylbenzene	U		0.105	0.500
p-Isopropyltoluene	U		0.120	0.500
2-Butanone (MEK)	U		1.19	5.00
Methylene Chloride	U		0.430	2.50
4-Methyl-2-pentanone (MIBK)	U		0.478	5.00
Methyl tert-butyl ether	U		0.101	0.500
Naphthalene	U		0.174	2.50
n-Propylbenzene	U		0.0993	0.500
Styrene	U		0.118	0.500
1,1,1,2-Tetrachloroethane	U		0.147	0.500
1,1,2,2-Tetrachloroethane	U		0.133	0.500
1,1,2-Trichlorotrifluoroethane	U		0.180	0.500
Tetrachloroethene	U		0.300	0.500
Toluene	U		0.278	0.500
1,2,3-Trichlorobenzene	U		0.164	0.500
1,2,4-Trichlorobenzene	U		0.481	1.00
1,1,1-Trichloroethane	U		0.149	0.500
1,1,2-Trichloroethane	U		0.158	0.500
Trichloroethene	U		0.190	0.500
Trichlorofluoromethane	U		0.160	2.50
1,2,3-Trichloropropane	U		0.237	2.50
1,2,4-Trimethylbenzene	U		0.322	0.500
1,2,3-Trimethylbenzene	U		0.104	0.500
1,3,5-Trimethylbenzene	U		0.104	0.500
Vinyl chloride	U		0.234	0.500
Xylenes, Total	U		0.174	1.50
(S) Toluene-d8	103			80.0-120
(S) 4-Bromofluorobenzene	91.3			77.0-126
(S) 1,2-Dichloroethane-d4	92.3			70.0-130

1Cp

2Tc

3Ss

4Cn

5Sr

6Qc

7Gl

8Al

9Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4067719-1 05/07/24 17:36 • (LCSD) R4067719-2 05/07/24 17:56

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
Acetone	25.0	23.6	13.3	94.4	53.2	19.0-160		J3	55.8	27
Acrolein	25.0	16.2	13.6	64.8	54.4	10.0-160			17.4	26
Acrylonitrile	25.0	29.9	23.4	120	93.6	55.0-149		J3	24.4	20

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4067719-1 05/07/24 17:36 • (LCSD) R4067719-2 05/07/24 17:56

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	<u>LCS Qualifier</u>	<u>LCSD Qualifier</u>	RPD %	RPD Limits %
Benzene	5.00	5.32	5.21	106	104	70.0-123			2.09	20
Bromobenzene	5.00	4.58	4.92	91.6	98.4	73.0-121			7.16	20
Bromodichloromethane	5.00	4.67	4.75	93.4	95.0	75.0-120			1.70	20
Bromoform	5.00	4.04	3.88	80.8	77.6	68.0-132			4.04	20
Bromomethane	5.00	3.28	3.09	65.6	61.8	10.0-160			5.97	25
n-Butylbenzene	5.00	4.30	4.26	86.0	85.2	73.0-125			0.935	20
sec-Butylbenzene	5.00	4.72	5.04	94.4	101	75.0-125			6.56	20
tert-Butylbenzene	5.00	4.45	4.70	89.0	94.0	76.0-124			5.46	20
Carbon disulfide	5.00	5.16	4.60	103	92.0	61.0-128			11.5	20
Carbon tetrachloride	5.00	5.52	4.95	110	99.0	68.0-126			10.9	20
Chlorobenzene	5.00	4.93	4.76	98.6	95.2	80.0-121			3.51	20
Chlorodibromomethane	5.00	4.35	4.46	87.0	89.2	77.0-125			2.50	20
Chloroethane	5.00	4.22	3.97	84.4	79.4	47.0-150			6.11	20
Chloroform	5.00	5.09	4.67	102	93.4	73.0-120			8.61	20
Chloromethane	5.00	7.17	6.35	143	127	41.0-142	J4		12.1	20
2-Chlorotoluene	5.00	4.40	4.79	88.0	95.8	76.0-123			8.49	20
4-Chlorotoluene	5.00	4.57	4.89	91.4	97.8	75.0-122			6.77	20
1,2-Dibromo-3-Chloropropane	5.00	3.63	3.64	72.6	72.8	58.0-134			0.275	20
1,2-Dibromoethane	5.00	4.60	4.63	92.0	92.6	80.0-122			0.650	20
Dibromomethane	5.00	5.05	4.88	101	97.6	80.0-120			3.42	20
1,2-Dichlorobenzene	5.00	4.70	4.60	94.0	92.0	79.0-121			2.15	20
1,3-Dichlorobenzene	5.00	4.80	5.03	96.0	101	79.0-120			4.68	20
1,4-Dichlorobenzene	5.00	4.76	4.70	95.2	94.0	79.0-120			1.27	20
Dichlorodifluoromethane	5.00	6.47	5.68	129	114	51.0-149			13.0	20
1,1-Dichloroethane	5.00	5.44	5.14	109	103	70.0-126			5.67	20
1,2-Dichloroethane	5.00	4.76	4.41	95.2	88.2	70.0-128			7.63	20
1,1-Dichloroethene	5.00	5.80	5.32	116	106	71.0-124			8.63	20
cis-1,2-Dichloroethene	5.00	5.31	4.66	106	93.2	73.0-120			13.0	20
trans-1,2-Dichloroethene	5.00	5.21	4.78	104	95.6	73.0-120			8.61	20
1,2-Dichloropropane	5.00	4.97	5.21	99.4	104	77.0-125			4.72	20
1,1-Dichloropropene	5.00	5.64	5.36	113	107	74.0-126			5.09	20
1,3-Dichloropropane	5.00	4.68	5.05	93.6	101	80.0-120			7.61	20
cis-1,3-Dichloropropene	5.00	4.88	5.23	97.6	105	80.0-123			6.92	20
trans-1,3-Dichloropropene	5.00	4.47	4.85	89.4	97.0	78.0-124			8.15	20
2,2-Dichloropropane	5.00	5.46	5.26	109	105	58.0-130			3.73	20
Di-isopropyl ether	5.00	5.38	5.03	108	101	58.0-138			6.72	20
Ethylbenzene	5.00	4.70	4.74	94.0	94.8	79.0-123			0.847	20
Hexachloro-1,3-butadiene	5.00	5.39	4.78	108	95.6	54.0-138			12.0	20
Isopropylbenzene	5.00	4.69	4.44	93.8	88.8	76.0-127			5.48	20
p-Isopropyltoluene	5.00	4.45	4.59	89.0	91.8	76.0-125			3.10	20

1

Cp

2

Tc

3

Ss

4

Cn

5

Sr

6

Qc

7

Gl

8

Al

9

Sc

Laboratory Control Sample (LCS) • Laboratory Control Sample Duplicate (LCSD)

(LCS) R4067719-1 05/07/24 17:36 • (LCSD) R4067719-2 05/07/24 17:56

Analyte	Spike Amount ug/l	LCS Result ug/l	LCSD Result ug/l	LCS Rec. %	LCSD Rec. %	Rec. Limits %	LCS Qualifier	LCSD Qualifier	RPD %	RPD Limits %
2-Butanone (MEK)	25.0	23.7	23.8	94.8	95.2	44.0-160			0.421	20
Methylene Chloride	5.00	5.69	4.96	114	99.2	67.0-120			13.7	20
4-Methyl-2-pentanone (MIBK)	25.0	23.8	23.9	95.2	95.6	68.0-142			0.419	20
Methyl tert-butyl ether	5.00	5.16	4.67	103	93.4	68.0-125			9.97	20
Naphthalene	5.00	3.72	3.44	74.4	68.8	54.0-135			7.82	20
n-Propylbenzene	5.00	4.56	4.90	91.2	98.0	77.0-124			7.19	20
Styrene	5.00	4.52	4.44	90.4	88.8	73.0-130			1.79	20
1,1,1,2-Tetrachloroethane	5.00	4.47	4.16	89.4	83.2	75.0-125			7.18	20
1,1,2,2-Tetrachloroethane	5.00	4.50	4.91	90.0	98.2	65.0-130			8.71	20
1,1,2-Trichlorotrifluoroethane	5.00	6.57	5.77	131	115	69.0-132			13.0	20
Tetrachloroethene	5.00	5.10	5.11	102	102	72.0-132			0.196	20
Toluene	5.00	4.88	5.11	97.6	102	79.0-120			4.60	20
1,2,3-Trichlorobenzene	5.00	4.31	3.80	86.2	76.0	50.0-138			12.6	20
1,2,4-Trichlorobenzene	5.00	4.44	4.26	88.8	85.2	57.0-137			4.14	20
1,1,1-Trichloroethane	5.00	5.19	4.53	104	90.6	73.0-124			13.6	20
1,1,2-Trichloroethane	5.00	4.99	5.08	99.8	102	80.0-120			1.79	20
Trichloroethene	5.00	5.25	5.47	105	109	78.0-124			4.10	20
Trichlorofluoromethane	5.00	6.31	5.51	126	110	59.0-147			13.5	20
1,2,3-Trichloropropane	5.00	4.53	5.17	90.6	103	73.0-130			13.2	20
1,2,4-Trimethylbenzene	5.00	4.10	4.47	82.0	89.4	76.0-121			8.63	20
1,2,3-Trimethylbenzene	5.00	4.07	4.13	81.4	82.6	77.0-120			1.46	20
1,3,5-Trimethylbenzene	5.00	4.33	4.56	86.6	91.2	76.0-122			5.17	20
Vinyl chloride	5.00	4.74	4.04	94.8	80.8	67.0-131			15.9	20
Xylenes, Total	15.0	14.3	13.9	95.3	92.7	79.0-123			2.84	20
(S) Toluene-d8				100	105	80.0-120				
(S) 4-Bromofluorobenzene				95.6	92.9	77.0-126				
(S) 1,2-Dichloroethane-d4				97.0	93.8	70.0-130				

¹Cp

²Tc

³Ss

⁴Cn

⁵Sr

⁶Qc

⁷Gl

⁸Al

⁹Sc

GLOSSARY OF TERMS

Guide to Reading and Understanding Your Laboratory Report


The information below is designed to better explain the various terms used in your report of analytical results from the Laboratory. This is not intended as a comprehensive explanation, and if you have additional questions please contact your project representative.

Results Disclaimer - Information that may be provided by the customer, and contained within this report, include Permit Limits, Project Name, Sample ID, Sample Matrix, Sample Preservation, Field Blanks, Field Spikes, Field Duplicates, On-Site Data, Sampling Collection Dates/Times, and Sampling Location. Results relate to the accuracy of this information provided, and as the samples are received.

Abbreviations and Definitions

MDL	Method Detection Limit.
RDL	Reported Detection Limit.
Rec.	Recovery.
RPD	Relative Percent Difference.
SDG	Sample Delivery Group.
(S)	Surrogate (Surrogate Standard) - Analytes added to every blank, sample, Laboratory Control Sample/Duplicate and Matrix Spike/Duplicate; used to evaluate analytical efficiency by measuring recovery. Surrogates are not expected to be detected in all environmental media.
U	Not detected at the Reporting Limit (or MDL where applicable).
Analyte	The name of the particular compound or analysis performed. Some Analyses and Methods will have multiple analytes reported.
Dilution	If the sample matrix contains an interfering material, the sample preparation volume or weight values differ from the standard, or if concentrations of analytes in the sample are higher than the highest limit of concentration that the laboratory can accurately report, the sample may be diluted for analysis. If a value different than 1 is used in this field, the result reported has already been corrected for this factor.
Limits	These are the target % recovery ranges or % difference value that the laboratory has historically determined as normal for the method and analyte being reported. Successful QC Sample analysis will target all analytes recovered or duplicated within these ranges.
Qualifier	This column provides a letter and/or number designation that corresponds to additional information concerning the result reported. If a Qualifier is present, a definition per Qualifier is provided within the Glossary and Definitions page and potentially a discussion of possible implications of the Qualifier in the Case Narrative if applicable.
Result	The actual analytical final result (corrected for any sample specific characteristics) reported for your sample. If there was no measurable result returned for a specific analyte, the result in this column may state "ND" (Not Detected) or "BDL" (Below Detectable Levels). The information in the results column should always be accompanied by either an MDL (Method Detection Limit) or RDL (Reporting Detection Limit) that defines the lowest value that the laboratory could detect or report for this analyte.
Uncertainty (Radiochemistry)	Confidence level of 2 sigma.
Case Narrative (Cn)	A brief discussion about the included sample results, including a discussion of any non-conformances to protocol observed either at sample receipt by the laboratory from the field or during the analytical process. If present, there will be a section in the Case Narrative to discuss the meaning of any data qualifiers used in the report.
Quality Control Summary (Qc)	This section of the report includes the results of the laboratory quality control analyses required by procedure or analytical methods to assist in evaluating the validity of the results reported for your samples. These analyses are not being performed on your samples typically, but on laboratory generated material.
Sample Chain of Custody (Sc)	This is the document created in the field when your samples were initially collected. This is used to verify the time and date of collection, the person collecting the samples, and the analyses that the laboratory is requested to perform. This chain of custody also documents all persons (excluding commercial shippers) that have had control or possession of the samples from the time of collection until delivery to the laboratory for analysis.
Sample Results (Sr)	This section of your report will provide the results of all testing performed on your samples. These results are provided by sample ID and are separated by the analyses performed on each sample. The header line of each analysis section for each sample will provide the name and method number for the analysis reported.
Sample Summary (Ss)	This section of the Analytical Report defines the specific analyses performed for each sample ID, including the dates and times of preparation and/or analysis.

Qualifier	Description
C3	The reported concentration is an estimate. The continuing calibration standard associated with this data responded low. Method sensitivity check is acceptable.
C5	The reported concentration is an estimate. The continuing calibration standard associated with this data responded high. Data is likely to show a high bias concerning the result.
J	The identification of the analyte is acceptable; the reported value is an estimate.
J3	The associated batch QC was outside the established quality control range for precision.
J4	The associated batch QC was outside the established quality control range for accuracy.



ACCREDITATIONS & LOCATIONS


Pace Analytical National 12065 Lebanon Rd Mount Juliet, TN 37122

Alabama	40660	Nebraska	NE-OS-15-05
Alaska	17-026	Nevada	TN000032021-1
Arizona	AZ0612	New Hampshire	2975
Arkansas	88-0469	New Jersey--NELAP	TN002
California	2932	New Mexico ¹	TN00003
Colorado	TN00003	New York	11742
Connecticut	PH-0197	North Carolina	Env375
Florida	E87487	North Carolina ¹	DW21704
Georgia	NELAP	North Carolina ³	41
Georgia ¹	923	North Dakota	R-140
Idaho	TN00003	Ohio--VAP	CL0069
Illinois	200008	Oklahoma	9915
Indiana	C-TN-01	Oregon	TN200002
Iowa	364	Pennsylvania	68-02979
Kansas	E-10277	Rhode Island	LA000356
Kentucky ^{1,6}	KY90010	South Carolina	84004002
Kentucky ²	16	South Dakota	n/a
Louisiana	AI30792	Tennessee ^{1,4}	2006
Louisiana	LA018	Texas	T104704245-20-18
Maine	TN00003	Texas ⁵	LAB0152
Maryland	324	Utah	TN000032021-11
Massachusetts	M-TN003	Vermont	VT2006
Michigan	9958	Virginia	110033
Minnesota	047-999-395	Washington	C847
Mississippi	TN00003	West Virginia	233
Missouri	340	Wisconsin	998093910
Montana	CERT0086	Wyoming	A2LA
A2LA -- ISO 17025	1461.01	AIHA-LAP,LLC EMLAP	100789
A2LA -- ISO 17025 ⁵	1461.02	DOD	1461.01
Canada	1461.01	USDA	P330-15-00234
EPA--Crypto	TN00003		

¹ Drinking Water ² Underground Storage Tanks ³ Aquatic Toxicity ⁴ Chemical/Microbiological ⁵ Mold ⁶ Wastewater n/a Accreditation not applicable

* Not all certifications held by the laboratory are applicable to the results reported in the attached report.

* Accreditation is only applicable to the test methods specified on each scope of accreditation held by Pace Analytical.



Cascade Corporation- Fairview, OR

2201 NE 201st Avenue
Fairview, OR 97024-9718

Report to:
James.Dahl / Jodi Lockhart

Project Description:
Cascade

Phone: 503-669-6286

Client Project #
PNG0564S24

Lab Project #

Collected by (print):

PAT YADON

Site/Facility ID #

P.O. #

Collected by (signature):

Patish Yodon

Rush? (Lab MUST Be Notified)

Same Day Five Day
Next Day 5 Day (Rad Only)
Two Day 10 Day (Rad Only)
Three Day *** STANDARD ***

Quote #

Date Results Needed

Immediately

Packed on Ice N Y X

Pres
Chk

Billing Information:

Accounts Payable
P.O. Box 20187
Portland, OR 97294-0187

Email To:
CBartlett@Geosyntec.com; James.Dahl@cascorp

Analysis / Container / Preservative

Chain of Custody Page 2 of 3



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubfs/pas-standard-terms.pdf>

SDG #

F037

Acctnum: CASCORFOR

Template: T251347

Prelogin: P1069948

PM: 841 - Kelly Mercer

PB: LM 4/20/24

Shipped Via: FedEX Ground

Remarks

Sample # (lab only)

VMWA-050224

GW

5/2/24

12:34

3

VMWB-050224

GW

5/2/24

14:45

3

VMWC-050224

GW

5/2/24

12:50

3

VMWD-050224

GW

5/2/24

14:30

3

VMWE-050224

GW

5/2/24

14:00

3

VMWF-050224

GW

5/2/24

14:11

3

VMWG-050224

GW

5/2/24

14:22

3

VMWH-050224

GW

5/2/24

13:05

3

VMWI-050224

GW

5/2/24

13:52

3

VMWJ2-050224

GW

5/2/24

13:40

3

* Matrix:

SS - Soil AIR - Air F - Filter
GW - Groundwater B - Bioassay
WW - WasteWater
DW - Drinking Water
OT - Other

Remarks:

Samples returned via:

UPS FedEx Courier

Tracking #

7359 4598 8739

pH Temp

Flow Other

Sample Receipt Checklist

COC Seal Present/Intact: NP Y N
COC Signed/Accurate: Y N
Bottles arrive intact: Y N
Correct bottles used: Y N
Sufficient volume sent: Y N
If Applicable
VOA Zero Headspace: Y N
Preservation Correct/Checked: Y N
RAD Screen <0.5 mR/hr: Y N

Relinquished by: (Signature)

Patish Yodon

Date:

5/2/24

Time:

18:00

Received by: (Signature)

FedEx

Trip Blank Received: Yes / No

CHL / MeOH
TBR

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Temp: 16.4 °C

Bottles Received: 45

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date:

Time:

Received for lab by: (Signature)

Date: 5/3/24

Time: 9:15

Hold:

Condition:
NCF / OK

Company Name/Address:

Cascade Corporation- Fairview, OR

2201 NE 201st Avenue
Fairview, OR 97024-9718

Billing information:

Accounts Payable
P.O. Box 20187
Portland, OR 97294-0187Pres
Chk

Analysis / Container / Preservative

Chain of Custody Page 3 of 3



MT JULIET, TN

12065 Lebanon Rd Mount Juliet, TN 37122
Submitting a sample via this chain of custody
constitutes acknowledgment and acceptance of the
Pace Terms and Conditions found at:
<https://info.pacelabs.com/hubs/pas-standard-terms.pdf>Report to:
James.Dahl / Jodi LockhartEmail To:
CBartlett@Geosyntec.com; James.Dahl@cascorpProject Description:
Cascade

City/State

Collected: Fairview, OR 97024

Please Circle:

PT MT CT ET

Phone: 503-669-6286

Client Project #
PNG0564524

Lab Project #

Collected by (print):

PAT YADON

Site/Facility ID #

P.O. #

Collected by (signature):

Patrick Yodon

Rush? (Lab MUST Be Notified)

☐ Same Day ☐ Five Day
☐ Next Day ☐ 5 Day (Rad Only)
☐ Two Day ☐ 10 Day (Rad Only)
☐ Three Day ☒ STANDARD

Quote #

Date Results Needed

Immediately

Packed on Ice N ☐ Y ☒No.
of

Sample ID	Comp/Grab	Matrix *	Depth	Date	Time	Cntrs
VMWK-050224		GW		5/2/24	13:25	3
VMWK-050224-DUP		GW		5/2/24	13:26	3
VMWL-050224		GW		5/2/24	13:14	3
VMWM-050224		GW		5/2/24	15:08	3
VMWN-050224		GW		5/2/24	14:56	3
TRIP-050224-2		GW		5/2/24	7:00	1
		GW				
		GW				
		GW				
		GW				

V8260LL 40mIAmb-HCI

* Matrix:

SS - Soil AIR - Air F - Filter
 GW - Groundwater B - Bioassay
 WW - WasteWater
 DW - Drinking Water
 OT - Other

Remarks:

pH _____ Temp _____

Flow _____ Other _____

Samples returned via:

☐ UPS ☐ FedEx ☐ Courier

Tracking #

7359 4598 8739

Relinquished by: (Signature)

Patrick Yodon

Date:

5/2/24

Time:

18:00

Received by: (Signature)

FedEx

Trip Blank Received: Yes/No

☒ Yes
☐ No
 RCT/MeOH
 TBR

Relinquished by: (Signature)

Date:

Time:

Received by: (Signature)

Temp: LAB °C

1.6 ± 0.1 = 1.7

Bottles Received:

45

If preservation required by Login: Date/Time

Relinquished by: (Signature)

Date:

Time:

Received for lab by: (Signature)

Date:

5/13/24

Time:

9:15

Hold:

Condition:
NCF / OK

Sample Receipt Checklist

COC Seal Present/Intact: ☒ NP ☒ Y ☐ N
 COC Signed/Accurate: ☒ Y ☐ N
 Bottles arrive intact: ☒ Y ☐ N
 Correct bottles used: ☒ Y ☐ N
 Sufficient volume sent: ☒ Y ☐ N
 If Applicable
 VOA Zero Headspace: ☐ Y ☒ N
 Preservation Correct/Checked: ☒ Y ☐ N
 RAD Screen <0.5 mR/hr: ☒ Y ☐ N