


LEGEND	
- - - - -	APPROXIMATE PROPERTY BOUNDARY
⊕	POLE MOUNTED TRANSFORMER
⊞	STORM WATER BASIN
●	HAND AUGER LOCATION




SECOR
INTERNATIONAL
INCORPORATED
TUALATIN, OREGON

CUMMINS NORTHWEST BEND FACILITY
3500 NORTH HIGHWAY 97
BEND, OR.
JOB: F0131-008-03 DRAWN: KPW DATE: 2/6/96 APPROVED: FILENAME: F0131004.DWG

SITE PLAN AND
RESIDENTIAL SOIL
BORING LOCATION MAP

FIGURE:
2A



LEGEND

	STORMWATER CATCH BASIN
	DRILL HOLE
	SUMP
	OIL/WATER SEPARATOR
	DRAIN
	TRENCH




SECOR
INTERNATIONAL
INCORPORATED
TUALATIN, OREGON

CUMMINS NORTHWEST-BEND FACILITY
3500 NORTH HIGHWAY 97
BEND, OR.

FACILITY PLAN AND
SOIL BORING
LOCATION MAP

JOB: F0131-008-03 DRAWN: KPW DATE: 2/6/96 APPROVED: _____ FILE: F0131006.DWG

FIGURE
2B



LEGEND	
---	APPROXIMATE PROPERTY BOUNDARY
⊙	POLE MOUNTED TRANSFORMER
▣	STORM WATER BASIN
●	HAND AUGER LOCATION
TPH-HCID	TOTAL PETROLEUM HYDROCARBON IDENTIFICATION BY OREGON DEQ METHOD TPH-HCID
TPH	TOTAL PETROLEUM HYDROCARBONS BY EPA METHOD 418.1
LEAD	BY EPA METHOD 7420
CHROMIUM	BY EPA METHOD 6010
CADIUM	BY EPA METHOD 6010
VOC	VOLATILE ORGANIC COMPOUNDS BY EPA METHOD 8240
ND	NOT DETECTED




AST-1	0-1.5'
TPH-HCID	ND

W-1	8/3/95
TPH	<0.5 mg/L
LEAD	0.031 mg/L
CHROMIUM	0.0075 mg/L
CADIUM	<0.005 mg/L
VOC	<0.5 µg/L



SECOR INTERNATIONAL INCORPORATED TUALATIN, OREGON	CUMMINS NORTHWEST BEND FACILITY 3500 NORTH HIGHWAY 97 BEND, OR.	RESIDENTIAL SOIL AND GROUNDWATER SAMPLE ANALYTICAL RESULTS	FIGURE: 3A
	JOB: F0131-008-03 DRAWN: KPW DATE: 2/6/96 APPROVED: FILENAME: F0131005.DWG		



GP-2 1.5'-2'

TPH-HCID	ND
TPH	110 mg/Kg
LEAD	<0.01 mg/Kg
CHROMIUM	<0.01 mg/Kg
CADMIUM	<0.2 mg/Kg
VOC	ND

GP-1 4'-5'

TPH-HCID	SEE TABLE
VOC	DETECT

GP-3 0.5'-1.5'

TPH-HCID	DETECT
TPH	220 mg/Kg
LEAD	<0.01 mg/Kg
CHROMIUM	<0.01 mg/Kg
CADMIUM	<0.2 mg/Kg
VOC	ND

GP-4 3.5'-4.5'

TPH-HCID	DETECT
TPH	20,000 mg/Kg
LEAD	<0.01 mg/Kg
CHROMIUM	<0.01 mg/Kg
CADMIUM	<0.2 mg/Kg
VOC:	
1,2-DICHLOROBENZENE	1,700 µg/Kg
1,4-DICHLOROBENZENE	2,700 µg/Kg
TOTAL XYLENE	6,200 µg/Kg

GP-5 2'-3.5'

TPH-HCID	DETECT
TPH	160 mg/Kg
LEAD	<0.01 mg/Kg
CHROMIUM	<0.01 mg/Kg
CADMIUM	<0.2 mg/Kg
VOC	ND

GP-6 3.5'-5'

TPH-HCID	DETECT
TPH	250 mg/Kg
LEAD	<0.01 mg/Kg
CHROMIUM	<0.01 mg/Kg
CADMIUM	<0.2 mg/Kg
VOC	ND

GP-7 3'-4.5'

TPH-HCID	SEE TABLE
TPH	1,400 mg/Kg
LEAD	<0.01 mg/Kg
CHROMIUM	<0.01 mg/Kg
CADMIUM	<0.2 mg/Kg
VOC	ND

GP-8 3.5'-5'

TPH-HCID	SEE TABLE
VOC	ND


HA-1 0'-2'

TPH-HCID	SEE TABLE
VOC	ND

LEGEND

- ▤ STORMWATER CATCH BASIN
- BORING LOCATIONS
- ⊙ DRILL HOLE
- ⊙ HAND AUGER LOCATIONS
- ⊙ SUMP
- ⊙ OIL/WATER SEPARATOR
- ⊙ OIL/WATER SEPARATOR
- ⊙ DRAIN
- ⊙ TRENCH
- ⊙ TPH-HCID
- ⊙ TPH

LEAD BY EPA METHOD 1311/7420
 CHROMIUM BY EPA METHOD 1311/6010
 CADMIUM BY EPA METHOD 1311/6010
 VOLATILE ORGANIC COMPOUNDS BY EPA METHOD 8240



SECOR INTERNATIONAL INCORPORATED TUALATIN, OREGON	CUMMINS NORTHWEST-BEND FACILITY 3500 NORTH HIGHWAY 97 BEND, OR.	FACILITY PLAN AND SOIL BORING SAMPLE ANALYTICAL RESULTS	FIGURE 3B
	JOB: F0131-008-03 DRAWN: KPW DATE: 2/6/98 APPROVED:	DATE:	