

First Half 2025 Groundwater Monitoring Report

J.H Baxter & Co. Wood Treating Facility

Prepared for:

J.H. Baxter & Co.

July 29, 2025

Project No. M0461.03.007

Prepared by:

Maul Foster & Alongi, Inc.

3140 NE Broadway, Portland, OR 97232

© 2025 Maul Foster & Alongi, Inc.



M A U L
F O S T E R
A L O N G I

First Half 2025 Groundwater Monitoring Report

J.H Baxter & Co. Wood Treating Facility

The material and data in this report were prepared under the supervision and direction of the undersigned.

Maul Foster & Alongi, Inc.



Sean Maloney, GIT
Project Geologist

David Weatherby, RG
Principal Geologist

Contents

Abbreviations and Acronyms.....	vii
1 Introduction.....	1
2 Monitoring Activities.....	1
3 Groundwater Elevations.....	2
4 Analytical Results.....	2
4.1 Onsite Monitoring Wells.....	2
4.2 Onsite Extraction Wells.....	2
4.3 Offsite Monitoring Wells.....	3
4.4 Quality Assurance and Quality Control.....	3
5 Groundwater Extraction and Treatment System.....	3
6 Second-Half 2025 Activities.....	4
Limitations.....	5
References.....	6

Figures

- 1-1. Site Vicinity Map
- 1-2. Site Detail Map
- 3-1: Shallow Zone Groundwater Elevation Map
- 3-2: Intermediate Zone Groundwater Elevation Map

Tables

- 3-1. Groundwater Elevation Summary
- 4-1. First Half 2025 Groundwater Analytical Results
- 5-1: Groundwater Extraction System Summary

Appendixes

Appendix A

Laboratory Report and Data Validation Memorandum

Appendix B

Groundwater Sampling Forms

Appendix C

Time Series Plots: Pentachlorophenol in Groundwater

Abbreviations and Acronyms

Apex	Apex Laboratories, LLC
Baxter	J.H. Baxter & Co.
DEQ	Oregon Department of Environmental Quality
EPA	U.S. Environmental Protection Agency
MG	million gallons
PCP	pentachlorophenol
the Site	J.H. Baxter & Co. wood treating facility in Eugene, Oregon

1 Introduction

Maul Foster & Alongi, Inc. (MFA) has prepared this report to present the results of groundwater monitoring activities conducted in the first half of 2025 at the J.H. Baxter & Co. (Baxter) wood treating facility located at 85 Baxter Street, Eugene, Oregon (the Site) (Figures 1-1 and 1-2). Groundwater monitoring activities were conducted in accordance with the Groundwater Monitoring Work Plan (Hart Crowser, 2001), Revised Groundwater Monitoring Work Plan (Baxter, 2003), and Revised Monitoring Program May 2015 (Baxter, 2015). On May 7, 2015, the Oregon Department of Environmental Quality (DEQ) approved the Revised Monitoring Program May 2015 (DEQ, 2015).

The Site has a total of 3 extraction wells and 41 monitoring wells. The wells are:

- Extraction Wells (total of 3): W-13S, W-13I, W-20I.
- Onsite Monitoring Wells (total of 26): W-1S, W-2S, W-2I, W-3S, W-4S, W-5I, W-6I, W-7S, W-8S, W-8I, W-9S, W-9I, W-9D, W-11S, W-11I, W-12I, W-12D, W-13D, W-14I, W-15S, W-18AS, W-18AI, W-21S, W-21I, W-22S, and W-23.
- Offsite Monitoring Wells (total of 15): W-16AS, W-16AI, W-17AS, W-17AI, W-17BI, W-18BI, W-19AS, W-24, W-25, W-26, W-28, W-29, W-32, W-34, and W-35.

Of these wells, four were sampled in March/April 2025 for Site-related constituents in accordance with the Revised Monitoring Program May 2015 (Baxter, 2015). The revised monitoring program requires the sampling of four wells semiannually in March and September (W-24, W-25, W-26, and W-29), and 12 additional wells annually in September (W-6I, W-7S, W-11I, W-11S, W-12I, W-13I, W-13S, W-17AI, W-17AS, W-20I, W-23I, and W-32). Although not required by the Revised Monitoring Program, onsite extraction well W-13S was sampled during this event to confirm whether an increase in the pentachlorophenol (PCP) concentration in September 2024 is still elevated. This report summarizes the results of the March/April 2025 monitoring event and the groundwater extraction data through June 2025.

2 Monitoring Activities

The groundwater monitoring event was conducted on March 31 and April 1, 2025. Field activities, including groundwater level measurements and groundwater sampling, were completed by MFA. Monitoring wells were sampled using low-flow methods as described in the Revised Groundwater Monitoring Work Plan (Baxter, 2003). Samples were collected using a peristaltic pump with dedicated tubing at each well. Groundwater sampling, equipment decontamination, and sample custody procedures were in accordance with previous sampling events, the Groundwater Monitoring Work Plan (Hart Crowser, 2001), and the Revised Groundwater Monitoring Work Plan (Baxter, 2003). Extraction well W-13S was sampled at the spigot on the well pump discharge pipe.

Groundwater samples were analyzed by Apex Laboratories, LLC (Apex) in Tigard, Oregon for phenols by U.S. Environmental Protection Agency (EPA) Method 8270E.

Groundwater levels were measured at 39 wells and groundwater samples were collected from five wells. Two wells, W-21S and W-21I, could not be located. According to a worker for a contractor working at the site, these two wells were recently decommissioned.

The laboratory report is presented in Appendix A and groundwater sampling forms are presented in Appendix B. On March 31, 2025, one field duplicate sample was collected at well W-25 and analyzed for phenols. The parent sample and field duplicate results were comparable, and no results required qualification.

3 Groundwater Elevations

Groundwater elevations are presented in Table 3-1. Groundwater elevation contours are presented in Figures 3-1 and 3-2, with the shallow zone contoured in Figure 3-1 and the intermediate zone contoured in Figure 3-2. According to a Baxter representative, the extraction wells operate 24 hours per day and five days a week. On Figure 3-1, no depression of the water table is documented at W-13S, indicating the well pump may not have been operating when the water level was measured on April 1, 2025. On Figure 3-2, a deep cone of depression in the groundwater contours is present at W-13I and W-20I, indicating the pumps were operating when the water levels were measured on April 1, 2025.

4 Analytical Results

Groundwater samples for the March/April 2025 monitoring event at W-13S, W-24, W-25, W-26, and W-29 were analyzed for phenols. The well locations are shown on Figure 3-1 (W-13S) and Figure 3-2 (W-24, W-25, W-26, and W-29). The laboratory results are provided in Table 4-1. PCP time-series plots are included in Appendix C. Note that the non-detect values on the time-series plots are shown as hollow symbols so that when method detection limits are elevated, it is not misinterpreted as representing the concentration in the well.

4.1 Onsite Monitoring Wells

Onsite groundwater monitoring wells were not sampled during the March/April 2025 monitoring event.

4.2 Onsite Extraction Wells

Only onsite extraction well W-13S was sampled during the March/April 2025 monitoring event as explained in Section 1.0.

4.3 Offsite Monitoring Wells

Only two chemicals were detected in the off-site monitoring wells sampled during the March/April 2025 monitoring event: PCP was detected at W-26, and 2,3,5,6-tetrachlorophenol was detected in the primary sample and duplicate samples at W-25. As shown on the trend plots in Appendix C and Table 4-1, after 15 years of groundwater monitoring documenting elevated concentrations of PCP in groundwater at the off-site wells, PCP has been detected at W-24, W-25, and W-29 only once (in September 2024) during the last five sampling events (March 2023, September 2023, March 2024, September 2024, and March 2025), and at W-26, the PCP concentration has been two to three orders of magnitude less than historical concentrations (now less than about 0.2 micrograms per liter) since March 2021.

4.4 Quality Assurance and Quality Control

As described further in the data validation memorandum (Appendix A), analytical results were evaluated according to applicable sections of EPA guidelines for data review. Based on the results of the data quality review procedures described Appendix A, the data, with the appropriate final data qualifiers assigned, are considered acceptable for their intended use.

5 Groundwater Extraction and Treatment System

The groundwater extraction and treatment system consists of three wells, a filtration system, and granulated activated carbon. The system was in operation for 127 days, from January 1, 2025 to June 30, 2025. The estimated pumping rates and extracted constituent mass are presented in Table 5-1. The PCP mass was calculated using data for groundwater samples collected from W-13I and W-20I in September 2024, and W-13S in March 2025.

During the first half of 2025, about 9.1 million gallons of groundwater was extracted and sent through the treatment system. In the first half of 2025, approximately 7.2 pounds of PCP were removed from the three extraction wells.

Since January 1994, approximately 753 million gallons of groundwater have been extracted and treated. Approximately 1,742 pounds of PCP have been extracted since January 1994. Polycyclic aromatic hydrocarbons (PAHs) and total metals were analyzed in groundwater samples through June 2015, so a calculated mass of 4.4 pounds of PAHs and 3.6 pounds of total metals were extracted between January 1994 and June 2015. PAHs and total metals are still extracted from groundwater, but the mass removed is no longer quantified since levels have been reduced enough that mass extraction quantities are deemed limited and no longer significant, as of June 2015.

6 Second-Half 2025 Activities

Semiannual groundwater monitoring for the second half of 2025 will be conducted in accordance with the Revised Monitoring Program May 2015 (Baxter, 2015).

Limitations

The services undertaken in completing this report were performed consistent with generally accepted professional consulting principles and practices. No other warranty, express or implied, is made. These services were performed consistent with our agreement with our client. This report is solely for the use and information of our client unless otherwise noted. Any reliance on this report by a third party is at such party's sole risk.

Opinions and recommendations contained in this report apply to conditions existing when services were performed and are intended only for the client, purposes, locations, time frames, and project parameters indicated. We are not responsible for the impacts of any changes in environmental standards, practices, or regulations subsequent to performance of services. We do not warrant the accuracy of information supplied by others, or the use of segregated portions of this report.

References

Baxter. 2003. *Revised Groundwater Monitoring Work Plan J.H. Baxter & Co. Wood Preserving Facility, 85 Baxter Road, Eugene, Oregon.* J.H. Baxter & Co. March 7.

Baxter. 2015. *Revised Monitoring Program May 2015 J.H. Baxter Eugene Site ESCI No. 55.* J.H. Baxter & Co. May 1.

DEQ. 2015. Email message from Greg Aitken, Oregon Department of Environmental Quality, to Heidi Blischke re: “*RE: Groundwater Monitoring Program for the Baxter Site as Discussed at our Meeting.*” May 7.

Hart Crowser. 2001. *Groundwater Monitoring Work Plan J.H. Baxter Wood Preserving Eugene Facility.* Hart Crowser, Inc. May 22.

Figures



MAUL
FOSTER
ALONGI




Figure 1-1 Site Vicinity Map

JH Baxter & Co, Inc.
Eugene, OR

Legend

-  Property Boundary
-  Tax Lot



Data Sources
Aerial photograph obtained from U.S. Department of Agriculture; tax lot data obtained from Lane County.



This product is for informational purposes and may not have been prepared for, or be suitable for legal, engineering, or surveying purposes. Users of this information should review or consult the primary data and information sources to ascertain the usability of the information.
© 2023 Maul Foster & Alongi, Inc.

Path: X:\0461_03_JH Baxter\007A.Proj\0461_03_007_004.aprx Fig 1-2 Site Detail Map
Print Date: 8/4/2023
Reviewed By: dweatherby
Produced By: sturner
Project: 0461.03.007





Figure 1-2 Site Detail Map

JH Baxter & Co, Inc.
Eugene, OR

Legend

-  Property Boundary
-  Tax Lot



Data Sources
Aerial photograph obtained from U.S. Department of Agriculture; tax lot data obtained from Lane County.

 **MAULFOSTER ALONGI**
p. 971 544 2139 | www.maulfooster.com

This product is for informational purposes and may not have been prepared for, or be suitable for, legal, engineering, or surveying purposes. Users of this information should review or consult the primary data and information sources to ascertain the usability of the information.
© 2023 Maul Foster & Alongi, Inc.





Figure 3-1
Shallow Zone
Groundwater Elevation
April 1, 2025

JH Baxter & Co, Inc.
 Eugene, OR

Legend

-  Monitoring Well
-  Extraction Well
-  Groundwater Elevation Contour (0.5-feet, amsl)
-  Property Boundary

Notes
 Water levels were measured on April 1, 2025.
 amsl = above mean sea level.
 NM = not measured.



Data Sources
 Aerial photograph obtained from the State of Oregon (2022);
 tax lot data obtained from Lane County.

 **MAUL FOSTER ALONGI**
 p. 971 544 2139 | www.maulfooster.com

This product is for informational purposes and may not have been prepared for, or be suitable for legal, engineering, or surveying purposes. Users of this information should review or consult the primary data and information sources to ascertain the usability of the information.
 © 2025 Maul Foster & Alongi, Inc.

Project: M0461.03.007 Produced By: jstretz Reviewed By: smaloney Print Date: 7/29/2025 Path: X:\0461_03_JH_Baxter\007_Prc\M0461_03_007_004.aprx\Fig 3-2 Intermediate Zone GWE 202504





Figure 3-2
Intermediate Zone
Groundwater Elevation
April 1, 2025

JH Baxter & Co, Inc.
 Eugene, OR

Legend

-  Monitoring Well
-  Extraction Well
-  Groundwater Elevation Contour (1-feet, amsl)
-  Property Boundary

Notes
 Water levels were measured on April 1, 2025.
 amsl = above mean sea level.
 NM = not measured.



Data Sources
 Aerial photograph obtained from the State of Oregon (2022);
 tax lot data obtained from Lane County.

 **MAUL FOSTER ALONGI**
 p. 971 544 2139 | www.maulfooster.com

This product is for informational purposes and may not have been prepared for, or be suitable for legal, engineering, or surveying purposes. Users of this information should review or consult the primary data and information sources to ascertain the usability of the information.
 © 2025 Maul Foster & Alongi, Inc.

Tables



MAUL
FOSTER
ALONGI

**Table 3-1
Groundwater Elevation Summary
J.H. Baxter Co. Wood Treating Facility**



Well ID	Top of Casing Elevation (ft amsl)	Depth to Well Bottom (ft)	Depth to Water (ft)	Groundwater Elevation (ft amsl)
			44,652	
W-1S	395.91	29	9.74	386.17
W-2S	393.16	28	4.05	389.11
W-2I	394.23	82	--	--
W-3S	395.01	33	9.65	385.36
W-4S	396.56	22	8.73	387.83
W-5I	396.71	76	10.22	386.49
W-6I	397.77	70	10.64	387.13
W-7S	397.66	20	10.20	387.46
W-8S	395.90	20	5.01	390.89
W-8I	393.66	82	6.05	387.61
W-9S	396.45	25	5.94	390.51
W-9I	396.19	67	5.56	390.63
W-11S	394.17	25	6.38	387.79
W-11I	394.17	83	9.03	385.14
W-12I	395.62	79	10.93	384.69
W-12D	395.54	134	11.10	384.44
W-13S	396.71	29	11.55	385.16
W-13I	396.15	71	41.58	354.57
W-13D	396.40	134	11.94	384.46
W-14I	395.60	78	8.23	387.37
W-15S	396.62	28	11.26	385.36
W-16AS	391.86	25	5.12	386.74
W-16AI	391.86	82	6.57	385.29
W-17AS	390.29	24	5.01	385.28
W-17AI	390.80	87	6.08	384.72
W-17BI	392.08	85	6.68	385.40
W-18AS	392.84	25	6.27	386.57
W-18AI	393.70	87	9.42	384.28
W-18BI	391.98	89	6.67	385.31
W-19AS	393.82	24	8.11	385.71
W-20I	397.10	85	28.54	368.56
W-21S	393.80	17	--	--
W-21I	393.80	81	--	--
W-22S	396.72	19	7.90	388.82
W-23I	396.16	56	9.64	386.52
W-24	391.64	65	6.44	385.20
W-25	389.92	64	4.68	385.24
W-26	390.14	79	7.84	382.30
W-28	390.01	84	5.11	384.90
W-29	388.56	75	3.86	384.70
W-32	388.35	74	4.62	383.73
W-34	389.17	76	4.30	384.87

Notes
Depth to groundwater measured on April 1, 2025.
-- = Not measured.
ft = feet.
ft amsl = feet above mean sea level.

Table 4-1
Summary of Groundwater Analytical Results
J.H. Baxter Co Wood Treating Facility
Eugene, Oregon



Well Location:	Extraction Well			Offsite Monitoring Wells						
Well ID:	W-13S			W-24						
Sample Name:	W-13S	W-13S-GW-0924	W-13S-0325	W-24-0323	W-24-0323-DUP	W-24	W24-GW-0328	W24-0328-DUP	W-24-GW-0924	W-24-0325
Collection Date:	11/01/2023	09/26/2024	03/31/2025	03/31/2023	03/31/2023	09/26/2023	03/28/2024	03/28/2024	09/26/2024	03/31/2025
Phenols (ug/L)										
2,3,4,6-Tetrachlorophenol	0.0481 U	7.25	7.36	0.0556 U	0.0515 U	0.204 U	0.0500 U	0.0472 U	0.0490 U	0.0485 U
2,3,5,6-Tetrachlorophenol	0.05 J	7.65	6.75	0.0890 J	0.0888 J	0.204 U	0.0500 U	0.0472 U	0.0490 U	0.0485 U
2,4,5-Trichlorophenol	0.0481 U	0.0958 J	2.58 U	0.0556 U	0.0515 U	0.204 U	0.0500 U	0.0472 U	0.0490 U	0.0485 U
2,4,6-Trichlorophenol	0.0481 U	0.0558 J	2.58 U	0.0556 U	0.0515 U	0.204 U	0.0500 U	0.0472 U	0.0490 U	0.0485 U
2,4-Dichlorophenol	0.0481 U	0.0500 U	2.58 U	0.0556 U	0.0515 U	0.204 U	0.0500 U	0.0472 U	0.0490 U	0.0485 U
2,4-Dimethylphenol	0.0481 U	0.250 U	12.9 U	0.0556 U	0.0515 U	0.204 U	0.250 U	0.236 U	0.245 U	0.243 U
2,4-Dinitrophenol	0.240 U	0.250 U	12.9 U	0.278 U	0.258 U	1.02 U	0.250 U	0.236 U	0.245 U	0.243 U
2-Chlorophenol	0.0481 U	0.0500 U	2.58 U	0.0556 U	0.0515 U	0.204 U	0.0500 U	0.0472 U	0.0490 U	0.0485 U
2-Methylphenol	0.024 U	0.0250 U	1.29 U	0.0278 U	0.0258 U	0.102 U	0.0250 U	0.0236 U	0.0245 U	0.0243 U
2-Nitrophenol	0.0962 U	0.100 U	5.15 U	0.111 U	0.103 U	0.408 U	0.100 U	0.0943 U	0.0980 U	0.0971 U
3- & 4-Methylphenol	0.024 U	0.0250 U	1.29 U	0.0278 U	0.0258 U	0.102 U	0.0483 J	0.0236 U	0.0245 U	0.0243 U
4,6-Dinitro-2-methylpheno	0.24 U	0.250 U	12.9 U	0.278 U	0.258 U	1.02 U	0.250 U	0.236 U	0.245 U	0.243 U
4-Chloro-3-methylphenol	0.0962 U	0.100 U	5.15 U	0.111 U	0.103 U	0.408 U	0.100 U	0.0943 U	0.0980 U	0.0971 U
4-Nitrophenol	0.0962 U	0.100 U	5.15 U	0.111 U	0.103 U	0.408 U	0.100 U	0.0943 U	0.0980 U	0.194 U
Pentachlorophenol	0.194	231	267	0.111 U	0.103 U	0.408 U	0.100 U	0.0943 U	0.141 J	0.0971 U
Phenol	0.192 U	0.200 U	10.3 U	0.222 U	0.206 U	0.816 U	0.200 U	0.189 U	0.196 U	0.194 U

Table 4-1
Summary of Groundwater Analytical Results
J.H. Baxter Co Wood Treating Facility
Eugene, Oregon



Well Location:	Offsite Monitoring Wells										
Well ID:	W-25						W-26				
Sample Name:	W-25-0323	W-25	W25-GW-0328	W-25-GW-0924	W-25-0325	W-25-0325-DUP	W-26-0323	W-26	W26-GW-0328	W-26-GW-0924	W-26-0325
Collection Date:	03/31/2023	09/26/2023	03/28/2024	09/26/2024	03/31/2025	03/31/2025	03/31/2023	09/26/2023	03/28/2024	09/26/2024	03/31/2025
Phenols (ug/L)											
2,3,4,6-Tetrachlorophenol	0.0490 U	0.0515 U	0.0485 U	0.0510 U	0.0532 U	0.0476 U	0.0526 U	0.0549 U	0.0490 U	0.0526 U	0.0476 U
2,3,5,6-Tetrachlorophenol	0.0596 J	0.0619 J	0.0485 U	0.0510 U	0.0587 J	0.0556 J	0.0526 U	0.0549 U	0.0490 U	0.0526 U	0.0476 U
2,4,5-Trichlorophenol	0.0490 U	0.0515 U	0.0485 U	0.0510 U	0.0532 U	0.0476 U	0.0526 U	0.0549 U	0.0490 U	0.0526 U	0.0476 U
2,4,6-Trichlorophenol	0.0490 U	0.0515 U	0.0485 U	0.0510 U	0.0532 U	0.0476 U	0.0526 U	0.0549 U	0.0490 U	0.0526 U	0.0476 U
2,4-Dichlorophenol	0.0490 U	0.0515 U	0.0485 U	0.0510 U	0.0532 U	0.0476 U	0.0526 U	0.0942 J	0.0490 U	0.0526 U	0.0476 U
2,4-Dimethylphenol	0.0490 U	0.0515 U	0.243 U	0.255 U	0.266 U	0.238 U	0.0526 U	0.0552 J	0.245 U	0.263 U	0.238 U
2,4-Dinitrophenol	0.245 U	0.258 U	0.243 U	0.255 U	0.266 U	0.238 U	0.263 U	0.275 U	0.245 U	0.263 U	0.238 U
2-Chlorophenol	0.0490 U	0.0515 U	0.0485 U	0.0510 U	0.0532 U	0.0476 U	0.0526 U	0.0549 U	0.0490 U	0.0526 U	0.0476 U
2-Methylphenol	0.0245 U	0.0258 U	0.0243 U	0.0255 U	0.0266 U	0.0238 U	0.0263 U	0.0275 U	0.0245 U	0.0263 U	0.0238 U
2-Nitrophenol	0.0980 U	0.103 U	0.0971 U	0.102 U	0.106 U	0.0952 U	0.105 U	0.110 U	0.0980 U	0.105 U	0.0952 U
3- & 4-Methylphenol	0.0245 U	0.0258 U	0.0243 U	0.0255 U	0.0266 U	0.0238 U	0.0263 U	0.0275 U	0.0245 U	0.0263 U	0.0238 U
4,6-Dinitro-2-methylpheno	0.245 U	0.258 U	0.243 U	0.255 U	0.266 U	0.238 U	0.263 U	0.275 U	0.245 U	0.263 U	0.238 U
4-Chloro-3-methylphenol	0.0980 U	0.103 U	0.0971 U	0.102 U	0.106 U	0.0952 U	0.105 U	0.110 U	0.0980 U	0.105 U	0.0952 U
4-Nitrophenol	0.0980 U	0.103 U	0.0971 U	0.102 U	0.106 U	0.0952 U	0.105 U	0.110 U	0.0980 U	0.105 U	0.190 U
Pentachlorophenol	0.0980 U	0.103 U	0.0971 U	0.104 J	0.106 U	0.0952 U	0.114 J	0.131 J	0.112 J	0.149 J	0.147 J
Phenol	0.196 U	0.206 U	0.194 U	0.204 U	0.213 U	0.190 U	0.211 U	0.220 U	0.196 U	0.211 U	0.190 U

Table 4-1
Summary of Groundwater Analytical Results
J.H. Baxter Co Wood Treating Facility
Eugene, Oregon



Well Location:	Offsite Monitoring Wells				
Well ID:	W-29				
Sample Name:	W-29-0323	W-29	W29-GW-0328	W-29-GW-0924	W-29-0325
Collection Date:	03/31/2023	09/26/2023	03/28/2024	09/26/2024	03/31/2025
Phenols (ug/L)					
2,3,4,6-Tetrachlorophenol	0.0526 U	0.0521 U	0.0500 U	0.0500 U	0.0476 U
2,3,5,6-Tetrachlorophenol	0.0526 U	0.0521 U	0.0500 U	0.0500 U	0.0476 U
2,4,5-Trichlorophenol	0.0526 U	0.0521 U	0.0500 U	0.0500 U	0.0476 U
2,4,6-Trichlorophenol	0.0526 U	0.0521 U	0.0500 U	0.0500 U	0.0476 U
2,4-Dichlorophenol	0.0526 U	0.0521 U	0.0500 U	0.0500 U	0.0476 U
2,4-Dimethylphenol	0.0526 U	0.0521 U	0.250 U	0.250 U	0.238 U
2,4-Dinitrophenol	0.263 U	0.260 U	0.250 U	0.250 U	0.238 U
2-Chlorophenol	0.0526 U	0.0521 U	0.0500 U	0.0500 U	0.0476 U
2-Methylphenol	0.0263 U	0.0260 U	0.0250 U	0.025 U	0.0238 U
2-Nitrophenol	0.105 U	0.104 U	0.100 U	0.100 U	0.0952 U
3- & 4-Methylphenol	0.0263 U	0.248	0.0250 U	0.106	0.0238 U
4,6-Dinitro-2-methylpheno	0.263 U	0.260 U	0.250 U	0.250 U	0.238 U
4-Chloro-3-methylphenol	0.105 U	0.104 U	0.100 U	0.100 U	0.0952 U
4-Nitrophenol	0.105 U	0.104 U	0.100 U	0.100 U	0.0952 U
Pentachlorophenol	0.105 U	0.104 U	0.100 U	0.102 J	0.0952 U
Phenol	0.211 U	0.208 U	0.200 U	0.200 U	0.190 U

**Table 5-1
Groundwater Extraction System Summary
J.H. Baxter Co. Wood Treating Facility**



Observation Period	Pumping Information			Average Concentrations ^{a,b,c}			Estimated Mass Extracted ^d		
	Days Pumping	Rate ^e	Volume	PCP	PAHs	Metals	PCP	PAHs	Metals
	(days)	(gpm)	(gallons)	(µg/L)	(µg/L)	(µg/L)	(pounds)	(pounds)	(pounds)
Well W-20I									
01-Jan-94 to 02-Dec-98	1,783	20 - 30	61,012,800	361	27	0.00	19.57	0.86	0.00
03-Dec-98 to 23-Feb-99	83	25	2,988,000	74	0.43	0.00	1.84	0.01	0.00
24-Feb-99 to 03-Mar-99	8	35	403,200	74	0.43	0.00	0.25	0.00	0.00
04-Mar-99 to 02-Jun-99	92	35	4,636,800	80	0.43	0.00	3.09	0.02	0.00
02-Jun-99 to 15-Dec-99	181	35	9,122,400	97	0.00	0.00	7.39	0.00	0.00
30-Nov-99 to 13-Mar-00	104	35	5,241,600	87	0.00	0.00	3.80	0.00	0.00
13-Mar-00 to 10-Jul-00	119	35	5,997,600	87	0.00	0.00	4.34	0.00	0.00
11-Jul-00 to 30-Sept-00	82	35	4,132,800	97	0.00	0.00	3.36	0.00	0.00
01-Oct-00 to 31-Jan-01	123	35	6,199,200	98	0.00	0.00	5.05	0.00	0.00
01-Feb-01 to 30-Jun-01	150	35	7,560,000	103	0.00	0.00	6.49	0.00	0.00
01-Jul-01 to 31-Dec-01	184	35	9,273,600	104	0.00	0.00	8.01	0.00	0.00
01-Jan-02 to 30-Jun-02	151	35	7,610,400	106	0.00	0.00	6.70	0.00	0.00
01-Jul-02 to 31-Dec-02	183	35	9,223,200	111	0.00	0.00	8.51	0.00	0.00
01-Jan-03 to 30-Jun-03	134	35	6,753,600	100	0.00	0.00	5.66	0.00	0.00
01-Jul-03 to 31-Dec-03	184	35	9,273,600	135	0.00	0.00	10.41	0.00	0.00
01-Jan-04 to 30-Jun-04	180	35	9,072,000	108	0.00	0.00	8.14	0.00	0.00
01-Jul-04 to 31-Dec-04	155	35	7,812,000	185	0.00	0.00	12.03	0.00	0.00
01-Jan-05 to 30-Jun-05	181	35	9,122,400	196	0.00	0.00	14.92	0.00	0.00
01-Jul-05 to 31-Dec-05	152	35	7,660,800	117	0.00	0.00	7.45	0.00	0.00
01-Jan-06 to 30-Jun-06	176	35	8,870,400	95	0.00	0.00	7.02	0.00	0.00
01-Jul-06 to 31-Dec-06	184	35	9,273,600	96	0.00	0.00	7.39	0.00	0.00
01-Jan-07 to 30-Jun-07	181	35	9,122,400	83	0.00	0.00	6.31	0.00	0.00
01-Jul-07 to 31-Dec-07	183	35	9,223,200	78	0.00	0.00	5.98	0.00	0.00
01-Jan-08 to 30-Jun-08	180	35	9,072,000	83	0.00	0.00	6.25	0.00	0.00
01-Jul-08 to 31-Dec-08	177	35	8,920,800	83	0.00	0.00	6.14	0.00	0.00
01-Jan-09 to 30-Jun-09	180	35	9,072,000	47	0.00	0.00	3.53	0.00	0.00
01-Jul-09 to 31-Dec-09	180	35	9,072,000	49	0.95	0.00	3.74	0.07	0.00
01-Jan-10 to 30-Jun-10	181	35	9,122,400	43	0.00	0.00	3.30	0.00	0.00
01-Jul-10 to 31-Dec-10	181	35	9,122,400	61	0.00	0.00	4.65	0.00	0.00
01-Jan-11 to 30-Jun-11	181	35	9,122,400	115	0.00	3.65	8.75	0.00	0.28
01-Jul-11 to 31-Dec-11	184	35	9,273,600	44	0.00	1.57	3.41	0.00	0.12
01-Jan-12 to 30-Jun-12	163	35	8,215,200	47	0.19	0.60	3.24	0.01	0.04
01-Jul-12 to 31-Dec-12	183	35	9,223,200	47	0.00	0.00	3.58	0.00	0.00

**Table 5-1
Groundwater Extraction System Summary
J.H. Baxter Co. Wood Treating Facility**



Observation Period	Pumping Information			Average Concentrations ^{a,b,c}			Estimated Mass Extracted ^d		
	Days Pumping	Rate ^e	Volume	PCP	PAHs	Metals	PCP	PAHs	Metals
	(days)	(gpm)	(gallons)	(µg/L)	(µg/L)	(µg/L)	(pounds)	(pounds)	(pounds)
Well W-20I cont.									
01-Jan-13 to 30-Jun-13	176	35	8,870,400	24	0.00	2.11	1.78	0.00	0.16
01-July-13 to 31-Dec-13	184	35	9,273,600	37	0.00	0.36	2.89	0.00	0.03
01-Jan-14 to 30-Jun-14	181	35	9,122,400	33	0.09	2.55	2.47	0.01	0.19
01-July-14 to 31-Dec-14	183	35	9,223,200	11	0.00	2.61	0.85	0.00	0.20
01-Jan-15 to 30-Jun-15	180	35	9,072,000	47	0.00	0.55	3.56	0.00	0.04
01-Jul-15 to 31-Dec-15	183	35	9,223,200	28	--	--	2.16	--	--
01-Jan-16 to 30-Jun-16	180	35	9,072,000	28	--	--	2.12	--	--
01-Jul-16 to 31-Dec-16	183	35	9,223,200	19	--	--	1.46	--	--
01-Jan-17 to 30-Jun-17	180	35	9,072,000	19	--	--	1.44	--	--
01-Jul-17 to 31-Dec-17	183	35	9,223,200	25	--	--	1.92	--	--
01-Jan-18 to 30-Jun-18	180	35	9,072,000	25	--	--	1.89	--	--
01-Jul-18 to 31-Dec-18	184	35	9,273,600	16	--	--	1.24	--	--
01-Jan-19 to 30-Jun-19	180	35	9,072,000	16	--	--	1.21	--	--
01-Jul-19 to 31-Dec-19	184	35	9,273,600	21	--	--	1.63	--	--
01-Jan-20 to 30-Jun-20	180	35	9,072,000	21	--	--	1.59	--	--
01-Jul-20 to 31-Dec-20	169	35	8,517,600	55	--	--	3.87	--	--
01-Jan-21 to 30-Jun-21	174	35	8,769,600	55	--	--	3.99	--	--
01-Jul-21 to 31-Dec-21	118	35	5,947,200	55	--	--	2.73	--	--
01-Jan-22 to 30-Jun-22	181	35	9,122,400	22	--	--	1.67	--	--
01-Jul-22 to 31-Dec-22	Data not available			--	--	--	--	--	--
01-Jan-23 to 30-Jun-23	149	35	7,509,600	22	--	--	1.38	--	--
01-Jul-23 to 31-Dec-23	173	35	8,719,200	22	--	--	1.60	--	--
01-Jan-24 to 30-Jun-24	100	35	5,040,000	49	--	--	2.04	--	--
01-Jul-24 to 31-Dec-24	119	35	5,997,600	15.3	--	--	0.76	--	--
01-Jan-25 to 30-Jun-25	127	35	6,400,800	15.3	--	--	0.82	--	--
Cumulative Amounts	10,774	~35	512,964,000				257.36	0.98	1.06
Well W-13S									
01-Jan-94 to 02-Dec-98	1,783	5	12,837,600	25,175	35	0.00	321.36	1.21	0.00
03-Dec-98 to 23-Feb-99	83	5	597,600	4,170	0.00	0.00	20.85	0.00	0.00
24-Feb-99 to 03-Mar-99	8	5	57,600	4,170	0.00	0.00	2.01	0.00	0.00
04-Mar-99 to 02-Jun-99	92	5	662,400	4,105	0.00	0.00	22.75	0.00	0.00
02-Jun-99 to 15-Dec-99	181	5	1,303,200	3,260	0.00	0.00	35.54	0.00	0.00
30-Nov-99 to 13-Mar-00	104	5	748,800	2,485	0.00	0.00	15.57	0.00	0.00
13-Mar-00 to 10-Jul-00	119	5	856,800	1,880	0.00	0.00	13.47	0.00	0.00
11-Jul-00 to 30-Sept-00	82	5	590,400	1,560	9.7	0.00	7.69	0.05	0.00
01-Oct-00 to 31-Jan-01	123	5	885,600	1,590	1.9	0.00	11.75	0.01	0.00
01-Feb-01 to 30-Jun-01	150	5	1,080,000	1,481	1.4	0.00	13.35	0.01	0.00

**Table 5-1
Groundwater Extraction System Summary
J.H. Baxter Co. Wood Treating Facility**



Observation Period	Pumping Information			Average Concentrations ^{a,b,c}			Estimated Mass Extracted ^d		
	Days Pumping	Rate ^e	Volume	PCP	PAHs	Metals	PCP	PAHs	Metals
	(days)	(gpm)	(gallons)	(µg/L)	(µg/L)	(µg/L)	(pounds)	(pounds)	(pounds)
Well W-13S cont.									
01-Jul-01 to 31-Dec-01	184	5	1,324,800	1,379	4.1	0.00	15.25	0.05	0.00
01-Jan-02 to 30-Jun-02	151	5	1,087,200	1,455	1.2	0.00	13.20	0.01	0.00
01-July-02 to 31-Dec-02	183	5	1,317,600	1,435	0.30	0.00	15.78	0.00	0.00
01-Jan-03 to 30-Jun-03	134	5	964,800	1,235	1.2	0.00	9.94	0.01	0.00
01-July-03 to 31-Dec-03	184	5	1,324,800	235	0.17	0.00	2.60	0.00	0.00
01-Jan-04 to 30-Jun-04	180	5	1,296,000	541	0.62	0.00	5.85	0.01	0.00
01-July-04 to 31-Dec-04	155	5	1,116,000	1,018	0.42	0.00	9.48	0.00	0.00
01-Jan-05 to 30-Jun-05	181	5	1,303,200	2,070	2.1	0.00	22.51	0.02	0.00
01-July-05 to 31-Dec-05	152	5	1,094,400	1,730	0.52	0.00	15.80	0.00	0.00
01-Jan-06 to 30-Jun-06	176	5	1,267,200	1,034	0.36	0.00	10.93	0.00	0.00
01-July-06 to 31-Dec-06	184	5	1,324,800	902	0.18	0.00	9.97	0.00	0.00
01-Jan-07 to 30-Jun-07	181	5	1,303,200	729	0.13	0.00	7.92	0.00	0.00
01-July-07 to 31-Dec-07	183	5	1,317,600	78	0.13	0.00	0.86	0.00	0.00
01-Jan-08 to 30-Jun-08	180	5	1,296,000	127	0.11	0.00	1.38	0.00	0.00
01-July-08 to 31-Dec-08	177	5	1,274,400	127	0.11	0.00	1.35	0.00	0.00
01-Jan-09 to 30-Jun-09	180	5	1,296,000	1.36	0.00	0.00	0.01	0.00	0.00
01-July-09 to 31-Dec-09	180	5	1,296,000	43	0.06	165.5	0.46	0.00	1.79
01-Jan-10 to 30-Jun-10	181	5	1,303,200	93	0.00	0.00	1.01	0.00	0.00
01-July-10 to 31-Dec-10	181	5	1,303,200	59	0.00	0.00	0.65	0.00	0.00
01-Jan-11 to 30-Jun-11	181	5	1,303,200	455	0.05	3.10	4.94	0.00	0.03
01-July-11 to 31-Dec-11	184	5	1,324,800	180	0.00	7.70	1.99	0.00	0.09
01-Jan-12 to 30-Jun-12	163	5	1,173,600	590	0.54	3.61	5.78	0.01	0.04
01-July-12 to 31-Dec-12	183	5	1,317,600	428	0.08	4.28	4.70	0.00	0.05
01-Jan-13 to 30-Jun-13	176	5	1,267,200	1,400	0.44	4.95	14.81	0.00	0.05
01-July-13 to 31-Dec-13	184	5	1,324,800	515	1.1	4.63	5.69	0.01	0.05
01-Jan-14 to 30-Jun-14	181	5	1,303,200	168	0.10	3.55	1.82	0.00	0.04
01-July-14 to 31-Dec-14	183	5	1,317,600	85	0.00	2.81	0.93	0.00	0.03
01-Jan-15 to 30-Jun-15	180	5	1,296,000	20	0.00	7.9	0.21	0.00	0.09
01-July-15 to 31-Dec-15	183	5	1,317,600	2.7	--	--	0.03	--	--
01-Jan-16 to 30-Jun-16	180	5	1,296,000	2.7	--	--	0.03	--	--
01-Jul-16 to 31-Dec-16	183	5	1,317,600	4.8	--	--	0.05	--	--
01-Jan-17 to 30-Jun-17	180	5	1,296,000	4.8	--	--	0.05	--	--
01-Jul-17 to 31-Dec-17	183	5	1,317,600	8	--	--	0.09	--	--

**Table 5-1
Groundwater Extraction System Summary
J.H. Baxter Co. Wood Treating Facility**



Observation Period	Pumping Information			Average Concentrations ^{a,b,c}			Estimated Mass Extracted ^d		
	Days Pumping	Rate ^e	Volume	PCP	PAHs	Metals	PCP	PAHs	Metals
	(days)	(gpm)	(gallons)	(µg/L)	(µg/L)	(µg/L)	(pounds)	(pounds)	(pounds)
Well W-13S cont.									
01-Jan-18 to 30-Jun-18	180	5	1,296,000	8	--	--	0.09	--	--
01-Jul-18 to 31-Dec-18	184	5	1,324,800	8.5	--	--	0.09	--	--
01-Jan-19 to 30-Jun-19	180	5	1,296,000	8.5	--	--	0.09	--	--
01-Jul-19 to 31-Dec-19	184	5	1,324,800	4.6	--	--	0.05	--	--
01-Jan-20 to 30-Jun-20	180	5	1,296,000	4.6	--	--	0.05	--	--
01-Jul-20 to 31-Dec-20	169	5	1,216,800	1.88	--	--	0.02	--	--
01-Jan-21 to 30-Jun-21	174	5	1,252,800	1.88	--	--	0.02	--	--
01-Jul-21 to 31-Dec-21	184	5	1,324,800	1.68	--	--	0.02	--	--
01-Jan-22 to 30-June-22	181	5	1,303,200	1.68	--	--	0.02	--	--
01-Jul-22 to 31-Dec-22	Data not available			--	--	--	--	--	--
01-Jan-23 to 30-Jun-23	149	5	1,072,800	1.68	--	--	0.02	--	--
01-Jul-23 to 31-Dec-23	173	5	1,245,600	1.68	--	--	0.02	--	--
01-Jan-24 to 30-Jun-24	100	5	720,000	0.19	--	--	0.001	--	--
01-Jul-24 to 31-Dec-24	119	5	856,800	231	--	--	1.649	--	--
01-Jan-25 to 30-Jun-25	127	5	914,400	267	--	--	2.035	--	--
Cumulative Amounts	10,840	5	78,048,000				654.57	1.40	2.26
Well W-13I									
01-Jan-94 to 02-Dec-98	1,783	10 - 15	32,522,400	3,196	35	0.00	124.69	1.44	0.00
03-Dec-98 to 23-Feb-99	83	10	1,195,200	590	0.00	0.00	5.90	0.00	0.00
24-Feb-99 to 03-Mar-99	8	10	115,200	590	0.00	0.00	0.57	0.00	0.00
04-Mar-99 to 02-Jun-99	92	10	1,324,800	640	0.00	0.00	7.09	0.00	0.00
02-Jun-99 to 15-Dec-99	181	10	2,606,400	876	0.00	0.00	19.10	0.00	0.00
30-Nov-99 to 13-Mar-00	104	10	1,497,600	823	0.00	0.00	10.30	0.00	0.00
13-Mar-00 to 10-Jul-00	119	10	1,713,600	785	0.95	0.00	11.25	0.01	0.00
11-Jul-00 to 30-Sept-00	82	10	1,180,800	803	9.6	0.00	7.91	0.09	0.00
01-Oct-00 to 31-Jan-01	123	10	1,771,200	747	1.8	0.00	11.04	0.03	0.00
01-Feb-01 to 30-Jun-01	150	10	2,160,000	778	1.4	0.00	14.02	0.02	0.00
01-Jul-01 to 31-Dec-01	184	10	2,649,600	887	1.2	0.00	19.61	0.03	0.00
01-Jan-02 to 30-Jun-02	151	10	2,174,400	672	0.55	0.00	12.19	0.01	0.00
01-July-02 to 31-Dec-02	183	10	2,635,200	1,025	0.85	0.00	22.54	0.02	0.00
01-Jan-03 to 30-Jun-03	134	10	1,929,600	829	0.80	0.00	13.35	0.01	0.00
01-July-03 to 31-Dec-03	184	10	2,649,600	883	1.2	0.00	19.51	0.03	0.00
01-Jan-04 to 30-Jun-04	180	10	2,592,000	859	1.2	0.00	18.59	0.03	0.00
01-July-04 to 31-Dec-04	155	10	2,232,000	1,260	1.3	0.00	23.47	0.02	0.00
01-Jan-05 to 30-Jun-05	181	10	2,606,400	942	1.4	0.00	20.48	0.03	0.00
01-July-05 to 31-Dec-05	152	10	2,188,800	970	1.3	0.00	17.72	0.02	0.00
01-Jan-06 to 30-Jun-06	176	10	2,534,400	897	0.88	0.00	18.97	0.02	0.00

Table 5-1
Groundwater Extraction System Summary
J.H. Baxter Co. Wood Treating Facility



Observation Period	Pumping Information			Average Concentrations ^{a,b,c}			Estimated Mass Extracted ^d		
	Days Pumping	Rate ^e	Volume	PCP	PAHs	Metals	PCP	PAHs	Metals
	(days)	(gpm)	(gallons)	(µg/L)	(µg/L)	(µg/L)	(pounds)	(pounds)	(pounds)
Well W-13I cont.									
01-July-06 to 31-Dec-06	184	10	2,649,600	865	0.43	0.00	19.13	0.01	0.00
01-Jan-07 to 30-Jun-07	181	10	2,606,400	857	0.63	0.00	18.64	0.01	0.00
01-July-07 to 31-Dec-07	183	10	2,635,200	623	1.5	0.00	13.70	0.03	0.00
01-Jan-08 to 30-Jun-08	180	10	2,592,000	866	0.53	0.00	18.73	0.01	0.00
01-July-08 to 31-Dec-08	177	10	2,548,800	866	0.53	0.00	18.41	0.01	0.00
01-Jan-09 to 30-Jun-09	180	10	2,592,000	729	0.32	0.00	15.77	0.01	0.00
01-July-09 to 31-Dec-09	180	10	2,592,000	805	0.95	0.00	17.42	0.02	0.00
01-Jan-10 to 30-Jun-10	181	10	2,606,400	639	0.68	0.00	13.90	0.01	0.00
01-July-10 to 31-Dec-10	181	10	2,606,400	754	0.33	0.00	16.40	0.01	0.00
01-Jan-11 to 30-Jun-11	181	10	2,606,400	1,298	0.30	2.45	28.22	0.01	0.05
01-July-11 to 31-Dec-11	184	10	2,649,600	980	0.50	1.18	21.67	0.01	0.03
01-Jan-12 to 30-Jun-12	163	10	2,347,200	700	0.40	2.73	13.71	0.01	0.05
01-July-12 to 31-Dec-12	183	10	2,635,200	830	1.1	1.56	18.25	0.02	0.03
01-Jan-13 to 30-Jun-13	176	10	2,534,400	1,050	1.1	2.55	22.21	0.02	0.05
01-July-13 to 31-Dec-13	184	10	2,649,600	970	1.2	0.28	21.45	0.03	0.01
01-Jan-14 to 30-Jun-14	181	10	2,606,400	533	0.29	1.95	11.58	0.01	0.04
01-July-14 to 31-Dec-14	183	10	2,635,200	563	0.20	0.26	12.37	0.00	0.01
01-Jan-15 to 30-Jun-15	180	10	2,592,000	385	0.20	0.00	8.33	0.00	0.00
01-Jul-15 to 31-Dec-15	183	10	2,635,200	490	--	--	10.78	--	--
01-Jan-16 to 30-Jun-16	181	10	2,606,400	490	--	--	10.66	--	--
01-Jul-16 to 31-Dec-16	183	10	2,635,200	350	--	--	7.70	--	--
01-Jan-17 to 30-Jun-17	181	10	2,606,400	350	--	--	7.61	--	--
01-Jul-17 to 31-Dec-17	183	10	2,635,200	350	--	--	7.70	--	--
01-Jan-18 to 30-Jun-18	181	10	2,606,400	350	--	--	7.61	--	--
01-Jul-18 to 31-Dec-18	184	10	2,649,600	370	--	--	8.18	--	--
01-Jan-19 to 30-Jun-19	180	10	2,592,000	370	--	--	8.00	--	--
01-Jul-19 to 31-Dec-19	184	10	2,649,600	290	--	--	6.41	--	--
01-Jan-20 to 30-Jun-20	180	10	2,592,000	290	--	--	6.27	--	--
01-Jul-20 to 31-Dec-20	169	10	2,433,600	254	--	--	5.15	--	--
01-Jan-21 to 30-Jun-21	174	10	2,505,600	254	--	--	5.30	--	--
01-Jul-21 to 31-Dec-21	118	10	1,699,200	--	--	--	--	--	--
01-Jan-22 to 30-June-22	181	10	2,606,400	334	--	--	7.25	--	--
01-Jul-22 to 31-Dec-22	Data not available			--	--	--	--	--	--

Appendix A

Laboratory Report and Data Validation Memorandum



MAUL
FOSTER
ALONGI



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Friday, April 25, 2025
David Weatherby
Maul Foster & Alongi, INC.
3140 NE Broadway Street
Portland, OR 97232

RE: A5D0959 - JH Baxter GW Sampling - M0461.03.007

Thank you for using Apex Laboratories. We greatly appreciate your business and strive to provide the highest quality services to the environmental industry.

Enclosed are the results of analyses for work order A5D0959, which was received by the laboratory on 4/1/2025 at 3:19:00PM.

If you have any questions concerning this report or the services we offer, please feel free to contact me by email at: pnerenberg@apex-labs.com, or by phone at 503-718-2323.

Please note: All samples will be disposed of within 30 days of sample receipt, unless prior arrangements have been made.

Table with 2 columns: Cooler #1, Cooler #2. Row 1: 1.4 degC, 3.3 degC. Title: Cooler Receipt Information. Subtitle: Acceptable Receipt Temperature is less than, or equal to, 6 degC (not frozen), or received on ice the same day as sampling. (See Cooler Receipt Form for details)

This Final Report is the official version of the data results for this sample submission, unless superseded by a subsequent, labeled amended report. All other deliverables derived from this data, including Electronic Data Deliverables (EDDs), CLP-like forms, client requested summary sheets, and all other products are considered secondary to this report.



Apex Laboratories

Philip Nerenberg (signature)

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

<u>Maul Foster & Alongi, INC.</u> 3140 NE Broadway Street Portland, OR 97232	Project: <u>JH Baxter GW Sampling</u> Project Number: M0461.03.007 Project Manager: David Weatherby	Report ID: A5D0959 - 04 25 25 1806
---	--	---

ANALYTICAL REPORT FOR SAMPLES

SAMPLE INFORMATION

Client Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
W-25-0325	A5D0959-01	Water	03/31/25 12:15	04/01/25 15:19
W-25-0325-DUP	A5D0959-02	Water	03/31/25 12:15	04/01/25 15:19
W-24-0325	A5D0959-03	Water	03/31/25 13:37	04/01/25 15:19
W-13S-0325	A5D0959-04	Water	03/31/25 14:10	04/01/25 15:19
W-26-0325	A5D0959-05	Water	03/31/25 15:35	04/01/25 15:19
W-29-0325	A5D0959-06	Water	03/31/25 16:49	04/01/25 15:19

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Maul Foster & Alongi, INC. 3140 NE Broadway Street Portland, OR 97232	Project: JH Baxter GW Sampling Project Number: M0461.03.007 Project Manager: David Weatherby	Report ID: A5D0959 - 04 25 25 1806
--	---	---

ANALYTICAL CASE NARRATIVE

A5D0959

Apex Laboratories

Amended Report Revision 1:

This report supersedes all previous reports.

This report was amended to remove 'PRES' footnotes added in error and correct a sample ID.

Philip Nerenberg
Lab Director
4/25/25

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Maul Foster & Alongi, INC. 3140 NE Broadway Street Portland, OR 97232	Project: JH Baxter GW Sampling Project Number: M0461.03.007 Project Manager: David Weatherby	Report ID: A5D0959 - 04 25 25 1806
--	---	---

ANALYTICAL SAMPLE RESULTS

Selected Semivolatile Organic Compounds by EPA 8270E

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
W-25-0325 (A5D0959-01)			Matrix: Water		Batch: 25D0206			
2-Chlorophenol	ND	0.0532	0.106	ug/L	1	04/04/25 22:10	EPA 8270E	
4-Chloro-3-methylphenol	ND	0.106	0.213	ug/L	1	04/04/25 22:10	EPA 8270E	
2,4-Dichlorophenol	ND	0.0532	0.106	ug/L	1	04/04/25 22:10	EPA 8270E	
2,4-Dimethylphenol	ND	0.266	0.532	ug/L	1	04/04/25 22:10	EPA 8270E	
2,4-Dinitrophenol	ND	0.266	0.532	ug/L	1	04/04/25 22:10	EPA 8270E	
4,6-Dinitro-2-methylphenol	ND	0.266	0.532	ug/L	1	04/04/25 22:10	EPA 8270E	
2-Methylphenol	ND	0.0266	0.0532	ug/L	1	04/04/25 22:10	EPA 8270E	
3+4-Methylphenol(s)	ND	0.0266	0.0532	ug/L	1	04/04/25 22:10	EPA 8270E	
2-Nitrophenol	ND	0.106	0.213	ug/L	1	04/04/25 22:10	EPA 8270E	
4-Nitrophenol	ND	0.106	0.213	ug/L	1	04/04/25 22:10	EPA 8270E	
Pentachlorophenol (PCP)	ND	0.106	0.213	ug/L	1	04/04/25 22:10	EPA 8270E	
Phenol	ND	0.213	0.426	ug/L	1	04/04/25 22:10	EPA 8270E	
2,3,4,6-Tetrachlorophenol	ND	0.0532	0.106	ug/L	1	04/04/25 22:10	EPA 8270E	
2,3,5,6-Tetrachlorophenol	0.0587	0.0532	0.106	ug/L	1	04/04/25 22:10	EPA 8270E	J
2,4,5-Trichlorophenol	ND	0.0532	0.106	ug/L	1	04/04/25 22:10	EPA 8270E	
2,4,6-Trichlorophenol	ND	0.0532	0.106	ug/L	1	04/04/25 22:10	EPA 8270E	
<i>Surrogate: Nitrobenzene-d5 (Surr)</i>		<i>Recovery: 64 %</i>		<i>Limits: 44-120 %</i>		<i>1</i>	<i>04/04/25 22:10</i>	<i>EPA 8270E</i>
<i>2-Fluorobiphenyl (Surr)</i>		<i>54 %</i>		<i>44-120 %</i>		<i>1</i>	<i>04/04/25 22:10</i>	<i>EPA 8270E</i>
<i>Phenol-d6 (Surr)</i>		<i>21 %</i>		<i>10-133 %</i>		<i>1</i>	<i>04/04/25 22:10</i>	<i>EPA 8270E</i>
<i>p-Terphenyl-d14 (Surr)</i>		<i>80 %</i>		<i>50-134 %</i>		<i>1</i>	<i>04/04/25 22:10</i>	<i>EPA 8270E</i>
<i>2-Fluorophenol (Surr)</i>		<i>31 %</i>		<i>19-120 %</i>		<i>1</i>	<i>04/04/25 22:10</i>	<i>EPA 8270E</i>
<i>2,4,6-Tribromophenol (Surr)</i>		<i>77 %</i>		<i>43-140 %</i>		<i>1</i>	<i>04/04/25 22:10</i>	<i>EPA 8270E</i>

W-25-0325-DUP (A5D0959-02)			Matrix: Water		Batch: 25D0206			
2-Chlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 22:45	EPA 8270E	
4-Chloro-3-methylphenol	ND	0.0952	0.190	ug/L	1	04/04/25 22:45	EPA 8270E	
2,4-Dichlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 22:45	EPA 8270E	
2,4-Dimethylphenol	ND	0.238	0.476	ug/L	1	04/04/25 22:45	EPA 8270E	
2,4-Dinitrophenol	ND	0.238	0.476	ug/L	1	04/04/25 22:45	EPA 8270E	
4,6-Dinitro-2-methylphenol	ND	0.238	0.476	ug/L	1	04/04/25 22:45	EPA 8270E	
2-Methylphenol	ND	0.0238	0.0476	ug/L	1	04/04/25 22:45	EPA 8270E	
3+4-Methylphenol(s)	ND	0.0238	0.0476	ug/L	1	04/04/25 22:45	EPA 8270E	
2-Nitrophenol	ND	0.0952	0.190	ug/L	1	04/04/25 22:45	EPA 8270E	
4-Nitrophenol	ND	0.0952	0.190	ug/L	1	04/04/25 22:45	EPA 8270E	

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Maul Foster & Alongi, INC. 3140 NE Broadway Street Portland, OR 97232	Project: JH Baxter GW Sampling Project Number: M0461.03.007 Project Manager: David Weatherby	Report ID: A5D0959 - 04 25 25 1806
--	---	---

ANALYTICAL SAMPLE RESULTS

Selected Semivolatile Organic Compounds by EPA 8270E

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
W-25-0325-DUP (A5D0959-02)			Matrix: Water			Batch: 25D0206		
Pentachlorophenol (PCP)	ND	0.0952	0.190	ug/L	1	04/04/25 22:45	EPA 8270E	
Phenol	ND	0.190	0.381	ug/L	1	04/04/25 22:45	EPA 8270E	
2,3,4,6-Tetrachlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 22:45	EPA 8270E	
2,3,5,6-Tetrachlorophenol	0.0556	0.0476	0.0952	ug/L	1	04/04/25 22:45	EPA 8270E	J
2,4,5-Trichlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 22:45	EPA 8270E	
2,4,6-Trichlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 22:45	EPA 8270E	
<i>Surrogate: Nitrobenzene-d5 (Surr)</i>		<i>Recovery: 61 %</i>		<i>Limits: 44-120 %</i>		<i>1</i>	<i>04/04/25 22:45</i>	<i>EPA 8270E</i>
<i>2-Fluorobiphenyl (Surr)</i>		<i>52 %</i>		<i>44-120 %</i>		<i>1</i>	<i>04/04/25 22:45</i>	<i>EPA 8270E</i>
<i>Phenol-d6 (Surr)</i>		<i>18 %</i>		<i>10-133 %</i>		<i>1</i>	<i>04/04/25 22:45</i>	<i>EPA 8270E</i>
<i>p-Terphenyl-d14 (Surr)</i>		<i>78 %</i>		<i>50-134 %</i>		<i>1</i>	<i>04/04/25 22:45</i>	<i>EPA 8270E</i>
<i>2-Fluorophenol (Surr)</i>		<i>28 %</i>		<i>19-120 %</i>		<i>1</i>	<i>04/04/25 22:45</i>	<i>EPA 8270E</i>
<i>2,4,6-Tribromophenol (Surr)</i>		<i>84 %</i>		<i>43-140 %</i>		<i>1</i>	<i>04/04/25 22:45</i>	<i>EPA 8270E</i>
W-24-0325 (A5D0959-03)			Matrix: Water			Batch: 25D0206		
2-Chlorophenol	ND	0.0485	0.0971	ug/L	1	04/04/25 23:22	EPA 8270E	
4-Chloro-3-methylphenol	ND	0.0971	0.194	ug/L	1	04/04/25 23:22	EPA 8270E	
2,4-Dichlorophenol	ND	0.0485	0.0971	ug/L	1	04/04/25 23:22	EPA 8270E	
2,4-Dimethylphenol	ND	0.243	0.485	ug/L	1	04/04/25 23:22	EPA 8270E	
2,4-Dinitrophenol	ND	0.243	0.485	ug/L	1	04/04/25 23:22	EPA 8270E	
4,6-Dinitro-2-methylphenol	ND	0.243	0.485	ug/L	1	04/04/25 23:22	EPA 8270E	
2-Methylphenol	ND	0.0243	0.0485	ug/L	1	04/04/25 23:22	EPA 8270E	
3+4-Methylphenol(s)	ND	0.0243	0.0485	ug/L	1	04/04/25 23:22	EPA 8270E	
2-Nitrophenol	ND	0.0971	0.194	ug/L	1	04/04/25 23:22	EPA 8270E	
4-Nitrophenol	ND	0.194	0.194	ug/L	1	04/04/25 23:22	EPA 8270E	
Pentachlorophenol (PCP)	ND	0.0971	0.194	ug/L	1	04/04/25 23:22	EPA 8270E	
Phenol	ND	0.194	0.388	ug/L	1	04/04/25 23:22	EPA 8270E	
2,3,4,6-Tetrachlorophenol	ND	0.0485	0.0971	ug/L	1	04/04/25 23:22	EPA 8270E	
2,3,5,6-Tetrachlorophenol	ND	0.0485	0.0971	ug/L	1	04/04/25 23:22	EPA 8270E	
2,4,5-Trichlorophenol	ND	0.0485	0.0971	ug/L	1	04/04/25 23:22	EPA 8270E	
2,4,6-Trichlorophenol	ND	0.0485	0.0971	ug/L	1	04/04/25 23:22	EPA 8270E	
<i>Surrogate: Nitrobenzene-d5 (Surr)</i>		<i>Recovery: 76 %</i>		<i>Limits: 44-120 %</i>		<i>1</i>	<i>04/04/25 23:22</i>	<i>EPA 8270E</i>
<i>2-Fluorobiphenyl (Surr)</i>		<i>67 %</i>		<i>44-120 %</i>		<i>1</i>	<i>04/04/25 23:22</i>	<i>EPA 8270E</i>
<i>Phenol-d6 (Surr)</i>		<i>24 %</i>		<i>10-133 %</i>		<i>1</i>	<i>04/04/25 23:22</i>	<i>EPA 8270E</i>
<i>p-Terphenyl-d14 (Surr)</i>		<i>83 %</i>		<i>50-134 %</i>		<i>1</i>	<i>04/04/25 23:22</i>	<i>EPA 8270E</i>

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Maul Foster & Alongi, INC. 3140 NE Broadway Street Portland, OR 97232	Project: JH Baxter GW Sampling Project Number: M0461.03.007 Project Manager: David Weatherby	Report ID: A5D0959 - 04 25 25 1806
--	---	---

ANALYTICAL SAMPLE RESULTS

Selected Semivolatile Organic Compounds by EPA 8270E

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
W-24-0325 (A5D0959-03)			Matrix: Water			Batch: 25D0206		
<i>Surrogate: 2-Fluorophenol (Surr)</i>		<i>Recovery: 38 %</i>		<i>Limits: 19-120 %</i>		1	04/04/25 23:22	EPA 8270E
<i>2,4,6-Tribromophenol (Surr)</i>		<i>99 %</i>		<i>43-140 %</i>		1	04/04/25 23:22	EPA 8270E
W-13S-0325 (A5D0959-04)			Matrix: Water			Batch: 25D0206		
2-Chlorophenol	ND	2.58	5.15	ug/L	50	04/04/25 19:09	EPA 8270E	
4-Chloro-3-methylphenol	ND	5.15	10.3	ug/L	50	04/04/25 19:09	EPA 8270E	
2,4-Dichlorophenol	ND	2.58	5.15	ug/L	50	04/04/25 19:09	EPA 8270E	
2,4-Dimethylphenol	ND	12.9	25.8	ug/L	50	04/04/25 19:09	EPA 8270E	
2,4-Dinitrophenol	ND	12.9	25.8	ug/L	50	04/04/25 19:09	EPA 8270E	
4,6-Dinitro-2-methylphenol	ND	12.9	25.8	ug/L	50	04/04/25 19:09	EPA 8270E	
2-Methylphenol	ND	1.29	2.58	ug/L	50	04/04/25 19:09	EPA 8270E	
3+4-Methylphenol(s)	ND	1.29	2.58	ug/L	50	04/04/25 19:09	EPA 8270E	
2-Nitrophenol	ND	5.15	10.3	ug/L	50	04/04/25 19:09	EPA 8270E	
4-Nitrophenol	ND	5.15	10.3	ug/L	50	04/04/25 19:09	EPA 8270E	
Pentachlorophenol (PCP)	267	5.15	10.3	ug/L	50	04/04/25 19:09	EPA 8270E	
Phenol	ND	10.3	20.6	ug/L	50	04/04/25 19:09	EPA 8270E	
2,3,4,6-Tetrachlorophenol	7.36	2.58	5.15	ug/L	50	04/04/25 19:09	EPA 8270E	
2,3,5,6-Tetrachlorophenol	6.75	2.58	5.15	ug/L	50	04/04/25 19:09	EPA 8270E	
2,4,5-Trichlorophenol	ND	2.58	5.15	ug/L	50	04/04/25 19:09	EPA 8270E	
2,4,6-Trichlorophenol	ND	2.58	5.15	ug/L	50	04/04/25 19:09	EPA 8270E	
<i>Surrogate: Nitrobenzene-d5 (Surr)</i>		<i>Recovery: 77 %</i>		<i>Limits: 44-120 %</i>		50	04/04/25 19:09	EPA 8270E S-05
<i>2-Fluorobiphenyl (Surr)</i>		<i>72 %</i>		<i>44-120 %</i>		50	04/04/25 19:09	EPA 8270E S-05
<i>Phenol-d6 (Surr)</i>		<i>19 %</i>		<i>10-133 %</i>		50	04/04/25 19:09	EPA 8270E S-05
<i>p-Terphenyl-d14 (Surr)</i>		<i>90 %</i>		<i>50-134 %</i>		50	04/04/25 19:09	EPA 8270E S-05
<i>2-Fluorophenol (Surr)</i>		<i>35 %</i>		<i>19-120 %</i>		50	04/04/25 19:09	EPA 8270E S-05
<i>2,4,6-Tribromophenol (Surr)</i>		<i>99 %</i>		<i>43-140 %</i>		50	04/04/25 19:09	EPA 8270E S-05
W-26-0325 (A5D0959-05)			Matrix: Water			Batch: 25D0206		
2-Chlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 19:46	EPA 8270E	
4-Chloro-3-methylphenol	ND	0.0952	0.190	ug/L	1	04/04/25 19:46	EPA 8270E	
2,4-Dichlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 19:46	EPA 8270E	
2,4-Dimethylphenol	ND	0.238	0.476	ug/L	1	04/04/25 19:46	EPA 8270E	
2,4-Dinitrophenol	ND	0.238	0.476	ug/L	1	04/04/25 19:46	EPA 8270E	
4,6-Dinitro-2-methylphenol	ND	0.238	0.476	ug/L	1	04/04/25 19:46	EPA 8270E	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

Maul Foster & Alongi, INC.

3140 NE Broadway Street

Portland, OR 97232

Project: **JH Baxter GW Sampling**

Project Number: **M0461.03.007**

Project Manager: **David Weatherby**

Report ID:

A5D0959 - 04 25 25 1806

ANALYTICAL SAMPLE RESULTS

Selected Semivolatile Organic Compounds by EPA 8270E

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
W-26-0325 (A5D0959-05)			Matrix: Water			Batch: 25D0206		
2-Methylphenol	ND	0.0238	0.0476	ug/L	1	04/04/25 19:46	EPA 8270E	
3+4-Methylphenol(s)	ND	0.0238	0.0476	ug/L	1	04/04/25 19:46	EPA 8270E	
2-Nitrophenol	ND	0.0952	0.190	ug/L	1	04/04/25 19:46	EPA 8270E	
4-Nitrophenol	ND	0.190	0.190	ug/L	1	04/04/25 19:46	EPA 8270E	
Pentachlorophenol (PCP)	0.147	0.0952	0.190	ug/L	1	04/04/25 19:46	EPA 8270E	J
Phenol	ND	0.190	0.381	ug/L	1	04/04/25 19:46	EPA 8270E	
2,3,4,6-Tetrachlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 19:46	EPA 8270E	
2,3,5,6-Tetrachlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 19:46	EPA 8270E	
2,4,5-Trichlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 19:46	EPA 8270E	
2,4,6-Trichlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 19:46	EPA 8270E	
<i>Surrogate: Nitrobenzene-d5 (Surr)</i>		<i>Recovery: 65 %</i>		<i>Limits: 44-120 %</i>	<i>1</i>	<i>04/04/25 19:46</i>	<i>EPA 8270E</i>	
<i>2-Fluorobiphenyl (Surr)</i>		<i>60 %</i>		<i>44-120 %</i>	<i>1</i>	<i>04/04/25 19:46</i>	<i>EPA 8270E</i>	
<i>Phenol-d6 (Surr)</i>		<i>21 %</i>		<i>10-133 %</i>	<i>1</i>	<i>04/04/25 19:46</i>	<i>EPA 8270E</i>	
<i>p-Terphenyl-d14 (Surr)</i>		<i>78 %</i>		<i>50-134 %</i>	<i>1</i>	<i>04/04/25 19:46</i>	<i>EPA 8270E</i>	
<i>2-Fluorophenol (Surr)</i>		<i>31 %</i>		<i>19-120 %</i>	<i>1</i>	<i>04/04/25 19:46</i>	<i>EPA 8270E</i>	
<i>2,4,6-Tribromophenol (Surr)</i>		<i>94 %</i>		<i>43-140 %</i>	<i>1</i>	<i>04/04/25 19:46</i>	<i>EPA 8270E</i>	
W-29-0325 (A5D0959-06)			Matrix: Water			Batch: 25D0206		
2-Chlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 23:58	EPA 8270E	
4-Chloro-3-methylphenol	ND	0.0952	0.190	ug/L	1	04/04/25 23:58	EPA 8270E	
2,4-Dichlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 23:58	EPA 8270E	
2,4-Dimethylphenol	ND	0.238	0.476	ug/L	1	04/04/25 23:58	EPA 8270E	
2,4-Dinitrophenol	ND	0.238	0.476	ug/L	1	04/04/25 23:58	EPA 8270E	
4,6-Dinitro-2-methylphenol	ND	0.238	0.476	ug/L	1	04/04/25 23:58	EPA 8270E	
2-Methylphenol	ND	0.0238	0.0476	ug/L	1	04/04/25 23:58	EPA 8270E	
3+4-Methylphenol(s)	ND	0.0238	0.0476	ug/L	1	04/04/25 23:58	EPA 8270E	
2-Nitrophenol	ND	0.0952	0.190	ug/L	1	04/04/25 23:58	EPA 8270E	
4-Nitrophenol	ND	0.0952	0.190	ug/L	1	04/04/25 23:58	EPA 8270E	
Pentachlorophenol (PCP)	ND	0.0952	0.190	ug/L	1	04/04/25 23:58	EPA 8270E	
Phenol	ND	0.190	0.381	ug/L	1	04/04/25 23:58	EPA 8270E	
2,3,4,6-Tetrachlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 23:58	EPA 8270E	
2,3,5,6-Tetrachlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 23:58	EPA 8270E	
2,4,5-Trichlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 23:58	EPA 8270E	
2,4,6-Trichlorophenol	ND	0.0476	0.0952	ug/L	1	04/04/25 23:58	EPA 8270E	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

Maul Foster & Alongi, INC. 3140 NE Broadway Street Portland, OR 97232	Project: JH Baxter GW Sampling Project Number: M0461.03.007 Project Manager: David Weatherby	Report ID: A5D0959 - 04 25 25 1806
--	---	---

ANALYTICAL SAMPLE RESULTS

Selected Semivolatile Organic Compounds by EPA 8270E

Analyte	Sample Result	Detection Limit	Reporting Limit	Units	Dilution	Date Analyzed	Method Ref.	Notes
W-29-0325 (A5D0959-06)				Matrix: Water		Batch: 25D0206		
<i>Surrogate: Nitrobenzene-d5 (Surr)</i>		<i>Recovery: 72 %</i>	<i>Limits: 44-120 %</i>	<i>44-120 %</i>	<i>1</i>	<i>04/04/25 23:58</i>	<i>EPA 8270E</i>	
<i>2-Fluorobiphenyl (Surr)</i>		<i>59 %</i>	<i>44-120 %</i>	<i>44-120 %</i>	<i>1</i>	<i>04/04/25 23:58</i>	<i>EPA 8270E</i>	
<i>Phenol-d6 (Surr)</i>		<i>22 %</i>	<i>10-133 %</i>	<i>10-133 %</i>	<i>1</i>	<i>04/04/25 23:58</i>	<i>EPA 8270E</i>	
<i>p-Terphenyl-d14 (Surr)</i>		<i>81 %</i>	<i>50-134 %</i>	<i>50-134 %</i>	<i>1</i>	<i>04/04/25 23:58</i>	<i>EPA 8270E</i>	
<i>2-Fluorophenol (Surr)</i>		<i>33 %</i>	<i>19-120 %</i>	<i>19-120 %</i>	<i>1</i>	<i>04/04/25 23:58</i>	<i>EPA 8270E</i>	
<i>2,4,6-Tribromophenol (Surr)</i>		<i>93 %</i>	<i>43-140 %</i>	<i>43-140 %</i>	<i>1</i>	<i>04/04/25 23:58</i>	<i>EPA 8270E</i>	

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Maul Foster & Alongi, INC.	Project: JH Baxter GW Sampling	
3140 NE Broadway Street	Project Number: M0461.03.007	Report ID:
Portland, OR 97232	Project Manager: David Weatherby	A5D0959 - 04 25 25 1806

QUALITY CONTROL (QC) SAMPLE RESULTS

Selected Semivolatile Organic Compounds by EPA 8270E

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 25D0206 - EPA 3510C (Acid Extraction)						Water						
Blank (25D0206-BLK1)						Prepared: 04/04/25 10:59 Analyzed: 04/04/25 17:19						
EPA 8270E												
Acenaphthene	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---	
Acenaphthylene	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---	
Anthracene	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---	
Benz(a)anthracene	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---	
Benzo(a)pyrene	ND	0.0150	0.0300	ug/L	1	---	---	---	---	---	---	
Benzo(b)fluoranthene	ND	0.0150	0.0300	ug/L	1	---	---	---	---	---	---	
Benzo(k)fluoranthene	ND	0.0150	0.0300	ug/L	1	---	---	---	---	---	---	
Benzo(g,h,i)perylene	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---	
Chrysene	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---	
Dibenz(a,h)anthracene	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---	
Fluoranthene	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---	
Fluorene	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---	
Indeno(1,2,3-cd)pyrene	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---	
1-Methylnaphthalene	ND	0.0200	0.0400	ug/L	1	---	---	---	---	---	---	
2-Methylnaphthalene	ND	0.0200	0.0400	ug/L	1	---	---	---	---	---	---	
Naphthalene	ND	0.0200	0.0400	ug/L	1	---	---	---	---	---	---	
Phenanthrene	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---	
Pyrene	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---	
Carbazole	ND	0.0150	0.0300	ug/L	1	---	---	---	---	---	---	
Dibenzofuran	ND	0.0100	0.0200	ug/L	1	---	---	---	---	---	---	
2-Chlorophenol	ND	0.0500	0.100	ug/L	1	---	---	---	---	---	---	
4-Chloro-3-methylphenol	ND	0.100	0.200	ug/L	1	---	---	---	---	---	---	
2,4-Dichlorophenol	ND	0.0500	0.100	ug/L	1	---	---	---	---	---	---	
2,4-Dimethylphenol	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
2,4-Dinitrophenol	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
4,6-Dinitro-2-methylphenol	ND	0.250	0.500	ug/L	1	---	---	---	---	---	---	
2-Methylphenol	ND	0.0250	0.0500	ug/L	1	---	---	---	---	---	---	
3+4-Methylphenol(s)	ND	0.0250	0.0500	ug/L	1	---	---	---	---	---	---	
2-Nitrophenol	ND	0.100	0.200	ug/L	1	---	---	---	---	---	---	
4-Nitrophenol	ND	0.100	0.200	ug/L	1	---	---	---	---	---	---	
Pentachlorophenol (PCP)	ND	0.100	0.200	ug/L	1	---	---	---	---	---	---	
Phenol	ND	0.200	0.400	ug/L	1	---	---	---	---	---	---	
2,3,4,6-Tetrachlorophenol	ND	0.0500	0.100	ug/L	1	---	---	---	---	---	---	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

Maul Foster & Alongi, INC. 3140 NE Broadway Street Portland, OR 97232	Project: JH Baxter GW Sampling Project Number: M0461.03.007 Project Manager: David Weatherby	Report ID: A5D0959 - 04 25 25 1806
--	---	---

QUALITY CONTROL (QC) SAMPLE RESULTS

Selected Semivolatile Organic Compounds by EPA 8270E

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 25D0206 - EPA 3510C (Acid Extraction)						Water						
Blank (25D0206-BLK1)			Prepared: 04/04/25 10:59			Analyzed: 04/04/25 17:19						
2,3,5,6-Tetrachlorophenol	ND	0.0500	0.100	ug/L	1	---	---	---	---	---	---	
2,4,5-Trichlorophenol	ND	0.0500	0.100	ug/L	1	---	---	---	---	---	---	
2,4,6-Trichlorophenol	ND	0.0500	0.100	ug/L	1	---	---	---	---	---	---	
<i>Surr: Nitrobenzene-d5 (Surr)</i>		<i>Recovery: 70 %</i>		<i>Limits: 44-120 %</i>		<i>Dilution: 1x</i>						
<i>2-Fluorobiphenyl (Surr)</i>		<i>56 %</i>		<i>44-120 %</i>		<i>"</i>						
<i>Phenol-d6 (Surr)</i>		<i>19 %</i>		<i>10-133 %</i>		<i>"</i>						
<i>p-Terphenyl-d14 (Surr)</i>		<i>86 %</i>		<i>50-134 %</i>		<i>"</i>						
<i>2-Fluorophenol (Surr)</i>		<i>31 %</i>		<i>19-120 %</i>		<i>"</i>						
<i>2,4,6-Tribromophenol (Surr)</i>		<i>68 %</i>		<i>43-140 %</i>		<i>"</i>						
LCS (25D0206-BS1)			Prepared: 04/04/25 10:59			Analyzed: 04/04/25 17:56						
EPA 8270E												
Acenaphthene	2.13	0.0400	0.0800	ug/L	4	4.00	---	53	47-122%	---	---	
Acenaphthylene	2.63	0.0400	0.0800	ug/L	4	4.00	---	66	41-130%	---	---	
Anthracene	3.57	0.0400	0.0800	ug/L	4	4.00	---	89	57-123%	---	---	
Benz(a)anthracene	3.80	0.0400	0.0800	ug/L	4	4.00	---	95	58-125%	---	---	
Benzo(a)pyrene	3.94	0.0600	0.120	ug/L	4	4.00	---	99	54-128%	---	---	
Benzo(b)fluoranthene	4.08	0.0600	0.120	ug/L	4	4.00	---	102	53-131%	---	---	
Benzo(k)fluoranthene	4.00	0.0600	0.120	ug/L	4	4.00	---	100	57-129%	---	---	
Benzo(g,h,i)perylene	3.78	0.0400	0.0800	ug/L	4	4.00	---	94	50-134%	---	---	
Chrysene	3.84	0.0400	0.0800	ug/L	4	4.00	---	96	59-123%	---	---	
Dibenz(a,h)anthracene	3.88	0.0400	0.0800	ug/L	4	4.00	---	97	51-134%	---	---	
Fluoranthene	3.98	0.0400	0.0800	ug/L	4	4.00	---	100	57-128%	---	---	
Fluorene	2.89	0.0400	0.0800	ug/L	4	4.00	---	72	52-124%	---	---	
Indeno(1,2,3-cd)pyrene	3.67	0.0400	0.0800	ug/L	4	4.00	---	92	52-134%	---	---	
1-Methylnaphthalene	1.77	0.0800	0.160	ug/L	4	4.00	---	44	41-120%	---	---	
2-Methylnaphthalene	1.75	0.0800	0.160	ug/L	4	4.00	---	44	40-121%	---	---	
Naphthalene	1.72	0.0800	0.160	ug/L	4	4.00	---	43	40-121%	---	---	
Phenanthrene	3.39	0.0400	0.0800	ug/L	4	4.00	---	85	59-120%	---	---	
Pyrene	3.99	0.0400	0.0800	ug/L	4	4.00	---	100	57-126%	---	---	
Carbazole	4.18	0.0600	0.120	ug/L	4	4.00	---	105	60-122%	---	---	
Dibenzofuran	2.57	0.0400	0.0800	ug/L	4	4.00	---	64	53-120%	---	---	
2-Chlorophenol	3.16	0.200	0.400	ug/L	4	4.00	---	79	38-120%	---	---	
4-Chloro-3-methylphenol	3.90	0.400	0.800	ug/L	4	4.00	---	97	52-120%	---	---	

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

Maul Foster & Alongi, INC. 3140 NE Broadway Street Portland, OR 97232	Project: JH Baxter GW Sampling Project Number: M0461.03.007 Project Manager: David Weatherby	Report ID: A5D0959 - 04 25 25 1806
--	---	---

QUALITY CONTROL (QC) SAMPLE RESULTS

Selected Semivolatile Organic Compounds by EPA 8270E

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 25D0206 - EPA 3510C (Acid Extraction)						Water						
LCS (25D0206-BS1)						Prepared: 04/04/25 10:59 Analyzed: 04/04/25 17:56						
2,4-Dichlorophenol	3.65	0.200	0.400	ug/L	4	4.00	---	91	47-121%	---	---	
2,4-Dimethylphenol	2.53	1.00	2.00	ug/L	4	4.00	---	63	31-124%	---	---	
2,4-Dinitrophenol	4.53	1.00	2.00	ug/L	4	4.00	---	113	23-143%	---	---	
4,6-Dinitro-2-methylphenol	4.76	1.00	2.00	ug/L	4	4.00	---	119	44-137%	---	---	
2-Methylphenol	3.05	0.100	0.200	ug/L	4	4.00	---	76	30-120%	---	---	
3+4-Methylphenol(s)	2.98	0.100	0.200	ug/L	4	4.00	---	74	29-120%	---	---	
2-Nitrophenol	3.31	0.400	0.800	ug/L	4	4.00	---	83	47-123%	---	---	Q-41
4-Nitrophenol	1.49	0.400	0.800	ug/L	4	4.00	---	37	10-120%	---	---	
Pentachlorophenol (PCP)	3.90	0.400	0.800	ug/L	4	4.00	---	97	35-138%	---	---	
Phenol	1.23	0.800	0.800	ug/L	4	4.00	---	31	10-120%	---	---	
2,3,4,6-Tetrachlorophenol	3.88	0.200	0.400	ug/L	4	4.00	---	97	50-128%	---	---	
2,3,5,6-Tetrachlorophenol	3.80	0.200	0.400	ug/L	4	4.00	---	95	50-121%	---	---	
2,4,5-Trichlorophenol	3.81	0.200	0.400	ug/L	4	4.00	---	95	53-123%	---	---	
2,4,6-Trichlorophenol	3.75	0.200	0.400	ug/L	4	4.00	---	94	50-125%	---	---	
<i>Surr: Nitrobenzene-d5 (Surr) Recovery: 94 % Limits: 44-120 % Dilution: 4x</i>												
<i>2-Fluorobiphenyl (Surr) 76 % 44-120 % "</i>												
<i>Phenol-d6 (Surr) 30 % 10-133 % "</i>												
<i>p-Terphenyl-d14 (Surr) 91 % 50-134 % "</i>												
<i>2-Fluorophenol (Surr) 44 % 19-120 % "</i>												
<i>2,4,6-Tribromophenol (Surr) 98 % 43-140 % "</i>												

LCS Dup (25D0206-BSD1)						Prepared: 04/04/25 10:59 Analyzed: 04/04/25 18:33						PRES
EPA 8270E												
Acenaphthene	2.36	0.0400	0.0800	ug/L	4	4.00	---	59	47-122%	10	30%	
Acenaphthylene	2.79	0.0400	0.0800	ug/L	4	4.00	---	70	41-130%	6	30%	
Anthracene	3.69	0.0400	0.0800	ug/L	4	4.00	---	92	57-123%	3	30%	
Benz(a)anthracene	3.84	0.0400	0.0800	ug/L	4	4.00	---	96	58-125%	1	30%	
Benzo(a)pyrene	4.04	0.0600	0.120	ug/L	4	4.00	---	101	54-128%	2	30%	
Benzo(b)fluoranthene	4.04	0.0600	0.120	ug/L	4	4.00	---	101	53-131%	0.8	30%	
Benzo(k)fluoranthene	4.03	0.0600	0.120	ug/L	4	4.00	---	101	57-129%	0.9	30%	
Benzo(g,h,i)perylene	3.78	0.0400	0.0800	ug/L	4	4.00	---	94	50-134%	0.02	30%	
Chrysene	3.89	0.0400	0.0800	ug/L	4	4.00	---	97	59-123%	1	30%	
Dibenz(a,h)anthracene	3.92	0.0400	0.0800	ug/L	4	4.00	---	98	51-134%	1	30%	
Fluoranthene	4.14	0.0400	0.0800	ug/L	4	4.00	---	103	57-128%	4	30%	

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Maul Foster & Alongi, INC. 3140 NE Broadway Street Portland, OR 97232	Project: JH Baxter GW Sampling Project Number: M0461.03.007 Project Manager: David Weatherby	Report ID: A5D0959 - 04 25 25 1806
--	---	---

QUALITY CONTROL (QC) SAMPLE RESULTS

Selected Semivolatile Organic Compounds by EPA 8270E

Analyte	Result	Detection Limit	Reporting Limit	Units	Dilution	Spike Amount	Source Result	% REC	% REC Limits	RPD	RPD Limit	Notes
Batch 25D0206 - EPA 3510C (Acid Extraction)						Water						
LCS Dup (25D0206-BSD1)						Prepared: 04/04/25 10:59 Analyzed: 04/04/25 18:33						PRES
Fluorene	3.12	0.0400	0.0800	ug/L	4	4.00	---	78	52-124%	8	30%	
Indeno(1,2,3-cd)pyrene	3.66	0.0400	0.0800	ug/L	4	4.00	---	91	52-134%	0.4	30%	
1-Methylnaphthalene	1.79	0.0800	0.160	ug/L	4	4.00	---	45	41-120%	1	30%	
2-Methylnaphthalene	1.75	0.0800	0.160	ug/L	4	4.00	---	44	40-121%	0.3	30%	
Naphthalene	1.59	0.0800	0.160	ug/L	4	4.00	---	40	40-121%	8	30%	
Phenanthrene	3.52	0.0400	0.0800	ug/L	4	4.00	---	88	59-120%	4	30%	
Pyrene	4.10	0.0400	0.0800	ug/L	4	4.00	---	102	57-126%	3	30%	
Carbazole	4.35	0.0600	0.120	ug/L	4	4.00	---	109	60-122%	4	30%	
Dibenzofuran	2.82	0.0400	0.0800	ug/L	4	4.00	---	71	53-120%	9	30%	
2-Chlorophenol	2.24	0.200	0.400	ug/L	4	4.00	---	56	38-120%	34	30%	Q-24
4-Chloro-3-methylphenol	3.43	0.400	0.800	ug/L	4	4.00	---	86	52-120%	13	30%	
2,4-Dichlorophenol	2.98	0.200	0.400	ug/L	4	4.00	---	75	47-121%	20	30%	
2,4-Dimethylphenol	2.10	1.00	2.00	ug/L	4	4.00	---	52	31-124%	19	30%	
2,4-Dinitrophenol	4.76	1.00	2.00	ug/L	4	4.00	---	119	23-143%	5	30%	
4,6-Dinitro-2-methylphenol	4.93	1.00	2.00	ug/L	4	4.00	---	123	44-137%	3	30%	
2-Methylphenol	2.23	0.100	0.200	ug/L	4	4.00	---	56	30-120%	31	30%	Q-24
3+4-Methylphenol(s)	2.17	0.100	0.200	ug/L	4	4.00	---	54	29-120%	31	30%	Q-24
2-Nitrophenol	2.68	0.400	0.800	ug/L	4	4.00	---	67	47-123%	21	30%	Q-41
4-Nitrophenol	1.54	0.400	0.800	ug/L	4	4.00	---	38	10-120%	3	30%	
Pentachlorophenol (PCP)	4.01	0.400	0.800	ug/L	4	4.00	---	100	35-138%	3	30%	
Phenol	0.869	0.800	0.800	ug/L	4	4.00	---	22	10-120%	35	30%	Q-24
2,3,4,6-Tetrachlorophenol	3.94	0.200	0.400	ug/L	4	4.00	---	98	50-128%	1	30%	
2,3,5,6-Tetrachlorophenol	3.83	0.200	0.400	ug/L	4	4.00	---	96	50-121%	0.7	30%	
2,4,5-Trichlorophenol	3.61	0.200	0.400	ug/L	4	4.00	---	90	53-123%	6	30%	
2,4,6-Trichlorophenol	3.53	0.200	0.400	ug/L	4	4.00	---	88	50-125%	6	30%	
<i>Surr: Nitrobenzene-d5 (Surr)</i>		<i>Recovery: 67 %</i>		<i>Limits: 44-120 %</i>		<i>Dilution: 4x</i>						
<i>2-Fluorobiphenyl (Surr)</i>		<i>69 %</i>		<i>44-120 %</i>		<i>"</i>						
<i>Phenol-d6 (Surr)</i>		<i>21 %</i>		<i>10-133 %</i>		<i>"</i>						
<i>p-Terphenyl-d14 (Surr)</i>		<i>88 %</i>		<i>50-134 %</i>		<i>"</i>						
<i>2-Fluorophenol (Surr)</i>		<i>30 %</i>		<i>19-120 %</i>		<i>"</i>						
<i>2,4,6-Tribromophenol (Surr)</i>		<i>97 %</i>		<i>43-140 %</i>		<i>"</i>						

Apex Laboratories

Philip Nerenberg, Lab Director

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street

Tigard, OR 97223

503-718-2323

ORELAP ID: OR100062

Maul Foster & Alongi, INC.

3140 NE Broadway Street

Portland, OR 97232

Project: JH Baxter GW Sampling

Project Number: M0461.03.007

Project Manager: David Weatherby

Report ID:

A5D0959 - 04 25 25 1806

SAMPLE PREPARATION INFORMATION

Selected Semivolatile Organic Compounds by EPA 8270E

Prep: EPA 3510C (Acid Extraction)

Lab Number	Matrix	Method	Sampled	Prepared	Sample Initial/Final	Default Initial/Final	RL Prep Factor
<u>Batch: 25D0206</u>							
A5D0959-01	Water	EPA 8270E	03/31/25 12:15	04/04/25 10:59	940mL/1mL	1000mL/1mL	1.06
A5D0959-02	Water	EPA 8270E	03/31/25 12:15	04/04/25 10:59	1050mL/1mL	1000mL/1mL	0.95
A5D0959-03	Water	EPA 8270E	03/31/25 13:37	04/04/25 10:59	1030mL/1mL	1000mL/1mL	0.97
A5D0959-04	Water	EPA 8270E	03/31/25 14:10	04/04/25 10:59	970mL/1mL	1000mL/1mL	1.03
A5D0959-05	Water	EPA 8270E	03/31/25 15:35	04/04/25 10:59	1050mL/1mL	1000mL/1mL	0.95
A5D0959-06	Water	EPA 8270E	03/31/25 16:49	04/04/25 10:59	1050mL/1mL	1000mL/1mL	0.95

Apex Laboratories

Philip Nerenberg

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Maul Foster & Alongi, INC. 3140 NE Broadway Street Portland, OR 97232	Project: JH Baxter GW Sampling Project Number: M0461.03.007 Project Manager: David Weatherby	Report ID: A5D0959 - 04 25 25 1806
--	---	---

QUALIFIER DEFINITIONS

Client Sample and Quality Control (QC) Sample Qualifier Definitions:

Apex Laboratories

- J** Estimated Result. Result detected below the lowest point of the calibration curve, but above the specified DL.
- PRES** Incomplete field preservation. Additional preservative was added to adjust the pH within the appropriate range for this analysis.
- Q-24** The RPD for this spike and spike duplicate is above established control limits. Recoveries for both the spike and spike duplicate are within control limits.
- Q-41** Estimated Results. Recovery of Continuing Calibration Verification sample above upper control limit for this analyte. Results are likely biased high.
- S-05** Surrogate recovery is estimated due to sample dilution required for high analyte concentration and/or matrix interference.

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Maul Foster & Alongi, INC. 3140 NE Broadway Street Portland, OR 97232	Project: JH Baxter GW Sampling Project Number: M0461.03.007 Project Manager: David Weatherby	Report ID: A5D0959 - 04 25 25 1806
--	---	---

REPORTING NOTES AND CONVENTIONS:

Abbreviations:

- DET Analyte DETECTED at or above the detection or reporting limit.
- ND Analyte NOT DETECTED at or above the detection or reporting limit.
- NR Result Not Reported
- RPD Relative Percent Difference. RPDs for Matrix Spikes and Matrix Spike Duplicates are based on concentration, not recovery.

Detection Limits: Limit of Detection (LOD)

Validated Limits of Detection (LODs) are normally set at a level of one half the validated Limit of Quantitation (LOQ). If no value is listed ('----'), then the data has not been evaluated below the Reporting Limit.

Reporting Limits: Limit of Quantitation (LOQ)

Validated Limits of Quantitation (LOQs) are reported as the Reporting Limits for all analyses where the LOQ, MRL, PQL or CRL are requested. The LOQ represents a level at or above the low point of the calibration curve, that has been validated according to Apex Laboratories' comprehensive LOQ policies and procedures.

Reporting and Detection Limits: Default Limits

Default Reporting and Detection Limits are based on 100% dry weight with the minimum dilution for the analysis. Reporting and Detection Limits are raised due to moisture content, additional dilutions required for analysis, matrix interferences and in other cases, as necessary.

Reporting Conventions:

- Basis: Results for soil samples are generally reported on a 100% dry weight basis. The Result Basis is listed following the units as "dry", "wet", or " " (blank) designation.
 - "dry" Sample results and Reporting Limits are reported on a dry weight basis. (i.e. "ug/kg dry")
See Percent Solids section for details of dry weight analysis.
 - "wet" Sample results and Reporting Limits for this analysis are normally dry weight corrected, but have not been modified in this case.
 - " " Results without 'wet' or 'dry' designation are not normally dry weight corrected. These results are considered 'As Received'.
- Results for Volatiles analyses on soils and sediments that are reported on a "dry weight" basis include the water miscible solvent (WMS) correction referenced in the EPA 8000 Method guidance documents. Solid and Liquid samples reported on an "As Received" basis do not have the WMS correction applied, as dry weight was not performed.

QC Source:

In cases where there is insufficient sample provided for Sample Duplicates and/or Matrix Spikes, a Lab Control Sample Duplicate (LCS Dup) may be analyzed to demonstrate accuracy and precision of the extraction batch. Non-Client Batch QC Samples (Duplicates and Matrix Spike/Duplicates) may not be included in this report. Please request a Full QC report if this data is required.

Miscellaneous Notes:

- " --- " QC results are not applicable. For example, % Recoveries for Blanks and Duplicates, % RPD for Blanks, Blank Spikes and Matrix Spikes, etc.
- " *** " Used to indicate a possible discrepancy with the Sample and Sample Duplicate results when the %RPD is not available. In this case, either the Sample or the Sample Duplicate has a reportable result for this analyte, while the other is Non Detect (ND).

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Maul Foster & Alongi, INC. 3140 NE Broadway Street Portland, OR 97232	Project: JH Baxter GW Sampling Project Number: M0461.03.007 Project Manager: David Weatherby	Report ID: A5D0959 - 04 25 25 1806
--	---	---

REPORTING NOTES AND CONVENTIONS (Cont.):

Blanks:

Standard practice is to evaluate the results from Blank QC Samples down to a level equal to one half of the Reporting Limit (RL). Blank results for gravimetric analyses are evaluated to the Reporting Level, not to half of the Reporting Level.

- For Blank hits falling between ½ the RL and the RL (J flagged hits), the associated sample and QC data will receive a 'B-02' qualifier.
- For Blank hits above the RL, the associated sample and QC data will receive a 'B' qualifier, per Apex Laboratories' Blank Policy.

For further details, please request a copy of this document.

- Sample results flagged with a 'B' or 'B-02' qualifier are potentially biased high if the sample results are less than ten times the level found in the blank for inorganic analyses, or less than five times the level found in the blank for organic analyses.

'B' and 'B-02' qualifications are only applied to sample results detected above the Reporting Level, if results are not reported to the MDL.

Preparation Notes:

Mixed Matrix Samples:

Water Samples:

Water samples containing significant amounts of sediment are decanted or separated prior to extraction, and only the water portion analyzed, unless otherwise directed by the client.

Soil and Sediment Samples:

Soil and Sediment samples containing significant amounts of water are decanted prior to extraction, and only the solid portion analyzed, unless otherwise directed by the client.

Sampling and Preservation Notes:

Certain regulatory programs, such as National Pollutant Discharge Elimination System (NPDES), require that activities such as sample filtration (for dissolved metals, orthophosphate, hexavalent chromium, etc.) and testing of short hold analytes (pH, Dissolved Oxygen, etc.) be performed in the field (on-site) within a short time window. In addition, sample matrix spikes are required for some analyses, and sufficient volume must be provided, and billable site specific QC requested, if this is required. All regulatory permits should be reviewed to ensure that these requirements are being met.

Data users should be aware of which regulations pertain to the samples they submit for testing. If related sample collection activities are not approved for a particular regulatory program, results should be considered estimates. Apex Laboratories will qualify these analytes according to the most stringent requirements, however results for samples that are for non-regulatory purposes may be acceptable.

Samples that have been filtered and preserved at Apex Laboratories per client request are listed in the preparation section of the report with the date and time of filtration listed.

Apex Laboratories maintains detailed records on sample receipt, including client label verification, cooler temperature, sample preservation, hold time compliance and field filtration. Data is qualified as necessary, and the lack of qualification indicates compliance with required parameters.

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Maul Foster & Alongi, INC. 3140 NE Broadway Street Portland, OR 97232	Project: JH Baxter GW Sampling Project Number: M0461.03.007 Project Manager: David Weatherby	Report ID: A5D0959 - 04 25 25 1806
--	---	---

Decanted Samples:

Soils/Sediments:

Unless TCLP analysis is required or there is notification otherwise for a specific project, all Soil and Sediments containing excess water are decanted prior to analysis in order to provide the most representative sample for analysis.

Water Samples:

Water samples containing solids and sediment may need to be decanted in order to eliminate these particulates from the water extractions. In the case of organics extractions, a solvent rinse of the container will not be performed.

Volatiles Soils (5035s)

Samples that are field preserved by 5035 for volatiles are dry weight corrected using the same dry weight correction as for normal analyses. In the case of decanted samples, the dry weight may be performed on a decanted sample, while the aliquot for 5035 may not have been treated the same way. If this is a concern, please submit separate containers for dry weight analysis for volatiles can be provided.

All samples decanted in the laboratory are noted in this report with the DCNT qualifier indicating the sample was decanted.

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Maul Foster & Alongi, INC. 3140 NE Broadway Street Portland, OR 97232	Project: JH Baxter GW Sampling Project Number: M0461.03.007 Project Manager: David Weatherby	Report ID: A5D0959 - 04 25 25 1806
--	---	---

LABORATORY ACCREDITATION INFORMATION

ORELAP Certification ID: OR100062 (Primary Accreditation) -
EPA ID: OR01039

All methods and analytes reported from work performed at Apex Laboratories are included on Apex Laboratories' ORELAP Scope of Certification, with the exception of any analyte(s) listed below:

Apex Laboratories

Matrix	Analysis	TNI_ID	Analyte	TNI_ID	Accreditation
--------	----------	--------	---------	--------	---------------

All reported analytes are included in Apex Laboratories' current ORELAP scope.

Secondary Accreditations

Apex Laboratories also maintains reciprocal accreditation with non-TNI states (Washington DOE), as well as other state specific accreditations not listed here.

Subcontract Laboratory Accreditations

Subcontracted data falls outside of Apex Laboratories' Scope of Accreditation. Please see the Subcontract Laboratory report for full details, or contact your Project Manager for more information.

Field Testing Parameters

Results for Field Tested data are provided by the client or sampler, and fall outside of Apex Laboratories' Scope of Accreditation.

Apex Laboratories

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.

Philip Nerenberg, Lab Director



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Maul Foster & Alongi, INC. Project: **JH Baxter GW Sampling**
 3140 NE Broadway Street Project Number: **M0461.03.007**
 Portland, OR 97232 Project Manager: **David Weatherby** Report ID: **A5D0959 - 04 25 25 1806**

CHAIN OF CUSTODY		Lab # <u>A5D0959</u> COC <u>1</u> of <u>1</u>
APEX LABS 6700 SW Sandburg St., Tigard, OR 97223 Ph: 503-718-2323		Project #: <u>M0461.03.007</u>
Company: <u>Maul Foster Alongi</u> Project Mgr: <u>David Weatherby</u> Project Name: <u>JH Baxter</u> Address: <u>3140 NE Broadway Bethel, OR 97232</u> Phone: <u>(503) 969-7742</u> Email: <u>DWeatherby@MaulFoster.com</u>		PO #
Sampled by: <u>Steven Chapman</u> State Sampled: <u>OR</u> WA Other: _____ County: <u>Lane</u>		
ANALYSIS REQUEST		
SAMPLE ID	DATE	TIME
1 W-25-0325	3/31/25	12:15 6W 2
2 W-25-0325-Dup	3/31/25	12:15 6W 2
3 W-24-0325	3/31/25	13:37 6W 2
4 W-135-0325	3/31/25	14:10 6W 2
5 W-26-0325	3/31/25	15:35 6W 2
6 W-29-0325	3/31/25	16:49 6W 2
7		
8		
9		
10		
		# OF CONTAINERS
		MATRIX
		NWTPH-DC
		NWTPH-Gx
		8260D BTEX
		8260D RBDM VOCs
		8260D Halo VOCs
		8260D VOCs Full List
		8270E PAHs
		8270E Semi-Vols Full List
		8082A PCBs
		8081B Pest
		RCRA Metals (8)
		Priority Metals (13)
		Al, Sb, As, Ba, Be, Cd, Ca, Cr, Co, Cu, Fe, Pb, Hg, Mn, Mo, Ni, K, Se, Ag, Na, Ti, V, Zn
		TOTAL DISS. TCLP
		TCLP Metals (8)
		Low-level PCBs
		Incl. PCBs
		8270E
		Archive - Frozen
		HOLD

Normal Turn Around Time (TAT) = 10 Business Days --->

*** RUSH - Request ---> Indicate Date Needed: _____

***Rush TAT requests may incur additional cost

For TAT calculations, samples received after 3pm will be considered received the next business day. Data will be reported by 6pm. Samples with <72 hrs of hold time may be surcharged.

SAMPLES ARE HELD FOR 30 DAYS

RELINQUISHED BY:		RECEIVED BY:	
Signature: <u>Steven Chapman</u>	Date: <u>4/1/25</u>	Signature: <u>[Signature]</u>	Date: _____
Printed Name: <u>Steven Chapman</u>	Time: <u>15:19</u>	Printed Name: _____	Time: _____
Company: <u>Maul Foster Alongi</u>		Company: _____	

SPECIAL INSTRUCTIONS:

Apex Laboratories

Philip Nerenberg

The results in this report apply to the samples analyzed in accordance with the chain of custody document(s) and updated by any subsequent written communications. This analytical report must be reproduced in its entirety.



ANALYTICAL REPORT

AMENDED REPORT

Apex Laboratories, LLC

6700 S.W. Sandburg Street
Tigard, OR 97223
503-718-2323
ORELAP ID: OR100062

Maul Foster & Alongi, INC.
3140 NE Broadway Street
Portland, OR 97232
Project: JH Baxter GW Sampling
Project Number: M0461.03.007
Project Manager: David Weatherby
Report ID: A5D0959 - 04 25 25 1806

APEX LABS COOLER RECEIPT FORM

Client: Maul Foster & Alongi Element WO#: A5D0959

Project/Project #: JH Baxter / Project # M0461.03.007

Delivery Info:

Date/time received: 4/1/25 @ 1519 By: KN

Delivered by: Apex Client XESS FedEx UPS Radio Morgan SDS Evergreen Other

From USDA Regulated Origin? Yes No X

Cooler Inspection Date/time inspected: 4/1/25 @ 1519 By: KN

Chain of Custody included? Yes X No

Signed/dated by client? Yes X No

Contains USDA Reg. Soils? Yes No X Unsure (email RegSoils)

Table with 7 columns: Cooler #1 to Cooler #7. Rows include Temperature (°C), Custody seals? (Y/N), Received on ice? (Y/N), Temp. blanks? (Y/N), Ice type: (Gel/Real/Other), Condition (In/Out).

Cooler out of temp? (Y/N) Possible reason why:

Green dots applied to out of temperature samples? Yes No

Out of temperature samples form initiated? Yes No

Sample Inspection: Date/time inspected: 4/1/25 @ 1608 By: AAW

All samples intact? Yes X No Comments:

Bottle labels/COCs agree? Yes X No Comments:

COC/container discrepancies form initiated? Yes No X

Containers/volumes received appropriate for analysis? Yes X No Comments:

Do VOA vials have visible headspace? Yes No NA X

Comments:

Water samples: pH checked: Yes No NA X pH appropriate? Yes No NA X pH ID:

Comments:

Labeled by: AAW Witness: JAWM Cooler Inspected by: AAW

Form Y-003 R-02

Philip Nerenberg

Data Validation Memorandum

Project No. M0461.03.007 | April 28, 2025 | J.H. Baxter & Co.

Maul Foster & Alongi, Inc. (MFA), conducted an independent Stage 2A review of the quality of analytical results for groundwater and associated quality control samples collected on March 31, 2025, at the J.H. Baxter & Co. wood treating facility located at 85 Baxter Street, Eugene, Oregon.

Apex Laboratories, LLC (Apex), performed the analyses. MFA reviewed Apex report number A5D0959. The analysis performed and the samples analyzed are listed in the following tables.

Analysis	Reference
Phenols	EPA 8270E

Note

EPA = U.S. Environmental Protection Agency.

Samples Analyzed	
Report A5D0959	
W-25-0325	W-13S-0325
W-25-0325-DUP	W-26-0325
W-24-0325	W-29-0325

Data Validation Procedures

Analytical results were evaluated according to applicable sections of U.S. Environmental Protection Agency (EPA) guidelines for data review (EPA 2020) and appropriate laboratory- and method-specific guidelines (Apex 2023, EPA 1986).

Based on the data quality assurance/quality control review described herein, the data, with the appropriate final data qualifiers assigned, are considered acceptable for their intended use. Final data qualifiers represent qualifiers originating from the laboratory and accepted by the reviewer, and data qualifiers assigned by the reviewer during validation.

Final data qualifiers:

- J = result is estimated.
- U = result is non-detect at the laboratory detection limit (LDL).

Sample Conditions

Sample Custody

Sample custody was appropriately documented on the chain-of-custody form accompanying the report.

Holding Times

Extractions and analyses were performed within the recommended holding times.

Preservation and Sample Storage

The samples were preserved and stored appropriately.

Reporting Limits

The laboratory evaluated results to LDLs. Samples that required dilutions because of high analyte concentrations, matrix interferences, and/or dilutions necessary for preparation and/or analysis were reported with raised LDLs and MRLs.

The laboratory qualified results between the LDL and the MRL with J, as estimated.

Blank Results

Method Blanks

Laboratory method blanks are used to evaluate whether laboratory contamination was introduced during sample preparation and analysis. Laboratory method blank analyses were performed at the required frequencies, in accordance with laboratory- and method-specific requirements.

All laboratory method blank results were non-detect to LDLs.

Equipment Rinsate Blanks

Equipment rinsate blanks are used to evaluate the adequacy of the field equipment decontamination process when decontaminated sampling equipment is used to collect samples.

These blanks were not required for this sampling event, as all samples were collected using dedicated or single-use equipment.

Laboratory Control Sample and Laboratory Control Sample Duplicate Results

Laboratory control sample (LCS) and laboratory control sample duplicate (LCSD) results are used to evaluate laboratory precision and accuracy. All LCSs and LCSDs were prepared and analyzed at the required frequency, in accordance with laboratory- and method-specific requirements.

According to report A5D0959, the EPA Method 8270E batch A5D0959 LCS and LCSD relative percent difference (RPD) results for 2-chlorophenol, 2-methylphenol, 3+4-methylphenol, and phenol were above the 30 percent RPD limit, ranging from 31 percent to 35 percent. The LCS and LCSD results were within percent recovery acceptance limits. All associated sample results were non-detect and thus did not require qualification.

All remaining LCS and LCSD results were within acceptance limits for percent recovery and RPD.

Laboratory Duplicate Results

Laboratory duplicate results are used to evaluate laboratory precision and sample homogeneity. No laboratory duplicate results were reported; laboratory precision was evaluated using LCS and LCSD results.

Matrix Spike and Matrix Spike Duplicate Results

Matrix spike (MS) and matrix spike duplicate (MSD) results are used to evaluate laboratory precision, accuracy, and the effect of the sample matrix on sample preparation and target analyte recovery. No MS or MSD were reported.

Surrogate Results

Surrogate results are used to evaluate laboratory performance of target organic compounds for individual samples.

When surrogate results were outside percent recovery acceptance limits because of dilutions necessary to quantify high concentrations of target analytes, qualification by the reviewer was not required because surrogate concentrations could not be accurately quantified.

All surrogate results were within percent recovery acceptance limits.

Field Duplicate Results

Field duplicate results are used to evaluate field precision and sample homogeneity. The following field duplicate and parent sample pair was submitted for analysis:

Report	Parent Sample	Field Duplicate Sample
A5D0959	W-25-0325	W-25-0325-DUP

MFA uses acceptance criteria of 100 percent RPD for results that are less than five times the MRL or 50 percent RPD for results that are greater than five times the MRL. RPD was not evaluated when both results in the sample pair were non-detect.

All field duplicate results met the RPD acceptance criteria.

Data Package

The data package was reviewed for transcription errors, omissions, and anomalies.

Report A5D0959 was revised by Apex on April 25, 2025, to remove an erroneous flag and correct a sample name to match the chain-of-custody form.

No other issues were found.

References

Apex. 2023. *Quality Systems Manual*. Rev. 11. Apex Laboratories, LLC: Tigard, OR. June 20.

EPA. 1986. *Test Methods for Evaluating Solid Waste, Physical/Chemical Methods*. EPA publication SW-846. 3rd ed. U.S. Environmental Protection Agency. Final updates I (1993), II (1995), IIA (1994), IIB (1995), III (1997), IIIA (1999), IIIB (2005), IV (2008), V (2015), VI phase I (2017), VI phase II (2018), VI phase III (2019), VII phase I (2019), and VII phase II (2020).

EPA. 2020. *National Functional Guidelines for Organic Superfund Methods Data Review*. EPA 540-R-20-005. U.S. Environmental Protection Agency, Office of Superfund Remediation and Technology Innovation: Washington, DC. November.

Appendix B

Groundwater Sampling Forms



MAUL
FOSTER
ALONGI

Groundwater Field Sampling Data Sheet



Project Information											
Project No.		Client Name		Project Name		Sampling Event		Sampler(s)			
M0461.03.007		J.H. Baxter		Semiannual Sampling		First-Half 2025		S. Chapman / S. Maloney			
Well Information											
Location ID	Well Type		Monument Type		Depth Measuring Point		Well Diameter (in)	Screen Interval (ft)	Sample Depth (ft)		
W-24	Monitoring		Flush-mount		Top of Casing		4.0				
Hydrology/Level Measurements											
Date	Time	Depth to Bottom (ft)	Depth to Product (ft)	Depth to Water (ft)	Product Thickness (ft)	Water Column (ft)	Well Casing Volume (gal)	0.75" = 0.023 gal/ft 1" = 0.041 gal/ft 1.5" = 0.092 gal/ft 2" = 0.163 gal/ft 3" = 0.367 gal/ft 4" = 0.653 gal/ft 6" = 1.469 gal/ft 8" = 2.611 gal/ft			
03/31/2025	12:50	65.00		6.61		58.39	38.13				
		<i>DTB</i>	<i>DTP</i>	<i>DTW</i>	<i>DTW - DTP</i>	<i>DTB - DTW</i>	<i>(gal/ft x water column)</i>				
Water Quality Data											
Purge Method		Peristaltic Pump		<i>Purge/Sampling Methods: peristaltic pump, submersible pump, vacuum pump, inertia pump, dedicated pump, disposable bailer, bladder pump, other</i>							
Purge Start Time		12:52		<i>ideally < 0.3 ft drawdown</i>	± 0.1	$\pm 3\%$	$\pm 3\%$	$\pm 10\%$ if > 0.5	± 10	< 5 or $\pm 10\%$ if > 5	
Time	Cumulative Purge Volume	Flowrate	Water Level	pH	Temperature	Conductivity	Dissolved Oxygen	ORP	Turbidity		
	<i>gal</i>	<i>L/min</i>	<i>ft</i>	<i>SU</i>	<i>degrees C</i>	<i>uS/cm</i>	<i>mg/L</i>	<i>mV</i>	<i>NTU</i>		
13:01	0.48	0.2	6.67	6.00	13.5	62.8	1.70	183.6	7.14		
13:04	0.63	0.2	6.67	5.97	13.6	62.6	1.46	187.6	7.31		
13:07	0.79	0.2	6.67	5.96	13.5	62.5	1.25	190.6	8.78		
13:10	0.95	0.2	6.67	5.96	13.6	62.5	1.17	191.6	8.00		
13:13	1.10	0.2	6.66	5.95	13.6	62.5	1.28	192.8	7.11		
13:16	1.26	0.2	6.67	5.94	13.5	62.3	1.14	196.0	7.60		
13:19	1.42	0.2	6.67	5.94	13.3	62.4	0.98	198.1	9.10		
13:22	1.58	0.2	6.66	5.94	13.3	62.4	0.95	200.6	7.37		
13:25	1.73	0.2	6.66	5.94	13.2	62.3	0.92	202.4	7.91		
13:28	1.89	0.2	6.66	5.94	13.2	62.3	0.85	203.6	8.85		
13:31	2.05	0.2	6.67	5.93	13.5	62.2	0.80	202.5	8.05		
13:34	2.21	0.2	6.67	5.93	13.4	62.2	1.05	202.6	8.85		
Last row of water quality data are considered final field parameters unless otherwise noted.						Sample Information					
Water Quality Observations		Clear; colorless; no odor; no sheen.				Sampling Method	Peristaltic Pump				
<i>(clarity, tint, odor, sheen, etc.)</i>						Sample Name	W-24-GW-0325				
						Sample Date	03/31/2025	Sample Time	13:37		
						Container Type	Preservative	Filtered (Y/N)		No. Containers	
General Comments						VOA					
						Amber glass	None	N	2		
						Poly					
										Total No. Containers:	2

Groundwater Field Sampling Data Sheet



Project Information											
Project No.		Client Name		Project Name		Sampling Event		Sampler(s)			
M0461.03.007		J.H. Baxter		Semiannual Sampling		First-Half 2025		S. Chapman / S. Maloney			
Well Information											
Location ID	Well Type		Monument Type		Depth Measuring Point		Well Diameter (in)	Screen Interval (ft)	Sample Depth (ft)		
W-25	Monitoring		Flush-mount		Top of Casing		4.0				
Hydrology/Level Measurements											
Date	Time	Depth to Bottom (ft)	Depth to Product (ft)	Depth to Water (ft)	Product Thickness (ft)	Water Column (ft)	Well Casing Volume (gal)	0.75" = 0.023 gal/ft 1" = 0.041 gal/ft 1.5" = 0.092 gal/ft 2" = 0.163 gal/ft 3" = 0.367 gal/ft 4" = 0.653 gal/ft 6" = 1.469 gal/ft 8" = 2.611 gal/ft			
		DTB	DTP	DTW	DTW - DTP	DTB - DTW	(gal/ft x water column)				
03/31/2025	11:40	64.00		4.87		59.13	38.61				
Water Quality Data											
Purge Method		Peristaltic Pump		Purge/Sampling Methods: peristaltic pump, submersible pump, vacuum pump, inertia pump, dedicated pump, disposable bailer, bladder pump, other							
Purge Start Time		11:32		ideally < 0.3 ft drawdown	± 0.1	± 3%	± 3%	± 10% if > 0.5	± 10	< 5 or ± 10% if > 5	
Time	Cumulative Purge Volume	Flowrate	Water Level	pH	Temperature	Conductivity	Dissolved Oxygen	ORP	Turbidity		
	gal	L/min	ft	SU	degrees C	uS/cm	mg/L	mV	NTU		
11:51	1.75	0.2	4.92	6.88	14.6	539.0	2.54	144.1	4.80		
11:54	2.00	0.2	4.85	6.88	14.6	537.0	2.49	141.8	3.51		
11:57	2.25	0.2	4.85	6.88	14.6	537.0	2.32	140.4	6.06		
12:00	2.50	0.2	4.86	6.88	14.6	536.5	2.05	138.7	3.82		
12:03	2.75	0.2	4.85	6.88	14.7	537.3	1.71	136.6	3.42		
12:06	3.00	0.2	4.86	6.88	14.6	586.8	1.37	134.1	3.28		
12:09	3.25	0.2	4.85	6.88	14.8	537.1	1.25	131.2	4.03		
12:12	3.50	0.2	4.85	6.88	14.8	536.7	1.20	128.0	3.79		
12:15	3.75	0.2	4.86	6.88	14.7	537.1	1.15	122.0	4.53		
Last row of water quality data are considered final field parameters unless otherwise noted.						Sample Information					
Water Quality Observations (clarity, tint, odor, sheen, etc.)		Clear; colorless; no odor; no sheen.				Sampling Method	Peristaltic Pump				
						Sample Name	W-25-GW-0325				
						Sample Date	03/31/2025	Sample Time	12:15		
						Container Type	Preservative	Filtered (Y/N)			
General Comments						VOA					
						Amber glass	None	N	2		
						Poly					
						Total No. Containers:					

Groundwater Field Sampling Data Sheet



Project Information											
Project No.	Client Name	Project Name	Sampling Event	Sampler(s)							
M0461.03.007	J.H. Baxter	Semiannual Sampling	First-Half 2025	S. Chapman / S. Maloney							
Well Information											
Location ID	Well Type	Monument Type	Depth Measuring Point	Well Diameter (in)	Screen Interval (ft)	Sample Depth (ft)					
W-26	Monitoring	Flush-mount	Top of Casing	4.0							
Hydrology/Level Measurements											
Date	Time	Depth to Bottom (ft)	Depth to Product (ft)	Depth to Water (ft)	Product Thickness (ft)	Water Column (ft)	Well Casing Volume (gal)	0.75" = 0.023 gal/ft 1" = 0.041 gal/ft 1.5" = 0.092 gal/ft 2" = 0.163 gal/ft 3" = 0.367 gal/ft 4" = 0.653 gal/ft 6" = 1.469 gal/ft 8" = 2.611 gal/ft			
		DTB	DTP	DTW	DTW - DTP	DTB - DTW	(gal/ft x water column)				
03/31/2025	14:47	79.00		7.84		71.16	46.47				
Water Quality Data											
Purge Method	Peristaltic Pump		Purge/Sampling Methods: peristaltic pump, submersible pump, vacuum pump, inertia pump, dedicated pump, disposable bailer, bladder pump, other								
Purge Start Time	14:47		ideally < 0.3 ft drawdown	± 0.1	± 3%	± 3%	± 10% if > 0.5	± 10	< 5 or ± 10% if > 5		
Time	Cumulative Purge Volume	Flowrate	Water Level	pH	Temperature	Conductivity	Dissolved Oxygen	ORP	Turbidity		
	gal	L/min	ft	SU	degrees C	uS/cm	mg/L	mV	NTU		
15:02	0.8	0.2	7.84	5.89	13.7	30.9	7.04	-9.3	14.5		
15:05	1.0	0.2	7.85	5.89	13.8	30.9	2.59	-12.4	13.8		
15:08	1.1	0.2	7.85	5.89	14.0	30.9	1.76	-13.9	13.0		
15:11	1.3	0.2	7.85	5.89	14.1	30.9	2.24	-14.4	12.7		
15:14	1.4	0.2	7.85	5.82	14.1	31.1	1.37	-12.0	14.8		
15:17	1.6	0.2	7.89	5.87	13.9	30.9	1.50	-14.8	11.1		
15:21	1.8	0.2	7.84	5.86	14.0	30.7	1.22	-14.5	11.2		
15:24	2.0	0.2	7.85	5.89	14.0	30.8	0.86	-16.9	12.7		
15:27	2.1	0.2	7.83	5.86	14.0	30.8	0.81	-16.7	11.4		
15:30	2.3	0.2	7.88	5.87	14.1	30.7	0.85	-16.7	11.0		
15:33	1.6	0.2	7.84	5.87	14.0	30.7	0.76	-16.4	10.7		
Last row of water quality data are considered final field parameters unless otherwise noted.						Sample Information					
Water Quality Observations <i>(clarity, tint, odor, sheen, etc.)</i>	Clear; colorless; no odor; no sheen.					Sampling Method	Peristaltic Pump				
						Sample Name	W-26-GW-0325				
						Sample Date	03/31/2025	Sample Time	15:35		
						Container Type	Preservative	Filtered (Y/N)		No. Containers	
General Comments						VOA					
						Amber glass	None	N	2		
						Poly					
						Total No. Containers:					2

Groundwater Field Sampling Data Sheet



Project Information											
Project No.	Client Name	Project Name	Sampling Event	Sampler(s)							
M0461.03.007	J.H. Baxter	Semiannual Sampling	First-Half 2025	S. Chapman / S. Maloney							
Well Information											
Location ID	Well Type	Monument Type	Depth Measuring Point	Well Diameter (in)	Screen Interval (ft)	Sample Depth (ft)					
W-29	Monitoring	Flush-mount	Top of Casing	4.0							
Hydrology/Level Measurements											
Date	Time	Depth to Bottom (ft)	Depth to Product (ft)	Depth to Water (ft)	Product Thickness (ft)	Water Column (ft)	Well Casing Volume (gal)	0.75" = 0.023 gal/ft 1" = 0.041 gal/ft 1.5" = 0.092 gal/ft 2" = 0.163 gal/ft 3" = 0.367 gal/ft 4" = 0.653 gal/ft 6" = 1.469 gal/ft 8" = 2.611 gal/ft			
		DTB	DTP	DTW	DTW - DTP	DTB - DTW	(gal/ft x water column)				
03/31/2025	16:00	74.83		3.99		70.84	46.26				
Water Quality Data											
Purge Method	Peristaltic Pump		Purge/Sampling Methods: peristaltic pump, submersible pump, vacuum pump, inertia pump, dedicated pump, disposable bailer, bladder pump, other								
Purge Start Time	16:01		ideally < 0.3 ft drawdown	± 0.1	± 3%	± 3%	± 10% if > 0.5	± 10	< 5 or ± 10% if > 5		
Time	Cumulative Purge Volume	Flowrate	Water Level	pH	Temperature	Conductivity	Dissolved Oxygen	ORP	Turbidity		
	gal	L/min	ft	SU	degrees C	uS/cm	mg/L	mV	NTU		
16:15	0.7	0.2	4.01	6.52	14.1	227.0	4.25	62.4	13.60		
16:18	0.9	0.2	4.01	6.56	14.0	228.9	2.28	71.0	5.99		
16:21	1.1	0.2	4.01	6.57	14.1	229.3	1.82	78.1	6.27		
16:24	1.2	0.2	4.01	6.66	14.1	229.3	1.99	82.7	7.82		
16:27	1.4	0.2	4.01	6.61	14.1	229.1	1.36	86.2	7.28		
16:30	1.5	0.2	4.01	6.62	14.0	229.9	1.21	89.6	5.24		
16:33	1.7	0.2	4.01	6.62	14.0	229.3	1.19	92.4	5.20		
16:36	1.9	0.2	4.01	6.63	14.1	229.3	1.14	95.2	5.72		
16:39	2.0	0.2	4.01	6.63	14.2	229.6	1.03	98.4	4.48		
Last row of water quality data are considered final field parameters unless otherwise noted.						Sample Information					
Water Quality Observations <i>(clarity, tint, odor, sheen, etc.)</i>	Clear; colorless; no odor; no sheen.					Sampling Method	Peristaltic Pump				
						Sample Name	W-29-GW-0325				
						Sample Date	03/31/2025	Sample Time	16:49		
						Container Type	Preservative	Filtered (Y/N)		No. Containers	
General Comments						VOA					
						Amber glass	None	N	2		
						Poly					
						Total No. Containers:			2		

Water Levels J.H. Baxter Co. Wood Treating Facility



Monitoring Event:	J.H. 2025		Field Staff:	S. Maloney/S. Chapman	
Well ID	Date	Time	Depth to Bottom ^(a) (feet below TOC)	Depth to Water (feet below TOC)	Comments
On-Site Wells					
W-1S	4/1/2025	10:59	29	9.74	
W-2S	4/1/2025	10:43	28	4.05	Deep water around
W-2I	4/1/2025		82		Broken
W-3S	4/1/2025	10:27	33	9.65	
W-4S	4/1/2025	10:15	22	8.73	
W-5I	4/1/2025	10:18	76	10.22	
W-6I	4/1/2025	9:27	70	10.64	
W-7S	4/1/2025	9:24	20	10.20	
W-8S	4/1/2025	10:35	20	5.01	
W-8I	4/1/2025	10:32	82	6.05	
W-9S	4/1/2025	10:54	25	5.94	
W-9I	4/1/2025	10:52	67	5.56	Well says W-9D
W-11S	4/1/2025	10:11	25	6.38	
W-11I	4/1/2025	10:08	83	9.03	
W-12I	4/1/2025	10:24	79	10.93	
W-12D	4/1/2025	10:22	134	11.10	
W-13S	4/1/2025	9:30	29	11.55	
W-13I	4/1/2025	9:32	71	41.58	
W-13D	4/1/2025	9:36	134	11.94	
W-14I	4/1/2025	11:00	78	8.23	
W-15S	4/1/2025	9:43	28	11.26	
W-18AS	4/1/2025	10:02	25	6.27	
W-18AI	4/1/2025	9:59	87	9.42	
W-20I	4/1/2025	9:55	85	28.54	Opened w/ monkey wrench
W-21S	4/1/2025		17		Could not locate well
W-21I	4/1/2025		81		Could not locate well
W-22S	4/1/2025	10:47	19	7.90	
W-23I	4/1/2025	10:04	56	9.64	

Water Levels
J.H. Baxter Co. Wood Treating Facility



Monitoring Event:	J.H. 2025		Field Staff:	S. Maloney/S. Chapman	
Well ID	Date	Time	Depth to Bottom ^(a) (feet below TOC)	Depth to Water (feet below TOC)	Comments
Off-Site Wells					
W-16AS	4/1/2025	12:29	25	5.12	
W-16AI	4/1/2025	12:33	82	6.57	Muck in monument
W-17AS	4/1/2025	12:24	24	5.01	
W-17AI	4/1/2025	12:21	87	6.08	
W-17BI	4/1/2025	12:13	85	6.68	
W-18BI	4/1/2025	12:07	89	6.67	
W-19AS	4/1/2025	12:40	24	8.11	
W-24	4/1/2025	12:03	65	6.44	
W-25	4/1/2025	12:50	64	4.68	
W-26	3/31/2025	14:47	79	7.84	Water level meter not detecting water; using value from groundwater sampling on March 31
W-28	4/1/2025	11:33	84	5.11	
W-29	4/1/2025	11:26	75	3.86	
W-32	4/1/2025	11:43	74	4.62	
W-34	4/1/2025	11:51	76	4.30	
Notes					
^(a) Historical values. TOC = top of casing.					

Appendix C

Time Series Plots: Pentachlorophenol in Groundwater



MAUL
FOSTER
ALONGI

Figure C-1
Pentachlorophenol in Groundwater at W-24




Figure C-2
Pentachlorophenol in Groundwater at W-25




Figure C-3
Pentachlorophenol in Groundwater at W-26




Figure C-4
Pentachlorophenol in Groundwater at W-29

